



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻Ω/km
AN003.007.02.000.14B	Li2YCY	300/300V	2X0.14	9/0.14	4.0	24.03	158Ω/km
AN003.007.03.000.14B	Li2YCY	300/300V	3X0.14	9/0.14	4.2	26.96	158Ω/km
AN003.007.04.000.14B	Li2YCY	300/300V	4X0.14	9/0.14	4.5	31.26	158Ω/km
AN003.007.05.000.14B	Li2YCY	300/300V	5X0.14	9/0.14	4.7	34.44	158Ω/km
AN003.007.06.000.14B	Li2YCY	300/300V	6X0.14	9/0.14	5.2	41.59	158Ω/km
AN003.007.07.000.14B	Li2YCY	300/300V	7X0.14	9/0.14	5.2	42.21	158Ω/km
AN003.007.08.000.14B	Li2YCY	300/300V	8X0.14	9/0.14	5.5	47.27	158Ω/km
AN003.007.09.000.14B	Li2YCY	300/300V	9X0.14	9/0.14	5.9	54.22	158Ω/km
AN003.007.10.000.14B	Li2YCY	300/300V	10X0.14	9/0.14	6.2	59.84	158Ω/km
AN003.007.11.000.14B	Li2YCY	300/300V	11X0.14	9/0.14	6.4	63.94	158Ω/km
AN003.007.12.000.14B	Li2YCY	300/300V	12X0.14	9/0.14	6.4	64.54	158Ω/km
AN003.007.13.000.14B	Li2YCY	300/300V	13X0.14	9/0.14	7.1	77.23	158Ω/km
AN003.007.14.000.14B	Li2YCY	300/300V	14X0.14	9/0.14	7.1	77.83	158Ω/km
AN003.007.15.000.14B	Li2YCY	300/300V	15X0.14	9/0.14	7.3	82.38	158Ω/km
AN003.007.16.000.14B	Li2YCY	300/300V	16X0.14	9/0.14	7.3	82.99	158Ω/km
AN003.007.17.000.14B	Li2YCY	300/300V	17X0.14	9/0.14	7.6	89.71	158Ω/km
AN003.007.18.000.14B	Li2YCY	300/300V	18X0.14	9/0.14	7.6	90.31	158Ω/km
AN003.007.19.000.14B	Li2YCY	300/300V	19X0.14	9/0.14	7.6	90.91	158Ω/km
AN003.007.20.000.14B	Li2YCY	300/300V	20X0.14	9/0.14	7.8	95.72	158Ω/km
AN003.007.21.000.14B	Li2YCY	300/300V	21X0.14	9/0.14	7.9	98.49	158Ω/km
AN003.007.22.000.14B	Li2YCY	300/300V	22X0.14	9/0.14	8.3	107.92	158Ω/km
AN003.007.23.000.14B	Li2YCY	300/300V	23X0.14	9/0.14	8.6	115.44	158Ω/km
AN003.007.24.000.14B	Li2YCY	300/300V	24X0.14	9/0.14	8.6	116.05	158Ω/km
AN003.007.25.000.14B	Li2YCY	300/300V	25X0.14	9/0.14	9	125.69	158Ω/km
AN003.007.26.000.14B	Li2YCY	300/300V	26X0.14	9/0.14	9	126.29	158Ω/km
AN003.007.27.000.14B	Li2YCY	300/300V	27X0.14	9/0.14	9	126.89	158Ω/km
AN003.007.28.000.14B	Li2YCY	300/300V	28X0.14	9/0.14	9.3	134.95	158Ω/km
AN003.007.29.000.14B	Li2YCY	300/300V	29X0.14	9/0.14	9.3	135.56	158Ω/km
AN003.007.30.000.14B	Li2YCY	300/300V	30X0.14	9/0.14	9.3	136.16	158Ω/km
AN003.007.31.000.14B	Li2YCY	300/300V	31X0.14	9/0.14	9.5	141.87	158Ω/km
AN003.007.32.000.14B	Li2YCY	300/300V	32X0.14	9/0.14	9.5	142.47	158Ω/km
AN003.007.33.000.14B	Li2YCY	300/300V	33X0.14	9/0.14	9.5	143.09	158Ω/km
AN003.007.34.000.14B	Li2YCY	300/300V	34X0.14	9/0.14	9.8	151.55	158Ω/km
AN003.007.35.000.14B	Li2YCY	300/300V	35X0.14	9/0.14	9.8	152.15	158Ω/km
AN003.007.36.000.14B	Li2YCY	300/300V	36X0.14	9/0.14	9.8	152.75	158Ω/km
AN003.007.37.000.14B	Li2YCY	300/300V	37X0.14	9/0.14	9.8	153.36	158Ω/km
AN003.007.38.000.14B	Li2YCY	300/300V	38X0.14	9/0.14	10.1	162.05	158Ω/km
AN003.007.39.000.14B	Li2YCY	300/300V	39X0.14	9/0.14	10.1	162.65	158Ω/km
AN003.007.40.000.14B	Li2YCY	300/300V	40X0.14	9/0.14	10.1	163.25	158Ω/km
AN003.007.41.000.14B	Li2YCY	300/300V	41X0.14	9/0.14	11.1	194.3	158Ω/km



AN003.007.42.000.14B	Li2YCY	300/300V	42X0.14	9/0.14	11.1	194.91	158Ω/km
AN003.007.43.000.14B	Li2YCY	300/300V	43X0.14	9/0.14	11.1	195.51	158Ω/km
AN003.007.44.000.14B	Li2YCY	300/300V	44X0.14	9/0.14	11.1	196.11	158Ω/km
AN003.007.45.000.14B	Li2YCY	300/300V	45X0.14	9/0.14	11.3	202.81	158Ω/km
AN003.007.46.000.14B	Li2YCY	300/300V	46X0.14	9/0.14	11.3	203.42	158Ω/km
AN003.007.47.000.14B	Li2YCY	300/300V	47X0.14	9/0.14	11.3	204.03	158Ω/km
AN003.007.48.000.14B	Li2YCY	300/300V	48X0.14	9/0.14	11.3	204.64	158Ω/km
AN003.007.49.000.14B	Li2YCY	300/300V	49X0.14	9/0.14	11.6	214.57	158Ω/km
AN003.007.50.000.14B	Li2YCY	300/300V	50X0.14	9/0.14	11.6	215.18	158Ω/km
AN003.007.51.000.14B	Li2YCY	300/300V	51X0.14	9/0.14	11.6	215.78	158Ω/km
AN003.007.52.000.14B	Li2YCY	300/300V	52X0.14	9/0.14	11.6	216.38	158Ω/km
AN003.007.53.000.14B	Li2YCY	300/300V	53X0.14	9/0.14	11.8	223.34	158Ω/km
AN003.007.54.000.14B	Li2YCY	300/300V	54X0.14	9/0.14	11.8	223.94	158Ω/km
AN003.007.55.000.14B	Li2YCY	300/300V	55X0.14	9/0.14	11.8	224.55	158Ω/km
AN003.007.56.000.14B	Li2YCY	300/300V	56X0.14	9/0.14	11.8	225.15	158Ω/km
AN003.007.57.000.14B	Li2YCY	300/300V	57X0.14	9/0.14	12.1	235.49	158Ω/km
AN003.007.58.000.14B	Li2YCY	300/300V	58X0.14	9/0.14	12.1	236.1	158Ω/km
AN003.007.59.000.14B	Li2YCY	300/300V	59X0.14	9/0.14	12.1	236.71	158Ω/km
AN003.007.60.000.14B	Li2YCY	300/300V	60X0.14	9/0.14	12.1	237.32	158Ω/km
AN003.007.61.000.14B	Li2YCY	300/300V	61X0.14	9/0.14	12.1	237.92	158Ω/km
AN003.007.62.000.14B	Li2YCY	300/300V	62X0.14	9/0.14	12.4	248.5	158Ω/km
AN003.007.63.000.14B	Li2YCY	300/300V	63X0.14	9/0.14	12.4	249.1	158Ω/km
AN003.007.64.000.14B	Li2YCY	300/300V	64X0.14	9/0.14	12.4	249.71	158Ω/km
AN003.007.65.000.14B	Li2YCY	300/300V	65X0.14	9/0.14	12.4	250.31	158Ω/km
AN003.007.02.000.25B	Li2YCY	300/300V	2X0.25	16/0.14	4.5	31.28	73.84Ω/km
AN003.007.03.000.25B	Li2YCY	300/300V	3X0.25	16/0.14	4.7	35.06	73.84Ω/km
AN003.007.04.000.25B	Li2YCY	300/300V	4X0.25	16/0.14	5.3	44.29	73.84Ω/km
AN003.007.05.000.25B	Li2YCY	300/300V	5X0.25	16/0.14	5.6	50.04	73.84Ω/km
AN003.007.06.000.25B	Li2YCY	300/300V	6X0.25	16/0.14	6	57.7	73.84Ω/km
AN003.007.07.000.25B	Li2YCY	300/300V	7X0.25	16/0.14	6	58.91	73.84Ω/km
AN003.007.08.000.25B	Li2YCY	300/300V	8X0.25	16/0.14	6.4	67	73.84Ω/km
AN003.007.09.000.25B	Li2YCY	300/300V	9X0.25	16/0.14	7.3	84.24	73.84Ω/km
AN003.007.10.000.25B	Li2YCY	300/300V	10X0.25	16/0.14	7.6	91.58	73.84Ω/km
AN003.007.11.000.25B	Li2YCY	300/300V	11X0.25	16/0.14	7.8	96.97	73.84Ω/km
AN003.007.12.000.25B	Li2YCY	300/300V	12X0.25	16/0.14	7.8	98.18	73.84Ω/km
AN003.007.13.000.25B	Li2YCY	300/300V	13X0.25	16/0.14	8.2	108.15	73.84Ω/km
AN003.007.14.000.25B	Li2YCY	300/300V	14X0.25	16/0.14	8.2	109.36	73.84Ω/km
AN003.007.15.000.25B	Li2YCY	300/300V	15X0.25	16/0.14	8.5	117.41	73.84Ω/km
AN003.007.16.000.25B	Li2YCY	300/300V	16X0.25	16/0.14	8.5	118.63	73.84Ω/km
AN003.007.17.000.25B	Li2YCY	300/300V	17X0.25	16/0.14	9.1	133.65	73.84Ω/km
AN003.007.18.000.25B	Li2YCY	300/300V	18X0.25	16/0.14	9.1	134.86	73.84Ω/km
AN003.007.19.000.25B	Li2YCY	300/300V	19X0.25	16/0.14	9.1	136.07	73.84Ω/km



AN003.007.20.000.25B	Li2YCY	300/300V	20X0.25	16/0.14	9.3	142.29	73.84Ω/km
AN003.007.21.000.25B	Li2YCY	300/300V	21X0.25	16/0.14	9.5	148.61	73.84Ω/km
AN003.007.22.000.25B	Li2YCY	300/300V	22X0.25	16/0.14	10	163.05	73.84Ω/km
AN003.007.23.000.25B	Li2YCY	300/300V	23X0.25	16/0.14	10.3	172.52	73.84Ω/km
AN003.007.24.000.25B	Li2YCY	300/300V	24X0.25	16/0.14	10.3	173.72	73.84Ω/km
AN003.007.25.000.25B	Li2YCY	300/300V	25X0.25	16/0.14	10.6	185.7	73.84Ω/km
AN003.007.26.000.25B	Li2YCY	300/300V	26X0.25	16/0.14	10.6	186.91	73.84Ω/km
AN003.007.27.000.25B	Li2YCY	300/300V	27X0.25	16/0.14	10.6	188.12	73.84Ω/km
AN003.007.28.000.25B	Li2YCY	300/300V	28X0.25	16/0.14	11.2	206.53	73.84Ω/km
AN003.007.29.000.25B	Li2YCY	300/300V	29X0.25	16/0.14	11.2	207.74	73.84Ω/km
AN003.007.30.000.25B	Li2YCY	300/300V	30X0.25	16/0.14	11.2	208.95	73.84Ω/km
AN003.007.31.000.25B	Li2YCY	300/300V	31X0.25	16/0.14	11.5	219.43	73.84Ω/km
AN003.007.32.000.25B	Li2YCY	300/300V	32X0.25	16/0.14	11.5	220.64	73.84Ω/km
AN003.007.33.000.25B	Li2YCY	300/300V	33X0.25	16/0.14	11.5	221.85	73.84Ω/km
AN003.007.34.000.25B	Li2YCY	300/300V	34X0.25	16/0.14	11.9	235.78	73.84Ω/km
AN003.007.35.000.25B	Li2YCY	300/300V	35X0.25	16/0.14	11.9	237	73.84Ω/km
AN003.007.36.000.25B	Li2YCY	300/300V	36X0.25	16/0.14	11.9	238.22	73.84Ω/km
AN003.007.37.000.25B	Li2YCY	300/300V	37X0.25	16/0.14	11.9	239.42	73.84Ω/km
AN003.007.38.000.25B	Li2YCY	300/300V	38X0.25	16/0.14	12.3	253.78	73.84Ω/km
AN003.007.39.000.25B	Li2YCY	300/300V	39X0.25	16/0.14	12.3	254.99	73.84Ω/km
AN003.007.40.000.25B	Li2YCY	300/300V	40X0.25	16/0.14	12.3	256.2	73.84Ω/km
AN003.007.41.000.25B	Li2YCY	300/300V	41X0.25	16/0.14	13.3	291.42	73.84Ω/km
AN003.007.42.000.25B	Li2YCY	300/300V	42X0.25	16/0.14	13.3	292.63	73.84Ω/km
AN003.007.43.000.25B	Li2YCY	300/300V	43X0.25	16/0.14	13.3	293.84	73.84Ω/km
AN003.007.44.000.25B	Li2YCY	300/300V	44X0.25	16/0.14	13.3	295.05	73.84Ω/km
AN003.007.45.000.25B	Li2YCY	300/300V	45X0.25	16/0.14	13.6	305.42	73.84Ω/km
AN003.007.46.000.25B	Li2YCY	300/300V	46X0.25	16/0.14	13.6	306.63	73.84Ω/km
AN003.007.47.000.25B	Li2YCY	300/300V	47X0.25	16/0.14	13.6	307.84	73.84Ω/km
AN003.007.48.000.25B	Li2YCY	300/300V	48X0.25	16/0.14	13.6	309.06	73.84Ω/km
AN003.007.49.000.25B	Li2YCY	300/300V	49X0.25	16/0.14	14	325.13	73.84Ω/km
AN003.007.50.000.25B	Li2YCY	300/300V	50X0.25	16/0.14	14	326.35	73.84Ω/km
AN003.007.51.000.25B	Li2YCY	300/300V	51X0.25	16/0.14	14	327.56	73.84Ω/km
AN003.007.52.000.25B	Li2YCY	300/300V	52X0.25	16/0.14	14	328.77	73.84Ω/km
AN003.007.53.000.25B	Li2YCY	300/300V	53X0.25	16/0.14	14.3	341.41	73.84Ω/km
AN003.007.54.000.25B	Li2YCY	300/300V	54X0.25	16/0.14	14.3	342.62	73.84Ω/km
AN003.007.55.000.25B	Li2YCY	300/300V	55X0.25	16/0.14	14.3	343.83	73.84Ω/km
AN003.007.56.000.25B	Li2YCY	300/300V	56X0.25	16/0.14	14.3	345.05	73.84Ω/km
AN003.007.57.000.25B	Li2YCY	300/300V	57X0.25	16/0.14	14.9	369.07	73.84Ω/km
AN003.007.58.000.25B	Li2YCY	300/300V	58X0.25	16/0.14	14.9	370.28	73.84Ω/km
AN003.007.59.000.25B	Li2YCY	300/300V	59X0.25	16/0.14	14.9	371.49	73.84Ω/km
AN003.007.60.000.25B	Li2YCY	300/300V	60X0.25	16/0.14	14.9	372.7	73.84Ω/km
AN003.007.61.000.25B	Li2YCY	300/300V	61X0.25	16/0.14	14.9	373.92	73.84Ω/km



AN003.007.62.000.25B	Li2YCY	300/300V	62X0.25	16/0.14	15.3	391.36	73.84Ω/km
AN003.007.63.000.25B	Li2YCY	300/300V	63X0.25	16/0.14	15.3	392.57	73.84Ω/km
AN003.007.64.000.25B	Li2YCY	300/300V	64X0.25	16/0.14	15.3	393.78	73.84Ω/km
AN003.007.65.000.25B	Li2YCY	300/300V	65X0.25	16/0.14	15.3	395	73.84Ω/km
AN003.007.02.000.34B	Li2YCY	300/300V	2X0.34	22/0.14	5.1	39.89	61.1Ω/km
AN003.007.03.000.34B	Li2YCY	300/300V	3X0.34	22/0.14	5.4	45.94	61.1Ω/km
AN003.007.04.000.34B	Li2YCY	300/300V	4X0.34	22/0.14	5.8	53.83	61.1Ω/km
AN003.007.05.000.34B	Li2YCY	300/300V	5X0.34	22/0.14	6.2	62.16	61.1Ω/km
AN003.007.06.000.34B	Li2YCY	300/300V	6X0.34	22/0.14	6.6	70.9	61.1Ω/km
AN003.007.07.000.34B	Li2YCY	300/300V	7X0.34	22/0.14	6.6	72.56	61.1Ω/km
AN003.007.08.000.34B	Li2YCY	300/300V	8X0.34	22/0.14	7.4	88.7	61.1Ω/km
AN003.007.09.000.34B	Li2YCY	300/300V	9X0.34	22/0.14	8	103	61.1Ω/km
AN003.007.10.000.34B	Li2YCY	300/300V	10X0.34	22/0.14	8.4	113.61	61.1Ω/km
AN003.007.11.000.34B	Li2YCY	300/300V	11X0.34	22/0.14	8.9	126.53	61.1Ω/km
AN003.007.12.000.34B	Li2YCY	300/300V	12X0.34	22/0.14	8.9	128.2	61.1Ω/km
AN003.007.13.000.34B	Li2YCY	300/300V	13X0.34	22/0.14	9.3	139.76	61.1Ω/km
AN003.007.14.000.34B	Li2YCY	300/300V	14X0.34	22/0.14	9.3	141.43	61.1Ω/km
AN003.007.15.000.34B	Li2YCY	300/300V	15X0.34	22/0.14	9.7	153.4	61.1Ω/km
AN003.007.16.000.34B	Li2YCY	300/300V	16X0.34	22/0.14	9.7	155.08	61.1Ω/km
AN003.007.17.000.34B	Li2YCY	300/300V	17X0.34	22/0.14	10.1	167.49	61.1Ω/km
AN003.007.18.000.34B	Li2YCY	300/300V	18X0.34	22/0.14	10.1	169.17	61.1Ω/km
AN003.007.19.000.34B	Li2YCY	300/300V	19X0.34	22/0.14	10.1	170.83	61.1Ω/km
AN003.007.20.000.34B	Li2YCY	300/300V	20X0.34	22/0.14	10.3	178.03	61.1Ω/km
AN003.007.21.000.34B	Li2YCY	300/300V	21X0.34	22/0.14	10.6	190.46	61.1Ω/km
AN003.007.22.000.34B	Li2YCY	300/300V	22X0.34	22/0.14	11.4	215.48	61.1Ω/km
AN003.007.23.000.34B	Li2YCY	300/300V	23X0.34	22/0.14	11.8	229.76	61.1Ω/km
AN003.007.24.000.34B	Li2YCY	300/300V	24X0.34	22/0.14	11.8	231.42	61.1Ω/km
AN003.007.25.000.34B	Li2YCY	300/300V	25X0.34	22/0.14	12.1	242.84	61.1Ω/km
AN003.007.26.000.34B	Li2YCY	300/300V	26X0.34	22/0.14	12.1	244.51	61.1Ω/km
AN003.007.27.000.34B	Li2YCY	300/300V	27X0.34	22/0.14	12.1	246.17	61.1Ω/km
AN003.007.28.000.34B	Li2YCY	300/300V	28X0.34	22/0.14	12.5	261.21	61.1Ω/km
AN003.007.29.000.34B	Li2YCY	300/300V	29X0.34	22/0.14	12.5	262.88	61.1Ω/km
AN003.007.30.000.34B	Li2YCY	300/300V	30X0.34	22/0.14	12.5	264.55	61.1Ω/km
AN003.007.31.000.34B	Li2YCY	300/300V	31X0.34	22/0.14	13.1	286.32	61.1Ω/km
AN003.007.32.000.34B	Li2YCY	300/300V	32X0.34	22/0.14	13.1	287.99	61.1Ω/km
AN003.007.33.000.34B	Li2YCY	300/300V	33X0.34	22/0.14	13.1	289.67	61.1Ω/km
AN003.007.34.000.34B	Li2YCY	300/300V	34X0.34	22/0.14	13.6	307.66	61.1Ω/km
AN003.007.35.000.34B	Li2YCY	300/300V	35X0.34	22/0.14	13.6	309.32	61.1Ω/km
AN003.007.36.000.34B	Li2YCY	300/300V	36X0.34	22/0.14	13.6	310.99	61.1Ω/km
AN003.007.37.000.34B	Li2YCY	300/300V	37X0.34	22/0.14	13.6	312.66	61.1Ω/km
AN003.007.38.000.34B	Li2YCY	300/300V	38X0.34	22/0.14	14	329.2	61.1Ω/km
AN003.007.39.000.34B	Li2YCY	300/300V	39X0.34	22/0.14	14	330.86	61.1Ω/km



AN003.007.40.000.34B	Li2YCY	300/300V	40X0.34	22/0.14	14	332.53	61.1Ω/km
AN003.007.41.000.34B	Li2YCY	300/300V	41X0.34	22/0.14	15.2	380.58	61.1Ω/km
AN003.007.42.000.34B	Li2YCY	300/300V	42X0.34	22/0.14	15.2	382.24	61.1Ω/km
AN003.007.43.000.34B	Li2YCY	300/300V	43X0.34	22/0.14	15.2	383.91	61.1Ω/km
AN003.007.44.000.34B	Li2YCY	300/300V	44X0.34	22/0.14	15.2	385.58	61.1Ω/km
AN003.007.45.000.34B	Li2YCY	300/300V	45X0.34	22/0.14	15.5	399.64	61.1Ω/km
AN003.007.46.000.34B	Li2YCY	300/300V	46X0.34	22/0.14	15.5	401.3	61.1Ω/km
AN003.007.47.000.34B	Li2YCY	300/300V	47X0.34	22/0.14	15.5	402.98	61.1Ω/km
AN003.007.48.000.34B	Li2YCY	300/300V	48X0.34	22/0.14	15.5	404.64	61.1Ω/km
AN003.007.49.000.34B	Li2YCY	300/300V	49X0.34	22/0.14	15.9	423.19	61.1Ω/km
AN003.007.50.000.34B	Li2YCY	300/300V	50X0.34	22/0.14	15.9	424.85	61.1Ω/km
AN003.007.51.000.34B	Li2YCY	300/300V	51X0.34	22/0.14	15.9	426.52	61.1Ω/km
AN003.007.52.000.34B	Li2YCY	300/300V	52X0.34	22/0.14	15.9	428.19	61.1Ω/km
AN003.007.53.000.34B	Li2YCY	300/300V	53X0.34	22/0.14	16.5	455.11	61.1Ω/km
AN003.007.54.000.34B	Li2YCY	300/300V	54X0.34	22/0.14	16.5	456.78	61.1Ω/km
AN003.007.55.000.34B	Li2YCY	300/300V	55X0.34	22/0.14	16.5	458.46	61.1Ω/km
AN003.007.56.000.34B	Li2YCY	300/300V	56X0.34	22/0.14	16.5	460.12	61.1Ω/km
AN003.007.57.000.34B	Li2YCY	300/300V	57X0.34	22/0.14	16.9	479.71	61.1Ω/km
AN003.007.58.000.34B	Li2YCY	300/300V	58X0.34	22/0.14	16.9	481.38	61.1Ω/km
AN003.007.59.000.34B	Li2YCY	300/300V	59X0.34	22/0.14	16.9	483.06	61.1Ω/km
AN003.007.60.000.34B	Li2YCY	300/300V	60X0.34	22/0.14	16.9	484.72	61.1Ω/km
AN003.007.61.000.34B	Li2YCY	300/300V	61X0.34	22/0.14	16.9	486.39	61.1Ω/km
AN003.007.62.000.34B	Li2YCY	300/300V	62X0.34	22/0.14	17.3	506.4	61.1Ω/km
AN003.007.63.000.34B	Li2YCY	300/300V	63X0.34	22/0.14	17.3	508.07	61.1Ω/km
AN003.007.64.000.34B	Li2YCY	300/300V	64X0.34	22/0.14	17.3	509.73	61.1Ω/km
AN003.007.65.000.34B	Li2YCY	300/300V	65X0.34	22/0.14	17.3	511.4	61.1Ω/km
AN003.007.02.000.50B	Li2YCY	300/300V	2X0.5	18/0.19	5.6	49.14	39Ω/km
AN003.007.03.000.50B	Li2YCY	300/300V	3X0.5	18/0.19	5.9	56.5	39Ω/km
AN003.007.04.000.50B	Li2YCY	300/300V	4X0.5	18/0.19	6.4	67.59	39Ω/km
AN003.007.05.000.50B	Li2YCY	300/300V	5X0.5	18/0.19	7.2	84.21	39Ω/km
AN003.007.06.000.50B	Li2YCY	300/300V	6X0.5	18/0.19	7.7	96.97	39Ω/km
AN003.007.07.000.50B	Li2YCY	300/300V	7X0.5	18/0.19	7.7	99.55	39Ω/km
AN003.007.08.000.50B	Li2YCY	300/300V	8X0.5	18/0.19	8.3	115.22	39Ω/km
AN003.007.09.000.50B	Li2YCY	300/300V	9X0.5	18/0.19	9.1	136.2	39Ω/km
AN003.007.10.000.50B	Li2YCY	300/300V	10X0.5	18/0.19	9.6	151.48	39Ω/km
AN003.007.11.000.50B	Li2YCY	300/300V	11X0.5	18/0.19	9.9	161.99	39Ω/km
AN003.007.12.000.50B	Li2YCY	300/300V	12X0.5	18/0.19	9.9	164.56	39Ω/km
AN003.007.13.000.50B	Li2YCY	300/300V	13X0.5	18/0.19	10.4	180.9	39Ω/km
AN003.007.14.000.50B	Li2YCY	300/300V	14X0.5	18/0.19	10.4	183.47	39Ω/km
AN003.007.15.000.50B	Li2YCY	300/300V	15X0.5	18/0.19	11.1	208.15	39Ω/km
AN003.007.16.000.50B	Li2YCY	300/300V	16X0.5	18/0.19	11.1	210.72	39Ω/km
AN003.007.17.000.50B	Li2YCY	300/300V	17X0.5	18/0.19	11.6	228.73	39Ω/km



AN003.007.18.000.50B	Li2YCY	300/300V	18X0.5	18/0.19	11.6	231.31	39Ω/km
AN003.007.19.000.50B	Li2YCY	300/300V	19X0.5	18/0.19	11.6	233.87	39Ω/km
AN003.007.20.000.50B	Li2YCY	300/300V	20X0.5	18/0.19	11.9	246.04	39Ω/km
AN003.007.21.000.50B	Li2YCY	300/300V	21X0.5	18/0.19	12.2	258.42	39Ω/km
AN003.007.22.000.50B	Li2YCY	300/300V	22X0.5	18/0.19	13	287.64	39Ω/km
AN003.007.23.000.50B	Li2YCY	300/300V	23X0.5	18/0.19	13.6	310.07	39Ω/km
AN003.007.24.000.50B	Li2YCY	300/300V	24X0.5	18/0.19	13.6	312.64	39Ω/km
AN003.007.25.000.50B	Li2YCY	300/300V	25X0.5	18/0.19	13.9	326.33	39Ω/km
AN003.007.26.000.50B	Li2YCY	300/300V	26X0.5	18/0.19	13.9	328.9	39Ω/km
AN003.007.27.000.50B	Li2YCY	300/300V	27X0.5	18/0.19	13.9	331.48	39Ω/km
AN003.007.28.000.50B	Li2YCY	300/300V	28X0.5	18/0.19	14.6	360.15	39Ω/km
AN003.007.29.000.50B	Li2YCY	300/300V	29X0.5	18/0.19	14.6	362.71	39Ω/km
AN003.007.30.000.50B	Li2YCY	300/300V	30X0.5	18/0.19	14.6	365.28	39Ω/km
AN003.007.31.000.50B	Li2YCY	300/300V	31X0.5	18/0.19	15	383.76	39Ω/km
AN003.007.32.000.50B	Li2YCY	300/300V	32X0.5	18/0.19	15	386.33	39Ω/km
AN003.007.33.000.50B	Li2YCY	300/300V	33X0.5	18/0.19	15	388.91	39Ω/km
AN003.007.34.000.50B	Li2YCY	300/300V	34X0.5	18/0.19	15.5	411.99	39Ω/km
AN003.007.35.000.50B	Li2YCY	300/300V	35X0.5	18/0.19	15.5	414.55	39Ω/km
AN003.007.36.000.50B	Li2YCY	300/300V	36X0.5	18/0.19	15.5	417.12	39Ω/km
AN003.007.37.000.50B	Li2YCY	300/300V	37X0.5	18/0.19	15.5	419.7	39Ω/km
AN003.007.38.000.50B	Li2YCY	300/300V	38X0.5	18/0.19	16.1	447.73	39Ω/km
AN003.007.39.000.50B	Li2YCY	300/300V	39X0.5	18/0.19	16.1	450.3	39Ω/km
AN003.007.40.000.50B	Li2YCY	300/300V	40X0.5	18/0.19	16.1	452.87	39Ω/km
AN003.007.41.000.50B	Li2YCY	300/300V	41X0.5	18/0.19	17.4	513.02	39Ω/km
AN003.007.42.000.50B	Li2YCY	300/300V	42X0.5	18/0.19	17.4	515.59	39Ω/km
AN003.007.43.000.50B	Li2YCY	300/300V	43X0.5	18/0.19	17.4	518.16	39Ω/km
AN003.007.44.000.50B	Li2YCY	300/300V	44X0.5	18/0.19	17.4	520.74	39Ω/km
AN003.007.45.000.50B	Li2YCY	300/300V	45X0.5	18/0.19	17.7	537.43	39Ω/km
AN003.007.46.000.50B	Li2YCY	300/300V	46X0.5	18/0.19	17.7	539.99	39Ω/km
AN003.007.47.000.50B	Li2YCY	300/300V	47X0.5	18/0.19	17.7	542.56	39Ω/km
AN003.007.48.000.50B	Li2YCY	300/300V	48X0.5	18/0.19	17.7	545.14	39Ω/km
AN003.007.49.000.50B	Li2YCY	300/300V	49X0.5	18/0.19	18.4	580.65	39Ω/km
AN003.007.50.000.50B	Li2YCY	300/300V	50X0.5	18/0.19	18.4	583.23	39Ω/km
AN003.007.51.000.50B	Li2YCY	300/300V	51X0.5	18/0.19	18.4	585.8	39Ω/km
AN003.007.52.000.50B	Li2YCY	300/300V	52X0.5	18/0.19	18.4	588.36	39Ω/km
AN003.007.53.000.50B	Li2YCY	300/300V	53X0.5	18/0.19	18.8	610.86	39Ω/km
AN003.007.54.000.50B	Li2YCY	300/300V	54X0.5	18/0.19	18.8	613.44	39Ω/km
AN003.007.55.000.50B	Li2YCY	300/300V	55X0.5	18/0.19	18.8	616.02	39Ω/km
AN003.007.56.000.50B	Li2YCY	300/300V	56X0.5	18/0.19	18.8	618.57	39Ω/km
AN003.007.57.000.50B	Li2YCY	300/300V	57X0.5	18/0.19	19.3	646.65	39Ω/km
AN003.007.58.000.50B	Li2YCY	300/300V	58X0.5	18/0.19	19.3	649.23	39Ω/km
AN003.007.59.000.50B	Li2YCY	300/300V	59X0.5	18/0.19	19.3	651.8	39Ω/km



AN003.007.60.000.50B	Li2YCY	300/300V	60X0.5	18/0.19	19.3	654.37	39Ω/km
AN003.007.61.000.50B	Li2YCY	300/300V	61X0.5	18/0.19	19.3	656.94	39Ω/km
AN003.007.62.000.50B	Li2YCY	300/300V	62X0.5	18/0.19	19.9	690.97	39Ω/km
AN003.007.63.000.50B	Li2YCY	300/300V	63X0.5	18/0.19	19.9	693.55	39Ω/km
AN003.007.64.000.50B	Li2YCY	300/300V	64X0.5	18/0.19	19.9	696.13	39Ω/km
AN003.007.65.000.50B	Li2YCY	300/300V	65X0.5	18/0.19	19.9	698.7	39Ω/km
AN003.007.02.000.75B	Li2YCY	300/500V	2X0.75	27/0.19	6	58.9	26Ω/km
AN003.007.03.000.75B	Li2YCY	300/500V	3X0.75	27/0.19	6.3	68.25	26Ω/km
AN003.007.04.000.75B	Li2YCY	300/500V	4X0.75	27/0.19	7.2	88.29	26Ω/km
AN003.007.05.000.75B	Li2YCY	300/500V	5X0.75	27/0.19	7.8	104.82	26Ω/km
AN003.007.06.000.75B	Li2YCY	300/500V	6X0.75	27/0.19	8.3	120.05	26Ω/km
AN003.007.07.000.75B	Li2YCY	300/500V	7X0.75	27/0.19	8.3	124.29	26Ω/km
AN003.007.08.000.75B	Li2YCY	300/500V	8X0.75	27/0.19	9.1	146.93	26Ω/km
AN003.007.09.000.75B	Li2YCY	300/500V	9X0.75	27/0.19	9.9	171.8	26Ω/km
AN003.007.10.000.75B	Li2YCY	300/500V	10X0.75	27/0.19	10.4	189.8	26Ω/km
AN003.007.11.000.75B	Li2YCY	300/500V	11X0.75	27/0.19	11	213.14	26Ω/km
AN003.007.12.000.75B	Li2YCY	300/500V	12X0.75	27/0.19	11	217.38	26Ω/km
AN003.007.13.000.75B	Li2YCY	300/500V	13X0.75	27/0.19	11.5	236.92	26Ω/km
AN003.007.14.000.75B	Li2YCY	300/500V	14X0.75	27/0.19	11.5	241.16	26Ω/km
AN003.007.15.000.75B	Li2YCY	300/500V	15X0.75	27/0.19	12.1	264.62	26Ω/km
AN003.007.16.000.75B	Li2YCY	300/500V	16X0.75	27/0.19	12.1	268.86	26Ω/km
AN003.007.17.000.75B	Li2YCY	300/500V	17X0.75	27/0.19	12.8	296.05	26Ω/km
AN003.007.18.000.75B	Li2YCY	300/500V	18X0.75	27/0.19	12.8	300.29	26Ω/km
AN003.007.19.000.75B	Li2YCY	300/500V	19X0.75	27/0.19	12.8	304.52	26Ω/km
AN003.007.20.000.75B	Li2YCY	300/500V	20X0.75	27/0.19	13.1	319.28	26Ω/km
AN003.007.21.000.75B	Li2YCY	300/500V	21X0.75	27/0.19	13.5	336.19	26Ω/km
AN003.007.22.000.75B	Li2YCY	300/500V	22X0.75	27/0.19	14.3	370.36	26Ω/km
AN003.007.23.000.75B	Li2YCY	300/500V	23X0.75	27/0.19	15	401.43	26Ω/km
AN003.007.24.000.75B	Li2YCY	300/500V	24X0.75	27/0.19	15	405.65	26Ω/km
AN003.007.25.000.75B	Li2YCY	300/500V	25X0.75	27/0.19	15.3	422.11	26Ω/km
AN003.007.26.000.75B	Li2YCY	300/500V	26X0.75	27/0.19	15.3	426.34	26Ω/km
AN003.007.27.000.75B	Li2YCY	300/500V	27X0.75	27/0.19	15.3	430.58	26Ω/km
AN003.007.28.000.75B	Li2YCY	300/500V	28X0.75	27/0.19	15.8	455.69	26Ω/km
AN003.007.29.000.75B	Li2YCY	300/500V	29X0.75	27/0.19	15.8	459.93	26Ω/km
AN003.007.30.000.75B	Li2YCY	300/500V	30X0.75	27/0.19	15.8	464.17	26Ω/km
AN003.007.31.000.75B	Li2YCY	300/500V	31X0.75	27/0.19	16.6	502.38	26Ω/km
AN003.007.32.000.75B	Li2YCY	300/500V	32X0.75	27/0.19	16.6	506.62	26Ω/km
AN003.007.33.000.75B	Li2YCY	300/500V	33X0.75	27/0.19	16.6	510.84	26Ω/km
AN003.007.34.000.75B	Li2YCY	300/500V	34X0.75	27/0.19	17.1	537.66	26Ω/km
AN003.007.35.000.75B	Li2YCY	300/500V	35X0.75	27/0.19	17.1	541.89	26Ω/km
AN003.007.36.000.75B	Li2YCY	300/500V	36X0.75	27/0.19	17.1	546.13	26Ω/km
AN003.007.37.000.75B	Li2YCY	300/500V	37X0.75	27/0.19	17.1	550.36	26Ω/km



AN003.007.38.000.75B	Li2YCY	300/500V	38X0.75	27/0.19	17.7	582.59	26Ω/km
AN003.007.39.000.75B	Li2YCY	300/500V	39X0.75	27/0.19	17.7	586.82	26Ω/km
AN003.007.40.000.75B	Li2YCY	300/500V	40X0.75	27/0.19	17.7	591.05	26Ω/km
AN003.007.41.000.75B	Li2YCY	300/500V	41X0.75	27/0.19	19.2	668.5	26Ω/km
AN003.007.42.000.75B	Li2YCY	300/500V	42X0.75	27/0.19	19.2	672.73	26Ω/km
AN003.007.43.000.75B	Li2YCY	300/500V	43X0.75	27/0.19	19.2	676.97	26Ω/km
AN003.007.44.000.75B	Li2YCY	300/500V	44X0.75	27/0.19	19.2	681.2	26Ω/km
AN003.007.45.000.75B	Li2YCY	300/500V	45X0.75	27/0.19	19.5	700.97	26Ω/km
AN003.007.46.000.75B	Li2YCY	300/500V	46X0.75	27/0.19	19.5	705.2	26Ω/km
AN003.007.47.000.75B	Li2YCY	300/500V	47X0.75	27/0.19	19.5	709.44	26Ω/km
AN003.007.48.000.75B	Li2YCY	300/500V	48X0.75	27/0.19	19.5	713.67	26Ω/km
AN003.007.49.000.75B	Li2YCY	300/500V	49X0.75	27/0.19	20.2	754.1	26Ω/km
AN003.007.50.000.75B	Li2YCY	300/500V	50X0.75	27/0.19	20.2	758.34	26Ω/km
AN003.007.51.000.75B	Li2YCY	300/500V	51X0.75	27/0.19	20.2	762.57	26Ω/km
AN003.007.52.000.75B	Li2YCY	300/500V	52X0.75	27/0.19	20.2	766.81	26Ω/km
AN003.007.53.000.75B	Li2YCY	300/500V	53X0.75	27/0.19	21.1	814.06	26Ω/km
AN003.007.54.000.75B	Li2YCY	300/500V	54X0.75	27/0.19	21.1	818.3	26Ω/km
AN003.007.55.000.75B	Li2YCY	300/500V	55X0.75	27/0.19	21.1	822.52	26Ω/km
AN003.007.56.000.75B	Li2YCY	300/500V	56X0.75	27/0.19	21.1	826.76	26Ω/km
AN003.007.57.000.75B	Li2YCY	300/500V	57X0.75	27/0.19	21.6	859.36	26Ω/km
AN003.007.58.000.75B	Li2YCY	300/500V	58X0.75	27/0.19	21.6	863.6	26Ω/km
AN003.007.59.000.75B	Li2YCY	300/500V	59X0.75	27/0.19	21.6	867.83	26Ω/km
AN003.007.60.000.75B	Li2YCY	300/500V	60X0.75	27/0.19	21.6	872.07	26Ω/km
AN003.007.61.000.75B	Li2YCY	300/500V	61X0.75	27/0.19	21.6	876.31	26Ω/km
AN003.007.62.000.75B	Li2YCY	300/500V	62X0.75	27/0.19	22.4	926.24	26Ω/km
AN003.007.63.000.75B	Li2YCY	300/500V	63X0.75	27/0.19	22.4	930.48	26Ω/km
AN003.007.64.000.75B	Li2YCY	300/500V	64X0.75	27/0.19	22.4	934.71	26Ω/km
AN003.007.65.000.75B	Li2YCY	300/500V	65X0.75	27/0.19	22.4	938.94	26Ω/km
AN003.007.02.001.00B	Li2YCY	300/500V	2X1	35/0.19	6.4	68.88	19.5Ω/km
AN003.007.03.001.00B	Li2YCY	300/500V	3X1	35/0.19	7.2	88.72	19.5Ω/km
AN003.007.04.001.00B	Li2YCY	300/500V	4X1	35/0.19	7.7	104.7	19.5Ω/km
AN003.007.05.001.00B	Li2YCY	300/500V	5X1	35/0.19	8.3	123.59	19.5Ω/km
AN003.007.06.001.00B	Li2YCY	300/500V	6X1	35/0.19	9.1	147.79	19.5Ω/km
AN003.007.07.001.00B	Li2YCY	300/500V	7X1	35/0.19	9.1	153.59	19.5Ω/km
AN003.007.08.001.00B	Li2YCY	300/500V	8X1	35/0.19	9.8	177.34	19.5Ω/km
AN003.007.09.001.00B	Li2YCY	300/500V	9X1	35/0.19	10.9	215.72	19.5Ω/km
AN003.007.10.001.00B	Li2YCY	300/500V	10X1	35/0.19	11.5	239.79	19.5Ω/km
AN003.007.11.001.00B	Li2YCY	300/500V	11X1	35/0.19	11.9	258.29	19.5Ω/km
AN003.007.12.001.00B	Li2YCY	300/500V	12X1	35/0.19	11.9	264.09	19.5Ω/km
AN003.007.13.001.00B	Li2YCY	300/500V	13X1	35/0.19	12.4	286.37	19.5Ω/km
AN003.007.14.001.00B	Li2YCY	300/500V	14X1	35/0.19	12.4	292.16	19.5Ω/km
AN003.007.15.001.00B	Li2YCY	300/500V	15X1	35/0.19	13.2	325.01	19.5Ω/km



AN003.007.16.001.00B	Li2YCY	300/500V	16X1	35/0.19	13.2	330.79	19.5Ω/km
AN003.007.17.001.00B	Li2YCY	300/500V	17X1	35/0.19	13.9	360.46	19.5Ω/km
AN003.007.18.001.00B	Li2YCY	300/500V	18X1	35/0.19	13.9	366.25	19.5Ω/km
AN003.007.19.001.00B	Li2YCY	300/500V	19X1	35/0.19	13.9	372.05	19.5Ω/km
AN003.007.20.001.00B	Li2YCY	300/500V	20X1	35/0.19	14.3	393	19.5Ω/km
AN003.007.21.001.00B	Li2YCY	300/500V	21X1	35/0.19	14.8	417.63	19.5Ω/km
AN003.007.22.001.00B	Li2YCY	300/500V	22X1	35/0.19	15.6	456.08	19.5Ω/km
AN003.007.23.001.00B	Li2YCY	300/500V	23X1	35/0.19	16.2	487.5	19.5Ω/km
AN003.007.24.001.00B	Li2YCY	300/500V	24X1	35/0.19	16.2	493.29	19.5Ω/km
AN003.007.25.001.00B	Li2YCY	300/500V	25X1	35/0.19	16.8	524.83	19.5Ω/km
AN003.007.26.001.00B	Li2YCY	300/500V	26X1	35/0.19	16.8	530.61	19.5Ω/km
AN003.007.27.001.00B	Li2YCY	300/500V	27X1	35/0.19	16.8	536.41	19.5Ω/km
AN003.007.28.001.00B	Li2YCY	300/500V	28X1	35/0.19	17.3	565.05	19.5Ω/km
AN003.007.29.001.00B	Li2YCY	300/500V	29X1	35/0.19	17.3	570.85	19.5Ω/km
AN003.007.30.001.00B	Li2YCY	300/500V	30X1	35/0.19	17.3	576.63	19.5Ω/km
AN003.007.31.001.00B	Li2YCY	300/500V	31X1	35/0.19	17.9	610.73	19.5Ω/km
AN003.007.32.001.00B	Li2YCY	300/500V	32X1	35/0.19	17.9	616.53	19.5Ω/km
AN003.007.33.001.00B	Li2YCY	300/500V	33X1	35/0.19	17.9	622.31	19.5Ω/km
AN003.007.34.001.00B	Li2YCY	300/500V	34X1	35/0.19	18.7	666.41	19.5Ω/km
AN003.007.35.001.00B	Li2YCY	300/500V	35X1	35/0.19	18.7	672.19	19.5Ω/km
AN003.007.36.001.00B	Li2YCY	300/500V	36X1	35/0.19	18.7	677.98	19.5Ω/km
AN003.007.37.001.00B	Li2YCY	300/500V	37X1	35/0.19	18.7	683.77	19.5Ω/km
AN003.007.38.001.00B	Li2YCY	300/500V	38X1	35/0.19	19.4	725.25	19.5Ω/km
AN003.007.39.001.00B	Li2YCY	300/500V	39X1	35/0.19	19.4	731.04	19.5Ω/km
AN003.007.40.001.00B	Li2YCY	300/500V	40X1	35/0.19	19.4	736.83	19.5Ω/km
AN003.007.41.001.00B	Li2YCY	300/500V	41X1	35/0.19	21.3	838.3	19.5Ω/km
AN003.007.42.001.00B	Li2YCY	300/500V	42X1	35/0.19	21.3	844.11	19.5Ω/km
AN003.007.43.001.00B	Li2YCY	300/500V	43X1	35/0.19	21.3	849.89	19.5Ω/km
AN003.007.44.001.00B	Li2YCY	300/500V	44X1	35/0.19	21.3	855.69	19.5Ω/km
AN003.007.45.001.00B	Li2YCY	300/500V	45X1	35/0.19	21.7	884.33	19.5Ω/km
AN003.007.46.001.00B	Li2YCY	300/500V	46X1	35/0.19	21.7	890.11	19.5Ω/km
AN003.007.47.001.00B	Li2YCY	300/500V	47X1	35/0.19	21.7	895.91	19.5Ω/km
AN003.007.48.001.00B	Li2YCY	300/500V	48X1	35/0.19	21.7	901.7	19.5Ω/km
AN003.007.49.001.00B	Li2YCY	300/500V	49X1	35/0.19	22.4	947.44	19.5Ω/km
AN003.007.50.001.00B	Li2YCY	300/500V	50X1	35/0.19	22.4	953.22	19.5Ω/km
AN003.007.51.001.00B	Li2YCY	300/500V	51X1	35/0.19	22.4	959.01	19.5Ω/km
AN003.007.52.001.00B	Li2YCY	300/500V	52X1	35/0.19	22.4	964.8	19.5Ω/km
AN003.007.53.001.00B	Li2YCY	300/500V	53X1	35/0.19	23	1006.76	19.5Ω/km
AN003.007.54.001.00B	Li2YCY	300/500V	54X1	35/0.19	23	1012.56	19.5Ω/km
AN003.007.55.001.00B	Li2YCY	300/500V	55X1	35/0.19	23	1018.34	19.5Ω/km
AN003.007.56.001.00B	Li2YCY	300/500V	56X1	35/0.19	23	1024.13	19.5Ω/km
AN003.007.57.001.00B	Li2YCY	300/500V	57X1	35/0.19	23.6	1067.04	19.5Ω/km



AN003.007.58.001.00B	Li2YCY	300/500V	58X1	35/0.19	23.6	1072.84	19.5Ω/km
AN003.007.59.001.00B	Li2YCY	300/500V	59X1	35/0.19	23.6	1078.64	19.5Ω/km
AN003.007.60.001.00B	Li2YCY	300/500V	60X1	35/0.19	23.6	1084.42	19.5Ω/km
AN003.007.61.001.00B	Li2YCY	300/500V	61X1	35/0.19	23.6	1090.21	19.5Ω/km
AN003.007.62.001.00B	Li2YCY	300/500V	62X1	35/0.19	24.5	1152.32	19.5Ω/km
AN003.007.63.001.00B	Li2YCY	300/500V	63X1	35/0.19	24.5	1158.11	19.5Ω/km
AN003.007.64.001.00B	Li2YCY	300/500V	64X1	35/0.19	24.5	1163.9	19.5Ω/km
AN003.007.65.001.00B	Li2YCY	300/500V	65X1	35/0.19	24.5	1169.69	19.5Ω/km
AN003.007.02.001.50B	Li2YCY	300/500V	2X1.5	31/0.25	7.4	93.55	13.3Ω/km
AN003.007.03.001.50B	Li2YCY	300/500V	3X1.5	31/0.25	7.8	110.96	13.3Ω/km
AN003.007.04.001.50B	Li2YCY	300/500V	4X1.5	31/0.25	8.4	133.33	13.3Ω/km
AN003.007.05.001.50B	Li2YCY	300/500V	5X1.5	31/0.25	9.3	163.59	13.3Ω/km
AN003.007.06.001.50B	Li2YCY	300/500V	6X1.5	31/0.25	10	191.02	13.3Ω/km
AN003.007.07.001.50B	Li2YCY	300/500V	7X1.5	31/0.25	10	200.13	13.3Ω/km
AN003.007.08.001.50B	Li2YCY	300/500V	8X1.5	31/0.25	11.1	242.4	13.3Ω/km
AN003.007.09.001.50B	Li2YCY	300/500V	9X1.5	31/0.25	12	279.79	13.3Ω/km
AN003.007.10.001.50B	Li2YCY	300/500V	10X1.5	31/0.25	12.9	318.59	13.3Ω/km
AN003.007.11.001.50B	Li2YCY	300/500V	11X1.5	31/0.25	13.3	341.89	13.3Ω/km
AN003.007.12.001.50B	Li2YCY	300/500V	12X1.5	31/0.25	13.3	350.99	13.3Ω/km
AN003.007.13.001.50B	Li2YCY	300/500V	13X1.5	31/0.25	14	384.12	13.3Ω/km
AN003.007.14.001.50B	Li2YCY	300/500V	14X1.5	31/0.25	14	393.22	13.3Ω/km
AN003.007.15.001.50B	Li2YCY	300/500V	15X1.5	31/0.25	14.9	436.59	13.3Ω/km
AN003.007.16.001.50B	Li2YCY	300/500V	16X1.5	31/0.25	14.9	445.69	13.3Ω/km
AN003.007.17.001.50B	Li2YCY	300/500V	17X1.5	31/0.25	15.6	483.47	13.3Ω/km
AN003.007.18.001.50B	Li2YCY	300/500V	18X1.5	31/0.25	15.6	492.57	13.3Ω/km
AN003.007.19.001.50B	Li2YCY	300/500V	19X1.5	31/0.25	15.6	501.68	13.3Ω/km
AN003.007.20.001.50B	Li2YCY	300/500V	20X1.5	31/0.25	16	527.76	13.3Ω/km
AN003.007.21.001.50B	Li2YCY	300/500V	21X1.5	31/0.25	16.6	562.29	13.3Ω/km
AN003.007.22.001.50B	Li2YCY	300/500V	22X1.5	31/0.25	17.5	612.54	13.3Ω/km
AN003.007.23.001.50B	Li2YCY	300/500V	23X1.5	31/0.25	18.4	664.01	13.3Ω/km
AN003.007.24.001.50B	Li2YCY	300/500V	24X1.5	31/0.25	18.4	673.12	13.3Ω/km
AN003.007.25.001.50B	Li2YCY	300/500V	25X1.5	31/0.25	18.8	702.15	13.3Ω/km
AN003.007.26.001.50B	Li2YCY	300/500V	26X1.5	31/0.25	18.8	711.25	13.3Ω/km
AN003.007.27.001.50B	Li2YCY	300/500V	27X1.5	31/0.25	18.8	720.36	13.3Ω/km
AN003.007.28.001.50B	Li2YCY	300/500V	28X1.5	31/0.25	19.4	760.13	13.3Ω/km
AN003.007.29.001.50B	Li2YCY	300/500V	29X1.5	31/0.25	19.4	769.23	13.3Ω/km
AN003.007.30.001.50B	Li2YCY	300/500V	30X1.5	31/0.25	19.4	778.34	13.3Ω/km
AN003.007.31.001.50B	Li2YCY	300/500V	31X1.5	31/0.25	20.3	834.25	13.3Ω/km
AN003.007.32.001.50B	Li2YCY	300/500V	32X1.5	31/0.25	20.3	843.35	13.3Ω/km
AN003.007.33.001.50B	Li2YCY	300/500V	33X1.5	31/0.25	20.3	852.45	13.3Ω/km
AN003.007.34.001.50B	Li2YCY	300/500V	34X1.5	31/0.25	21.3	910.43	13.3Ω/km
AN003.007.35.001.50B	Li2YCY	300/500V	35X1.5	31/0.25	21.3	919.55	13.3Ω/km



AN003.007.36.001.50B	Li2YCY	300/500V	36X1.5	31/0.25	21.3	928.65	13.3Ω/km
AN003.007.37.001.50B	Li2YCY	300/500V	37X1.5	31/0.25	21.3	937.76	13.3Ω/km
AN003.007.38.001.50B	Li2YCY	300/500V	38X1.5	31/0.25	22.1	992.99	13.3Ω/km
AN003.007.39.001.50B	Li2YCY	300/500V	39X1.5	31/0.25	22.1	1002.1	13.3Ω/km
AN003.007.40.001.50B	Li2YCY	300/500V	40X1.5	31/0.25	22.1	1011.2	13.3Ω/km
AN003.007.41.001.50B	Li2YCY	300/500V	41X1.5	31/0.25	23.9	1129.18	13.3Ω/km
AN003.007.42.001.50B	Li2YCY	300/500V	42X1.5	31/0.25	23.9	1138.28	13.3Ω/km
AN003.007.43.001.50B	Li2YCY	300/500V	43X1.5	31/0.25	23.9	1147.39	13.3Ω/km
AN003.007.44.001.50B	Li2YCY	300/500V	44X1.5	31/0.25	23.9	1156.49	13.3Ω/km
AN003.007.45.001.50B	Li2YCY	300/500V	45X1.5	31/0.25	24.5	1203	13.3Ω/km
AN003.007.46.001.50B	Li2YCY	300/500V	46X1.5	31/0.25	24.5	1212.1	13.3Ω/km
AN003.007.47.001.50B	Li2YCY	300/500V	47X1.5	31/0.25	24.5	1221.21	13.3Ω/km
AN003.007.48.001.50B	Li2YCY	300/500V	48X1.5	31/0.25	24.5	1230.31	13.3Ω/km
AN003.007.49.001.50B	Li2YCY	300/500V	49X1.5	31/0.25	25.1	1278.91	13.3Ω/km
AN003.007.50.001.50B	Li2YCY	300/500V	50X1.5	31/0.25	25.1	1288.01	13.3Ω/km
AN003.007.51.001.50B	Li2YCY	300/500V	51X1.5	31/0.25	25.1	1297.12	13.3Ω/km
AN003.007.52.001.50B	Li2YCY	300/500V	52X1.5	31/0.25	25.1	1306.22	13.3Ω/km
AN003.007.53.001.50B	Li2YCY	300/500V	53X1.5	31/0.25	25.8	1362.6	13.3Ω/km
AN003.007.54.001.50B	Li2YCY	300/500V	54X1.5	31/0.25	25.8	1371.7	13.3Ω/km
AN003.007.55.001.50B	Li2YCY	300/500V	55X1.5	31/0.25	25.8	1380.82	13.3Ω/km
AN003.007.56.001.50B	Li2YCY	300/500V	56X1.5	31/0.25	25.8	1389.92	13.3Ω/km
AN003.007.57.001.50B	Li2YCY	300/500V	57X1.5	31/0.25	26.7	1460.46	13.3Ω/km
AN003.007.58.001.50B	Li2YCY	300/500V	58X1.5	31/0.25	26.7	1469.56	13.3Ω/km
AN003.007.59.001.50B	Li2YCY	300/500V	59X1.5	31/0.25	26.7	1478.67	13.3Ω/km
AN003.007.60.001.50B	Li2YCY	300/500V	60X1.5	31/0.25	26.7	1487.77	13.3Ω/km
AN003.007.61.001.50B	Li2YCY	300/500V	61X1.5	31/0.25	26.7	1496.87	13.3Ω/km
AN003.007.62.001.50B	Li2YCY	300/500V	62X1.5	31/0.25	27.5	1563.49	13.3Ω/km
AN003.007.63.001.50B	Li2YCY	300/500V	63X1.5	31/0.25	27.5	1572.6	13.3Ω/km
AN003.007.64.001.50B	Li2YCY	300/500V	64X1.5	31/0.25	27.5	1581.7	13.3Ω/km
AN003.007.65.001.50B	Li2YCY	300/500V	65X1.5	31/0.25	27.5	1590.81	13.3Ω/km