



| 物料编号 | 型号 | 规格 | 额定电压 | 导体结构 | 电缆近似外径 mm | 近似重量 kg/km | 导体电阻Ω/km |
|----------------------|-----------|--------|---------|---------|--------------|------------|----------|
| ANU03.014.02.000.50B | 2XSLEYK-J | 2X0.5 | 0.6/1kV | 18/0.19 | 9.2 | 112.6 | 39 |
| ANU03.014.03.000.50B | 2XSLEYK-J | 3X0.5 | 0.6/1kV | 18/0.19 | 9.6 | 124.1 | 39 |
| ANU03.014.04.000.50B | 2XSLEYK-J | 4X0.5 | 0.6/1kV | 18/0.19 | 10.2 | 141.25 | 39 |
| ANU03.014.05.000.50B | 2XSLEYK-J | 5X0.5 | 0.6/1kV | 18/0.19 | 11 | 167.29 | 39 |
| ANU03.014.06.000.50B | 2XSLEYK-J | 6X0.5 | 0.6/1kV | 18/0.19 | 11.6 | 186.65 | 39 |
| ANU03.014.07.000.50B | 2XSLEYK-J | 7X0.5 | 0.6/1kV | 18/0.19 | 11.6 | 188.41 | 39 |
| ANU03.014.08.000.50B | 2XSLEYK-J | 8X0.5 | 0.6/1kV | 18/0.19 | 12.3 | 211.87 | 39 |
| ANU03.014.09.000.50B | 2XSLEYK-J | 9X0.5 | 0.6/1kV | 18/0.19 | 13.3 | 246.73 | 39 |
| ANU03.014.10.000.50B | 2XSLEYK-J | 10X0.5 | 0.6/1kV | 18/0.19 | 13.9 | 269.55 | 39 |
| ANU03.014.11.000.50B | 2XSLEYK-J | 11X0.5 | 0.6/1kV | 18/0.19 | 14.3 | 285.86 | 39 |
| ANU03.014.12.000.50B | 2XSLEYK-J | 12X0.5 | 0.6/1kV | 18/0.19 | 14.3 | 287.61 | 39 |
| ANU03.014.13.000.50B | 2XSLEYK-J | 13X0.5 | 0.6/1kV | 18/0.19 | 15 | 315.92 | 39 |
| ANU03.014.14.000.50B | 2XSLEYK-J | 14X0.5 | 0.6/1kV | 18/0.19 | 15 | 317.67 | 39 |
| ANU03.014.15.000.50B | 2XSLEYK-J | 15X0.5 | 0.6/1kV | 18/0.19 | 15.7 | 347.08 | 39 |
| ANU03.014.16.000.50B | 2XSLEYK-J | 16X0.5 | 0.6/1kV | 18/0.19 | 15.7 | 348.82 | 39 |
| ANU03.014.17.000.50B | 2XSLEYK-J | 17X0.5 | 0.6/1kV | 18/0.19 | 16.3 | 375.27 | 39 |
| ANU03.014.18.000.50B | 2XSLEYK-J | 18X0.5 | 0.6/1kV | 18/0.19 | 16.3 | 377.01 | 39 |
| ANU03.014.19.000.50B | 2XSLEYK-J | 19X0.5 | 0.6/1kV | 18/0.19 | 16.3 | 378.76 | 39 |
| ANU03.014.20.000.50B | 2XSLEYK-J | 20X0.5 | 0.6/1kV | 18/0.19 | 16.7 | 397.47 | 39 |
| ANU03.014.21.000.50B | 2XSLEYK-J | 21X0.5 | 0.6/1kV | 18/0.19 | 17 | 412.21 | 39 |
| ANU03.014.22.000.50B | 2XSLEYK-J | 22X0.5 | 0.6/1kV | 18/0.19 | 18 | 458.84 | 39 |
| ANU03.014.23.000.50B | 2XSLEYK-J | 23X0.5 | 0.6/1kV | 18/0.19 | 18.6 | 488.74 | 39 |
| ANU03.014.24.000.50B | 2XSLEYK-J | 24X0.5 | 0.6/1kV | 18/0.19 | 18.6 | 490.49 | 39 |
| ANU03.014.25.000.50B | 2XSLEYK-J | 25X0.5 | 0.6/1kV | 18/0.19 | 19 | 511.51 | 39 |
| ANU03.014.26.000.50B | 2XSLEYK-J | 26X0.5 | 0.6/1kV | 18/0.19 | 19 | 513.25 | 39 |
| ANU03.014.27.000.50B | 2XSLEYK-J | 27X0.5 | 0.6/1kV | 18/0.19 | 19 | 515 | 39 |
| ANU03.014.28.000.50B | 2XSLEYK-J | 28X0.5 | 0.6/1kV | 18/0.19 | 19.6 | 546.4 | 39 |
| ANU03.014.29.000.50B | 2XSLEYK-J | 29X0.5 | 0.6/1kV | 18/0.19 | 19.6 | 548.14 | 39 |
| ANU03.014.30.000.50B | 2XSLEYK-J | 30X0.5 | 0.6/1kV | 18/0.19 | 19.6 | 549.89 | 39 |
| ANU03.014.31.000.50B | 2XSLEYK-J | 31X0.5 | 0.6/1kV | 18/0.19 | 20.3 | 587.37 | 39 |
| ANU03.014.32.000.50B | 2XSLEYK-J | 32X0.5 | 0.6/1kV | 18/0.19 | 20.3 | 589.12 | 39 |
| ANU03.014.33.000.50B | 2XSLEYK-J | 33X0.5 | 0.6/1kV | 18/0.19 | 20.3 | 590.88 | 39 |
| ANU03.014.34.000.50B | 2XSLEYK-J | 34X0.5 | 0.6/1kV | 18/0.19 | 21.2 | 634.21 | 39 |
| ANU03.014.35.000.50B | 2XSLEYK-J | 35X0.5 | 0.6/1kV | 18/0.19 | 21.2 | 635.97 | 39 |
| ANU03.014.36.000.50B | 2XSLEYK-J | 36X0.5 | 0.6/1kV | 18/0.19 | 21.2 | 637.72 | 39 |
| ANU03.014.37.000.50B | 2XSLEYK-J | 37X0.5 | 0.6/1kV | 18/0.19 | 21.2 | 639.47 | 39 |
| ANU03.014.02.000.75B | 2XSLEYK-J | 2X0.75 | 0.6/1kV | 27/0.19 | 9.6 | 125.58 | 26 |
| ANU03.014.03.000.75B | 2XSLEYK-J | 3X0.75 | 0.6/1kV | 27/0.19 | 10 | 139.1 | 26 |
| ANU03.014.04.000.75B | 2XSLEYK-J | 4X0.75 | 0.6/1kV | 27/0.19 | 10.8 | 166.33 | 26 |
| ANU03.014.05.000.75B | 2XSLEYK-J | 5X0.75 | 0.6/1kV | 27/0.19 | 11.5 | 189.98 | 26 |



| | | | | | | | |
|----------------------|-----------|---------|---------|---------|------|--------|------|
| ANU03.014.06.000.75B | 2XSLEYK-J | 6X0.75 | 0.6/1kV | 27/0.19 | 12.2 | 214.87 | 26 |
| ANU03.014.07.000.75B | 2XSLEYK-J | 7X0.75 | 0.6/1kV | 27/0.19 | 12.2 | 218.23 | 26 |
| ANU03.014.08.000.75B | 2XSLEYK-J | 8X0.75 | 0.6/1kV | 27/0.19 | 13 | 247.69 | 26 |
| ANU03.014.09.000.75B | 2XSLEYK-J | 9X0.75 | 0.6/1kV | 27/0.19 | 14 | 285.93 | 26 |
| ANU03.014.10.000.75B | 2XSLEYK-J | 10X0.75 | 0.6/1kV | 27/0.19 | 14.7 | 315.22 | 26 |
| ANU03.014.11.000.75B | 2XSLEYK-J | 11X0.75 | 0.6/1kV | 27/0.19 | 15.2 | 337.94 | 26 |
| ANU03.014.12.000.75B | 2XSLEYK-J | 12X0.75 | 0.6/1kV | 27/0.19 | 15.2 | 341.32 | 26 |
| ANU03.014.13.000.75B | 2XSLEYK-J | 13X0.75 | 0.6/1kV | 27/0.19 | 15.9 | 372.69 | 26 |
| ANU03.014.14.000.75B | 2XSLEYK-J | 14X0.75 | 0.6/1kV | 27/0.19 | 15.9 | 376.06 | 26 |
| ANU03.014.15.000.75B | 2XSLEYK-J | 15X0.75 | 0.6/1kV | 27/0.19 | 16.6 | 408.65 | 26 |
| ANU03.014.16.000.75B | 2XSLEYK-J | 16X0.75 | 0.6/1kV | 27/0.19 | 16.6 | 412.01 | 26 |
| ANU03.014.17.000.75B | 2XSLEYK-J | 17X0.75 | 0.6/1kV | 27/0.19 | 17.3 | 445.83 | 26 |
| ANU03.014.18.000.75B | 2XSLEYK-J | 18X0.75 | 0.6/1kV | 27/0.19 | 17.3 | 449.2 | 26 |
| ANU03.014.19.000.75B | 2XSLEYK-J | 19X0.75 | 0.6/1kV | 27/0.19 | 17.3 | 452.56 | 26 |
| ANU03.014.20.000.75B | 2XSLEYK-J | 20X0.75 | 0.6/1kV | 27/0.19 | 17.7 | 473.9 | 26 |
| ANU03.014.21.000.75B | 2XSLEYK-J | 21X0.75 | 0.6/1kV | 27/0.19 | 18.1 | 495.61 | 26 |
| ANU03.014.22.000.75B | 2XSLEYK-J | 22X0.75 | 0.6/1kV | 27/0.19 | 19.1 | 546.63 | 26 |
| ANU03.014.23.000.75B | 2XSLEYK-J | 23X0.75 | 0.6/1kV | 27/0.19 | 19.8 | 584.84 | 26 |
| ANU03.014.24.000.75B | 2XSLEYK-J | 24X0.75 | 0.6/1kV | 27/0.19 | 19.8 | 588.2 | 26 |
| ANU03.014.25.000.75B | 2XSLEYK-J | 25X0.75 | 0.6/1kV | 27/0.19 | 20.2 | 612.04 | 26 |
| ANU03.014.26.000.75B | 2XSLEYK-J | 26X0.75 | 0.6/1kV | 27/0.19 | 20.2 | 615.39 | 26 |
| ANU03.014.27.000.75B | 2XSLEYK-J | 27X0.75 | 0.6/1kV | 27/0.19 | 20.2 | 618.76 | 26 |
| ANU03.014.28.000.75B | 2XSLEYK-J | 28X0.75 | 0.6/1kV | 27/0.19 | 21.2 | 668.89 | 26 |
| ANU03.014.29.000.75B | 2XSLEYK-J | 29X0.75 | 0.6/1kV | 27/0.19 | 21.2 | 672.26 | 26 |
| ANU03.014.30.000.75B | 2XSLEYK-J | 30X0.75 | 0.6/1kV | 27/0.19 | 21.2 | 675.63 | 26 |
| ANU03.014.31.000.75B | 2XSLEYK-J | 31X0.75 | 0.6/1kV | 27/0.19 | 21.9 | 717.31 | 26 |
| ANU03.014.32.000.75B | 2XSLEYK-J | 32X0.75 | 0.6/1kV | 27/0.19 | 21.9 | 720.68 | 26 |
| ANU03.014.33.000.75B | 2XSLEYK-J | 33X0.75 | 0.6/1kV | 27/0.19 | 21.9 | 724.04 | 26 |
| ANU03.014.34.000.75B | 2XSLEYK-J | 34X0.75 | 0.6/1kV | 27/0.19 | 22.6 | 766.96 | 26 |
| ANU03.014.35.000.75B | 2XSLEYK-J | 35X0.75 | 0.6/1kV | 27/0.19 | 22.6 | 770.32 | 26 |
| ANU03.014.36.000.75B | 2XSLEYK-J | 36X0.75 | 0.6/1kV | 27/0.19 | 22.6 | 773.69 | 26 |
| ANU03.014.37.000.75B | 2XSLEYK-J | 37X0.75 | 0.6/1kV | 27/0.19 | 22.6 | 777.05 | 26 |
| ANU03.014.02.001.00B | 2XSLEYK-J | 2X1 | 0.6/1kV | 35/0.19 | 10 | 138.77 | 19.5 |
| ANU03.014.03.001.00B | 2XSLEYK-J | 3X1 | 0.6/1kV | 35/0.19 | 10.6 | 161.93 | 19.5 |
| ANU03.014.04.001.00B | 2XSLEYK-J | 4X1 | 0.6/1kV | 35/0.19 | 11.3 | 186.76 | 19.5 |
| ANU03.014.05.001.00B | 2XSLEYK-J | 5X1 | 0.6/1kV | 35/0.19 | 12 | 212.79 | 19.5 |
| ANU03.014.06.001.00B | 2XSLEYK-J | 6X1 | 0.6/1kV | 35/0.19 | 12.8 | 243.36 | 19.5 |
| ANU03.014.07.001.00B | 2XSLEYK-J | 7X1 | 0.6/1kV | 35/0.19 | 12.8 | 248.25 | 19.5 |
| ANU03.014.08.001.00B | 2XSLEYK-J | 8X1 | 0.6/1kV | 35/0.19 | 13.7 | 283.95 | 19.5 |
| ANU03.014.09.001.00B | 2XSLEYK-J | 9X1 | 0.6/1kV | 35/0.19 | 14.7 | 325.48 | 19.5 |
| ANU03.014.10.001.00B | 2XSLEYK-J | 10X1 | 0.6/1kV | 35/0.19 | 15.6 | 365.58 | 19.5 |
| ANU03.014.11.001.00B | 2XSLEYK-J | 11X1 | 0.6/1kV | 35/0.19 | 16.1 | 390.83 | 19.5 |



| | | | | | | | |
|----------------------|-----------|--------|---------|---------|------|----------|------|
| ANU03.014.12.001.00B | 2XSLEYK-J | 12X1 | 0.6/1kV | 35/0.19 | 16.1 | 395.72 | 19.5 |
| ANU03.014.13.001.00B | 2XSLEYK-J | 13X1 | 0.6/1kV | 35/0.19 | 16.8 | 430.17 | 19.5 |
| ANU03.014.14.001.00B | 2XSLEYK-J | 14X1 | 0.6/1kV | 35/0.19 | 16.8 | 435.06 | 19.5 |
| ANU03.014.15.001.00B | 2XSLEYK-J | 15X1 | 0.6/1kV | 35/0.19 | 17.5 | 470.74 | 19.5 |
| ANU03.014.16.001.00B | 2XSLEYK-J | 16X1 | 0.6/1kV | 35/0.19 | 17.5 | 475.62 | 19.5 |
| ANU03.014.17.001.00B | 2XSLEYK-J | 17X1 | 0.6/1kV | 35/0.19 | 18.3 | 517.21 | 19.5 |
| ANU03.014.18.001.00B | 2XSLEYK-J | 18X1 | 0.6/1kV | 35/0.19 | 18.3 | 522.08 | 19.5 |
| ANU03.014.19.001.00B | 2XSLEYK-J | 19X1 | 0.6/1kV | 35/0.19 | 18.3 | 526.97 | 19.5 |
| ANU03.014.20.001.00B | 2XSLEYK-J | 20X1 | 0.6/1kV | 35/0.19 | 18.8 | 555.62 | 19.5 |
| ANU03.014.21.001.00B | 2XSLEYK-J | 21X1 | 0.6/1kV | 35/0.19 | 19.2 | 579.94 | 19.5 |
| ANU03.014.22.001.00B | 2XSLEYK-J | 22X1 | 0.6/1kV | 35/0.19 | 20.2 | 635.23 | 19.5 |
| ANU03.014.23.001.00B | 2XSLEYK-J | 23X1 | 0.6/1kV | 35/0.19 | 21.3 | 692.27 | 19.5 |
| ANU03.014.24.001.00B | 2XSLEYK-J | 24X1 | 0.6/1kV | 35/0.19 | 21.3 | 697.15 | 19.5 |
| ANU03.014.25.001.00B | 2XSLEYK-J | 25X1 | 0.6/1kV | 35/0.19 | 21.8 | 729.41 | 19.5 |
| ANU03.014.26.001.00B | 2XSLEYK-J | 26X1 | 0.6/1kV | 35/0.19 | 21.8 | 734.28 | 19.5 |
| ANU03.014.27.001.00B | 2XSLEYK-J | 27X1 | 0.6/1kV | 35/0.19 | 27.8 | 1091.46 | 19.5 |
| ANU03.014.28.001.00B | 2XSLEYK-J | 28X1 | 0.6/1kV | 35/0.19 | 35.3 | 1659.23 | 19.5 |
| ANU03.014.29.001.00B | 2XSLEYK-J | 29X1 | 0.6/1kV | 35/0.19 | 41.7 | 2247.49 | 19.5 |
| ANU03.014.30.001.00B | 2XSLEYK-J | 30X1 | 0.6/1kV | 35/0.19 | 48.1 | 2932.71 | 19.5 |
| ANU03.014.31.001.00B | 2XSLEYK-J | 31X1 | 0.6/1kV | 35/0.19 | 55.7 | 3887.38 | 19.5 |
| ANU03.014.32.001.00B | 2XSLEYK-J | 32X1 | 0.6/1kV | 35/0.19 | 62.1 | 4786.25 | 19.5 |
| ANU03.014.33.001.00B | 2XSLEYK-J | 33X1 | 0.6/1kV | 35/0.19 | 68.5 | 5782.09 | 19.5 |
| ANU03.014.34.001.00B | 2XSLEYK-J | 34X1 | 0.6/1kV | 35/0.19 | 75.9 | 7056.87 | 19.5 |
| ANU03.014.35.001.00B | 2XSLEYK-J | 35X1 | 0.6/1kV | 35/0.19 | 82.3 | 8261.82 | 19.5 |
| ANU03.014.36.001.00B | 2XSLEYK-J | 36X1 | 0.6/1kV | 35/0.19 | 88.7 | 9563.75 | 19.5 |
| ANU03.014.37.001.00B | 2XSLEYK-J | 37X1 | 0.6/1kV | 35/0.19 | 95.1 | 10962.64 | 19.5 |
| ANU03.014.02.001.50B | 2XSLEYK-J | 2X1.5 | 0.6/1kV | 31/0.25 | 10.7 | 166.35 | 13.3 |
| ANU03.014.03.001.50B | 2XSLEYK-J | 3X1.5 | 0.6/1kV | 31/0.25 | 11.2 | 188.72 | 13.3 |
| ANU03.014.04.001.50B | 2XSLEYK-J | 4X1.5 | 0.6/1kV | 31/0.25 | 12 | 220.96 | 13.3 |
| ANU03.014.05.001.50B | 2XSLEYK-J | 5X1.5 | 0.6/1kV | 31/0.25 | 12.8 | 254.81 | 13.3 |
| ANU03.014.06.001.50B | 2XSLEYK-J | 6X1.5 | 0.6/1kV | 31/0.25 | 13.7 | 293.78 | 13.3 |
| ANU03.014.07.001.50B | 2XSLEYK-J | 7X1.5 | 0.6/1kV | 31/0.25 | 13.7 | 301.91 | 13.3 |
| ANU03.014.08.001.50B | 2XSLEYK-J | 8X1.5 | 0.6/1kV | 31/0.25 | 14.6 | 342.9 | 13.3 |
| ANU03.014.09.001.50B | 2XSLEYK-J | 9X1.5 | 0.6/1kV | 31/0.25 | 15.9 | 402.21 | 13.3 |
| ANU03.014.10.001.50B | 2XSLEYK-J | 10X1.5 | 0.6/1kV | 31/0.25 | 16.8 | 448.16 | 13.3 |
| ANU03.014.11.001.50B | 2XSLEYK-J | 11X1.5 | 0.6/1kV | 31/0.25 | 17.3 | 478.17 | 13.3 |
| ANU03.014.12.001.50B | 2XSLEYK-J | 12X1.5 | 0.6/1kV | 31/0.25 | 17.3 | 486.31 | 13.3 |
| ANU03.014.13.001.50B | 2XSLEYK-J | 13X1.5 | 0.6/1kV | 31/0.25 | 18.1 | 530.77 | 13.3 |
| ANU03.014.14.001.50B | 2XSLEYK-J | 14X1.5 | 0.6/1kV | 31/0.25 | 18.1 | 538.91 | 13.3 |
| ANU03.014.15.001.50B | 2XSLEYK-J | 15X1.5 | 0.6/1kV | 31/0.25 | 18.9 | 584.97 | 13.3 |
| ANU03.014.16.001.50B | 2XSLEYK-J | 16X1.5 | 0.6/1kV | 31/0.25 | 18.9 | 593.12 | 13.3 |
| ANU03.014.17.001.50B | 2XSLEYK-J | 17X1.5 | 0.6/1kV | 31/0.25 | 19.8 | 645.83 | 13.3 |



| | | | | | | | |
|----------------------|-----------|--------|---------|---------|------|---------|------|
| ANU03.014.18.001.50B | 2XSLEYK-J | 18X1.5 | 0.6/1kV | 31/0.25 | 19.8 | 653.97 | 13.3 |
| ANU03.014.19.001.50B | 2XSLEYK-J | 19X1.5 | 0.6/1kV | 31/0.25 | 19.8 | 662.1 | 13.3 |
| ANU03.014.20.001.50B | 2XSLEYK-J | 20X1.5 | 0.6/1kV | 31/0.25 | 20.3 | 695.89 | 13.3 |
| ANU03.014.21.001.50B | 2XSLEYK-J | 21X1.5 | 0.6/1kV | 31/0.25 | 21 | 734.88 | 13.3 |
| ANU03.014.22.001.50B | 2XSLEYK-J | 22X1.5 | 0.6/1kV | 31/0.25 | 22.2 | 808.9 | 13.3 |
| ANU03.014.23.001.50B | 2XSLEYK-J | 23X1.5 | 0.6/1kV | 31/0.25 | 23.1 | 868.78 | 13.3 |
| ANU03.014.24.001.50B | 2XSLEYK-J | 24X1.5 | 0.6/1kV | 31/0.25 | 23.1 | 876.91 | 13.3 |
| ANU03.014.25.001.50B | 2XSLEYK-J | 25X1.5 | 0.6/1kV | 31/0.25 | 23.6 | 914.71 | 13.3 |
| ANU03.014.26.001.50B | 2XSLEYK-J | 26X1.5 | 0.6/1kV | 31/0.25 | 23.6 | 922.85 | 13.3 |
| ANU03.014.27.001.50B | 2XSLEYK-J | 27X1.5 | 0.6/1kV | 31/0.25 | 23.6 | 930.99 | 13.3 |
| ANU03.014.28.001.50B | 2XSLEYK-J | 28X1.5 | 0.6/1kV | 31/0.25 | 24.4 | 987.84 | 13.3 |
| ANU03.014.29.001.50B | 2XSLEYK-J | 29X1.5 | 0.6/1kV | 31/0.25 | 24.4 | 995.98 | 13.3 |
| ANU03.014.30.001.50B | 2XSLEYK-J | 30X1.5 | 0.6/1kV | 31/0.25 | 24.4 | 1004.13 | 13.3 |
| ANU03.014.31.001.50B | 2XSLEYK-J | 31X1.5 | 0.6/1kV | 31/0.25 | 25.2 | 1062.58 | 13.3 |
| ANU03.014.32.001.50B | 2XSLEYK-J | 32X1.5 | 0.6/1kV | 31/0.25 | 25.2 | 1070.71 | 13.3 |
| ANU03.014.33.001.50B | 2XSLEYK-J | 33X1.5 | 0.6/1kV | 31/0.25 | 25.2 | 1078.85 | 13.3 |
| ANU03.014.34.001.50B | 2XSLEYK-J | 34X1.5 | 0.6/1kV | 31/0.25 | 26.1 | 1145.51 | 13.3 |
| ANU03.014.35.001.50B | 2XSLEYK-J | 35X1.5 | 0.6/1kV | 31/0.25 | 26.1 | 1153.66 | 13.3 |
| ANU03.014.36.001.50B | 2XSLEYK-J | 36X1.5 | 0.6/1kV | 31/0.25 | 26.1 | 1161.79 | 13.3 |
| ANU03.014.37.001.50B | 2XSLEYK-J | 37X1.5 | 0.6/1kV | 31/0.25 | 26.1 | 1169.93 | 13.3 |
| ANU03.014.02.002.50B | 2XSLEYK-J | 2X2.5 | 0.6/1kV | 51/0.25 | 11.7 | 208.48 | 7.98 |
| ANU03.014.03.002.50B | 2XSLEYK-J | 3X2.5 | 0.6/1kV | 51/0.25 | 12.3 | 241.81 | 7.98 |
| ANU03.014.04.002.50B | 2XSLEYK-J | 4X2.5 | 0.6/1kV | 51/0.25 | 13.2 | 286.14 | 7.98 |
| ANU03.014.05.002.50B | 2XSLEYK-J | 5X2.5 | 0.6/1kV | 51/0.25 | 14.2 | 336.17 | 7.98 |
| ANU03.014.06.002.50B | 2XSLEYK-J | 6X2.5 | 0.6/1kV | 51/0.25 | 15.3 | 392.74 | 7.98 |
| ANU03.014.07.002.50B | 2XSLEYK-J | 7X2.5 | 0.6/1kV | 51/0.25 | 15.3 | 407.4 | 7.98 |
| ANU03.014.08.002.50B | 2XSLEYK-J | 8X2.5 | 0.6/1kV | 51/0.25 | 16.4 | 466.87 | 7.98 |
| ANU03.014.09.002.50B | 2XSLEYK-J | 9X2.5 | 0.6/1kV | 51/0.25 | 17.8 | 542.99 | 7.98 |
| ANU03.014.10.002.50B | 2XSLEYK-J | 10X2.5 | 0.6/1kV | 51/0.25 | 18.8 | 604.54 | 7.98 |
| ANU03.014.11.002.50B | 2XSLEYK-J | 11X2.5 | 0.6/1kV | 51/0.25 | 19.4 | 648.53 | 7.98 |
| ANU03.014.12.002.50B | 2XSLEYK-J | 12X2.5 | 0.6/1kV | 51/0.25 | 19.4 | 663.17 | 7.98 |
| ANU03.014.13.002.50B | 2XSLEYK-J | 13X2.5 | 0.6/1kV | 51/0.25 | 20.3 | 723.52 | 7.98 |
| ANU03.014.14.002.50B | 2XSLEYK-J | 14X2.5 | 0.6/1kV | 51/0.25 | 20.3 | 738.16 | 7.98 |
| ANU03.014.15.002.50B | 2XSLEYK-J | 15X2.5 | 0.6/1kV | 51/0.25 | 21.6 | 816.15 | 7.98 |
| ANU03.014.16.002.50B | 2XSLEYK-J | 16X2.5 | 0.6/1kV | 51/0.25 | 21.6 | 830.79 | 7.98 |
| ANU03.014.17.002.50B | 2XSLEYK-J | 17X2.5 | 0.6/1kV | 51/0.25 | 22.6 | 901.57 | 7.98 |
| ANU03.014.18.002.50B | 2XSLEYK-J | 18X2.5 | 0.6/1kV | 51/0.25 | 22.6 | 916.22 | 7.98 |
| ANU03.014.19.002.50B | 2XSLEYK-J | 19X2.5 | 0.6/1kV | 51/0.25 | 22.6 | 930.87 | 7.98 |
| ANU03.014.20.002.50B | 2XSLEYK-J | 20X2.5 | 0.6/1kV | 51/0.25 | 23.2 | 980.39 | 7.98 |
| ANU03.014.21.002.50B | 2XSLEYK-J | 21X2.5 | 0.6/1kV | 51/0.25 | 23.7 | 1024.8 | 7.98 |
| ANU03.014.22.002.50B | 2XSLEYK-J | 22X2.5 | 0.6/1kV | 51/0.25 | 25.1 | 1126.12 | 7.98 |
| ANU03.014.23.002.50B | 2XSLEYK-J | 23X2.5 | 0.6/1kV | 51/0.25 | 26.1 | 1205.65 | 7.98 |



| | | | | | | | |
|----------------------|-----------|--------|---------|----------|------|---------|-------|
| ANU03.014.24.002.50B | 2XSLEYK-J | 24X2.5 | 0.6/1kV | 51/0.25 | 26.1 | 1220.3 | 7.98 |
| ANU03.014.25.002.50B | 2XSLEYK-J | 25X2.5 | 0.6/1kV | 51/0.25 | 26.7 | 1275.09 | 7.98 |
| ANU03.014.26.002.50B | 2XSLEYK-J | 26X2.5 | 0.6/1kV | 51/0.25 | 26.7 | 1289.73 | 7.98 |
| ANU03.014.27.002.50B | 2XSLEYK-J | 27X2.5 | 0.6/1kV | 51/0.25 | 26.7 | 1304.39 | 7.98 |
| ANU03.014.28.002.50B | 2XSLEYK-J | 28X2.5 | 0.6/1kV | 51/0.25 | 27.6 | 1380.95 | 7.98 |
| ANU03.014.29.002.50B | 2XSLEYK-J | 29X2.5 | 0.6/1kV | 51/0.25 | 27.6 | 1395.6 | 7.98 |
| ANU03.014.30.002.50B | 2XSLEYK-J | 30X2.5 | 0.6/1kV | 51/0.25 | 27.6 | 1410.25 | 7.98 |
| ANU03.014.31.002.50B | 2XSLEYK-J | 31X2.5 | 0.6/1kV | 51/0.25 | 28.6 | 1496.06 | 7.98 |
| ANU03.014.32.002.50B | 2XSLEYK-J | 32X2.5 | 0.6/1kV | 51/0.25 | 28.6 | 1510.71 | 7.98 |
| ANU03.014.33.002.50B | 2XSLEYK-J | 33X2.5 | 0.6/1kV | 51/0.25 | 28.6 | 1525.36 | 7.98 |
| ANU03.014.34.002.50B | 2XSLEYK-J | 34X2.5 | 0.6/1kV | 51/0.25 | 29.8 | 1627.72 | 7.98 |
| ANU03.014.35.002.50B | 2XSLEYK-J | 35X2.5 | 0.6/1kV | 51/0.25 | 29.8 | 1642.37 | 7.98 |
| ANU03.014.36.002.50B | 2XSLEYK-J | 36X2.5 | 0.6/1kV | 51/0.25 | 29.8 | 1657.01 | 7.98 |
| ANU03.014.37.002.50B | 2XSLEYK-J | 37X2.5 | 0.6/1kV | 51/0.25 | 29.8 | 1671.67 | 7.98 |
| ANU03.014.02.004.00B | 2XSLEYK-J | 2X4 | 0.6/1kV | 82/0.25 | 12.7 | 261.3 | 4.95 |
| ANU03.014.03.004.00B | 2XSLEYK-J | 3X4 | 0.6/1kV | 82/0.25 | 13.4 | 310.16 | 4.95 |
| ANU03.014.04.004.00B | 2XSLEYK-J | 4X4 | 0.6/1kV | 82/0.25 | 14.4 | 371.27 | 4.95 |
| ANU03.014.05.004.00B | 2XSLEYK-J | 5X4 | 0.6/1kV | 82/0.25 | 15.6 | 443.03 | 4.95 |
| ANU03.014.02.006.00B | 2XSLEYK-J | 2X6 | 0.6/1kV | 123/0.25 | 13.9 | 330.1 | 3.3 |
| ANU03.014.03.006.00B | 2XSLEYK-J | 3X6 | 0.6/1kV | 123/0.25 | 14.7 | 398.65 | 3.3 |
| ANU03.014.04.006.00B | 2XSLEYK-J | 4X6 | 0.6/1kV | 123/0.25 | 16 | 489.14 | 3.3 |
| ANU03.014.05.006.00B | 2XSLEYK-J | 5X6 | 0.6/1kV | 123/0.25 | 17.3 | 583.77 | 3.3 |
| ANU03.014.02.010.00B | 2XSLEYK-J | 2X10 | 0.6/1kV | 77/0.4 | 16.2 | 471.5 | 1.91 |
| ANU03.014.03.010.00B | 2XSLEYK-J | 3X10 | 0.6/1kV | 77/0.4 | 17.1 | 575.09 | 1.91 |
| ANU03.014.04.010.00B | 2XSLEYK-J | 4X10 | 0.6/1kV | 77/0.4 | 18.6 | 708.83 | 1.91 |
| ANU03.014.05.010.00B | 2XSLEYK-J | 5X10 | 0.6/1kV | 77/0.4 | 20.2 | 853.36 | 1.91 |
| ANU03.014.02.016.00B | 2XSLEYK-J | 2X16 | 0.6/1kV | 126/0.4 | 18.6 | 659.48 | 1.21 |
| ANU03.014.03.016.00B | 2XSLEYK-J | 3X16 | 0.6/1kV | 126/0.4 | 19.7 | 818.91 | 1.21 |
| ANU03.014.04.016.00B | 2XSLEYK-J | 4X16 | 0.6/1kV | 126/0.4 | 21.8 | 1029.48 | 1.21 |
| ANU03.014.05.016.00B | 2XSLEYK-J | 5X16 | 0.6/1kV | 126/0.4 | 23.8 | 1250.75 | 1.21 |
| ANU03.014.02.025.00B | 2XSLEYK-J | 2X25 | 0.6/1kV | 189/0.4 | 22.3 | 967.22 | 0.78 |
| ANU03.014.03.025.00B | 2XSLEYK-J | 3X25 | 0.6/1kV | 189/0.4 | 23.7 | 1214.83 | 0.78 |
| ANU03.014.04.025.00B | 2XSLEYK-J | 4X25 | 0.6/1kV | 189/0.4 | 25.9 | 1519.08 | 0.78 |
| ANU03.014.05.025.00B | 2XSLEYK-J | 5X25 | 0.6/1kV | 189/0.4 | 28.4 | 1856.91 | 0.78 |
| ANU03.014.02.035.00B | 2XSLEYK-J | 2X35 | 0.6/1kV | 266/0.4 | 24.9 | 1259.02 | 0.554 |
| ANU03.014.03.035.00B | 2XSLEYK-J | 3X35 | 0.6/1kV | 266/0.4 | 26.5 | 1597.19 | 0.554 |
| ANU03.014.04.035.00B | 2XSLEYK-J | 4X35 | 0.6/1kV | 266/0.4 | 29.2 | 2020.61 | 0.554 |
| ANU03.014.05.035.00B | 2XSLEYK-J | 5X35 | 0.6/1kV | 266/0.4 | 32.9 | 2577.37 | 0.554 |
| ANU03.014.02.050.00B | 2XSLEYK-J | 2X50 | 0.6/1kV | 380/0.4 | 28.3 | 1696.03 | 0.386 |
| ANU03.014.03.050.00B | 2XSLEYK-J | 3X50 | 0.6/1kV | 380/0.4 | 30.7 | 2244.2 | 0.386 |
| ANU03.014.04.050.00B | 2XSLEYK-J | 4X50 | 0.6/1kV | 380/0.4 | 34.2 | 2870.87 | 0.386 |
| ANU03.014.05.050.00B | 2XSLEYK-J | 5X50 | 0.6/1kV | 380/0.4 | 38 | 3555 | 0.386 |



| | | | | | | | |
|-------------------------|-----------|-------------|---------|----------|------|----------|--------|
| ANU03.014.02.070.00B | 2XSLEYK-J | 2X70 | 0.6/1kV | 532/0.4 | 33.3 | 2389.08 | 0.272 |
| ANU03.014.03.070.00B | 2XSLEYK-J | 3X70 | 0.6/1kV | 532/0.4 | 35.6 | 3064.38 | 0.272 |
| ANU03.014.04.070.00B | 2XSLEYK-J | 4X70 | 0.6/1kV | 532/0.4 | 39.7 | 3927.66 | 0.272 |
| ANU03.014.05.070.00B | 2XSLEYK-J | 5X70 | 0.6/1kV | 532/0.4 | 44 | 4896.29 | 0.272 |
| ANU03.014.02.095.00B | 2XSLEYK-J | 2X95 | 0.6/1kV | 722/0.4 | 37.6 | 3121.51 | 0.206 |
| ANU03.014.03.095.00B | 2XSLEYK-J | 3X95 | 0.6/1kV | 722/0.4 | 40.2 | 4025.22 | 0.206 |
| ANU03.014.04.095.00B | 2XSLEYK-J | 4X95 | 0.6/1kV | 722/0.4 | 44.9 | 5217.29 | 0.206 |
| ANU03.014.05.095.00B | 2XSLEYK-J | 5X95 | 0.6/1kV | 722/0.4 | 49.5 | 6418.92 | 0.206 |
| ANU03.014.02.120.00B | 2XSLEYK-J | 2X120 | 0.6/1kV | 925/0.4 | 42.2 | 3953.54 | 0.161 |
| ANU03.014.03.120.00B | 2XSLEYK-J | 3X120 | 0.6/1kV | 925/0.4 | 45.1 | 5089.32 | 0.161 |
| ANU03.014.04.120.00B | 2XSLEYK-J | 4X120 | 0.6/1kV | 925/0.4 | 49.9 | 6484.08 | 0.161 |
| ANU03.014.05.120.00B | 2XSLEYK-J | 5X120 | 0.6/1kV | 925/0.4 | 55.8 | 8097.5 | 0.161 |
| ANU03.014.02.150.00B | 2XSLEYK-J | 2X150 | 0.6/1kV | 1147/0.4 | 46.6 | 4862.76 | 0.129 |
| ANU03.014.03.150.00B | 2XSLEYK-J | 3X150 | 0.6/1kV | 1147/0.4 | 49.9 | 6285.98 | 0.129 |
| ANU03.014.04.150.00B | 2XSLEYK-J | 4X150 | 0.6/1kV | 1147/0.4 | 55.9 | 8118.46 | 0.129 |
| ANU03.014.05.150.00B | 2XSLEYK-J | 5X150 | 0.6/1kV | 1147/0.4 | 61.9 | 10033.37 | 0.129 |
| ANU03.014.02.185.00B | 2XSLEYK-J | 2X185 | 0.6/1kV | 1403/0.4 | 51.9 | 6011.49 | 0.106 |
| ANU03.014.03.185.00B | 2XSLEYK-J | 3X185 | 0.6/1kV | 1403/0.4 | 55.5 | 7759.69 | 0.106 |
| ANU03.014.04.185.00B | 2XSLEYK-J | 4X185 | 0.6/1kV | 1403/0.4 | 61.6 | 9922.8 | 0.106 |
| ANU03.014.05.185.00B | 2XSLEYK-J | 5X185 | 0.6/1kV | 1403/0.4 | 68.2 | 12264.88 | 0.106 |
| ANU03.014.02.240.00B | 2XSLEYK-J | 2X240 | 0.6/1kV | 1830/0.4 | 58.1 | 7623.33 | 0.0801 |
| ANU03.014.03.240.00B | 2XSLEYK-J | 3X240 | 0.6/1kV | 1830/0.4 | 62.2 | 9878.17 | 0.0801 |
| ANU03.014.04.240.00B | 2XSLEYK-J | 4X240 | 0.6/1kV | 1830/0.4 | 69 | 12637.37 | 0.0801 |
| ANU03.014.05.240.00B | 2XSLEYK-J | 5X240 | 0.6/1kV | 1830/0.4 | 76.6 | 15663.85 | 0.0801 |
| ANU03.014.02.300.00B | 2XSLEYK-J | 2X300 | 0.6/1kV | 2318/0.4 | 64.1 | 9366.54 | 0.0641 |
| ANU03.014.03.300.00B | 2XSLEYK-J | 3X300 | 0.6/1kV | 2318/0.4 | 68.6 | 12158.64 | 0.0641 |
| ANU03.014.04.300.00B | 2XSLEYK-J | 4X300 | 0.6/1kV | 2318/0.4 | 76.3 | 15603.34 | 0.0641 |
| ANU03.014.05.300.00B | 2XSLEYK-J | 5X300 | 0.6/1kV | 2318/0.4 | 84.8 | 19366.41 | 0.0641 |
| ANU03.014.03.03.002.50B | 2XSLEYK-J | 3X2.5+3X0.5 | 0.6/1kV | 51/0.25 | 12.3 | 249.58 | 7.98 |
| ANU03.014.03.01.002.50B | 2XSLEYK-J | 3X2.5+1X1.5 | 0.6/1kV | 51/0.25 | 12.9 | 273.43 | 7.98 |
| ANU03.014.03.02.002.50B | 2XSLEYK-J | 3X2.5+2X1.5 | 0.6/1kV | 51/0.25 | 15.9 | 397.36 | 7.98 |
| ANU03.014.04.01.002.50B | 2XSLEYK-J | 4X2.5+1X1.5 | 0.6/1kV | 51/0.25 | 16.3 | 420.94 | 7.98 |
| ANU03.014.03.03.004.00B | 2XSLEYK-J | 3X4+3X0.75 | 0.6/1kV | 82/0.25 | 13.4 | 323.28 | 4.95 |
| ANU03.014.03.01.004.00B | 2XSLEYK-J | 3X4+1X2.5 | 0.6/1kV | 82/0.25 | 14.1 | 354.34 | 4.95 |
| ANU03.014.03.02.004.00B | 2XSLEYK-J | 3X4+2X2.5 | 0.6/1kV | 82/0.25 | 17.6 | 517.41 | 4.95 |
| ANU03.014.04.01.004.00B | 2XSLEYK-J | 4X4+1X2.5 | 0.6/1kV | 82/0.25 | 18 | 546.86 | 4.95 |
| ANU03.014.03.03.006.00B | 2XSLEYK-J | 3X6+3X1 | 0.6/1kV | 123/0.25 | 14.7 | 417.02 | 3.3 |
| ANU03.014.03.01.006.00B | 2XSLEYK-J | 3X6+1X4 | 0.6/1kV | 123/0.25 | 15.6 | 464.79 | 3.3 |
| ANU03.014.03.02.006.00B | 2XSLEYK-J | 3X6+2X4 | 0.6/1kV | 123/0.25 | 19.5 | 672.91 | 3.3 |
| ANU03.014.04.01.006.00B | 2XSLEYK-J | 4X6+1X4 | 0.6/1kV | 123/0.25 | 19.9 | 707.45 | 3.3 |
| ANU03.014.03.03.010.00B | 2XSLEYK-J | 3X10+3X1.5 | 0.6/1kV | 77/0.4 | 17.1 | 604.69 | 1.91 |
| ANU03.014.03.01.010.00B | 2XSLEYK-J | 3X10+1X6 | 0.6/1kV | 77/0.4 | 17.9 | 657.4 | 1.91 |



| | | | | | | | |
|-------------------------|-----------|-------------|---------|----------|------|----------|--------|
| ANU03.014.03.02.010.00B | 2XSLEYK-J | 3X10+2X6 | 0.6/1kV | 77/0.4 | 22.9 | 961.44 | 1.91 |
| ANU03.014.04.01.010.00B | 2XSLEYK-J | 4X10+1X6 | 0.6/1kV | 77/0.4 | 23.6 | 1030.04 | 1.91 |
| ANU03.014.03.03.016.00B | 2XSLEYK-J | 3X16+3X2.5 | 0.6/1kV | 126/0.4 | 19.7 | 869.8 | 1.21 |
| ANU03.014.03.01.016.00B | 2XSLEYK-J | 3X16+1X10 | 0.6/1kV | 126/0.4 | 21.1 | 961.25 | 1.21 |
| ANU03.014.03.02.016.00B | 2XSLEYK-J | 3X16+2X10 | 0.6/1kV | 126/0.4 | 26.8 | 1388.13 | 1.21 |
| ANU03.014.04.01.016.00B | 2XSLEYK-J | 4X16+1X10 | 0.6/1kV | 126/0.4 | 27.6 | 1485.42 | 1.21 |
| ANU03.014.03.03.025.00B | 2XSLEYK-J | 3X25+3X4 | 0.6/1kV | 189/0.4 | 23.7 | 1295.95 | 0.78 |
| ANU03.014.03.01.025.00B | 2XSLEYK-J | 3X25+1X16 | 0.6/1kV | 189/0.4 | 24.9 | 1408.72 | 0.78 |
| ANU03.014.03.02.025.00B | 2XSLEYK-J | 3X25+2X16 | 0.6/1kV | 189/0.4 | 32.8 | 2146.16 | 0.78 |
| ANU03.014.04.01.025.00B | 2XSLEYK-J | 4X25+1X16 | 0.6/1kV | 189/0.4 | 34 | 2312.59 | 0.78 |
| ANU03.014.03.03.035.00B | 2XSLEYK-J | 3X35+3X6 | 0.6/1kV | 266/0.4 | 26.5 | 1721.4 | 0.554 |
| ANU03.014.03.01.035.00B | 2XSLEYK-J | 3X35+1X16 | 0.6/1kV | 266/0.4 | 27.2 | 1767.11 | 0.554 |
| ANU03.014.03.02.035.00B | 2XSLEYK-J | 3X35+2X16 | 0.6/1kV | 266/0.4 | 35.7 | 2610.56 | 0.554 |
| ANU03.014.04.01.035.00B | 2XSLEYK-J | 4X35+1X16 | 0.6/1kV | 266/0.4 | 38 | 2958.5 | 0.554 |
| ANU03.014.03.03.050.00B | 2XSLEYK-J | 3X50+3X10 | 0.6/1kV | 380/0.4 | 30.7 | 2451.92 | 0.386 |
| ANU03.014.03.01.050.00B | 2XSLEYK-J | 3X50+1X25 | 0.6/1kV | 380/0.4 | 32.4 | 2569.21 | 0.386 |
| ANU03.014.03.02.050.00B | 2XSLEYK-J | 3X50+2X25 | 0.6/1kV | 380/0.4 | 42.3 | 3748.35 | 0.386 |
| ANU03.014.04.01.050.00B | 2XSLEYK-J | 4X50+1X25 | 0.6/1kV | 380/0.4 | 44.5 | 4171.26 | 0.386 |
| ANU03.014.03.03.070.00B | 2XSLEYK-J | 3X70+3X10 | 0.6/1kV | 532/0.4 | 35.6 | 3269.05 | 0.272 |
| ANU03.014.03.01.070.00B | 2XSLEYK-J | 3X70+1X35 | 0.6/1kV | 532/0.4 | 37.3 | 3484.91 | 0.272 |
| ANU03.014.03.02.070.00B | 2XSLEYK-J | 3X70+2X35 | 0.6/1kV | 532/0.4 | 48.5 | 5031.73 | 0.272 |
| ANU03.014.04.01.070.00B | 2XSLEYK-J | 4X70+1X35 | 0.6/1kV | 532/0.4 | 51.7 | 5699.48 | 0.272 |
| ANU03.014.03.03.095.00B | 2XSLEYK-J | 3X95+3X16 | 0.6/1kV | 722/0.4 | 40.2 | 4353.25 | 0.206 |
| ANU03.014.03.01.095.00B | 2XSLEYK-J | 3X95+1X50 | 0.6/1kV | 722/0.4 | 42.4 | 4670.22 | 0.206 |
| ANU03.014.03.02.095.00B | 2XSLEYK-J | 3X95+2X50 | 0.6/1kV | 722/0.4 | 55.5 | 6722.01 | 0.206 |
| ANU03.014.04.01.095.00B | 2XSLEYK-J | 4X95+1X50 | 0.6/1kV | 722/0.4 | 58.4 | 7464.59 | 0.206 |
| ANU03.014.03.03.120.00B | 2XSLEYK-J | 3X120+3X16 | 0.6/1kV | 925/0.4 | 45.1 | 5407.82 | 0.161 |
| ANU03.014.03.01.120.00B | 2XSLEYK-J | 3X120+1X70 | 0.6/1kV | 925/0.4 | 47.6 | 5909.9 | 0.161 |
| ANU03.014.03.02.120.00B | 2XSLEYK-J | 3X120+2X70 | 0.6/1kV | 925/0.4 | 62.7 | 8605 | 0.161 |
| ANU03.014.04.01.120.00B | 2XSLEYK-J | 4X120+1X70 | 0.6/1kV | 925/0.4 | 65.5 | 9413.18 | 0.161 |
| ANU03.014.03.03.150.00B | 2XSLEYK-J | 3X150+3X25 | 0.6/1kV | 1147/0.4 | 49.9 | 6795.64 | 0.129 |
| ANU03.014.03.01.150.00B | 2XSLEYK-J | 3X150+1X95 | 0.6/1kV | 1147/0.4 | 53.3 | 7453.19 | 0.129 |
| ANU03.014.03.02.150.00B | 2XSLEYK-J | 3X150+2X95 | 0.6/1kV | 1147/0.4 | 70.1 | 10848.34 | 0.129 |
| ANU03.014.04.01.150.00B | 2XSLEYK-J | 4X150+1X95 | 0.6/1kV | 1147/0.4 | 73.1 | 11779.63 | 0.129 |
| ANU03.014.03.03.185.00B | 2XSLEYK-J | 3X185+3X35 | 0.6/1kV | 1403/0.4 | 55.5 | 8478.54 | 0.106 |
| ANU03.014.03.01.185.00B | 2XSLEYK-J | 3X185+1X95 | 0.6/1kV | 1403/0.4 | 57.6 | 8783.53 | 0.106 |
| ANU03.014.03.02.185.00B | 2XSLEYK-J | 3X185+2X95 | 0.6/1kV | 1403/0.4 | 74.8 | 12451.91 | 0.106 |
| ANU03.014.04.01.185.00B | 2XSLEYK-J | 4X185+1X95 | 0.6/1kV | 1403/0.4 | 79.4 | 13984.54 | 0.106 |
| ANU03.014.03.03.240.00B | 2XSLEYK-J | 3X240+3X35 | 0.6/1kV | 1830/0.4 | 62.2 | 10582.34 | 0.0801 |
| ANU03.014.03.01.240.00B | 2XSLEYK-J | 3X240+1X120 | 0.6/1kV | 1830/0.4 | 64.5 | 11154.81 | 0.0801 |
| ANU03.014.03.02.240.00B | 2XSLEYK-J | 3X240+2X120 | 0.6/1kV | 1830/0.4 | 83.9 | 15779.2 | 0.0801 |
| ANU03.014.04.01.240.00B | 2XSLEYK-J | 4X240+1X120 | 0.6/1kV | 1830/0.4 | 89.2 | 17789.46 | 0.0801 |



| | | | | | | | |
|-------------------------|-----------|-------------|---------|----------|------|----------|--------|
| ANU03.014.03.03.300.00B | 2XSLCYK-J | 3X300+3X50 | 0.6/1kV | 2318/0.4 | 68.6 | 13184.89 | 0.0641 |
| ANU03.014.03.01.300.00B | 2XSLCYK-J | 3X300+1X150 | 0.6/1kV | 2318/0.4 | 71.3 | 13770.9 | 0.0641 |
| ANU03.014.03.02.300.00B | 2XSLCYK-J | 3X300+2X150 | 0.6/1kV | 2318/0.4 | 93 | 19501.3 | 0.0641 |
| ANU03.014.04.01.300.00B | 2XSLCYK-J | 4X300+1X150 | 0.6/1kV | 2318/0.4 | 98.8 | 21966.21 | 0.0641 |

