



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻Ω/km
AN010.018.02.000.50B	SIHFC-Si	300/500V	2X0.5	18/0.19	9.0	69.73	39 Ω/km
AN010.018.03.000.50B	SIHFC-Si	300/500V	3X0.5	18/0.19	9.4	79.44	39 Ω/km
AN010.018.04.000.50B	SIHFC-Si	300/500V	4X0.5	18/0.19	9.9	91.45	39 Ω/km
AN010.018.05.000.50B	SIHFC-Si	300/500V	5X0.5	18/0.19	11.1	120.94	39 Ω/km
AN010.018.06.000.50B	SIHFC-Si	300/500V	6X0.5	18/0.19	11.9	142.79	39 Ω/km
AN010.018.07.000.50B	SIHFC-Si	300/500V	7X0.5	18/0.19	11.9	145.76	39 Ω/km
AN010.018.08.000.50B	SIHFC-Si	300/500V	8X0.5	18/0.19	12.6	166.01	39 Ω/km
AN010.018.09.000.50B	SIHFC-Si	300/500V	9X0.5	18/0.19	13.4	190.32	39 Ω/km
AN010.018.10.000.50B	SIHFC-Si	300/500V	10X0.5	18/0.19	14.0	210.41	39 Ω/km
AN010.018.11.000.50B	SIHFC-Si	300/500V	11X0.5	18/0.19	14.4	225.32	39 Ω/km
AN010.018.12.000.50B	SIHFC-Si	300/500V	12X0.5	18/0.19	14.4	228.29	39 Ω/km
AN010.018.13.000.50B	SIHFC-Si	300/500V	13X0.5	18/0.19	15.1	253.64	39 Ω/km
AN010.018.14.000.50B	SIHFC-Si	300/500V	14X0.5	18/0.19	15.1	256.61	39 Ω/km
AN010.018.15.000.50B	SIHFC-Si	300/500V	15X0.5	18/0.19	15.7	279.37	39 Ω/km
AN010.018.16.000.50B	SIHFC-Si	300/500V	16X0.5	18/0.19	15.7	282.32	39 Ω/km
AN010.018.17.000.50B	SIHFC-Si	300/500V	17X0.5	18/0.19	16.4	307.78	39 Ω/km
AN010.018.18.000.50B	SIHFC-Si	300/500V	18X0.5	18/0.19	16.4	310.75	39 Ω/km
AN010.018.19.000.50B	SIHFC-Si	300/500V	19X0.5	18/0.19	16.4	313.72	39 Ω/km
AN010.018.20.000.50B	SIHFC-Si	300/500V	20X0.5	18/0.19	16.8	331.08	39 Ω/km
AN010.018.21.000.50B	SIHFC-Si	300/500V	21X0.5	18/0.19	17.1	345.14	39 Ω/km
AN010.018.22.000.50B	SIHFC-Si	300/500V	22X0.5	18/0.19	18.1	387.03	39 Ω/km
AN010.018.23.000.50B	SIHFC-Si	300/500V	23X0.5	18/0.19	18.7	414.45	39 Ω/km
AN010.018.24.000.50B	SIHFC-Si	300/500V	24X0.5	18/0.19	18.7	417.41	39 Ω/km
AN010.018.25.000.50B	SIHFC-Si	300/500V	25X0.5	18/0.19	19.1	437.21	39 Ω/km
AN010.018.26.000.50B	SIHFC-Si	300/500V	26X0.5	18/0.19	19.1	440.16	39 Ω/km
AN010.018.27.000.50B	SIHFC-Si	300/500V	27X0.5	18/0.19	19.1	443.14	39 Ω/km
AN010.018.28.000.50B	SIHFC-Si	300/500V	28X0.5	18/0.19	19.6	467.71	39 Ω/km
AN010.018.29.000.50B	SIHFC-Si	300/500V	29X0.5	18/0.19	19.6	470.68	39 Ω/km
AN010.018.30.000.50B	SIHFC-Si	300/500V	30X0.5	18/0.19	19.6	473.64	39 Ω/km
AN010.018.31.000.50B	SIHFC-Si	300/500V	31X0.5	18/0.19	20.2	503.43	39 Ω/km
AN010.018.32.000.50B	SIHFC-Si	300/500V	32X0.5	18/0.19	20.2	506.40	39 Ω/km
AN010.018.33.000.50B	SIHFC-Si	300/500V	33X0.5	18/0.19	20.2	509.36	39 Ω/km
AN010.018.34.000.50B	SIHFC-Si	300/500V	34X0.5	18/0.19	21.0	549.67	39 Ω/km
AN010.018.35.000.50B	SIHFC-Si	300/500V	35X0.5	18/0.19	21.0	552.63	39 Ω/km
AN010.018.36.000.50B	SIHFC-Si	300/500V	36X0.5	18/0.19	21.0	555.60	39 Ω/km
AN010.018.37.000.50B	SIHFC-Si	300/500V	37X0.5	18/0.19	21.0	558.56	39 Ω/km
AN010.018.02.000.75B	SIHFC-Si	300/500V	2X0.75	27/0.19	9.4	79.95	26 Ω/km
AN010.018.03.000.75B	SIHFC-Si	300/500V	3X0.75	27/0.19	9.8	91.83	26 Ω/km
AN010.018.04.000.75B	SIHFC-Si	300/500V	4X0.75	27/0.19	10.4	108.08	26 Ω/km
AN010.018.05.000.75B	SIHFC-Si	300/500V	5X0.75	27/0.19	11.9	148.52	26 Ω/km



AN010.018.06.000.75B	SIHFC-Si	300/500V	6X0.75	27/0.19	12.5	167.94	26 Ω/km
AN010.018.07.000.75B	SIHFC-Si	300/500V	7X0.75	27/0.19	12.5	172.65	26 Ω/km
AN010.018.08.000.75B	SIHFC-Si	300/500V	8X0.75	27/0.19	13.2	195.75	26 Ω/km
AN010.018.09.000.75B	SIHFC-Si	300/500V	9X0.75	27/0.19	14.2	228.98	26 Ω/km
AN010.018.10.000.75B	SIHFC-Si	300/500V	10X0.75	27/0.19	15.0	258.91	26 Ω/km
AN010.018.11.000.75B	SIHFC-Si	300/500V	11X0.75	27/0.19	15.4	276.59	26 Ω/km
AN010.018.12.000.75B	SIHFC-Si	300/500V	12X0.75	27/0.19	15.4	281.30	26 Ω/km
AN010.018.13.000.75B	SIHFC-Si	300/500V	13X0.75	27/0.19	16.1	307.97	26 Ω/km
AN010.018.14.000.75B	SIHFC-Si	300/500V	14X0.75	27/0.19	16.1	312.69	26 Ω/km
AN010.018.15.000.75B	SIHFC-Si	300/500V	15X0.75	27/0.19	16.8	342.30	26 Ω/km
AN010.018.16.000.75B	SIHFC-Si	300/500V	16X0.75	27/0.19	16.8	347.01	26 Ω/km
AN010.018.17.000.75B	SIHFC-Si	300/500V	17X0.75	27/0.19	17.4	374.12	26 Ω/km
AN010.018.18.000.75B	SIHFC-Si	300/500V	18X0.75	27/0.19	17.4	378.82	26 Ω/km
AN010.018.19.000.75B	SIHFC-Si	300/500V	19X0.75	27/0.19	17.4	383.52	26 Ω/km
AN010.018.20.000.75B	SIHFC-Si	300/500V	20X0.75	27/0.19	18.0	411.88	26 Ω/km
AN010.018.21.000.75B	SIHFC-Si	300/500V	21X0.75	27/0.19	18.3	428.60	26 Ω/km
AN010.018.22.000.75B	SIHFC-Si	300/500V	22X0.75	27/0.19	19.3	475.06	26 Ω/km
AN010.018.23.000.75B	SIHFC-Si	300/500V	23X0.75	27/0.19	19.9	506.12	26 Ω/km
AN010.018.24.000.75B	SIHFC-Si	300/500V	24X0.75	27/0.19	19.9	510.82	26 Ω/km
AN010.018.25.000.75B	SIHFC-Si	300/500V	25X0.75	27/0.19	20.3	533.61	26 Ω/km
AN010.018.26.000.75B	SIHFC-Si	300/500V	26X0.75	27/0.19	20.3	538.32	26 Ω/km
AN010.018.27.000.75B	SIHFC-Si	300/500V	27X0.75	27/0.19	20.3	543.02	26 Ω/km
AN010.018.28.000.75B	SIHFC-Si	300/500V	28X0.75	27/0.19	21.3	594.95	26 Ω/km
AN010.018.29.000.75B	SIHFC-Si	300/500V	29X0.75	27/0.19	21.3	599.66	26 Ω/km
AN010.018.30.000.75B	SIHFC-Si	300/500V	30X0.75	27/0.19	21.3	604.37	26 Ω/km
AN010.018.31.000.75B	SIHFC-Si	300/500V	31X0.75	27/0.19	22.0	643.51	26 Ω/km
AN010.018.32.000.75B	SIHFC-Si	300/500V	32X0.75	27/0.19	22.0	648.22	26 Ω/km
AN010.018.33.000.75B	SIHFC-Si	300/500V	33X0.75	27/0.19	22.0	652.92	26 Ω/km
AN010.018.34.000.75B	SIHFC-Si	300/500V	34X0.75	27/0.19	22.6	688.19	26 Ω/km
AN010.018.35.000.75B	SIHFC-Si	300/500V	35X0.75	27/0.19	22.6	692.88	26 Ω/km
AN010.018.36.000.75B	SIHFC-Si	300/500V	36X0.75	27/0.19	22.6	697.60	26 Ω/km
AN010.018.37.000.75B	SIHFC-Si	300/500V	37X0.75	27/0.19	22.6	702.30	26 Ω/km
AN010.018.02.001.00B	SIHFC-Si	300/500V	2X1	35/0.19	9.8	90.38	19.5 Ω/km
AN010.018.03.001.00B	SIHFC-Si	300/500V	3X1	35/0.19	10.2	104.31	19.5 Ω/km
AN010.018.04.001.00B	SIHFC-Si	300/500V	4X1	35/0.19	11.7	145.64	19.5 Ω/km
AN010.018.05.001.00B	SIHFC-Si	300/500V	5X1	35/0.19	12.4	168.87	19.5 Ω/km
AN010.018.06.001.00B	SIHFC-Si	300/500V	6X1	35/0.19	13.1	193.41	19.5 Ω/km
AN010.018.07.001.00B	SIHFC-Si	300/500V	7X1	35/0.19	13.1	199.75	19.5 Ω/km
AN010.018.08.001.00B	SIHFC-Si	300/500V	8X1	35/0.19	13.9	228.49	19.5 Ω/km
AN010.018.09.001.00B	SIHFC-Si	300/500V	9X1	35/0.19	15.1	272.08	19.5 Ω/km
AN010.018.10.001.00B	SIHFC-Si	300/500V	10X1	35/0.19	15.8	301.59	19.5 Ω/km
AN010.018.11.001.00B	SIHFC-Si	300/500V	11X1	35/0.19	16.3	323.49	19.5 Ω/km



AN010.018.12.001.00B	SIHFC-Si	300/500V	12X1	35/0.19	16.3	329.83	19.5 Ω/km
AN010.018.13.001.00B	SIHFC-Si	300/500V	13X1	35/0.19	17.0	361.45	19.5 Ω/km
AN010.018.14.001.00B	SIHFC-Si	300/500V	14X1	35/0.19	17.0	367.80	19.5 Ω/km
AN010.018.15.001.00B	SIHFC-Si	300/500V	15X1	35/0.19	17.9	408.85	19.5 Ω/km
AN010.018.16.001.00B	SIHFC-Si	300/500V	16X1	35/0.19	17.9	415.18	19.5 Ω/km
AN010.018.17.001.00B	SIHFC-Si	300/500V	17X1	35/0.19	18.6	449.74	19.5 Ω/km
AN010.018.18.001.00B	SIHFC-Si	300/500V	18X1	35/0.19	18.6	456.07	19.5 Ω/km
AN010.018.19.001.00B	SIHFC-Si	300/500V	19X1	35/0.19	18.6	462.42	19.5 Ω/km
AN010.018.20.001.00B	SIHFC-Si	300/500V	20X1	35/0.19	19.0	485.46	19.5 Ω/km
AN010.018.21.001.00B	SIHFC-Si	300/500V	21X1	35/0.19	19.4	508.92	19.5 Ω/km
AN010.018.22.001.00B	SIHFC-Si	300/500V	22X1	35/0.19	20.4	559.96	19.5 Ω/km
AN010.018.23.001.00B	SIHFC-Si	300/500V	23X1	35/0.19	21.5	618.65	19.5 Ω/km
AN010.018.24.001.00B	SIHFC-Si	300/500V	24X1	35/0.19	21.5	624.99	19.5 Ω/km
AN010.018.25.001.00B	SIHFC-Si	300/500V	25X1	35/0.19	21.9	651.05	19.5 Ω/km
AN010.018.26.001.00B	SIHFC-Si	300/500V	26X1	35/0.19	21.9	657.38	19.5 Ω/km
AN010.018.27.001.00B	SIHFC-Si	300/500V	27X1	35/0.19	21.9	663.72	19.5 Ω/km
AN010.018.28.001.00B	SIHFC-Si	300/500V	28X1	35/0.19	22.6	705.61	19.5 Ω/km
AN010.018.29.001.00B	SIHFC-Si	300/500V	29X1	35/0.19	22.6	711.96	19.5 Ω/km
AN010.018.30.001.00B	SIHFC-Si	300/500V	30X1	35/0.19	22.6	718.29	19.5 Ω/km
AN010.018.31.001.00B	SIHFC-Si	300/500V	31X1	35/0.19	23.3	761.48	19.5 Ω/km
AN010.018.32.001.00B	SIHFC-Si	300/500V	32X1	35/0.19	23.3	767.82	19.5 Ω/km
AN010.018.33.001.00B	SIHFC-Si	300/500V	33X1	35/0.19	23.3	774.15	19.5 Ω/km
AN010.018.34.001.00B	SIHFC-Si	300/500V	34X1	35/0.19	24.2	829.68	19.5 Ω/km
AN010.018.35.001.00B	SIHFC-Si	300/500V	35X1	35/0.19	24.2	836.02	19.5 Ω/km
AN010.018.36.001.00B	SIHFC-Si	300/500V	36X1	35/0.19	24.2	842.35	19.5 Ω/km
AN010.018.37.001.00B	SIHFC-Si	300/500V	37X1	35/0.19	24.2	848.68	19.5 Ω/km
AN010.018.02.001.50B	SIHFC-Si	300/500V	2X1.5	31/0.25	10.4	108.79	13.3 Ω/km
AN010.018.03.001.50B	SIHFC-Si	300/500V	3X1.5	31/0.25	11.7	149.56	13.3 Ω/km
AN010.018.04.001.50B	SIHFC-Si	300/500V	4X1.5	31/0.25	12.4	176.24	13.3 Ω/km
AN010.018.05.001.50B	SIHFC-Si	300/500V	5X1.5	31/0.25	13.2	206.92	13.3 Ω/km
AN010.018.06.001.50B	SIHFC-Si	300/500V	6X1.5	31/0.25	14.0	239.30	13.3 Ω/km
AN010.018.07.001.50B	SIHFC-Si	300/500V	7X1.5	31/0.25	14.0	249.05	13.3 Ω/km
AN010.018.08.001.50B	SIHFC-Si	300/500V	8X1.5	31/0.25	15.1	293.15	13.3 Ω/km
AN010.018.09.001.50B	SIHFC-Si	300/500V	9X1.5	31/0.25	16.3	341.65	13.3 Ω/km
AN010.018.10.001.50B	SIHFC-Si	300/500V	10X1.5	31/0.25	17.1	380.42	13.3 Ω/km
AN010.018.11.001.50B	SIHFC-Si	300/500V	11X1.5	31/0.25	17.8	417.26	13.3 Ω/km
AN010.018.12.001.50B	SIHFC-Si	300/500V	12X1.5	31/0.25	17.8	427.03	13.3 Ω/km
AN010.018.13.001.50B	SIHFC-Si	300/500V	13X1.5	31/0.25	18.5	464.82	13.3 Ω/km
AN010.018.14.001.50B	SIHFC-Si	300/500V	14X1.5	31/0.25	18.5	474.58	13.3 Ω/km
AN010.018.15.001.50B	SIHFC-Si	300/500V	15X1.5	31/0.25	19.3	517.98	13.3 Ω/km
AN010.018.16.001.50B	SIHFC-Si	300/500V	16X1.5	31/0.25	19.3	527.74	13.3 Ω/km
AN010.018.17.001.50B	SIHFC-Si	300/500V	17X1.5	31/0.25	20.1	572.83	13.3 Ω/km



AN010.018.18.001.50B	SIHFC-Si	300/500V	18X1.5	31/0.25	20.1	582.60	13.3Ω/km
AN010.018.19.001.50B	SIHFC-Si	300/500V	19X1.5	31/0.25	20.1	592.35	13.3Ω/km
AN010.018.20.001.50B	SIHFC-Si	300/500V	20X1.5	31/0.25	20.8	634.54	13.3Ω/km
AN010.018.21.001.50B	SIHFC-Si	300/500V	21X1.5	31/0.25	21.4	673.05	13.3Ω/km
AN010.018.22.001.50B	SIHFC-Si	300/500V	22X1.5	31/0.25	22.5	737.81	13.3Ω/km
AN010.018.23.001.50B	SIHFC-Si	300/500V	23X1.5	31/0.25	23.3	789.59	13.3Ω/km
AN010.018.24.001.50B	SIHFC-Si	300/500V	24X1.5	31/0.25	23.3	799.36	13.3Ω/km
AN010.018.25.001.50B	SIHFC-Si	300/500V	25X1.5	31/0.25	23.8	836.24	13.3Ω/km
AN010.018.26.001.50B	SIHFC-Si	300/500V	26X1.5	31/0.25	23.8	846.01	13.3Ω/km
AN010.018.27.001.50B	SIHFC-Si	300/500V	27X1.5	31/0.25	23.8	855.76	13.3Ω/km
AN010.018.28.001.50B	SIHFC-Si	300/500V	28X1.5	31/0.25	24.7	915.88	13.3Ω/km
AN010.018.29.001.50B	SIHFC-Si	300/500V	29X1.5	31/0.25	24.7	925.63	13.3Ω/km
AN010.018.30.001.50B	SIHFC-Si	300/500V	30X1.5	31/0.25	24.7	935.39	13.3Ω/km
AN010.018.31.001.50B	SIHFC-Si	300/500V	31X1.5	31/0.25	25.5	991.80	13.3Ω/km
AN010.018.32.001.50B	SIHFC-Si	300/500V	32X1.5	31/0.25	25.5	1001.55	13.3Ω/km
AN010.018.33.001.50B	SIHFC-Si	300/500V	33X1.5	31/0.25	25.5	1011.32	13.3Ω/km
AN010.018.34.001.50B	SIHFC-Si	300/500V	34X1.5	31/0.25	26.3	1069.41	13.3Ω/km
AN010.018.35.001.50B	SIHFC-Si	300/500V	35X1.5	31/0.25	26.3	1079.19	13.3Ω/km
AN010.018.36.001.50B	SIHFC-Si	300/500V	36X1.5	31/0.25	26.3	1088.94	13.3Ω/km
AN010.018.37.001.50B	SIHFC-Si	300/500V	37X1.5	31/0.25	26.3	1098.71	13.3Ω/km
AN010.018.02.002.50B	SIHFC-Si	300/500V	2X2.5	51/0.25	12.6	174.78	7.98Ω/km
AN010.018.03.002.50B	SIHFC-Si	300/500V	3X2.5	51/0.25	13.2	206.89	7.98Ω/km
AN010.018.04.002.50B	SIHFC-Si	300/500V	4X2.5	51/0.25	14.1	248.70	7.98Ω/km
AN010.018.05.002.50B	SIHFC-Si	300/500V	5X2.5	51/0.25	15.3	302.83	7.98Ω/km
AN010.018.06.002.50B	SIHFC-Si	300/500V	6X2.5	51/0.25	16.4	354.87	7.98Ω/km
AN010.018.07.002.50B	SIHFC-Si	300/500V	7X2.5	51/0.25	16.4	371.14	7.98Ω/km
AN010.018.08.002.50B	SIHFC-Si	300/500V	8X2.5	51/0.25	17.7	436.06	7.98Ω/km
AN010.018.09.002.50B	SIHFC-Si	300/500V	9X2.5	51/0.25	19.1	509.33	7.98Ω/km
AN010.018.10.002.50B	SIHFC-Si	300/500V	10X2.5	51/0.25	20.1	569.47	7.98Ω/km
AN010.018.11.002.50B	SIHFC-Si	300/500V	11X2.5	51/0.25	20.9	622.86	7.98Ω/km
AN010.018.12.002.50B	SIHFC-Si	300/500V	12X2.5	51/0.25	20.9	639.11	7.98Ω/km
AN010.018.13.002.50B	SIHFC-Si	300/500V	13X2.5	51/0.25	22.0	709.01	7.98Ω/km
AN010.018.14.002.50B	SIHFC-Si	300/500V	14X2.5	51/0.25	22.0	725.26	7.98Ω/km
AN010.018.15.002.50B	SIHFC-Si	300/500V	15X2.5	51/0.25	23.0	793.00	7.98Ω/km
AN010.018.16.002.50B	SIHFC-Si	300/500V	16X2.5	51/0.25	23.0	809.25	7.98Ω/km
AN010.018.17.002.50B	SIHFC-Si	300/500V	17X2.5	51/0.25	24.2	890.65	7.98Ω/km
AN010.018.18.002.50B	SIHFC-Si	300/500V	18X2.5	51/0.25	24.2	906.90	7.98Ω/km
AN010.018.19.002.50B	SIHFC-Si	300/500V	19X2.5	51/0.25	24.2	923.17	7.98Ω/km
AN010.018.02.004.00B	SIHFC-Si	300/500V	2X4	82/0.25	14.0	234.15	4.95Ω/km
AN010.018.03.004.00B	SIHFC-Si	300/500V	3X4	82/0.25	14.9	288.83	4.95Ω/km
AN010.018.04.004.00B	SIHFC-Si	300/500V	4X4	82/0.25	16.1	353.67	4.95Ω/km
AN010.018.05.004.00B	SIHFC-Si	300/500V	5X4	82/0.25	17.3	423.90	4.95Ω/km



AN010.018.06.004.00B	SIHFC-Si	300/500V	6X4	82/0.25	18.7	506.48	4.95 Ω/km
AN010.018.02.006.00B	SIHFC-Si	300/500V	2X6	123/0.25	15.8	318.70	3.3 Ω/km
AN010.018.03.006.00B	SIHFC-Si	300/500V	3X6	123/0.25	16.7	388.79	3.3 Ω/km
AN010.018.04.006.00B	SIHFC-Si	300/500V	4X6	123/0.25	18.2	486.69	3.3 Ω/km
AN010.018.05.006.00B	SIHFC-Si	300/500V	5X6	123/0.25	19.6	585.77	3.3 Ω/km
AN010.018.06.006.00B	SIHFC-Si	300/500V	6X6	123/0.25	21.5	714.32	3.3 Ω/km
AN010.018.02.010.00B	SIHFC-Si	300/500V	2X10	77/0.4	18.7	477.78	1.91 Ω/km
AN010.018.03.010.00B	SIHFC-Si	300/500V	3X10	77/0.4	19.7	586.40	1.91 Ω/km
AN010.018.04.010.00B	SIHFC-Si	300/500V	4X10	77/0.4	21.8	750.87	1.91 Ω/km
AN010.018.05.010.00B	SIHFC-Si	300/500V	5X10	77/0.4	23.6	910.27	1.91 Ω/km
AN010.018.06.010.00B	SIHFC-Si	300/500V	6X10	77/0.4	25.6	1089.92	1.91 Ω/km
AN010.018.02.016.00B	SIHFC-Si	300/500V	2X16	126/0.4	21.5	684.67	1.21 Ω/km
AN010.018.03.016.00B	SIHFC-Si	300/500V	3X16	126/0.4	22.7	851.01	1.21 Ω/km
AN010.018.04.016.00B	SIHFC-Si	300/500V	4X16	126/0.4	24.9	1077.53	1.21 Ω/km
AN010.018.05.016.00B	SIHFC-Si	300/500V	5X16	126/0.4	27.6	1326.80	1.21 Ω/km
AN010.018.06.016.00B	SIHFC-Si	300/500V	6X16	126/0.4	30.4	1597.19	1.21 Ω/km