



| 物料编号                 | 型号      | 额定电压     | 规格       | 导体结构   | 电缆近似<br>外径 mm | 近似重量 kg/km | 导体电阻 $\Omega$<br>/km |
|----------------------|---------|----------|----------|--------|---------------|------------|----------------------|
| ANT01.004.02.000.10B | ANT1003 | 300/300V | 2X2X0.1  | 13/0.1 | 5.8           | 52.30      | 215                  |
| ANT01.004.03.000.10B | ANT1003 | 300/300V | 3X2X0.1  | 13/0.1 | 4.2           | 30.80      | 215                  |
| ANT01.004.04.000.10B | ANT1003 | 300/300V | 4X2X0.1  | 13/0.1 | 4.5           | 35.84      | 215                  |
| ANT01.004.05.000.10B | ANT1003 | 300/300V | 5X2X0.1  | 13/0.1 | 4.7           | 39.72      | 215                  |
| ANT01.004.06.000.10B | ANT1003 | 300/300V | 6X2X0.1  | 13/0.1 | 5.0           | 45.16      | 215                  |
| ANT01.004.07.000.10B | ANT1003 | 300/300V | 7X2X0.1  | 13/0.1 | 5.5           | 53.54      | 215                  |
| ANT01.004.08.000.10B | ANT1003 | 300/300V | 8X2X0.1  | 13/0.1 | 5.9           | 61.27      | 215                  |
| ANT01.004.09.000.10B | ANT1003 | 300/300V | 9X2X0.1  | 13/0.1 | 6.2           | 67.64      | 215                  |
| ANT01.004.10.000.10B | ANT1003 | 300/300V | 10X2X0.1 | 13/0.1 | 6.5           | 74.27      | 215                  |
| ANT01.004.11.000.10B | ANT1003 | 300/300V | 11X2X0.1 | 13/0.1 | 7.4           | 96.36      | 215                  |
| ANT01.004.12.000.10B | ANT1003 | 300/300V | 12X2X0.1 | 13/0.1 | 7.4           | 97.58      | 215                  |
| ANT01.004.13.000.10B | ANT1003 | 300/300V | 13X2X0.1 | 13/0.1 | 8.0           | 112.01     | 215                  |
| ANT01.004.14.000.10B | ANT1003 | 300/300V | 14X2X0.1 | 13/0.1 | 8.0           | 113.23     | 215                  |
| ANT01.004.15.000.10B | ANT1003 | 300/300V | 15X2X0.1 | 13/0.1 | 8.0           | 114.44     | 215                  |
| ANT01.004.16.000.10B | ANT1003 | 300/300V | 16X2X0.1 | 13/0.1 | 8.5           | 126.89     | 215                  |
| ANT01.004.17.000.10B | ANT1003 | 300/300V | 17X2X0.1 | 13/0.1 | 8.8           | 135.45     | 215                  |
| ANT01.004.18.000.10B | ANT1003 | 300/300V | 18X2X0.1 | 13/0.1 | 8.8           | 136.66     | 215                  |
| ANT01.004.19.000.10B | ANT1003 | 300/300V | 19X2X0.1 | 13/0.1 | 9.2           | 148.06     | 215                  |
| ANT01.004.20.000.10B | ANT1003 | 300/300V | 20X2X0.1 | 13/0.1 | 9.2           | 149.28     | 215                  |
| ANT01.004.21.000.10B | ANT1003 | 300/300V | 21X2X0.1 | 13/0.1 | 10.1          | 179.46     | 215                  |
| ANT01.004.22.000.10B | ANT1003 | 300/300V | 22X2X0.1 | 13/0.1 | 10.1          | 180.68     | 215                  |
| ANT01.004.23.000.10B | ANT1003 | 300/300V | 23X2X0.1 | 13/0.1 | 10.1          | 181.90     | 215                  |
| ANT01.004.24.000.10B | ANT1003 | 300/300V | 24X2X0.1 | 13/0.1 | 10.1          | 183.11     | 215                  |
| ANT01.004.25.000.10B | ANT1003 | 300/300V | 25X2X0.1 | 13/0.1 | 10.1          | 184.34     | 215                  |
| ANT01.004.26.000.10B | ANT1003 | 300/300V | 26X2X0.1 | 13/0.1 | 10.9          | 209.44     | 215                  |
| ANT01.004.27.000.10B | ANT1003 | 300/300V | 27X2X0.1 | 13/0.1 | 10.9          | 210.65     | 215                  |
| ANT01.004.28.000.10B | ANT1003 | 300/300V | 28X2X0.1 | 13/0.1 | 10.9          | 211.87     | 215                  |
| ANT01.004.29.000.10B | ANT1003 | 300/300V | 29X2X0.1 | 13/0.1 | 10.9          | 213.08     | 215                  |
| ANT01.004.30.000.10B | ANT1003 | 300/300V | 30X2X0.1 | 13/0.1 | 10.9          | 214.29     | 215                  |
| ANT01.004.31.000.10B | ANT1003 | 300/300V | 31X2X0.1 | 13/0.1 | 12.0          | 250.48     | 215                  |
| ANT01.004.32.000.10B | ANT1003 | 300/300V | 32X2X0.1 | 13/0.1 | 12.0          | 251.70     | 215                  |
| ANT01.004.02.000.14B | ANT1003 | 300/300V | 2X2X0.14 | 18/0.1 | 4.2           | 30.54      | 138                  |
| ANT01.004.03.000.14B | ANT1003 | 300/300V | 3X2X0.14 | 18/0.1 | 4.4           | 34.76      | 138                  |
| ANT01.004.04.000.14B | ANT1003 | 300/300V | 4X2X0.14 | 18/0.1 | 4.7           | 40.43      | 138                  |
| ANT01.004.05.000.14B | ANT1003 | 300/300V | 5X2X0.14 | 18/0.1 | 5.0           | 46.35      | 138                  |
| ANT01.004.06.000.14B | ANT1003 | 300/300V | 6X2X0.14 | 18/0.1 | 5.5           | 55.21      | 138                  |
| ANT01.004.07.000.14B | ANT1003 | 300/300V | 7X2X0.14 | 18/0.1 | 5.9           | 63.42      | 138                  |
| ANT01.004.08.000.14B | ANT1003 | 300/300V | 8X2X0.14 | 18/0.1 | 6.2           | 70.26      | 138                  |
| ANT01.004.09.000.14B | ANT1003 | 300/300V | 9X2X0.14 | 18/0.1 | 6.6           | 82.56      | 138                  |



|                      |         |          |           |        |      |        |      |
|----------------------|---------|----------|-----------|--------|------|--------|------|
| ANT01.004.10.000.14B | ANT1003 | 300/300V | 10X2X0.14 | 18/0.1 | 7.1  | 93.70  | 138  |
| ANT01.004.11.000.14B | ANT1003 | 300/300V | 11X2X0.14 | 18/0.1 | 7.9  | 112.60 | 138  |
| ANT01.004.12.000.14B | ANT1003 | 300/300V | 12X2X0.14 | 18/0.1 | 7.9  | 114.29 | 138  |
| ANT01.004.13.000.14B | ANT1003 | 300/300V | 13X2X0.14 | 18/0.1 | 8.7  | 134.36 | 138  |
| ANT01.004.14.000.14B | ANT1003 | 300/300V | 14X2X0.14 | 18/0.1 | 8.7  | 136.05 | 138  |
| ANT01.004.15.000.14B | ANT1003 | 300/300V | 15X2X0.14 | 18/0.1 | 8.7  | 137.74 | 138  |
| ANT01.004.16.000.14B | ANT1003 | 300/300V | 16X2X0.14 | 18/0.1 | 9.1  | 149.51 | 138  |
| ANT01.004.17.000.14B | ANT1003 | 300/300V | 17X2X0.14 | 18/0.1 | 9.4  | 159.04 | 138  |
| ANT01.004.18.000.14B | ANT1003 | 300/300V | 18X2X0.14 | 18/0.1 | 9.4  | 160.73 | 138  |
| ANT01.004.19.000.14B | ANT1003 | 300/300V | 19X2X0.14 | 18/0.1 | 10.0 | 178.22 | 138  |
| ANT01.004.20.000.14B | ANT1003 | 300/300V | 20X2X0.14 | 18/0.1 | 10.0 | 179.92 | 138  |
| ANT01.004.21.000.14B | ANT1003 | 300/300V | 21X2X0.14 | 18/0.1 | 10.8 | 210.36 | 138  |
| ANT01.004.22.000.14B | ANT1003 | 300/300V | 22X2X0.14 | 18/0.1 | 10.8 | 212.05 | 138  |
| ANT01.004.23.000.14B | ANT1003 | 300/300V | 23X2X0.14 | 18/0.1 | 10.8 | 213.75 | 138  |
| ANT01.004.24.000.14B | ANT1003 | 300/300V | 24X2X0.14 | 18/0.1 | 10.8 | 215.45 | 138  |
| ANT01.004.25.000.14B | ANT1003 | 300/300V | 25X2X0.14 | 18/0.1 | 10.9 | 220.23 | 138  |
| ANT01.004.26.000.14B | ANT1003 | 300/300V | 26X2X0.14 | 18/0.1 | 12.0 | 256.88 | 138  |
| ANT01.004.27.000.14B | ANT1003 | 300/300V | 27X2X0.14 | 18/0.1 | 12.0 | 258.58 | 138  |
| ANT01.004.28.000.14B | ANT1003 | 300/300V | 28X2X0.14 | 18/0.1 | 12.0 | 260.28 | 138  |
| ANT01.004.29.000.14B | ANT1003 | 300/300V | 29X2X0.14 | 18/0.1 | 12.0 | 261.97 | 138  |
| ANT01.004.30.000.14B | ANT1003 | 300/300V | 30X2X0.14 | 18/0.1 | 12.0 | 263.68 | 138  |
| ANT01.004.31.000.14B | ANT1003 | 300/300V | 31X2X0.14 | 18/0.1 | 13.1 | 303.44 | 138  |
| ANT01.004.32.000.14B | ANT1003 | 300/300V | 32X2X0.14 | 18/0.1 | 13.1 | 305.13 | 138  |
| ANT01.004.02.000.20B | ANT1003 | 300/300V | 2X2X0.2   | 26/0.1 | 4.8  | 39.73  | 92.3 |
| ANT01.004.03.000.20B | ANT1003 | 300/300V | 3X2X0.2   | 26/0.1 | 5.1  | 46.37  | 92.3 |
| ANT01.004.04.000.20B | ANT1003 | 300/300V | 4X2X0.2   | 26/0.1 | 5.6  | 56.00  | 92.3 |
| ANT01.004.05.000.20B | ANT1003 | 300/300V | 5X2X0.2   | 26/0.1 | 6.0  | 64.98  | 92.3 |
| ANT01.004.06.000.20B | ANT1003 | 300/300V | 6X2X0.2   | 26/0.1 | 6.4  | 74.37  | 92.3 |
| ANT01.004.07.000.20B | ANT1003 | 300/300V | 7X2X0.2   | 26/0.1 | 7.1  | 93.19  | 92.3 |
| ANT01.004.08.000.20B | ANT1003 | 300/300V | 8X2X0.2   | 26/0.1 | 7.5  | 103.91 | 92.3 |
| ANT01.004.09.000.20B | ANT1003 | 300/300V | 9X2X0.2   | 26/0.1 | 8.0  | 117.34 | 92.3 |
| ANT01.004.10.000.20B | ANT1003 | 300/300V | 10X2X0.2  | 26/0.1 | 8.6  | 133.34 | 92.3 |
| ANT01.004.11.000.20B | ANT1003 | 300/300V | 11X2X0.2  | 26/0.1 | 9.8  | 166.28 | 92.3 |
| ANT01.004.12.000.20B | ANT1003 | 300/300V | 12X2X0.2  | 26/0.1 | 9.8  | 168.63 | 92.3 |
| ANT01.004.13.000.20B | ANT1003 | 300/300V | 13X2X0.2  | 26/0.1 | 10.6 | 199.21 | 92.3 |
| ANT01.004.14.000.20B | ANT1003 | 300/300V | 14X2X0.2  | 26/0.1 | 10.6 | 201.55 | 92.3 |
| ANT01.004.15.000.20B | ANT1003 | 300/300V | 15X2X0.2  | 26/0.1 | 10.6 | 203.89 | 92.3 |
| ANT01.004.16.000.20B | ANT1003 | 300/300V | 16X2X0.2  | 26/0.1 | 11.2 | 224.17 | 92.3 |
| ANT01.004.17.000.20B | ANT1003 | 300/300V | 17X2X0.2  | 26/0.1 | 11.6 | 239.39 | 92.3 |
| ANT01.004.18.000.20B | ANT1003 | 300/300V | 18X2X0.2  | 26/0.1 | 11.6 | 241.74 | 92.3 |
| ANT01.004.19.000.20B | ANT1003 | 300/300V | 19X2X0.2  | 26/0.1 | 12.2 | 264.22 | 92.3 |
| ANT01.004.20.000.20B | ANT1003 | 300/300V | 20X2X0.2  | 26/0.1 | 12.2 | 266.57 | 92.3 |



|                      |         |          |           |        |      |        |       |
|----------------------|---------|----------|-----------|--------|------|--------|-------|
| ANT01.004.21.000.20B | ANT1003 | 300/300V | 21X2X0.2  | 26/0.1 | 13.5 | 313.05 | 92.3  |
| ANT01.004.22.000.20B | ANT1003 | 300/300V | 22X2X0.2  | 26/0.1 | 13.5 | 315.40 | 92.3  |
| ANT01.004.23.000.20B | ANT1003 | 300/300V | 23X2X0.2  | 26/0.1 | 13.5 | 317.75 | 92.3  |
| ANT01.004.24.000.20B | ANT1003 | 300/300V | 24X2X0.2  | 26/0.1 | 13.5 | 320.09 | 92.3  |
| ANT01.004.25.000.20B | ANT1003 | 300/300V | 25X2X0.2  | 26/0.1 | 13.6 | 326.22 | 92.3  |
| ANT01.004.26.000.20B | ANT1003 | 300/300V | 26X2X0.2  | 26/0.1 | 14.9 | 379.21 | 92.3  |
| ANT01.004.27.000.20B | ANT1003 | 300/300V | 27X2X0.2  | 26/0.1 | 14.9 | 381.56 | 92.3  |
| ANT01.004.28.000.20B | ANT1003 | 300/300V | 28X2X0.2  | 26/0.1 | 14.9 | 383.91 | 92.3  |
| ANT01.004.29.000.20B | ANT1003 | 300/300V | 29X2X0.2  | 26/0.1 | 14.9 | 386.25 | 92.3  |
| ANT01.004.30.000.20B | ANT1003 | 300/300V | 30X2X0.2  | 26/0.1 | 14.9 | 388.61 | 92.3  |
| ANT01.004.31.000.20B | ANT1003 | 300/300V | 31X2X0.2  | 26/0.1 | 16.3 | 450.45 | 92.3  |
| ANT01.004.32.000.20B | ANT1003 | 300/300V | 32X2X0.2  | 26/0.1 | 16.3 | 452.81 | 92.3  |
| ANT01.004.02.000.25B | ANT1003 | 300/300V | 2X2X0.25  | 32/0.1 | 4.9  | 42.65  | 73.84 |
| ANT01.004.03.000.25B | ANT1003 | 300/300V | 3X2X0.25  | 32/0.1 | 5.4  | 52.77  | 73.84 |
| ANT01.004.04.000.25B | ANT1003 | 300/300V | 4X2X0.25  | 32/0.1 | 5.8  | 62.29  | 73.84 |
| ANT01.004.05.000.25B | ANT1003 | 300/300V | 5X2X0.25  | 32/0.1 | 6.2  | 72.22  | 73.84 |
| ANT01.004.06.000.25B | ANT1003 | 300/300V | 6X2X0.25  | 32/0.1 | 6.6  | 85.91  | 73.84 |
| ANT01.004.07.000.25B | ANT1003 | 300/300V | 7X2X0.25  | 32/0.1 | 7.2  | 100.52 | 73.84 |
| ANT01.004.08.000.25B | ANT1003 | 300/300V | 8X2X0.25  | 32/0.1 | 7.7  | 114.30 | 73.84 |
| ANT01.004.09.000.25B | ANT1003 | 300/300V | 9X2X0.25  | 32/0.1 | 8.4  | 132.95 | 73.84 |
| ANT01.004.10.000.25B | ANT1003 | 300/300V | 10X2X0.25 | 32/0.1 | 8.8  | 145.81 | 73.84 |
| ANT01.004.11.000.25B | ANT1003 | 300/300V | 11X2X0.25 | 32/0.1 | 10.0 | 180.13 | 73.84 |
| ANT01.004.12.000.25B | ANT1003 | 300/300V | 12X2X0.25 | 32/0.1 | 10.0 | 183.23 | 73.84 |
| ANT01.004.13.000.25B | ANT1003 | 300/300V | 13X2X0.25 | 32/0.1 | 10.8 | 215.07 | 73.84 |
| ANT01.004.14.000.25B | ANT1003 | 300/300V | 14X2X0.25 | 32/0.1 | 10.8 | 218.18 | 73.84 |
| ANT01.004.15.000.25B | ANT1003 | 300/300V | 15X2X0.25 | 32/0.1 | 10.8 | 221.28 | 73.84 |
| ANT01.004.16.000.25B | ANT1003 | 300/300V | 16X2X0.25 | 32/0.1 | 11.5 | 245.85 | 73.84 |
| ANT01.004.17.000.25B | ANT1003 | 300/300V | 17X2X0.25 | 32/0.1 | 11.9 | 262.17 | 73.84 |
| ANT01.004.18.000.25B | ANT1003 | 300/300V | 18X2X0.25 | 32/0.1 | 11.9 | 265.28 | 73.84 |
| ANT01.004.19.000.25B | ANT1003 | 300/300V | 19X2X0.25 | 32/0.1 | 12.7 | 295.35 | 73.84 |
| ANT01.004.20.000.25B | ANT1003 | 300/300V | 20X2X0.25 | 32/0.1 | 12.7 | 298.46 | 73.84 |
| ANT01.004.21.000.25B | ANT1003 | 300/300V | 21X2X0.25 | 32/0.1 | 13.8 | 340.27 | 73.84 |
| ANT01.004.22.000.25B | ANT1003 | 300/300V | 22X2X0.25 | 32/0.1 | 13.8 | 343.37 | 73.84 |
| ANT01.004.23.000.25B | ANT1003 | 300/300V | 23X2X0.25 | 32/0.1 | 13.8 | 346.47 | 73.84 |
| ANT01.004.24.000.25B | ANT1003 | 300/300V | 24X2X0.25 | 32/0.1 | 13.8 | 349.58 | 73.84 |
| ANT01.004.25.000.25B | ANT1003 | 300/300V | 25X2X0.25 | 32/0.1 | 14.1 | 363.59 | 73.84 |
| ANT01.004.26.000.25B | ANT1003 | 300/300V | 26X2X0.25 | 32/0.1 | 15.3 | 415.51 | 73.84 |
| ANT01.004.27.000.25B | ANT1003 | 300/300V | 27X2X0.25 | 32/0.1 | 15.3 | 418.61 | 73.84 |
| ANT01.004.28.000.25B | ANT1003 | 300/300V | 28X2X0.25 | 32/0.1 | 15.3 | 421.72 | 73.84 |
| ANT01.004.29.000.25B | ANT1003 | 300/300V | 29X2X0.25 | 32/0.1 | 15.3 | 424.82 | 73.84 |
| ANT01.004.30.000.25B | ANT1003 | 300/300V | 30X2X0.25 | 32/0.1 | 15.3 | 427.93 | 73.84 |
| ANT01.004.31.000.25B | ANT1003 | 300/300V | 31X2X0.25 | 32/0.1 | 17.0 | 505.06 | 73.84 |



|                      |         |          |           |        |      |        |       |
|----------------------|---------|----------|-----------|--------|------|--------|-------|
| ANT01.004.32.000.25B | ANT1003 | 300/300V | 32X2X0.25 | 32/0.1 | 17.0 | 508.16 | 73.84 |
| ANT01.004.02.000.30B | ANT1003 | 300/300V | 2X2X0.3   | 38/0.1 | 5.0  | 45.55  | 69.2  |
| ANT01.004.03.000.30B | ANT1003 | 300/300V | 3X2X0.3   | 38/0.1 | 5.5  | 56.56  | 69.2  |
| ANT01.004.04.000.30B | ANT1003 | 300/300V | 4X2X0.3   | 38/0.1 | 5.9  | 66.92  | 69.2  |
| ANT01.004.05.000.30B | ANT1003 | 300/300V | 5X2X0.3   | 38/0.1 | 6.3  | 77.69  | 69.2  |
| ANT01.004.06.000.30B | ANT1003 | 300/300V | 6X2X0.3   | 38/0.1 | 6.9  | 95.75  | 69.2  |
| ANT01.004.07.000.30B | ANT1003 | 300/300V | 7X2X0.3   | 38/0.1 | 7.4  | 109.89 | 69.2  |
| ANT01.004.08.000.30B | ANT1003 | 300/300V | 8X2X0.3   | 38/0.1 | 7.9  | 124.68 | 69.2  |
| ANT01.004.09.000.30B | ANT1003 | 300/300V | 9X2X0.3   | 38/0.1 | 8.6  | 144.44 | 69.2  |
| ANT01.004.10.000.30B | ANT1003 | 300/300V | 10X2X0.3  | 38/0.1 | 9.0  | 158.25 | 69.2  |
| ANT01.004.11.000.30B | ANT1003 | 300/300V | 11X2X0.3  | 38/0.1 | 10.3 | 202.02 | 69.2  |
| ANT01.004.12.000.30B | ANT1003 | 300/300V | 12X2X0.3  | 38/0.1 | 10.3 | 205.85 | 69.2  |
| ANT01.004.13.000.30B | ANT1003 | 300/300V | 13X2X0.3  | 38/0.1 | 11.3 | 239.74 | 69.2  |
| ANT01.004.14.000.30B | ANT1003 | 300/300V | 14X2X0.3  | 38/0.1 | 11.3 | 243.58 | 69.2  |
| ANT01.004.15.000.30B | ANT1003 | 300/300V | 15X2X0.3  | 38/0.1 | 11.3 | 247.42 | 69.2  |
| ANT01.004.16.000.30B | ANT1003 | 300/300V | 16X2X0.3  | 38/0.1 | 11.8 | 267.57 | 69.2  |
| ANT01.004.17.000.30B | ANT1003 | 300/300V | 17X2X0.3  | 38/0.1 | 12.3 | 288.38 | 69.2  |
| ANT01.004.18.000.30B | ANT1003 | 300/300V | 18X2X0.3  | 38/0.1 | 12.3 | 292.22 | 69.2  |
| ANT01.004.19.000.30B | ANT1003 | 300/300V | 19X2X0.3  | 38/0.1 | 13.0 | 320.23 | 69.2  |
| ANT01.004.20.000.30B | ANT1003 | 300/300V | 20X2X0.3  | 38/0.1 | 13.0 | 324.07 | 69.2  |
| ANT01.004.21.000.30B | ANT1003 | 300/300V | 21X2X0.3  | 38/0.1 | 14.4 | 378.58 | 69.2  |
| ANT01.004.22.000.30B | ANT1003 | 300/300V | 22X2X0.3  | 38/0.1 | 14.4 | 382.41 | 69.2  |
| ANT01.004.23.000.30B | ANT1003 | 300/300V | 23X2X0.3  | 38/0.1 | 14.4 | 386.26 | 69.2  |
| ANT01.004.24.000.30B | ANT1003 | 300/300V | 24X2X0.3  | 38/0.1 | 14.4 | 390.11 | 69.2  |
| ANT01.004.25.000.30B | ANT1003 | 300/300V | 25X2X0.3  | 38/0.1 | 14.5 | 397.94 | 69.2  |
| ANT01.004.26.000.30B | ANT1003 | 300/300V | 26X2X0.3  | 38/0.1 | 15.9 | 459.81 | 69.2  |
| ANT01.004.27.000.30B | ANT1003 | 300/300V | 27X2X0.3  | 38/0.1 | 15.9 | 463.66 | 69.2  |
| ANT01.004.28.000.30B | ANT1003 | 300/300V | 28X2X0.3  | 38/0.1 | 15.9 | 467.49 | 69.2  |
| ANT01.004.29.000.30B | ANT1003 | 300/300V | 29X2X0.3  | 38/0.1 | 15.9 | 471.34 | 69.2  |
| ANT01.004.30.000.30B | ANT1003 | 300/300V | 30X2X0.3  | 38/0.1 | 15.9 | 475.18 | 69.2  |
| ANT01.004.31.000.30B | ANT1003 | 300/300V | 31X2X0.3  | 38/0.1 | 17.4 | 546.91 | 69.2  |
| ANT01.004.32.000.30B | ANT1003 | 300/300V | 32X2X0.3  | 38/0.1 | 17.4 | 550.75 | 69.2  |
| ANT01.004.02.000.40B | ANT1003 | 300/300V | 2X2X0.4   | 51/0.1 | 5.4  | 54.03  | 48.2  |
| ANT01.004.03.000.40B | ANT1003 | 300/300V | 3X2X0.4   | 51/0.1 | 5.7  | 64.09  | 48.2  |
| ANT01.004.04.000.40B | ANT1003 | 300/300V | 4X2X0.4   | 51/0.1 | 6.1  | 76.09  | 48.2  |
| ANT01.004.05.000.40B | ANT1003 | 300/300V | 5X2X0.4   | 51/0.1 | 6.6  | 93.72  | 48.2  |
| ANT01.004.06.000.40B | ANT1003 | 300/300V | 6X2X0.4   | 51/0.1 | 7.2  | 110.50 | 48.2  |
| ANT01.004.07.000.40B | ANT1003 | 300/300V | 7X2X0.4   | 51/0.1 | 7.7  | 126.46 | 48.2  |
| ANT01.004.08.000.40B | ANT1003 | 300/300V | 8X2X0.4   | 51/0.1 | 8.4  | 147.31 | 48.2  |
| ANT01.004.09.000.40B | ANT1003 | 300/300V | 9X2X0.4   | 51/0.1 | 9.0  | 167.37 | 48.2  |
| ANT01.004.10.000.40B | ANT1003 | 300/300V | 10X2X0.4  | 51/0.1 | 9.4  | 183.04 | 48.2  |
| ANT01.004.11.000.40B | ANT1003 | 300/300V | 11X2X0.4  | 51/0.1 | 10.8 | 232.86 | 48.2  |



|                      |         |          |          |        |      |        |      |
|----------------------|---------|----------|----------|--------|------|--------|------|
| ANT01.004.12.000.40B | ANT1003 | 300/300V | 12X2X0.4 | 51/0.1 | 10.8 | 238.15 | 48.2 |
| ANT01.004.13.000.40B | ANT1003 | 300/300V | 13X2X0.4 | 51/0.1 | 11.9 | 278.11 | 48.2 |
| ANT01.004.14.000.40B | ANT1003 | 300/300V | 14X2X0.4 | 51/0.1 | 11.9 | 283.40 | 48.2 |
| ANT01.004.15.000.40B | ANT1003 | 300/300V | 15X2X0.4 | 51/0.1 | 11.9 | 288.69 | 48.2 |
| ANT01.004.16.000.40B | ANT1003 | 300/300V | 16X2X0.4 | 51/0.1 | 12.4 | 311.07 | 48.2 |
| ANT01.004.17.000.40B | ANT1003 | 300/300V | 17X2X0.4 | 51/0.1 | 13.1 | 340.69 | 48.2 |
| ANT01.004.18.000.40B | ANT1003 | 300/300V | 18X2X0.4 | 51/0.1 | 13.1 | 345.97 | 48.2 |
| ANT01.004.19.000.40B | ANT1003 | 300/300V | 19X2X0.4 | 51/0.1 | 13.8 | 375.52 | 48.2 |
| ANT01.004.20.000.40B | ANT1003 | 300/300V | 20X2X0.4 | 51/0.1 | 13.8 | 380.79 | 48.2 |
| ANT01.004.21.000.40B | ANT1003 | 300/300V | 21X2X0.4 | 51/0.1 | 15.1 | 437.41 | 48.2 |
| ANT01.004.22.000.40B | ANT1003 | 300/300V | 22X2X0.4 | 51/0.1 | 15.1 | 442.70 | 48.2 |
| ANT01.004.23.000.40B | ANT1003 | 300/300V | 23X2X0.4 | 51/0.1 | 15.1 | 447.98 | 48.2 |
| ANT01.004.24.000.40B | ANT1003 | 300/300V | 24X2X0.4 | 51/0.1 | 15.1 | 453.26 | 48.2 |
| ANT01.004.25.000.40B | ANT1003 | 300/300V | 25X2X0.4 | 51/0.1 | 15.2 | 462.74 | 48.2 |
| ANT01.004.26.000.40B | ANT1003 | 300/300V | 26X2X0.4 | 51/0.1 | 16.7 | 533.21 | 48.2 |
| ANT01.004.27.000.40B | ANT1003 | 300/300V | 27X2X0.4 | 51/0.1 | 16.7 | 538.48 | 48.2 |
| ANT01.004.28.000.40B | ANT1003 | 300/300V | 28X2X0.4 | 51/0.1 | 16.7 | 543.78 | 48.2 |
| ANT01.004.29.000.40B | ANT1003 | 300/300V | 29X2X0.4 | 51/0.1 | 16.7 | 549.07 | 48.2 |
| ANT01.004.30.000.40B | ANT1003 | 300/300V | 30X2X0.4 | 51/0.1 | 16.7 | 554.35 | 48.2 |
| ANT01.004.31.000.40B | ANT1003 | 300/300V | 31X2X0.4 | 51/0.1 | 18.5 | 644.84 | 48.2 |
| ANT01.004.32.000.40B | ANT1003 | 300/300V | 32X2X0.4 | 51/0.1 | 18.5 | 650.12 | 48.2 |
| ANT01.004.02.000.50B | ANT1003 | 300/300V | 2X2X0.5  | 64/0.1 | 6.0  | 66.16  | 39   |
| ANT01.004.03.000.50B | ANT1003 | 300/300V | 3X2X0.5  | 64/0.1 | 6.3  | 77.87  | 39   |
| ANT01.004.04.000.50B | ANT1003 | 300/300V | 4X2X0.5  | 64/0.1 | 7.0  | 100.55 | 39   |
| ANT01.004.05.000.50B | ANT1003 | 300/300V | 5X2X0.5  | 64/0.1 | 7.6  | 119.59 | 39   |
| ANT01.004.06.000.50B | ANT1003 | 300/300V | 6X2X0.5  | 64/0.1 | 8.3  | 141.43 | 39   |
| ANT01.004.07.000.50B | ANT1003 | 300/300V | 7X2X0.5  | 64/0.1 | 8.9  | 162.51 | 39   |
| ANT01.004.08.000.50B | ANT1003 | 300/300V | 8X2X0.5  | 64/0.1 | 9.5  | 184.55 | 39   |
| ANT01.004.09.000.50B | ANT1003 | 300/300V | 9X2X0.5  | 64/0.1 | 10.4 | 220.86 | 39   |
| ANT01.004.10.000.50B | ANT1003 | 300/300V | 10X2X0.5 | 64/0.1 | 10.9 | 242.44 | 39   |
| ANT01.004.11.000.50B | ANT1003 | 300/300V | 11X2X0.5 | 64/0.1 | 12.4 | 297.60 | 39   |
| ANT01.004.12.000.50B | ANT1003 | 300/300V | 12X2X0.5 | 64/0.1 | 12.4 | 304.07 | 39   |
| ANT01.004.13.000.50B | ANT1003 | 300/300V | 13X2X0.5 | 64/0.1 | 13.8 | 359.12 | 39   |
| ANT01.004.14.000.50B | ANT1003 | 300/300V | 14X2X0.5 | 64/0.1 | 13.8 | 365.58 | 39   |
| ANT01.004.15.000.50B | ANT1003 | 300/300V | 15X2X0.5 | 64/0.1 | 13.8 | 372.04 | 39   |
| ANT01.004.16.000.50B | ANT1003 | 300/300V | 16X2X0.5 | 64/0.1 | 14.6 | 409.30 | 39   |
| ANT01.004.17.000.50B | ANT1003 | 300/300V | 17X2X0.5 | 64/0.1 | 15.2 | 440.50 | 39   |
| ANT01.004.18.000.50B | ANT1003 | 300/300V | 18X2X0.5 | 64/0.1 | 15.2 | 446.96 | 39   |
| ANT01.004.19.000.50B | ANT1003 | 300/300V | 19X2X0.5 | 64/0.1 | 16.1 | 491.49 | 39   |
| ANT01.004.20.000.50B | ANT1003 | 300/300V | 20X2X0.5 | 64/0.1 | 16.1 | 497.95 | 39   |
| ANT01.004.21.000.50B | ANT1003 | 300/300V | 21X2X0.5 | 64/0.1 | 17.7 | 577.92 | 39   |
| ANT01.004.22.000.50B | ANT1003 | 300/300V | 22X2X0.5 | 64/0.1 | 17.7 | 584.39 | 39   |



|                      |         |          |           |         |      |         |      |
|----------------------|---------|----------|-----------|---------|------|---------|------|
| ANT01.004.23.000.50B | ANT1003 | 300/300V | 23X2X0.5  | 64/0.1  | 17.7 | 590.85  | 39   |
| ANT01.004.24.000.50B | ANT1003 | 300/300V | 24X2X0.5  | 64/0.1  | 17.7 | 597.32  | 39   |
| ANT01.004.25.000.50B | ANT1003 | 300/300V | 25X2X0.5  | 64/0.1  | 17.8 | 608.65  | 39   |
| ANT01.004.26.000.50B | ANT1003 | 300/300V | 26X2X0.5  | 64/0.1  | 19.5 | 701.02  | 39   |
| ANT01.004.27.000.50B | ANT1003 | 300/300V | 27X2X0.5  | 64/0.1  | 19.5 | 707.49  | 39   |
| ANT01.004.28.000.50B | ANT1003 | 300/300V | 28X2X0.5  | 64/0.1  | 19.5 | 713.95  | 39   |
| ANT01.004.29.000.50B | ANT1003 | 300/300V | 29X2X0.5  | 64/0.1  | 19.5 | 720.42  | 39   |
| ANT01.004.30.000.50B | ANT1003 | 300/300V | 30X2X0.5  | 64/0.1  | 19.5 | 726.88  | 39   |
| ANT01.004.31.000.50B | ANT1003 | 300/300V | 31X2X0.5  | 64/0.1  | 21.6 | 859.84  | 39   |
| ANT01.004.32.000.50B | ANT1003 | 300/300V | 32X2X0.5  | 64/0.1  | 21.6 | 866.31  | 39   |
| ANT01.004.02.000.75B | ANT1003 | 300/500V | 2X2X0.75  | 96/0.1  | 6.4  | 80.27   | 26   |
| ANT01.004.03.000.75B | ANT1003 | 300/500V | 3X2X0.75  | 96/0.1  | 7.0  | 104.69  | 26   |
| ANT01.004.04.000.75B | ANT1003 | 300/500V | 4X2X0.75  | 96/0.1  | 7.5  | 125.10  | 26   |
| ANT01.004.05.000.75B | ANT1003 | 300/500V | 5X2X0.75  | 96/0.1  | 8.3  | 152.65  | 26   |
| ANT01.004.06.000.75B | ANT1003 | 300/500V | 6X2X0.75  | 96/0.1  | 8.9  | 177.28  | 26   |
| ANT01.004.07.000.75B | ANT1003 | 300/500V | 7X2X0.75  | 96/0.1  | 9.8  | 210.43  | 26   |
| ANT01.004.08.000.75B | ANT1003 | 300/500V | 8X2X0.75  | 96/0.1  | 10.5 | 245.65  | 26   |
| ANT01.004.09.000.75B | ANT1003 | 300/500V | 9X2X0.75  | 96/0.1  | 11.3 | 279.76  | 26   |
| ANT01.004.10.000.75B | ANT1003 | 300/500V | 10X2X0.75 | 96/0.1  | 12.0 | 312.77  | 26   |
| ANT01.004.11.000.75B | ANT1003 | 300/500V | 11X2X0.75 | 96/0.1  | 13.7 | 381.27  | 26   |
| ANT01.004.12.000.75B | ANT1003 | 300/500V | 12X2X0.75 | 96/0.1  | 13.7 | 391.27  | 26   |
| ANT01.004.13.000.75B | ANT1003 | 300/500V | 13X2X0.75 | 96/0.1  | 15.1 | 456.41  | 26   |
| ANT01.004.14.000.75B | ANT1003 | 300/500V | 14X2X0.75 | 96/0.1  | 15.1 | 466.41  | 26   |
| ANT01.004.15.000.75B | ANT1003 | 300/500V | 15X2X0.75 | 96/0.1  | 15.1 | 476.42  | 26   |
| ANT01.004.16.000.75B | ANT1003 | 300/500V | 16X2X0.75 | 96/0.1  | 16.0 | 524.27  | 26   |
| ANT01.004.17.000.75B | ANT1003 | 300/500V | 17X2X0.75 | 96/0.1  | 16.6 | 561.21  | 26   |
| ANT01.004.18.000.75B | ANT1003 | 300/500V | 18X2X0.75 | 96/0.1  | 16.6 | 571.20  | 26   |
| ANT01.004.19.000.75B | ANT1003 | 300/500V | 19X2X0.75 | 96/0.1  | 17.6 | 627.35  | 26   |
| ANT01.004.20.000.75B | ANT1003 | 300/500V | 20X2X0.75 | 96/0.1  | 17.6 | 637.34  | 26   |
| ANT01.004.21.000.75B | ANT1003 | 300/500V | 21X2X0.75 | 96/0.1  | 19.4 | 737.66  | 26   |
| ANT01.004.22.000.75B | ANT1003 | 300/500V | 22X2X0.75 | 96/0.1  | 19.4 | 747.66  | 26   |
| ANT01.004.23.000.75B | ANT1003 | 300/500V | 23X2X0.75 | 96/0.1  | 19.4 | 757.65  | 26   |
| ANT01.004.24.000.75B | ANT1003 | 300/500V | 24X2X0.75 | 96/0.1  | 19.4 | 767.65  | 26   |
| ANT01.004.25.000.75B | ANT1003 | 300/500V | 25X2X0.75 | 96/0.1  | 19.5 | 782.97  | 26   |
| ANT01.004.26.000.75B | ANT1003 | 300/500V | 26X2X0.75 | 96/0.1  | 21.6 | 919.49  | 26   |
| ANT01.004.27.000.75B | ANT1003 | 300/500V | 27X2X0.75 | 96/0.1  | 21.6 | 929.49  | 26   |
| ANT01.004.28.000.75B | ANT1003 | 300/500V | 28X2X0.75 | 96/0.1  | 21.6 | 939.48  | 26   |
| ANT01.004.29.000.75B | ANT1003 | 300/500V | 29X2X0.75 | 96/0.1  | 21.6 | 949.48  | 26   |
| ANT01.004.30.000.75B | ANT1003 | 300/500V | 30X2X0.75 | 96/0.1  | 21.6 | 959.48  | 26   |
| ANT01.004.31.000.75B | ANT1003 | 300/500V | 31X2X0.75 | 96/0.1  | 23.6 | 1092.23 | 26   |
| ANT01.004.32.000.75B | ANT1003 | 300/500V | 32X2X0.75 | 96/0.1  | 23.6 | 1102.23 | 26   |
| ANT01.004.02.001.00B | ANT1003 | 300/500V | 2X2X1     | 126/0.1 | 7.2  | 103.89  | 19.5 |



|                      |         |          |          |         |      |         |      |
|----------------------|---------|----------|----------|---------|------|---------|------|
| ANT01.004.03.001.00B | ANT1003 | 300/500V | 3X2X1    | 126/0.1 | 7.6  | 124.91  | 19.5 |
| ANT01.004.04.001.00B | ANT1003 | 300/500V | 4X2X1    | 126/0.1 | 8.4  | 155.21  | 19.5 |
| ANT01.004.05.001.00B | ANT1003 | 300/500V | 5X2X1    | 126/0.1 | 9.1  | 185.10  | 19.5 |
| ANT01.004.06.001.00B | ANT1003 | 300/500V | 6X2X1    | 126/0.1 | 10.0 | 221.27  | 19.5 |
| ANT01.004.07.001.00B | ANT1003 | 300/500V | 7X2X1    | 126/0.1 | 10.8 | 262.56  | 19.5 |
| ANT01.004.08.001.00B | ANT1003 | 300/500V | 8X2X1    | 126/0.1 | 11.7 | 303.11  | 19.5 |
| ANT01.004.09.001.00B | ANT1003 | 300/500V | 9X2X1    | 126/0.1 | 12.7 | 349.31  | 19.5 |
| ANT01.004.10.001.00B | ANT1003 | 300/500V | 10X2X1   | 126/0.1 | 13.5 | 389.18  | 19.5 |
| ANT01.004.11.001.00B | ANT1003 | 300/500V | 11X2X1   | 126/0.1 | 15.6 | 484.86  | 19.5 |
| ANT01.004.12.001.00B | ANT1003 | 300/500V | 12X2X1   | 126/0.1 | 15.6 | 497.41  | 19.5 |
| ANT01.004.13.001.00B | ANT1003 | 300/500V | 13X2X1   | 126/0.1 | 17.2 | 581.37  | 19.5 |
| ANT01.004.14.001.00B | ANT1003 | 300/500V | 14X2X1   | 126/0.1 | 17.2 | 593.91  | 19.5 |
| ANT01.004.15.001.00B | ANT1003 | 300/500V | 15X2X1   | 126/0.1 | 17.2 | 606.46  | 19.5 |
| ANT01.004.16.001.00B | ANT1003 | 300/500V | 16X2X1   | 126/0.1 | 17.9 | 652.73  | 19.5 |
| ANT01.004.17.001.00B | ANT1003 | 300/500V | 17X2X1   | 126/0.1 | 18.9 | 714.78  | 19.5 |
| ANT01.004.18.001.00B | ANT1003 | 300/500V | 18X2X1   | 126/0.1 | 18.9 | 727.32  | 19.5 |
| ANT01.004.19.001.00B | ANT1003 | 300/500V | 19X2X1   | 126/0.1 | 20.0 | 797.40  | 19.5 |
| ANT01.004.20.001.00B | ANT1003 | 300/500V | 20X2X1   | 126/0.1 | 20.0 | 809.94  | 19.5 |
| ANT01.004.21.001.00B | ANT1003 | 300/500V | 21X2X1   | 126/0.1 | 21.9 | 940.88  | 19.5 |
| ANT01.004.22.001.00B | ANT1003 | 300/500V | 22X2X1   | 126/0.1 | 21.9 | 953.44  | 19.5 |
| ANT01.004.23.001.00B | ANT1003 | 300/500V | 23X2X1   | 126/0.1 | 21.9 | 965.97  | 19.5 |
| ANT01.004.24.001.00B | ANT1003 | 300/500V | 24X2X1   | 126/0.1 | 21.9 | 978.52  | 19.5 |
| ANT01.004.25.001.00B | ANT1003 | 300/500V | 25X2X1   | 126/0.1 | 22.0 | 997.08  | 19.5 |
| ANT01.004.26.001.00B | ANT1003 | 300/500V | 26X2X1   | 126/0.1 | 24.4 | 1159.80 | 19.5 |
| ANT01.004.27.001.00B | ANT1003 | 300/500V | 27X2X1   | 126/0.1 | 24.4 | 1172.35 | 19.5 |
| ANT01.004.28.001.00B | ANT1003 | 300/500V | 28X2X1   | 126/0.1 | 24.4 | 1184.90 | 19.5 |
| ANT01.004.29.001.00B | ANT1003 | 300/500V | 29X2X1   | 126/0.1 | 24.4 | 1197.45 | 19.5 |
| ANT01.004.30.001.00B | ANT1003 | 300/500V | 30X2X1   | 126/0.1 | 24.4 | 1209.99 | 19.5 |
| ANT01.004.31.001.00B | ANT1003 | 300/500V | 31X2X1   | 126/0.1 | 26.7 | 1381.55 | 19.5 |
| ANT01.004.02.001.50B | ANT1003 | 300/500V | 2X2X1.5  | 189/0.1 | 8.4  | 143.03  | 13.3 |
| ANT01.004.03.001.50B | ANT1003 | 300/500V | 3X2X1.5  | 189/0.1 | 8.9  | 174.30  | 13.3 |
| ANT01.004.04.001.50B | ANT1003 | 300/500V | 4X2X1.5  | 189/0.1 | 9.9  | 219.23  | 13.3 |
| ANT01.004.05.001.50B | ANT1003 | 300/500V | 5X2X1.5  | 189/0.1 | 10.7 | 266.71  | 13.3 |
| ANT01.004.06.001.50B | ANT1003 | 300/500V | 6X2X1.5  | 189/0.1 | 11.7 | 316.77  | 13.3 |
| ANT01.004.07.001.50B | ANT1003 | 300/500V | 7X2X1.5  | 189/0.1 | 12.8 | 372.99  | 13.3 |
| ANT01.004.08.001.50B | ANT1003 | 300/500V | 8X2X1.5  | 189/0.1 | 14.1 | 438.05  | 13.3 |
| ANT01.004.09.001.50B | ANT1003 | 300/500V | 9X2X1.5  | 189/0.1 | 15.0 | 493.31  | 13.3 |
| ANT01.004.10.001.50B | ANT1003 | 300/500V | 10X2X1.5 | 189/0.1 | 16.1 | 558.75  | 13.3 |
| ANT01.004.11.001.50B | ANT1003 | 300/500V | 11X2X1.5 | 189/0.1 | 18.5 | 690.07  | 13.3 |
| ANT01.004.12.001.50B | ANT1003 | 300/500V | 12X2X1.5 | 189/0.1 | 18.5 | 709.07  | 13.3 |
| ANT01.004.13.001.50B | ANT1003 | 300/500V | 13X2X1.5 | 189/0.1 | 20.3 | 832.73  | 13.3 |
| ANT01.004.14.001.50B | ANT1003 | 300/500V | 14X2X1.5 | 189/0.1 | 20.3 | 851.74  | 13.3 |



|                      |         |          |          |          |      |         |      |
|----------------------|---------|----------|----------|----------|------|---------|------|
| ANT01.004.15.001.50B | ANT1003 | 300/500V | 15X2X1.5 | 189/0.1  | 20.3 | 870.73  | 13.3 |
| ANT01.004.16.001.50B | ANT1003 | 300/500V | 16X2X1.5 | 189/0.1  | 21.5 | 957.67  | 13.3 |
| ANT01.004.17.001.50B | ANT1003 | 300/500V | 17X2X1.5 | 189/0.1  | 22.3 | 1024.72 | 13.3 |
| ANT01.004.18.001.50B | ANT1003 | 300/500V | 18X2X1.5 | 189/0.1  | 22.3 | 1043.73 | 13.3 |
| ANT01.004.19.001.50B | ANT1003 | 300/500V | 19X2X1.5 | 189/0.1  | 23.7 | 1149.83 | 13.3 |
| ANT01.004.20.001.50B | ANT1003 | 300/500V | 20X2X1.5 | 189/0.1  | 23.7 | 1168.83 | 13.3 |
| ANT01.004.21.001.50B | ANT1003 | 300/500V | 21X2X1.5 | 189/0.1  | 26.1 | 1348.58 | 13.3 |
| ANT01.004.22.001.50B | ANT1003 | 300/500V | 22X2X1.5 | 189/0.1  | 26.1 | 1367.58 | 13.3 |
| ANT01.004.23.001.50B | ANT1003 | 300/500V | 23X2X1.5 | 189/0.1  | 26.1 | 1386.59 | 13.3 |
| ANT01.004.24.001.50B | ANT1003 | 300/500V | 24X2X1.5 | 189/0.1  | 26.1 | 1405.59 | 13.3 |
| ANT01.004.25.001.50B | ANT1003 | 300/500V | 25X2X1.5 | 189/0.1  | 26.3 | 1438.88 | 13.3 |
| ANT01.004.26.001.50B | ANT1003 | 300/500V | 26X2X1.5 | 189/0.1  | 29.0 | 1658.28 | 13.3 |
| ANT01.004.27.001.50B | ANT1003 | 300/500V | 27X2X1.5 | 189/0.1  | 29.0 | 1677.29 | 13.3 |
| ANT01.004.28.001.50B | ANT1003 | 300/500V | 28X2X1.5 | 189/0.1  | 29.0 | 1696.30 | 13.3 |
| ANT01.004.29.001.50B | ANT1003 | 300/500V | 29X2X1.5 | 189/0.1  | 29.0 | 1715.30 | 13.3 |
| ANT01.004.30.001.50B | ANT1003 | 300/500V | 30X2X1.5 | 189/0.1  | 29.0 | 1734.30 | 13.3 |
| ANT01.004.31.001.50B | ANT1003 | 300/500V | 31X2X1.5 | 189/0.1  | 32.4 | 2081.49 | 13.3 |
| ANT01.004.32.001.50B | ANT1003 | 300/500V | 32X2X1.5 | 189/0.1  | 32.4 | 2100.49 | 13.3 |
| ANT01.004.32.002.00B | ANT1003 | 300/500V | 32X3X2   | 126/0.14 | 38.0 | 3201.98 | 9.79 |