



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
ANA02.002.02.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	2X0.5	18/0.19	7.2	62.62	39.0 Ω/km
ANA02.002.03.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	3X0.5	18/0.19	7.6	72.26	39.0 Ω/km
ANA02.002.04.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	4X0.5	18/0.19	8.1	83.73	39.0 Ω/km
ANA02.002.05.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	5X0.5	18/0.19	8.7	97.29	39.0 Ω/km
ANA02.002.06.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	6X0.5	18/0.19	9.3	111.46	39.0 Ω/km
ANA02.002.07.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	7X0.5	18/0.19	9.3	115.32	39.0 Ω/km
ANA02.002.08.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	8X0.5	18/0.19	10.0	132.02	39.0 Ω/km
ANA02.002.09.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	9X0.5	18/0.19	10.9	156.84	39.0 Ω/km
ANA02.002.10.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	10X0.5	18/0.19	11.5	173.50	39.0 Ω/km
ANA02.002.11.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	11X0.5	18/0.19	11.9	186.24	39.0 Ω/km
ANA02.002.12.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	12X0.5	18/0.19	11.9	190.08	39.0 Ω/km
ANA02.002.13.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	13X0.5	18/0.19	12.4	205.43	39.0 Ω/km
ANA02.002.14.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	14X0.5	18/0.19	12.4	209.28	39.0 Ω/km
ANA02.002.15.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	15X0.5	18/0.19	13.6	246.91	39.0 Ω/km
ANA02.002.16.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	16X0.5	18/0.19	13.6	250.74	39.0 Ω/km
ANA02.002.17.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	17X0.5	18/0.19	14.3	272.05	39.0 Ω/km
ANA02.002.18.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	18X0.5	18/0.19	14.3	275.91	39.0 Ω/km
ANA02.002.19.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	19X0.5	18/0.19	14.3	279.75	39.0 Ω/km
ANA02.002.20.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	20X0.5	18/0.19	14.7	294.54	39.0 Ω/km
ANA02.002.21.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	21X0.5	18/0.19	15.0	306.78	39.0 Ω/km
ANA02.002.22.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	22X0.5	18/0.19	15.8	333.75	39.0 Ω/km
ANA02.002.23.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	23X0.5	18/0.19	16.4	355.66	39.0 Ω/km
ANA02.002.24.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	24X0.5	18/0.19	16.4	359.52	39.0 Ω/km
ANA02.002.25.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	25X0.5	18/0.19	16.8	375.76	39.0 Ω/km
ANA02.002.26.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	26X0.5	18/0.19	16.8	379.60	39.0 Ω/km
ANA02.002.27.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	27X0.5	18/0.19	16.8	383.44	39.0 Ω/km
ANA02.002.28.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	28X0.5	18/0.19	17.3	403.17	39.0 Ω/km
ANA02.002.29.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	29X0.5	18/0.19	17.3	407.01	39.0 Ω/km
ANA02.002.30.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	30X0.5	18/0.19	17.3	410.86	39.0 Ω/km
ANA02.002.31.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	31X0.5	18/0.19	17.9	434.33	39.0 Ω/km
ANA02.002.32.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	32X0.5	18/0.19	17.9	438.18	39.0 Ω/km
ANA02.002.33.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	33X0.5	18/0.19	17.9	442.03	39.0 Ω/km
ANA02.002.34.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	34X0.5	18/0.19	18.5	466.12	39.0 Ω/km
ANA02.002.35.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	35X0.5	18/0.19	18.5	469.97	39.0 Ω/km
ANA02.002.36.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	36X0.5	18/0.19	18.5	473.81	39.0 Ω/km
ANA02.002.37.000.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	37X0.5	18/0.19	18.5	477.66	39.0 Ω/km
ANA02.002.02.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	2X0.75	27/0.19	7.6	72.39	26.0 Ω/km
ANA02.002.03.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	3X0.75	27/0.19	8.0	84.29	26.0 Ω/km
ANA02.002.04.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	4X0.75	27/0.19	8.6	99.74	26.0 Ω/km



ANA02.002.05.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	5X0.75	27/0.19	9.3	117.57	26.0 Ω/km
ANA02.002.06.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	6X0.75	27/0.19	9.9	134.37	26.0 Ω/km
ANA02.002.07.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	7X0.75	27/0.19	9.9	140.22	26.0 Ω/km
ANA02.002.08.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	8X0.75	27/0.19	10.7	164.79	26.0 Ω/km
ANA02.002.09.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	9X0.75	27/0.19	11.7	191.97	26.0 Ω/km
ANA02.002.10.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	10X0.75	27/0.19	12.3	211.46	26.0 Ω/km
ANA02.002.11.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	11X0.75	27/0.19	12.7	226.72	26.0 Ω/km
ANA02.002.12.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	12X0.75	27/0.19	12.7	232.57	26.0 Ω/km
ANA02.002.13.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	13X0.75	27/0.19	14.0	274.52	26.0 Ω/km
ANA02.002.14.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	14X0.75	27/0.19	14.0	280.36	26.0 Ω/km
ANA02.002.15.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	15X0.75	27/0.19	14.7	305.15	26.0 Ω/km
ANA02.002.16.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	16X0.75	27/0.19	14.7	311.00	26.0 Ω/km
ANA02.002.17.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	17X0.75	27/0.19	15.3	333.76	26.0 Ω/km
ANA02.002.18.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	18X0.75	27/0.19	15.3	339.61	26.0 Ω/km
ANA02.002.19.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	19X0.75	27/0.19	15.3	345.44	26.0 Ω/km
ANA02.002.20.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	20X0.75	27/0.19	15.7	362.91	26.0 Ω/km
ANA02.002.21.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	21X0.75	27/0.19	16.0	377.66	26.0 Ω/km
ANA02.002.22.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	22X0.75	27/0.19	17.0	414.29	26.0 Ω/km
ANA02.002.23.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	23X0.75	27/0.19	17.6	439.44	26.0 Ω/km
ANA02.002.24.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	24X0.75	27/0.19	17.6	445.27	26.0 Ω/km
ANA02.002.25.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	25X0.75	27/0.19	18.0	464.34	26.0 Ω/km
ANA02.002.26.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	26X0.75	27/0.19	18.0	470.17	26.0 Ω/km
ANA02.002.27.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	27X0.75	27/0.19	18.0	476.01	26.0 Ω/km
ANA02.002.28.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	28X0.75	27/0.19	18.6	502.20	26.0 Ω/km
ANA02.002.29.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	29X0.75	27/0.19	18.6	508.04	26.0 Ω/km
ANA02.002.30.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	30X0.75	27/0.19	18.6	513.88	26.0 Ω/km
ANA02.002.31.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	31X0.75	27/0.19	19.3	544.24	26.0 Ω/km
ANA02.002.32.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	32X0.75	27/0.19	19.3	550.08	26.0 Ω/km
ANA02.002.33.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	33X0.75	27/0.19	19.3	555.91	26.0 Ω/km
ANA02.002.34.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	34X0.75	27/0.19	20.3	602.98	26.0 Ω/km
ANA02.002.35.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	35X0.75	27/0.19	20.3	608.81	26.0 Ω/km
ANA02.002.36.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	36X0.75	27/0.19	20.3	614.65	26.0 Ω/km
ANA02.002.37.000.75B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	37X0.75	27/0.19	20.3	620.48	26.0 Ω/km
ANA02.002.02.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	2X1	35/0.19	8.0	82.30	19.5 Ω/km
ANA02.002.03.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	3X1	35/0.19	8.4	96.39	19.5 Ω/km
ANA02.002.04.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	4X1	35/0.19	9.1	115.91	19.5 Ω/km
ANA02.002.05.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	5X1	35/0.19	9.8	136.27	19.5 Ω/km
ANA02.002.06.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	6X1	35/0.19	10.6	162.61	19.5 Ω/km
ANA02.002.07.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	7X1	35/0.19	10.6	170.37	19.5 Ω/km
ANA02.002.08.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	8X1	35/0.19	11.4	194.92	19.5 Ω/km
ANA02.002.09.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	9X1	35/0.19	12.4	225.25	19.5 Ω/km
ANA02.002.10.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	10X1	35/0.19	13.7	269.38	19.5 Ω/km



ANA02.002.11.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	11X1	35/0.19	14.2	289.31	19.5 Ω/km
ANA02.002.12.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	12X1	35/0.19	14.2	297.07	19.5 Ω/km
ANA02.002.13.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	13X1	35/0.19	14.9	324.04	19.5 Ω/km
ANA02.002.14.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	14X1	35/0.19	14.9	331.81	19.5 Ω/km
ANA02.002.15.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	15X1	35/0.19	15.6	359.60	19.5 Ω/km
ANA02.002.16.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	16X1	35/0.19	15.6	367.35	19.5 Ω/km
ANA02.002.17.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	17X1	35/0.19	16.3	396.03	19.5 Ω/km
ANA02.002.18.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	18X1	35/0.19	16.3	403.78	19.5 Ω/km
ANA02.002.19.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	19X1	35/0.19	16.3	411.54	19.5 Ω/km
ANA02.002.20.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	20X1	35/0.19	16.7	431.63	19.5 Ω/km
ANA02.002.21.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	21X1	35/0.19	17.1	451.98	19.5 Ω/km
ANA02.002.22.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	22X1	35/0.19	18.1	492.44	19.5 Ω/km
ANA02.002.23.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	23X1	35/0.19	18.8	524.11	19.5 Ω/km
ANA02.002.24.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	24X1	35/0.19	18.8	531.88	19.5 Ω/km
ANA02.002.25.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	25X1	35/0.19	19.2	553.69	19.5 Ω/km
ANA02.002.26.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	26X1	35/0.19	19.2	561.44	19.5 Ω/km
ANA02.002.27.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	27X1	35/0.19	19.2	569.21	19.5 Ω/km
ANA02.002.28.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	28X1	35/0.19	20.3	621.75	19.5 Ω/km
ANA02.002.29.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	29X1	35/0.19	20.3	629.51	19.5 Ω/km
ANA02.002.30.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	30X1	35/0.19	20.3	637.26	19.5 Ω/km
ANA02.002.31.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	31X1	35/0.19	21.3	682.04	19.5 Ω/km
ANA02.002.32.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	32X1	35/0.19	21.3	689.80	19.5 Ω/km
ANA02.002.33.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	33X1	35/0.19	21.3	697.56	19.5 Ω/km
ANA02.002.34.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	34X1	35/0.19	22.0	733.26	19.5 Ω/km
ANA02.002.35.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	35X1	35/0.19	22.0	741.03	19.5 Ω/km
ANA02.002.36.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	36X1	35/0.19	22.0	748.78	19.5 Ω/km
ANA02.002.37.001.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	37X1	35/0.19	22.0	756.54	19.5 Ω/km
ANA02.002.02.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	2X1.5	31/0.25	8.6	99.77	13.3 Ω/km
ANA02.002.03.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	3X1.5	31/0.25	9.1	119.94	13.3 Ω/km
ANA02.002.04.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	4X1.5	31/0.25	9.8	144.24	13.3 Ω/km
ANA02.002.05.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	5X1.5	31/0.25	10.7	176.55	13.3 Ω/km
ANA02.002.06.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	6X1.5	31/0.25	11.5	205.17	13.3 Ω/km
ANA02.002.07.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	7X1.5	31/0.25	11.5	216.86	13.3 Ω/km
ANA02.002.08.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	8X1.5	31/0.25	12.4	248.94	13.3 Ω/km
ANA02.002.09.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	9X1.5	31/0.25	14.2	309.19	13.3 Ω/km
ANA02.002.10.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	10X1.5	31/0.25	15.0	342.89	13.3 Ω/km
ANA02.002.11.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	11X1.5	31/0.25	15.5	368.91	13.3 Ω/km
ANA02.002.12.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	12X1.5	31/0.25	15.5	380.60	13.3 Ω/km
ANA02.002.13.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	13X1.5	31/0.25	16.2	413.05	13.3 Ω/km
ANA02.002.14.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	14X1.5	31/0.25	16.2	424.74	13.3 Ω/km
ANA02.002.15.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	15X1.5	31/0.25	17.0	461.23	13.3 Ω/km
ANA02.002.16.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	16X1.5	31/0.25	17.0	472.92	13.3 Ω/km



ANA02.002.17.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	17X1.5	31/0.25	17.8	510.49	13.3 Ω/km
ANA02.002.18.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	18X1.5	31/0.25	17.8	522.18	13.3 Ω/km
ANA02.002.19.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	19X1.5	31/0.25	17.8	533.87	13.3 Ω/km
ANA02.002.20.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	20X1.5	31/0.25	18.3	562.30	13.3 Ω/km
ANA02.002.21.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	21X1.5	31/0.25	18.7	587.70	13.3 Ω/km
ANA02.002.22.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	22X1.5	31/0.25	20.2	657.92	13.3 Ω/km
ANA02.002.23.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	23X1.5	31/0.25	21.3	710.39	13.3 Ω/km
ANA02.002.24.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	24X1.5	31/0.25	21.3	722.08	13.3 Ω/km
ANA02.002.25.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	25X1.5	31/0.25	21.8	753.65	13.3 Ω/km
ANA02.002.26.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	26X1.5	31/0.25	21.8	765.35	13.3 Ω/km
ANA02.002.27.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	27X1.5	31/0.25	21.8	777.04	13.3 Ω/km
ANA02.002.28.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	28X1.5	31/0.25	22.5	817.30	13.3 Ω/km
ANA02.002.29.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	29X1.5	31/0.25	22.5	828.99	13.3 Ω/km
ANA02.002.30.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	30X1.5	31/0.25	22.5	840.68	13.3 Ω/km
ANA02.002.31.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	31X1.5	31/0.25	23.3	886.04	13.3 Ω/km
ANA02.002.32.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	32X1.5	31/0.25	23.3	897.73	13.3 Ω/km
ANA02.002.33.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	33X1.5	31/0.25	23.3	909.42	13.3 Ω/km
ANA02.002.34.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	34X1.5	31/0.25	24.1	955.90	13.3 Ω/km
ANA02.002.35.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	35X1.5	31/0.25	24.1	967.60	13.3 Ω/km
ANA02.002.36.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	36X1.5	31/0.25	24.1	979.29	13.3 Ω/km
ANA02.002.37.001.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	37X1.5	31/0.25	24.1	990.98	13.3 Ω/km
ANA02.002.02.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	2X2.5	51/0.25	9.6	132.73	7.98 Ω/km
ANA02.002.03.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	3X2.5	51/0.25	10.2	163.47	7.98 Ω/km
ANA02.002.04.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	4X2.5	51/0.25	11.1	204.30	7.98 Ω/km
ANA02.002.05.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	5X2.5	51/0.25	12.1	245.82	7.98 Ω/km
ANA02.002.06.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	6X2.5	51/0.25	13.6	306.01	7.98 Ω/km
ANA02.002.07.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	7X2.5	51/0.25	13.6	325.49	7.98 Ω/km
ANA02.002.08.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	8X2.5	51/0.25	14.7	373.35	7.98 Ω/km
ANA02.002.09.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	9X2.5	51/0.25	16.1	433.30	7.98 Ω/km
ANA02.002.10.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	10X2.5	51/0.25	17.0	480.56	7.98 Ω/km
ANA02.002.11.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	11X2.5	51/0.25	17.6	519.35	7.98 Ω/km
ANA02.002.12.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	12X2.5	51/0.25	17.6	538.81	7.98 Ω/km
ANA02.002.13.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	13X2.5	51/0.25	18.4	585.00	7.98 Ω/km
ANA02.002.14.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	14X2.5	51/0.25	18.4	604.46	7.98 Ω/km
ANA02.002.15.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	15X2.5	51/0.25	19.4	658.89	7.98 Ω/km
ANA02.002.16.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	16X2.5	51/0.25	19.4	678.36	7.98 Ω/km
ANA02.002.17.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	17X2.5	51/0.25	21.0	760.78	7.98 Ω/km
ANA02.002.18.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	18X2.5	51/0.25	21.0	780.24	7.98 Ω/km
ANA02.002.19.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	19X2.5	51/0.25	21.0	799.73	7.98 Ω/km
ANA02.002.20.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	20X2.5	51/0.25	21.6	842.80	7.98 Ω/km
ANA02.002.21.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	21X2.5	51/0.25	22.0	878.34	7.98 Ω/km
ANA02.002.22.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	22X2.5	51/0.25	23.4	956.26	7.98 Ω/km



ANA02.002.23.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	23X2.5	51/0.25	24.3	1015.11	7.98 Ω/km
ANA02.002.24.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	24X2.5	51/0.25	24.3	1034.57	7.98 Ω/km
ANA02.002.25.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	25X2.5	51/0.25	24.9	1081.07	7.98 Ω/km
ANA02.002.26.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	26X2.5	51/0.25	24.9	1100.53	7.98 Ω/km
ANA02.002.27.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	27X2.5	51/0.25	24.9	1120.01	7.98 Ω/km
ANA02.002.28.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	28X2.5	51/0.25	25.7	1176.47	7.98 Ω/km
ANA02.002.29.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	29X2.5	51/0.25	25.7	1195.95	7.98 Ω/km
ANA02.002.30.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	30X2.5	51/0.25	25.7	1215.42	7.98 Ω/km
ANA02.002.31.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	31X2.5	51/0.25	26.7	1282.68	7.98 Ω/km
ANA02.002.32.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	32X2.5	51/0.25	26.7	1302.14	7.98 Ω/km
ANA02.002.33.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	33X2.5	51/0.25	26.7	1321.62	7.98 Ω/km
ANA02.002.34.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	34X2.5	51/0.25	27.6	1385.58	7.98 Ω/km
ANA02.002.35.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	35X2.5	51/0.25	27.6	1405.06	7.98 Ω/km
ANA02.002.36.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	36X2.5	51/0.25	27.6	1424.53	7.98 Ω/km
ANA02.002.37.002.50B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	37X2.5	51/0.25	27.6	1444.00	7.98 Ω/km
ANA02.002.02.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	2X4	82/0.25	11.1	189.34	4.95 Ω/km
ANA02.002.03.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	3X4	82/0.25	11.8	236.05	4.95 Ω/km
ANA02.002.04.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	4X4	82/0.25	12.8	290.75	4.95 Ω/km
ANA02.002.05.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	5X4	82/0.25	14.6	372.15	4.95 Ω/km
ANA02.002.06.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	6X4	82/0.25	15.8	437.88	4.95 Ω/km
ANA02.002.07.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	7X4	82/0.25	15.8	469.33	4.95 Ω/km
ANA02.002.08.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	8X4	82/0.25	17.0	537.56	4.95 Ω/km
ANA02.002.09.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	9X4	82/0.25	18.6	621.89	4.95 Ω/km
ANA02.002.10.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	10X4	82/0.25	20.2	715.35	4.95 Ω/km
ANA02.002.11.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	11X4	82/0.25	21.2	783.67	4.95 Ω/km
ANA02.002.12.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	12X4	82/0.25	21.2	815.12	4.95 Ω/km
ANA02.002.13.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	13X4	82/0.25	22.2	886.61	4.95 Ω/km
ANA02.002.14.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	14X4	82/0.25	22.2	918.06	4.95 Ω/km
ANA02.002.15.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	15X4	82/0.25	23.3	995.55	4.95 Ω/km
ANA02.002.16.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	16X4	82/0.25	23.3	1027.02	4.95 Ω/km
ANA02.002.17.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	17X4	82/0.25	24.5	1111.06	4.95 Ω/km
ANA02.002.18.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	18X4	82/0.25	24.5	1142.52	4.95 Ω/km
ANA02.002.19.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	19X4	82/0.25	24.5	1173.99	4.95 Ω/km
ANA02.002.20.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	20X4	82/0.25	25.2	1237.27	4.95 Ω/km
ANA02.002.21.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	21X4	82/0.25	25.7	1292.00	4.95 Ω/km
ANA02.002.22.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	22X4	82/0.25	27.3	1400.76	4.95 Ω/km
ANA02.002.23.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	23X4	82/0.25	28.5	1493.10	4.95 Ω/km
ANA02.002.24.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	24X4	82/0.25	28.5	1524.55	4.95 Ω/km
ANA02.002.25.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	25X4	82/0.25	29.2	1592.68	4.95 Ω/km
ANA02.002.26.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	26X4	82/0.25	29.2	1624.15	4.95 Ω/km
ANA02.002.27.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	27X4	82/0.25	29.2	1655.61	4.95 Ω/km
ANA02.002.28.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	28X4	82/0.25	30.8	1785.13	4.95 Ω/km



ANA02.002.29.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	29X4	82/0.25	30.8	1816.58	4.95 Ω/km
ANA02.002.30.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	30X4	82/0.25	30.8	1848.05	4.95 Ω/km
ANA02.002.31.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	31X4	82/0.25	32.1	1957.80	4.95 Ω/km
ANA02.002.32.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	32X4	82/0.25	32.1	1989.26	4.95 Ω/km
ANA02.002.33.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	33X4	82/0.25	32.1	2020.73	4.95 Ω/km
ANA02.002.34.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	34X4	82/0.25	33.3	2123.67	4.95 Ω/km
ANA02.002.35.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	35X4	82/0.25	33.3	2155.13	4.95 Ω/km
ANA02.002.36.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	36X4	82/0.25	33.3	2186.61	4.95 Ω/km
ANA02.002.37.004.00B	AS/NZS 5000.3 CU X-90 5V-90	450/750V	37X4	82/0.25	33.3	2218.06	4.95 Ω/km