



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻Ω/km
芯线 PVC 材质							
ANM05.003.02.028AB	UL2464	300V	2X2X28AWG	11/0.1	7.3	73.89	223 Ω /km
ANM05.003.03.028AB	UL2464	300V	3X2X28AWG	11/0.1	7.6	80.89	223 Ω /km
ANM05.003.04.028AB	UL2464	300V	4X2X28AWG	11/0.1	8.1	92.29	223 Ω /km
ANM05.003.05.028AB	UL2464	300V	5X2X28AWG	11/0.1	8.8	108.79	223 Ω /km
ANM05.003.06.028AB	UL2464	300V	6X2X28AWG	11/0.1	9.4	123.99	223 Ω /km
ANM05.003.07.028AB	UL2464	300V	7X2X28AWG	11/0.1	9.4	125.19	223 Ω /km
ANM05.003.08.028AB	UL2464	300V	8X2X28AWG	11/0.1	10	141.19	223 Ω /km
ANM05.003.09.028AB	UL2464	300V	9X2X28AWG	11/0.1	10.9	166.49	223 Ω /km
ANM05.003.10.028AB	UL2464	300V	10X2X28AWG	11/0.1	11.5	184.69	223 Ω /km
ANM05.003.11.028AB	UL2464	300V	11X2X28AWG	11/0.1	11.8	194.69	223 Ω /km
ANM05.003.12.028AB	UL2464	300V	12X2X28AWG	11/0.1	11.8	195.89	223 Ω /km
ANM05.003.13.028AB	UL2464	300V	13X2X28AWG	11/0.1	12.4	215.39	223 Ω /km
ANM05.003.14.028AB	UL2464	300V	14X2X28AWG	11/0.1	12.4	216.59	223 Ω /km
ANM05.003.15.028AB	UL2464	300V	15X2X28AWG	11/0.1	13	236.89	223 Ω /km
ANM05.003.16.028AB	UL2464	300V	16X2X28AWG	11/0.1	13	238.09	223 Ω /km
ANM05.003.17.028AB	UL2464	300V	17X2X28AWG	11/0.1	13.7	262.79	223 Ω /km
ANM05.003.18.028AB	UL2464	300V	18X2X28AWG	11/0.1	13.7	264.09	223 Ω /km
ANM05.003.19.028AB	UL2464	300V	19X2X28AWG	11/0.1	13.7	265.19	223 Ω /km
ANM05.003.20.028AB	UL2464	300V	20X2X28AWG	11/0.1	14	276.79	223 Ω /km
ANM05.003.21.028AB	UL2464	300V	21X2X28AWG	11/0.1	14.3	288.69	223 Ω /km
ANM05.003.22.028AB	UL2464	300V	22X2X28AWG	11/0.1	15.2	323.19	223 Ω /km
ANM05.003.23.028AB	UL2464	300V	23X2X28AWG	11/0.1	15.8	347.69	223 Ω /km
ANM05.003.24.028AB	UL2464	300V	24X2X28AWG	11/0.1	15.8	348.99	223 Ω /km
ANM05.003.25.028AB	UL2464	300V	25X2X28AWG	11/0.1	16.2	366.19	223 Ω /km
ANM05.003.26.028AB	UL2464	300V	26X2X28AWG	11/0.1	16.2	367.39	223 Ω /km
ANM05.003.27.028AB	UL2464	300V	27X2X28AWG	11/0.1	16.2	368.49	223 Ω /km
ANM05.003.28.028AB	UL2464	300V	28X2X28AWG	11/0.1	16.7	390.19	223 Ω /km
ANM05.003.29.028AB	UL2464	300V	29X2X28AWG	11/0.1	16.7	391.29	223 Ω /km
ANM05.003.30.028AB	UL2464	300V	30X2X28AWG	11/0.1	16.7	392.49	223 Ω /km
ANM05.003.31.028AB	UL2464	300V	31X2X28AWG	11/0.1	17.3	419.29	223 Ω /km
ANM05.003.32.028AB	UL2464	300V	32X2X28AWG	11/0.1	17.3	420.39	223 Ω /km
ANM05.003.33.028AB	UL2464	300V	33X2X28AWG	11/0.1	17.3	421.49	223 Ω /km
ANM05.003.34.028AB	UL2464	300V	34X2X28AWG	11/0.1	17.9	448.99	223 Ω /km
ANM05.003.35.028AB	UL2464	300V	35X2X28AWG	11/0.1	17.9	450.09	223 Ω /km
ANM05.003.36.028AB	UL2464	300V	36X2X28AWG	11/0.1	17.9	451.29	223 Ω /km
ANM05.003.37.028AB	UL2464	300V	37X2X28AWG	11/0.1	17.9	452.39	223 Ω /km
ANM05.003.38.028AB	UL2464	300V	38X2X28AWG	11/0.1	18.6	485.49	223 Ω /km
ANM05.003.39.028AB	UL2464	300V	39X2X28AWG	11/0.1	18.6	486.59	223 Ω /km
ANM05.003.40.028AB	UL2464	300V	40X2X28AWG	11/0.1	18.6	487.79	223 Ω /km
ANM05.003.41.028AB	UL2464	300V	41X2X28AWG	11/0.1	21	604.89	223 Ω /km



ANM05.003.42.028AB	UL2464	300V	42X2X28AWG	11/0.1	21	606.09	223 Ω /km
ANM05.003.43.028AB	UL2464	300V	43X2X28AWG	11/0.1	21	607.19	223 Ω /km
ANM05.003.44.028AB	UL2464	300V	44X2X28AWG	11/0.1	21	608.29	223 Ω /km
ANM05.003.45.028AB	UL2464	300V	45X2X28AWG	11/0.1	21.4	630.49	223 Ω /km
ANM05.003.46.028AB	UL2464	300V	46X2X28AWG	11/0.1	21.4	631.59	223 Ω /km
ANM05.003.47.028AB	UL2464	300V	47X2X28AWG	11/0.1	21.4	632.69	223 Ω /km
ANM05.003.48.028AB	UL2464	300V	48X2X28AWG	11/0.1	21.4	633.89	223 Ω /km
ANM05.003.49.028AB	UL2464	300V	49X2X28AWG	11/0.1	21.9	661.89	223 Ω /km
ANM05.003.50.028AB	UL2464	300V	50X2X28AWG	11/0.1	21.9	663.09	223 Ω /km
ANM05.003.51.028AB	UL2464	300V	51X2X28AWG	11/0.1	21.9	664.19	223 Ω /km
ANM05.003.52.028AB	UL2464	300V	52X2X28AWG	11/0.1	21.9	665.39	223 Ω /km
ANM05.003.53.028AB	UL2464	300V	53X2X28AWG	11/0.1	22.5	699.79	223 Ω /km
ANM05.003.54.028AB	UL2464	300V	54X2X28AWG	11/0.1	22.5	700.89	223 Ω /km
ANM05.003.55.028AB	UL2464	300V	55X2X28AWG	11/0.1	22.5	701.99	223 Ω /km
ANM05.003.56.028AB	UL2464	300V	56X2X28AWG	11/0.1	22.5	703.09	223 Ω /km
ANM05.003.57.028AB	UL2464	300V	57X2X28AWG	11/0.1	23.2	743.89	223 Ω /km
ANM05.003.58.028AB	UL2464	300V	58X2X28AWG	11/0.1	23.2	744.99	223 Ω /km
ANM05.003.59.028AB	UL2464	300V	59X2X28AWG	11/0.1	23.2	746.19	223 Ω /km
ANM05.003.60.028AB	UL2464	300V	60X2X28AWG	11/0.1	23.2	747.39	223 Ω /km
ANM05.003.61.028AB	UL2464	300V	61X2X28AWG	11/0.1	23.2	748.49	223 Ω /km
ANM05.003.62.028AB	UL2464	300V	62X2X28AWG	11/0.1	23.8	784.49	223 Ω /km
ANM05.003.63.028AB	UL2464	300V	63X2X28AWG	11/0.1	23.8	785.59	223 Ω /km
ANM05.003.64.028AB	UL2464	300V	64X2X28AWG	11/0.1	23.8	786.69	223 Ω /km
ANM05.003.65.028AB	UL2464	300V	65X2X28AWG	11/0.1	23.8	787.89	223 Ω /km
ANM05.003.02.027AB	UL2464	300V	2X2X27AWG	7/0.14	7.6	79.91	175 Ω /km
ANM05.003.03.027AB	UL2464	300V	3X2X27AWG	7/0.14	8	89.31	175 Ω /km
ANM05.003.04.027AB	UL2464	300V	4X2X27AWG	7/0.14	8.6	103.51	175 Ω /km
ANM05.003.05.027AB	UL2464	300V	5X2X27AWG	7/0.14	9.2	118.61	175 Ω /km
ANM05.003.06.027AB	UL2464	300V	6X2X27AWG	7/0.14	9.9	137.01	175 Ω /km
ANM05.003.07.027AB	UL2464	300V	7X2X27AWG	7/0.14	9.9	138.21	175 Ω /km
ANM05.003.08.027AB	UL2464	300V	8X2X27AWG	7/0.14	10.6	157.81	175 Ω /km
ANM05.003.09.027AB	UL2464	300V	9X2X27AWG	7/0.14	11.5	184.51	175 Ω /km
ANM05.003.10.027AB	UL2464	300V	10X2X27AWG	7/0.14	12.2	206.91	175 Ω /km
ANM05.003.11.027AB	UL2464	300V	11X2X27AWG	7/0.14	12.6	220.71	175 Ω /km
ANM05.003.12.027AB	UL2464	300V	12X2X27AWG	7/0.14	12.6	222.01	175 Ω /km
ANM05.003.13.027AB	UL2464	300V	13X2X27AWG	7/0.14	13.3	246.21	175 Ω /km
ANM05.003.14.027AB	UL2464	300V	14X2X27AWG	7/0.14	13.3	247.41	175 Ω /km
ANM05.003.15.027AB	UL2464	300V	15X2X27AWG	7/0.14	13.9	269.31	175 Ω /km
ANM05.003.16.027AB	UL2464	300V	16X2X27AWG	7/0.14	13.9	270.51	175 Ω /km
ANM05.003.17.027AB	UL2464	300V	17X2X27AWG	7/0.14	14.6	297.01	175 Ω /km
ANM05.003.18.027AB	UL2464	300V	18X2X27AWG	7/0.14	14.6	298.21	175 Ω /km
ANM05.003.19.027AB	UL2464	300V	19X2X27AWG	7/0.14	14.6	299.51	175 Ω /km



ANM05.003.20.027AB	UL2464	300V	20X2X27AWG	7/0.14	15	315.61	175 Ω /km
ANM05.003.21.027AB	UL2464	300V	21X2X27AWG	7/0.14	15.3	328.41	175 Ω /km
ANM05.003.22.027AB	UL2464	300V	22X2X27AWG	7/0.14	16.2	365.21	175 Ω /km
ANM05.003.23.027AB	UL2464	300V	23X2X27AWG	7/0.14	16.9	395.51	175 Ω /km
ANM05.003.24.027AB	UL2464	300V	24X2X27AWG	7/0.14	16.9	396.71	175 Ω /km
ANM05.003.25.027AB	UL2464	300V	25X2X27AWG	7/0.14	17.2	410.81	175 Ω /km
ANM05.003.26.027AB	UL2464	300V	26X2X27AWG	7/0.14	17.2	412.01	175 Ω /km
ANM05.003.27.027AB	UL2464	300V	27X2X27AWG	7/0.14	17.2	413.21	175 Ω /km
ANM05.003.28.027AB	UL2464	300V	28X2X27AWG	7/0.14	17.8	440.81	175 Ω /km
ANM05.003.29.027AB	UL2464	300V	29X2X27AWG	7/0.14	17.8	442.11	175 Ω /km
ANM05.003.30.027AB	UL2464	300V	30X2X27AWG	7/0.14	17.8	443.31	175 Ω /km
ANM05.003.31.027AB	UL2464	300V	31X2X27AWG	7/0.14	18.5	476.41	175 Ω /km
ANM05.003.32.027AB	UL2464	300V	32X2X27AWG	7/0.14	18.5	477.61	175 Ω /km
ANM05.003.33.027AB	UL2464	300V	33X2X27AWG	7/0.14	18.5	478.91	175 Ω /km
ANM05.003.34.027AB	UL2464	300V	34X2X27AWG	7/0.14	19.2	513.11	175 Ω /km
ANM05.003.35.027AB	UL2464	300V	35X2X27AWG	7/0.14	19.2	514.31	175 Ω /km
ANM05.003.36.027AB	UL2464	300V	36X2X27AWG	7/0.14	19.2	515.51	175 Ω /km
ANM05.003.37.027AB	UL2464	300V	37X2X27AWG	7/0.14	19.2	516.91	175 Ω /km
ANM05.003.38.027AB	UL2464	300V	38X2X27AWG	7/0.14	20.9	600.61	175 Ω /km
ANM05.003.39.027AB	UL2464	300V	39X2X27AWG	7/0.14	20.9	601.81	175 Ω /km
ANM05.003.40.027AB	UL2464	300V	40X2X27AWG	7/0.14	20.9	603.01	175 Ω /km
ANM05.003.41.027AB	UL2464	300V	41X2X27AWG	7/0.14	22.5	690.61	175 Ω /km
ANM05.003.42.027AB	UL2464	300V	42X2X27AWG	7/0.14	22.5	691.81	175 Ω /km
ANM05.003.43.027AB	UL2464	300V	43X2X27AWG	7/0.14	22.5	693.01	175 Ω /km
ANM05.003.44.027AB	UL2464	300V	44X2X27AWG	7/0.14	22.5	694.21	175 Ω /km
ANM05.003.45.027AB	UL2464	300V	45X2X27AWG	7/0.14	22.8	712.31	175 Ω /km
ANM05.003.46.027AB	UL2464	300V	46X2X27AWG	7/0.14	22.8	713.61	175 Ω /km
ANM05.003.47.027AB	UL2464	300V	47X2X27AWG	7/0.14	22.8	714.81	175 Ω /km
ANM05.003.48.027AB	UL2464	300V	48X2X27AWG	7/0.14	22.8	716.11	175 Ω /km
ANM05.003.49.027AB	UL2464	300V	49X2X27AWG	7/0.14	23.4	751.81	175 Ω /km
ANM05.003.50.027AB	UL2464	300V	50X2X27AWG	7/0.14	23.4	753.01	175 Ω /km
ANM05.003.51.027AB	UL2464	300V	51X2X27AWG	7/0.14	23.4	754.21	175 Ω /km
ANM05.003.52.027AB	UL2464	300V	52X2X27AWG	7/0.14	23.4	755.41	175 Ω /km
ANM05.003.53.027AB	UL2464	300V	53X2X27AWG	7/0.14	24.1	798.01	175 Ω /km
ANM05.003.54.027AB	UL2464	300V	54X2X27AWG	7/0.14	24.1	799.21	175 Ω /km
ANM05.003.55.027AB	UL2464	300V	55X2X27AWG	7/0.14	24.1	800.51	175 Ω /km
ANM05.003.56.027AB	UL2464	300V	56X2X27AWG	7/0.14	24.1	801.71	175 Ω /km
ANM05.003.57.027AB	UL2464	300V	57X2X27AWG	7/0.14	24.7	839.21	175 Ω /km
ANM05.003.58.027AB	UL2464	300V	58X2X27AWG	7/0.14	24.7	840.51	175 Ω /km
ANM05.003.59.027AB	UL2464	300V	59X2X27AWG	7/0.14	24.7	841.71	175 Ω /km
ANM05.003.60.027AB	UL2464	300V	60X2X27AWG	7/0.14	24.7	842.91	175 Ω /km
ANM05.003.61.027AB	UL2464	300V	61X2X27AWG	7/0.14	24.7	844.11	175 Ω /km



ANM05.003.62.027AB	UL2464	300V	62X2X27AWG	7/0.14	25.4	888.81	175 Ω /km
ANM05.003.63.027AB	UL2464	300V	63X2X27AWG	7/0.14	25.4	890.01	175 Ω /km
ANM05.003.64.027AB	UL2464	300V	64X2X27AWG	7/0.14	25.4	891.31	175 Ω /km
ANM05.003.65.027AB	UL2464	300V	65X2X27AWG	7/0.14	25.4	892.51	175 Ω /km
ANM05.003.02.026AB	UL2464	300V	2X2X26AWG	9/0.14	7.6	80.93	140 Ω /km
ANM05.003.03.026AB	UL2464	300V	3X2X26AWG	9/0.14	8	90.83	140 Ω /km
ANM05.003.04.026AB	UL2464	300V	4X2X26AWG	9/0.14	8.6	105.53	140 Ω /km
ANM05.003.05.026AB	UL2464	300V	5X2X26AWG	9/0.14	9.2	121.03	140 Ω /km
ANM05.003.06.026AB	UL2464	300V	6X2X26AWG	9/0.14	9.9	139.93	140 Ω /km
ANM05.003.07.026AB	UL2464	300V	7X2X26AWG	9/0.14	9.9	141.73	140 Ω /km
ANM05.003.08.026AB	UL2464	300V	8X2X26AWG	9/0.14	10.6	161.83	140 Ω /km
ANM05.003.09.026AB	UL2464	300V	9X2X26AWG	9/0.14	11.5	188.93	140 Ω /km
ANM05.003.10.026AB	UL2464	300V	10X2X26AWG	9/0.14	12.2	211.83	140 Ω /km
ANM05.003.11.026AB	UL2464	300V	11X2X26AWG	9/0.14	12.6	226.13	140 Ω /km
ANM05.003.12.026AB	UL2464	300V	12X2X26AWG	9/0.14	12.6	227.93	140 Ω /km
ANM05.003.13.026AB	UL2464	300V	13X2X26AWG	9/0.14	13.3	252.53	140 Ω /km
ANM05.003.14.026AB	UL2464	300V	14X2X26AWG	9/0.14	13.3	254.33	140 Ω /km
ANM05.003.15.026AB	UL2464	300V	15X2X26AWG	9/0.14	13.9	276.73	140 Ω /km
ANM05.003.16.026AB	UL2464	300V	16X2X26AWG	9/0.14	13.9	278.43	140 Ω /km
ANM05.003.17.026AB	UL2464	300V	17X2X26AWG	9/0.14	14.6	305.33	140 Ω /km
ANM05.003.18.026AB	UL2464	300V	18X2X26AWG	9/0.14	14.6	307.03	140 Ω /km
ANM05.003.19.026AB	UL2464	300V	19X2X26AWG	9/0.14	14.6	308.83	140 Ω /km
ANM05.003.20.026AB	UL2464	300V	20X2X26AWG	9/0.14	15	325.53	140 Ω /km
ANM05.003.21.026AB	UL2464	300V	21X2X26AWG	9/0.14	15.3	338.73	140 Ω /km
ANM05.003.22.026AB	UL2464	300V	22X2X26AWG	9/0.14	16.2	376.03	140 Ω /km
ANM05.003.23.026AB	UL2464	300V	23X2X26AWG	9/0.14	16.9	406.83	140 Ω /km
ANM05.003.24.026AB	UL2464	300V	24X2X26AWG	9/0.14	16.9	408.53	140 Ω /km
ANM05.003.25.026AB	UL2464	300V	25X2X26AWG	9/0.14	17.2	423.03	140 Ω /km
ANM05.003.26.026AB	UL2464	300V	26X2X26AWG	9/0.14	17.2	424.73	140 Ω /km
ANM05.003.27.026AB	UL2464	300V	27X2X26AWG	9/0.14	17.2	426.53	140 Ω /km
ANM05.003.28.026AB	UL2464	300V	28X2X26AWG	9/0.14	17.8	454.63	140 Ω /km
ANM05.003.29.026AB	UL2464	300V	29X2X26AWG	9/0.14	17.8	456.33	140 Ω /km
ANM05.003.30.026AB	UL2464	300V	30X2X26AWG	9/0.14	17.8	458.03	140 Ω /km
ANM05.003.31.026AB	UL2464	300V	31X2X26AWG	9/0.14	18.5	491.63	140 Ω /km
ANM05.003.32.026AB	UL2464	300V	32X2X26AWG	9/0.14	18.5	493.33	140 Ω /km
ANM05.003.33.026AB	UL2464	300V	33X2X26AWG	9/0.14	18.5	495.03	140 Ω /km
ANM05.003.34.026AB	UL2464	300V	34X2X26AWG	9/0.14	19.2	529.83	140 Ω /km
ANM05.003.35.026AB	UL2464	300V	35X2X26AWG	9/0.14	19.2	531.53	140 Ω /km
ANM05.003.36.026AB	UL2464	300V	36X2X26AWG	9/0.14	19.2	533.23	140 Ω /km
ANM05.003.37.026AB	UL2464	300V	37X2X26AWG	9/0.14	19.2	535.03	140 Ω /km
ANM05.003.38.026AB	UL2464	300V	38X2X26AWG	9/0.14	20.9	619.23	140 Ω /km
ANM05.003.39.026AB	UL2464	300V	39X2X26AWG	9/0.14	20.9	620.93	140 Ω /km



ANM05.003.40.026AB	UL2464	300V	40X2X26AWG	9/0.14	20.9	622.73	140 Ω /km
ANM05.003.41.026AB	UL2464	300V	41X2X26AWG	9/0.14	22.5	710.73	140 Ω /km
ANM05.003.42.026AB	UL2464	300V	42X2X26AWG	9/0.14	22.5	712.43	140 Ω /km
ANM05.003.43.026AB	UL2464	300V	43X2X26AWG	9/0.14	22.5	714.13	140 Ω /km
ANM05.003.44.026AB	UL2464	300V	44X2X26AWG	9/0.14	22.5	715.83	140 Ω /km
ANM05.003.45.026AB	UL2464	300V	45X2X26AWG	9/0.14	22.8	734.33	140 Ω /km
ANM05.003.46.026AB	UL2464	300V	46X2X26AWG	9/0.14	22.8	736.13	140 Ω /km
ANM05.003.47.026AB	UL2464	300V	47X2X26AWG	9/0.14	22.8	737.93	140 Ω /km
ANM05.003.48.026AB	UL2464	300V	48X2X26AWG	9/0.14	22.8	739.73	140 Ω /km
ANM05.003.49.026AB	UL2464	300V	49X2X26AWG	9/0.14	23.4	775.83	140 Ω /km
ANM05.003.50.026AB	UL2464	300V	50X2X26AWG	9/0.14	23.4	777.53	140 Ω /km
ANM05.003.51.026AB	UL2464	300V	51X2X26AWG	9/0.14	23.4	779.23	140 Ω /km
ANM05.003.52.026AB	UL2464	300V	52X2X26AWG	9/0.14	23.4	780.93	140 Ω /km
ANM05.003.53.026AB	UL2464	300V	53X2X26AWG	9/0.14	24.1	824.03	140 Ω /km
ANM05.003.54.026AB	UL2464	300V	54X2X26AWG	9/0.14	24.1	825.73	140 Ω /km
ANM05.003.55.026AB	UL2464	300V	55X2X26AWG	9/0.14	24.1	827.53	140 Ω /km
ANM05.003.56.026AB	UL2464	300V	56X2X26AWG	9/0.14	24.1	829.23	140 Ω /km
ANM05.003.57.026AB	UL2464	300V	57X2X26AWG	9/0.14	24.7	867.23	140 Ω /km
ANM05.003.58.026AB	UL2464	300V	58X2X26AWG	9/0.14	24.7	868.93	140 Ω /km
ANM05.003.59.026AB	UL2464	300V	59X2X26AWG	9/0.14	24.7	870.63	140 Ω /km
ANM05.003.60.026AB	UL2464	300V	60X2X26AWG	9/0.14	24.7	872.43	140 Ω /km
ANM05.003.61.026AB	UL2464	300V	61X2X26AWG	9/0.14	24.7	874.13	140 Ω /km
ANM05.003.62.026AB	UL2464	300V	62X2X26AWG	9/0.14	25.4	919.23	140 Ω /km
ANM05.003.63.026AB	UL2464	300V	63X2X26AWG	9/0.14	25.4	920.93	140 Ω /km
ANM05.003.64.026AB	UL2464	300V	64X2X26AWG	9/0.14	25.4	922.73	140 Ω /km
ANM05.003.65.026AB	UL2464	300V	65X2X26AWG	9/0.14	25.4	924.43	140 Ω /km
ANM05.003.02.025AB	UL2464	300V	2X2X25AWG	11/0.14	8	89.87	111 Ω /km
ANM05.003.03.025AB	UL2464	300V	3X2X25AWG	11/0.14	8.4	100.47	111 Ω /km
ANM05.003.04.025AB	UL2464	300V	4X2X25AWG	11/0.14	9	116.17	111 Ω /km
ANM05.003.05.025AB	UL2464	300V	5X2X25AWG	11/0.14	9.7	135.07	111 Ω /km
ANM05.003.06.025AB	UL2464	300V	6X2X25AWG	11/0.14	10.4	155.37	111 Ω /km
ANM05.003.07.025AB	UL2464	300V	7X2X25AWG	11/0.14	10.4	157.37	111 Ω /km
ANM05.003.08.025AB	UL2464	300V	8X2X25AWG	11/0.14	11.2	181.57	111 Ω /km
ANM05.003.09.025AB	UL2464	300V	9X2X25AWG	11/0.14	12.2	213.57	111 Ω /km
ANM05.003.10.025AB	UL2464	300V	10X2X25AWG	11/0.14	12.9	237.87	111 Ω /km
ANM05.003.11.025AB	UL2464	300V	11X2X25AWG	11/0.14	13.4	256.57	111 Ω /km
ANM05.003.12.025AB	UL2464	300V	12X2X25AWG	11/0.14	13.4	258.67	111 Ω /km
ANM05.003.13.025AB	UL2464	300V	13X2X25AWG	11/0.14	14	281.47	111 Ω /km
ANM05.003.14.025AB	UL2464	300V	14X2X25AWG	11/0.14	14	283.57	111 Ω /km
ANM05.003.15.025AB	UL2464	300V	15X2X25AWG	11/0.14	14.7	311.07	111 Ω /km
ANM05.003.16.025AB	UL2464	300V	16X2X25AWG	11/0.14	14.7	313.27	111 Ω /km
ANM05.003.17.025AB	UL2464	300V	17X2X25AWG	11/0.14	15.5	345.67	111 Ω /km



ANM05.003.18.025AB	UL2464	300V	18X2X25AWG	11/0.14	15.5	347.87	111 Ω /km
ANM05.003.19.025AB	UL2464	300V	19X2X25AWG	11/0.14	15.5	349.87	111 Ω /km
ANM05.003.20.025AB	UL2464	300V	20X2X25AWG	11/0.14	15.9	367.87	111 Ω /km
ANM05.003.21.025AB	UL2464	300V	21X2X25AWG	11/0.14	16.2	381.97	111 Ω /km
ANM05.003.22.025AB	UL2464	300V	22X2X25AWG	11/0.14	17.2	425.87	111 Ω /km
ANM05.003.23.025AB	UL2464	300V	23X2X25AWG	11/0.14	17.9	458.87	111 Ω /km
ANM05.003.24.025AB	UL2464	300V	24X2X25AWG	11/0.14	17.9	460.87	111 Ω /km
ANM05.003.25.025AB	UL2464	300V	25X2X25AWG	11/0.14	18.3	481.27	111 Ω /km
ANM05.003.26.025AB	UL2464	300V	26X2X25AWG	11/0.14	18.3	483.37	111 Ω /km
ANM05.003.27.025AB	UL2464	300V	27X2X25AWG	11/0.14	18.3	485.47	111 Ω /km
ANM05.003.28.025AB	UL2464	300V	28X2X25AWG	11/0.14	19	520.07	111 Ω /km
ANM05.003.29.025AB	UL2464	300V	29X2X25AWG	11/0.14	19	522.27	111 Ω /km
ANM05.003.30.025AB	UL2464	300V	30X2X25AWG	11/0.14	19	524.27	111 Ω /km
ANM05.003.31.025AB	UL2464	300V	31X2X25AWG	11/0.14	20.7	608.07	111 Ω /km
ANM05.003.32.025AB	UL2464	300V	32X2X25AWG	11/0.14	20.7	610.27	111 Ω /km
ANM05.003.33.025AB	UL2464	300V	33X2X25AWG	11/0.14	20.7	612.27	111 Ω /km
ANM05.003.34.025AB	UL2464	300V	34X2X25AWG	11/0.14	21.4	650.97	111 Ω /km
ANM05.003.35.025AB	UL2464	300V	35X2X25AWG	11/0.14	21.4	653.07	111 Ω /km
ANM05.003.36.025AB	UL2464	300V	36X2X25AWG	11/0.14	21.4	655.17	111 Ω /km
ANM05.003.37.025AB	UL2464	300V	37X2X25AWG	11/0.14	21.4	657.27	111 Ω /km
ANM05.003.38.025AB	UL2464	300V	38X2X25AWG	11/0.14	22.1	697.17	111 Ω /km
ANM05.003.39.025AB	UL2464	300V	39X2X25AWG	11/0.14	22.1	699.37	111 Ω /km
ANM05.003.40.025AB	UL2464	300V	40X2X25AWG	11/0.14	22.1	701.47	111 Ω /km
ANM05.003.41.025AB	UL2464	300V	41X2X25AWG	11/0.14	23.9	806.27	111 Ω /km
ANM05.003.42.025AB	UL2464	300V	42X2X25AWG	11/0.14	23.9	808.37	111 Ω /km
ANM05.003.43.025AB	UL2464	300V	43X2X25AWG	11/0.14	23.9	810.47	111 Ω /km
ANM05.003.44.025AB	UL2464	300V	44X2X25AWG	11/0.14	23.9	812.57	111 Ω /km
ANM05.003.45.025AB	UL2464	300V	45X2X25AWG	11/0.14	24.3	838.67	111 Ω /km
ANM05.003.46.025AB	UL2464	300V	46X2X25AWG	11/0.14	24.3	840.77	111 Ω /km
ANM05.003.47.025AB	UL2464	300V	47X2X25AWG	11/0.14	24.3	842.87	111 Ω /km
ANM05.003.48.025AB	UL2464	300V	48X2X25AWG	11/0.14	24.3	845.07	111 Ω /km
ANM05.003.49.025AB	UL2464	300V	49X2X25AWG	11/0.14	24.9	883.57	111 Ω /km
ANM05.003.50.025AB	UL2464	300V	50X2X25AWG	11/0.14	24.9	885.77	111 Ω /km
ANM05.003.51.025AB	UL2464	300V	51X2X25AWG	11/0.14	24.9	887.67	111 Ω /km
ANM05.003.52.025AB	UL2464	300V	52X2X25AWG	11/0.14	24.9	889.87	111 Ω /km
ANM05.003.53.025AB	UL2464	300V	53X2X25AWG	11/0.14	25.6	935.77	111 Ω /km
ANM05.003.54.025AB	UL2464	300V	54X2X25AWG	11/0.14	25.6	937.77	111 Ω /km
ANM05.003.55.025AB	UL2464	300V	55X2X25AWG	11/0.14	25.6	939.97	111 Ω /km
ANM05.003.56.025AB	UL2464	300V	56X2X25AWG	11/0.14	25.6	941.97	111 Ω /km
ANM05.003.57.025AB	UL2464	300V	57X2X25AWG	11/0.14	26.3	989.17	111 Ω /km
ANM05.003.58.025AB	UL2464	300V	58X2X25AWG	11/0.14	26.3	991.27	111 Ω /km
ANM05.003.59.025AB	UL2464	300V	59X2X25AWG	11/0.14	26.3	993.37	111 Ω /km



ANM05.003.60.025AB	UL2464	300V	60X2X25AWG	11/0.14	26.3	995.47	111 Ω /km
ANM05.003.61.025AB	UL2464	300V	61X2X25AWG	11/0.14	26.3	997.47	111 Ω /km
ANM05.003.62.025AB	UL2464	300V	62X2X25AWG	11/0.14	27.1	1052.47	111 Ω /km
ANM05.003.63.025AB	UL2464	300V	63X2X25AWG	11/0.14	27.1	1054.57	111 Ω /km
ANM05.003.64.025AB	UL2464	300V	64X2X25AWG	11/0.14	27.1	1056.67	111 Ω /km
ANM05.003.65.025AB	UL2464	300V	65X2X25AWG	11/0.14	27.1	1058.77	111 Ω /km
ANM05.003.02.024AB	UL2464	300V	2X2X24AWG	14/0.14	8	91.51	87.6 Ω /km
ANM05.003.03.024AB	UL2464	300V	3X2X24AWG	14/0.14	8.4	103.01	87.6 Ω /km
ANM05.003.04.024AB	UL2464	300V	4X2X24AWG	14/0.14	9	119.41	87.6 Ω /km
ANM05.003.05.024AB	UL2464	300V	5X2X24AWG	14/0.14	9.7	139.21	87.6 Ω /km
ANM05.003.06.024AB	UL2464	300V	6X2X24AWG	14/0.14	10.4	160.31	87.6 Ω /km
ANM05.003.07.024AB	UL2464	300V	7X2X24AWG	14/0.14	10.4	163.11	87.6 Ω /km
ANM05.003.08.024AB	UL2464	300V	8X2X24AWG	14/0.14	11.2	188.11	87.6 Ω /km
ANM05.003.09.024AB	UL2464	300V	9X2X24AWG	14/0.14	12.2	220.91	87.6 Ω /km
ANM05.003.10.024AB	UL2464	300V	10X2X24AWG	14/0.14	12.9	246.01	87.6 Ω /km
ANM05.003.11.024AB	UL2464	300V	11X2X24AWG	14/0.14	13.4	265.51	87.6 Ω /km
ANM05.003.12.024AB	UL2464	300V	12X2X24AWG	14/0.14	13.4	268.51	87.6 Ω /km
ANM05.003.13.024AB	UL2464	300V	13X2X24AWG	14/0.14	14	292.01	87.6 Ω /km
ANM05.003.14.024AB	UL2464	300V	14X2X24AWG	14/0.14	14	295.01	87.6 Ω /km
ANM05.003.15.024AB	UL2464	300V	15X2X24AWG	14/0.14	14.7	323.31	87.6 Ω /km
ANM05.003.16.024AB	UL2464	300V	16X2X24AWG	14/0.14	14.7	326.21	87.6 Ω /km
ANM05.003.17.024AB	UL2464	300V	17X2X24AWG	14/0.14	15.5	359.51	87.6 Ω /km
ANM05.003.18.024AB	UL2464	300V	18X2X24AWG	14/0.14	15.5	362.51	87.6 Ω /km
ANM05.003.19.024AB	UL2464	300V	19X2X24AWG	14/0.14	15.5	365.31	87.6 Ω /km
ANM05.003.20.024AB	UL2464	300V	20X2X24AWG	14/0.14	15.9	384.11	87.6 Ω /km
ANM05.003.21.024AB	UL2464	300V	21X2X24AWG	14/0.14	16.2	399.11	87.6 Ω /km
ANM05.003.22.024AB	UL2464	300V	22X2X24AWG	14/0.14	17.2	443.71	87.6 Ω /km
ANM05.003.23.024AB	UL2464	300V	23X2X24AWG	14/0.14	17.9	477.51	87.6 Ω /km
ANM05.003.24.024AB	UL2464	300V	24X2X24AWG	14/0.14	17.9	480.41	87.6 Ω /km
ANM05.003.25.024AB	UL2464	300V	25X2X24AWG	14/0.14	18.3	501.51	87.6 Ω /km
ANM05.003.26.024AB	UL2464	300V	26X2X24AWG	14/0.14	18.3	504.51	87.6 Ω /km
ANM05.003.27.024AB	UL2464	300V	27X2X24AWG	14/0.14	18.3	507.41	87.6 Ω /km
ANM05.003.28.024AB	UL2464	300V	28X2X24AWG	14/0.14	19	542.91	87.6 Ω /km
ANM05.003.29.024AB	UL2464	300V	29X2X24AWG	14/0.14	19	545.81	87.6 Ω /km
ANM05.003.30.024AB	UL2464	300V	30X2X24AWG	14/0.14	19	548.71	87.6 Ω /km
ANM05.003.31.024AB	UL2464	300V	31X2X24AWG	14/0.14	20.7	633.31	87.6 Ω /km
ANM05.003.32.024AB	UL2464	300V	32X2X24AWG	14/0.14	20.7	636.21	87.6 Ω /km
ANM05.003.33.024AB	UL2464	300V	33X2X24AWG	14/0.14	20.7	639.11	87.6 Ω /km
ANM05.003.34.024AB	UL2464	300V	34X2X24AWG	14/0.14	21.4	678.61	87.6 Ω /km
ANM05.003.35.024AB	UL2464	300V	35X2X24AWG	14/0.14	21.4	681.51	87.6 Ω /km
ANM05.003.36.024AB	UL2464	300V	36X2X24AWG	14/0.14	21.4	684.41	87.6 Ω /km
ANM05.003.37.024AB	UL2464	300V	37X2X24AWG	14/0.14	21.4	687.41	87.6 Ω /km



ANM05.003.38.024AB	UL2464	300V	38X2X24AWG	14/0.14	22.1	728.01	87.6Ω/km
ANM05.003.39.024AB	UL2464	300V	39X2X24AWG	14/0.14	22.1	731.01	87.6Ω/km
ANM05.003.40.024AB	UL2464	300V	40X2X24AWG	14/0.14	22.1	734.01	87.6Ω/km
ANM05.003.41.024AB	UL2464	300V	41X2X24AWG	14/0.14	23.9	839.51	87.6Ω/km
ANM05.003.42.024AB	UL2464	300V	42X2X24AWG	14/0.14	23.9	842.51	87.6Ω/km
ANM05.003.43.024AB	UL2464	300V	43X2X24AWG	14/0.14	23.9	845.41	87.6Ω/km
ANM05.003.44.024AB	UL2464	300V	44X2X24AWG	14/0.14	23.9	848.31	87.6Ω/km
ANM05.003.45.024AB	UL2464	300V	45X2X24AWG	14/0.14	24.3	875.21	87.6Ω/km
ANM05.003.46.024AB	UL2464	300V	46X2X24AWG	14/0.14	24.3	878.11	87.6Ω/km
ANM05.003.47.024AB	UL2464	300V	47X2X24AWG	14/0.14	24.3	881.01	87.6Ω/km
ANM05.003.48.024AB	UL2464	300V	48X2X24AWG	14/0.14	24.3	884.01	87.6Ω/km
ANM05.003.49.024AB	UL2464	300V	49X2X24AWG	14/0.14	24.9	923.41	87.6Ω/km
ANM05.003.50.024AB	UL2464	300V	50X2X24AWG	14/0.14	24.9	926.31	87.6Ω/km
ANM05.003.51.024AB	UL2464	300V	51X2X24AWG	14/0.14	24.9	929.11	87.6Ω/km
ANM05.003.52.024AB	UL2464	300V	52X2X24AWG	14/0.14	24.9	932.11	87.6Ω/km
ANM05.003.53.024AB	UL2464	300V	53X2X24AWG	14/0.14	25.6	978.81	87.6Ω/km
ANM05.003.54.024AB	UL2464	300V	54X2X24AWG	14/0.14	25.6	981.61	87.6Ω/km
ANM05.003.55.024AB	UL2464	300V	55X2X24AWG	14/0.14	25.6	984.61	87.6Ω/km
ANM05.003.56.024AB	UL2464	300V	56X2X24AWG	14/0.14	25.6	987.51	87.6Ω/km
ANM05.003.57.024AB	UL2464	300V	57X2X24AWG	14/0.14	26.3	1035.41	87.6Ω/km
ANM05.003.58.024AB	UL2464	300V	58X2X24AWG	14/0.14	26.3	1038.41	87.6Ω/km
ANM05.003.59.024AB	UL2464	300V	59X2X24AWG	14/0.14	26.3	1041.31	87.6Ω/km
ANM05.003.60.024AB	UL2464	300V	60X2X24AWG	14/0.14	26.3	1044.21	87.6Ω/km
ANM05.003.61.024AB	UL2464	300V	61X2X24AWG	14/0.14	26.3	1047.01	87.6Ω/km
ANM05.003.62.024AB	UL2464	300V	62X2X24AWG	14/0.14	27.1	1102.81	87.6Ω/km
ANM05.003.63.024AB	UL2464	300V	63X2X24AWG	14/0.14	27.1	1105.71	87.6Ω/km
ANM05.003.64.024AB	UL2464	300V	64X2X24AWG	14/0.14	27.1	1108.61	87.6Ω/km
ANM05.003.65.024AB	UL2464	300V	65X2X24AWG	14/0.14	27.1	1111.61	87.6Ω/km
ANM05.003.02.023AB	UL2464	300V	2X2X23AWG	17/0.14	8.3	99.36	69.2Ω/km
ANM05.003.03.023AB	UL2464	300V	3X2X23AWG	17/0.14	8.7	111.76	69.2Ω/km
ANM05.003.04.023AB	UL2464	300V	4X2X23AWG	17/0.14	9.4	131.76	69.2Ω/km
ANM05.003.05.023AB	UL2464	300V	5X2X23AWG	17/0.14	10.2	155.56	69.2Ω/km
ANM05.003.06.023AB	UL2464	300V	6X2X23AWG	17/0.14	11	180.86	69.2Ω/km
ANM05.003.07.023AB	UL2464	300V	7X2X23AWG	17/0.14	11	184.46	69.2Ω/km
ANM05.003.08.023AB	UL2464	300V	8X2X23AWG	17/0.14	11.8	211.26	69.2Ω/km
ANM05.003.09.023AB	UL2464	300V	9X2X23AWG	17/0.14	12.8	246.06	69.2Ω/km
ANM05.003.10.023AB	UL2464	300V	10X2X23AWG	17/0.14	13.7	279.76	69.2Ω/km
ANM05.003.11.023AB	UL2464	300V	11X2X23AWG	17/0.14	14.1	297.56	69.2Ω/km
ANM05.003.12.023AB	UL2464	300V	12X2X23AWG	17/0.14	14.1	301.26	69.2Ω/km
ANM05.003.13.023AB	UL2464	300V	13X2X23AWG	17/0.14	14.8	330.36	69.2Ω/km
ANM05.003.14.023AB	UL2464	300V	14X2X23AWG	17/0.14	14.8	333.96	69.2Ω/km
ANM05.003.15.023AB	UL2464	300V	15X2X23AWG	17/0.14	15.6	368.16	69.2Ω/km





ANM05.003.16.023AB	UL2464	300V	16X2X23AWG	17/0.14	15.6	371.66	69.2 Ω/km
ANM05.003.17.023AB	UL2464	300V	17X2X23AWG	17/0.14	16.3	403.36	69.2 Ω/km
ANM05.003.18.023AB	UL2464	300V	18X2X23AWG	17/0.14	16.3	406.96	69.2 Ω/km
ANM05.003.19.023AB	UL2464	300V	19X2X23AWG	17/0.14	16.3	410.66	69.2 Ω/km
ANM05.003.20.023AB	UL2464	300V	20X2X23AWG	17/0.14	16.8	434.96	69.2 Ω/km
ANM05.003.21.023AB	UL2464	300V	21X2X23AWG	17/0.14	17.1	451.36	69.2 Ω/km
ANM05.003.22.023AB	UL2464	300V	22X2X23AWG	17/0.14	18.2	503.66	69.2 Ω/km
ANM05.003.23.023AB	UL2464	300V	23X2X23AWG	17/0.14	19	544.26	69.2 Ω/km
ANM05.003.24.023AB	UL2464	300V	24X2X23AWG	17/0.14	19	547.86	69.2 Ω/km
ANM05.003.25.023AB	UL2464	300V	25X2X23AWG	17/0.14	19.4	570.76	69.2 Ω/km
ANM05.003.26.023AB	UL2464	300V	26X2X23AWG	17/0.14	19.4	574.26	69.2 Ω/km
ANM05.003.27.023AB	UL2464	300V	27X2X23AWG	17/0.14	19.4	577.96	69.2 Ω/km
ANM05.003.28.023AB	UL2464	300V	28X2X23AWG	17/0.14	21.1	664.86	69.2 Ω/km
ANM05.003.29.023AB	UL2464	300V	29X2X23AWG	17/0.14	21.1	668.56	69.2 Ω/km
ANM05.003.30.023AB	UL2464	300V	30X2X23AWG	17/0.14	21.1	672.16	69.2 Ω/km
ANM05.003.31.023AB	UL2464	300V	31X2X23AWG	17/0.14	21.8	712.96	69.2 Ω/km
ANM05.003.32.023AB	UL2464	300V	32X2X23AWG	17/0.14	21.8	716.66	69.2 Ω/km
ANM05.003.33.023AB	UL2464	300V	33X2X23AWG	17/0.14	21.8	720.16	69.2 Ω/km
ANM05.003.34.023AB	UL2464	300V	34X2X23AWG	17/0.14	22.6	767.96	69.2 Ω/km
ANM05.003.35.023AB	UL2464	300V	35X2X23AWG	17/0.14	22.6	771.56	69.2 Ω/km
ANM05.003.36.023AB	UL2464	300V	36X2X23AWG	17/0.14	22.6	775.16	69.2 Ω/km
ANM05.003.37.023AB	UL2464	300V	37X2X23AWG	17/0.14	22.6	778.86	69.2 Ω/km
ANM05.003.38.023AB	UL2464	300V	38X2X23AWG	17/0.14	23.4	828.06	69.2 Ω/km
ANM05.003.39.023AB	UL2464	300V	39X2X23AWG	17/0.14	23.4	831.56	69.2 Ω/km
ANM05.003.40.023AB	UL2464	300V	40X2X23AWG	17/0.14	23.4	835.26	69.2 Ω/km
ANM05.003.41.023AB	UL2464	300V	41X2X23AWG	17/0.14	25.3	953.56	69.2 Ω/km
ANM05.003.42.023AB	UL2464	300V	42X2X23AWG	17/0.14	25.3	957.16	69.2 Ω/km
ANM05.003.43.023AB	UL2464	300V	43X2X23AWG	17/0.14	25.3	960.76	69.2 Ω/km
ANM05.003.44.023AB	UL2464	300V	44X2X23AWG	17/0.14	25.3	964.46	69.2 Ω/km
ANM05.003.45.023AB	UL2464	300V	45X2X23AWG	17/0.14	25.7	993.26	69.2 Ω/km
ANM05.003.46.023AB	UL2464	300V	46X2X23AWG	17/0.14	25.7	996.76	69.2 Ω/km
ANM05.003.47.023AB	UL2464	300V	47X2X23AWG	17/0.14	25.7	1000.36	69.2 Ω/km
ANM05.003.48.023AB	UL2464	300V	48X2X23AWG	17/0.14	25.7	1004.06	69.2 Ω/km
ANM05.003.49.023AB	UL2464	300V	49X2X23AWG	17/0.14	26.4	1052.76	69.2 Ω/km
ANM05.003.50.023AB	UL2464	300V	50X2X23AWG	17/0.14	26.4	1056.46	69.2 Ω/km
ANM05.003.51.023AB	UL2464	300V	51X2X23AWG	17/0.14	26.4	1060.06	69.2 Ω/km
ANM05.003.52.023AB	UL2464	300V	52X2X23AWG	17/0.14	26.4	1063.66	69.2 Ω/km
ANM05.003.53.023AB	UL2464	300V	53X2X23AWG	17/0.14	27.1	1113.56	69.2 Ω/km
ANM05.003.54.023AB	UL2464	300V	54X2X23AWG	17/0.14	27.1	1117.16	69.2 Ω/km
ANM05.003.55.023AB	UL2464	300V	55X2X23AWG	17/0.14	27.1	1120.66	69.2 Ω/km
ANM05.003.56.023AB	UL2464	300V	56X2X23AWG	17/0.14	27.1	1124.36	69.2 Ω/km
ANM05.003.57.023AB	UL2464	300V	57X2X23AWG	17/0.14	27.9	1182.36	69.2 Ω/km



ANM05.003.58.023AB	UL2464	300V	58X2X23AWG	17/0.14	27.9	1186.06	69.2Ω/km
ANM05.003.59.023AB	UL2464	300V	59X2X23AWG	17/0.14	27.9	1189.56	69.2Ω/km
ANM05.003.60.023AB	UL2464	300V	60X2X23AWG	17/0.14	27.9	1193.26	69.2Ω/km
ANM05.003.61.023AB	UL2464	300V	61X2X23AWG	17/0.14	27.9	1196.76	69.2Ω/km
ANM05.003.62.023AB	UL2464	300V	62X2X23AWG	17/0.14	29.7	1325.46	69.2Ω/km
ANM05.003.63.023AB	UL2464	300V	63X2X23AWG	17/0.14	29.7	1329.16	69.2Ω/km
ANM05.003.64.023AB	UL2464	300V	64X2X23AWG	17/0.14	29.7	1332.76	69.2Ω/km
ANM05.003.65.023AB	UL2464	300V	65X2X23AWG	17/0.14	29.7	1336.36	69.2Ω/km
ANM05.003.02.022AB	UL2464	300V	2X2X22AWG	22/0.14	8.7	109.93	55.4Ω/km
ANM05.003.03.022AB	UL2464	300V	3X2X22AWG	22/0.14	9.1	123.63	55.4Ω/km
ANM05.003.04.022AB	UL2464	300V	4X2X22AWG	22/0.14	9.8	144.93	55.4Ω/km
ANM05.003.05.022AB	UL2464	300V	5X2X22AWG	22/0.14	10.7	173.23	55.4Ω/km
ANM05.003.06.022AB	UL2464	300V	6X2X22AWG	22/0.14	11.5	200.23	55.4Ω/km
ANM05.003.07.022AB	UL2464	300V	7X2X22AWG	22/0.14	11.5	204.73	55.4Ω/km
ANM05.003.08.022AB	UL2464	300V	8X2X22AWG	22/0.14	12.3	233.63	55.4Ω/km
ANM05.003.09.022AB	UL2464	300V	9X2X22AWG	22/0.14	13.6	280.63	55.4Ω/km
ANM05.003.10.022AB	UL2464	300V	10X2X22AWG	22/0.14	14.4	313.33	55.4Ω/km
ANM05.003.11.022AB	UL2464	300V	11X2X22AWG	22/0.14	14.9	336.23	55.4Ω/km
ANM05.003.12.022AB	UL2464	300V	12X2X22AWG	22/0.14	14.9	340.63	55.4Ω/km
ANM05.003.13.022AB	UL2464	300V	13X2X22AWG	22/0.14	15.6	372.03	55.4Ω/km
ANM05.003.14.022AB	UL2464	300V	14X2X22AWG	22/0.14	15.6	376.43	55.4Ω/km
ANM05.003.15.022AB	UL2464	300V	15X2X22AWG	22/0.14	16.4	413.23	55.4Ω/km
ANM05.003.16.022AB	UL2464	300V	16X2X22AWG	22/0.14	16.4	417.73	55.4Ω/km
ANM05.003.17.022AB	UL2464	300V	17X2X22AWG	22/0.14	17.2	455.83	55.4Ω/km
ANM05.003.18.022AB	UL2464	300V	18X2X22AWG	22/0.14	17.2	460.23	55.4Ω/km
ANM05.003.19.022AB	UL2464	300V	19X2X22AWG	22/0.14	17.2	464.73	55.4Ω/km
ANM05.003.20.022AB	UL2464	300V	20X2X22AWG	22/0.14	17.7	491.03	55.4Ω/km
ANM05.003.21.022AB	UL2464	300V	21X2X22AWG	22/0.14	18.1	513.33	55.4Ω/km
ANM05.003.22.022AB	UL2464	300V	22X2X22AWG	22/0.14	19.2	569.13	55.4Ω/km
ANM05.003.23.022AB	UL2464	300V	23X2X22AWG	22/0.14	21	661.33	55.4Ω/km
ANM05.003.24.022AB	UL2464	300V	24X2X22AWG	22/0.14	21	665.73	55.4Ω/km
ANM05.003.25.022AB	UL2464	300V	25X2X22AWG	22/0.14	21.5	696.73	55.4Ω/km
ANM05.003.26.022AB	UL2464	300V	26X2X22AWG	22/0.14	21.5	701.13	55.4Ω/km
ANM05.003.27.022AB	UL2464	300V	27X2X22AWG	22/0.14	21.5	705.53	55.4Ω/km
ANM05.003.28.022AB	UL2464	300V	28X2X22AWG	22/0.14	22.2	748.03	55.4Ω/km
ANM05.003.29.022AB	UL2464	300V	29X2X22AWG	22/0.14	22.2	752.53	55.4Ω/km
ANM05.003.30.022AB	UL2464	300V	30X2X22AWG	22/0.14	22.2	757.03	55.4Ω/km
ANM05.003.31.022AB	UL2464	300V	31X2X22AWG	22/0.14	23	806.43	55.4Ω/km
ANM05.003.32.022AB	UL2464	300V	32X2X22AWG	22/0.14	23	810.93	55.4Ω/km
ANM05.003.33.022AB	UL2464	300V	33X2X22AWG	22/0.14	23	815.33	55.4Ω/km
ANM05.003.34.022AB	UL2464	300V	34X2X22AWG	22/0.14	23.9	872.13	55.4Ω/km
ANM05.003.35.022AB	UL2464	300V	35X2X22AWG	22/0.14	23.9	876.53	55.4Ω/km



ANM05.003.36.022AB	UL2464	300V	36X2X22AWG	22/0.14	23.9	881.03	55.4Ω/km
ANM05.003.37.022AB	UL2464	300V	37X2X22AWG	22/0.14	23.9	885.43	55.4Ω/km
ANM05.003.38.022AB	UL2464	300V	38X2X22AWG	22/0.14	24.7	938.23	55.4Ω/km
ANM05.003.39.022AB	UL2464	300V	39X2X22AWG	22/0.14	24.7	942.63	55.4Ω/km
ANM05.003.40.022AB	UL2464	300V	40X2X22AWG	22/0.14	24.7	947.13	55.4Ω/km
ANM05.003.41.022AB	UL2464	300V	41X2X22AWG	22/0.14	26.7	1078.73	55.4Ω/km
ANM05.003.42.022AB	UL2464	300V	42X2X22AWG	22/0.14	26.7	1083.23	55.4Ω/km
ANM05.003.43.022AB	UL2464	300V	43X2X22AWG	22/0.14	26.7	1087.63	55.4Ω/km
ANM05.003.44.022AB	UL2464	300V	44X2X22AWG	22/0.14	26.7	1092.23	55.4Ω/km
ANM05.003.45.022AB	UL2464	300V	45X2X22AWG	22/0.14	27.1	1123.13	55.4Ω/km
ANM05.003.46.022AB	UL2464	300V	46X2X22AWG	22/0.14	27.1	1127.73	55.4Ω/km
ANM05.003.47.022AB	UL2464	300V	47X2X22AWG	22/0.14	27.1	1132.13	55.4Ω/km
ANM05.003.48.022AB	UL2464	300V	48X2X22AWG	22/0.14	27.1	1136.63	55.4Ω/km
ANM05.003.49.022AB	UL2464	300V	49X2X22AWG	22/0.14	27.8	1188.63	55.4Ω/km
ANM05.003.50.022AB	UL2464	300V	50X2X22AWG	22/0.14	27.8	1193.13	55.4Ω/km
ANM05.003.51.022AB	UL2464	300V	51X2X22AWG	22/0.14	27.8	1197.53	55.4Ω/km
ANM05.003.52.022AB	UL2464	300V	52X2X22AWG	22/0.14	27.8	1201.93	55.4Ω/km
ANM05.003.53.022AB	UL2464	300V	53X2X22AWG	22/0.14	29.7	1338.43	55.4Ω/km
ANM05.003.54.022AB	UL2464	300V	54X2X22AWG	22/0.14	29.7	1342.93	55.4Ω/km
ANM05.003.55.022AB	UL2464	300V	55X2X22AWG	22/0.14	29.7	1347.43	55.4Ω/km
ANM05.003.56.022AB	UL2464	300V	56X2X22AWG	22/0.14	29.7	1351.83	55.4Ω/km
ANM05.003.57.022AB	UL2464	300V	57X2X22AWG	22/0.14	30.9	1480.53	55.4Ω/km
ANM05.003.58.022AB	UL2464	300V	58X2X22AWG	22/0.14	30.9	1484.93	55.4Ω/km
ANM05.003.59.022AB	UL2464	300V	59X2X22AWG	22/0.14	30.9	1489.53	55.4Ω/km
ANM05.003.60.022AB	UL2464	300V	60X2X22AWG	22/0.14	30.9	1493.93	55.4Ω/km
ANM05.003.61.022AB	UL2464	300V	61X2X22AWG	22/0.14	30.9	1498.53	55.4Ω/km
ANM05.003.62.022AB	UL2464	300V	62X2X22AWG	22/0.14	31.7	1565.63	55.4Ω/km
ANM05.003.63.022AB	UL2464	300V	63X2X22AWG	22/0.14	31.7	1570.13	55.4Ω/km
ANM05.003.64.022AB	UL2464	300V	64X2X22AWG	22/0.14	31.7	1574.53	55.4Ω/km
ANM05.003.65.022AB	UL2464	300V	65X2X22AWG	22/0.14	31.7	1579.03	55.4Ω/km
ANM05.003.02.021AB	UL2464	300V	2X2X21AWG	27/0.14	9	119.42	43.6Ω/km
ANM05.003.03.021AB	UL2464	300V	3X2X21AWG	27/0.14	9.5	137.02	43.6Ω/km
ANM05.003.04.021AB	UL2464	300V	4X2X21AWG	27/0.14	10.3	163.02	43.6Ω/km
ANM05.003.05.021AB	UL2464	300V	5X2X21AWG	27/0.14	11.1	190.62	43.6Ω/km
ANM05.003.06.021AB	UL2464	300V	6X2X21AWG	27/0.14	12	222.82	43.6Ω/km
ANM05.003.07.021AB	UL2464	300V	7X2X21AWG	27/0.14	12	228.52	43.6Ω/km
ANM05.003.08.021AB	UL2464	300V	8X2X21AWG	27/0.14	12.9	262.72	43.6Ω/km
ANM05.003.09.021AB	UL2464	300V	9X2X21AWG	27/0.14	14.2	312.92	43.6Ω/km
ANM05.003.10.021AB	UL2464	300V	10X2X21AWG	27/0.14	15.1	351.82	43.6Ω/km
ANM05.003.11.021AB	UL2464	300V	11X2X21AWG	27/0.14	15.6	376.82	43.6Ω/km
ANM05.003.12.021AB	UL2464	300V	12X2X21AWG	27/0.14	15.6	382.52	43.6Ω/km
ANM05.003.13.021AB	UL2464	300V	13X2X21AWG	27/0.14	16.4	420.52	43.6Ω/km



ANM05.003.14.021AB	UL2464	300V	14X2X21AWG	27/0.14	16.4	426.22	43.6Ω/km
ANM05.003.15.021AB	UL2464	300V	15X2X21AWG	27/0.14	17.2	465.62	43.6Ω/km
ANM05.003.16.021AB	UL2464	300V	16X2X21AWG	27/0.14	17.2	471.22	43.6Ω/km
ANM05.003.17.021AB	UL2464	300V	17X2X21AWG	27/0.14	18.1	516.62	43.6Ω/km
ANM05.003.18.021AB	UL2464	300V	18X2X21AWG	27/0.14	18.1	522.32	43.6Ω/km
ANM05.003.19.021AB	UL2464	300V	19X2X21AWG	27/0.14	18.1	528.12	43.6Ω/km
ANM05.003.20.021AB	UL2464	300V	20X2X21AWG	27/0.14	18.6	556.82	43.6Ω/km
ANM05.003.21.021AB	UL2464	300V	21X2X21AWG	27/0.14	19	581.32	43.6Ω/km
ANM05.003.22.021AB	UL2464	300V	22X2X21AWG	27/0.14	21.2	694.62	43.6Ω/km
ANM05.003.23.021AB	UL2464	300V	23X2X21AWG	27/0.14	22.1	748.72	43.6Ω/km
ANM05.003.24.021AB	UL2464	300V	24X2X21AWG	27/0.14	22.1	754.42	43.6Ω/km
ANM05.003.25.021AB	UL2464	300V	25X2X21AWG	27/0.14	22.6	788.02	43.6Ω/km
ANM05.003.26.021AB	UL2464	300V	26X2X21AWG	27/0.14	22.6	793.82	43.6Ω/km
ANM05.003.27.021AB	UL2464	300V	27X2X21AWG	27/0.14	22.6	799.42	43.6Ω/km
ANM05.003.28.021AB	UL2464	300V	28X2X21AWG	27/0.14	23.3	844.92	43.6Ω/km
ANM05.003.29.021AB	UL2464	300V	29X2X21AWG	27/0.14	23.3	850.62	43.6Ω/km
ANM05.003.30.021AB	UL2464	300V	30X2X21AWG	27/0.14	23.3	856.42	43.6Ω/km
ANM05.003.31.021AB	UL2464	300V	31X2X21AWG	27/0.14	24.2	915.12	43.6Ω/km
ANM05.003.32.021AB	UL2464	300V	32X2X21AWG	27/0.14	24.2	920.82	43.6Ω/km
ANM05.003.33.021AB	UL2464	300V	33X2X21AWG	27/0.14	24.2	926.52	43.6Ω/km
ANM05.003.34.021AB	UL2464	300V	34X2X21AWG	27/0.14	25.1	987.22	43.6Ω/km
ANM05.003.35.021AB	UL2464	300V	35X2X21AWG	27/0.14	25.1	992.82	43.6Ω/km
ANM05.003.36.021AB	UL2464	300V	36X2X21AWG	27/0.14	25.1	998.52	43.6Ω/km
ANM05.003.37.021AB	UL2464	300V	37X2X21AWG	27/0.14	25.1	1004.32	43.6Ω/km
ANM05.003.38.021AB	UL2464	300V	38X2X21AWG	27/0.14	26	1067.02	43.6Ω/km
ANM05.003.39.021AB	UL2464	300V	39X2X21AWG	27/0.14	26	1072.72	43.6Ω/km
ANM05.003.40.021AB	UL2464	300V	40X2X21AWG	27/0.14	26	1078.42	43.6Ω/km
ANM05.003.41.021AB	UL2464	300V	41X2X21AWG	27/0.14	28.1	1224.52	43.6Ω/km
ANM05.003.42.021AB	UL2464	300V	42X2X21AWG	27/0.14	28.1	1230.12	43.6Ω/km
ANM05.003.43.021AB	UL2464	300V	43X2X21AWG	27/0.14	28.1	1235.82	43.6Ω/km
ANM05.003.44.021AB	UL2464	300V	44X2X21AWG	27/0.14	28.1	1241.62	43.6Ω/km
ANM05.003.45.021AB	UL2464	300V	45X2X21AWG	27/0.14	29.6	1351.32	43.6Ω/km
ANM05.003.46.021AB	UL2464	300V	46X2X21AWG	27/0.14	29.6	1356.92	43.6Ω/km
ANM05.003.47.021AB	UL2464	300V	47X2X21AWG	27/0.14	29.6	1362.62	43.6Ω/km
ANM05.003.48.021AB	UL2464	300V	48X2X21AWG	27/0.14	29.6	1368.32	43.6Ω/km
ANM05.003.49.021AB	UL2464	300V	49X2X21AWG	27/0.14	30.7	1490.32	43.6Ω/km
ANM05.003.50.021AB	UL2464	300V	50X2X21AWG	27/0.14	30.7	1495.92	43.6Ω/km
ANM05.003.51.021AB	UL2464	300V	51X2X21AWG	27/0.14	30.7	1501.62	43.6Ω/km
ANM05.003.52.021AB	UL2464	300V	52X2X21AWG	27/0.14	30.7	1507.42	43.6Ω/km
ANM05.003.53.021AB	UL2464	300V	53X2X21AWG	27/0.14	31.6	1583.42	43.6Ω/km
ANM05.003.54.021AB	UL2464	300V	54X2X21AWG	27/0.14	31.6	1589.02	43.6Ω/km
ANM05.003.55.021AB	UL2464	300V	55X2X21AWG	27/0.14	31.6	1594.72	43.6Ω/km



ANM05.003.56.021AB	UL2464	300V	56X2X21AWG	27/0.14	31.6	1600.52	43.6Ω/km
ANM05.003.57.021AB	UL2464	300V	57X2X21AWG	27/0.14	32.5	1678.42	43.6Ω/km
ANM05.003.58.021AB	UL2464	300V	58X2X21AWG	27/0.14	32.5	1684.12	43.6Ω/km
ANM05.003.59.021AB	UL2464	300V	59X2X21AWG	27/0.14	32.5	1689.82	43.6Ω/km
ANM05.003.60.021AB	UL2464	300V	60X2X21AWG	27/0.14	32.5	1695.62	43.6Ω/km
ANM05.003.61.021AB	UL2464	300V	61X2X21AWG	27/0.14	32.5	1701.22	43.6Ω/km
ANM05.003.62.021AB	UL2464	300V	62X2X21AWG	27/0.14	33.4	1781.12	43.6Ω/km
ANM05.003.63.021AB	UL2464	300V	63X2X21AWG	27/0.14	33.4	1786.92	43.6Ω/km
ANM05.003.64.021AB	UL2464	300V	64X2X21AWG	27/0.14	33.4	1792.62	43.6Ω/km
ANM05.003.65.021AB	UL2464	300V	65X2X21AWG	27/0.14	33.4	1798.22	43.6Ω/km
ANM05.003.02.020AB	UL2464	300V	2X2X20AWG	34/0.14	9.4	132.12	34.6Ω/km
ANM05.003.03.020AB	UL2464	300V	3X2X20AWG	34/0.14	9.9	151.72	34.6Ω/km
ANM05.003.04.020AB	UL2464	300V	4X2X20AWG	34/0.14	10.7	180.12	34.6Ω/km
ANM05.003.05.020AB	UL2464	300V	5X2X20AWG	34/0.14	11.6	213.02	34.6Ω/km
ANM05.003.06.020AB	UL2464	300V	6X2X20AWG	34/0.14	12.6	251.02	34.6Ω/km
ANM05.003.07.020AB	UL2464	300V	7X2X20AWG	34/0.14	12.6	258.22	34.6Ω/km
ANM05.003.08.020AB	UL2464	300V	8X2X20AWG	34/0.14	13.6	298.62	34.6Ω/km
ANM05.003.09.020AB	UL2464	300V	9X2X20AWG	34/0.14	14.9	352.62	34.6Ω/km
ANM05.003.10.020AB	UL2464	300V	10X2X20AWG	34/0.14	15.8	394.72	34.6Ω/km
ANM05.003.11.020AB	UL2464	300V	11X2X20AWG	34/0.14	16.3	422.12	34.6Ω/km
ANM05.003.12.020AB	UL2464	300V	12X2X20AWG	34/0.14	16.3	429.32	34.6Ω/km
ANM05.003.13.020AB	UL2464	300V	13X2X20AWG	34/0.14	17.1	470.12	34.6Ω/km
ANM05.003.14.020AB	UL2464	300V	14X2X20AWG	34/0.14	17.1	477.32	34.6Ω/km
ANM05.003.15.020AB	UL2464	300V	15X2X20AWG	34/0.14	18.1	528.52	34.6Ω/km
ANM05.003.16.020AB	UL2464	300V	16X2X20AWG	34/0.14	18.1	535.82	34.6Ω/km
ANM05.003.17.020AB	UL2464	300V	17X2X20AWG	34/0.14	19	584.92	34.6Ω/km
ANM05.003.18.020AB	UL2464	300V	18X2X20AWG	34/0.14	19	592.22	34.6Ω/km
ANM05.003.19.020AB	UL2464	300V	19X2X20AWG	34/0.14	19	599.52	34.6Ω/km
ANM05.003.20.020AB	UL2464	300V	20X2X20AWG	34/0.14	20.5	678.12	34.6Ω/km
ANM05.003.21.020AB	UL2464	300V	21X2X20AWG	34/0.14	20.9	706.02	34.6Ω/km
ANM05.003.22.020AB	UL2464	300V	22X2X20AWG	34/0.14	22.2	782.92	34.6Ω/km
ANM05.003.23.020AB	UL2464	300V	23X2X20AWG	34/0.14	23.2	846.52	34.6Ω/km
ANM05.003.24.020AB	UL2464	300V	24X2X20AWG	34/0.14	23.2	853.82	34.6Ω/km
ANM05.003.25.020AB	UL2464	300V	25X2X20AWG	34/0.14	23.7	890.12	34.6Ω/km
ANM05.003.26.020AB	UL2464	300V	26X2X20AWG	34/0.14	23.7	897.42	34.6Ω/km
ANM05.003.27.020AB	UL2464	300V	27X2X20AWG	34/0.14	23.7	904.52	34.6Ω/km
ANM05.003.28.020AB	UL2464	300V	28X2X20AWG	34/0.14	24.5	959.62	34.6Ω/km
ANM05.003.29.020AB	UL2464	300V	29X2X20AWG	34/0.14	24.5	966.82	34.6Ω/km
ANM05.003.30.020AB	UL2464	300V	30X2X20AWG	34/0.14	24.5	974.12	34.6Ω/km
ANM05.003.31.020AB	UL2464	300V	31X2X20AWG	34/0.14	25.4	1036.92	34.6Ω/km
ANM05.003.32.020AB	UL2464	300V	32X2X20AWG	34/0.14	25.4	1044.22	34.6Ω/km
ANM05.003.33.020AB	UL2464	300V	33X2X20AWG	34/0.14	25.4	1051.42	34.6Ω/km



ANM05.003.34.020AB	UL2464	300V	34X2X20AWG	34/0.14	26.3	1116.42	34.6Ω/km
ANM05.003.35.020AB	UL2464	300V	35X2X20AWG	34/0.14	26.3	1123.62	34.6Ω/km
ANM05.003.36.020AB	UL2464	300V	36X2X20AWG	34/0.14	26.3	1130.92	34.6Ω/km
ANM05.003.37.020AB	UL2464	300V	37X2X20AWG	34/0.14	26.3	1138.22	34.6Ω/km
ANM05.003.38.020AB	UL2464	300V	38X2X20AWG	34/0.14	27.3	1211.72	34.6Ω/km
ANM05.003.39.020AB	UL2464	300V	39X2X20AWG	34/0.14	27.3	1218.92	34.6Ω/km
ANM05.003.40.020AB	UL2464	300V	40X2X20AWG	34/0.14	27.3	1226.12	34.6Ω/km
ANM05.003.41.020AB	UL2464	300V	41X2X20AWG	34/0.14	30.9	1523.72	34.6Ω/km
ANM05.003.42.020AB	UL2464	300V	42X2X20AWG	34/0.14	30.9	1530.92	34.6Ω/km
ANM05.003.43.020AB	UL2464	300V	43X2X20AWG	34/0.14	30.9	1538.22	34.6Ω/km
ANM05.003.44.020AB	UL2464	300V	44X2X20AWG	34/0.14	30.9	1545.52	34.6Ω/km
ANM05.003.45.020AB	UL2464	300V	45X2X20AWG	34/0.14	31.4	1591.72	34.6Ω/km
ANM05.003.46.020AB	UL2464	300V	46X2X20AWG	34/0.14	31.4	1599.02	34.6Ω/km
ANM05.003.47.020AB	UL2464	300V	47X2X20AWG	34/0.14	31.4	1606.22	34.6Ω/km
ANM05.003.48.020AB	UL2464	300V	48X2X20AWG	34/0.14	31.4	1613.52	34.6Ω/km
ANM05.003.49.020AB	UL2464	300V	49X2X20AWG	34/0.14	32.2	1684.42	34.6Ω/km
ANM05.003.50.020AB	UL2464	300V	50X2X20AWG	34/0.14	32.2	1691.82	34.6Ω/km
ANM05.003.51.020AB	UL2464	300V	51X2X20AWG	34/0.14	32.2	1699.12	34.6Ω/km
ANM05.003.52.020AB	UL2464	300V	52X2X20AWG	34/0.14	32.2	1706.32	34.6Ω/km
ANM05.003.53.020AB	UL2464	300V	53X2X20AWG	34/0.14	33.1	1787.22	34.6Ω/km
ANM05.003.54.020AB	UL2464	300V	54X2X20AWG	34/0.14	33.1	1794.32	34.6Ω/km
ANM05.003.55.020AB	UL2464	300V	55X2X20AWG	34/0.14	33.1	1801.62	34.6Ω/km
ANM05.003.56.020AB	UL2464	300V	56X2X20AWG	34/0.14	33.1	1808.82	34.6Ω/km
ANM05.003.57.020AB	UL2464	300V	57X2X20AWG	34/0.14	34.1	1900.12	34.6Ω/km
ANM05.003.58.020AB	UL2464	300V	58X2X20AWG	34/0.14	34.1	1907.42	34.6Ω/km
ANM05.003.59.020AB	UL2464	300V	59X2X20AWG	34/0.14	34.1	1914.62	34.6Ω/km
ANM05.003.60.020AB	UL2464	300V	60X2X20AWG	34/0.14	34.1	1921.92	34.6Ω/km
ANM05.003.61.020AB	UL2464	300V	61X2X20AWG	34/0.14	34.1	1929.22	34.6Ω/km
ANM05.003.62.020AB	UL2464	300V	62X2X20AWG	34/0.14	35	2014.12	34.6Ω/km
ANM05.003.63.020AB	UL2464	300V	63X2X20AWG	34/0.14	35	2021.42	34.6Ω/km
ANM05.003.64.020AB	UL2464	300V	64X2X20AWG	34/0.14	35	2028.62	34.6Ω/km
ANM05.003.65.020AB	UL2464	300V	65X2X20AWG	34/0.14	35	2035.92	34.6Ω/km
ANM05.003.02.019AB	UL2464	300V	2X2X19AWG	43/0.14	9.7	143.66	27.4Ω/km
ANM05.003.03.019AB	UL2464	300V	3X2X19AWG	43/0.14	10.3	168.26	27.4Ω/km
ANM05.003.04.019AB	UL2464	300V	4X2X19AWG	43/0.14	11.1	199.36	27.4Ω/km
ANM05.003.05.019AB	UL2464	300V	5X2X19AWG	43/0.14	12.1	238.16	27.4Ω/km
ANM05.003.06.019AB	UL2464	300V	6X2X19AWG	43/0.14	13.2	282.86	27.4Ω/km
ANM05.003.07.019AB	UL2464	300V	7X2X19AWG	43/0.14	13.2	291.96	27.4Ω/km
ANM05.003.08.019AB	UL2464	300V	8X2X19AWG	43/0.14	14.2	335.86	27.4Ω/km
ANM05.003.09.019AB	UL2464	300V	9X2X19AWG	43/0.14	15.5	393.66	27.4Ω/km
ANM05.003.10.019AB	UL2464	300V	10X2X19AWG	43/0.14	16.5	443.06	27.4Ω/km
ANM05.003.11.019AB	UL2464	300V	11X2X19AWG	43/0.14	17.1	477.66	27.4Ω/km



ANM05.003.12.019AB	UL2464	300V	12X2X19AWG	43/0.14	17.1	486.96	27.4Ω/km
ANM05.003.13.019AB	UL2464	300V	13X2X19AWG	43/0.14	17.9	531.26	27.4Ω/km
ANM05.003.14.019AB	UL2464	300V	14X2X19AWG	43/0.14	17.9	540.46	27.4Ω/km
ANM05.003.15.019AB	UL2464	300V	15X2X19AWG	43/0.14	18.9	595.76	27.4Ω/km
ANM05.003.16.019AB	UL2464	300V	16X2X19AWG	43/0.14	18.9	604.96	27.4Ω/km
ANM05.003.17.019AB	UL2464	300V	17X2X19AWG	43/0.14	20.9	711.06	27.4Ω/km
ANM05.003.18.019AB	UL2464	300V	18X2X19AWG	43/0.14	20.9	720.26	27.4Ω/km
ANM05.003.19.019AB	UL2464	300V	19X2X19AWG	43/0.14	20.9	729.56	27.4Ω/km
ANM05.003.20.019AB	UL2464	300V	20X2X19AWG	43/0.14	21.4	765.06	27.4Ω/km
ANM05.003.21.019AB	UL2464	300V	21X2X19AWG	43/0.14	21.9	801.06	27.4Ω/km
ANM05.003.22.019AB	UL2464	300V	22X2X19AWG	43/0.14	23.2	883.16	27.4Ω/km
ANM05.003.23.019AB	UL2464	300V	23X2X19AWG	43/0.14	24.2	951.16	27.4Ω/km
ANM05.003.24.019AB	UL2464	300V	24X2X19AWG	43/0.14	24.2	960.46	27.4Ω/km
ANM05.003.25.019AB	UL2464	300V	25X2X19AWG	43/0.14	24.7	1000.06	27.4Ω/km
ANM05.003.26.019AB	UL2464	300V	26X2X19AWG	43/0.14	24.7	1009.26	27.4Ω/km
ANM05.003.27.019AB	UL2464	300V	27X2X19AWG	43/0.14	24.7	1018.46	27.4Ω/km
ANM05.003.28.019AB	UL2464	300V	28X2X19AWG	43/0.14	25.6	1083.66	27.4Ω/km
ANM05.003.29.019AB	UL2464	300V	29X2X19AWG	43/0.14	25.6	1092.96	27.4Ω/km
ANM05.003.30.019AB	UL2464	300V	30X2X19AWG	43/0.14	25.6	1102.26	27.4Ω/km
ANM05.003.31.019AB	UL2464	300V	31X2X19AWG	43/0.14	26.6	1176.16	27.4Ω/km
ANM05.003.32.019AB	UL2464	300V	32X2X19AWG	43/0.14	26.6	1185.46	27.4Ω/km
ANM05.003.33.019AB	UL2464	300V	33X2X19AWG	43/0.14	26.6	1194.66	27.4Ω/km
ANM05.003.34.019AB	UL2464	300V	34X2X19AWG	43/0.14	27.6	1270.86	27.4Ω/km
ANM05.003.35.019AB	UL2464	300V	35X2X19AWG	43/0.14	27.6	1280.06	27.4Ω/km
ANM05.003.36.019AB	UL2464	300V	36X2X19AWG	43/0.14	27.6	1289.36	27.4Ω/km
ANM05.003.37.019AB	UL2464	300V	37X2X19AWG	43/0.14	27.6	1298.66	27.4Ω/km
ANM05.003.38.019AB	UL2464	300V	38X2X19AWG	43/0.14	29.6	1446.16	27.4Ω/km
ANM05.003.39.019AB	UL2464	300V	39X2X19AWG	43/0.14	29.6	1455.46	27.4Ω/km
ANM05.003.40.019AB	UL2464	300V	40X2X19AWG	43/0.14	29.6	1464.66	27.4Ω/km
ANM05.003.41.019AB	UL2464	300V	41X2X19AWG	43/0.14	32.3	1716.36	27.4Ω/km
ANM05.003.42.019AB	UL2464	300V	42X2X19AWG	43/0.14	32.3	1725.66	27.4Ω/km
ANM05.003.43.019AB	UL2464	300V	43X2X19AWG	43/0.14	32.3	1734.86	27.4Ω/km
ANM05.003.44.019AB	UL2464	300V	44X2X19AWG	43/0.14	32.3	1744.16	27.4Ω/km
ANM05.003.45.019AB	UL2464	300V	45X2X19AWG	43/0.14	32.8	1794.06	27.4Ω/km
ANM05.003.46.019AB	UL2464	300V	46X2X19AWG	43/0.14	32.8	1803.36	27.4Ω/km
ANM05.003.47.019AB	UL2464	300V	47X2X19AWG	43/0.14	32.8	1812.56	27.4Ω/km
ANM05.003.48.019AB	UL2464	300V	48X2X19AWG	43/0.14	32.8	1821.76	27.4Ω/km
ANM05.003.49.019AB	UL2464	300V	49X2X19AWG	43/0.14	33.7	1905.96	27.4Ω/km
ANM05.003.50.019AB	UL2464	300V	50X2X19AWG	43/0.14	33.7	1915.16	27.4Ω/km
ANM05.003.51.019AB	UL2464	300V	51X2X19AWG	43/0.14	33.7	1924.46	27.4Ω/km
ANM05.003.52.019AB	UL2464	300V	52X2X19AWG	43/0.14	33.7	1933.86	27.4Ω/km
ANM05.003.53.019AB	UL2464	300V	53X2X19AWG	43/0.14	34.7	2028.56	27.4Ω/km



ANM05.003.54.019AB	UL2464	300V	54X2X19AWG	43/0.14	34.7	2037.76	27.4Ω/km
ANM05.003.55.019AB	UL2464	300V	55X2X19AWG	43/0.14	34.7	2046.96	27.4Ω/km
ANM05.003.56.019AB	UL2464	300V	56X2X19AWG	43/0.14	34.7	2056.26	27.4Ω/km
ANM05.003.57.019AB	UL2464	300V	57X2X19AWG	43/0.14	35.9	2171.26	27.4Ω/km
ANM05.003.58.019AB	UL2464	300V	58X2X19AWG	43/0.14	35.9	2180.56	27.4Ω/km
ANM05.003.59.019AB	UL2464	300V	59X2X19AWG	43/0.14	35.9	2189.86	27.4Ω/km
ANM05.003.60.019AB	UL2464	300V	60X2X19AWG	43/0.14	35.9	2199.06	27.4Ω/km
ANM05.003.61.019AB	UL2464	300V	61X2X19AWG	43/0.14	35.9	2208.26	27.4Ω/km
ANM05.003.62.019AB	UL2464	300V	62X2X19AWG	43/0.14	37	2317.46	27.4Ω/km
ANM05.003.63.019AB	UL2464	300V	63X2X19AWG	43/0.14	37	2326.76	27.4Ω/km
ANM05.003.64.019AB	UL2464	300V	64X2X19AWG	43/0.14	37	2336.06	27.4Ω/km
ANM05.003.65.019AB	UL2464	300V	65X2X19AWG	43/0.14	37	2345.26	27.4Ω/km
ANM05.003.02.018AB	UL2464	300V	2X2X18AWG	29/0.19	10.1	159.23	21.8Ω/km
ANM05.003.03.018AB	UL2464	300V	3X2X18AWG	29/0.19	10.6	184.33	21.8Ω/km
ANM05.003.04.018AB	UL2464	300V	4X2X18AWG	29/0.19	11.5	221.73	21.8Ω/km
ANM05.003.05.018AB	UL2464	300V	5X2X18AWG	29/0.19	12.6	267.33	21.8Ω/km
ANM05.003.06.018AB	UL2464	300V	6X2X18AWG	29/0.19	13.7	315.73	21.8Ω/km
ANM05.003.07.018AB	UL2464	300V	7X2X18AWG	29/0.19	13.7	327.63	21.8Ω/km
ANM05.003.08.018AB	UL2464	300V	8X2X18AWG	29/0.19	14.8	379.33	21.8Ω/km
ANM05.003.09.018AB	UL2464	300V	9X2X18AWG	29/0.19	16.2	445.63	21.8Ω/km
ANM05.003.10.018AB	UL2464	300V	10X2X18AWG	29/0.19	17.2	499.43	21.8Ω/km
ANM05.003.11.018AB	UL2464	300V	11X2X18AWG	29/0.19	17.8	537.83	21.8Ω/km
ANM05.003.12.018AB	UL2464	300V	12X2X18AWG	29/0.19	17.8	549.63	21.8Ω/km
ANM05.003.13.018AB	UL2464	300V	13X2X18AWG	29/0.19	18.7	602.53	21.8Ω/km
ANM05.003.14.018AB	UL2464	300V	14X2X18AWG	29/0.19	18.7	614.43	21.8Ω/km
ANM05.003.15.018AB	UL2464	300V	15X2X18AWG	29/0.19	20.7	722.33	21.8Ω/km
ANM05.003.16.018AB	UL2464	300V	16X2X18AWG	29/0.19	20.7	734.23	21.8Ω/km
ANM05.003.17.018AB	UL2464	300V	17X2X18AWG	29/0.19	21.7	798.63	21.8Ω/km
ANM05.003.18.018AB	UL2464	300V	18X2X18AWG	29/0.19	21.7	810.63	21.8Ω/km
ANM05.003.19.018AB	UL2464	300V	19X2X18AWG	29/0.19	21.7	822.53	21.8Ω/km
ANM05.003.20.018AB	UL2464	300V	20X2X18AWG	29/0.19	22.3	867.33	21.8Ω/km
ANM05.003.21.018AB	UL2464	300V	21X2X18AWG	29/0.19	22.8	907.13	21.8Ω/km
ANM05.003.22.018AB	UL2464	300V	22X2X18AWG	29/0.19	24.2	1000.73	21.8Ω/km
ANM05.003.23.018AB	UL2464	300V	23X2X18AWG	29/0.19	25.3	1080.03	21.8Ω/km
ANM05.003.24.018AB	UL2464	300V	24X2X18AWG	29/0.19	25.3	1091.93	21.8Ω/km
ANM05.003.25.018AB	UL2464	300V	25X2X18AWG	29/0.19	25.8	1135.53	21.8Ω/km
ANM05.003.26.018AB	UL2464	300V	26X2X18AWG	29/0.19	25.8	1147.33	21.8Ω/km
ANM05.003.27.018AB	UL2464	300V	27X2X18AWG	29/0.19	25.8	1159.23	21.8Ω/km
ANM05.003.28.018AB	UL2464	300V	28X2X18AWG	29/0.19	26.7	1229.63	21.8Ω/km
ANM05.003.29.018AB	UL2464	300V	29X2X18AWG	29/0.19	26.7	1241.63	21.8Ω/km
ANM05.003.30.018AB	UL2464	300V	30X2X18AWG	29/0.19	26.7	1253.53	21.8Ω/km
ANM05.003.31.018AB	UL2464	300V	31X2X18AWG	29/0.19	27.7	1332.53	21.8Ω/km





ANM05.003.32.018AB	UL2464	300V	32X2X18AWG	29/0.19	27.7	1344.53	21.8Ω/km
ANM05.003.33.018AB	UL2464	300V	33X2X18AWG	29/0.19	27.7	1356.43	21.8Ω/km
ANM05.003.34.018AB	UL2464	300V	34X2X18AWG	29/0.19	29.8	1514.43	21.8Ω/km
ANM05.003.35.018AB	UL2464	300V	35X2X18AWG	29/0.19	29.8	1526.33	21.8Ω/km
ANM05.003.36.018AB	UL2464	300V	36X2X18AWG	29/0.19	29.8	1538.43	21.8Ω/km
ANM05.003.37.018AB	UL2464	300V	37X2X18AWG	29/0.19	29.8	1550.23	21.8Ω/km
ANM05.003.38.018AB	UL2464	300V	38X2X18AWG	29/0.19	31.2	1702.43	21.8Ω/km
ANM05.003.39.018AB	UL2464	300V	39X2X18AWG	29/0.19	31.2	1714.33	21.8Ω/km
ANM05.003.40.018AB	UL2464	300V	40X2X18AWG	29/0.19	31.2	1726.23	21.8Ω/km
ANM05.003.41.018AB	UL2464	300V	41X2X18AWG	29/0.19	33.7	1941.33	21.8Ω/km
ANM05.003.42.018AB	UL2464	300V	42X2X18AWG	29/0.19	33.7	1953.13	21.8Ω/km
ANM05.003.43.018AB	UL2464	300V	43X2X18AWG	29/0.19	33.7	1965.13	21.8Ω/km
ANM05.003.44.018AB	UL2464	300V	44X2X18AWG	29/0.19	33.7	1977.03	21.8Ω/km
ANM05.003.45.018AB	UL2464	300V	45X2X18AWG	29/0.19	34.3	2039.83	21.8Ω/km
ANM05.003.46.018AB	UL2464	300V	46X2X18AWG	29/0.19	34.3	2051.83	21.8Ω/km
ANM05.003.47.018AB	UL2464	300V	47X2X18AWG	29/0.19	34.3	2063.73	21.8Ω/km
ANM05.003.48.018AB	UL2464	300V	48X2X18AWG	29/0.19	34.3	2075.53	21.8Ω/km
ANM05.003.49.018AB	UL2464	300V	49X2X18AWG	29/0.19	35.2	2165.63	21.8Ω/km
ANM05.003.50.018AB	UL2464	300V	50X2X18AWG	29/0.19	35.2	2177.63	21.8Ω/km
ANM05.003.51.018AB	UL2464	300V	51X2X18AWG	29/0.19	35.2	2189.43	21.8Ω/km
ANM05.003.52.018AB	UL2464	300V	52X2X18AWG	29/0.19	35.2	2201.43	21.8Ω/km
ANM05.003.53.018AB	UL2464	300V	53X2X18AWG	29/0.19	36.5	2329.63	21.8Ω/km
ANM05.003.54.018AB	UL2464	300V	54X2X18AWG	29/0.19	36.5	2341.53	21.8Ω/km
ANM05.003.55.018AB	UL2464	300V	55X2X18AWG	29/0.19	36.5	2353.43	21.8Ω/km
ANM05.003.56.018AB	UL2464	300V	56X2X18AWG	29/0.19	36.5	2365.23	21.8Ω/km
ANM05.003.57.018AB	UL2464	300V	57X2X18AWG	29/0.19	37.5	2469.63	21.8Ω/km
ANM05.003.58.018AB	UL2464	300V	58X2X18AWG	29/0.19	37.5	2481.53	21.8Ω/km
ANM05.003.59.018AB	UL2464	300V	59X2X18AWG	29/0.19	37.5	2493.33	21.8Ω/km
ANM05.003.60.018AB	UL2464	300V	60X2X18AWG	29/0.19	37.5	2505.43	21.8Ω/km
ANM05.003.61.018AB	UL2464	300V	61X2X18AWG	29/0.19	37.5	2517.33	21.8Ω/km
ANM05.003.62.018AB	UL2464	300V	62X2X18AWG	29/0.19	38.6	2633.23	21.8Ω/km
ANM05.003.63.018AB	UL2464	300V	63X2X18AWG	29/0.19	38.6	2645.13	21.8Ω/km
ANM05.003.64.018AB	UL2464	300V	64X2X18AWG	29/0.19	38.6	2657.13	21.8Ω/km
ANM05.003.65.018AB	UL2464	300V	65X2X18AWG	29/0.19	38.6	2669.03	21.8Ω/km
ANM05.003.02.017AB	UL2464	300V	2X2X17AWG	37/0.19	10.8	183.74	17.3Ω/km
ANM05.003.03.017AB	UL2464	300V	3X2X17AWG	37/0.19	11.4	215.44	17.3Ω/km
ANM05.003.04.017AB	UL2464	300V	4X2X17AWG	37/0.19	12.4	260.44	17.3Ω/km
ANM05.003.05.017AB	UL2464	300V	5X2X17AWG	37/0.19	13.6	314.84	17.3Ω/km
ANM05.003.06.017AB	UL2464	300V	6X2X17AWG	37/0.19	14.8	372.64	17.3Ω/km
ANM05.003.07.017AB	UL2464	300V	7X2X17AWG	37/0.19	14.8	387.34	17.3Ω/km
ANM05.003.08.017AB	UL2464	300V	8X2X17AWG	37/0.19	15.9	444.44	17.3Ω/km
ANM05.003.09.017AB	UL2464	300V	9X2X17AWG	37/0.19	17.5	526.14	17.3Ω/km



ANM05.003.10.017AB	UL2464	300V	10X2X17AWG	37/0.19	18.6	590.64	17.3 Ω/km
ANM05.003.11.017AB	UL2464	300V	11X2X17AWG	37/0.19	19.3	638.44	17.3 Ω/km
ANM05.003.12.017AB	UL2464	300V	12X2X17AWG	37/0.19	19.3	653.04	17.3 Ω/km
ANM05.003.13.017AB	UL2464	300V	13X2X17AWG	37/0.19	21.2	761.14	17.3 Ω/km
ANM05.003.14.017AB	UL2464	300V	14X2X17AWG	37/0.19	21.2	776.04	17.3 Ω/km
ANM05.003.15.017AB	UL2464	300V	15X2X17AWG	37/0.19	22.4	855.84	17.3 Ω/km
ANM05.003.16.017AB	UL2464	300V	16X2X17AWG	37/0.19	22.4	870.54	17.3 Ω/km
ANM05.003.17.017AB	UL2464	300V	17X2X17AWG	37/0.19	23.5	947.74	17.3 Ω/km
ANM05.003.18.017AB	UL2464	300V	18X2X17AWG	37/0.19	23.5	962.54	17.3 Ω/km
ANM05.003.19.017AB	UL2464	300V	19X2X17AWG	37/0.19	23.5	977.34	17.3 Ω/km
ANM05.003.20.017AB	UL2464	300V	20X2X17AWG	37/0.19	24.1	1027.54	17.3 Ω/km
ANM05.003.21.017AB	UL2464	300V	21X2X17AWG	37/0.19	24.7	1078.44	17.3 Ω/km
ANM05.003.22.017AB	UL2464	300V	22X2X17AWG	37/0.19	26.2	1187.74	17.3 Ω/km
ANM05.003.23.017AB	UL2464	300V	23X2X17AWG	37/0.19	27.4	1282.04	17.3 Ω/km
ANM05.003.24.017AB	UL2464	300V	24X2X17AWG	37/0.19	27.4	1296.74	17.3 Ω/km
ANM05.003.25.017AB	UL2464	300V	25X2X17AWG	37/0.19	28	1352.54	17.3 Ω/km
ANM05.003.26.017AB	UL2464	300V	26X2X17AWG	37/0.19	28	1367.24	17.3 Ω/km
ANM05.003.27.017AB	UL2464	300V	27X2X17AWG	37/0.19	28	1382.04	17.3 Ω/km
ANM05.003.28.017AB	UL2464	300V	28X2X17AWG	37/0.19	30.4	1600.74	17.3 Ω/km
ANM05.003.29.017AB	UL2464	300V	29X2X17AWG	37/0.19	30.4	1615.44	17.3 Ω/km
ANM05.003.30.017AB	UL2464	300V	30X2X17AWG	37/0.19	30.4	1630.14	17.3 Ω/km
ANM05.003.31.017AB	UL2464	300V	31X2X17AWG	37/0.19	31.5	1730.24	17.3 Ω/km
ANM05.003.32.017AB	UL2464	300V	32X2X17AWG	37/0.19	31.5	1745.04	17.3 Ω/km
ANM05.003.33.017AB	UL2464	300V	33X2X17AWG	37/0.19	31.5	1759.74	17.3 Ω/km
ANM05.003.34.017AB	UL2464	300V	34X2X17AWG	37/0.19	32.7	1870.84	17.3 Ω/km
ANM05.003.35.017AB	UL2464	300V	35X2X17AWG	37/0.19	32.7	1885.54	17.3 Ω/km
ANM05.003.36.017AB	UL2464	300V	36X2X17AWG	37/0.19	32.7	1900.34	17.3 Ω/km
ANM05.003.37.017AB	UL2464	300V	37X2X17AWG	37/0.19	32.7	1915.04	17.3 Ω/km
ANM05.003.38.017AB	UL2464	300V	38X2X17AWG	37/0.19	33.8	2021.34	17.3 Ω/km
ANM05.003.39.017AB	UL2464	300V	39X2X17AWG	37/0.19	33.8	2036.04	17.3 Ω/km
ANM05.003.40.017AB	UL2464	300V	40X2X17AWG	37/0.19	33.8	2050.84	17.3 Ω/km
ANM05.003.41.017AB	UL2464	300V	41X2X17AWG	37/0.19	36.8	2329.94	17.3 Ω/km
ANM05.003.42.017AB	UL2464	300V	42X2X17AWG	37/0.19	36.8	2344.64	17.3 Ω/km
ANM05.003.43.017AB	UL2464	300V	43X2X17AWG	37/0.19	36.8	2359.34	17.3 Ω/km
ANM05.003.44.017AB	UL2464	300V	44X2X17AWG	37/0.19	36.8	2374.04	17.3 Ω/km
ANM05.003.45.017AB	UL2464	300V	45X2X17AWG	37/0.19	37.4	2444.34	17.3 Ω/km
ANM05.003.46.017AB	UL2464	300V	46X2X17AWG	37/0.19	37.4	2459.14	17.3 Ω/km
ANM05.003.47.017AB	UL2464	300V	47X2X17AWG	37/0.19	37.4	2473.74	17.3 Ω/km
ANM05.003.48.017AB	UL2464	300V	48X2X17AWG	37/0.19	37.4	2488.44	17.3 Ω/km
ANM05.003.49.017AB	UL2464	300V	49X2X17AWG	37/0.19	38.4	2597.54	17.3 Ω/km
ANM05.003.50.017AB	UL2464	300V	50X2X17AWG	37/0.19	38.4	2612.34	17.3 Ω/km
ANM05.003.51.017AB	UL2464	300V	51X2X17AWG	37/0.19	38.4	2627.04	17.3 Ω/km



ANM05.003.52.017AB	UL2464	300V	52X2X17AWG	37/0.19	38.4	2641.74	17.3 Ω/km
ANM05.003.53.017AB	UL2464	300V	53X2X17AWG	37/0.19	39.6	2773.14	17.3 Ω/km
ANM05.003.54.017AB	UL2464	300V	54X2X17AWG	37/0.19	39.6	2787.84	17.3 Ω/km
ANM05.003.55.017AB	UL2464	300V	55X2X17AWG	37/0.19	39.6	2802.64	17.3 Ω/km
ANM05.003.56.017AB	UL2464	300V	56X2X17AWG	37/0.19	39.6	2817.34	17.3 Ω/km
ANM05.003.57.017AB	UL2464	300V	57X2X17AWG	37/0.19	40.9	2999.94	17.3 Ω/km
ANM05.003.58.017AB	UL2464	300V	58X2X17AWG	37/0.19	40.9	3014.74	17.3 Ω/km
ANM05.003.59.017AB	UL2464	300V	59X2X17AWG	37/0.19	40.9	3029.54	17.3 Ω/km
ANM05.003.60.017AB	UL2464	300V	60X2X17AWG	37/0.19	40.9	3044.24	17.3 Ω/km
ANM05.003.61.017AB	UL2464	300V	61X2X17AWG	37/0.19	40.9	3058.84	17.3 Ω/km
ANM05.003.62.017AB	UL2464	300V	62X2X17AWG	37/0.19	42.1	3198.64	17.3 Ω/km
ANM05.003.63.017AB	UL2464	300V	63X2X17AWG	37/0.19	42.1	3213.34	17.3 Ω/km
ANM05.003.64.017AB	UL2464	300V	64X2X17AWG	37/0.19	42.1	3228.14	17.3 Ω/km
ANM05.003.65.017AB	UL2464	300V	65X2X17AWG	37/0.19	42.1	3242.84	17.3 Ω/km
ANM05.003.02.016AB	UL2464	300V	2X2X16AWG	27/0.25	11.1	201.31	13.7 Ω/km
ANM05.003.03.016AB	UL2464	300V	3X2X16AWG	27/0.25	11.8	240.81	13.7 Ω/km
ANM05.003.04.016AB	UL2464	300V	4X2X16AWG	27/0.25	12.8	291.11	13.7 Ω/km
ANM05.003.05.016AB	UL2464	300V	5X2X16AWG	27/0.25	14.1	354.51	13.7 Ω/km
ANM05.003.06.016AB	UL2464	300V	6X2X16AWG	27/0.25	15.3	418.21	13.7 Ω/km
ANM05.003.07.016AB	UL2464	300V	7X2X16AWG	27/0.25	15.3	437.31	13.7 Ω/km
ANM05.003.08.016AB	UL2464	300V	8X2X16AWG	27/0.25	16.5	504.21	13.7 Ω/km
ANM05.003.09.016AB	UL2464	300V	9X2X16AWG	27/0.25	18.1	592.61	13.7 Ω/km
ANM05.003.10.016AB	UL2464	300V	10X2X16AWG	27/0.25	19.3	667.81	13.7 Ω/km
ANM05.003.11.016AB	UL2464	300V	11X2X16AWG	27/0.25	21	769.81	13.7 Ω/km
ANM05.003.12.016AB	UL2464	300V	12X2X16AWG	27/0.25	21	789.01	13.7 Ω/km
ANM05.003.13.016AB	UL2464	300V	13X2X16AWG	27/0.25	22	861.51	13.7 Ω/km
ANM05.003.14.016AB	UL2464	300V	14X2X16AWG	27/0.25	22	880.61	13.7 Ω/km
ANM05.003.15.016AB	UL2464	300V	15X2X16AWG	27/0.25	23.2	967.11	13.7 Ω/km
ANM05.003.16.016AB	UL2464	300V	16X2X16AWG	27/0.25	23.2	986.21	13.7 Ω/km
ANM05.003.17.016AB	UL2464	300V	17X2X16AWG	27/0.25	24.4	1076.11	13.7 Ω/km
ANM05.003.18.016AB	UL2464	300V	18X2X16AWG	27/0.25	24.4	1095.31	13.7 Ω/km
ANM05.003.19.016AB	UL2464	300V	19X2X16AWG	27/0.25	24.4	1114.41	13.7 Ω/km
ANM05.003.20.016AB	UL2464	300V	20X2X16AWG	27/0.25	25	1170.21	13.7 Ω/km
ANM05.003.21.016AB	UL2464	300V	21X2X16AWG	27/0.25	25.6	1226.81	13.7 Ω/km
ANM05.003.22.016AB	UL2464	300V	22X2X16AWG	27/0.25	27.2	1350.41	13.7 Ω/km
ANM05.003.23.016AB	UL2464	300V	23X2X16AWG	27/0.25	28.4	1452.01	13.7 Ω/km
ANM05.003.24.016AB	UL2464	300V	24X2X16AWG	27/0.25	28.4	1471.21	13.7 Ω/km
ANM05.003.25.016AB	UL2464	300V	25X2X16AWG	27/0.25	30.5	1674.01	13.7 Ω/km
ANM05.003.26.016AB	UL2464	300V	26X2X16AWG	27/0.25	30.5	1693.11	13.7 Ω/km
ANM05.003.27.016AB	UL2464	300V	27X2X16AWG	27/0.25	30.5	1712.21	13.7 Ω/km
ANM05.003.28.016AB	UL2464	300V	28X2X16AWG	27/0.25	31.5	1809.11	13.7 Ω/km
ANM05.003.29.016AB	UL2464	300V	29X2X16AWG	27/0.25	31.5	1828.21	13.7 Ω/km



ANM05.003.30.016AB	UL2464	300V	30X2X16AWG	27/0.25	31.5	1847.41	13.7 Ω/km
ANM05.003.31.016AB	UL2464	300V	31X2X16AWG	27/0.25	32.7	1962.81	13.7 Ω/km
ANM05.003.32.016AB	UL2464	300V	32X2X16AWG	27/0.25	32.7	1982.01	13.7 Ω/km
ANM05.003.33.016AB	UL2464	300V	33X2X16AWG	27/0.25	32.7	2001.11	13.7 Ω/km
ANM05.003.34.016AB	UL2464	300V	34X2X16AWG	27/0.25	33.9	2120.11	13.7 Ω/km
ANM05.003.35.016AB	UL2464	300V	35X2X16AWG	27/0.25	33.9	2139.21	13.7 Ω/km
ANM05.003.36.016AB	UL2464	300V	36X2X16AWG	27/0.25	33.9	2158.41	13.7 Ω/km
ANM05.003.37.016AB	UL2464	300V	37X2X16AWG	27/0.25	33.9	2177.51	13.7 Ω/km
ANM05.003.38.016AB	UL2464	300V	38X2X16AWG	27/0.25	35.1	2300.11	13.7 Ω/km
ANM05.003.39.016AB	UL2464	300V	39X2X16AWG	27/0.25	35.1	2319.21	13.7 Ω/km
ANM05.003.40.016AB	UL2464	300V	40X2X16AWG	27/0.25	35.1	2338.31	13.7 Ω/km
ANM05.003.41.016AB	UL2464	300V	41X2X16AWG	27/0.25	38.2	2640.81	13.7 Ω/km
ANM05.003.42.016AB	UL2464	300V	42X2X16AWG	27/0.25	38.2	2660.01	13.7 Ω/km
ANM05.003.43.016AB	UL2464	300V	43X2X16AWG	27/0.25	38.2	2679.11	13.7 Ω/km
ANM05.003.44.016AB	UL2464	300V	44X2X16AWG	27/0.25	38.2	2698.21	13.7 Ω/km
ANM05.003.45.016AB	UL2464	300V	45X2X16AWG	27/0.25	38.9	2784.41	13.7 Ω/km
ANM05.003.46.016AB	UL2464	300V	46X2X16AWG	27/0.25	38.9	2803.51	13.7 Ω/km
ANM05.003.47.016AB	UL2464	300V	47X2X16AWG	27/0.25	38.9	2822.71	13.7 Ω/km
ANM05.003.48.016AB	UL2464	300V	48X2X16AWG	27/0.25	38.9	2841.81	13.7 Ω/km
ANM05.003.49.016AB	UL2464	300V	49X2X16AWG	27/0.25	39.9	2959.01	13.7 Ω/km
ANM05.003.50.016AB	UL2464	300V	50X2X16AWG	27/0.25	39.9	2978.11	13.7 Ω/km
ANM05.003.51.016AB	UL2464	300V	51X2X16AWG	27/0.25	39.9	2997.21	13.7 Ω/km
ANM05.003.52.016AB	UL2464	300V	52X2X16AWG	27/0.25	39.9	3016.31	13.7 Ω/km
ANM05.003.53.016AB	UL2464	300V	53X2X16AWG	27/0.25	41.3	3215.11	13.7 Ω/km
ANM05.003.54.016AB	UL2464	300V	54X2X16AWG	27/0.25	41.3	3234.21	13.7 Ω/km
ANM05.003.55.016AB	UL2464	300V	55X2X16AWG	27/0.25	41.3	3253.31	13.7 Ω/km
ANM05.003.56.016AB	UL2464	300V	56X2X16AWG	27/0.25	41.3	3272.41	13.7 Ω/km
ANM05.003.57.016AB	UL2464	300V	57X2X16AWG	27/0.25	43.9	3560.81	13.7 Ω/km
ANM05.003.58.016AB	UL2464	300V	58X2X16AWG	27/0.25	43.9	3579.91	13.7 Ω/km
ANM05.003.59.016AB	UL2464	300V	59X2X16AWG	27/0.25	43.9	3599.11	13.7 Ω/km
ANM05.003.60.016AB	UL2464	300V	60X2X16AWG	27/0.25	43.9	3618.21	13.7 Ω/km
ANM05.003.61.016AB	UL2464	300V	61X2X16AWG	27/0.25	43.9	3637.31	13.7 Ω/km
ANM05.003.62.016AB	UL2464	300V	62X2X16AWG	27/0.25	45.1	3790.11	13.7 Ω/km
ANM05.003.63.016AB	UL2464	300V	63X2X16AWG	27/0.25	45.1	3809.21	13.7 Ω/km
ANM05.003.64.016AB	UL2464	300V	64X2X16AWG	27/0.25	45.1	3828.31	13.7 Ω/km
ANM05.003.65.016AB	UL2464	300V	65X2X16AWG	27/0.25	45.1	3847.51	13.7 Ω/km
物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻Ω/km
绝缘 PE 材质							
ANM05.006.02.028AB	UL2464	300V	2X2X28AWG	11/0.1	5.9	49.59	223 Ω/km
ANM05.006.03.028AB	UL2464	300V	3X2X28AWG	11/0.1	6.1	53.89	223 Ω/km
ANM05.006.04.028AB	UL2464	300V	4X2X28AWG	11/0.1	6.4	59.99	223 Ω/km
ANM05.006.05.028AB	UL2464	300V	5X2X28AWG	11/0.1	6.9	69.99	223 Ω/km



ANM05.006.06.028AB	UL2464	300V	6X2X28AWG	11/0.1	7.3	78.69	223 Ω /km
ANM05.006.07.028AB	UL2464	300V	7X2X28AWG	11/0.1	7.3	79.79	223 Ω /km
ANM05.006.08.028AB	UL2464	300V	8X2X28AWG	11/0.1	7.7	88.79	223 Ω /km
ANM05.006.09.028AB	UL2464	300V	9X2X28AWG	11/0.1	8.3	102.49	223 Ω /km
ANM05.006.10.028AB	UL2464	300V	10X2X28AWG	11/0.1	8.7	112.49	223 Ω /km
ANM05.006.11.028AB	UL2464	300V	11X2X28AWG	11/0.1	8.9	118.09	223 Ω /km
ANM05.006.12.028AB	UL2464	300V	12X2X28AWG	11/0.1	8.9	119.49	223 Ω /km
ANM05.006.13.028AB	UL2464	300V	13X2X28AWG	11/0.1	9.3	130.09	223 Ω /km
ANM05.006.14.028AB	UL2464	300V	14X2X28AWG	11/0.1	9.3	131.29	223 Ω /km
ANM05.006.15.028AB	UL2464	300V	15X2X28AWG	11/0.1	9.7	142.19	223 Ω /km
ANM05.006.16.028AB	UL2464	300V	16X2X28AWG	11/0.1	9.7	143.39	223 Ω /km
ANM05.006.17.028AB	UL2464	300V	17X2X28AWG	11/0.1	10.1	154.59	223 Ω /km
ANM05.006.18.028AB	UL2464	300V	18X2X28AWG	11/0.1	10.1	155.79	223 Ω /km
ANM05.006.19.028AB	UL2464	300V	19X2X28AWG	11/0.1	10.1	156.99	223 Ω /km
ANM05.006.20.028AB	UL2464	300V	20X2X28AWG	11/0.1	10.3	163.39	223 Ω /km
ANM05.006.21.028AB	UL2464	300V	21X2X28AWG	11/0.1	10.5	169.89	223 Ω /km
ANM05.006.22.028AB	UL2464	300V	22X2X28AWG	11/0.1	11.1	187.59	223 Ω /km
ANM05.006.23.028AB	UL2464	300V	23X2X28AWG	11/0.1	11.5	200.39	223 Ω /km
ANM05.006.24.028AB	UL2464	300V	24X2X28AWG	11/0.1	11.5	201.59	223 Ω /km
ANM05.006.25.028AB	UL2464	300V	25X2X28AWG	11/0.1	11.7	208.69	223 Ω /km
ANM05.006.26.028AB	UL2464	300V	26X2X28AWG	11/0.1	11.7	209.79	223 Ω /km
ANM05.006.27.028AB	UL2464	300V	27X2X28AWG	11/0.1	11.7	210.99	223 Ω /km
ANM05.006.28.028AB	UL2464	300V	28X2X28AWG	11/0.1	12.1	224.19	223 Ω /km
ANM05.006.29.028AB	UL2464	300V	29X2X28AWG	11/0.1	12.1	225.39	223 Ω /km
ANM05.006.30.028AB	UL2464	300V	30X2X28AWG	11/0.1	12.1	226.59	223 Ω /km
ANM05.006.31.028AB	UL2464	300V	31X2X28AWG	11/0.1	12.5	240.39	223 Ω /km
ANM05.006.32.028AB	UL2464	300V	32X2X28AWG	11/0.1	12.5	241.49	223 Ω /km
ANM05.006.33.028AB	UL2464	300V	33X2X28AWG	11/0.1	12.5	242.69	223 Ω /km
ANM05.006.34.028AB	UL2464	300V	34X2X28AWG	11/0.1	12.9	256.79	223 Ω /km
ANM05.006.35.028AB	UL2464	300V	35X2X28AWG	11/0.1	12.9	257.89	223 Ω /km
ANM05.006.36.028AB	UL2464	300V	36X2X28AWG	11/0.1	12.9	259.19	223 Ω /km
ANM05.006.37.028AB	UL2464	300V	37X2X28AWG	11/0.1	12.9	260.39	223 Ω /km
ANM05.006.38.028AB	UL2464	300V	38X2X28AWG	11/0.1	13.4	278.09	223 Ω /km
ANM05.006.39.028AB	UL2464	300V	39X2X28AWG	11/0.1	13.4	279.29	223 Ω /km
ANM05.006.40.028AB	UL2464	300V	40X2X28AWG	11/0.1	13.4	280.39	223 Ω /km
ANM05.006.41.028AB	UL2464	300V	41X2X28AWG	11/0.1	14.4	316.59	223 Ω /km
ANM05.006.42.028AB	UL2464	300V	42X2X28AWG	11/0.1	14.4	317.89	223 Ω /km
ANM05.006.43.028AB	UL2464	300V	43X2X28AWG	11/0.1	14.4	318.99	223 Ω /km
ANM05.006.44.028AB	UL2464	300V	44X2X28AWG	11/0.1	14.4	320.19	223 Ω /km
ANM05.006.45.028AB	UL2464	300V	45X2X28AWG	11/0.1	14.6	328.79	223 Ω /km
ANM05.006.46.028AB	UL2464	300V	46X2X28AWG	11/0.1	14.6	329.89	223 Ω /km
ANM05.006.47.028AB	UL2464	300V	47X2X28AWG	11/0.1	14.6	331.09	223 Ω /km



ANM05.006.48.028AB	UL2464	300V	48X2X28AWG	11/0.1	14.6	332.39	223 Ω /km
ANM05.006.49.028AB	UL2464	300V	49X2X28AWG	11/0.1	15	348.39	223 Ω /km
ANM05.006.50.028AB	UL2464	300V	50X2X28AWG	11/0.1	15	349.59	223 Ω /km
ANM05.006.51.028AB	UL2464	300V	51X2X28AWG	11/0.1	15	350.69	223 Ω /km
ANM05.006.52.028AB	UL2464	300V	52X2X28AWG	11/0.1	15	351.89	223 Ω /km
ANM05.006.53.028AB	UL2464	300V	53X2X28AWG	11/0.1	15.4	368.39	223 Ω /km
ANM05.006.54.028AB	UL2464	300V	54X2X28AWG	11/0.1	15.4	369.59	223 Ω /km
ANM05.006.55.028AB	UL2464	300V	55X2X28AWG	11/0.1	15.4	370.69	223 Ω /km
ANM05.006.56.028AB	UL2464	300V	56X2X28AWG	11/0.1	15.4	371.99	223 Ω /km
ANM05.006.57.028AB	UL2464	300V	57X2X28AWG	11/0.1	15.8	388.79	223 Ω /km
ANM05.006.58.028AB	UL2464	300V	58X2X28AWG	11/0.1	15.8	389.99	223 Ω /km
ANM05.006.59.028AB	UL2464	300V	59X2X28AWG	11/0.1	15.8	391.19	223 Ω /km
ANM05.006.60.028AB	UL2464	300V	60X2X28AWG	11/0.1	15.8	392.39	223 Ω /km
ANM05.006.61.028AB	UL2464	300V	61X2X28AWG	11/0.1	15.8	393.49	223 Ω /km
ANM05.006.62.028AB	UL2464	300V	62X2X28AWG	11/0.1	16.2	410.69	223 Ω /km
ANM05.006.63.028AB	UL2464	300V	63X2X28AWG	11/0.1	16.2	411.89	223 Ω /km
ANM05.006.64.028AB	UL2464	300V	64X2X28AWG	11/0.1	16.2	412.99	223 Ω /km
ANM05.006.65.028AB	UL2464	300V	65X2X28AWG	11/0.1	16.2	414.29	223 Ω /km
ANM05.006.02.027AB	UL2464	300V	2X2X27AWG	7/0.14	6.2	54.61	175 Ω /km
ANM05.006.03.027AB	UL2464	300V	3X2X27AWG	7/0.14	6.5	60.91	175 Ω /km
ANM05.006.04.027AB	UL2464	300V	4X2X27AWG	7/0.14	6.9	69.31	175 Ω /km
ANM05.006.05.027AB	UL2464	300V	5X2X27AWG	7/0.14	7.3	78.01	175 Ω /km
ANM05.006.06.027AB	UL2464	300V	6X2X27AWG	7/0.14	7.8	89.21	175 Ω /km
ANM05.006.07.027AB	UL2464	300V	7X2X27AWG	7/0.14	7.8	90.51	175 Ω /km
ANM05.006.08.027AB	UL2464	300V	8X2X27AWG	7/0.14	8.3	102.31	175 Ω /km
ANM05.006.09.027AB	UL2464	300V	9X2X27AWG	7/0.14	8.9	116.91	175 Ω /km
ANM05.006.10.027AB	UL2464	300V	10X2X27AWG	7/0.14	9.4	130.01	175 Ω /km
ANM05.006.11.027AB	UL2464	300V	11X2X27AWG	7/0.14	9.6	136.11	175 Ω /km
ANM05.006.12.027AB	UL2464	300V	12X2X27AWG	7/0.14	9.6	137.51	175 Ω /km
ANM05.006.13.027AB	UL2464	300V	13X2X27AWG	7/0.14	10	148.91	175 Ω /km
ANM05.006.14.027AB	UL2464	300V	14X2X27AWG	7/0.14	10	150.11	175 Ω /km
ANM05.006.15.027AB	UL2464	300V	15X2X27AWG	7/0.14	10.5	164.51	175 Ω /km
ANM05.006.16.027AB	UL2464	300V	16X2X27AWG	7/0.14	10.5	165.81	175 Ω /km
ANM05.006.17.027AB	UL2464	300V	17X2X27AWG	7/0.14	11	181.01	175 Ω /km
ANM05.006.18.027AB	UL2464	300V	18X2X27AWG	7/0.14	11	182.21	175 Ω /km
ANM05.006.19.027AB	UL2464	300V	19X2X27AWG	7/0.14	11	183.51	175 Ω /km
ANM05.006.20.027AB	UL2464	300V	20X2X27AWG	7/0.14	11.2	190.41	175 Ω /km
ANM05.006.21.027AB	UL2464	300V	21X2X27AWG	7/0.14	11.4	197.51	175 Ω /km
ANM05.006.22.027AB	UL2464	300V	22X2X27AWG	7/0.14	12.1	219.71	175 Ω /km
ANM05.006.23.027AB	UL2464	300V	23X2X27AWG	7/0.14	12.6	236.71	175 Ω /km
ANM05.006.24.027AB	UL2464	300V	24X2X27AWG	7/0.14	12.6	238.01	175 Ω /km
ANM05.006.25.027AB	UL2464	300V	25X2X27AWG	7/0.14	12.8	245.71	175 Ω /km



ANM05.006.26.027AB	UL2464	300V	26X2X27AWG	7/0.14	12.8	247.01	175 Ω /km
ANM05.006.27.027AB	UL2464	300V	27X2X27AWG	7/0.14	12.8	248.31	175 Ω /km
ANM05.006.28.027AB	UL2464	300V	28X2X27AWG	7/0.14	13.3	266.01	175 Ω /km
ANM05.006.29.027AB	UL2464	300V	29X2X27AWG	7/0.14	13.3	267.41	175 Ω /km
ANM05.006.30.027AB	UL2464	300V	30X2X27AWG	7/0.14	13.3	268.61	175 Ω /km
ANM05.006.31.027AB	UL2464	300V	31X2X27AWG	7/0.14	13.8	287.21	175 Ω /km
ANM05.006.32.027AB	UL2464	300V	32X2X27AWG	7/0.14	13.8	288.41	175 Ω /km
ANM05.006.33.027AB	UL2464	300V	33X2X27AWG	7/0.14	13.8	289.71	175 Ω /km
ANM05.006.34.027AB	UL2464	300V	34X2X27AWG	7/0.14	14.2	305.21	175 Ω /km
ANM05.006.35.027AB	UL2464	300V	35X2X27AWG	7/0.14	14.2	306.51	175 Ω /km
ANM05.006.36.027AB	UL2464	300V	36X2X27AWG	7/0.14	14.2	307.71	175 Ω /km
ANM05.006.37.027AB	UL2464	300V	37X2X27AWG	7/0.14	14.2	309.01	175 Ω /km
ANM05.006.38.027AB	UL2464	300V	38X2X27AWG	7/0.14	14.7	328.61	175 Ω /km
ANM05.006.39.027AB	UL2464	300V	39X2X27AWG	7/0.14	14.7	329.81	175 Ω /km
ANM05.006.40.027AB	UL2464	300V	40X2X27AWG	7/0.14	14.7	331.11	175 Ω /km
ANM05.006.41.027AB	UL2464	300V	41X2X27AWG	7/0.14	15.8	374.61	175 Ω /km
ANM05.006.42.027AB	UL2464	300V	42X2X27AWG	7/0.14	15.8	376.01	175 Ω /km
ANM05.006.43.027AB	UL2464	300V	43X2X27AWG	7/0.14	15.8	377.21	175 Ω /km
ANM05.006.44.027AB	UL2464	300V	44X2X27AWG	7/0.14	15.8	378.41	175 Ω /km
ANM05.006.45.027AB	UL2464	300V	45X2X27AWG	7/0.14	16.1	391.81	175 Ω /km
ANM05.006.46.027AB	UL2464	300V	46X2X27AWG	7/0.14	16.1	393.21	175 Ω /km
ANM05.006.47.027AB	UL2464	300V	47X2X27AWG	7/0.14	16.1	394.41	175 Ω /km
ANM05.006.48.027AB	UL2464	300V	48X2X27AWG	7/0.14	16.1	395.61	175 Ω /km
ANM05.006.49.027AB	UL2464	300V	49X2X27AWG	7/0.14	16.5	413.31	175 Ω /km
ANM05.006.50.027AB	UL2464	300V	50X2X27AWG	7/0.14	16.5	414.61	175 Ω /km
ANM05.006.51.027AB	UL2464	300V	51X2X27AWG	7/0.14	16.5	415.81	175 Ω /km
ANM05.006.52.027AB	UL2464	300V	52X2X27AWG	7/0.14	16.5	417.11	175 Ω /km
ANM05.006.53.027AB	UL2464	300V	53X2X27AWG	7/0.14	16.9	435.41	175 Ω /km
ANM05.006.54.027AB	UL2464	300V	54X2X27AWG	7/0.14	16.9	436.61	175 Ω /km
ANM05.006.55.027AB	UL2464	300V	55X2X27AWG	7/0.14	16.9	437.81	175 Ω /km
ANM05.006.56.027AB	UL2464	300V	56X2X27AWG	7/0.14	16.9	439.11	175 Ω /km
ANM05.006.57.027AB	UL2464	300V	57X2X27AWG	7/0.14	17.4	461.81	175 Ω /km
ANM05.006.58.027AB	UL2464	300V	58X2X27AWG	7/0.14	17.4	463.11	175 Ω /km
ANM05.006.59.027AB	UL2464	300V	59X2X27AWG	7/0.14	17.4	464.41	175 Ω /km
ANM05.006.60.027AB	UL2464	300V	60X2X27AWG	7/0.14	17.4	465.61	175 Ω /km
ANM05.006.61.027AB	UL2464	300V	61X2X27AWG	7/0.14	17.4	466.91	175 Ω /km
ANM05.006.62.027AB	UL2464	300V	62X2X27AWG	7/0.14	17.9	490.41	175 Ω /km
ANM05.006.63.027AB	UL2464	300V	63X2X27AWG	7/0.14	17.9	491.71	175 Ω /km
ANM05.006.64.027AB	UL2464	300V	64X2X27AWG	7/0.14	17.9	492.91	175 Ω /km
ANM05.006.65.027AB	UL2464	300V	65X2X27AWG	7/0.14	17.9	494.31	175 Ω /km
ANM05.006.02.026AB	UL2464	300V	2X2X26AWG	9/0.14	6.2	55.63	140 Ω /km
ANM05.006.03.026AB	UL2464	300V	3X2X26AWG	9/0.14	6.5	62.43	140 Ω /km



ANM05.006.04.026AB	UL2464	300V	4X2X26AWG	9/0.14	6.9	71.33	140 Ω /km
ANM05.006.05.026AB	UL2464	300V	5X2X26AWG	9/0.14	7.3	80.43	140 Ω /km
ANM05.006.06.026AB	UL2464	300V	6X2X26AWG	9/0.14	7.8	92.13	140 Ω /km
ANM05.006.07.026AB	UL2464	300V	7X2X26AWG	9/0.14	7.8	94.03	140 Ω /km
ANM05.006.08.026AB	UL2464	300V	8X2X26AWG	9/0.14	8.3	106.33	140 Ω /km
ANM05.006.09.026AB	UL2464	300V	9X2X26AWG	9/0.14	8.9	121.33	140 Ω /km
ANM05.006.10.026AB	UL2464	300V	10X2X26AWG	9/0.14	9.4	134.93	140 Ω /km
ANM05.006.11.026AB	UL2464	300V	11X2X26AWG	9/0.14	9.6	141.53	140 Ω /km
ANM05.006.12.026AB	UL2464	300V	12X2X26AWG	9/0.14	9.6	143.43	140 Ω /km
ANM05.006.13.026AB	UL2464	300V	13X2X26AWG	9/0.14	10	155.23	140 Ω /km
ANM05.006.14.026AB	UL2464	300V	14X2X26AWG	9/0.14	10	157.03	140 Ω /km
ANM05.006.15.026AB	UL2464	300V	15X2X26AWG	9/0.14	10.5	171.93	140 Ω /km
ANM05.006.16.026AB	UL2464	300V	16X2X26AWG	9/0.14	10.5	173.73	140 Ω /km
ANM05.006.17.026AB	UL2464	300V	17X2X26AWG	9/0.14	11	189.33	140 Ω /km
ANM05.006.18.026AB	UL2464	300V	18X2X26AWG	9/0.14	11	191.03	140 Ω /km
ANM05.006.19.026AB	UL2464	300V	19X2X26AWG	9/0.14	11	192.83	140 Ω /km
ANM05.006.20.026AB	UL2464	300V	20X2X26AWG	9/0.14	11.2	200.33	140 Ω /km
ANM05.006.21.026AB	UL2464	300V	21X2X26AWG	9/0.14	11.4	207.83	140 Ω /km
ANM05.006.22.026AB	UL2464	300V	22X2X26AWG	9/0.14	12.1	230.53	140 Ω /km
ANM05.006.23.026AB	UL2464	300V	23X2X26AWG	9/0.14	12.6	248.03	140 Ω /km
ANM05.006.24.026AB	UL2464	300V	24X2X26AWG	9/0.14	12.6	249.83	140 Ω /km
ANM05.006.25.026AB	UL2464	300V	25X2X26AWG	9/0.14	12.8	257.93	140 Ω /km
ANM05.006.26.026AB	UL2464	300V	26X2X26AWG	9/0.14	12.8	259.73	140 Ω /km
ANM05.006.27.026AB	UL2464	300V	27X2X26AWG	9/0.14	12.8	261.63	140 Ω /km
ANM05.006.28.026AB	UL2464	300V	28X2X26AWG	9/0.14	13.3	279.83	140 Ω /km
ANM05.006.29.026AB	UL2464	300V	29X2X26AWG	9/0.14	13.3	281.63	140 Ω /km
ANM05.006.30.026AB	UL2464	300V	30X2X26AWG	9/0.14	13.3	283.33	140 Ω /km
ANM05.006.31.026AB	UL2464	300V	31X2X26AWG	9/0.14	13.8	302.43	140 Ω /km
ANM05.006.32.026AB	UL2464	300V	32X2X26AWG	9/0.14	13.8	304.13	140 Ω /km
ANM05.006.33.026AB	UL2464	300V	33X2X26AWG	9/0.14	13.8	305.83	140 Ω /km
ANM05.006.34.026AB	UL2464	300V	34X2X26AWG	9/0.14	14.2	321.93	140 Ω /km
ANM05.006.35.026AB	UL2464	300V	35X2X26AWG	9/0.14	14.2	323.73	140 Ω /km
ANM05.006.36.026AB	UL2464	300V	36X2X26AWG	9/0.14	14.2	325.43	140 Ω /km
ANM05.006.37.026AB	UL2464	300V	37X2X26AWG	9/0.14	14.2	327.13	140 Ω /km
ANM05.006.38.026AB	UL2464	300V	38X2X26AWG	9/0.14	14.7	347.23	140 Ω /km
ANM05.006.39.026AB	UL2464	300V	39X2X26AWG	9/0.14	14.7	348.93	140 Ω /km
ANM05.006.40.026AB	UL2464	300V	40X2X26AWG	9/0.14	14.7	350.83	140 Ω /km
ANM05.006.41.026AB	UL2464	300V	41X2X26AWG	9/0.14	15.8	394.73	140 Ω /km
ANM05.006.42.026AB	UL2464	300V	42X2X26AWG	9/0.14	15.8	396.63	140 Ω /km
ANM05.006.43.026AB	UL2464	300V	43X2X26AWG	9/0.14	15.8	398.33	140 Ω /km
ANM05.006.44.026AB	UL2464	300V	44X2X26AWG	9/0.14	15.8	400.03	140 Ω /km
ANM05.006.45.026AB	UL2464	300V	45X2X26AWG	9/0.14	16.1	413.83	140 Ω /km





ANM05.006.46.026AB	UL2464	300V	46X2X26AWG	9/0.14	16.1	415.73	140 Ω /km
ANM05.006.47.026AB	UL2464	300V	47X2X26AWG	9/0.14	16.1	417.53	140 Ω /km
ANM05.006.48.026AB	UL2464	300V	48X2X26AWG	9/0.14	16.1	419.23	140 Ω /km
ANM05.006.49.026AB	UL2464	300V	49X2X26AWG	9/0.14	16.5	437.33	140 Ω /km
ANM05.006.50.026AB	UL2464	300V	50X2X26AWG	9/0.14	16.5	439.13	140 Ω /km
ANM05.006.51.026AB	UL2464	300V	51X2X26AWG	9/0.14	16.5	440.83	140 Ω /km
ANM05.006.52.026AB	UL2464	300V	52X2X26AWG	9/0.14	16.5	442.63	140 Ω /km
ANM05.006.53.026AB	UL2464	300V	53X2X26AWG	9/0.14	16.9	461.43	140 Ω /km
ANM05.006.54.026AB	UL2464	300V	54X2X26AWG	9/0.14	16.9	463.13	140 Ω /km
ANM05.006.55.026AB	UL2464	300V	55X2X26AWG	9/0.14	16.9	464.83	140 Ω /km
ANM05.006.56.026AB	UL2464	300V	56X2X26AWG	9/0.14	16.9	466.63	140 Ω /km
ANM05.006.57.026AB	UL2464	300V	57X2X26AWG	9/0.14	17.4	489.83	140 Ω /km
ANM05.006.58.026AB	UL2464	300V	58X2X26AWG	9/0.14	17.4	491.53	140 Ω /km
ANM05.006.59.026AB	UL2464	300V	59X2X26AWG	9/0.14	17.4	493.33	140 Ω /km
ANM05.006.60.026AB	UL2464	300V	60X2X26AWG	9/0.14	17.4	495.13	140 Ω /km
ANM05.006.61.026AB	UL2464	300V	61X2X26AWG	9/0.14	17.4	496.93	140 Ω /km
ANM05.006.62.026AB	UL2464	300V	62X2X26AWG	9/0.14	17.9	520.83	140 Ω /km
ANM05.006.63.026AB	UL2464	300V	63X2X26AWG	9/0.14	17.9	522.63	140 Ω /km
ANM05.006.64.026AB	UL2464	300V	64X2X26AWG	9/0.14	17.9	524.33	140 Ω /km
ANM05.006.65.026AB	UL2464	300V	65X2X26AWG	9/0.14	17.9	526.23	140 Ω /km
ANM05.006.02.025AB	UL2464	300V	2X2X25AWG	11/0.14	6.6	63.17	111 Ω /km
ANM05.006.03.025AB	UL2464	300V	3X2X25AWG	11/0.14	6.8	68.77	111 Ω /km
ANM05.006.04.025AB	UL2464	300V	4X2X25AWG	11/0.14	7.3	80.27	111 Ω /km
ANM05.006.05.025AB	UL2464	300V	5X2X25AWG	11/0.14	7.8	92.27	111 Ω /km
ANM05.006.06.025AB	UL2464	300V	6X2X25AWG	11/0.14	8.3	104.87	111 Ω /km
ANM05.006.07.025AB	UL2464	300V	7X2X25AWG	11/0.14	8.3	107.07	111 Ω /km
ANM05.006.08.025AB	UL2464	300V	8X2X25AWG	11/0.14	8.9	122.57	111 Ω /km
ANM05.006.09.025AB	UL2464	300V	9X2X25AWG	11/0.14	9.6	141.47	111 Ω /km
ANM05.006.10.025AB	UL2464	300V	10X2X25AWG	11/0.14	10.1	156.17	111 Ω /km
ANM05.006.11.025AB	UL2464	300V	11X2X25AWG	11/0.14	10.4	166.37	111 Ω /km
ANM05.006.12.025AB	UL2464	300V	12X2X25AWG	11/0.14	10.4	168.47	111 Ω /km
ANM05.006.13.025AB	UL2464	300V	13X2X25AWG	11/0.14	10.8	181.47	111 Ω /km
ANM05.006.14.025AB	UL2464	300V	14X2X25AWG	11/0.14	10.8	183.57	111 Ω /km
ANM05.006.15.025AB	UL2464	300V	15X2X25AWG	11/0.14	11.3	199.97	111 Ω /km
ANM05.006.16.025AB	UL2464	300V	16X2X25AWG	11/0.14	11.3	202.07	111 Ω /km
ANM05.006.17.025AB	UL2464	300V	17X2X25AWG	11/0.14	11.8	218.87	111 Ω /km
ANM05.006.18.025AB	UL2464	300V	18X2X25AWG	11/0.14	11.8	221.07	111 Ω /km
ANM05.006.19.025AB	UL2464	300V	19X2X25AWG	11/0.14	11.8	223.27	111 Ω /km
ANM05.006.20.025AB	UL2464	300V	20X2X25AWG	11/0.14	12.1	234.47	111 Ω /km
ANM05.006.21.025AB	UL2464	300V	21X2X25AWG	11/0.14	12.4	245.87	111 Ω /km
ANM05.006.22.025AB	UL2464	300V	22X2X25AWG	11/0.14	13.2	274.17	111 Ω /km
ANM05.006.23.025AB	UL2464	300V	23X2X25AWG	11/0.14	13.7	293.17	111 Ω /km



ANM05.006.24.025AB	UL2464	300V	24X2X25AWG	11/0.14	13.7	295.27	111 Ω /km
ANM05.006.25.025AB	UL2464	300V	25X2X25AWG	11/0.14	14	308.07	111 Ω /km
ANM05.006.26.025AB	UL2464	300V	26X2X25AWG	11/0.14	14	310.17	111 Ω /km
ANM05.006.27.025AB	UL2464	300V	27X2X25AWG	11/0.14	14	312.37	111 Ω /km
ANM05.006.28.025AB	UL2464	300V	28X2X25AWG	11/0.14	14.4	328.77	111 Ω /km
ANM05.006.29.025AB	UL2464	300V	29X2X25AWG	11/0.14	14.4	330.97	111 Ω /km
ANM05.006.30.025AB	UL2464	300V	30X2X25AWG	11/0.14	14.4	332.97	111 Ω /km
ANM05.006.31.025AB	UL2464	300V	31X2X25AWG	11/0.14	14.9	353.57	111 Ω /km
ANM05.006.32.025AB	UL2464	300V	32X2X25AWG	11/0.14	14.9	355.87	111 Ω /km
ANM05.006.33.025AB	UL2464	300V	33X2X25AWG	11/0.14	14.9	357.97	111 Ω /km
ANM05.006.34.025AB	UL2464	300V	34X2X25AWG	11/0.14	15.5	383.17	111 Ω /km
ANM05.006.35.025AB	UL2464	300V	35X2X25AWG	11/0.14	15.5	385.27	111 Ω /km
ANM05.006.36.025AB	UL2464	300V	36X2X25AWG	11/0.14	15.5	387.37	111 Ω /km
ANM05.006.37.025AB	UL2464	300V	37X2X25AWG	11/0.14	15.5	389.47	111 Ω /km
ANM05.006.38.025AB	UL2464	300V	38X2X25AWG	11/0.14	16	411.67	111 Ω /km
ANM05.006.39.025AB	UL2464	300V	39X2X25AWG	11/0.14	16	413.87	111 Ω /km
ANM05.006.40.025AB	UL2464	300V	40X2X25AWG	11/0.14	16	415.87	111 Ω /km
ANM05.006.41.025AB	UL2464	300V	41X2X25AWG	11/0.14	17.2	467.97	111 Ω /km
ANM05.006.42.025AB	UL2464	300V	42X2X25AWG	11/0.14	17.2	470.07	111 Ω /km
ANM05.006.43.025AB	UL2464	300V	43X2X25AWG	11/0.14	17.2	472.17	111 Ω /km
ANM05.006.44.025AB	UL2464	300V	44X2X25AWG	11/0.14	17.2	474.37	111 Ω /km
ANM05.006.45.025AB	UL2464	300V	45X2X25AWG	11/0.14	17.5	489.67	111 Ω /km
ANM05.006.46.025AB	UL2464	300V	46X2X25AWG	11/0.14	17.5	491.77	111 Ω /km
ANM05.006.47.025AB	UL2464	300V	47X2X25AWG	11/0.14	17.5	493.87	111 Ω /km
ANM05.006.48.025AB	UL2464	300V	48X2X25AWG	11/0.14	17.5	496.07	111 Ω /km
ANM05.006.49.025AB	UL2464	300V	49X2X25AWG	11/0.14	18	520.47	111 Ω /km
ANM05.006.50.025AB	UL2464	300V	50X2X25AWG	11/0.14	18	522.67	111 Ω /km
ANM05.006.51.025AB	UL2464	300V	51X2X25AWG	11/0.14	18	524.77	111 Ω /km
ANM05.006.52.025AB	UL2464	300V	52X2X25AWG	11/0.14	18	526.97	111 Ω /km
ANM05.006.53.025AB	UL2464	300V	53X2X25AWG	11/0.14	18.5	551.97	111 Ω /km
ANM05.006.54.025AB	UL2464	300V	54X2X25AWG	11/0.14	18.5	554.07	111 Ω /km
ANM05.006.55.025AB	UL2464	300V	55X2X25AWG	11/0.14	18.5	556.17	111 Ω /km
ANM05.006.56.025AB	UL2464	300V	56X2X25AWG	11/0.14	18.5	558.27	111 Ω /km
ANM05.006.57.025AB	UL2464	300V	57X2X25AWG	11/0.14	19	583.97	111 Ω /km
ANM05.006.58.025AB	UL2464	300V	58X2X25AWG	11/0.14	19	586.07	111 Ω /km
ANM05.006.59.025AB	UL2464	300V	59X2X25AWG	11/0.14	19	588.27	111 Ω /km
ANM05.006.60.025AB	UL2464	300V	60X2X25AWG	11/0.14	19	590.27	111 Ω /km
ANM05.006.61.025AB	UL2464	300V	61X2X25AWG	11/0.14	19	592.47	111 Ω /km
ANM05.006.62.025AB	UL2464	300V	62X2X25AWG	11/0.14	20.5	666.07	111 Ω /km
ANM05.006.63.025AB	UL2464	300V	63X2X25AWG	11/0.14	20.5	668.27	111 Ω /km
ANM05.006.64.025AB	UL2464	300V	64X2X25AWG	11/0.14	20.5	670.47	111 Ω /km
ANM05.006.65.025AB	UL2464	300V	65X2X25AWG	11/0.14	20.5	672.47	111 Ω /km



ANM05.006.02.024AB	UL2464	300V	2X2X24AWG	14/0.14	6.6	64.81	87.6Ω/km
ANM05.006.03.024AB	UL2464	300V	3X2X24AWG	14/0.14	6.8	71.31	87.6Ω/km
ANM05.006.04.024AB	UL2464	300V	4X2X24AWG	14/0.14	7.3	83.51	87.6Ω/km
ANM05.006.05.024AB	UL2464	300V	5X2X24AWG	14/0.14	7.8	96.41	87.6Ω/km
ANM05.006.06.024AB	UL2464	300V	6X2X24AWG	14/0.14	8.3	109.81	87.6Ω/km
ANM05.006.07.024AB	UL2464	300V	7X2X24AWG	14/0.14	8.3	112.81	87.6Ω/km
ANM05.006.08.024AB	UL2464	300V	8X2X24AWG	14/0.14	8.9	129.11	87.6Ω/km
ANM05.006.09.024AB	UL2464	300V	9X2X24AWG	14/0.14	9.6	148.81	87.6Ω/km
ANM05.006.10.024AB	UL2464	300V	10X2X24AWG	14/0.14	10.1	164.31	87.6Ω/km
ANM05.006.11.024AB	UL2464	300V	11X2X24AWG	14/0.14	10.4	175.31	87.6Ω/km
ANM05.006.12.024AB	UL2464	300V	12X2X24AWG	14/0.14	10.4	178.31	87.6Ω/km
ANM05.006.13.024AB	UL2464	300V	13X2X24AWG	14/0.14	10.8	192.01	87.6Ω/km
ANM05.006.14.024AB	UL2464	300V	14X2X24AWG	14/0.14	10.8	195.01	87.6Ω/km
ANM05.006.15.024AB	UL2464	300V	15X2X24AWG	14/0.14	11.3	212.21	87.6Ω/km
ANM05.006.16.024AB	UL2464	300V	16X2X24AWG	14/0.14	11.3	215.01	87.6Ω/km
ANM05.006.17.024AB	UL2464	300V	17X2X24AWG	14/0.14	11.8	232.71	87.6Ω/km
ANM05.006.18.024AB	UL2464	300V	18X2X24AWG	14/0.14	11.8	235.71	87.6Ω/km
ANM05.006.19.024AB	UL2464	300V	19X2X24AWG	14/0.14	11.8	238.71	87.6Ω/km
ANM05.006.20.024AB	UL2464	300V	20X2X24AWG	14/0.14	12.1	250.71	87.6Ω/km
ANM05.006.21.024AB	UL2464	300V	21X2X24AWG	14/0.14	12.4	263.01	87.6Ω/km
ANM05.006.22.024AB	UL2464	300V	22X2X24AWG	14/0.14	13.2	292.01	87.6Ω/km
ANM05.006.23.024AB	UL2464	300V	23X2X24AWG	14/0.14	13.7	311.81	87.6Ω/km
ANM05.006.24.024AB	UL2464	300V	24X2X24AWG	14/0.14	13.7	314.81	87.6Ω/km
ANM05.006.25.024AB	UL2464	300V	25X2X24AWG	14/0.14	14	328.31	87.6Ω/km
ANM05.006.26.024AB	UL2464	300V	26X2X24AWG	14/0.14	14	331.31	87.6Ω/km
ANM05.006.27.024AB	UL2464	300V	27X2X24AWG	14/0.14	14	334.31	87.6Ω/km
ANM05.006.28.024AB	UL2464	300V	28X2X24AWG	14/0.14	14.4	351.61	87.6Ω/km
ANM05.006.29.024AB	UL2464	300V	29X2X24AWG	14/0.14	14.4	354.51	87.6Ω/km
ANM05.006.30.024AB	UL2464	300V	30X2X24AWG	14/0.14	14.4	357.41	87.6Ω/km
ANM05.006.31.024AB	UL2464	300V	31X2X24AWG	14/0.14	14.9	378.81	87.6Ω/km
ANM05.006.32.024AB	UL2464	300V	32X2X24AWG	14/0.14	14.9	381.81	87.6Ω/km
ANM05.006.33.024AB	UL2464	300V	33X2X24AWG	14/0.14	14.9	384.81	87.6Ω/km
ANM05.006.34.024AB	UL2464	300V	34X2X24AWG	14/0.14	15.5	410.81	87.6Ω/km
ANM05.006.35.024AB	UL2464	300V	35X2X24AWG	14/0.14	15.5	413.71	87.6Ω/km
ANM05.006.36.024AB	UL2464	300V	36X2X24AWG	14/0.14	15.5	416.61	87.6Ω/km
ANM05.006.37.024AB	UL2464	300V	37X2X24AWG	14/0.14	15.5	419.61	87.6Ω/km
ANM05.006.38.024AB	UL2464	300V	38X2X24AWG	14/0.14	16	442.51	87.6Ω/km
ANM05.006.39.024AB	UL2464	300V	39X2X24AWG	14/0.14	16	445.51	87.6Ω/km
ANM05.006.40.024AB	UL2464	300V	40X2X24AWG	14/0.14	16	448.41	87.6Ω/km
ANM05.006.41.024AB	UL2464	300V	41X2X24AWG	14/0.14	17.2	501.21	87.6Ω/km
ANM05.006.42.024AB	UL2464	300V	42X2X24AWG	14/0.14	17.2	504.21	87.6Ω/km
ANM05.006.43.024AB	UL2464	300V	43X2X24AWG	14/0.14	17.2	507.11	87.6Ω/km



ANM05.006.44.024AB	UL2464	300V	44X2X24AWG	14/0.14	17.2	510.11	87.6Ω/km
ANM05.006.45.024AB	UL2464	300V	45X2X24AWG	14/0.14	17.5	526.21	87.6Ω/km
ANM05.006.46.024AB	UL2464	300V	46X2X24AWG	14/0.14	17.5	529.11	87.6Ω/km
ANM05.006.47.024AB	UL2464	300V	47X2X24AWG	14/0.14	17.5	532.01	87.6Ω/km
ANM05.006.48.024AB	UL2464	300V	48X2X24AWG	14/0.14	17.5	535.01	87.6Ω/km
ANM05.006.49.024AB	UL2464	300V	49X2X24AWG	14/0.14	18	560.31	87.6Ω/km
ANM05.006.50.024AB	UL2464	300V	50X2X24AWG	14/0.14	18	563.21	87.6Ω/km
ANM05.006.51.024AB	UL2464	300V	51X2X24AWG	14/0.14	18	566.21	87.6Ω/km
ANM05.006.52.024AB	UL2464	300V	52X2X24AWG	14/0.14	18	569.21	87.6Ω/km
ANM05.006.53.024AB	UL2464	300V	53X2X24AWG	14/0.14	18.5	595.01	87.6Ω/km
ANM05.006.54.024AB	UL2464	300V	54X2X24AWG	14/0.14	18.5	597.91	87.6Ω/km
ANM05.006.55.024AB	UL2464	300V	55X2X24AWG	14/0.14	18.5	600.81	87.6Ω/km
ANM05.006.56.024AB	UL2464	300V	56X2X24AWG	14/0.14	18.5	603.81	87.6Ω/km
ANM05.006.57.024AB	UL2464	300V	57X2X24AWG	14/0.14	19	630.21	87.6Ω/km
ANM05.006.58.024AB	UL2464	300V	58X2X24AWG	14/0.14	19	633.21	87.6Ω/km
ANM05.006.59.024AB	UL2464	300V	59X2X24AWG	14/0.14	19	636.21	87.6Ω/km
ANM05.006.60.024AB	UL2464	300V	60X2X24AWG	14/0.14	19	639.01	87.6Ω/km
ANM05.006.61.024AB	UL2464	300V	61X2X24AWG	14/0.14	19	642.01	87.6Ω/km
ANM05.006.62.024AB	UL2464	300V	62X2X24AWG	14/0.14	20.5	716.41	87.6Ω/km
ANM05.006.63.024AB	UL2464	300V	63X2X24AWG	14/0.14	20.5	719.41	87.6Ω/km
ANM05.006.64.024AB	UL2464	300V	64X2X24AWG	14/0.14	20.5	722.41	87.6Ω/km
ANM05.006.65.024AB	UL2464	300V	65X2X24AWG	14/0.14	20.5	725.31	87.6Ω/km
ANM05.006.02.023AB	UL2464	300V	2X2X23AWG	17/0.14	7.6	84.76	69.2Ω/km
ANM05.006.03.023AB	UL2464	300V	3X2X23AWG	17/0.14	8	96.66	69.2Ω/km
ANM05.006.04.023AB	UL2464	300V	4X2X23AWG	17/0.14	8.6	113.26	69.2Ω/km
ANM05.006.05.023AB	UL2464	300V	5X2X23AWG	17/0.14	9.2	130.76	69.2Ω/km
ANM05.006.06.023AB	UL2464	300V	6X2X23AWG	17/0.14	9.9	151.56	69.2Ω/km
ANM05.006.07.023AB	UL2464	300V	7X2X23AWG	17/0.14	9.9	155.16	69.2Ω/km
ANM05.006.08.023AB	UL2464	300V	8X2X23AWG	17/0.14	10.6	177.16	69.2Ω/km
ANM05.006.09.023AB	UL2464	300V	9X2X23AWG	17/0.14	11.5	206.16	69.2Ω/km
ANM05.006.10.023AB	UL2464	300V	10X2X23AWG	17/0.14	12.2	230.96	69.2Ω/km
ANM05.006.11.023AB	UL2464	300V	11X2X23AWG	17/0.14	12.6	247.16	69.2Ω/km
ANM05.006.12.023AB	UL2464	300V	12X2X23AWG	17/0.14	12.6	250.96	69.2Ω/km
ANM05.006.13.023AB	UL2464	300V	13X2X23AWG	17/0.14	13.3	277.46	69.2Ω/km
ANM05.006.14.023AB	UL2464	300V	14X2X23AWG	17/0.14	13.3	281.06	69.2Ω/km
ANM05.006.15.023AB	UL2464	300V	15X2X23AWG	17/0.14	13.9	305.46	69.2Ω/km
ANM05.006.16.023AB	UL2464	300V	16X2X23AWG	17/0.14	13.9	308.96	69.2Ω/km
ANM05.006.17.023AB	UL2464	300V	17X2X23AWG	17/0.14	14.6	337.86	69.2Ω/km
ANM05.006.18.023AB	UL2464	300V	18X2X23AWG	17/0.14	14.6	341.46	69.2Ω/km
ANM05.006.19.023AB	UL2464	300V	19X2X23AWG	17/0.14	14.6	345.16	69.2Ω/km
ANM05.006.20.023AB	UL2464	300V	20X2X23AWG	17/0.14	15	363.66	69.2Ω/km
ANM05.006.21.023AB	UL2464	300V	21X2X23AWG	17/0.14	15.3	378.76	69.2Ω/km



ANM05.006.22.023AB	UL2464	300V	22X2X23AWG	17/0.14	16.2	418.06	69.2 Ω/km
ANM05.006.23.023AB	UL2464	300V	23X2X23AWG	17/0.14	16.9	450.66	69.2 Ω/km
ANM05.006.24.023AB	UL2464	300V	24X2X23AWG	17/0.14	16.9	454.36	69.2 Ω/km
ANM05.006.25.023AB	UL2464	300V	25X2X23AWG	17/0.14	17.2	470.76	69.2 Ω/km
ANM05.006.26.023AB	UL2464	300V	26X2X23AWG	17/0.14	17.2	474.46	69.2 Ω/km
ANM05.006.27.023AB	UL2464	300V	27X2X23AWG	17/0.14	17.2	478.06	69.2 Ω/km
ANM05.006.28.023AB	UL2464	300V	28X2X23AWG	17/0.14	17.8	507.96	69.2 Ω/km
ANM05.006.29.023AB	UL2464	300V	29X2X23AWG	17/0.14	17.8	511.66	69.2 Ω/km
ANM05.006.30.023AB	UL2464	300V	30X2X23AWG	17/0.14	17.8	515.26	69.2 Ω/km
ANM05.006.31.023AB	UL2464	300V	31X2X23AWG	17/0.14	18.5	550.76	69.2 Ω/km
ANM05.006.32.023AB	UL2464	300V	32X2X23AWG	17/0.14	18.5	554.36	69.2 Ω/km
ANM05.006.33.023AB	UL2464	300V	33X2X23AWG	17/0.14	18.5	558.06	69.2 Ω/km
ANM05.006.34.023AB	UL2464	300V	34X2X23AWG	17/0.14	19.2	594.66	69.2 Ω/km
ANM05.006.35.023AB	UL2464	300V	35X2X23AWG	17/0.14	19.2	598.26	69.2 Ω/km
ANM05.006.36.023AB	UL2464	300V	36X2X23AWG	17/0.14	19.2	601.96	69.2 Ω/km
ANM05.006.37.023AB	UL2464	300V	37X2X23AWG	17/0.14	19.2	605.56	69.2 Ω/km
ANM05.006.38.023AB	UL2464	300V	38X2X23AWG	17/0.14	20.9	691.66	69.2 Ω/km
ANM05.006.39.023AB	UL2464	300V	39X2X23AWG	17/0.14	20.9	695.26	69.2 Ω/km
ANM05.006.40.023AB	UL2464	300V	40X2X23AWG	17/0.14	20.9	698.96	69.2 Ω/km
ANM05.006.41.023AB	UL2464	300V	41X2X23AWG	17/0.14	22.5	788.86	69.2 Ω/km
ANM05.006.42.023AB	UL2464	300V	42X2X23AWG	17/0.14	22.5	792.46	69.2 Ω/km
ANM05.006.43.023AB	UL2464	300V	43X2X23AWG	17/0.14	22.5	796.16	69.2 Ω/km
ANM05.006.44.023AB	UL2464	300V	44X2X23AWG	17/0.14	22.5	799.76	69.2 Ω/km
ANM05.006.45.023AB	UL2464	300V	45X2X23AWG	17/0.14	22.8	820.26	69.2 Ω/km
ANM05.006.46.023AB	UL2464	300V	46X2X23AWG	17/0.14	22.8	823.76	69.2 Ω/km
ANM05.006.47.023AB	UL2464	300V	47X2X23AWG	17/0.14	22.8	827.36	69.2 Ω/km
ANM05.006.48.023AB	UL2464	300V	48X2X23AWG	17/0.14	22.8	831.16	69.2 Ω/km
ANM05.006.49.023AB	UL2464	300V	49X2X23AWG	17/0.14	23.4	869.16	69.2 Ω/km
ANM05.006.50.023AB	UL2464	300V	50X2X23AWG	17/0.14	23.4	872.86	69.2 Ω/km
ANM05.006.51.023AB	UL2464	300V	51X2X23AWG	17/0.14	23.4	876.46	69.2 Ω/km
ANM05.006.52.023AB	UL2464	300V	52X2X23AWG	17/0.14	23.4	880.16	69.2 Ω/km
ANM05.006.53.023AB	UL2464	300V	53X2X23AWG	17/0.14	24.1	925.06	69.2 Ω/km
ANM05.006.54.023AB	UL2464	300V	54X2X23AWG	17/0.14	24.1	928.56	69.2 Ω/km
ANM05.006.55.023AB	UL2464	300V	55X2X23AWG	17/0.14	24.1	932.26	69.2 Ω/km
ANM05.006.56.023AB	UL2464	300V	56X2X23AWG	17/0.14	24.1	935.86	69.2 Ω/km
ANM05.006.57.023AB	UL2464	300V	57X2X23AWG	17/0.14	24.7	975.86	69.2 Ω/km
ANM05.006.58.023AB	UL2464	300V	58X2X23AWG	17/0.14	24.7	979.46	69.2 Ω/km
ANM05.006.59.023AB	UL2464	300V	59X2X23AWG	17/0.14	24.7	983.16	69.2 Ω/km
ANM05.006.60.023AB	UL2464	300V	60X2X23AWG	17/0.14	24.7	986.76	69.2 Ω/km
ANM05.006.61.023AB	UL2464	300V	61X2X23AWG	17/0.14	24.7	990.26	69.2 Ω/km
ANM05.006.62.023AB	UL2464	300V	62X2X23AWG	17/0.14	25.4	1037.36	69.2 Ω/km
ANM05.006.63.023AB	UL2464	300V	63X2X23AWG	17/0.14	25.4	1040.96	69.2 Ω/km



ANM05.006.64.023AB	UL2464	300V	64X2X23AWG	17/0.14	25.4	1044.66	69.2Ω/km
ANM05.006.65.023AB	UL2464	300V	65X2X23AWG	17/0.14	25.4	1048.26	69.2Ω/km
ANM05.006.02.022AB	UL2464	300V	2X2X22AWG	22/0.14	8	94.83	55.4Ω/km
ANM05.006.03.022AB	UL2464	300V	3X2X22AWG	22/0.14	8.4	107.83	55.4Ω/km
ANM05.006.04.022AB	UL2464	300V	4X2X22AWG	22/0.14	9	125.93	55.4Ω/km
ANM05.006.05.022AB	UL2464	300V	5X2X22AWG	22/0.14	9.7	147.23	55.4Ω/km
ANM05.006.06.022AB	UL2464	300V	6X2X22AWG	22/0.14	10.4	169.83	55.4Ω/km
ANM05.006.07.022AB	UL2464	300V	7X2X22AWG	22/0.14	10.4	174.23	55.4Ω/km
ANM05.006.08.022AB	UL2464	300V	8X2X22AWG	22/0.14	11.2	200.93	55.4Ω/km
ANM05.006.09.022AB	UL2464	300V	9X2X22AWG	22/0.14	12.2	235.23	55.4Ω/km
ANM05.006.10.022AB	UL2464	300V	10X2X22AWG	22/0.14	12.9	261.93	55.4Ω/km
ANM05.006.11.022AB	UL2464	300V	11X2X22AWG	22/0.14	13.4	283.03	55.4Ω/km
ANM05.006.12.022AB	UL2464	300V	12X2X22AWG	22/0.14	13.4	287.63	55.4Ω/km
ANM05.006.13.022AB	UL2464	300V	13X2X22AWG	22/0.14	14	312.73	55.4Ω/km
ANM05.006.14.022AB	UL2464	300V	14X2X22AWG	22/0.14	14	317.23	55.4Ω/km
ANM05.006.15.022AB	UL2464	300V	15X2X22AWG	22/0.14	14.7	347.13	55.4Ω/km
ANM05.006.16.022AB	UL2464	300V	16X2X22AWG	22/0.14	14.7	351.73	55.4Ω/km
ANM05.006.17.022AB	UL2464	300V	17X2X22AWG	22/0.14	15.5	386.53	55.4Ω/km
ANM05.006.18.022AB	UL2464	300V	18X2X22AWG	22/0.14	15.5	391.03	55.4Ω/km
ANM05.006.19.022AB	UL2464	300V	19X2X22AWG	22/0.14	15.5	395.53	55.4Ω/km
ANM05.006.20.022AB	UL2464	300V	20X2X22AWG	22/0.14	15.9	415.83	55.4Ω/km
ANM05.006.21.022AB	UL2464	300V	21X2X22AWG	22/0.14	16.2	432.43	55.4Ω/km
ANM05.006.22.022AB	UL2464	300V	22X2X22AWG	22/0.14	17.2	478.63	55.4Ω/km
ANM05.006.23.022AB	UL2464	300V	23X2X22AWG	22/0.14	17.9	514.13	55.4Ω/km
ANM05.006.24.022AB	UL2464	300V	24X2X22AWG	22/0.14	17.9	518.53	55.4Ω/km
ANM05.006.25.022AB	UL2464	300V	25X2X22AWG	22/0.14	18.3	541.23	55.4Ω/km
ANM05.006.26.022AB	UL2464	300V	26X2X22AWG	22/0.14	18.3	545.73	55.4Ω/km
ANM05.006.27.022AB	UL2464	300V	27X2X22AWG	22/0.14	18.3	550.23	55.4Ω/km
ANM05.006.28.022AB	UL2464	300V	28X2X22AWG	22/0.14	19	587.23	55.4Ω/km
ANM05.006.29.022AB	UL2464	300V	29X2X22AWG	22/0.14	19	591.73	55.4Ω/km
ANM05.006.30.022AB	UL2464	300V	30X2X22AWG	22/0.14	19	596.23	55.4Ω/km
ANM05.006.31.022AB	UL2464	300V	31X2X22AWG	22/0.14	20.7	682.53	55.4Ω/km
ANM05.006.32.022AB	UL2464	300V	32X2X22AWG	22/0.14	20.7	687.03	55.4Ω/km
ANM05.006.33.022AB	UL2464	300V	33X2X22AWG	22/0.14	20.7	691.43	55.4Ω/km
ANM05.006.34.022AB	UL2464	300V	34X2X22AWG	22/0.14	21.4	732.53	55.4Ω/km
ANM05.006.35.022AB	UL2464	300V	35X2X22AWG	22/0.14	21.4	737.03	55.4Ω/km
ANM05.006.36.022AB	UL2464	300V	36X2X22AWG	22/0.14	21.4	741.43	55.4Ω/km
ANM05.006.37.022AB	UL2464	300V	37X2X22AWG	22/0.14	21.4	745.93	55.4Ω/km
ANM05.006.38.022AB	UL2464	300V	38X2X22AWG	22/0.14	22.1	788.33	55.4Ω/km
ANM05.006.39.022AB	UL2464	300V	39X2X22AWG	22/0.14	22.1	792.83	55.4Ω/km
ANM05.006.40.022AB	UL2464	300V	40X2X22AWG	22/0.14	22.1	797.33	55.4Ω/km
ANM05.006.41.022AB	UL2464	300V	41X2X22AWG	22/0.14	23.9	904.53	55.4Ω/km



ANM05.006.42.022AB	UL2464	300V	42X2X22AWG	22/0.14	23.9	909.13	55.4 Ω/km
ANM05.006.43.022AB	UL2464	300V	43X2X22AWG	22/0.14	23.9	913.53	55.4 Ω/km
ANM05.006.44.022AB	UL2464	300V	44X2X22AWG	22/0.14	23.9	918.03	55.4 Ω/km
ANM05.006.45.022AB	UL2464	300V	45X2X22AWG	22/0.14	24.3	946.53	55.4 Ω/km
ANM05.006.46.022AB	UL2464	300V	46X2X22AWG	22/0.14	24.3	951.03	55.4 Ω/km
ANM05.006.47.022AB	UL2464	300V	47X2X22AWG	22/0.14	24.3	955.53	55.4 Ω/km
ANM05.006.48.022AB	UL2464	300V	48X2X22AWG	22/0.14	24.3	960.03	55.4 Ω/km
ANM05.006.49.022AB	UL2464	300V	49X2X22AWG	22/0.14	24.9	1001.03	55.4 Ω/km
ANM05.006.50.022AB	UL2464	300V	50X2X22AWG	22/0.14	24.9	1005.53	55.4 Ω/km
ANM05.006.51.022AB	UL2464	300V	51X2X22AWG	22/0.14	24.9	1009.93	55.4 Ω/km
ANM05.006.52.022AB	UL2464	300V	52X2X22AWG	22/0.14	24.9	1014.43	55.4 Ω/km
ANM05.006.53.022AB	UL2464	300V	53X2X22AWG	22/0.14	25.6	1062.83	55.4 Ω/km
ANM05.006.54.022AB	UL2464	300V	54X2X22AWG	22/0.14	25.6	1067.23	55.4 Ω/km
ANM05.006.55.022AB	UL2464	300V	55X2X22AWG	22/0.14	25.6	1071.73	55.4 Ω/km
ANM05.006.56.022AB	UL2464	300V	56X2X22AWG	22/0.14	25.6	1076.13	55.4 Ω/km
ANM05.006.57.022AB	UL2464	300V	57X2X22AWG	22/0.14	26.3	1125.73	55.4 Ω/km
ANM05.006.58.022AB	UL2464	300V	58X2X22AWG	22/0.14	26.3	1130.23	55.4 Ω/km
ANM05.006.59.022AB	UL2464	300V	59X2X22AWG	22/0.14	26.3	1134.63	55.4 Ω/km
ANM05.006.60.022AB	UL2464	300V	60X2X22AWG	22/0.14	26.3	1139.23	55.4 Ω/km
ANM05.006.61.022AB	UL2464	300V	61X2X22AWG	22/0.14	26.3	1143.73	55.4 Ω/km
ANM05.006.62.022AB	UL2464	300V	62X2X22AWG	22/0.14	27.1	1201.03	55.4 Ω/km
ANM05.006.63.022AB	UL2464	300V	63X2X22AWG	22/0.14	27.1	1205.53	55.4 Ω/km
ANM05.006.64.022AB	UL2464	300V	64X2X22AWG	22/0.14	27.1	1210.03	55.4 Ω/km
ANM05.006.65.022AB	UL2464	300V	65X2X22AWG	22/0.14	27.1	1214.53	55.4 Ω/km
ANM05.006.02.021AB	UL2464	300V	2X2X21AWG	27/0.14	8.3	103.82	43.6 Ω/km
ANM05.006.03.021AB	UL2464	300V	3X2X21AWG	27/0.14	8.7	118.32	43.6 Ω/km
ANM05.006.04.021AB	UL2464	300V	4X2X21AWG	27/0.14	9.4	140.42	43.6 Ω/km
ANM05.006.05.021AB	UL2464	300V	5X2X21AWG	27/0.14	10.2	166.32	43.6 Ω/km
ANM05.006.06.021AB	UL2464	300V	6X2X21AWG	27/0.14	11	193.72	43.6 Ω/km
ANM05.006.07.021AB	UL2464	300V	7X2X21AWG	27/0.14	11	199.52	43.6 Ω/km
ANM05.006.08.021AB	UL2464	300V	8X2X21AWG	27/0.14	11.8	228.42	43.6 Ω/km
ANM05.006.09.021AB	UL2464	300V	9X2X21AWG	27/0.14	12.8	265.32	43.6 Ω/km
ANM05.006.10.021AB	UL2464	300V	10X2X21AWG	27/0.14	13.7	301.32	43.6 Ω/km
ANM05.006.11.021AB	UL2464	300V	11X2X21AWG	27/0.14	14.1	321.22	43.6 Ω/km
ANM05.006.12.021AB	UL2464	300V	12X2X21AWG	27/0.14	14.1	326.92	43.6 Ω/km
ANM05.006.13.021AB	UL2464	300V	13X2X21AWG	27/0.14	14.8	358.22	43.6 Ω/km
ANM05.006.14.021AB	UL2464	300V	14X2X21AWG	27/0.14	14.8	363.92	43.6 Ω/km
ANM05.006.15.021AB	UL2464	300V	15X2X21AWG	27/0.14	15.6	400.22	43.6 Ω/km
ANM05.006.16.021AB	UL2464	300V	16X2X21AWG	27/0.14	15.6	405.82	43.6 Ω/km
ANM05.006.17.021AB	UL2464	300V	17X2X21AWG	27/0.14	16.3	439.72	43.6 Ω/km
ANM05.006.18.021AB	UL2464	300V	18X2X21AWG	27/0.14	16.3	445.42	43.6 Ω/km
ANM05.006.19.021AB	UL2464	300V	19X2X21AWG	27/0.14	16.3	451.22	43.6 Ω/km



ANM05.006.20.021AB	UL2464	300V	20X2X21AWG	27/0.14	16.8	477.72	43.6Ω/km
ANM05.006.21.021AB	UL2464	300V	21X2X21AWG	27/0.14	17.1	496.22	43.6Ω/km
ANM05.006.22.021AB	UL2464	300V	22X2X21AWG	27/0.14	18.2	550.62	43.6Ω/km
ANM05.006.23.021AB	UL2464	300V	23X2X21AWG	27/0.14	19	593.42	43.6Ω/km
ANM05.006.24.021AB	UL2464	300V	24X2X21AWG	27/0.14	19	599.12	43.6Ω/km
ANM05.006.25.021AB	UL2464	300V	25X2X21AWG	27/0.14	19.4	624.12	43.6Ω/km
ANM05.006.26.021AB	UL2464	300V	26X2X21AWG	27/0.14	19.4	629.82	43.6Ω/km
ANM05.006.27.021AB	UL2464	300V	27X2X21AWG	27/0.14	19.4	635.52	43.6Ω/km
ANM05.006.28.021AB	UL2464	300V	28X2X21AWG	27/0.14	21.1	724.62	43.6Ω/km
ANM05.006.29.021AB	UL2464	300V	29X2X21AWG	27/0.14	21.1	730.42	43.6Ω/km
ANM05.006.30.021AB	UL2464	300V	30X2X21AWG	27/0.14	21.1	736.22	43.6Ω/km
ANM05.006.31.021AB	UL2464	300V	31X2X21AWG	27/0.14	21.8	779.12	43.6Ω/km
ANM05.006.32.021AB	UL2464	300V	32X2X21AWG	27/0.14	21.8	784.92	43.6Ω/km
ANM05.006.33.021AB	UL2464	300V	33X2X21AWG	27/0.14	21.8	790.62	43.6Ω/km
ANM05.006.34.021AB	UL2464	300V	34X2X21AWG	27/0.14	22.6	840.52	43.6Ω/km
ANM05.006.35.021AB	UL2464	300V	35X2X21AWG	27/0.14	22.6	846.12	43.6Ω/km
ANM05.006.36.021AB	UL2464	300V	36X2X21AWG	27/0.14	22.6	851.92	43.6Ω/km
ANM05.006.37.021AB	UL2464	300V	37X2X21AWG	27/0.14	22.6	857.82	43.6Ω/km
ANM05.006.38.021AB	UL2464	300V	38X2X21AWG	27/0.14	23.4	909.12	43.6Ω/km
ANM05.006.39.021AB	UL2464	300V	39X2X21AWG	27/0.14	23.4	914.82	43.6Ω/km
ANM05.006.40.021AB	UL2464	300V	40X2X21AWG	27/0.14	23.4	920.62	43.6Ω/km
ANM05.006.41.021AB	UL2464	300V	41X2X21AWG	27/0.14	25.3	1041.02	43.6Ω/km
ANM05.006.42.021AB	UL2464	300V	42X2X21AWG	27/0.14	25.3	1046.72	43.6Ω/km
ANM05.006.43.021AB	UL2464	300V	43X2X21AWG	27/0.14	25.3	1052.42	43.6Ω/km
ANM05.006.44.021AB	UL2464	300V	44X2X21AWG	27/0.14	25.3	1058.22	43.6Ω/km
ANM05.006.45.021AB	UL2464	300V	45X2X21AWG	27/0.14	25.7	1089.12	43.6Ω/km
ANM05.006.46.021AB	UL2464	300V	46X2X21AWG	27/0.14	25.7	1094.92	43.6Ω/km
ANM05.006.47.021AB	UL2464	300V	47X2X21AWG	27/0.14	25.7	1100.62	43.6Ω/km
ANM05.006.48.021AB	UL2464	300V	48X2X21AWG	27/0.14	25.7	1106.42	43.6Ω/km
ANM05.006.49.021AB	UL2464	300V	49X2X21AWG	27/0.14	26.4	1157.32	43.6Ω/km
ANM05.006.50.021AB	UL2464	300V	50X2X21AWG	27/0.14	26.4	1163.02	43.6Ω/km
ANM05.006.51.021AB	UL2464	300V	51X2X21AWG	27/0.14	26.4	1168.72	43.6Ω/km
ANM05.006.52.021AB	UL2464	300V	52X2X21AWG	27/0.14	26.4	1174.52	43.6Ω/km
ANM05.006.53.021AB	UL2464	300V	53X2X21AWG	27/0.14	27.1	1226.52	43.6Ω/km
ANM05.006.54.021AB	UL2464	300V	54X2X21AWG	27/0.14	27.1	1232.22	43.6Ω/km
ANM05.006.55.021AB	UL2464	300V	55X2X21AWG	27/0.14	27.1	1238.02	43.6Ω/km
ANM05.006.56.021AB	UL2464	300V	56X2X21AWG	27/0.14	27.1	1243.82	43.6Ω/km
ANM05.006.57.021AB	UL2464	300V	57X2X21AWG	27/0.14	27.9	1303.82	43.6Ω/km
ANM05.006.58.021AB	UL2464	300V	58X2X21AWG	27/0.14	27.9	1309.62	43.6Ω/km
ANM05.006.59.021AB	UL2464	300V	59X2X21AWG	27/0.14	27.9	1315.32	43.6Ω/km
ANM05.006.60.021AB	UL2464	300V	60X2X21AWG	27/0.14	27.9	1321.12	43.6Ω/km
ANM05.006.61.021AB	UL2464	300V	61X2X21AWG	27/0.14	27.9	1326.72	43.6Ω/km





ANM05.006.62.021AB	UL2464	300V	62X2X21AWG	27/0.14	29.7	1457.62	43.6Ω/km
ANM05.006.63.021AB	UL2464	300V	63X2X21AWG	27/0.14	29.7	1463.42	43.6Ω/km
ANM05.006.64.021AB	UL2464	300V	64X2X21AWG	27/0.14	29.7	1469.22	43.6Ω/km
ANM05.006.65.021AB	UL2464	300V	65X2X21AWG	27/0.14	29.7	1474.92	43.6Ω/km
ANM05.006.02.020AB	UL2464	300V	2X2X20AWG	34/0.14	9.4	132.12	34.6Ω/km
ANM05.006.03.020AB	UL2464	300V	3X2X20AWG	34/0.14	9.9	151.72	34.6Ω/km
ANM05.006.04.020AB	UL2464	300V	4X2X20AWG	34/0.14	10.7	180.12	34.6Ω/km
ANM05.006.05.020AB	UL2464	300V	5X2X20AWG	34/0.14	11.6	213.02	34.6Ω/km
ANM05.006.06.020AB	UL2464	300V	6X2X20AWG	34/0.14	12.6	251.02	34.6Ω/km
ANM05.006.07.020AB	UL2464	300V	7X2X20AWG	34/0.14	12.6	258.22	34.6Ω/km
ANM05.006.08.020AB	UL2464	300V	8X2X20AWG	34/0.14	13.6	298.62	34.6Ω/km
ANM05.006.09.020AB	UL2464	300V	9X2X20AWG	34/0.14	14.9	352.62	34.6Ω/km
ANM05.006.10.020AB	UL2464	300V	10X2X20AWG	34/0.14	15.8	394.72	34.6Ω/km
ANM05.006.11.020AB	UL2464	300V	11X2X20AWG	34/0.14	16.3	422.12	34.6Ω/km
ANM05.006.12.020AB	UL2464	300V	12X2X20AWG	34/0.14	16.3	429.32	34.6Ω/km
ANM05.006.13.020AB	UL2464	300V	13X2X20AWG	34/0.14	17.1	470.12	34.6Ω/km
ANM05.006.14.020AB	UL2464	300V	14X2X20AWG	34/0.14	17.1	477.32	34.6Ω/km
ANM05.006.15.020AB	UL2464	300V	15X2X20AWG	34/0.14	18.1	528.52	34.6Ω/km
ANM05.006.16.020AB	UL2464	300V	16X2X20AWG	34/0.14	18.1	535.82	34.6Ω/km
ANM05.006.17.020AB	UL2464	300V	17X2X20AWG	34/0.14	19	584.92	34.6Ω/km
ANM05.006.18.020AB	UL2464	300V	18X2X20AWG	34/0.14	19	592.22	34.6Ω/km
ANM05.006.19.020AB	UL2464	300V	19X2X20AWG	34/0.14	19	599.52	34.6Ω/km
ANM05.006.20.020AB	UL2464	300V	20X2X20AWG	34/0.14	20.5	678.12	34.6Ω/km
ANM05.006.21.020AB	UL2464	300V	21X2X20AWG	34/0.14	20.9	706.02	34.6Ω/km
ANM05.006.22.020AB	UL2464	300V	22X2X20AWG	34/0.14	22.2	782.92	34.6Ω/km
ANM05.006.23.020AB	UL2464	300V	23X2X20AWG	34/0.14	23.2	846.52	34.6Ω/km
ANM05.006.24.020AB	UL2464	300V	24X2X20AWG	34/0.14	23.2	853.82	34.6Ω/km
ANM05.006.25.020AB	UL2464	300V	25X2X20AWG	34/0.14	23.7	890.12	34.6Ω/km
ANM05.006.26.020AB	UL2464	300V	26X2X20AWG	34/0.14	23.7	897.42	34.6Ω/km
ANM05.006.27.020AB	UL2464	300V	27X2X20AWG	34/0.14	23.7	904.52	34.6Ω/km
ANM05.006.28.020AB	UL2464	300V	28X2X20AWG	34/0.14	24.5	959.62	34.6Ω/km
ANM05.006.29.020AB	UL2464	300V	29X2X20AWG	34/0.14	24.5	966.82	34.6Ω/km
ANM05.006.30.020AB	UL2464	300V	30X2X20AWG	34/0.14	24.5	974.12	34.6Ω/km
ANM05.006.31.020AB	UL2464	300V	31X2X20AWG	34/0.14	25.4	1036.92	34.6Ω/km
ANM05.006.32.020AB	UL2464	300V	32X2X20AWG	34/0.14	25.4	1044.22	34.6Ω/km
ANM05.006.33.020AB	UL2464	300V	33X2X20AWG	34/0.14	25.4	1051.42	34.6Ω/km
ANM05.006.34.020AB	UL2464	300V	34X2X20AWG	34/0.14	26.3	1116.42	34.6Ω/km
ANM05.006.35.020AB	UL2464	300V	35X2X20AWG	34/0.14	26.3	1123.62	34.6Ω/km
ANM05.006.36.020AB	UL2464	300V	36X2X20AWG	34/0.14	26.3	1130.92	34.6Ω/km
ANM05.006.37.020AB	UL2464	300V	37X2X20AWG	34/0.14	26.3	1138.22	34.6Ω/km
ANM05.006.38.020AB	UL2464	300V	38X2X20AWG	34/0.14	27.3	1211.72	34.6Ω/km
ANM05.006.39.020AB	UL2464	300V	39X2X20AWG	34/0.14	27.3	1218.92	34.6Ω/km



ANM05.006.40.020AB	UL2464	300V	40X2X20AWG	34/0.14	27.3	1226.12	34.6Ω/km
ANM05.006.41.020AB	UL2464	300V	41X2X20AWG	34/0.14	30.9	1523.72	34.6Ω/km
ANM05.006.42.020AB	UL2464	300V	42X2X20AWG	34/0.14	30.9	1530.92	34.6Ω/km
ANM05.006.43.020AB	UL2464	300V	43X2X20AWG	34/0.14	30.9	1538.22	34.6Ω/km
ANM05.006.44.020AB	UL2464	300V	44X2X20AWG	34/0.14	30.9	1545.52	34.6Ω/km
ANM05.006.45.020AB	UL2464	300V	45X2X20AWG	34/0.14	31.4	1591.72	34.6Ω/km
ANM05.006.46.020AB	UL2464	300V	46X2X20AWG	34/0.14	31.4	1599.02	34.6Ω/km
ANM05.006.47.020AB	UL2464	300V	47X2X20AWG	34/0.14	31.4	1606.22	34.6Ω/km
ANM05.006.48.020AB	UL2464	300V	48X2X20AWG	34/0.14	31.4	1613.52	34.6Ω/km
ANM05.006.49.020AB	UL2464	300V	49X2X20AWG	34/0.14	32.2	1684.42	34.6Ω/km
ANM05.006.50.020AB	UL2464	300V	50X2X20AWG	34/0.14	32.2	1691.82	34.6Ω/km
ANM05.006.51.020AB	UL2464	300V	51X2X20AWG	34/0.14	32.2	1699.12	34.6Ω/km
ANM05.006.52.020AB	UL2464	300V	52X2X20AWG	34/0.14	32.2	1706.32	34.6Ω/km
ANM05.006.53.020AB	UL2464	300V	53X2X20AWG	34/0.14	33.1	1787.22	34.6Ω/km
ANM05.006.54.020AB	UL2464	300V	54X2X20AWG	34/0.14	33.1	1794.32	34.6Ω/km
ANM05.006.55.020AB	UL2464	300V	55X2X20AWG	34/0.14	33.1	1801.62	34.6Ω/km
ANM05.006.56.020AB	UL2464	300V	56X2X20AWG	34/0.14	33.1	1808.82	34.6Ω/km
ANM05.006.57.020AB	UL2464	300V	57X2X20AWG	34/0.14	34.1	1900.12	34.6Ω/km
ANM05.006.58.020AB	UL2464	300V	58X2X20AWG	34/0.14	34.1	1907.42	34.6Ω/km
ANM05.006.59.020AB	UL2464	300V	59X2X20AWG	34/0.14	34.1	1914.62	34.6Ω/km
ANM05.006.60.020AB	UL2464	300V	60X2X20AWG	34/0.14	34.1	1921.92	34.6Ω/km
ANM05.006.61.020AB	UL2464	300V	61X2X20AWG	34/0.14	34.1	1929.22	34.6Ω/km
ANM05.006.62.020AB	UL2464	300V	62X2X20AWG	34/0.14	35	2014.12	34.6Ω/km
ANM05.006.63.020AB	UL2464	300V	63X2X20AWG	34/0.14	35	2021.42	34.6Ω/km
ANM05.006.64.020AB	UL2464	300V	64X2X20AWG	34/0.14	35	2028.62	34.6Ω/km
ANM05.006.65.020AB	UL2464	300V	65X2X20AWG	34/0.14	35	2035.92	34.6Ω/km
ANM05.006.02.019AB	UL2464	300V	2X2X19AWG	43/0.14	9.7	143.66	27.4Ω/km
ANM05.006.03.019AB	UL2464	300V	3X2X19AWG	43/0.14	10.3	168.26	27.4Ω/km
ANM05.006.04.019AB	UL2464	300V	4X2X19AWG	43/0.14	11.1	199.36	27.4Ω/km
ANM05.006.05.019AB	UL2464	300V	5X2X19AWG	43/0.14	12.1	238.16	27.4Ω/km
ANM05.006.06.019AB	UL2464	300V	6X2X19AWG	43/0.14	13.2	282.86	27.4Ω/km
ANM05.006.07.019AB	UL2464	300V	7X2X19AWG	43/0.14	13.2	291.96	27.4Ω/km
ANM05.006.08.019AB	UL2464	300V	8X2X19AWG	43/0.14	14.2	335.86	27.4Ω/km
ANM05.006.09.019AB	UL2464	300V	9X2X19AWG	43/0.14	15.5	393.66	27.4Ω/km
ANM05.006.10.019AB	UL2464	300V	10X2X19AWG	43/0.14	16.5	443.06	27.4Ω/km
ANM05.006.11.019AB	UL2464	300V	11X2X19AWG	43/0.14	17.1	477.66	27.4Ω/km
ANM05.006.12.019AB	UL2464	300V	12X2X19AWG	43/0.14	17.1	486.96	27.4Ω/km
ANM05.006.13.019AB	UL2464	300V	13X2X19AWG	43/0.14	17.9	531.26	27.4Ω/km
ANM05.006.14.019AB	UL2464	300V	14X2X19AWG	43/0.14	17.9	540.46	27.4Ω/km
ANM05.006.15.019AB	UL2464	300V	15X2X19AWG	43/0.14	18.9	595.76	27.4Ω/km
ANM05.006.16.019AB	UL2464	300V	16X2X19AWG	43/0.14	18.9	604.96	27.4Ω/km
ANM05.006.17.019AB	UL2464	300V	17X2X19AWG	43/0.14	20.9	711.06	27.4Ω/km



ANM05.006.18.019AB	UL2464	300V	18X2X19AWG	43/0.14	20.9	720.26	27.4Ω/km
ANM05.006.19.019AB	UL2464	300V	19X2X19AWG	43/0.14	20.9	729.56	27.4Ω/km
ANM05.006.20.019AB	UL2464	300V	20X2X19AWG	43/0.14	21.4	765.06	27.4Ω/km
ANM05.006.21.019AB	UL2464	300V	21X2X19AWG	43/0.14	21.9	801.06	27.4Ω/km
ANM05.006.22.019AB	UL2464	300V	22X2X19AWG	43/0.14	23.2	883.16	27.4Ω/km
ANM05.006.23.019AB	UL2464	300V	23X2X19AWG	43/0.14	24.2	951.16	27.4Ω/km
ANM05.006.24.019AB	UL2464	300V	24X2X19AWG	43/0.14	24.2	960.46	27.4Ω/km
ANM05.006.25.019AB	UL2464	300V	25X2X19AWG	43/0.14	24.7	1000.06	27.4Ω/km
ANM05.006.26.019AB	UL2464	300V	26X2X19AWG	43/0.14	24.7	1009.26	27.4Ω/km
ANM05.006.27.019AB	UL2464	300V	27X2X19AWG	43/0.14	24.7	1018.46	27.4Ω/km
ANM05.006.28.019AB	UL2464	300V	28X2X19AWG	43/0.14	25.6	1083.66	27.4Ω/km
ANM05.006.29.019AB	UL2464	300V	29X2X19AWG	43/0.14	25.6	1092.96	27.4Ω/km
ANM05.006.30.019AB	UL2464	300V	30X2X19AWG	43/0.14	25.6	1102.26	27.4Ω/km
ANM05.006.31.019AB	UL2464	300V	31X2X19AWG	43/0.14	26.6	1176.16	27.4Ω/km
ANM05.006.32.019AB	UL2464	300V	32X2X19AWG	43/0.14	26.6	1185.46	27.4Ω/km
ANM05.006.33.019AB	UL2464	300V	33X2X19AWG	43/0.14	26.6	1194.66	27.4Ω/km
ANM05.006.34.019AB	UL2464	300V	34X2X19AWG	43/0.14	27.6	1270.86	27.4Ω/km
ANM05.006.35.019AB	UL2464	300V	35X2X19AWG	43/0.14	27.6	1280.06	27.4Ω/km
ANM05.006.36.019AB	UL2464	300V	36X2X19AWG	43/0.14	27.6	1289.36	27.4Ω/km
ANM05.006.37.019AB	UL2464	300V	37X2X19AWG	43/0.14	27.6	1298.66	27.4Ω/km
ANM05.006.38.019AB	UL2464	300V	38X2X19AWG	43/0.14	29.6	1446.16	27.4Ω/km
ANM05.006.39.019AB	UL2464	300V	39X2X19AWG	43/0.14	29.6	1455.46	27.4Ω/km
ANM05.006.40.019AB	UL2464	300V	40X2X19AWG	43/0.14	29.6	1464.66	27.4Ω/km
ANM05.006.41.019AB	UL2464	300V	41X2X19AWG	43/0.14	32.3	1716.36	27.4Ω/km
ANM05.006.42.019AB	UL2464	300V	42X2X19AWG	43/0.14	32.3	1725.66	27.4Ω/km
ANM05.006.43.019AB	UL2464	300V	43X2X19AWG	43/0.14	32.3	1734.86	27.4Ω/km
ANM05.006.44.019AB	UL2464	300V	44X2X19AWG	43/0.14	32.3	1744.16	27.4Ω/km
ANM05.006.45.019AB	UL2464	300V	45X2X19AWG	43/0.14	32.8	1794.06	27.4Ω/km
ANM05.006.46.019AB	UL2464	300V	46X2X19AWG	43/0.14	32.8	1803.36	27.4Ω/km
ANM05.006.47.019AB	UL2464	300V	47X2X19AWG	43/0.14	32.8	1812.56	27.4Ω/km
ANM05.006.48.019AB	UL2464	300V	48X2X19AWG	43/0.14	32.8	1821.76	27.4Ω/km
ANM05.006.49.019AB	UL2464	300V	49X2X19AWG	43/0.14	33.7	1905.96	27.4Ω/km
ANM05.006.50.019AB	UL2464	300V	50X2X19AWG	43/0.14	33.7	1915.16	27.4Ω/km
ANM05.006.51.019AB	UL2464	300V	51X2X19AWG	43/0.14	33.7	1924.46	27.4Ω/km
ANM05.006.52.019AB	UL2464	300V	52X2X19AWG	43/0.14	33.7	1933.86	27.4Ω/km
ANM05.006.53.019AB	UL2464	300V	53X2X19AWG	43/0.14	34.7	2028.56	27.4Ω/km
ANM05.006.54.019AB	UL2464	300V	54X2X19AWG	43/0.14	34.7	2037.76	27.4Ω/km
ANM05.006.55.019AB	UL2464	300V	55X2X19AWG	43/0.14	34.7	2046.96	27.4Ω/km
ANM05.006.56.019AB	UL2464	300V	56X2X19AWG	43/0.14	34.7	2056.26	27.4Ω/km
ANM05.006.57.019AB	UL2464	300V	57X2X19AWG	43/0.14	35.9	2171.26	27.4Ω/km
ANM05.006.58.019AB	UL2464	300V	58X2X19AWG	43/0.14	35.9	2180.56	27.4Ω/km
ANM05.006.59.019AB	UL2464	300V	59X2X19AWG	43/0.14	35.9	2189.86	27.4Ω/km



ANM05.006.60.019AB	UL2464	300V	60X2X19AWG	43/0.14	35.9	2199.06	27.4Ω/km
ANM05.006.61.019AB	UL2464	300V	61X2X19AWG	43/0.14	35.9	2208.26	27.4Ω/km
ANM05.006.62.019AB	UL2464	300V	62X2X19AWG	43/0.14	37	2317.46	27.4Ω/km
ANM05.006.63.019AB	UL2464	300V	63X2X19AWG	43/0.14	37	2326.76	27.4Ω/km
ANM05.006.64.019AB	UL2464	300V	64X2X19AWG	43/0.14	37	2336.06	27.4Ω/km
ANM05.006.65.019AB	UL2464	300V	65X2X19AWG	43/0.14	37	2345.26	27.4Ω/km
ANM05.006.02.018AB	UL2464	300V	2X2X18AWG	29/0.19	10.1	159.23	21.8Ω/km
ANM05.006.03.018AB	UL2464	300V	3X2X18AWG	29/0.19	10.6	184.33	21.8Ω/km
ANM05.006.04.018AB	UL2464	300V	4X2X18AWG	29/0.19	11.5	221.73	21.8Ω/km
ANM05.006.05.018AB	UL2464	300V	5X2X18AWG	29/0.19	12.6	267.33	21.8Ω/km
ANM05.006.06.018AB	UL2464	300V	6X2X18AWG	29/0.19	13.7	315.73	21.8Ω/km
ANM05.006.07.018AB	UL2464	300V	7X2X18AWG	29/0.19	13.7	327.63	21.8Ω/km
ANM05.006.08.018AB	UL2464	300V	8X2X18AWG	29/0.19	14.8	379.33	21.8Ω/km
ANM05.006.09.018AB	UL2464	300V	9X2X18AWG	29/0.19	16.2	445.63	21.8Ω/km
ANM05.006.10.018AB	UL2464	300V	10X2X18AWG	29/0.19	17.2	499.43	21.8Ω/km
ANM05.006.11.018AB	UL2464	300V	11X2X18AWG	29/0.19	17.8	537.83	21.8Ω/km
ANM05.006.12.018AB	UL2464	300V	12X2X18AWG	29/0.19	17.8	549.63	21.8Ω/km
ANM05.006.13.018AB	UL2464	300V	13X2X18AWG	29/0.19	18.7	602.53	21.8Ω/km
ANM05.006.14.018AB	UL2464	300V	14X2X18AWG	29/0.19	18.7	614.43	21.8Ω/km
ANM05.006.15.018AB	UL2464	300V	15X2X18AWG	29/0.19	20.7	722.33	21.8Ω/km
ANM05.006.16.018AB	UL2464	300V	16X2X18AWG	29/0.19	20.7	734.23	21.8Ω/km
ANM05.006.17.018AB	UL2464	300V	17X2X18AWG	29/0.19	21.7	798.63	21.8Ω/km
ANM05.006.18.018AB	UL2464	300V	18X2X18AWG	29/0.19	21.7	810.63	21.8Ω/km
ANM05.006.19.018AB	UL2464	300V	19X2X18AWG	29/0.19	21.7	822.53	21.8Ω/km
ANM05.006.20.018AB	UL2464	300V	20X2X18AWG	29/0.19	22.3	867.33	21.8Ω/km
ANM05.006.21.018AB	UL2464	300V	21X2X18AWG	29/0.19	22.8	907.13	21.8Ω/km
ANM05.006.22.018AB	UL2464	300V	22X2X18AWG	29/0.19	24.2	1000.73	21.8Ω/km
ANM05.006.23.018AB	UL2464	300V	23X2X18AWG	29/0.19	25.3	1080.03	21.8Ω/km
ANM05.006.24.018AB	UL2464	300V	24X2X18AWG	29/0.19	25.3	1091.93	21.8Ω/km
ANM05.006.25.018AB	UL2464	300V	25X2X18AWG	29/0.19	25.8	1135.53	21.8Ω/km
ANM05.006.26.018AB	UL2464	300V	26X2X18AWG	29/0.19	25.8	1147.33	21.8Ω/km
ANM05.006.27.018AB	UL2464	300V	27X2X18AWG	29/0.19	25.8	1159.23	21.8Ω/km
ANM05.006.28.018AB	UL2464	300V	28X2X18AWG	29/0.19	26.7	1229.63	21.8Ω/km
ANM05.006.29.018AB	UL2464	300V	29X2X18AWG	29/0.19	26.7	1241.63	21.8Ω/km
ANM05.006.30.018AB	UL2464	300V	30X2X18AWG	29/0.19	26.7	1253.53	21.8Ω/km
ANM05.006.31.018AB	UL2464	300V	31X2X18AWG	29/0.19	27.7	1332.53	21.8Ω/km
ANM05.006.32.018AB	UL2464	300V	32X2X18AWG	29/0.19	27.7	1344.53	21.8Ω/km
ANM05.006.33.018AB	UL2464	300V	33X2X18AWG	29/0.19	27.7	1356.43	21.8Ω/km
ANM05.006.34.018AB	UL2464	300V	34X2X18AWG	29/0.19	29.8	1514.43	21.8Ω/km
ANM05.006.35.018AB	UL2464	300V	35X2X18AWG	29/0.19	29.8	1526.33	21.8Ω/km
ANM05.006.36.018AB	UL2464	300V	36X2X18AWG	29/0.19	29.8	1538.43	21.8Ω/km
ANM05.006.37.018AB	UL2464	300V	37X2X18AWG	29/0.19	29.8	1550.23	21.8Ω/km



ANM05.006.38.018AB	UL2464	300V	38X2X18AWG	29/0.19	31.2	1702.43	21.8Ω/km
ANM05.006.39.018AB	UL2464	300V	39X2X18AWG	29/0.19	31.2	1714.33	21.8Ω/km
ANM05.006.40.018AB	UL2464	300V	40X2X18AWG	29/0.19	31.2	1726.23	21.8Ω/km
ANM05.006.41.018AB	UL2464	300V	41X2X18AWG	29/0.19	33.7	1941.33	21.8Ω/km
ANM05.006.42.018AB	UL2464	300V	42X2X18AWG	29/0.19	33.7	1953.13	21.8Ω/km
ANM05.006.43.018AB	UL2464	300V	43X2X18AWG	29/0.19	33.7	1965.13	21.8Ω/km
ANM05.006.44.018AB	UL2464	300V	44X2X18AWG	29/0.19	33.7	1977.03	21.8Ω/km
ANM05.006.45.018AB	UL2464	300V	45X2X18AWG	29/0.19	34.3	2039.83	21.8Ω/km
ANM05.006.46.018AB	UL2464	300V	46X2X18AWG	29/0.19	34.3	2051.83	21.8Ω/km
ANM05.006.47.018AB	UL2464	300V	47X2X18AWG	29/0.19	34.3	2063.73	21.8Ω/km
ANM05.006.48.018AB	UL2464	300V	48X2X18AWG	29/0.19	34.3	2075.53	21.8Ω/km
ANM05.006.49.018AB	UL2464	300V	49X2X18AWG	29/0.19	35.2	2165.63	21.8Ω/km
ANM05.006.50.018AB	UL2464	300V	50X2X18AWG	29/0.19	35.2	2177.63	21.8Ω/km
ANM05.006.51.018AB	UL2464	300V	51X2X18AWG	29/0.19	35.2	2189.43	21.8Ω/km
ANM05.006.52.018AB	UL2464	300V	52X2X18AWG	29/0.19	35.2	2201.43	21.8Ω/km
ANM05.006.53.018AB	UL2464	300V	53X2X18AWG	29/0.19	36.5	2329.63	21.8Ω/km
ANM05.006.54.018AB	UL2464	300V	54X2X18AWG	29/0.19	36.5	2341.53	21.8Ω/km
ANM05.006.55.018AB	UL2464	300V	55X2X18AWG	29/0.19	36.5	2353.43	21.8Ω/km
ANM05.006.56.018AB	UL2464	300V	56X2X18AWG	29/0.19	36.5	2365.23	21.8Ω/km
ANM05.006.57.018AB	UL2464	300V	57X2X18AWG	29/0.19	37.5	2469.63	21.8Ω/km
ANM05.006.58.018AB	UL2464	300V	58X2X18AWG	29/0.19	37.5	2481.53	21.8Ω/km
ANM05.006.59.018AB	UL2464	300V	59X2X18AWG	29/0.19	37.5	2493.33	21.8Ω/km
ANM05.006.60.018AB	UL2464	300V	60X2X18AWG	29/0.19	37.5	2505.43	21.8Ω/km
ANM05.006.61.018AB	UL2464	300V	61X2X18AWG	29/0.19	37.5	2517.33	21.8Ω/km
ANM05.006.62.018AB	UL2464	300V	62X2X18AWG	29/0.19	38.6	2633.23	21.8Ω/km
ANM05.006.63.018AB	UL2464	300V	63X2X18AWG	29/0.19	38.6	2645.13	21.8Ω/km
ANM05.006.64.018AB	UL2464	300V	64X2X18AWG	29/0.19	38.6	2657.13	21.8Ω/km
ANM05.006.65.018AB	UL2464	300V	65X2X18AWG	29/0.19	38.6	2669.03	21.8Ω/km
ANM05.006.02.017AB	UL2464	300V	2X2X17AWG	37/0.19	10.8	183.74	17.3Ω/km
ANM05.006.03.017AB	UL2464	300V	3X2X17AWG	37/0.19	11.4	215.44	17.3Ω/km
ANM05.006.04.017AB	UL2464	300V	4X2X17AWG	37/0.19	12.4	260.44	17.3Ω/km
ANM05.006.05.017AB	UL2464	300V	5X2X17AWG	37/0.19	13.6	314.84	17.3Ω/km
ANM05.006.06.017AB	UL2464	300V	6X2X17AWG	37/0.19	14.8	372.64	17.3Ω/km
ANM05.006.07.017AB	UL2464	300V	7X2X17AWG	37/0.19	14.8	387.34	17.3Ω/km
ANM05.006.08.017AB	UL2464	300V	8X2X17AWG	37/0.19	15.9	444.44	17.3Ω/km
ANM05.006.09.017AB	UL2464	300V	9X2X17AWG	37/0.19	17.5	526.14	17.3Ω/km
ANM05.006.10.017AB	UL2464	300V	10X2X17AWG	37/0.19	18.6	590.64	17.3Ω/km
ANM05.006.11.017AB	UL2464	300V	11X2X17AWG	37/0.19	19.3	638.44	17.3Ω/km
ANM05.006.12.017AB	UL2464	300V	12X2X17AWG	37/0.19	19.3	653.04	17.3Ω/km
ANM05.006.13.017AB	UL2464	300V	13X2X17AWG	37/0.19	21.2	761.14	17.3Ω/km
ANM05.006.14.017AB	UL2464	300V	14X2X17AWG	37/0.19	21.2	776.04	17.3Ω/km
ANM05.006.15.017AB	UL2464	300V	15X2X17AWG	37/0.19	22.4	855.84	17.3Ω/km



ANM05.006.16.017AB	UL2464	300V	16X2X17AWG	37/0.19	22.4	870.54	17.3 Ω/km
ANM05.006.17.017AB	UL2464	300V	17X2X17AWG	37/0.19	23.5	947.74	17.3 Ω/km
ANM05.006.18.017AB	UL2464	300V	18X2X17AWG	37/0.19	23.5	962.54	17.3 Ω/km
ANM05.006.19.017AB	UL2464	300V	19X2X17AWG	37/0.19	23.5	977.34	17.3 Ω/km
ANM05.006.20.017AB	UL2464	300V	20X2X17AWG	37/0.19	24.1	1027.54	17.3 Ω/km
ANM05.006.21.017AB	UL2464	300V	21X2X17AWG	37/0.19	24.7	1078.44	17.3 Ω/km
ANM05.006.22.017AB	UL2464	300V	22X2X17AWG	37/0.19	26.2	1187.74	17.3 Ω/km
ANM05.006.23.017AB	UL2464	300V	23X2X17AWG	37/0.19	27.4	1282.04	17.3 Ω/km
ANM05.006.24.017AB	UL2464	300V	24X2X17AWG	37/0.19	27.4	1296.74	17.3 Ω/km
ANM05.006.25.017AB	UL2464	300V	25X2X17AWG	37/0.19	28	1352.54	17.3 Ω/km
ANM05.006.26.017AB	UL2464	300V	26X2X17AWG	37/0.19	28	1367.24	17.3 Ω/km
ANM05.006.27.017AB	UL2464	300V	27X2X17AWG	37/0.19	28	1382.04	17.3 Ω/km
ANM05.006.28.017AB	UL2464	300V	28X2X17AWG	37/0.19	30.4	1600.74	17.3 Ω/km
ANM05.006.29.017AB	UL2464	300V	29X2X17AWG	37/0.19	30.4	1615.44	17.3 Ω/km
ANM05.006.30.017AB	UL2464	300V	30X2X17AWG	37/0.19	30.4	1630.14	17.3 Ω/km
ANM05.006.31.017AB	UL2464	300V	31X2X17AWG	37/0.19	31.5	1730.24	17.3 Ω/km
ANM05.006.32.017AB	UL2464	300V	32X2X17AWG	37/0.19	31.5	1745.04	17.3 Ω/km
ANM05.006.33.017AB	UL2464	300V	33X2X17AWG	37/0.19	31.5	1759.74	17.3 Ω/km
ANM05.006.34.017AB	UL2464	300V	34X2X17AWG	37/0.19	32.7	1870.84	17.3 Ω/km
ANM05.006.35.017AB	UL2464	300V	35X2X17AWG	37/0.19	32.7	1885.54	17.3 Ω/km
ANM05.006.36.017AB	UL2464	300V	36X2X17AWG	37/0.19	32.7	1900.34	17.3 Ω/km
ANM05.006.37.017AB	UL2464	300V	37X2X17AWG	37/0.19	32.7	1915.04	17.3 Ω/km
ANM05.006.38.017AB	UL2464	300V	38X2X17AWG	37/0.19	33.8	2021.34	17.3 Ω/km
ANM05.006.39.017AB	UL2464	300V	39X2X17AWG	37/0.19	33.8	2036.04	17.3 Ω/km
ANM05.006.40.017AB	UL2464	300V	40X2X17AWG	37/0.19	33.8	2050.84	17.3 Ω/km
ANM05.006.41.017AB	UL2464	300V	41X2X17AWG	37/0.19	36.8	2329.94	17.3 Ω/km
ANM05.006.42.017AB	UL2464	300V	42X2X17AWG	37/0.19	36.8	2344.64	17.3 Ω/km
ANM05.006.43.017AB	UL2464	300V	43X2X17AWG	37/0.19	36.8	2359.34	17.3 Ω/km
ANM05.006.44.017AB	UL2464	300V	44X2X17AWG	37/0.19	36.8	2374.04	17.3 Ω/km
ANM05.006.45.017AB	UL2464	300V	45X2X17AWG	37/0.19	37.4	2444.34	17.3 Ω/km
ANM05.006.46.017AB	UL2464	300V	46X2X17AWG	37/0.19	37.4	2459.14	17.3 Ω/km
ANM05.006.47.017AB	UL2464	300V	47X2X17AWG	37/0.19	37.4	2473.74	17.3 Ω/km
ANM05.006.48.017AB	UL2464	300V	48X2X17AWG	37/0.19	37.4	2488.44	17.3 Ω/km
ANM05.006.49.017AB	UL2464	300V	49X2X17AWG	37/0.19	38.4	2597.54	17.3 Ω/km
ANM05.006.50.017AB	UL2464	300V	50X2X17AWG	37/0.19	38.4	2612.34	17.3 Ω/km
ANM05.006.51.017AB	UL2464	300V	51X2X17AWG	37/0.19	38.4	2627.04	17.3 Ω/km
ANM05.006.52.017AB	UL2464	300V	52X2X17AWG	37/0.19	38.4	2641.74	17.3 Ω/km
ANM05.006.53.017AB	UL2464	300V	53X2X17AWG	37/0.19	39.6	2773.14	17.3 Ω/km
ANM05.006.54.017AB	UL2464	300V	54X2X17AWG	37/0.19	39.6	2787.84	17.3 Ω/km
ANM05.006.55.017AB	UL2464	300V	55X2X17AWG	37/0.19	39.6	2802.64	17.3 Ω/km
ANM05.006.56.017AB	UL2464	300V	56X2X17AWG	37/0.19	39.6	2817.34	17.3 Ω/km
ANM05.006.57.017AB	UL2464	300V	57X2X17AWG	37/0.19	40.9	2999.94	17.3 Ω/km



ANM05.006.58.017AB	UL2464	300V	58X2X17AWG	37/0.19	40.9	3014.74	17.3 Ω/km
ANM05.006.59.017AB	UL2464	300V	59X2X17AWG	37/0.19	40.9	3029.54	17.3 Ω/km
ANM05.006.60.017AB	UL2464	300V	60X2X17AWG	37/0.19	40.9	3044.24	17.3 Ω/km
ANM05.006.61.017AB	UL2464	300V	61X2X17AWG	37/0.19	40.9	3058.84	17.3 Ω/km
ANM05.006.62.017AB	UL2464	300V	62X2X17AWG	37/0.19	42.1	3198.64	17.3 Ω/km
ANM05.006.63.017AB	UL2464	300V	63X2X17AWG	37/0.19	42.1	3213.34	17.3 Ω/km
ANM05.006.64.017AB	UL2464	300V	64X2X17AWG	37/0.19	42.1	3228.14	17.3 Ω/km
ANM05.006.65.017AB	UL2464	300V	65X2X17AWG	37/0.19	42.1	3242.84	17.3 Ω/km
ANM05.006.02.016AB	UL2464	300V	2X2X16AWG	27/0.25	11.1	201.31	13.7 Ω/km
ANM05.006.03.016AB	UL2464	300V	3X2X16AWG	27/0.25	11.8	240.81	13.7 Ω/km
ANM05.006.04.016AB	UL2464	300V	4X2X16AWG	27/0.25	12.8	291.11	13.7 Ω/km
ANM05.006.05.016AB	UL2464	300V	5X2X16AWG	27/0.25	14.1	354.51	13.7 Ω/km
ANM05.006.06.016AB	UL2464	300V	6X2X16AWG	27/0.25	15.3	418.21	13.7 Ω/km
ANM05.006.07.016AB	UL2464	300V	7X2X16AWG	27/0.25	15.3	437.31	13.7 Ω/km
ANM05.006.08.016AB	UL2464	300V	8X2X16AWG	27/0.25	16.5	504.21	13.7 Ω/km
ANM05.006.09.016AB	UL2464	300V	9X2X16AWG	27/0.25	18.1	592.61	13.7 Ω/km
ANM05.006.10.016AB	UL2464	300V	10X2X16AWG	27/0.25	19.3	667.81	13.7 Ω/km
ANM05.006.11.016AB	UL2464	300V	11X2X16AWG	27/0.25	21	769.81	13.7 Ω/km
ANM05.006.12.016AB	UL2464	300V	12X2X16AWG	27/0.25	21	789.01	13.7 Ω/km
ANM05.006.13.016AB	UL2464	300V	13X2X16AWG	27/0.25	22	861.51	13.7 Ω/km
ANM05.006.14.016AB	UL2464	300V	14X2X16AWG	27/0.25	22	880.61	13.7 Ω/km
ANM05.006.15.016AB	UL2464	300V	15X2X16AWG	27/0.25	23.2	967.11	13.7 Ω/km
ANM05.006.16.016AB	UL2464	300V	16X2X16AWG	27/0.25	23.2	986.21	13.7 Ω/km
ANM05.006.17.016AB	UL2464	300V	17X2X16AWG	27/0.25	24.4	1076.11	13.7 Ω/km
ANM05.006.18.016AB	UL2464	300V	18X2X16AWG	27/0.25	24.4	1095.31	13.7 Ω/km
ANM05.006.19.016AB	UL2464	300V	19X2X16AWG	27/0.25	24.4	1114.41	13.7 Ω/km
ANM05.006.20.016AB	UL2464	300V	20X2X16AWG	27/0.25	25	1170.21	13.7 Ω/km
ANM05.006.21.016AB	UL2464	300V	21X2X16AWG	27/0.25	25.6	1226.81	13.7 Ω/km
ANM05.006.22.016AB	UL2464	300V	22X2X16AWG	27/0.25	27.2	1350.41	13.7 Ω/km
ANM05.006.23.016AB	UL2464	300V	23X2X16AWG	27/0.25	28.4	1452.01	13.7 Ω/km
ANM05.006.24.016AB	UL2464	300V	24X2X16AWG	27/0.25	28.4	1471.21	13.7 Ω/km
ANM05.006.25.016AB	UL2464	300V	25X2X16AWG	27/0.25	30.5	1674.01	13.7 Ω/km
ANM05.006.26.016AB	UL2464	300V	26X2X16AWG	27/0.25	30.5	1693.11	13.7 Ω/km
ANM05.006.27.016AB	UL2464	300V	27X2X16AWG	27/0.25	30.5	1712.21	13.7 Ω/km
ANM05.006.28.016AB	UL2464	300V	28X2X16AWG	27/0.25	31.5	1809.11	13.7 Ω/km
ANM05.006.29.016AB	UL2464	300V	29X2X16AWG	27/0.25	31.5	1828.21	13.7 Ω/km
ANM05.006.30.016AB	UL2464	300V	30X2X16AWG	27/0.25	31.5	1847.41	13.7 Ω/km
ANM05.006.31.016AB	UL2464	300V	31X2X16AWG	27/0.25	32.7	1962.81	13.7 Ω/km
ANM05.006.32.016AB	UL2464	300V	32X2X16AWG	27/0.25	32.7	1982.01	13.7 Ω/km
ANM05.006.33.016AB	UL2464	300V	33X2X16AWG	27/0.25	32.7	2001.11	13.7 Ω/km
ANM05.006.34.016AB	UL2464	300V	34X2X16AWG	27/0.25	33.9	2120.11	13.7 Ω/km
ANM05.006.35.016AB	UL2464	300V	35X2X16AWG	27/0.25	33.9	2139.21	13.7 Ω/km



ANM05.006.36.016AB	UL2464	300V	36X2X16AWG	27/0.25	33.9	2158.41	13.7 Ω/km
ANM05.006.37.016AB	UL2464	300V	37X2X16AWG	27/0.25	33.9	2177.51	13.7 Ω/km
ANM05.006.38.016AB	UL2464	300V	38X2X16AWG	27/0.25	35.1	2300.11	13.7 Ω/km
ANM05.006.39.016AB	UL2464	300V	39X2X16AWG	27/0.25	35.1	2319.21	13.7 Ω/km
ANM05.006.40.016AB	UL2464	300V	40X2X16AWG	27/0.25	35.1	2338.31	13.7 Ω/km
ANM05.006.41.016AB	UL2464	300V	41X2X16AWG	27/0.25	38.2	2640.81	13.7 Ω/km
ANM05.006.42.016AB	UL2464	300V	42X2X16AWG	27/0.25	38.2	2660.01	13.7 Ω/km
ANM05.006.43.016AB	UL2464	300V	43X2X16AWG	27/0.25	38.2	2679.11	13.7 Ω/km
ANM05.006.44.016AB	UL2464	300V	44X2X16AWG	27/0.25	38.2	2698.21	13.7 Ω/km
ANM05.006.45.016AB	UL2464	300V	45X2X16AWG	27/0.25	38.9	2784.41	13.7 Ω/km
ANM05.006.46.016AB	UL2464	300V	46X2X16AWG	27/0.25	38.9	2803.51	13.7 Ω/km
ANM05.006.47.016AB	UL2464	300V	47X2X16AWG	27/0.25	38.9	2822.71	13.7 Ω/km
ANM05.006.48.016AB	UL2464	300V	48X2X16AWG	27/0.25	38.9	2841.81	13.7 Ω/km
ANM05.006.49.016AB	UL2464	300V	49X2X16AWG	27/0.25	39.9	2959.01	13.7 Ω/km
ANM05.006.50.016AB	UL2464	300V	50X2X16AWG	27/0.25	39.9	2978.11	13.7 Ω/km
ANM05.006.51.016AB	UL2464	300V	51X2X16AWG	27/0.25	39.9	2997.21	13.7 Ω/km
ANM05.006.52.016AB	UL2464	300V	52X2X16AWG	27/0.25	39.9	3016.31	13.7 Ω/km
ANM05.006.53.016AB	UL2464	300V	53X2X16AWG	27/0.25	41.3	3215.11	13.7 Ω/km
ANM05.006.54.016AB	UL2464	300V	54X2X16AWG	27/0.25	41.3	3234.21	13.7 Ω/km
ANM05.006.55.016AB	UL2464	300V	55X2X16AWG	27/0.25	41.3	3253.31	13.7 Ω/km
ANM05.006.56.016AB	UL2464	300V	56X2X16AWG	27/0.25	41.3	3272.41	13.7 Ω/km
ANM05.006.57.016AB	UL2464	300V	57X2X16AWG	27/0.25	43.9	3560.81	13.7 Ω/km
ANM05.006.58.016AB	UL2464	300V	58X2X16AWG	27/0.25	43.9	3579.91	13.7 Ω/km
ANM05.006.59.016AB	UL2464	300V	59X2X16AWG	27/0.25	43.9	3599.11	13.7 Ω/km
ANM05.006.60.016AB	UL2464	300V	60X2X16AWG	27/0.25	43.9	3618.21	13.7 Ω/km
ANM05.006.61.016AB	UL2464	300V	61X2X16AWG	27/0.25	43.9	3637.31	13.7 Ω/km
ANM05.006.62.016AB	UL2464	300V	62X2X16AWG	27/0.25	45.1	3790.11	13.7 Ω/km
ANM05.006.63.016AB	UL2464	300V	63X2X16AWG	27/0.25	45.1	3809.21	13.7 Ω/km
ANM05.006.64.016AB	UL2464	300V	64X2X16AWG	27/0.25	45.1	3828.31	13.7 Ω/km
ANM05.006.65.016AB	UL2464	300V	65X2X16AWG	27/0.25	45.1	3847.51	13.7 Ω/km