



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω /km
芯线 XLPE 材质							
ANM10.007.02.022AB	UL21320	1000V	2X22AWG	22/0.14	7.6	71.53	55.4 Ω /km
ANM10.007.03.022AB	UL21320	1000V	3X22AWG	22/0.14	8	80.83	55.4 Ω /km
ANM10.007.04.022AB	UL21320	1000V	4X22AWG	22/0.14	8.6	94.73	55.4 Ω /km
ANM10.007.05.022AB	UL21320	1000V	5X22AWG	22/0.14	9.3	111.63	55.4 Ω /km
ANM10.007.06.022AB	UL21320	1000V	6X22AWG	22/0.14	10	129.73	55.4 Ω /km
ANM10.007.07.022AB	UL21320	1000V	7X22AWG	22/0.14	10	131.83	55.4 Ω /km
ANM10.007.08.022AB	UL21320	1000V	8X22AWG	22/0.14	10.8	153.63	55.4 Ω /km
ANM10.007.09.022AB	UL21320	1000V	9X22AWG	22/0.14	11.7	179.73	55.4 Ω /km
ANM10.007.10.022AB	UL21320	1000V	10X22AWG	22/0.14	12.4	201.83	55.4 Ω /km
ANM10.007.11.022AB	UL21320	1000V	11X22AWG	22/0.14	12.8	216.13	55.4 Ω /km
ANM10.007.12.022AB	UL21320	1000V	12X22AWG	22/0.14	12.8	218.13	55.4 Ω /km
ANM10.007.13.022AB	UL21320	1000V	13X22AWG	22/0.14	13.5	242.23	55.4 Ω /km
ANM10.007.14.022AB	UL21320	1000V	14X22AWG	22/0.14	13.5	244.23	55.4 Ω /km
ANM10.007.15.022AB	UL21320	1000V	15X22AWG	22/0.14	14.2	269.53	55.4 Ω /km
ANM10.007.16.022AB	UL21320	1000V	16X22AWG	22/0.14	14.2	271.73	55.4 Ω /km
ANM10.007.17.022AB	UL21320	1000V	17X22AWG	22/0.14	14.9	297.93	55.4 Ω /km
ANM10.007.18.022AB	UL21320	1000V	18X22AWG	22/0.14	14.9	300.13	55.4 Ω /km
ANM10.007.19.022AB	UL21320	1000V	19X22AWG	22/0.14	14.9	302.33	55.4 Ω /km
ANM10.007.20.022AB	UL21320	1000V	20X22AWG	22/0.14	15.3	318.83	55.4 Ω /km
ANM10.007.21.022AB	UL21320	1000V	21X22AWG	22/0.14	15.7	335.73	55.4 Ω /km
ANM10.007.22.022AB	UL21320	1000V	22X22AWG	22/0.14	16.6	372.53	55.4 Ω /km
ANM10.007.23.022AB	UL21320	1000V	23X22AWG	22/0.14	17.3	403.03	55.4 Ω /km
ANM10.007.24.022AB	UL21320	1000V	24X22AWG	22/0.14	17.3	405.13	55.4 Ω /km
ANM10.007.25.022AB	UL21320	1000V	25X22AWG	22/0.14	17.7	424.13	55.4 Ω /km
ANM10.007.26.022AB	UL21320	1000V	26X22AWG	22/0.14	17.7	426.13	55.4 Ω /km
ANM10.007.27.022AB	UL21320	1000V	27X22AWG	22/0.14	17.7	428.33	55.4 Ω /km
ANM10.007.28.022AB	UL21320	1000V	28X22AWG	22/0.14	18.3	456.13	55.4 Ω /km
ANM10.007.29.022AB	UL21320	1000V	29X22AWG	22/0.14	18.3	458.33	55.4 Ω /km
ANM10.007.30.022AB	UL21320	1000V	30X22AWG	22/0.14	18.3	460.53	55.4 Ω /km
ANM10.007.31.022AB	UL21320	1000V	31X22AWG	22/0.14	19	493.73	55.4 Ω /km
ANM10.007.32.022AB	UL21320	1000V	32X22AWG	22/0.14	19	495.93	55.4 Ω /km
ANM10.007.33.022AB	UL21320	1000V	33X22AWG	22/0.14	19	498.13	55.4 Ω /km
ANM10.007.34.022AB	UL21320	1000V	34X22AWG	22/0.14	20.7	580.53	55.4 Ω /km
ANM10.007.35.022AB	UL21320	1000V	35X22AWG	22/0.14	20.7	582.63	55.4 Ω /km
ANM10.007.36.022AB	UL21320	1000V	36X22AWG	22/0.14	20.7	584.83	55.4 Ω /km
ANM10.007.37.022AB	UL21320	1000V	37X22AWG	22/0.14	20.7	586.93	55.4 Ω /km
ANM10.007.38.022AB	UL21320	1000V	38X22AWG	22/0.14	21.5	629.43	55.4 Ω /km
ANM10.007.39.022AB	UL21320	1000V	39X22AWG	22/0.14	21.5	631.53	55.4 Ω /km
ANM10.007.40.022AB	UL21320	1000V	40X22AWG	22/0.14	21.5	633.63	55.4 Ω /km



ANM10.007.41.022AB	UL21320	1000V	41X22AWG	22/0.14	23.1	721.13	55.4 Ω/km
ANM10.007.42.022AB	UL21320	1000V	42X22AWG	22/0.14	23.1	723.23	55.4 Ω/km
ANM10.007.43.022AB	UL21320	1000V	43X22AWG	22/0.14	23.1	725.43	55.4 Ω/km
ANM10.007.44.022AB	UL21320	1000V	44X22AWG	22/0.14	23.1	727.53	55.4 Ω/km
ANM10.007.45.022AB	UL21320	1000V	45X22AWG	22/0.14	23.5	751.93	55.4 Ω/km
ANM10.007.46.022AB	UL21320	1000V	46X22AWG	22/0.14	23.5	754.23	55.4 Ω/km
ANM10.007.47.022AB	UL21320	1000V	47X22AWG	22/0.14	23.5	756.33	55.4 Ω/km
ANM10.007.48.022AB	UL21320	1000V	48X22AWG	22/0.14	23.5	758.43	55.4 Ω/km
ANM10.007.49.022AB	UL21320	1000V	49X22AWG	22/0.14	24.1	794.83	55.4 Ω/km
ANM10.007.50.022AB	UL21320	1000V	50X22AWG	22/0.14	24.1	797.03	55.4 Ω/km
ANM10.007.51.022AB	UL21320	1000V	51X22AWG	22/0.14	24.1	799.03	55.4 Ω/km
ANM10.007.52.022AB	UL21320	1000V	52X22AWG	22/0.14	24.1	801.33	55.4 Ω/km
ANM10.007.53.022AB	UL21320	1000V	53X22AWG	22/0.14	24.8	844.33	55.4 Ω/km
ANM10.007.54.022AB	UL21320	1000V	54X22AWG	22/0.14	24.8	846.43	55.4 Ω/km
ANM10.007.55.022AB	UL21320	1000V	55X22AWG	22/0.14	24.8	848.73	55.4 Ω/km
ANM10.007.56.022AB	UL21320	1000V	56X22AWG	22/0.14	24.8	850.73	55.4 Ω/km
ANM10.007.57.022AB	UL21320	1000V	57X22AWG	22/0.14	25.5	895.03	55.4 Ω/km
ANM10.007.58.022AB	UL21320	1000V	58X22AWG	22/0.14	25.5	897.23	55.4 Ω/km
ANM10.007.59.022AB	UL21320	1000V	59X22AWG	22/0.14	25.5	899.33	55.4 Ω/km
ANM10.007.60.022AB	UL21320	1000V	60X22AWG	22/0.14	25.5	901.43	55.4 Ω/km
ANM10.007.61.022AB	UL21320	1000V	61X22AWG	22/0.14	25.5	903.73	55.4 Ω/km
ANM10.007.62.022AB	UL21320	1000V	62X22AWG	22/0.14	26.3	955.53	55.4 Ω/km
ANM10.007.63.022AB	UL21320	1000V	63X22AWG	22/0.14	26.3	957.63	55.4 Ω/km
ANM10.007.64.022AB	UL21320	1000V	64X22AWG	22/0.14	26.3	959.73	55.4 Ω/km
ANM10.007.65.022AB	UL21320	1000V	65X22AWG	22/0.14	26.3	961.93	55.4 Ω/km
ANM10.007.02.021AB	UL21320	1000V	2X21AWG	27/0.14	7.8	76.32	43.6 Ω/km
ANM10.007.03.021AB	UL21320	1000V	3X21AWG	27/0.14	8.2	86.62	43.6 Ω/km
ANM10.007.04.021AB	UL21320	1000V	4X21AWG	27/0.14	8.9	103.42	43.6 Ω/km
ANM10.007.05.021AB	UL21320	1000V	5X21AWG	27/0.14	9.6	121.52	43.6 Ω/km
ANM10.007.06.021AB	UL21320	1000V	6X21AWG	27/0.14	10.3	140.72	43.6 Ω/km
ANM10.007.07.021AB	UL21320	1000V	7X21AWG	27/0.14	10.3	143.52	43.6 Ω/km
ANM10.007.08.021AB	UL21320	1000V	8X21AWG	27/0.14	11.1	166.42	43.6 Ω/km
ANM10.007.09.021AB	UL21320	1000V	9X21AWG	27/0.14	12.1	196.62	43.6 Ω/km
ANM10.007.10.021AB	UL21320	1000V	10X21AWG	27/0.14	12.8	220.12	43.6 Ω/km
ANM10.007.11.021AB	UL21320	1000V	11X21AWG	27/0.14	13.3	238.32	43.6 Ω/km
ANM10.007.12.021AB	UL21320	1000V	12X21AWG	27/0.14	13.3	241.12	43.6 Ω/km
ANM10.007.13.021AB	UL21320	1000V	13X21AWG	27/0.14	14	266.62	43.6 Ω/km
ANM10.007.14.021AB	UL21320	1000V	14X21AWG	27/0.14	14	269.42	43.6 Ω/km
ANM10.007.15.021AB	UL21320	1000V	15X21AWG	27/0.14	14.7	296.02	43.6 Ω/km
ANM10.007.16.021AB	UL21320	1000V	16X21AWG	27/0.14	14.7	298.72	43.6 Ω/km
ANM10.007.17.021AB	UL21320	1000V	17X21AWG	27/0.14	15.4	326.62	43.6 Ω/km
ANM10.007.18.021AB	UL21320	1000V	18X21AWG	27/0.14	15.4	329.32	43.6 Ω/km



ANM10.007.19.021AB	UL21320	1000V	19X21AWG	27/0.14	15.4	332.22	43.6 Ω /km
ANM10.007.20.021AB	UL21320	1000V	20X21AWG	27/0.14	15.8	349.82	43.6 Ω /km
ANM10.007.21.021AB	UL21320	1000V	21X21AWG	27/0.14	16.2	367.82	43.6 Ω /km
ANM10.007.22.021AB	UL21320	1000V	22X21AWG	27/0.14	17.2	410.42	43.6 Ω /km
ANM10.007.23.021AB	UL21320	1000V	23X21AWG	27/0.14	17.9	442.32	43.6 Ω /km
ANM10.007.24.021AB	UL21320	1000V	24X21AWG	27/0.14	17.9	445.22	43.6 Ω /km
ANM10.007.25.021AB	UL21320	1000V	25X21AWG	27/0.14	18.3	465.22	43.6 Ω /km
ANM10.007.26.021AB	UL21320	1000V	26X21AWG	27/0.14	18.3	468.02	43.6 Ω /km
ANM10.007.27.021AB	UL21320	1000V	27X21AWG	27/0.14	18.3	470.82	43.6 Ω /km
ANM10.007.28.021AB	UL21320	1000V	28X21AWG	27/0.14	19	504.72	43.6 Ω /km
ANM10.007.29.021AB	UL21320	1000V	29X21AWG	27/0.14	19	507.42	43.6 Ω /km
ANM10.007.30.021AB	UL21320	1000V	30X21AWG	27/0.14	19	510.22	43.6 Ω /km
ANM10.007.31.021AB	UL21320	1000V	31X21AWG	27/0.14	20.7	593.22	43.6 Ω /km
ANM10.007.32.021AB	UL21320	1000V	32X21AWG	27/0.14	20.7	595.92	43.6 Ω /km
ANM10.007.33.021AB	UL21320	1000V	33X21AWG	27/0.14	20.7	598.82	43.6 Ω /km
ANM10.007.34.021AB	UL21320	1000V	34X21AWG	27/0.14	21.4	636.72	43.6 Ω /km
ANM10.007.35.021AB	UL21320	1000V	35X21AWG	27/0.14	21.4	639.52	43.6 Ω /km
ANM10.007.36.021AB	UL21320	1000V	36X21AWG	27/0.14	21.4	642.22	43.6 Ω /km
ANM10.007.37.021AB	UL21320	1000V	37X21AWG	27/0.14	21.4	645.02	43.6 Ω /km
ANM10.007.38.021AB	UL21320	1000V	38X21AWG	27/0.14	22.2	689.42	43.6 Ω /km
ANM10.007.39.021AB	UL21320	1000V	39X21AWG	27/0.14	22.2	692.22	43.6 Ω /km
ANM10.007.40.021AB	UL21320	1000V	40X21AWG	27/0.14	22.2	695.02	43.6 Ω /km
ANM10.007.41.021AB	UL21320	1000V	41X21AWG	27/0.14	23.9	791.32	43.6 Ω /km
ANM10.007.42.021AB	UL21320	1000V	42X21AWG	27/0.14	23.9	794.22	43.6 Ω /km
ANM10.007.43.021AB	UL21320	1000V	43X21AWG	27/0.14	23.9	796.92	43.6 Ω /km
ANM10.007.44.021AB	UL21320	1000V	44X21AWG	27/0.14	23.9	799.72	43.6 Ω /km
ANM10.007.45.021AB	UL21320	1000V	45X21AWG	27/0.14	24.3	825.62	43.6 Ω /km
ANM10.007.46.021AB	UL21320	1000V	46X21AWG	27/0.14	24.3	828.32	43.6 Ω /km
ANM10.007.47.021AB	UL21320	1000V	47X21AWG	27/0.14	24.3	831.12	43.6 Ω /km
ANM10.007.48.021AB	UL21320	1000V	48X21AWG	27/0.14	24.3	833.92	43.6 Ω /km
ANM10.007.49.021AB	UL21320	1000V	49X21AWG	27/0.14	25	877.92	43.6 Ω /km
ANM10.007.50.021AB	UL21320	1000V	50X21AWG	27/0.14	25	880.72	43.6 Ω /km
ANM10.007.51.021AB	UL21320	1000V	51X21AWG	27/0.14	25	883.42	43.6 Ω /km
ANM10.007.52.021AB	UL21320	1000V	52X21AWG	27/0.14	25	886.32	43.6 Ω /km
ANM10.007.53.021AB	UL21320	1000V	53X21AWG	27/0.14	25.7	931.42	43.6 Ω /km
ANM10.007.54.021AB	UL21320	1000V	54X21AWG	27/0.14	25.7	934.22	43.6 Ω /km
ANM10.007.55.021AB	UL21320	1000V	55X21AWG	27/0.14	25.7	936.92	43.6 Ω /km
ANM10.007.56.021AB	UL21320	1000V	56X21AWG	27/0.14	25.7	939.82	43.6 Ω /km
ANM10.007.57.021AB	UL21320	1000V	57X21AWG	27/0.14	26.4	986.22	43.6 Ω /km
ANM10.007.58.021AB	UL21320	1000V	58X21AWG	27/0.14	26.4	989.02	43.6 Ω /km
ANM10.007.59.021AB	UL21320	1000V	59X21AWG	27/0.14	26.4	991.82	43.6 Ω /km
ANM10.007.60.021AB	UL21320	1000V	60X21AWG	27/0.14	26.4	994.52	43.6 Ω /km



ANM10.007.61.021AB	UL21320	1000V	61X21AWG	27/0.14	26.4	997.32	43.6 Ω/km
ANM10.007.62.021AB	UL21320	1000V	62X21AWG	27/0.14	27.2	1051.32	43.6 Ω/km
ANM10.007.63.021AB	UL21320	1000V	63X21AWG	27/0.14	27.2	1054.22	43.6 Ω/km
ANM10.007.64.021AB	UL21320	1000V	64X21AWG	27/0.14	27.2	1056.92	43.6 Ω/km
ANM10.007.65.021AB	UL21320	1000V	65X21AWG	27/0.14	27.2	1059.62	43.6 Ω/km
ANM10.007.02.020AB	UL21320	1000V	2X20AWG	34/0.14	8	81.72	34.6 Ω/km
ANM10.007.03.020AB	UL21320	1000V	3X20AWG	34/0.14	8.5	94.92	34.6 Ω/km
ANM10.007.04.020AB	UL21320	1000V	4X20AWG	34/0.14	9.1	110.82	34.6 Ω/km
ANM10.007.05.020AB	UL21320	1000V	5X20AWG	34/0.14	9.9	132.32	34.6 Ω/km
ANM10.007.06.020AB	UL21320	1000V	6X20AWG	34/0.14	10.6	152.82	34.6 Ω/km
ANM10.007.07.020AB	UL21320	1000V	7X20AWG	34/0.14	10.6	156.32	34.6 Ω/km
ANM10.007.08.020AB	UL21320	1000V	8X20AWG	34/0.14	11.4	180.62	34.6 Ω/km
ANM10.007.09.020AB	UL21320	1000V	9X20AWG	34/0.14	12.5	215.32	34.6 Ω/km
ANM10.007.10.020AB	UL21320	1000V	10X20AWG	34/0.14	13.3	243.42	34.6 Ω/km
ANM10.007.11.020AB	UL21320	1000V	11X20AWG	34/0.14	13.8	263.02	34.6 Ω/km
ANM10.007.12.020AB	UL21320	1000V	12X20AWG	34/0.14	13.8	266.62	34.6 Ω/km
ANM10.007.13.020AB	UL21320	1000V	13X20AWG	34/0.14	14.4	290.22	34.6 Ω/km
ANM10.007.14.020AB	UL21320	1000V	14X20AWG	34/0.14	14.4	293.82	34.6 Ω/km
ANM10.007.15.020AB	UL21320	1000V	15X20AWG	34/0.14	15.2	325.42	34.6 Ω/km
ANM10.007.16.020AB	UL21320	1000V	16X20AWG	34/0.14	15.2	329.02	34.6 Ω/km
ANM10.007.17.020AB	UL21320	1000V	17X20AWG	34/0.14	15.9	358.42	34.6 Ω/km
ANM10.007.18.020AB	UL21320	1000V	18X20AWG	34/0.14	15.9	361.92	34.6 Ω/km
ANM10.007.19.020AB	UL21320	1000V	19X20AWG	34/0.14	15.9	365.62	34.6 Ω/km
ANM10.007.20.020AB	UL21320	1000V	20X20AWG	34/0.14	16.4	388.42	34.6 Ω/km
ANM10.007.21.020AB	UL21320	1000V	21X20AWG	34/0.14	16.7	403.72	34.6 Ω/km
ANM10.007.22.020AB	UL21320	1000V	22X20AWG	34/0.14	17.8	452.42	34.6 Ω/km
ANM10.007.23.020AB	UL21320	1000V	23X20AWG	34/0.14	18.5	486.42	34.6 Ω/km
ANM10.007.24.020AB	UL21320	1000V	24X20AWG	34/0.14	18.5	489.92	34.6 Ω/km
ANM10.007.25.020AB	UL21320	1000V	25X20AWG	34/0.14	19	515.82	34.6 Ω/km
ANM10.007.26.020AB	UL21320	1000V	26X20AWG	34/0.14	19	519.32	34.6 Ω/km
ANM10.007.27.020AB	UL21320	1000V	27X20AWG	34/0.14	19	522.72	34.6 Ω/km
ANM10.007.28.020AB	UL21320	1000V	28X20AWG	34/0.14	20.6	601.72	34.6 Ω/km
ANM10.007.29.020AB	UL21320	1000V	29X20AWG	34/0.14	20.6	605.22	34.6 Ω/km
ANM10.007.30.020AB	UL21320	1000V	30X20AWG	34/0.14	20.6	608.72	34.6 Ω/km
ANM10.007.31.020AB	UL21320	1000V	31X20AWG	34/0.14	21.4	652.32	34.6 Ω/km
ANM10.007.32.020AB	UL21320	1000V	32X20AWG	34/0.14	21.4	655.92	34.6 Ω/km
ANM10.007.33.020AB	UL21320	1000V	33X20AWG	34/0.14	21.4	659.52	34.6 Ω/km
ANM10.007.34.020AB	UL21320	1000V	34X20AWG	34/0.14	22.1	699.32	34.6 Ω/km
ANM10.007.35.020AB	UL21320	1000V	35X20AWG	34/0.14	22.1	702.82	34.6 Ω/km
ANM10.007.36.020AB	UL21320	1000V	36X20AWG	34/0.14	22.1	706.42	34.6 Ω/km
ANM10.007.37.020AB	UL21320	1000V	37X20AWG	34/0.14	22.1	710.02	34.6 Ω/km
ANM10.007.38.020AB	UL21320	1000V	38X20AWG	34/0.14	22.9	756.62	34.6 Ω/km



ANM10.007.39.020AB	UL21320	1000V	39X20AWG	34/0.14	22.9	760.12	34.6Ω/km
ANM10.007.40.020AB	UL21320	1000V	40X20AWG	34/0.14	22.9	763.62	34.6Ω/km
ANM10.007.41.020AB	UL21320	1000V	41X20AWG	34/0.14	24.7	869.72	34.6Ω/km
ANM10.007.42.020AB	UL21320	1000V	42X20AWG	34/0.14	24.7	873.22	34.6Ω/km
ANM10.007.43.020AB	UL21320	1000V	43X20AWG	34/0.14	24.7	876.82	34.6Ω/km
ANM10.007.44.020AB	UL21320	1000V	44X20AWG	34/0.14	24.7	880.32	34.6Ω/km
ANM10.007.45.020AB	UL21320	1000V	45X20AWG	34/0.14	25.2	913.62	34.6Ω/km
ANM10.007.46.020AB	UL21320	1000V	46X20AWG	34/0.14	25.2	917.32	34.6Ω/km
ANM10.007.47.020AB	UL21320	1000V	47X20AWG	34/0.14	25.2	920.82	34.6Ω/km
ANM10.007.48.020AB	UL21320	1000V	48X20AWG	34/0.14	25.2	924.32	34.6Ω/km
ANM10.007.49.020AB	UL21320	1000V	49X20AWG	34/0.14	25.8	964.42	34.6Ω/km
ANM10.007.50.020AB	UL21320	1000V	50X20AWG	34/0.14	25.8	968.02	34.6Ω/km
ANM10.007.51.020AB	UL21320	1000V	51X20AWG	34/0.14	25.8	971.62	34.6Ω/km
ANM10.007.52.020AB	UL21320	1000V	52X20AWG	34/0.14	25.8	975.12	34.6Ω/km
ANM10.007.53.020AB	UL21320	1000V	53X20AWG	34/0.14	26.6	1028.82	34.6Ω/km
ANM10.007.54.020AB	UL21320	1000V	54X20AWG	34/0.14	26.6	1032.32	34.6Ω/km
ANM10.007.55.020AB	UL21320	1000V	55X20AWG	34/0.14	26.6	1035.92	34.6Ω/km
ANM10.007.56.020AB	UL21320	1000V	56X20AWG	34/0.14	26.6	1039.42	34.6Ω/km
ANM10.007.57.020AB	UL21320	1000V	57X20AWG	34/0.14	27.3	1088.12	34.6Ω/km
ANM10.007.58.020AB	UL21320	1000V	58X20AWG	34/0.14	27.3	1091.62	34.6Ω/km
ANM10.007.59.020AB	UL21320	1000V	59X20AWG	34/0.14	27.3	1095.22	34.6Ω/km
ANM10.007.60.020AB	UL21320	1000V	60X20AWG	34/0.14	27.3	1098.72	34.6Ω/km
ANM10.007.61.020AB	UL21320	1000V	61X20AWG	34/0.14	27.3	1102.32	34.6Ω/km
ANM10.007.62.020AB	UL21320	1000V	62X20AWG	34/0.14	28.1	1158.92	34.6Ω/km
ANM10.007.63.020AB	UL21320	1000V	63X20AWG	34/0.14	28.1	1162.52	34.6Ω/km
ANM10.007.64.020AB	UL21320	1000V	64X20AWG	34/0.14	28.1	1166.12	34.6Ω/km
ANM10.007.65.020AB	UL21320	1000V	65X20AWG	34/0.14	28.1	1169.62	34.6Ω/km
ANM10.007.02.019AB	UL21320	1000V	2X19AWG	43/0.14	8.2	87.66	27.4Ω/km
ANM10.007.03.019AB	UL21320	1000V	3X19AWG	43/0.14	8.7	102.16	27.4Ω/km
ANM10.007.04.019AB	UL21320	1000V	4X19AWG	43/0.14	9.4	121.66	27.4Ω/km
ANM10.007.05.019AB	UL21320	1000V	5X19AWG	43/0.14	10.1	142.16	27.4Ω/km
ANM10.007.06.019AB	UL21320	1000V	6X19AWG	43/0.14	10.9	166.66	27.4Ω/km
ANM10.007.07.019AB	UL21320	1000V	7X19AWG	43/0.14	10.9	171.16	27.4Ω/km
ANM10.007.08.019AB	UL21320	1000V	8X19AWG	43/0.14	11.8	199.86	27.4Ω/km
ANM10.007.09.019AB	UL21320	1000V	9X19AWG	43/0.14	12.8	233.46	27.4Ω/km
ANM10.007.10.019AB	UL21320	1000V	10X19AWG	43/0.14	13.7	266.36	27.4Ω/km
ANM10.007.11.019AB	UL21320	1000V	11X19AWG	43/0.14	14.2	287.46	27.4Ω/km
ANM10.007.12.019AB	UL21320	1000V	12X19AWG	43/0.14	14.2	292.06	27.4Ω/km
ANM10.007.13.019AB	UL21320	1000V	13X19AWG	43/0.14	14.9	320.66	27.4Ω/km
ANM10.007.14.019AB	UL21320	1000V	14X19AWG	43/0.14	14.9	325.26	27.4Ω/km
ANM10.007.15.019AB	UL21320	1000V	15X19AWG	43/0.14	15.6	355.16	27.4Ω/km
ANM10.007.16.019AB	UL21320	1000V	16X19AWG	43/0.14	15.6	359.76	27.4Ω/km



ANM10.007.17.019AB	UL21320	1000V	17X19AWG	43/0.14	16.4	394.76	27.4Ω/km
ANM10.007.18.019AB	UL21320	1000V	18X19AWG	43/0.14	16.4	399.36	27.4Ω/km
ANM10.007.19.019AB	UL21320	1000V	19X19AWG	43/0.14	16.4	403.86	27.4Ω/km
ANM10.007.20.019AB	UL21320	1000V	20X19AWG	43/0.14	16.9	428.16	27.4Ω/km
ANM10.007.21.019AB	UL21320	1000V	21X19AWG	43/0.14	17.3	448.96	27.4Ω/km
ANM10.007.22.019AB	UL21320	1000V	22X19AWG	43/0.14	18.3	496.06	27.4Ω/km
ANM10.007.23.019AB	UL21320	1000V	23X19AWG	43/0.14	19.1	536.16	27.4Ω/km
ANM10.007.24.019AB	UL21320	1000V	24X19AWG	43/0.14	19.1	540.76	27.4Ω/km
ANM10.007.25.019AB	UL21320	1000V	25X19AWG	43/0.14	20.6	616.06	27.4Ω/km
ANM10.007.26.019AB	UL21320	1000V	26X19AWG	43/0.14	20.6	620.56	27.4Ω/km
ANM10.007.27.019AB	UL21320	1000V	27X19AWG	43/0.14	20.6	625.06	27.4Ω/km
ANM10.007.28.019AB	UL21320	1000V	28X19AWG	43/0.14	21.3	664.66	27.4Ω/km
ANM10.007.29.019AB	UL21320	1000V	29X19AWG	43/0.14	21.3	669.16	27.4Ω/km
ANM10.007.30.019AB	UL21320	1000V	30X19AWG	43/0.14	21.3	673.76	27.4Ω/km
ANM10.007.31.019AB	UL21320	1000V	31X19AWG	43/0.14	22	714.36	27.4Ω/km
ANM10.007.32.019AB	UL21320	1000V	32X19AWG	43/0.14	22	718.96	27.4Ω/km
ANM10.007.33.019AB	UL21320	1000V	33X19AWG	43/0.14	22	723.46	27.4Ω/km
ANM10.007.34.019AB	UL21320	1000V	34X19AWG	43/0.14	22.8	770.86	27.4Ω/km
ANM10.007.35.019AB	UL21320	1000V	35X19AWG	43/0.14	22.8	775.36	27.4Ω/km
ANM10.007.36.019AB	UL21320	1000V	36X19AWG	43/0.14	22.8	779.96	27.4Ω/km
ANM10.007.37.019AB	UL21320	1000V	37X19AWG	43/0.14	22.8	784.46	27.4Ω/km
ANM10.007.38.019AB	UL21320	1000V	38X19AWG	43/0.14	23.7	838.96	27.4Ω/km
ANM10.007.39.019AB	UL21320	1000V	39X19AWG	43/0.14	23.7	843.46	27.4Ω/km
ANM10.007.40.019AB	UL21320	1000V	40X19AWG	43/0.14	23.7	848.06	27.4Ω/km
ANM10.007.41.019AB	UL21320	1000V	41X19AWG	43/0.14	25.5	958.46	27.4Ω/km
ANM10.007.42.019AB	UL21320	1000V	42X19AWG	43/0.14	25.5	963.06	27.4Ω/km
ANM10.007.43.019AB	UL21320	1000V	43X19AWG	43/0.14	25.5	967.56	27.4Ω/km
ANM10.007.44.019AB	UL21320	1000V	44X19AWG	43/0.14	25.5	972.16	27.4Ω/km
ANM10.007.45.019AB	UL21320	1000V	45X19AWG	43/0.14	26	1007.56	27.4Ω/km
ANM10.007.46.019AB	UL21320	1000V	46X19AWG	43/0.14	26	1012.06	27.4Ω/km
ANM10.007.47.019AB	UL21320	1000V	47X19AWG	43/0.14	26	1016.56	27.4Ω/km
ANM10.007.48.019AB	UL21320	1000V	48X19AWG	43/0.14	26	1021.16	27.4Ω/km
ANM10.007.49.019AB	UL21320	1000V	49X19AWG	43/0.14	26.7	1069.76	27.4Ω/km
ANM10.007.50.019AB	UL21320	1000V	50X19AWG	43/0.14	26.7	1074.36	27.4Ω/km
ANM10.007.51.019AB	UL21320	1000V	51X19AWG	43/0.14	26.7	1078.86	27.4Ω/km
ANM10.007.52.019AB	UL21320	1000V	52X19AWG	43/0.14	26.7	1083.46	27.4Ω/km
ANM10.007.53.019AB	UL21320	1000V	53X19AWG	43/0.14	27.4	1133.26	27.4Ω/km
ANM10.007.54.019AB	UL21320	1000V	54X19AWG	43/0.14	27.4	1137.76	27.4Ω/km
ANM10.007.55.019AB	UL21320	1000V	55X19AWG	43/0.14	27.4	1142.36	27.4Ω/km
ANM10.007.56.019AB	UL21320	1000V	56X19AWG	43/0.14	27.4	1146.86	27.4Ω/km
ANM10.007.57.019AB	UL21320	1000V	57X19AWG	43/0.14	28.2	1204.76	27.4Ω/km
ANM10.007.58.019AB	UL21320	1000V	58X19AWG	43/0.14	28.2	1209.26	27.4Ω/km



ANM10.007.59.019AB	UL21320	1000V	59X19AWG	43/0.14	28.2	1213.86	27.4Ω/km
ANM10.007.60.019AB	UL21320	1000V	60X19AWG	43/0.14	28.2	1218.36	27.4Ω/km
ANM10.007.61.019AB	UL21320	1000V	61X19AWG	43/0.14	28.2	1222.86	27.4Ω/km
ANM10.007.62.019AB	UL21320	1000V	62X19AWG	43/0.14	30.1	1359.26	27.4Ω/km
ANM10.007.63.019AB	UL21320	1000V	63X19AWG	43/0.14	30.1	1363.76	27.4Ω/km
ANM10.007.64.019AB	UL21320	1000V	64X19AWG	43/0.14	30.1	1368.26	27.4Ω/km
ANM10.007.65.019AB	UL21320	1000V	65X19AWG	43/0.14	30.1	1372.86	27.4Ω/km
ANM10.007.02.018AB	UL21320	1000V	2X18AWG	29/0.19	8.4	94.43	21.8Ω/km
ANM10.007.03.018AB	UL21320	1000V	3X18AWG	29/0.19	8.9	110.33	21.8Ω/km
ANM10.007.04.018AB	UL21320	1000V	4X18AWG	29/0.19	9.6	131.53	21.8Ω/km
ANM10.007.05.018AB	UL21320	1000V	5X18AWG	29/0.19	10.4	156.33	21.8Ω/km
ANM10.007.06.018AB	UL21320	1000V	6X18AWG	29/0.19	11.2	182.43	21.8Ω/km
ANM10.007.07.018AB	UL21320	1000V	7X18AWG	29/0.19	11.2	188.33	21.8Ω/km
ANM10.007.08.018AB	UL21320	1000V	8X18AWG	29/0.19	12.1	219.03	21.8Ω/km
ANM10.007.09.018AB	UL21320	1000V	9X18AWG	29/0.19	13.3	261.03	21.8Ω/km
ANM10.007.10.018AB	UL21320	1000V	10X18AWG	29/0.19	14.1	293.03	21.8Ω/km
ANM10.007.11.018AB	UL21320	1000V	11X18AWG	29/0.19	14.6	315.83	21.8Ω/km
ANM10.007.12.018AB	UL21320	1000V	12X18AWG	29/0.19	14.6	321.63	21.8Ω/km
ANM10.007.13.018AB	UL21320	1000V	13X18AWG	29/0.19	15.3	352.53	21.8Ω/km
ANM10.007.14.018AB	UL21320	1000V	14X18AWG	29/0.19	15.3	358.33	21.8Ω/km
ANM10.007.15.018AB	UL21320	1000V	15X18AWG	29/0.19	16.1	394.13	21.8Ω/km
ANM10.007.16.018AB	UL21320	1000V	16X18AWG	29/0.19	16.1	400.03	21.8Ω/km
ANM10.007.17.018AB	UL21320	1000V	17X18AWG	29/0.19	16.9	437.23	21.8Ω/km
ANM10.007.18.018AB	UL21320	1000V	18X18AWG	29/0.19	16.9	443.13	21.8Ω/km
ANM10.007.19.018AB	UL21320	1000V	19X18AWG	29/0.19	16.9	449.03	21.8Ω/km
ANM10.007.20.018AB	UL21320	1000V	20X18AWG	29/0.19	17.4	475.23	21.8Ω/km
ANM10.007.21.018AB	UL21320	1000V	21X18AWG	29/0.19	17.8	497.93	21.8Ω/km
ANM10.007.22.018AB	UL21320	1000V	22X18AWG	29/0.19	18.9	552.03	21.8Ω/km
ANM10.007.23.018AB	UL21320	1000V	23X18AWG	29/0.19	20.7	642.53	21.8Ω/km
ANM10.007.24.018AB	UL21320	1000V	24X18AWG	29/0.19	20.7	648.43	21.8Ω/km
ANM10.007.25.018AB	UL21320	1000V	25X18AWG	29/0.19	21.2	679.33	21.8Ω/km
ANM10.007.26.018AB	UL21320	1000V	26X18AWG	29/0.19	21.2	685.13	21.8Ω/km
ANM10.007.27.018AB	UL21320	1000V	27X18AWG	29/0.19	21.2	691.03	21.8Ω/km
ANM10.007.28.018AB	UL21320	1000V	28X18AWG	29/0.19	21.9	732.83	21.8Ω/km
ANM10.007.29.018AB	UL21320	1000V	29X18AWG	29/0.19	21.9	738.73	21.8Ω/km
ANM10.007.30.018AB	UL21320	1000V	30X18AWG	29/0.19	21.9	744.63	21.8Ω/km
ANM10.007.31.018AB	UL21320	1000V	31X18AWG	29/0.19	22.7	793.03	21.8Ω/km
ANM10.007.32.018AB	UL21320	1000V	32X18AWG	29/0.19	22.7	799.03	21.8Ω/km
ANM10.007.33.018AB	UL21320	1000V	33X18AWG	29/0.19	22.7	804.93	21.8Ω/km
ANM10.007.34.018AB	UL21320	1000V	34X18AWG	29/0.19	23.5	854.83	21.8Ω/km
ANM10.007.35.018AB	UL21320	1000V	35X18AWG	29/0.19	23.5	860.73	21.8Ω/km
ANM10.007.36.018AB	UL21320	1000V	36X18AWG	29/0.19	23.5	866.63	21.8Ω/km



ANM10.007.37.018AB	UL21320	1000V	37X18AWG	29/0.19	23.5	872.43	21.8Ω/km
ANM10.007.38.018AB	UL21320	1000V	38X18AWG	29/0.19	24.4	929.93	21.8Ω/km
ANM10.007.39.018AB	UL21320	1000V	39X18AWG	29/0.19	24.4	935.83	21.8Ω/km
ANM10.007.40.018AB	UL21320	1000V	40X18AWG	29/0.19	24.4	941.63	21.8Ω/km
ANM10.007.41.018AB	UL21320	1000V	41X18AWG	29/0.19	26.3	1062.73	21.8Ω/km
ANM10.007.42.018AB	UL21320	1000V	42X18AWG	29/0.19	26.3	1068.53	21.8Ω/km
ANM10.007.43.018AB	UL21320	1000V	43X18AWG	29/0.19	26.3	1074.43	21.8Ω/km
ANM10.007.44.018AB	UL21320	1000V	44X18AWG	29/0.19	26.3	1080.43	21.8Ω/km
ANM10.007.45.018AB	UL21320	1000V	45X18AWG	29/0.19	26.8	1117.93	21.8Ω/km
ANM10.007.46.018AB	UL21320	1000V	46X18AWG	29/0.19	26.8	1123.83	21.8Ω/km
ANM10.007.47.018AB	UL21320	1000V	47X18AWG	29/0.19	26.8	1129.73	21.8Ω/km
ANM10.007.48.018AB	UL21320	1000V	48X18AWG	29/0.19	26.8	1135.53	21.8Ω/km
ANM10.007.49.018AB	UL21320	1000V	49X18AWG	29/0.19	27.5	1186.93	21.8Ω/km
ANM10.007.50.018AB	UL21320	1000V	50X18AWG	29/0.19	27.5	1192.83	21.8Ω/km
ANM10.007.51.018AB	UL21320	1000V	51X18AWG	29/0.19	27.5	1198.53	21.8Ω/km
ANM10.007.52.018AB	UL21320	1000V	52X18AWG	29/0.19	27.5	1204.43	21.8Ω/km
ANM10.007.53.018AB	UL21320	1000V	53X18AWG	29/0.19	28.3	1263.93	21.8Ω/km
ANM10.007.54.018AB	UL21320	1000V	54X18AWG	29/0.19	28.3	1269.73	21.8Ω/km
ANM10.007.55.018AB	UL21320	1000V	55X18AWG	29/0.19	28.3	1275.63	21.8Ω/km
ANM10.007.56.018AB	UL21320	1000V	56X18AWG	29/0.19	28.3	1281.33	21.8Ω/km
ANM10.007.57.018AB	UL21320	1000V	57X18AWG	29/0.19	30.1	1412.33	21.8Ω/km
ANM10.007.58.018AB	UL21320	1000V	58X18AWG	29/0.19	30.1	1418.23	21.8Ω/km
ANM10.007.59.018AB	UL21320	1000V	59X18AWG	29/0.19	30.1	1424.13	21.8Ω/km
ANM10.007.60.018AB	UL21320	1000V	60X18AWG	29/0.19	30.1	1430.03	21.8Ω/km
ANM10.007.61.018AB	UL21320	1000V	61X18AWG	29/0.19	30.1	1435.83	21.8Ω/km
ANM10.007.62.018AB	UL21320	1000V	62X18AWG	29/0.19	31	1507.53	21.8Ω/km
ANM10.007.63.018AB	UL21320	1000V	63X18AWG	29/0.19	31	1513.43	21.8Ω/km
ANM10.007.64.018AB	UL21320	1000V	64X18AWG	29/0.19	31	1519.33	21.8Ω/km
ANM10.007.65.018AB	UL21320	1000V	65X18AWG	29/0.19	31	1525.23	21.8Ω/km
ANM10.007.02.017AB	UL21320	1000V	2X17AWG	37/0.19	8.8	105.54	17.3Ω/km
ANM10.007.03.017AB	UL21320	1000V	3X17AWG	37/0.19	9.3	123.44	17.3Ω/km
ANM10.007.04.017AB	UL21320	1000V	4X17AWG	37/0.19	10.1	148.84	17.3Ω/km
ANM10.007.05.017AB	UL21320	1000V	5X17AWG	37/0.19	10.9	175.94	17.3Ω/km
ANM10.007.06.017AB	UL21320	1000V	6X17AWG	37/0.19	11.8	207.44	17.3Ω/km
ANM10.007.07.017AB	UL21320	1000V	7X17AWG	37/0.19	11.8	214.64	17.3Ω/km
ANM10.007.08.017AB	UL21320	1000V	8X17AWG	37/0.19	12.7	248.04	17.3Ω/km
ANM10.007.09.017AB	UL21320	1000V	9X17AWG	37/0.19	14	296.64	17.3Ω/km
ANM10.007.10.017AB	UL21320	1000V	10X17AWG	37/0.19	14.9	334.74	17.3Ω/km
ANM10.007.11.017AB	UL21320	1000V	11X17AWG	37/0.19	15.4	360.14	17.3Ω/km
ANM10.007.12.017AB	UL21320	1000V	12X17AWG	37/0.19	15.4	367.34	17.3Ω/km
ANM10.007.13.017AB	UL21320	1000V	13X17AWG	37/0.19	16.2	404.54	17.3Ω/km
ANM10.007.14.017AB	UL21320	1000V	14X17AWG	37/0.19	16.2	411.94	17.3Ω/km



ANM10.007.15.017AB	UL21320	1000V	15X17AWG	37/0.19	17	450.84	17.3 Ω/km
ANM10.007.16.017AB	UL21320	1000V	16X17AWG	37/0.19	17	458.14	17.3 Ω/km
ANM10.007.17.017AB	UL21320	1000V	17X17AWG	37/0.19	17.9	502.74	17.3 Ω/km
ANM10.007.18.017AB	UL21320	1000V	18X17AWG	37/0.19	17.9	510.04	17.3 Ω/km
ANM10.007.19.017AB	UL21320	1000V	19X17AWG	37/0.19	17.9	517.44	17.3 Ω/km
ANM10.007.20.017AB	UL21320	1000V	20X17AWG	37/0.19	18.4	546.24	17.3 Ω/km
ANM10.007.21.017AB	UL21320	1000V	21X17AWG	37/0.19	18.8	571.24	17.3 Ω/km
ANM10.007.22.017AB	UL21320	1000V	22X17AWG	37/0.19	21	682.74	17.3 Ω/km
ANM10.007.23.017AB	UL21320	1000V	23X17AWG	37/0.19	21.9	735.94	17.3 Ω/km
ANM10.007.24.017AB	UL21320	1000V	24X17AWG	37/0.19	21.9	743.24	17.3 Ω/km
ANM10.007.25.017AB	UL21320	1000V	25X17AWG	37/0.19	22.4	777.04	17.3 Ω/km
ANM10.007.26.017AB	UL21320	1000V	26X17AWG	37/0.19	22.4	784.24	17.3 Ω/km
ANM10.007.27.017AB	UL21320	1000V	27X17AWG	37/0.19	22.4	791.64	17.3 Ω/km
ANM10.007.28.017AB	UL21320	1000V	28X17AWG	37/0.19	23.2	842.44	17.3 Ω/km
ANM10.007.29.017AB	UL21320	1000V	29X17AWG	37/0.19	23.2	849.74	17.3 Ω/km
ANM10.007.30.017AB	UL21320	1000V	30X17AWG	37/0.19	23.2	856.94	17.3 Ω/km
ANM10.007.31.017AB	UL21320	1000V	31X17AWG	37/0.19	24	909.24	17.3 Ω/km
ANM10.007.32.017AB	UL21320	1000V	32X17AWG	37/0.19	24	916.64	17.3 Ω/km
ANM10.007.33.017AB	UL21320	1000V	33X17AWG	37/0.19	24	923.84	17.3 Ω/km
ANM10.007.34.017AB	UL21320	1000V	34X17AWG	37/0.19	24.9	983.74	17.3 Ω/km
ANM10.007.35.017AB	UL21320	1000V	35X17AWG	37/0.19	24.9	991.04	17.3 Ω/km
ANM10.007.36.017AB	UL21320	1000V	36X17AWG	37/0.19	24.9	998.34	17.3 Ω/km
ANM10.007.37.017AB	UL21320	1000V	37X17AWG	37/0.19	24.9	1005.64	17.3 Ω/km
ANM10.007.38.017AB	UL21320	1000V	38X17AWG	37/0.19	25.8	1067.44	17.3 Ω/km
ANM10.007.39.017AB	UL21320	1000V	39X17AWG	37/0.19	25.8	1074.64	17.3 Ω/km
ANM10.007.40.017AB	UL21320	1000V	40X17AWG	37/0.19	25.8	1081.94	17.3 Ω/km
ANM10.007.41.017AB	UL21320	1000V	41X17AWG	37/0.19	27.9	1224.24	17.3 Ω/km
ANM10.007.42.017AB	UL21320	1000V	42X17AWG	37/0.19	27.9	1231.54	17.3 Ω/km
ANM10.007.43.017AB	UL21320	1000V	43X17AWG	37/0.19	27.9	1238.84	17.3 Ω/km
ANM10.007.44.017AB	UL21320	1000V	44X17AWG	37/0.19	27.9	1246.04	17.3 Ω/km
ANM10.007.45.017AB	UL21320	1000V	45X17AWG	37/0.19	28.4	1287.14	17.3 Ω/km
ANM10.007.46.017AB	UL21320	1000V	46X17AWG	37/0.19	28.4	1294.34	17.3 Ω/km
ANM10.007.47.017AB	UL21320	1000V	47X17AWG	37/0.19	28.4	1301.54	17.3 Ω/km
ANM10.007.48.017AB	UL21320	1000V	48X17AWG	37/0.19	28.4	1308.84	17.3 Ω/km
ANM10.007.49.017AB	UL21320	1000V	49X17AWG	37/0.19	30.2	1441.64	17.3 Ω/km
ANM10.007.50.017AB	UL21320	1000V	50X17AWG	37/0.19	30.2	1448.94	17.3 Ω/km
ANM10.007.51.017AB	UL21320	1000V	51X17AWG	37/0.19	30.2	1456.24	17.3 Ω/km
ANM10.007.52.017AB	UL21320	1000V	52X17AWG	37/0.19	30.2	1463.44	17.3 Ω/km
ANM10.007.53.017AB	UL21320	1000V	53X17AWG	37/0.19	31	1529.44	17.3 Ω/km
ANM10.007.54.017AB	UL21320	1000V	54X17AWG	37/0.19	31	1536.64	17.3 Ω/km
ANM10.007.55.017AB	UL21320	1000V	55X17AWG	37/0.19	31	1543.84	17.3 Ω/km
ANM10.007.56.017AB	UL21320	1000V	56X17AWG	37/0.19	31	1551.14	17.3 Ω/km



ANM10.007.57.017AB	UL21320	1000V	57X17AWG	37/0.19	31.9	1626.24	17.3 Ω/km
ANM10.007.58.017AB	UL21320	1000V	58X17AWG	37/0.19	31.9	1633.54	17.3 Ω/km
ANM10.007.59.017AB	UL21320	1000V	59X17AWG	37/0.19	31.9	1640.74	17.3 Ω/km
ANM10.007.60.017AB	UL21320	1000V	60X17AWG	37/0.19	31.9	1648.04	17.3 Ω/km
ANM10.007.61.017AB	UL21320	1000V	61X17AWG	37/0.19	31.9	1655.34	17.3 Ω/km
ANM10.007.62.017AB	UL21320	1000V	62X17AWG	37/0.19	32.8	1732.44	17.3 Ω/km
ANM10.007.63.017AB	UL21320	1000V	63X17AWG	37/0.19	32.8	1739.64	17.3 Ω/km
ANM10.007.64.017AB	UL21320	1000V	64X17AWG	37/0.19	32.8	1746.94	17.3 Ω/km
ANM10.007.65.017AB	UL21320	1000V	65X17AWG	37/0.19	32.8	1754.14	17.3 Ω/km
ANM10.007.02.016AB	UL21320	1000V	2X16AWG	27/0.25	9	114.31	13.7 Ω/km
ANM10.007.03.016AB	UL21320	1000V	3X16AWG	27/0.25	9.5	134.61	13.7 Ω/km
ANM10.007.04.016AB	UL21320	1000V	4X16AWG	27/0.25	10.3	162.81	13.7 Ω/km
ANM10.007.05.016AB	UL21320	1000V	5X16AWG	27/0.25	11.2	195.01	13.7 Ω/km
ANM10.007.06.016AB	UL21320	1000V	6X16AWG	27/0.25	12.1	229.41	13.7 Ω/km
ANM10.007.07.016AB	UL21320	1000V	7X16AWG	27/0.25	12.1	238.81	13.7 Ω/km
ANM10.007.08.016AB	UL21320	1000V	8X16AWG	27/0.25	13.2	281.31	13.7 Ω/km
ANM10.007.09.016AB	UL21320	1000V	9X16AWG	27/0.25	14.4	330.11	13.7 Ω/km
ANM10.007.10.016AB	UL21320	1000V	10X16AWG	27/0.25	15.3	371.21	13.7 Ω/km
ANM10.007.11.016AB	UL21320	1000V	11X16AWG	27/0.25	15.8	399.21	13.7 Ω/km
ANM10.007.12.016AB	UL21320	1000V	12X16AWG	27/0.25	15.8	408.81	13.7 Ω/km
ANM10.007.13.016AB	UL21320	1000V	13X16AWG	27/0.25	16.6	449.01	13.7 Ω/km
ANM10.007.14.016AB	UL21320	1000V	14X16AWG	27/0.25	16.6	458.51	13.7 Ω/km
ANM10.007.15.016AB	UL21320	1000V	15X16AWG	27/0.25	17.5	504.41	13.7 Ω/km
ANM10.007.16.016AB	UL21320	1000V	16X16AWG	27/0.25	17.5	513.91	13.7 Ω/km
ANM10.007.17.016AB	UL21320	1000V	17X16AWG	27/0.25	18.4	561.81	13.7 Ω/km
ANM10.007.18.016AB	UL21320	1000V	18X16AWG	27/0.25	18.4	571.41	13.7 Ω/km
ANM10.007.19.016AB	UL21320	1000V	19X16AWG	27/0.25	18.4	580.81	13.7 Ω/km
ANM10.007.20.016AB	UL21320	1000V	20X16AWG	27/0.25	18.9	612.51	13.7 Ω/km
ANM10.007.21.016AB	UL21320	1000V	21X16AWG	27/0.25	19.4	644.81	13.7 Ω/km
ANM10.007.22.016AB	UL21320	1000V	22X16AWG	27/0.25	21.6	761.51	13.7 Ω/km
ANM10.007.23.016AB	UL21320	1000V	23X16AWG	27/0.25	22.5	818.51	13.7 Ω/km
ANM10.007.24.016AB	UL21320	1000V	24X16AWG	27/0.25	22.5	828.01	13.7 Ω/km
ANM10.007.25.016AB	UL21320	1000V	25X16AWG	27/0.25	23	864.61	13.7 Ω/km
ANM10.007.26.016AB	UL21320	1000V	26X16AWG	27/0.25	23	874.11	13.7 Ω/km
ANM10.007.27.016AB	UL21320	1000V	27X16AWG	27/0.25	23	883.41	13.7 Ω/km
ANM10.007.28.016AB	UL21320	1000V	28X16AWG	27/0.25	23.8	937.61	13.7 Ω/km
ANM10.007.29.016AB	UL21320	1000V	29X16AWG	27/0.25	23.8	947.01	13.7 Ω/km
ANM10.007.30.016AB	UL21320	1000V	30X16AWG	27/0.25	23.8	956.61	13.7 Ω/km
ANM10.007.31.016AB	UL21320	1000V	31X16AWG	27/0.25	24.7	1018.31	13.7 Ω/km
ANM10.007.32.016AB	UL21320	1000V	32X16AWG	27/0.25	24.7	1027.71	13.7 Ω/km
ANM10.007.33.016AB	UL21320	1000V	33X16AWG	27/0.25	24.7	1037.21	13.7 Ω/km
ANM10.007.34.016AB	UL21320	1000V	34X16AWG	27/0.25	25.6	1100.71	13.7 Ω/km



ANM10.007.35.016AB	UL21320	1000V	35X16AWG	27/0.25	25.6	1110.11	13.7 Ω/km
ANM10.007.36.016AB	UL21320	1000V	36X16AWG	27/0.25	25.6	1119.71	13.7 Ω/km
ANM10.007.37.016AB	UL21320	1000V	37X16AWG	27/0.25	25.6	1129.11	13.7 Ω/km
ANM10.007.38.016AB	UL21320	1000V	38X16AWG	27/0.25	26.6	1201.11	13.7 Ω/km
ANM10.007.39.016AB	UL21320	1000V	39X16AWG	27/0.25	26.6	1210.51	13.7 Ω/km
ANM10.007.40.016AB	UL21320	1000V	40X16AWG	27/0.25	26.6	1219.91	13.7 Ω/km
ANM10.007.41.016AB	UL21320	1000V	41X16AWG	27/0.25	29.7	1437.71	13.7 Ω/km
ANM10.007.42.016AB	UL21320	1000V	42X16AWG	27/0.25	29.7	1447.21	13.7 Ω/km
ANM10.007.43.016AB	UL21320	1000V	43X16AWG	27/0.25	29.7	1456.61	13.7 Ω/km
ANM10.007.44.016AB	UL21320	1000V	44X16AWG	27/0.25	29.7	1466.01	13.7 Ω/km
ANM10.007.45.016AB	UL21320	1000V	45X16AWG	27/0.25	30.2	1511.41	13.7 Ω/km
ANM10.007.46.016AB	UL21320	1000V	46X16AWG	27/0.25	30.2	1520.71	13.7 Ω/km
ANM10.007.47.016AB	UL21320	1000V	47X16AWG	27/0.25	30.2	1530.31	13.7 Ω/km
ANM10.007.48.016AB	UL21320	1000V	48X16AWG	27/0.25	30.2	1539.81	13.7 Ω/km
ANM10.007.49.016AB	UL21320	1000V	49X16AWG	27/0.25	31	1607.81	13.7 Ω/km
ANM10.007.50.016AB	UL21320	1000V	50X16AWG	27/0.25	31	1617.31	13.7 Ω/km
ANM10.007.51.016AB	UL21320	1000V	51X16AWG	27/0.25	31	1626.61	13.7 Ω/km
ANM10.007.52.016AB	UL21320	1000V	52X16AWG	27/0.25	31	1636.11	13.7 Ω/km
ANM10.007.53.016AB	UL21320	1000V	53X16AWG	27/0.25	31.9	1713.51	13.7 Ω/km
ANM10.007.54.016AB	UL21320	1000V	54X16AWG	27/0.25	31.9	1722.91	13.7 Ω/km
ANM10.007.55.016AB	UL21320	1000V	55X16AWG	27/0.25	31.9	1732.41	13.7 Ω/km
ANM10.007.56.016AB	UL21320	1000V	56X16AWG	27/0.25	31.9	1741.81	13.7 Ω/km
ANM10.007.57.016AB	UL21320	1000V	57X16AWG	27/0.25	32.8	1821.11	13.7 Ω/km
ANM10.007.58.016AB	UL21320	1000V	58X16AWG	27/0.25	32.8	1830.41	13.7 Ω/km
ANM10.007.59.016AB	UL21320	1000V	59X16AWG	27/0.25	32.8	1840.01	13.7 Ω/km
ANM10.007.60.016AB	UL21320	1000V	60X16AWG	27/0.25	32.8	1849.51	13.7 Ω/km
ANM10.007.61.016AB	UL21320	1000V	61X16AWG	27/0.25	32.8	1858.91	13.7 Ω/km
ANM10.007.62.016AB	UL21320	1000V	62X16AWG	27/0.25	33.8	1948.21	13.7 Ω/km
ANM10.007.63.016AB	UL21320	1000V	63X16AWG	27/0.25	33.8	1957.61	13.7 Ω/km
ANM10.007.64.016AB	UL21320	1000V	64X16AWG	27/0.25	33.8	1967.01	13.7 Ω/km
ANM10.007.65.016AB	UL21320	1000V	65X16AWG	27/0.25	33.8	1976.61	13.7 Ω/km
ANM10.007.02.015AB	UL21320	1000V	2X15AWG	34/0.25	9.4	128.15	10.9 Ω/km
ANM10.007.03.015AB	UL21320	1000V	3X15AWG	34/0.25	10	153.75	10.9 Ω/km
ANM10.007.04.015AB	UL21320	1000V	4X15AWG	34/0.25	10.8	185.25	10.9 Ω/km
ANM10.007.05.015AB	UL21320	1000V	5X15AWG	34/0.25	11.8	223.85	10.9 Ω/km
ANM10.007.06.015AB	UL21320	1000V	6X15AWG	34/0.25	12.7	261.75	10.9 Ω/km
ANM10.007.07.015AB	UL21320	1000V	7X15AWG	34/0.25	12.7	273.65	10.9 Ω/km
ANM10.007.08.015AB	UL21320	1000V	8X15AWG	34/0.25	13.8	320.25	10.9 Ω/km
ANM10.007.09.015AB	UL21320	1000V	9X15AWG	34/0.25	15.2	380.15	10.9 Ω/km
ANM10.007.10.015AB	UL21320	1000V	10X15AWG	34/0.25	16.1	425.75	10.9 Ω/km
ANM10.007.11.015AB	UL21320	1000V	11X15AWG	34/0.25	16.7	461.05	10.9 Ω/km
ANM10.007.12.015AB	UL21320	1000V	12X15AWG	34/0.25	16.7	472.95	10.9 Ω/km



ANM10.007.13.015AB	UL21320	1000V	13X15AWG	34/0.25	17.5	517.25	10.9Ω/km
ANM10.007.14.015AB	UL21320	1000V	14X15AWG	34/0.25	17.5	529.25	10.9Ω/km
ANM10.007.15.015AB	UL21320	1000V	15X15AWG	34/0.25	18.5	584.05	10.9Ω/km
ANM10.007.16.015AB	UL21320	1000V	16X15AWG	34/0.25	18.5	595.95	10.9Ω/km
ANM10.007.17.015AB	UL21320	1000V	17X15AWG	34/0.25	19.4	648.45	10.9Ω/km
ANM10.007.18.015AB	UL21320	1000V	18X15AWG	34/0.25	19.4	660.25	10.9Ω/km
ANM10.007.19.015AB	UL21320	1000V	19X15AWG	34/0.25	19.4	672.25	10.9Ω/km
ANM10.007.20.015AB	UL21320	1000V	20X15AWG	34/0.25	21	760.95	10.9Ω/km
ANM10.007.21.015AB	UL21320	1000V	21X15AWG	34/0.25	21.4	792.95	10.9Ω/km
ANM10.007.22.015AB	UL21320	1000V	22X15AWG	34/0.25	22.8	878.85	10.9Ω/km
ANM10.007.23.015AB	UL21320	1000V	23X15AWG	34/0.25	23.7	940.75	10.9Ω/km
ANM10.007.24.015AB	UL21320	1000V	24X15AWG	34/0.25	23.7	952.55	10.9Ω/km
ANM10.007.25.015AB	UL21320	1000V	25X15AWG	34/0.25	24.3	998.85	10.9Ω/km
ANM10.007.26.015AB	UL21320	1000V	26X15AWG	34/0.25	24.3	1010.85	10.9Ω/km
ANM10.007.27.015AB	UL21320	1000V	27X15AWG	34/0.25	24.3	1022.65	10.9Ω/km
ANM10.007.28.015AB	UL21320	1000V	28X15AWG	34/0.25	25.1	1081.75	10.9Ω/km
ANM10.007.29.015AB	UL21320	1000V	29X15AWG	34/0.25	25.1	1093.65	10.9Ω/km
ANM10.007.30.015AB	UL21320	1000V	30X15AWG	34/0.25	25.1	1105.45	10.9Ω/km
ANM10.007.31.015AB	UL21320	1000V	31X15AWG	34/0.25	26.1	1178.65	10.9Ω/km
ANM10.007.32.015AB	UL21320	1000V	32X15AWG	34/0.25	26.1	1190.65	10.9Ω/km
ANM10.007.33.015AB	UL21320	1000V	33X15AWG	34/0.25	26.1	1202.35	10.9Ω/km
ANM10.007.34.015AB	UL21320	1000V	34X15AWG	34/0.25	27	1271.45	10.9Ω/km
ANM10.007.35.015AB	UL21320	1000V	35X15AWG	34/0.25	27	1283.35	10.9Ω/km
ANM10.007.36.015AB	UL21320	1000V	36X15AWG	34/0.25	27	1295.25	10.9Ω/km
ANM10.007.37.015AB	UL21320	1000V	37X15AWG	34/0.25	27	1307.05	10.9Ω/km
ANM10.007.38.015AB	UL21320	1000V	38X15AWG	34/0.25	28	1384.85	10.9Ω/km
ANM10.007.39.015AB	UL21320	1000V	39X15AWG	34/0.25	28	1396.75	10.9Ω/km
ANM10.007.40.015AB	UL21320	1000V	40X15AWG	34/0.25	28	1408.65	10.9Ω/km
ANM10.007.41.015AB	UL21320	1000V	41X15AWG	34/0.25	31.3	1654.05	10.9Ω/km
ANM10.007.42.015AB	UL21320	1000V	42X15AWG	34/0.25	31.3	1665.85	10.9Ω/km
ANM10.007.43.015AB	UL21320	1000V	43X15AWG	34/0.25	31.3	1677.75	10.9Ω/km
ANM10.007.44.015AB	UL21320	1000V	44X15AWG	34/0.25	31.3	1689.75	10.9Ω/km
ANM10.007.45.015AB	UL21320	1000V	45X15AWG	34/0.25	31.9	1746.95	10.9Ω/km
ANM10.007.46.015AB	UL21320	1000V	46X15AWG	34/0.25	31.9	1758.85	10.9Ω/km
ANM10.007.47.015AB	UL21320	1000V	47X15AWG	34/0.25	31.9	1770.75	10.9Ω/km
ANM10.007.48.015AB	UL21320	1000V	48X15AWG	34/0.25	31.9	1782.65	10.9Ω/km
ANM10.007.49.015AB	UL21320	1000V	49X15AWG	34/0.25	32.7	1856.35	10.9Ω/km
ANM10.007.50.015AB	UL21320	1000V	50X15AWG	34/0.25	32.7	1868.25	10.9Ω/km
ANM10.007.51.015AB	UL21320	1000V	51X15AWG	34/0.25	32.7	1880.05	10.9Ω/km
ANM10.007.52.015AB	UL21320	1000V	52X15AWG	34/0.25	32.7	1892.05	10.9Ω/km
ANM10.007.53.015AB	UL21320	1000V	53X15AWG	34/0.25	33.7	1983.55	10.9Ω/km
ANM10.007.54.015AB	UL21320	1000V	54X15AWG	34/0.25	33.7	1995.35	10.9Ω/km



ANM10.007.55.015AB	UL21320	1000V	55X15AWG	34/0.25	33.7	2007.25	10.9Ω/km
ANM10.007.56.015AB	UL21320	1000V	56X15AWG	34/0.25	33.7	2019.25	10.9Ω/km
ANM10.007.57.015AB	UL21320	1000V	57X15AWG	34/0.25	34.6	2104.55	10.9Ω/km
ANM10.007.58.015AB	UL21320	1000V	58X15AWG	34/0.25	34.6	2116.55	10.9Ω/km
ANM10.007.59.015AB	UL21320	1000V	59X15AWG	34/0.25	34.6	2128.35	10.9Ω/km
ANM10.007.60.015AB	UL21320	1000V	60X15AWG	34/0.25	34.6	2140.25	10.9Ω/km
ANM10.007.61.015AB	UL21320	1000V	61X15AWG	34/0.25	34.6	2152.05	10.9Ω/km
ANM10.007.62.015AB	UL21320	1000V	62X15AWG	34/0.25	35.9	2273.95	10.9Ω/km
ANM10.007.63.015AB	UL21320	1000V	63X15AWG	34/0.25	35.9	2285.85	10.9Ω/km
ANM10.007.64.015AB	UL21320	1000V	64X15AWG	34/0.25	35.9	2297.75	10.9Ω/km
ANM10.007.65.015AB	UL21320	1000V	65X15AWG	34/0.25	35.9	2309.45	10.9Ω/km
ANM10.007.02.014AB	UL21320	1000V	2X14AWG	43/0.25	9.8	143.88	8.62Ω/km
ANM10.007.03.014AB	UL21320	1000V	3X14AWG	43/0.25	10.4	173.28	8.62Ω/km
ANM10.007.04.014AB	UL21320	1000V	4X14AWG	43/0.25	11.3	211.38	8.62Ω/km
ANM10.007.05.014AB	UL21320	1000V	5X14AWG	43/0.25	12.3	254.48	8.62Ω/km
ANM10.007.06.014AB	UL21320	1000V	6X14AWG	43/0.25	13.4	302.88	8.62Ω/km
ANM10.007.07.014AB	UL21320	1000V	7X14AWG	43/0.25	13.4	317.98	8.62Ω/km
ANM10.007.08.014AB	UL21320	1000V	8X14AWG	43/0.25	14.5	369.48	8.62Ω/km
ANM10.007.09.014AB	UL21320	1000V	9X14AWG	43/0.25	15.9	435.18	8.62Ω/km
ANM10.007.10.014AB	UL21320	1000V	10X14AWG	43/0.25	16.9	489.28	8.62Ω/km
ANM10.007.11.014AB	UL21320	1000V	11X14AWG	43/0.25	17.5	528.88	8.62Ω/km
ANM10.007.12.014AB	UL21320	1000V	12X14AWG	43/0.25	17.5	543.88	8.62Ω/km
ANM10.007.13.014AB	UL21320	1000V	13X14AWG	43/0.25	18.4	597.48	8.62Ω/km
ANM10.007.14.014AB	UL21320	1000V	14X14AWG	43/0.25	18.4	612.58	8.62Ω/km
ANM10.007.15.014AB	UL21320	1000V	15X14AWG	43/0.25	19.4	672.68	8.62Ω/km
ANM10.007.16.014AB	UL21320	1000V	16X14AWG	43/0.25	19.4	687.78	8.62Ω/km
ANM10.007.17.014AB	UL21320	1000V	17X14AWG	43/0.25	21.4	799.78	8.62Ω/km
ANM10.007.18.014AB	UL21320	1000V	18X14AWG	43/0.25	21.4	814.88	8.62Ω/km
ANM10.007.19.014AB	UL21320	1000V	19X14AWG	43/0.25	21.4	829.98	8.62Ω/km
ANM10.007.20.014AB	UL21320	1000V	20X14AWG	43/0.25	22	875.98	8.62Ω/km
ANM10.007.21.014AB	UL21320	1000V	21X14AWG	43/0.25	22.5	917.68	8.62Ω/km
ANM10.007.22.014AB	UL21320	1000V	22X14AWG	43/0.25	23.9	1010.28	8.62Ω/km
ANM10.007.23.014AB	UL21320	1000V	23X14AWG	43/0.25	24.9	1083.78	8.62Ω/km
ANM10.007.24.014AB	UL21320	1000V	24X14AWG	43/0.25	24.9	1098.78	8.62Ω/km
ANM10.007.25.014AB	UL21320	1000V	25X14AWG	43/0.25	25.5	1149.98	8.62Ω/km
ANM10.007.26.014AB	UL21320	1000V	26X14AWG	43/0.25	25.5	1164.98	8.62Ω/km
ANM10.007.27.014AB	UL21320	1000V	27X14AWG	43/0.25	25.5	1180.08	8.62Ω/km
ANM10.007.28.014AB	UL21320	1000V	28X14AWG	43/0.25	26.4	1251.08	8.62Ω/km
ANM10.007.29.014AB	UL21320	1000V	29X14AWG	43/0.25	26.4	1266.08	8.62Ω/km
ANM10.007.30.014AB	UL21320	1000V	30X14AWG	43/0.25	26.4	1281.08	8.62Ω/km
ANM10.007.31.014AB	UL21320	1000V	31X14AWG	43/0.25	27.4	1360.68	8.62Ω/km
ANM10.007.32.014AB	UL21320	1000V	32X14AWG	43/0.25	27.4	1375.58	8.62Ω/km



ANM10.007.33.014AB	UL21320	1000V	33X14AWG	43/0.25	27.4	1390.58	8.62 Ω/km
ANM10.007.34.014AB	UL21320	1000V	34X14AWG	43/0.25	28.4	1472.58	8.62 Ω/km
ANM10.007.35.014AB	UL21320	1000V	35X14AWG	43/0.25	28.4	1487.58	8.62 Ω/km
ANM10.007.36.014AB	UL21320	1000V	36X14AWG	43/0.25	28.4	1502.68	8.62 Ω/km
ANM10.007.37.014AB	UL21320	1000V	37X14AWG	43/0.25	28.4	1517.68	8.62 Ω/km
ANM10.007.38.014AB	UL21320	1000V	38X14AWG	43/0.25	30.5	1680.08	8.62 Ω/km
ANM10.007.39.014AB	UL21320	1000V	39X14AWG	43/0.25	30.5	1695.08	8.62 Ω/km
ANM10.007.40.014AB	UL21320	1000V	40X14AWG	43/0.25	30.5	1710.18	8.62 Ω/km
ANM10.007.41.014AB	UL21320	1000V	41X14AWG	43/0.25	32.9	1907.58	8.62 Ω/km
ANM10.007.42.014AB	UL21320	1000V	42X14AWG	43/0.25	32.9	1922.48	8.62 Ω/km
ANM10.007.43.014AB	UL21320	1000V	43X14AWG	43/0.25	32.9	1937.58	8.62 Ω/km
ANM10.007.44.014AB	UL21320	1000V	44X14AWG	43/0.25	32.9	1952.58	8.62 Ω/km
ANM10.007.45.014AB	UL21320	1000V	45X14AWG	43/0.25	33.5	2015.48	8.62 Ω/km
ANM10.007.46.014AB	UL21320	1000V	46X14AWG	43/0.25	33.5	2030.58	8.62 Ω/km
ANM10.007.47.014AB	UL21320	1000V	47X14AWG	43/0.25	33.5	2045.58	8.62 Ω/km
ANM10.007.48.014AB	UL21320	1000V	48X14AWG	43/0.25	33.5	2060.58	8.62 Ω/km
ANM10.007.49.014AB	UL21320	1000V	49X14AWG	43/0.25	34.4	2148.98	8.62 Ω/km
ANM10.007.50.014AB	UL21320	1000V	50X14AWG	43/0.25	34.4	2163.98	8.62 Ω/km
ANM10.007.51.014AB	UL21320	1000V	51X14AWG	43/0.25	34.4	2178.98	8.62 Ω/km
ANM10.007.52.014AB	UL21320	1000V	52X14AWG	43/0.25	34.4	2194.08	8.62 Ω/km
ANM10.007.02.013AB	UL21320	1000V	2X13AWG	54/0.25	10.4	166.23	6.82 Ω/km
ANM10.007.03.013AB	UL21320	1000V	3X13AWG	54/0.25	11	200.13	6.82 Ω/km
ANM10.007.04.013AB	UL21320	1000V	4X13AWG	54/0.25	12	245.93	6.82 Ω/km
ANM10.007.05.013AB	UL21320	1000V	5X13AWG	54/0.25	13.2	300.53	6.82 Ω/km
ANM10.007.06.013AB	UL21320	1000V	6X13AWG	54/0.25	14.3	355.13	6.82 Ω/km
ANM10.007.07.013AB	UL21320	1000V	7X13AWG	54/0.25	14.3	373.83	6.82 Ω/km
ANM10.007.08.013AB	UL21320	1000V	8X13AWG	54/0.25	15.5	435.03	6.82 Ω/km
ANM10.007.09.013AB	UL21320	1000V	9X13AWG	54/0.25	17	512.03	6.82 Ω/km
ANM10.007.10.013AB	UL21320	1000V	10X13AWG	54/0.25	18.1	576.73	6.82 Ω/km
ANM10.007.11.013AB	UL21320	1000V	11X13AWG	54/0.25	18.7	621.63	6.82 Ω/km
ANM10.007.12.013AB	UL21320	1000V	12X13AWG	54/0.25	18.7	640.43	6.82 Ω/km
ANM10.007.13.013AB	UL21320	1000V	13X13AWG	54/0.25	20.7	752.93	6.82 Ω/km
ANM10.007.14.013AB	UL21320	1000V	14X13AWG	54/0.25	20.7	771.53	6.82 Ω/km
ANM10.007.15.013AB	UL21320	1000V	15X13AWG	54/0.25	21.8	846.03	6.82 Ω/km
ANM10.007.16.013AB	UL21320	1000V	16X13AWG	54/0.25	21.8	864.73	6.82 Ω/km
ANM10.007.17.013AB	UL21320	1000V	17X13AWG	54/0.25	22.9	942.23	6.82 Ω/km
ANM10.007.18.013AB	UL21320	1000V	18X13AWG	54/0.25	22.9	961.03	6.82 Ω/km
ANM10.007.19.013AB	UL21320	1000V	19X13AWG	54/0.25	22.9	979.73	6.82 Ω/km
ANM10.007.20.013AB	UL21320	1000V	20X13AWG	54/0.25	23.5	1031.73	6.82 Ω/km
ANM10.007.21.013AB	UL21320	1000V	21X13AWG	54/0.25	24.1	1084.63	6.82 Ω/km
ANM10.007.22.013AB	UL21320	1000V	22X13AWG	54/0.25	25.6	1192.43	6.82 Ω/km
ANM10.007.23.013AB	UL21320	1000V	23X13AWG	54/0.25	26.7	1280.13	6.82 Ω/km



ANM10.007.24.013AB	UL21320	1000V	24X13AWG	54/0.25	26.7	1298.73	6.82 Ω/km
ANM10.007.25.013AB	UL21320	1000V	25X13AWG	54/0.25	27.3	1356.23	6.82 Ω/km
ANM10.007.26.013AB	UL21320	1000V	26X13AWG	54/0.25	27.3	1374.93	6.82 Ω/km
ANM10.007.27.013AB	UL21320	1000V	27X13AWG	54/0.25	27.3	1393.73	6.82 Ω/km
ANM10.007.28.013AB	UL21320	1000V	28X13AWG	54/0.25	28.3	1479.03	6.82 Ω/km
ANM10.007.29.013AB	UL21320	1000V	29X13AWG	54/0.25	28.3	1497.83	6.82 Ω/km
ANM10.007.30.013AB	UL21320	1000V	30X13AWG	54/0.25	28.3	1516.53	6.82 Ω/km
ANM10.007.31.013AB	UL21320	1000V	31X13AWG	54/0.25	30.4	1682.03	6.82 Ω/km
ANM10.007.32.013AB	UL21320	1000V	32X13AWG	54/0.25	30.4	1700.83	6.82 Ω/km
ANM10.007.33.013AB	UL21320	1000V	33X13AWG	54/0.25	30.4	1719.53	6.82 Ω/km
ANM10.007.34.013AB	UL21320	1000V	34X13AWG	54/0.25	31.5	1819.63	6.82 Ω/km
ANM10.007.35.013AB	UL21320	1000V	35X13AWG	54/0.25	31.5	1838.43	6.82 Ω/km
ANM10.007.36.013AB	UL21320	1000V	36X13AWG	54/0.25	31.5	1857.23	6.82 Ω/km
ANM10.007.37.013AB	UL21320	1000V	37X13AWG	54/0.25	31.5	1875.83	6.82 Ω/km
ANM10.007.38.013AB	UL21320	1000V	38X13AWG	54/0.25	32.7	1986.93	6.82 Ω/km
ANM10.007.39.013AB	UL21320	1000V	39X13AWG	54/0.25	32.7	2005.63	6.82 Ω/km
ANM10.007.40.013AB	UL21320	1000V	40X13AWG	54/0.25	32.7	2024.43	6.82 Ω/km
ANM10.007.41.013AB	UL21320	1000V	41X13AWG	54/0.25	35.6	2280.63	6.82 Ω/km
ANM10.007.42.013AB	UL21320	1000V	42X13AWG	54/0.25	35.6	2299.33	6.82 Ω/km
ANM10.007.43.013AB	UL21320	1000V	43X13AWG	54/0.25	35.6	2318.13	6.82 Ω/km
ANM10.007.44.013AB	UL21320	1000V	44X13AWG	54/0.25	35.6	2336.83	6.82 Ω/km
ANM10.007.45.013AB	UL21320	1000V	45X13AWG	54/0.25	36.2	2407.23	6.82 Ω/km
ANM10.007.46.013AB	UL21320	1000V	46X13AWG	54/0.25	36.2	2425.93	6.82 Ω/km
ANM10.007.47.013AB	UL21320	1000V	47X13AWG	54/0.25	36.2	2444.53	6.82 Ω/km
ANM10.007.48.013AB	UL21320	1000V	48X13AWG	54/0.25	36.2	2463.33	6.82 Ω/km
ANM10.007.49.013AB	UL21320	1000V	49X13AWG	54/0.25	37.2	2570.13	6.82 Ω/km
ANM10.007.50.013AB	UL21320	1000V	50X13AWG	54/0.25	37.2	2588.83	6.82 Ω/km
ANM10.007.51.013AB	UL21320	1000V	51X13AWG	54/0.25	37.2	2607.43	6.82 Ω/km
ANM10.007.52.013AB	UL21320	1000V	52X13AWG	54/0.25	37.2	2626.23	6.82 Ω/km
ANM10.007.02.012AB	UL21320	1000V	2X12AWG	68/0.25	10.8	187.41	5.43 Ω/km
ANM10.007.03.012AB	UL21320	1000V	3X12AWG	68/0.25	11.5	229.81	5.43 Ω/km
ANM10.007.04.012AB	UL21320	1000V	4X12AWG	68/0.25	12.5	282.41	5.43 Ω/km
ANM10.007.05.012AB	UL21320	1000V	5X12AWG	68/0.25	13.7	343.61	5.43 Ω/km
ANM10.007.06.012AB	UL21320	1000V	6X12AWG	68/0.25	14.9	408.31	5.43 Ω/km
ANM10.007.07.012AB	UL21320	1000V	7X12AWG	68/0.25	14.9	432.31	5.43 Ω/km
ANM10.007.08.012AB	UL21320	1000V	8X12AWG	68/0.25	16.1	500.81	5.43 Ω/km
ANM10.007.09.012AB	UL21320	1000V	9X12AWG	68/0.25	17.7	589.21	5.43 Ω/km
ANM10.007.10.012AB	UL21320	1000V	10X12AWG	68/0.25	18.9	665.51	5.43 Ω/km
ANM10.007.11.012AB	UL21320	1000V	11X12AWG	68/0.25	20.6	769.31	5.43 Ω/km
ANM10.007.12.012AB	UL21320	1000V	12X12AWG	68/0.25	20.6	793.41	5.43 Ω/km
ANM10.007.13.012AB	UL21320	1000V	13X12AWG	68/0.25	21.6	867.71	5.43 Ω/km
ANM10.007.14.012AB	UL21320	1000V	14X12AWG	68/0.25	21.6	891.61	5.43 Ω/km



ANM10.007.15.012AB	UL21320	1000V	15X12AWG	68/0.25	22.7	973.91	5.43 Ω/km
ANM10.007.16.012AB	UL21320	1000V	16X12AWG	68/0.25	22.7	998.01	5.43 Ω/km
ANM10.007.17.012AB	UL21320	1000V	17X12AWG	68/0.25	23.9	1088.71	5.43 Ω/km
ANM10.007.18.012AB	UL21320	1000V	18X12AWG	68/0.25	23.9	1112.71	5.43 Ω/km
ANM10.007.19.012AB	UL21320	1000V	19X12AWG	68/0.25	23.9	1136.81	5.43 Ω/km
ANM10.007.20.012AB	UL21320	1000V	20X12AWG	68/0.25	24.6	1201.41	5.43 Ω/km
ANM10.007.21.012AB	UL21320	1000V	21X12AWG	68/0.25	25.1	1255.11	5.43 Ω/km
ANM10.007.22.012AB	UL21320	1000V	22X12AWG	68/0.25	26.7	1378.31	5.43 Ω/km
ANM10.007.23.012AB	UL21320	1000V	23X12AWG	68/0.25	27.9	1480.91	5.43 Ω/km
ANM10.007.24.012AB	UL21320	1000V	24X12AWG	68/0.25	27.9	1504.81	5.43 Ω/km
ANM10.007.25.012AB	UL21320	1000V	25X12AWG	68/0.25	29.6	1645.11	5.43 Ω/km
ANM10.007.26.012AB	UL21320	1000V	26X12AWG	68/0.25	29.6	1669.01	5.43 Ω/km
ANM10.007.27.012AB	UL21320	1000V	27X12AWG	68/0.25	29.6	1693.11	5.43 Ω/km
ANM10.007.28.012AB	UL21320	1000V	28X12AWG	68/0.25	30.6	1789.21	5.43 Ω/km
ANM10.007.29.012AB	UL21320	1000V	29X12AWG	68/0.25	30.6	1813.31	5.43 Ω/km
ANM10.007.30.012AB	UL21320	1000V	30X12AWG	68/0.25	30.6	1837.21	5.43 Ω/km
ANM10.007.31.012AB	UL21320	1000V	31X12AWG	68/0.25	31.7	1943.31	5.43 Ω/km
ANM10.007.32.012AB	UL21320	1000V	32X12AWG	68/0.25	31.7	1967.31	5.43 Ω/km
ANM10.007.33.012AB	UL21320	1000V	33X12AWG	68/0.25	31.7	1991.31	5.43 Ω/km
ANM10.007.34.012AB	UL21320	1000V	34X12AWG	68/0.25	32.9	2108.31	5.43 Ω/km
ANM10.007.35.012AB	UL21320	1000V	35X12AWG	68/0.25	32.9	2132.21	5.43 Ω/km
ANM10.007.36.012AB	UL21320	1000V	36X12AWG	68/0.25	32.9	2156.31	5.43 Ω/km
ANM10.007.37.012AB	UL21320	1000V	37X12AWG	68/0.25	32.9	2180.21	5.43 Ω/km
ANM10.007.02.011AB	UL21320	1000V	2X11AWG	85/0.25	11.6	220.57	4.30 Ω/km
ANM10.007.03.011AB	UL21320	1000V	3X11AWG	85/0.25	12.3	270.07	4.30 Ω/km
ANM10.007.04.011AB	UL21320	1000V	4X11AWG	85/0.25	13.6	339.37	4.30 Ω/km
ANM10.007.05.011AB	UL21320	1000V	5X11AWG	85/0.25	14.8	409.57	4.30 Ω/km
ANM10.007.06.011AB	UL21320	1000V	6X11AWG	85/0.25	16.1	486.97	4.30 Ω/km
ANM10.007.07.011AB	UL21320	1000V	7X11AWG	85/0.25	16.1	516.57	4.30 Ω/km
ANM10.007.08.011AB	UL21320	1000V	8X11AWG	85/0.25	17.5	602.07	4.30 Ω/km
ANM10.007.09.011AB	UL21320	1000V	9X11AWG	85/0.25	19.2	706.07	4.30 Ω/km
ANM10.007.10.011AB	UL21320	1000V	10X11AWG	85/0.25	21.5	846.97	4.30 Ω/km
ANM10.007.11.011AB	UL21320	1000V	11X11AWG	85/0.25	22.2	913.17	4.30 Ω/km
ANM10.007.12.011AB	UL21320	1000V	12X11AWG	85/0.25	22.2	942.77	4.30 Ω/km
ANM10.007.13.011AB	UL21320	1000V	13X11AWG	85/0.25	23.4	1037.67	4.30 Ω/km
ANM10.007.14.011AB	UL21320	1000V	14X11AWG	85/0.25	23.4	1067.27	4.30 Ω/km
ANM10.007.15.011AB	UL21320	1000V	15X11AWG	85/0.25	24.6	1165.67	4.30 Ω/km
ANM10.007.16.011AB	UL21320	1000V	16X11AWG	85/0.25	24.6	1195.37	4.30 Ω/km
ANM10.007.17.011AB	UL21320	1000V	17X11AWG	85/0.25	25.9	1303.47	4.30 Ω/km
ANM10.007.18.011AB	UL21320	1000V	18X11AWG	85/0.25	25.9	1332.97	4.30 Ω/km
ANM10.007.19.011AB	UL21320	1000V	19X11AWG	85/0.25	25.9	1362.57	4.30 Ω/km
ANM10.007.20.011AB	UL21320	1000V	20X11AWG	85/0.25	26.6	1436.07	4.30 Ω/km



ANM10.007.21.011AB	UL21320	1000V	21X11AWG	85/0.25	27.3	1510.87	4.30 Ω /km
ANM10.007.22.011AB	UL21320	1000V	22X11AWG	85/0.25	30	1724.87	4.30 Ω /km
ANM10.007.23.011AB	UL21320	1000V	23X11AWG	85/0.25	31.3	1849.97	4.30 Ω /km
ANM10.007.24.011AB	UL21320	1000V	24X11AWG	85/0.25	31.3	1879.47	4.30 Ω /km
ANM10.007.25.011AB	UL21320	1000V	25X11AWG	85/0.25	32	1962.17	4.30 Ω /km
ANM10.007.26.011AB	UL21320	1000V	26X11AWG	85/0.25	32	1991.77	4.30 Ω /km
ANM10.007.27.011AB	UL21320	1000V	27X11AWG	85/0.25	32	2021.27	4.30 Ω /km
ANM10.007.28.011AB	UL21320	1000V	28X11AWG	85/0.25	33.2	2144.67	4.30 Ω /km
ANM10.007.29.011AB	UL21320	1000V	29X11AWG	85/0.25	33.2	2174.17	4.30 Ω /km
ANM10.007.30.011AB	UL21320	1000V	30X11AWG	85/0.25	33.2	2203.77	4.30 Ω /km
ANM10.007.31.011AB	UL21320	1000V	31X11AWG	85/0.25	34.4	2330.67	4.30 Ω /km
ANM10.007.32.011AB	UL21320	1000V	32X11AWG	85/0.25	34.4	2360.27	4.30 Ω /km
ANM10.007.33.011AB	UL21320	1000V	33X11AWG	85/0.25	34.4	2389.87	4.30 Ω /km
ANM10.007.34.011AB	UL21320	1000V	34X11AWG	85/0.25	36	2554.37	4.30 Ω /km
ANM10.007.35.011AB	UL21320	1000V	35X11AWG	85/0.25	36	2583.97	4.30 Ω /km
ANM10.007.36.011AB	UL21320	1000V	36X11AWG	85/0.25	36	2613.57	4.30 Ω /km
ANM10.007.37.011AB	UL21320	1000V	37X11AWG	85/0.25	36	2643.17	4.30 Ω /km
ANM10.007.02.010AB	UL21320	1000V	2X10AWG	108/0.25	12.8	267.87	3.409 Ω /km
ANM10.007.03.010AB	UL21320	1000V	3X10AWG	108/0.25	13.7	331.47	3.409 Ω /km
ANM10.007.04.010AB	UL21320	1000V	4X10AWG	108/0.25	15	411.17	3.409 Ω /km
ANM10.007.05.010AB	UL21320	1000V	5X10AWG	108/0.25	16.4	498.77	3.409 Ω /km
ANM10.007.06.010AB	UL21320	1000V	6X10AWG	108/0.25	17.9	595.47	3.409 Ω /km
ANM10.007.07.010AB	UL21320	1000V	7X10AWG	108/0.25	17.9	630.77	3.409 Ω /km
ANM10.007.08.010AB	UL21320	1000V	8X10AWG	108/0.25	19.4	732.77	3.409 Ω /km
ANM10.007.09.010AB	UL21320	1000V	9X10AWG	108/0.25	22.4	917.47	3.409 Ω /km
ANM10.007.10.010AB	UL21320	1000V	10X10AWG	108/0.25	23.9	1035.77	3.409 Ω /km
ANM10.007.11.010AB	UL21320	1000V	11X10AWG	108/0.25	24.7	1117.57	3.409 Ω /km
ANM10.007.12.010AB	UL21320	1000V	12X10AWG	108/0.25	24.7	1152.97	3.409 Ω /km
ANM10.007.13.010AB	UL21320	1000V	13X10AWG	108/0.25	26	1267.17	3.409 Ω /km
ANM10.007.14.010AB	UL21320	1000V	14X10AWG	108/0.25	26	1302.47	3.409 Ω /km
ANM10.007.15.010AB	UL21320	1000V	15X10AWG	108/0.25	27.4	1427.17	3.409 Ω /km
ANM10.007.16.010AB	UL21320	1000V	16X10AWG	108/0.25	27.4	1462.57	3.409 Ω /km
ANM10.007.17.010AB	UL21320	1000V	17X10AWG	108/0.25	29.9	1668.77	3.409 Ω /km
ANM10.007.18.010AB	UL21320	1000V	18X10AWG	108/0.25	29.9	1704.07	3.409 Ω /km
ANM10.007.19.010AB	UL21320	1000V	19X10AWG	108/0.25	29.9	1739.37	3.409 Ω /km
ANM10.007.20.010AB	UL21320	1000V	20X10AWG	108/0.25	30.7	1832.67	3.409 Ω /km
ANM10.007.21.010AB	UL21320	1000V	21X10AWG	108/0.25	31.4	1920.07	3.409 Ω /km
ANM10.007.22.010AB	UL21320	1000V	22X10AWG	108/0.25	33.4	2110.67	3.409 Ω /km
ANM10.007.23.010AB	UL21320	1000V	23X10AWG	108/0.25	34.9	2268.97	3.409 Ω /km
ANM10.007.24.010AB	UL21320	1000V	24X10AWG	108/0.25	34.9	2304.27	3.409 Ω /km
ANM10.007.25.010AB	UL21320	1000V	25X10AWG	108/0.25	36	2433.07	3.409 Ω /km
ANM10.007.26.010AB	UL21320	1000V	26X10AWG	108/0.25	36	2468.37	3.409 Ω /km



ANM10.007.27.010AB	UL21320	1000V	27X10AWG	108/0.25	36	2503.67	3.409 Ω/km
ANM10.007.28.010AB	UL21320	1000V	28X10AWG	108/0.25	37.3	2653.47	3.409 Ω/km
ANM10.007.29.010AB	UL21320	1000V	29X10AWG	108/0.25	37.3	2688.77	3.409 Ω/km
ANM10.007.30.010AB	UL21320	1000V	30X10AWG	108/0.25	37.3	2723.97	3.409 Ω/km
ANM10.007.31.010AB	UL21320	1000V	31X10AWG	108/0.25	38.7	2887.07	3.409 Ω/km
ANM10.007.32.010AB	UL21320	1000V	32X10AWG	108/0.25	38.7	2922.37	3.409 Ω/km
ANM10.007.33.010AB	UL21320	1000V	33X10AWG	108/0.25	38.7	2957.57	3.409 Ω/km
ANM10.007.34.010AB	UL21320	1000V	34X10AWG	108/0.25	40.2	3135.07	3.409 Ω/km
ANM10.007.35.010AB	UL21320	1000V	35X10AWG	108/0.25	40.2	3170.37	3.409 Ω/km
ANM10.007.36.010AB	UL21320	1000V	36X10AWG	108/0.25	40.2	3205.67	3.409 Ω/km
ANM10.007.37.010AB	UL21320	1000V	37X10AWG	108/0.25	40.2	3240.87	3.409 Ω/km
ANM10.007.02.009AB	UL21320	1000V	2X9AWG	136/0.25	13.5	311.84	2.705 Ω/km
ANM10.007.03.009AB	UL21320	1000V	3X9AWG	136/0.25	14.4	387.14	2.705 Ω/km
ANM10.007.04.009AB	UL21320	1000V	4X9AWG	136/0.25	15.7	479.44	2.705 Ω/km
ANM10.007.05.009AB	UL21320	1000V	5X9AWG	136/0.25	17.3	587.84	2.705 Ω/km
ANM10.007.06.009AB	UL21320	1000V	6X9AWG	136/0.25	18.8	698.14	2.705 Ω/km
ANM10.007.07.009AB	UL21320	1000V	7X9AWG	136/0.25	18.8	743.64	2.705 Ω/km
ANM10.007.02.008AB	UL21320	1000V	2X8AWG	171/0.25	15.9	421.97	2.144 Ω/km
ANM10.007.03.008AB	UL21320	1000V	3X8AWG	171/0.25	17	523.07	2.144 Ω/km
ANM10.007.04.008AB	UL21320	1000V	4X8AWG	171/0.25	18.6	649.07	2.144 Ω/km
ANM10.007.05.008AB	UL21320	1000V	5X8AWG	171/0.25	21.5	845.37	2.144 Ω/km
ANM10.007.06.008AB	UL21320	1000V	6X8AWG	171/0.25	23.4	1005.27	2.144 Ω/km
ANM10.007.07.008AB	UL21320	1000V	7X8AWG	171/0.25	23.4	1063.27	2.144 Ω/km
ANM10.007.02.007AB	UL21320	1000V	2X7AWG	84/0.4	16.7	488.05	1.700 Ω/km
ANM10.007.03.007AB	UL21320	1000V	3X7AWG	84/0.4	17.8	607.55	1.700 Ω/km
ANM10.007.04.007AB	UL21320	1000V	4X7AWG	84/0.4	20.6	810.05	1.700 Ω/km
ANM10.007.05.007AB	UL21320	1000V	5X7AWG	84/0.4	22.6	987.55	1.700 Ω/km
ANM10.007.06.007AB	UL21320	1000V	6X7AWG	84/0.4	24.6	1174.65	1.700 Ω/km
ANM10.007.07.007AB	UL21320	1000V	7X7AWG	84/0.4	24.6	1249.15	1.700 Ω/km
ANM10.007.02.006AB	UL21320	1000V	2X6AWG	106/0.4	18.1	584.1	1.348 Ω/km
ANM10.007.03.006AB	UL21320	1000V	3X6AWG	106/0.4	19.3	729.7	1.348 Ω/km
ANM10.007.04.006AB	UL21320	1000V	4X6AWG	106/0.4	22.3	970.4	1.348 Ω/km
ANM10.007.05.006AB	UL21320	1000V	5X6AWG	106/0.4	24.5	1185.5	1.348 Ω/km
ANM10.007.06.006AB	UL21320	1000V	6X6AWG	106/0.4	26.7	1412.3	1.348 Ω/km
ANM10.007.07.006AB	UL21320	1000V	7X6AWG	106/0.4	26.7	1504.2	1.348 Ω/km
ANM10.007.02.005AB	UL21320	1000V	2X5AWG	134/0.4	19.3	690.47	1.070 Ω/km
ANM10.007.03.005AB	UL21320	1000V	3X5AWG	134/0.4	21.6	919.07	1.070 Ω/km
ANM10.007.04.005AB	UL21320	1000V	4X5AWG	134/0.4	23.7	1149.47	1.070 Ω/km
ANM10.007.05.005AB	UL21320	1000V	5X5AWG	134/0.4	26.1	1409.17	1.070 Ω/km
ANM10.007.06.005AB	UL21320	1000V	6X5AWG	134/0.4	29.5	1751.47	1.070 Ω/km
ANM10.007.07.005AB	UL21320	1000V	7X5AWG	134/0.4	29.5	1868.17	1.070 Ω/km
ANM10.007.02.004AB	UL21320	1000V	2X4AWG	169/0.4	21.7	873.65	0.8481 Ω/km



ANM10.007.03.004AB	UL21320	1000V	3X4AWG	169/0.4	23.1	1096.15	0.8481 Ω/km
ANM10.007.04.004AB	UL21320	1000V	4X4AWG	169/0.4	25.4	1376.95	0.8481 Ω/km
ANM10.007.05.004AB	UL21320	1000V	5X4AWG	169/0.4	28	1690.75	0.8481 Ω/km
ANM10.007.06.004AB	UL21320	1000V	6X4AWG	169/0.4	31.6	2094.55	0.8481 Ω/km
ANM10.007.07.004AB	UL21320	1000V	7X4AWG	169/0.4	31.6	2242.05	0.8481 Ω/km
ANM10.007.02.003AB	UL21320	1000V	2X3AWG	213/0.4	23.3	1042.47	0.6727 Ω/km
ANM10.007.03.003AB	UL21320	1000V	3X3AWG	213/0.4	24.8	1314.87	0.6727 Ω/km
ANM10.007.04.003AB	UL21320	1000V	4X3AWG	213/0.4	27.4	1663.47	0.6727 Ω/km
ANM10.007.05.003AB	UL21320	1000V	5X3AWG	213/0.4	31.1	2108.17	0.6727 Ω/km
ANM10.007.06.003AB	UL21320	1000V	6X3AWG	213/0.4	34	2520.57	0.6727 Ω/km
ANM10.007.07.003AB	UL21320	1000V	7X3AWG	213/0.4	34	2706.67	0.6727 Ω/km
ANM10.007.02.002AB	UL21320	1000V	2X2AWG	268/0.4	25.1	1250.72	0.5335 Ω/km
ANM10.007.03.002AB	UL21320	1000V	3X2AWG	268/0.4	26.8	1591.22	0.5335 Ω/km
ANM10.007.04.002AB	UL21320	1000V	4X2AWG	268/0.4	30.5	2078.92	0.5335 Ω/km
ANM10.007.05.002AB	UL21320	1000V	5X2AWG	268/0.4	33.6	2551.72	0.5335 Ω/km
ANM10.007.06.002AB	UL21320	1000V	6X2AWG	268/0.4	37	3074.52	0.5335 Ω/km
ANM10.007.07.002AB	UL21320	1000V	7X2AWG	268/0.4	37	3309.12	0.5335 Ω/km
ANM10.007.02.001AB	UL21320	1000V	2X1AWG	338/0.4	27.7	1551.31	0.4230 Ω/km
ANM10.007.03.001AB	UL21320	1000V	3X1AWG	338/0.4	30.6	2051.61	0.4230 Ω/km
ANM10.007.04.001AB	UL21320	1000V	4X1AWG	338/0.4	33.7	2589.01	0.4230 Ω/km
ANM10.007.05.001AB	UL21320	1000V	5X1AWG	338/0.4	37.4	3203.01	0.4230 Ω/km
ANM10.007.06.001AB	UL21320	1000V	6X1AWG	338/0.4	40.9	3830.41	0.4230 Ω/km
ANM10.007.07.001AB	UL21320	1000V	7X1AWG	338/0.4	40.9	4128.91	0.4230 Ω/km
ANM10.007.02.1/0AB	UL21320	1000V	2X1/0AWG	426/0.4	31.3	1963.49	0.3354 Ω/km
ANM10.007.03.1/0AB	UL21320	1000V	3X1/0AWG	426/0.4	33.4	2498.39	0.3354 Ω/km
ANM10.007.04.1/0AB	UL21320	1000V	4X1/0AWG	426/0.4	37.1	3183.49	0.3354 Ω/km
ANM10.007.05.1/0AB	UL21320	1000V	5X1/0AWG	426/0.4	40.9	3911.59	0.3354 Ω/km
ANM10.007.06.1/0AB	UL21320	1000V	6X1/0AWG	426/0.4	46.2	4835.99	0.3354 Ω/km
ANM10.007.07.1/0AB	UL21320	1000V	7X1/0AWG	426/0.4	46.2	5208.19	0.3354 Ω/km
ANM10.007.02.2/0AB	UL21320	1000V	2X2/0AWG	537/0.4	33.9	2373.73	0.2660 Ω/km
ANM10.007.03.2/0AB	UL21320	1000V	3X2/0AWG	537/0.4	36.5	3062.13	0.2660 Ω/km
ANM10.007.04.2/0AB	UL21320	1000V	4X2/0AWG	537/0.4	40.3	3881.13	0.2660 Ω/km
ANM10.007.05.2/0AB	UL21320	1000V	5X2/0AWG	537/0.4	45.8	4916.53	0.2660 Ω/km
ANM10.007.06.2/0AB	UL21320	1000V	6X2/0AWG	537/0.4	50.1	5880.73	0.2660 Ω/km
ANM10.007.07.2/0AB	UL21320	1000V	7X2/0AWG	537/0.4	50.1	6349.43	0.2660 Ω/km
ANM10.007.02.3/0AB	UL21320	1000V	2X3/0AWG	677/0.4	36.8	2891.01	0.2110 Ω/km
ANM10.007.03.3/0AB	UL21320	1000V	3X3/0AWG	677/0.4	39.3	3714.91	0.2110 Ω/km
ANM10.007.04.3/0AB	UL21320	1000V	4X3/0AWG	677/0.4	44.8	4863.91	0.2110 Ω/km
ANM10.007.05.3/0AB	UL21320	1000V	5X3/0AWG	677/0.4	49.3	5968.11	0.2110 Ω/km
ANM10.007.06.3/0AB	UL21320	1000V	6X3/0AWG	677/0.4	54	7147.31	0.2110 Ω/km
ANM10.007.07.3/0AB	UL21320	1000V	7X3/0AWG	677/0.4	54	7742.81	0.2110 Ω/km
ANM10.007.02.4/0AB	UL21320	1000V	2X4/0AWG	854/0.4	40	3519.6	0.1673 Ω/km



ANM10.007.03.4/OAB	UL21320	1000V	3X4/OAWG	854/0.4	44.1	4682.9	0.1673 Ω/km
ANM10.007.04.4/OAB	UL21320	1000V	4X4/OAWG	854/0.4	48.7	5946.9	0.1673 Ω/km
ANM10.007.05.4/OAB	UL21320	1000V	5X4/OAWG	854/0.4	53.6	7300.8	0.1673 Ω/km
ANM10.007.06.4/OAB	UL21320	1000V	6X4/OAWG	854/0.4	58.8	8754.9	0.1673 Ω/km
ANM10.007.07.4/OAB	UL21320	1000V	7X4/OAWG	854/0.4	58.8	9506.1	0.1673 Ω/km
ANM10.007.02.250kV	UL21320	1000V	2X250Kcmil	1007/0.4	45.6	4373.7	0.1416 Ω/km
ANM10.007.03.250kV	UL21320	1000V	3X250Kcmil	1007/0.4	48.7	5606.4	0.1416 Ω/km
ANM10.007.04.250kV	UL21320	1000V	4X250Kcmil	1007/0.4	53.7	7103.4	0.1416 Ω/km
ANM10.007.05.250kV	UL21320	1000V	5X250Kcmil	1007/0.4	59.3	8745.9	0.1416 Ω/km
ANM10.007.02.300kV	UL21320	1000V	2X300Kcmil	1184/0.4	47.8	5028.2	0.1180 Ω/km
ANM10.007.03.300kV	UL21320	1000V	3X300Kcmil	1184/0.4	51	6481.1	0.1180 Ω/km
ANM10.007.04.300kV	UL21320	1000V	4X300Kcmil	1184/0.4	56.4	8251.2	0.1180 Ω/km
ANM10.007.05.300kV	UL21320	1000V	5X300Kcmil	1184/0.4	62.3	10166.6	0.1180 Ω/km
ANM10.007.02.350kV	UL21320	1000V	2X350Kcmil	1406/0.4	50.8	5749.5	0.1011 Ω/km
ANM10.007.03.350kV	UL21320	1000V	3X350Kcmil	1406/0.4	54.3	7435.1	0.1011 Ω/km
ANM10.007.04.350kV	UL21320	1000V	4X350Kcmil	1406/0.4	60	9462	0.1011 Ω/km
ANM10.007.02.400kV	UL21320	1000V	2X400Kcmil	1628/0.4	53.8	6501.8	0.08851 Ω/km
ANM10.007.03.400kV	UL21320	1000V	3X400Kcmil	1628/0.4	57.5	8414.8	0.08851 Ω/km
ANM10.007.02.450kV	UL21320	1000V	2X450Kcmil	1830/0.4	56.2	7194.7	0.07867 Ω/km
ANM10.007.03.450kV	UL21320	1000V	3X450Kcmil	1830/0.4	60.1	9333.4	0.07867 Ω/km
ANM10.007.03.01.013AB	UL21320	1000V	3X13AWG+1X15AWG	54/0.25	11.5	228.55	6.82 Ω/km
ANM10.007.03.01.012AB	UL21320	1000V	3X12AWG+1X14AWG	68/0.25	12	262.18	5.43 Ω/km
ANM10.007.03.01.011AB	UL21320	1000V	3X11AWG+1X14AWG	85/0.25	12.8	302.78	4.30 Ω/km
ANM10.007.03.01.010AB	UL21320	1000V	3X10AWG+1X13AWG	108/0.25	14.1	366.43	3.409 Ω/km
ANM10.007.03.01.009AB	UL21320	1000V	3X9AWG+1X12AWG	136/0.25	14.7	424.11	2.705 Ω/km
ANM10.007.03.01.008AB	UL21320	1000V	3X8AWG+1X11AWG	171/0.25	17.2	563.77	2.144 Ω/km
ANM10.007.03.01.007AB	UL21320	1000V	3X7AWG+1X10AWG	84/0.4	18.2	662.47	1.700 Ω/km
ANM10.007.03.01.006AB	UL21320	1000V	3X6AWG+1X9AWG	106/0.4	20.7	843.54	1.348 Ω/km
ANM10.007.03.01.005AB	UL21320	1000V	3X5AWG+1X8AWG	134/0.4	22.5	1025.37	1.070 Ω/km
ANM10.007.03.01.004AB	UL21320	1000V	3X4AWG+1X7AWG	169/0.4	24	1220.45	0.8481 Ω/km
ANM10.007.03.01.003AB	UL21320	1000V	3X3AWG+1X6AWG	213/0.4	25.9	1471.1	0.6727 Ω/km
ANM10.007.03.01.002AB	UL21320	1000V	3X2AWG+1X5AWG	268/0.4	27.9	1774.87	0.5335 Ω/km
ANM10.007.03.01.001AB	UL21320	1000V	3X1AWG+1X4AWG	338/0.4	31.7	2273.05	0.4230 Ω/km
ANM10.007.03.01.1/OAB	UL21320	1000V	3X1/OAWG+1X3AWG	426/0.4	34.5	2761.87	0.3354 Ω/km
ANM10.007.03.01.2/OAB	UL21320	1000V	3X2/OAWG+1X2AWG	537/0.4	37.7	3385.92	0.2660 Ω/km
ANM10.007.03.01.3/OAB	UL21320	1000V	3X3/OAWG+1X1AWG	677/0.4	40.9	4142.41	0.2110 Ω/km
ANM10.007.03.01.4/OAB	UL21320	1000V	3X4/OAWG+1X1/OAWG	854/0.4	46	5226.39	0.1673 Ω/km
ANM10.007.03.01.250kV	UL21320	1000V	3X250kcmil+1X2/OAWG	1007/0.4	50.6	6263.83	0.1416 Ω/km
ANM10.007.03.01.300kV	UL21320	1000V	3X300kcmil+1X3/OAWG	1184/0.4	53.3	7320.91	0.1180 Ω/km
ANM10.007.03.01.350kV	UL21320	1000V	3X350kcmil+1X4/OAWG	1406/0.4	57	8502.7	0.1011 Ω/km
ANM10.007.03.01.400kV	UL21320	1000V	3X400kcmil+1X250kcmil	1628/0.4	61	9745.9	0.08851 Ω/km
ANM10.007.03.01.450kV	UL21320	1000V	3X450kcmil+1X300kcmil	1830/0.4	63.9	10925.3	0.07867 Ω/km



ANM10.007.03.01.500kB	UL21320	1000V	3X500kcmil+1X350kcmil	2013/0.4	66.6	12094.2	0.07080 Ω/km
ANM10.007.03.02.013AB	UL21320	1000V	3X13AWG+2X15AWG	54/0.25	12.3	263.45	6.82 Ω/km
ANM10.007.03.02.012AB	UL21320	1000V	3X12AWG+2X14AWG	68/0.25	13	307.38	5.43 Ω/km
ANM10.007.03.02.011AB	UL21320	1000V	3X11AWG+2X14AWG	85/0.25	13.6	343.18	4.30 Ω/km
ANM10.007.03.02.010AB	UL21320	1000V	3X10AWG+2X13AWG	108/0.25	14.9	413.03	3.409 Ω/km
ANM10.007.03.02.009AB	UL21320	1000V	3X9AWG+2X12AWG	136/0.25	15.6	481.11	2.705 Ω/km
ANM10.007.03.02.008AB	UL21320	1000V	3X8AWG+2X11AWG	171/0.25	18	627.27	2.144 Ω/km
ANM10.007.03.02.007AB	UL21320	1000V	3X7AWG+2X10AWG	84/0.4	19.3	747.47	1.700 Ω/km
ANM10.007.03.02.006AB	UL21320	1000V	3X6AWG+2X9AWG	106/0.4	21.7	940.24	1.348 Ω/km
ANM10.007.03.02.005AB	UL21320	1000V	3X5AWG+2X8AWG	134/0.4	24	1167.27	1.070 Ω/km
ANM10.007.03.02.004AB	UL21320	1000V	3X4AWG+2X7AWG	169/0.4	25.6	1390.55	0.8481 Ω/km
ANM10.007.03.02.003AB	UL21320	1000V	3X3AWG+2X6AWG	213/0.4	27.6	1672.8	0.6727 Ω/km
ANM10.007.03.02.002AB	UL21320	1000V	3X2AWG+2X5AWG	268/0.4	30.7	2088.17	0.5335 Ω/km
ANM10.007.03.02.001AB	UL21320	1000V	3X1AWG+2X4AWG	338/0.4	33.6	2570.25	0.4230 Ω/km
ANM10.007.03.02.1/OAB	UL21320	1000V	3X1/OAWG+2X3AWG	426/0.4	36.9	3154.77	0.3354 Ω/km
ANM10.007.03.02.2/OAB	UL21320	1000V	3X2/OAWG+2X2AWG	537/0.4	39.9	3826.62	0.2660 Ω/km
ANM10.007.03.02.3/OAB	UL21320	1000V	3X3/OAWG+2X1AWG	677/0.4	44.8	4841.51	0.2110 Ω/km
ANM10.007.03.02.4/OAB	UL21320	1000V	3X4/OAWG+2X1/OAWG	854/0.4	48.8	5918.79	0.1673 Ω/km
ANM10.007.03.02.250kB	UL21320	1000V	3X250kcmil+2X2/OAWG	1007/0.4	53.7	7122.83	0.1416 Ω/km
ANM10.007.03.02.300kB	UL21320	1000V	3X300kcmil+2X3/OAWG	1184/0.4	56.8	8381.51	0.1180 Ω/km
ANM10.007.03.02.350kB	UL21320	1000V	3X350kcmil+2X4/OAWG	1406/0.4	61	9823.8	0.1011 Ω/km
ANM10.007.03.02.400kB	UL21320	1000V	3X400kcmil+2X250kcmil	1628/0.4	65.7	11346.3	0.08851 Ω/km
ANM10.007.03.02.450kB	UL21320	1000V	3X450kcmil+2X300kcmil	1830/0.4	68.8	12783.2	0.07867 Ω/km
ANM10.007.03.02.500kB	UL21320	1000V	3X500kcmil+2X350kcmil	2013/0.4	66.3	13307.9	0.07080 Ω/km
ANM10.007.01.01.013AB	UL21320	1000V	4X13AWG+1X15AWG	54/0.25	12.6	279.35	6.82 Ω/km
ANM10.007.01.01.012AB	UL21320	1000V	4X12AWG+1X14AWG	68/0.25	13.2	322.68	5.43 Ω/km
ANM10.007.01.01.011AB	UL21320	1000V	4X11AWG+1X14AWG	85/0.25	14.1	374.48	4.30 Ω/km
ANM10.007.01.01.010AB	UL21320	1000V	4X10AWG+1X13AWG	108/0.25	15.6	455.43	3.409 Ω/km
ANM10.007.01.01.009AB	UL21320	1000V	4X9AWG+1X12AWG	136/0.25	16.3	529.61	2.705 Ω/km
ANM10.007.01.01.008AB	UL21320	1000V	4X8AWG+1X11AWG	171/0.25	19.1	704.77	2.144 Ω/km
ANM10.007.01.01.007AB	UL21320	1000V	4X7AWG+1X10AWG	84/0.4	21.3	883.57	1.700 Ω/km
ANM10.007.01.01.006AB	UL21320	1000V	4X6AWG+1X9AWG	106/0.4	23	1056.64	1.348 Ω/km
ANM10.007.01.01.005AB	UL21320	1000V	4X5AWG+1X8AWG	134/0.4	24.9	1279.17	1.070 Ω/km
ANM10.007.01.01.001AB	UL21320	1000V	4X4AWG+1X7AWG	169/0.4	26.7	1533.15	0.8481 Ω/km
ANM10.007.01.01.003AB	UL21320	1000V	4X3AWG+1X6AWG	213/0.4	29.8	1917.9	0.6727 Ω/km
ANM10.007.01.01.002AB	UL21320	1000V	4X2AWG+1X5AWG	268/0.4	32	2304.37	0.5335 Ω/km
ANM10.007.01.01.001AB	UL21320	1000V	4X1AWG+1X4AWG	338/0.4	35.5	2879.65	0.4230 Ω/km
ANM10.007.01.01.1/OAB	UL21320	1000V	4X1/OAWG+1X3AWG	426/0.4	38.8	3514.37	0.3354 Ω/km
ANM10.007.01.01.2/OAB	UL21320	1000V	4X2/OAWG+1X2AWG	537/0.4	42	4268.22	0.2660 Ω/km
ANM10.007.01.01.3/OAB	UL21320	1000V	4X3/OAWG+1X1AWG	677/0.4	47	5382.21	0.2110 Ω/km
ANM10.007.01.01.4/OAB	UL21320	1000V	4X4/OAWG+1X1/OAWG	854/0.4	51.1	6575.19	0.1673 Ω/km
ANM10.007.01.01.250kB	UL21320	1000V	4X250kcmil+1X2/OAWG	1007/0.4	56.4	7894.53	0.1416 Ω/km



ANM10.007.01.01.300kB	UL21320	1000V	4X300kcmil+1X3/OAWG	1184/0.4	59.4	9223.51	0.1180 Ω/km
ANM10.007.01.01.350kB	UL21320	1000V	4X350kcmil+1X4/OAWG	1406/0.4	63.5	10691.5	0.1011 Ω/km
ANM10.007.01.01.400kB	UL21320	1000V	4X400kcmil+1X250kcmil	1628/0.4	67.9	12237.5	0.08851 Ω/km
ANM10.007.01.01.450kB	UL21320	1000V	4X450kcmil+1X300kcmil	1830/0.4	65.3	12754.9	0.07867 Ω/km
ANM10.007.01.01.500kB	UL21320	1000V	4X500kcmil+1X350kcmil	2013/0.4	68.3	14166	0.07080 Ω/km
ANM10.007.03.03.013AB	UL21320	1000V	3X13AWG+3X18AWG	54/0.25	12.5	262.43	6.82 Ω/km
ANM10.007.03.03.012AB	UL21320	1000V	3X12AWG+3X17AWG	68/0.25	13.2	304.34	5.43 Ω/km
ANM10.007.03.03.011AB	UL21320	1000V	3X11AWG+3X16AWG	85/0.25	13.9	350.61	4.30 Ω/km
ANM10.007.03.03.010AB	UL21320	1000V	3X10AWG+3X15AWG	108/0.25	15.1	417.45	3.409 Ω/km
ANM10.007.03.03.009AB	UL21320	1000V	3X9AWG+3X14AWG	136/0.25	15.8	484.58	2.705 Ω/km
ANM10.007.03.03.008AB	UL21320	1000V	3X8AWG+3X13AWG	171/0.25	17.9	618.43	2.144 Ω/km
ANM10.007.03.03.007AB	UL21320	1000V	3X7AWG+3X12AWG	84/0.4	18.8	723.81	1.700 Ω/km
ANM10.007.03.03.006AB	UL21320	1000V	3X6AWG+3X11AWG	106/0.4	21.4	919.57	1.348 Ω/km
ANM10.007.03.03.005AB	UL21320	1000V	3X5AWG+3X10AWG	134/0.4	23.2	1108.77	1.070 Ω/km
ANM10.007.03.03.004AB	UL21320	1000V	3X4AWG+3X9AWG	169/0.4	24.7	1320.24	0.8481 Ω/km
ANM10.007.03.03.003AB	UL21320	1000V	3X3AWG+3X8AWG	213/0.4	27.8	1671.17	0.6727 Ω/km
ANM10.007.03.03.002AB	UL21320	1000V	3X2AWG+3X7AWG	268/0.4	30.7	2071.55	0.5335 Ω/km
ANM10.007.03.03.001AB	UL21320	1000V	3X1AWG+3X6AWG	338/0.4	33.6	2543.4	0.4230 Ω/km
ANM10.007.03.03.1/OAB	UL21320	1000V	3X1/OAWG+3X5AWG	426/0.4	36.7	3104.77	0.3354 Ω/km
ANM10.007.03.03.2/OAB	UL21320	1000V	3X2/OAWG+3X4AWG	537/0.4	39.6	3758.45	0.2660 Ω/km
ANM10.007.03.03.3/OAB	UL21320	1000V	3X3/OAWG+3X3AWG	677/0.4	44.1	4712.07	0.2110 Ω/km
ANM10.007.03.03.4/OAB	UL21320	1000V	3X4/OAWG+3X2AWG	854/0.4	47.8	5742.12	0.1673 Ω/km
ANM10.007.03.03.250kB	UL21320	1000V	3X250kcmil+3X1AWG	1007/0.4	52.8	6940.01	0.1416 Ω/km
ANM10.007.03.03.300kB	UL21320	1000V	3X300kcmil+3X1/OAWG	1184/0.4	56.5	8234.29	0.1180 Ω/km
ANM10.007.03.03.350kB	UL21320	1000V	3X350kcmil+3X1/OAWG	1406/0.4	58.5	9023.29	0.1011 Ω/km
ANM10.007.03.03.400kB	UL21320	1000V	3X400kcmil+3X2/OAWG	1628/0.4	62.7	10464.73	0.08851 Ω/km
ANM10.007.03.03.450kB	UL21320	1000V	3X450kcmil+3X3/OAWG	1830/0.4	66.5	11981.41	0.07867 Ω/km
ANM10.007.03.03.500kB	UL21320	1000V	3X500kcmil+3X3/OAWG	2013/0.4	67.9	12756.71	0.07080 Ω/km
物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
芯线 PVC 材质							
ANM10.001.02.022AB	UL21320	1000V	2X22AWG	22/0.14	6	46.23	55.4 Ω/km
ANM10.001.03.022AB	UL21320	1000V	3X22AWG	22/0.14	6.3	52.73	55.4 Ω/km
ANM10.001.04.022AB	UL21320	1000V	4X22AWG	22/0.14	6.7	61.03	55.4 Ω/km
ANM10.001.05.022AB	UL21320	1000V	5X22AWG	22/0.14	7.2	71.43	55.4 Ω/km
ANM10.001.06.022AB	UL21320	1000V	6X22AWG	22/0.14	7.6	80.53	55.4 Ω/km
ANM10.001.07.022AB	UL21320	1000V	7X22AWG	22/0.14	7.6	82.73	55.4 Ω/km
ANM10.001.08.022AB	UL21320	1000V	8X22AWG	22/0.14	8.1	94.23	55.4 Ω/km
ANM10.001.09.022AB	UL21320	1000V	9X22AWG	22/0.14	8.8	110.43	55.4 Ω/km
ANM10.001.10.022AB	UL21320	1000V	10X22AWG	22/0.14	9.2	121.03	55.4 Ω/km
ANM10.001.11.022AB	UL21320	1000V	11X22AWG	22/0.14	9.5	129.93	55.4 Ω/km
ANM10.001.12.022AB	UL21320	1000V	12X22AWG	22/0.14	9.5	132.03	55.4 Ω/km



ANM10.001.13.022AB	UL21320	1000V	13X22AWG	22/0.14	9.9	143.53	55.4Ω/km
ANM10.001.14.022AB	UL21320	1000V	14X22AWG	22/0.14	9.9	145.73	55.4Ω/km
ANM10.001.15.022AB	UL21320	1000V	15X22AWG	22/0.14	10.4	160.03	55.4Ω/km
ANM10.001.16.022AB	UL21320	1000V	16X22AWG	22/0.14	10.4	162.23	55.4Ω/km
ANM10.001.17.022AB	UL21320	1000V	17X22AWG	22/0.14	10.8	174.33	55.4Ω/km
ANM10.001.18.022AB	UL21320	1000V	18X22AWG	22/0.14	10.8	176.63	55.4Ω/km
ANM10.001.19.022AB	UL21320	1000V	19X22AWG	22/0.14	10.8	178.83	55.4Ω/km
ANM10.001.20.022AB	UL21320	1000V	20X22AWG	22/0.14	11.1	188.83	55.4Ω/km
ANM10.001.21.022AB	UL21320	1000V	21X22AWG	22/0.14	11.3	196.43	55.4Ω/km
ANM10.001.22.022AB	UL21320	1000V	22X22AWG	22/0.14	12	217.93	55.4Ω/km
ANM10.001.23.022AB	UL21320	1000V	23X22AWG	22/0.14	12.4	231.83	55.4Ω/km
ANM10.001.24.022AB	UL21320	1000V	24X22AWG	22/0.14	12.4	233.93	55.4Ω/km
ANM10.001.25.022AB	UL21320	1000V	25X22AWG	22/0.14	12.7	245.13	55.4Ω/km
ANM10.001.26.022AB	UL21320	1000V	26X22AWG	22/0.14	12.7	247.33	55.4Ω/km
ANM10.001.27.022AB	UL21320	1000V	27X22AWG	22/0.14	12.7	249.53	55.4Ω/km
ANM10.001.28.022AB	UL21320	1000V	28X22AWG	22/0.14	13.2	267.23	55.4Ω/km
ANM10.001.29.022AB	UL21320	1000V	29X22AWG	22/0.14	13.2	269.53	55.4Ω/km
ANM10.001.30.022AB	UL21320	1000V	30X22AWG	22/0.14	13.2	271.73	55.4Ω/km
ANM10.001.31.022AB	UL21320	1000V	31X22AWG	22/0.14	13.7	289.83	55.4Ω/km
ANM10.001.32.022AB	UL21320	1000V	32X22AWG	22/0.14	13.7	292.13	55.4Ω/km
ANM10.001.33.022AB	UL21320	1000V	33X22AWG	22/0.14	13.7	294.33	55.4Ω/km
ANM10.001.34.022AB	UL21320	1000V	34X22AWG	22/0.14	14.1	309.83	55.4Ω/km
ANM10.001.35.022AB	UL21320	1000V	35X22AWG	22/0.14	14.1	311.93	55.4Ω/km
ANM10.001.36.022AB	UL21320	1000V	36X22AWG	22/0.14	14.1	314.23	55.4Ω/km
ANM10.001.37.022AB	UL21320	1000V	37X22AWG	22/0.14	14.1	316.43	55.4Ω/km
ANM10.001.38.022AB	UL21320	1000V	38X22AWG	22/0.14	14.6	335.83	55.4Ω/km
ANM10.001.39.022AB	UL21320	1000V	39X22AWG	22/0.14	14.6	338.03	55.4Ω/km
ANM10.001.40.022AB	UL21320	1000V	40X22AWG	22/0.14	14.6	340.23	55.4Ω/km
ANM10.001.41.022AB	UL21320	1000V	41X22AWG	22/0.14	15.7	382.23	55.4Ω/km
ANM10.001.42.022AB	UL21320	1000V	42X22AWG	22/0.14	15.7	384.43	55.4Ω/km
ANM10.001.43.022AB	UL21320	1000V	43X22AWG	22/0.14	15.7	386.63	55.4Ω/km
ANM10.001.44.022AB	UL21320	1000V	44X22AWG	22/0.14	15.7	388.83	55.4Ω/km
ANM10.001.45.022AB	UL21320	1000V	45X22AWG	22/0.14	16	402.43	55.4Ω/km
ANM10.001.46.022AB	UL21320	1000V	46X22AWG	22/0.14	16	404.73	55.4Ω/km
ANM10.001.47.022AB	UL21320	1000V	47X22AWG	22/0.14	16	406.83	55.4Ω/km
ANM10.001.48.022AB	UL21320	1000V	48X22AWG	22/0.14	16	409.13	55.4Ω/km
ANM10.001.49.022AB	UL21320	1000V	49X22AWG	22/0.14	16.4	426.83	55.4Ω/km
ANM10.001.50.022AB	UL21320	1000V	50X22AWG	22/0.14	16.4	429.13	55.4Ω/km
ANM10.001.51.022AB	UL21320	1000V	51X22AWG	22/0.14	16.4	431.23	55.4Ω/km
ANM10.001.52.022AB	UL21320	1000V	52X22AWG	22/0.14	16.4	433.53	55.4Ω/km
ANM10.001.53.022AB	UL21320	1000V	53X22AWG	22/0.14	16.9	455.63	55.4Ω/km
ANM10.001.54.022AB	UL21320	1000V	54X22AWG	22/0.14	16.9	457.73	55.4Ω/km



ANM10.001.55.022AB	UL21320	1000V	55X22AWG	22/0.14	16.9	460.03	55.4Ω/km
ANM10.001.56.022AB	UL21320	1000V	56X22AWG	22/0.14	16.9	462.23	55.4Ω/km
ANM10.001.57.022AB	UL21320	1000V	57X22AWG	22/0.14	17.3	480.83	55.4Ω/km
ANM10.001.58.022AB	UL21320	1000V	58X22AWG	22/0.14	17.3	482.93	55.4Ω/km
ANM10.001.59.022AB	UL21320	1000V	59X22AWG	22/0.14	17.3	485.23	55.4Ω/km
ANM10.001.60.022AB	UL21320	1000V	60X22AWG	22/0.14	17.3	487.43	55.4Ω/km
ANM10.001.61.022AB	UL21320	1000V	61X22AWG	22/0.14	17.3	489.73	55.4Ω/km
ANM10.001.62.022AB	UL21320	1000V	62X22AWG	22/0.14	17.8	512.83	55.4Ω/km
ANM10.001.63.022AB	UL21320	1000V	63X22AWG	22/0.14	17.8	515.03	55.4Ω/km
ANM10.001.64.022AB	UL21320	1000V	64X22AWG	22/0.14	17.8	517.33	55.4Ω/km
ANM10.001.65.022AB	UL21320	1000V	65X22AWG	22/0.14	17.8	519.53	55.4Ω/km
ANM10.001.02.021AB	UL21320	1000V	2X21AWG	27/0.14	6.2	50.42	43.6Ω/km
ANM10.001.03.021AB	UL21320	1000V	3X21AWG	27/0.14	6.5	57.72	43.6Ω/km
ANM10.001.04.021AB	UL21320	1000V	4X21AWG	27/0.14	7	68.42	43.6Ω/km
ANM10.001.05.021AB	UL21320	1000V	5X21AWG	27/0.14	7.4	78.02	43.6Ω/km
ANM10.001.06.021AB	UL21320	1000V	6X21AWG	27/0.14	7.9	89.82	43.6Ω/km
ANM10.001.07.021AB	UL21320	1000V	7X21AWG	27/0.14	7.9	92.72	43.6Ω/km
ANM10.001.08.021AB	UL21320	1000V	8X21AWG	27/0.14	8.5	107.12	43.6Ω/km
ANM10.001.09.021AB	UL21320	1000V	9X21AWG	27/0.14	9.1	122.32	43.6Ω/km
ANM10.001.10.021AB	UL21320	1000V	10X21AWG	27/0.14	9.6	136.22	43.6Ω/km
ANM10.001.11.021AB	UL21320	1000V	11X21AWG	27/0.14	9.9	145.92	43.6Ω/km
ANM10.001.12.021AB	UL21320	1000V	12X21AWG	27/0.14	9.9	148.82	43.6Ω/km
ANM10.001.13.021AB	UL21320	1000V	13X21AWG	27/0.14	10.4	163.72	43.6Ω/km
ANM10.001.14.021AB	UL21320	1000V	14X21AWG	27/0.14	10.4	166.52	43.6Ω/km
ANM10.001.15.021AB	UL21320	1000V	15X21AWG	27/0.14	10.8	179.32	43.6Ω/km
ANM10.001.16.021AB	UL21320	1000V	16X21AWG	27/0.14	10.8	182.12	43.6Ω/km
ANM10.001.17.021AB	UL21320	1000V	17X21AWG	27/0.14	11.3	198.12	43.6Ω/km
ANM10.001.18.021AB	UL21320	1000V	18X21AWG	27/0.14	11.3	201.02	43.6Ω/km
ANM10.001.19.021AB	UL21320	1000V	19X21AWG	27/0.14	11.3	203.92	43.6Ω/km
ANM10.001.20.021AB	UL21320	1000V	20X21AWG	27/0.14	11.6	214.82	43.6Ω/km
ANM10.001.21.021AB	UL21320	1000V	21X21AWG	27/0.14	11.9	226.12	43.6Ω/km
ANM10.001.22.021AB	UL21320	1000V	22X21AWG	27/0.14	12.5	246.22	43.6Ω/km
ANM10.001.23.021AB	UL21320	1000V	23X21AWG	27/0.14	13.1	267.22	43.6Ω/km
ANM10.001.24.021AB	UL21320	1000V	24X21AWG	27/0.14	13.1	270.12	43.6Ω/km
ANM10.001.25.021AB	UL21320	1000V	25X21AWG	27/0.14	13.4	282.32	43.6Ω/km
ANM10.001.26.021AB	UL21320	1000V	26X21AWG	27/0.14	13.4	285.22	43.6Ω/km
ANM10.001.27.021AB	UL21320	1000V	27X21AWG	27/0.14	13.4	288.12	43.6Ω/km
ANM10.001.28.021AB	UL21320	1000V	28X21AWG	27/0.14	13.9	307.12	43.6Ω/km
ANM10.001.29.021AB	UL21320	1000V	29X21AWG	27/0.14	13.9	310.02	43.6Ω/km
ANM10.001.30.021AB	UL21320	1000V	30X21AWG	27/0.14	13.9	312.92	43.6Ω/km
ANM10.001.31.021AB	UL21320	1000V	31X21AWG	27/0.14	14.3	329.12	43.6Ω/km
ANM10.001.32.021AB	UL21320	1000V	32X21AWG	27/0.14	14.3	332.02	43.6Ω/km



ANM10.001.33.021AB	UL21320	1000V	33X21AWG	27/0.14	14.3	334.82	43.6 Ω /km
ANM10.001.34.021AB	UL21320	1000V	34X21AWG	27/0.14	14.8	355.02	43.6 Ω /km
ANM10.001.35.021AB	UL21320	1000V	35X21AWG	27/0.14	14.8	357.92	43.6 Ω /km
ANM10.001.36.021AB	UL21320	1000V	36X21AWG	27/0.14	14.8	360.72	43.6 Ω /km
ANM10.001.37.021AB	UL21320	1000V	37X21AWG	27/0.14	14.8	363.62	43.6 Ω /km
ANM10.001.38.021AB	UL21320	1000V	38X21AWG	27/0.14	15.4	388.02	43.6 Ω /km
ANM10.001.39.021AB	UL21320	1000V	39X21AWG	27/0.14	15.4	390.82	43.6 Ω /km
ANM10.001.40.021AB	UL21320	1000V	40X21AWG	27/0.14	15.4	393.72	43.6 Ω /km
ANM10.001.41.021AB	UL21320	1000V	41X21AWG	27/0.14	16.5	438.32	43.6 Ω /km
ANM10.001.42.021AB	UL21320	1000V	42X21AWG	27/0.14	16.5	441.12	43.6 Ω /km
ANM10.001.43.021AB	UL21320	1000V	43X21AWG	27/0.14	16.5	444.02	43.6 Ω /km
ANM10.001.44.021AB	UL21320	1000V	44X21AWG	27/0.14	16.5	446.82	43.6 Ω /km
ANM10.001.45.021AB	UL21320	1000V	45X21AWG	27/0.14	16.8	461.62	43.6 Ω /km
ANM10.001.46.021AB	UL21320	1000V	46X21AWG	27/0.14	16.8	464.42	43.6 Ω /km
ANM10.001.47.021AB	UL21320	1000V	47X21AWG	27/0.14	16.8	467.22	43.6 Ω /km
ANM10.001.48.021AB	UL21320	1000V	48X21AWG	27/0.14	16.8	470.22	43.6 Ω /km
ANM10.001.49.021AB	UL21320	1000V	49X21AWG	27/0.14	17.3	493.42	43.6 Ω /km
ANM10.001.50.021AB	UL21320	1000V	50X21AWG	27/0.14	17.3	496.22	43.6 Ω /km
ANM10.001.51.021AB	UL21320	1000V	51X21AWG	27/0.14	17.3	499.12	43.6 Ω /km
ANM10.001.52.021AB	UL21320	1000V	52X21AWG	27/0.14	17.3	502.02	43.6 Ω /km
ANM10.001.53.021AB	UL21320	1000V	53X21AWG	27/0.14	17.7	521.62	43.6 Ω /km
ANM10.001.54.021AB	UL21320	1000V	54X21AWG	27/0.14	17.7	524.42	43.6 Ω /km
ANM10.001.55.021AB	UL21320	1000V	55X21AWG	27/0.14	17.7	527.22	43.6 Ω /km
ANM10.001.56.021AB	UL21320	1000V	56X21AWG	27/0.14	17.7	530.12	43.6 Ω /km
ANM10.001.57.021AB	UL21320	1000V	57X21AWG	27/0.14	18.2	554.42	43.6 Ω /km
ANM10.001.58.021AB	UL21320	1000V	58X21AWG	27/0.14	18.2	557.22	43.6 Ω /km
ANM10.001.59.021AB	UL21320	1000V	59X21AWG	27/0.14	18.2	560.12	43.6 Ω /km
ANM10.001.60.021AB	UL21320	1000V	60X21AWG	27/0.14	18.2	563.02	43.6 Ω /km
ANM10.001.61.021AB	UL21320	1000V	61X21AWG	27/0.14	18.2	565.72	43.6 Ω /km
ANM10.001.62.021AB	UL21320	1000V	62X21AWG	27/0.14	18.8	595.12	43.6 Ω /km
ANM10.001.63.021AB	UL21320	1000V	63X21AWG	27/0.14	18.8	598.02	43.6 Ω /km
ANM10.001.64.021AB	UL21320	1000V	64X21AWG	27/0.14	18.8	600.82	43.6 Ω /km
ANM10.001.65.021AB	UL21320	1000V	65X21AWG	27/0.14	18.8	603.72	43.6 Ω /km
ANM10.001.02.020AB	UL21320	1000V	2X20AWG	34/0.14	6.4	55.02	34.6 Ω /km
ANM10.001.03.020AB	UL21320	1000V	3X20AWG	34/0.14	6.7	63.12	34.6 Ω /km
ANM10.001.04.020AB	UL21320	1000V	4X20AWG	34/0.14	7.2	75.02	34.6 Ω /km
ANM10.001.05.020AB	UL21320	1000V	5X20AWG	34/0.14	7.7	87.22	34.6 Ω /km
ANM10.001.06.020AB	UL21320	1000V	6X20AWG	34/0.14	8.2	100.22	34.6 Ω /km
ANM10.001.07.020AB	UL21320	1000V	7X20AWG	34/0.14	8.2	103.72	34.6 Ω /km
ANM10.001.08.020AB	UL21320	1000V	8X20AWG	34/0.14	8.8	119.52	34.6 Ω /km
ANM10.001.09.020AB	UL21320	1000V	9X20AWG	34/0.14	9.5	138.12	34.6 Ω /km
ANM10.001.10.020AB	UL21320	1000V	10X20AWG	34/0.14	10	153.32	34.6 Ω /km



ANM10.001.11.020AB	UL21320	1000V	11X20AWG	34/0.14	10.3	164.12	34.6Ω/km
ANM10.001.12.020AB	UL21320	1000V	12X20AWG	34/0.14	10.3	167.72	34.6Ω/km
ANM10.001.13.020AB	UL21320	1000V	13X20AWG	34/0.14	10.8	183.72	34.6Ω/km
ANM10.001.14.020AB	UL21320	1000V	14X20AWG	34/0.14	10.8	187.42	34.6Ω/km
ANM10.001.15.020AB	UL21320	1000V	15X20AWG	34/0.14	11.3	204.12	34.6Ω/km
ANM10.001.16.020AB	UL21320	1000V	16X20AWG	34/0.14	11.3	207.82	34.6Ω/km
ANM10.001.17.020AB	UL21320	1000V	17X20AWG	34/0.14	11.8	225.12	34.6Ω/km
ANM10.001.18.020AB	UL21320	1000V	18X20AWG	34/0.14	11.8	228.72	34.6Ω/km
ANM10.001.19.020AB	UL21320	1000V	19X20AWG	34/0.14	11.8	232.42	34.6Ω/km
ANM10.001.20.020AB	UL21320	1000V	20X20AWG	34/0.14	12.1	244.42	34.6Ω/km
ANM10.001.21.020AB	UL21320	1000V	21X20AWG	34/0.14	12.4	256.82	34.6Ω/km
ANM10.001.22.020AB	UL21320	1000V	22X20AWG	34/0.14	13.2	284.72	34.6Ω/km
ANM10.001.23.020AB	UL21320	1000V	23X20AWG	34/0.14	13.7	304.32	34.6Ω/km
ANM10.001.24.020AB	UL21320	1000V	24X20AWG	34/0.14	13.7	307.92	34.6Ω/km
ANM10.001.25.020AB	UL21320	1000V	25X20AWG	34/0.14	14	321.52	34.6Ω/km
ANM10.001.26.020AB	UL21320	1000V	26X20AWG	34/0.14	14	325.02	34.6Ω/km
ANM10.001.27.020AB	UL21320	1000V	27X20AWG	34/0.14	14	328.62	34.6Ω/km
ANM10.001.28.020AB	UL21320	1000V	28X20AWG	34/0.14	14.5	349.22	34.6Ω/km
ANM10.001.29.020AB	UL21320	1000V	29X20AWG	34/0.14	14.5	352.92	34.6Ω/km
ANM10.001.30.020AB	UL21320	1000V	30X20AWG	34/0.14	14.5	356.52	34.6Ω/km
ANM10.001.31.020AB	UL21320	1000V	31X20AWG	34/0.14	15	377.62	34.6Ω/km
ANM10.001.32.020AB	UL21320	1000V	32X20AWG	34/0.14	15	381.22	34.6Ω/km
ANM10.001.33.020AB	UL21320	1000V	33X20AWG	34/0.14	15	384.92	34.6Ω/km
ANM10.001.34.020AB	UL21320	1000V	34X20AWG	34/0.14	15.5	406.72	34.6Ω/km
ANM10.001.35.020AB	UL21320	1000V	35X20AWG	34/0.14	15.5	410.32	34.6Ω/km
ANM10.001.36.020AB	UL21320	1000V	36X20AWG	34/0.14	15.5	413.92	34.6Ω/km
ANM10.001.37.020AB	UL21320	1000V	37X20AWG	34/0.14	15.5	417.52	34.6Ω/km
ANM10.001.38.020AB	UL21320	1000V	38X20AWG	34/0.14	16.1	443.92	34.6Ω/km
ANM10.001.39.020AB	UL21320	1000V	39X20AWG	34/0.14	16.1	447.42	34.6Ω/km
ANM10.001.40.020AB	UL21320	1000V	40X20AWG	34/0.14	16.1	451.12	34.6Ω/km
ANM10.001.41.020AB	UL21320	1000V	41X20AWG	34/0.14	17.3	502.42	34.6Ω/km
ANM10.001.42.020AB	UL21320	1000V	42X20AWG	34/0.14	17.3	506.12	34.6Ω/km
ANM10.001.43.020AB	UL21320	1000V	43X20AWG	34/0.14	17.3	509.72	34.6Ω/km
ANM10.001.44.020AB	UL21320	1000V	44X20AWG	34/0.14	17.3	513.42	34.6Ω/km
ANM10.001.45.020AB	UL21320	1000V	45X20AWG	34/0.14	17.6	529.42	34.6Ω/km
ANM10.001.46.020AB	UL21320	1000V	46X20AWG	34/0.14	17.6	533.12	34.6Ω/km
ANM10.001.47.020AB	UL21320	1000V	47X20AWG	34/0.14	17.6	536.72	34.6Ω/km
ANM10.001.48.020AB	UL21320	1000V	48X20AWG	34/0.14	17.6	540.42	34.6Ω/km
ANM10.001.49.020AB	UL21320	1000V	49X20AWG	34/0.14	18.1	565.22	34.6Ω/km
ANM10.001.50.020AB	UL21320	1000V	50X20AWG	34/0.14	18.1	568.92	34.6Ω/km
ANM10.001.51.020AB	UL21320	1000V	51X20AWG	34/0.14	18.1	572.62	34.6Ω/km
ANM10.001.52.020AB	UL21320	1000V	52X20AWG	34/0.14	18.1	576.22	34.6Ω/km



ANM10.001.53.020AB	UL21320	1000V	53X20AWG	34/0.14	18.6	601.82	34.6 Ω /km
ANM10.001.54.020AB	UL21320	1000V	54X20AWG	34/0.14	18.6	605.32	34.6 Ω /km
ANM10.001.55.020AB	UL21320	1000V	55X20AWG	34/0.14	18.6	609.02	34.6 Ω /km
ANM10.001.56.020AB	UL21320	1000V	56X20AWG	34/0.14	18.6	612.52	34.6 Ω /km
ANM10.001.57.020AB	UL21320	1000V	57X20AWG	34/0.14	19.1	638.72	34.6 Ω /km
ANM10.001.58.020AB	UL21320	1000V	58X20AWG	34/0.14	19.1	642.22	34.6 Ω /km
ANM10.001.59.020AB	UL21320	1000V	59X20AWG	34/0.14	19.1	645.92	34.6 Ω /km
ANM10.001.60.020AB	UL21320	1000V	60X20AWG	34/0.14	19.1	649.52	34.6 Ω /km
ANM10.001.61.020AB	UL21320	1000V	61X20AWG	34/0.14	19.1	653.22	34.6 Ω /km
ANM10.001.62.020AB	UL21320	1000V	62X20AWG	34/0.14	20.7	732.52	34.6 Ω /km
ANM10.001.63.020AB	UL21320	1000V	63X20AWG	34/0.14	20.7	736.12	34.6 Ω /km
ANM10.001.64.020AB	UL21320	1000V	64X20AWG	34/0.14	20.7	739.72	34.6 Ω /km
ANM10.001.65.020AB	UL21320	1000V	65X20AWG	34/0.14	20.7	743.42	34.6 Ω /km
ANM10.001.02.019AB	UL21320	1000V	2X19AWG	43/0.14	6.6	60.16	27.4 Ω /km
ANM10.001.03.019AB	UL21320	1000V	3X19AWG	43/0.14	6.9	69.56	27.4 Ω /km
ANM10.001.04.019AB	UL21320	1000V	4X19AWG	43/0.14	7.4	82.56	27.4 Ω /km
ANM10.001.05.019AB	UL21320	1000V	5X19AWG	43/0.14	8	97.96	27.4 Ω /km
ANM10.001.06.019AB	UL21320	1000V	6X19AWG	43/0.14	8.5	112.36	27.4 Ω /km
ANM10.001.07.019AB	UL21320	1000V	7X19AWG	43/0.14	8.5	116.86	27.4 Ω /km
ANM10.001.08.019AB	UL21320	1000V	8X19AWG	43/0.14	9.1	133.96	27.4 Ω /km
ANM10.001.09.019AB	UL21320	1000V	9X19AWG	43/0.14	9.9	156.36	27.4 Ω /km
ANM10.001.10.019AB	UL21320	1000V	10X19AWG	43/0.14	10.4	173.16	27.4 Ω /km
ANM10.001.11.019AB	UL21320	1000V	11X19AWG	43/0.14	10.7	185.16	27.4 Ω /km
ANM10.001.12.019AB	UL21320	1000V	12X19AWG	43/0.14	10.7	189.86	27.4 Ω /km
ANM10.001.13.019AB	UL21320	1000V	13X19AWG	43/0.14	11.2	207.26	27.4 Ω /km
ANM10.001.14.019AB	UL21320	1000V	14X19AWG	43/0.14	11.2	211.96	27.4 Ω /km
ANM10.001.15.019AB	UL21320	1000V	15X19AWG	43/0.14	11.8	232.86	27.4 Ω /km
ANM10.001.16.019AB	UL21320	1000V	16X19AWG	43/0.14	11.8	237.56	27.4 Ω /km
ANM10.001.17.019AB	UL21320	1000V	17X19AWG	43/0.14	12.3	256.46	27.4 Ω /km
ANM10.001.18.019AB	UL21320	1000V	18X19AWG	43/0.14	12.3	261.16	27.4 Ω /km
ANM10.001.19.019AB	UL21320	1000V	19X19AWG	43/0.14	12.3	265.76	27.4 Ω /km
ANM10.001.20.019AB	UL21320	1000V	20X19AWG	43/0.14	12.6	279.26	27.4 Ω /km
ANM10.001.21.019AB	UL21320	1000V	21X19AWG	43/0.14	13	295.86	27.4 Ω /km
ANM10.001.22.019AB	UL21320	1000V	22X19AWG	43/0.14	13.8	326.06	27.4 Ω /km
ANM10.001.23.019AB	UL21320	1000V	23X19AWG	43/0.14	14.3	347.26	27.4 Ω /km
ANM10.001.24.019AB	UL21320	1000V	24X19AWG	43/0.14	14.3	351.96	27.4 Ω /km
ANM10.001.25.019AB	UL21320	1000V	25X19AWG	43/0.14	14.6	366.86	27.4 Ω /km
ANM10.001.26.019AB	UL21320	1000V	26X19AWG	43/0.14	14.6	371.56	27.4 Ω /km
ANM10.001.27.019AB	UL21320	1000V	27X19AWG	43/0.14	14.6	376.06	27.4 Ω /km
ANM10.001.28.019AB	UL21320	1000V	28X19AWG	43/0.14	15.1	398.46	27.4 Ω /km
ANM10.001.29.019AB	UL21320	1000V	29X19AWG	43/0.14	15.1	403.06	27.4 Ω /km
ANM10.001.30.019AB	UL21320	1000V	30X19AWG	43/0.14	15.1	407.66	27.4 Ω /km



ANM10.001.31.019AB	UL21320	1000V	31X19AWG	43/0.14	15.7	434.36	27.4Ω/km
ANM10.001.32.019AB	UL21320	1000V	32X19AWG	43/0.14	15.7	438.96	27.4Ω/km
ANM10.001.33.019AB	UL21320	1000V	33X19AWG	43/0.14	15.7	443.56	27.4Ω/km
ANM10.001.34.019AB	UL21320	1000V	34X19AWG	43/0.14	16.2	467.16	27.4Ω/km
ANM10.001.35.019AB	UL21320	1000V	35X19AWG	43/0.14	16.2	471.66	27.4Ω/km
ANM10.001.36.019AB	UL21320	1000V	36X19AWG	43/0.14	16.2	476.46	27.4Ω/km
ANM10.001.37.019AB	UL21320	1000V	37X19AWG	43/0.14	16.2	480.96	27.4Ω/km
ANM10.001.38.019AB	UL21320	1000V	38X19AWG	43/0.14	16.8	509.26	27.4Ω/km
ANM10.001.39.019AB	UL21320	1000V	39X19AWG	43/0.14	16.8	513.76	27.4Ω/km
ANM10.001.40.019AB	UL21320	1000V	40X19AWG	43/0.14	16.8	518.56	27.4Ω/km
ANM10.001.41.019AB	UL21320	1000V	41X19AWG	43/0.14	18.1	577.16	27.4Ω/km
ANM10.001.42.019AB	UL21320	1000V	42X19AWG	43/0.14	18.1	581.76	27.4Ω/km
ANM10.001.43.019AB	UL21320	1000V	43X19AWG	43/0.14	18.1	586.46	27.4Ω/km
ANM10.001.44.019AB	UL21320	1000V	44X19AWG	43/0.14	18.1	591.06	27.4Ω/km
ANM10.001.45.019AB	UL21320	1000V	45X19AWG	43/0.14	18.4	608.76	27.4Ω/km
ANM10.001.46.019AB	UL21320	1000V	46X19AWG	43/0.14	18.4	613.36	27.4Ω/km
ANM10.001.47.019AB	UL21320	1000V	47X19AWG	43/0.14	18.4	617.96	27.4Ω/km
ANM10.001.48.019AB	UL21320	1000V	48X19AWG	43/0.14	18.4	622.66	27.4Ω/km
ANM10.001.49.019AB	UL21320	1000V	49X19AWG	43/0.14	18.9	649.56	27.4Ω/km
ANM10.001.50.019AB	UL21320	1000V	50X19AWG	43/0.14	18.9	654.26	27.4Ω/km
ANM10.001.51.019AB	UL21320	1000V	51X19AWG	43/0.14	18.9	658.76	27.4Ω/km
ANM10.001.52.019AB	UL21320	1000V	52X19AWG	43/0.14	18.9	663.56	27.4Ω/km
ANM10.001.53.019AB	UL21320	1000V	53X19AWG	43/0.14	20.5	743.06	27.4Ω/km
ANM10.001.54.019AB	UL21320	1000V	54X19AWG	43/0.14	20.5	747.56	27.4Ω/km
ANM10.001.55.019AB	UL21320	1000V	55X19AWG	43/0.14	20.5	752.36	27.4Ω/km
ANM10.001.56.019AB	UL21320	1000V	56X19AWG	43/0.14	20.5	756.86	27.4Ω/km
ANM10.001.57.019AB	UL21320	1000V	57X19AWG	43/0.14	21	786.36	27.4Ω/km
ANM10.001.58.019AB	UL21320	1000V	58X19AWG	43/0.14	21	790.86	27.4Ω/km
ANM10.001.59.019AB	UL21320	1000V	59X19AWG	43/0.14	21	795.56	27.4Ω/km
ANM10.001.60.019AB	UL21320	1000V	60X19AWG	43/0.14	21	800.16	27.4Ω/km
ANM10.001.61.019AB	UL21320	1000V	61X19AWG	43/0.14	21	804.76	27.4Ω/km
ANM10.001.62.019AB	UL21320	1000V	62X19AWG	43/0.14	21.6	839.86	27.4Ω/km
ANM10.001.63.019AB	UL21320	1000V	63X19AWG	43/0.14	21.6	844.56	27.4Ω/km
ANM10.001.64.019AB	UL21320	1000V	64X19AWG	43/0.14	21.6	849.16	27.4Ω/km
ANM10.001.65.019AB	UL21320	1000V	65X19AWG	43/0.14	21.6	853.76	27.4Ω/km
ANM10.001.02.018AB	UL21320	1000V	2X18AWG	29/0.19	6.8	66.13	21.8Ω/km
ANM10.001.03.018AB	UL21320	1000V	3X18AWG	29/0.19	7.2	78.53	21.8Ω/km
ANM10.001.04.018AB	UL21320	1000V	4X18AWG	29/0.19	7.7	93.33	21.8Ω/km
ANM10.001.05.018AB	UL21320	1000V	5X18AWG	29/0.19	8.2	108.53	21.8Ω/km
ANM10.001.06.018AB	UL21320	1000V	6X18AWG	29/0.19	8.8	126.43	21.8Ω/km
ANM10.001.07.018AB	UL21320	1000V	7X18AWG	29/0.19	8.8	132.53	21.8Ω/km
ANM10.001.08.018AB	UL21320	1000V	8X18AWG	29/0.19	9.4	151.33	21.8Ω/km



ANM10.001.09.018AB	UL21320	1000V	9X18AWG	29/0.19	10.2	175.63	21.8 Ω /km
ANM10.001.10.018AB	UL21320	1000V	10X18AWG	29/0.19	10.8	196.53	21.8 Ω /km
ANM10.001.11.018AB	UL21320	1000V	11X18AWG	29/0.19	11.2	212.93	21.8 Ω /km
ANM10.001.12.018AB	UL21320	1000V	12X18AWG	29/0.19	11.2	218.73	21.8 Ω /km
ANM10.001.13.018AB	UL21320	1000V	13X18AWG	29/0.19	11.7	238.33	21.8 Ω /km
ANM10.001.14.018AB	UL21320	1000V	14X18AWG	29/0.19	11.7	244.23	21.8 Ω /km
ANM10.001.15.018AB	UL21320	1000V	15X18AWG	29/0.19	12.2	264.33	21.8 Ω /km
ANM10.001.16.018AB	UL21320	1000V	16X18AWG	29/0.19	12.2	270.43	21.8 Ω /km
ANM10.001.17.018AB	UL21320	1000V	17X18AWG	29/0.19	12.8	294.03	21.8 Ω /km
ANM10.001.18.018AB	UL21320	1000V	18X18AWG	29/0.19	12.8	300.03	21.8 Ω /km
ANM10.001.19.018AB	UL21320	1000V	19X18AWG	29/0.19	12.8	306.13	21.8 Ω /km
ANM10.001.20.018AB	UL21320	1000V	20X18AWG	29/0.19	13.3	327.43	21.8 Ω /km
ANM10.001.21.018AB	UL21320	1000V	21X18AWG	29/0.19	13.5	339.83	21.8 Ω /km
ANM10.001.22.018AB	UL21320	1000V	22X18AWG	29/0.19	14.3	372.23	21.8 Ω /km
ANM10.001.23.018AB	UL21320	1000V	23X18AWG	29/0.19	14.9	398.93	21.8 Ω /km
ANM10.001.24.018AB	UL21320	1000V	24X18AWG	29/0.19	14.9	404.83	21.8 Ω /km
ANM10.001.25.018AB	UL21320	1000V	25X18AWG	29/0.19	15.3	425.33	21.8 Ω /km
ANM10.001.26.018AB	UL21320	1000V	26X18AWG	29/0.19	15.3	431.13	21.8 Ω /km
ANM10.001.27.018AB	UL21320	1000V	27X18AWG	29/0.19	15.3	437.13	21.8 Ω /km
ANM10.001.28.018AB	UL21320	1000V	28X18AWG	29/0.19	15.8	461.53	21.8 Ω /km
ANM10.001.29.018AB	UL21320	1000V	29X18AWG	29/0.19	15.8	467.63	21.8 Ω /km
ANM10.001.30.018AB	UL21320	1000V	30X18AWG	29/0.19	15.8	473.63	21.8 Ω /km
ANM10.001.31.018AB	UL21320	1000V	31X18AWG	29/0.19	16.3	498.53	21.8 Ω /km
ANM10.001.32.018AB	UL21320	1000V	32X18AWG	29/0.19	16.3	504.53	21.8 Ω /km
ANM10.001.33.018AB	UL21320	1000V	33X18AWG	29/0.19	16.3	510.53	21.8 Ω /km
ANM10.001.34.018AB	UL21320	1000V	34X18AWG	29/0.19	16.9	540.13	21.8 Ω /km
ANM10.001.35.018AB	UL21320	1000V	35X18AWG	29/0.19	16.9	546.23	21.8 Ω /km
ANM10.001.36.018AB	UL21320	1000V	36X18AWG	29/0.19	16.9	552.13	21.8 Ω /km
ANM10.001.37.018AB	UL21320	1000V	37X18AWG	29/0.19	16.9	558.03	21.8 Ω /km
ANM10.001.38.018AB	UL21320	1000V	38X18AWG	29/0.19	17.5	588.63	21.8 Ω /km
ANM10.001.39.018AB	UL21320	1000V	39X18AWG	29/0.19	17.5	594.63	21.8 Ω /km
ANM10.001.40.018AB	UL21320	1000V	40X18AWG	29/0.19	17.5	600.53	21.8 Ω /km
ANM10.001.41.018AB	UL21320	1000V	41X18AWG	29/0.19	18.9	667.33	21.8 Ω /km
ANM10.001.42.018AB	UL21320	1000V	42X18AWG	29/0.19	18.9	673.23	21.8 Ω /km
ANM10.001.43.018AB	UL21320	1000V	43X18AWG	29/0.19	18.9	679.23	21.8 Ω /km
ANM10.001.44.018AB	UL21320	1000V	44X18AWG	29/0.19	18.9	685.23	21.8 Ω /km
ANM10.001.45.018AB	UL21320	1000V	45X18AWG	29/0.19	19.3	709.33	21.8 Ω /km
ANM10.001.46.018AB	UL21320	1000V	46X18AWG	29/0.19	19.3	715.23	21.8 Ω /km
ANM10.001.47.018AB	UL21320	1000V	47X18AWG	29/0.19	19.3	721.33	21.8 Ω /km
ANM10.001.48.018AB	UL21320	1000V	48X18AWG	29/0.19	19.3	727.13	21.8 Ω /km
ANM10.001.49.018AB	UL21320	1000V	49X18AWG	29/0.19	20.8	804.63	21.8 Ω /km
ANM10.001.50.018AB	UL21320	1000V	50X18AWG	29/0.19	20.8	810.73	21.8 Ω /km



ANM10.001.51.018AB	UL21320	1000V	51X18AWG	29/0.19	20.8	816.53	21.8 Ω/km
ANM10.001.52.018AB	UL21320	1000V	52X18AWG	29/0.19	20.8	822.53	21.8 Ω/km
ANM10.001.53.018AB	UL21320	1000V	53X18AWG	29/0.19	21.3	853.63	21.8 Ω/km
ANM10.001.54.018AB	UL21320	1000V	54X18AWG	29/0.19	21.3	859.53	21.8 Ω/km
ANM10.001.55.018AB	UL21320	1000V	55X18AWG	29/0.19	21.3	865.53	21.8 Ω/km
ANM10.001.56.018AB	UL21320	1000V	56X18AWG	29/0.19	21.3	871.33	21.8 Ω/km
ANM10.001.57.018AB	UL21320	1000V	57X18AWG	29/0.19	21.9	908.33	21.8 Ω/km
ANM10.001.58.018AB	UL21320	1000V	58X18AWG	29/0.19	21.9	914.33	21.8 Ω/km
ANM10.001.59.018AB	UL21320	1000V	59X18AWG	29/0.19	21.9	920.23	21.8 Ω/km
ANM10.001.60.018AB	UL21320	1000V	60X18AWG	29/0.19	21.9	926.23	21.8 Ω/km
ANM10.001.61.018AB	UL21320	1000V	61X18AWG	29/0.19	21.9	932.23	21.8 Ω/km
ANM10.001.62.018AB	UL21320	1000V	62X18AWG	29/0.19	22.5	969.93	21.8 Ω/km
ANM10.001.63.018AB	UL21320	1000V	63X18AWG	29/0.19	22.5	976.03	21.8 Ω/km
ANM10.001.64.018AB	UL21320	1000V	64X18AWG	29/0.19	22.5	982.03	21.8 Ω/km
ANM10.001.65.018AB	UL21320	1000V	65X18AWG	29/0.19	22.5	987.83	21.8 Ω/km
ANM10.001.02.017AB	UL21320	1000V	2X17AWG	37/0.19	7.2	75.74	17.3 Ω/km
ANM10.001.03.017AB	UL21320	1000V	3X17AWG	37/0.19	7.6	89.94	17.3 Ω/km
ANM10.001.04.017AB	UL21320	1000V	4X17AWG	37/0.19	8.2	108.44	17.3 Ω/km
ANM10.001.05.017AB	UL21320	1000V	5X17AWG	37/0.19	8.8	127.84	17.3 Ω/km
ANM10.001.06.017AB	UL21320	1000V	6X17AWG	37/0.19	9.4	148.04	17.3 Ω/km
ANM10.001.07.017AB	UL21320	1000V	7X17AWG	37/0.19	9.4	155.34	17.3 Ω/km
ANM10.001.08.017AB	UL21320	1000V	8X17AWG	37/0.19	10.1	178.74	17.3 Ω/km
ANM10.001.09.017AB	UL21320	1000V	9X17AWG	37/0.19	11	208.64	17.3 Ω/km
ANM10.001.10.017AB	UL21320	1000V	10X17AWG	37/0.19	11.6	232.14	17.3 Ω/km
ANM10.001.11.017AB	UL21320	1000V	11X17AWG	37/0.19	12	250.54	17.3 Ω/km
ANM10.001.12.017AB	UL21320	1000V	12X17AWG	37/0.19	12	257.94	17.3 Ω/km
ANM10.001.13.017AB	UL21320	1000V	13X17AWG	37/0.19	12.6	282.84	17.3 Ω/km
ANM10.001.14.017AB	UL21320	1000V	14X17AWG	37/0.19	12.6	290.14	17.3 Ω/km
ANM10.001.15.017AB	UL21320	1000V	15X17AWG	37/0.19	13.3	318.94	17.3 Ω/km
ANM10.001.16.017AB	UL21320	1000V	16X17AWG	37/0.19	13.3	326.34	17.3 Ω/km
ANM10.001.17.017AB	UL21320	1000V	17X17AWG	37/0.19	13.9	353.04	17.3 Ω/km
ANM10.001.18.017AB	UL21320	1000V	18X17AWG	37/0.19	13.9	360.44	17.3 Ω/km
ANM10.001.19.017AB	UL21320	1000V	19X17AWG	37/0.19	13.9	367.94	17.3 Ω/km
ANM10.001.20.017AB	UL21320	1000V	20X17AWG	37/0.19	14.3	388.64	17.3 Ω/km
ANM10.001.21.017AB	UL21320	1000V	21X17AWG	37/0.19	14.6	406.34	17.3 Ω/km
ANM10.001.22.017AB	UL21320	1000V	22X17AWG	37/0.19	15.5	445.84	17.3 Ω/km
ANM10.001.23.017AB	UL21320	1000V	23X17AWG	37/0.19	16.1	475.84	17.3 Ω/km
ANM10.001.24.017AB	UL21320	1000V	24X17AWG	37/0.19	16.1	483.24	17.3 Ω/km
ANM10.001.25.017AB	UL21320	1000V	25X17AWG	37/0.19	16.5	506.04	17.3 Ω/km
ANM10.001.26.017AB	UL21320	1000V	26X17AWG	37/0.19	16.5	513.34	17.3 Ω/km
ANM10.001.27.017AB	UL21320	1000V	27X17AWG	37/0.19	16.5	520.84	17.3 Ω/km
ANM10.001.28.017AB	UL21320	1000V	28X17AWG	37/0.19	17.1	552.24	17.3 Ω/km



ANM10.001.29.017AB	UL21320	1000V	29X17AWG	37/0.19	17.1	559.64	17.3 Ω/km
ANM10.001.30.017AB	UL21320	1000V	30X17AWG	37/0.19	17.1	566.94	17.3 Ω/km
ANM10.001.31.017AB	UL21320	1000V	31X17AWG	37/0.19	17.7	599.34	17.3 Ω/km
ANM10.001.32.017AB	UL21320	1000V	32X17AWG	37/0.19	17.7	606.64	17.3 Ω/km
ANM10.001.33.017AB	UL21320	1000V	33X17AWG	37/0.19	17.7	613.94	17.3 Ω/km
ANM10.001.34.017AB	UL21320	1000V	34X17AWG	37/0.19	18.3	647.04	17.3 Ω/km
ANM10.001.35.017AB	UL21320	1000V	35X17AWG	37/0.19	18.3	654.44	17.3 Ω/km
ANM10.001.36.017AB	UL21320	1000V	36X17AWG	37/0.19	18.3	661.84	17.3 Ω/km
ANM10.001.37.017AB	UL21320	1000V	37X17AWG	37/0.19	18.3	669.34	17.3 Ω/km
ANM10.001.38.017AB	UL21320	1000V	38X17AWG	37/0.19	19	707.74	17.3 Ω/km
ANM10.001.39.017AB	UL21320	1000V	39X17AWG	37/0.19	19	715.14	17.3 Ω/km
ANM10.001.40.017AB	UL21320	1000V	40X17AWG	37/0.19	19	722.44	17.3 Ω/km
ANM10.001.41.017AB	UL21320	1000V	41X17AWG	37/0.19	21.5	850.34	17.3 Ω/km
ANM10.001.42.017AB	UL21320	1000V	42X17AWG	37/0.19	21.5	857.64	17.3 Ω/km
ANM10.001.43.017AB	UL21320	1000V	43X17AWG	37/0.19	21.5	865.04	17.3 Ω/km
ANM10.001.44.017AB	UL21320	1000V	44X17AWG	37/0.19	21.5	872.34	17.3 Ω/km
ANM10.001.45.017AB	UL21320	1000V	45X17AWG	37/0.19	21.9	900.54	17.3 Ω/km
ANM10.001.46.017AB	UL21320	1000V	46X17AWG	37/0.19	21.9	907.94	17.3 Ω/km
ANM10.001.47.017AB	UL21320	1000V	47X17AWG	37/0.19	21.9	915.34	17.3 Ω/km
ANM10.001.48.017AB	UL21320	1000V	48X17AWG	37/0.19	21.9	922.64	17.3 Ω/km
ANM10.001.49.017AB	UL21320	1000V	49X17AWG	37/0.19	22.5	961.94	17.3 Ω/km
ANM10.001.50.017AB	UL21320	1000V	50X17AWG	37/0.19	22.5	969.24	17.3 Ω/km
ANM10.001.51.017AB	UL21320	1000V	51X17AWG	37/0.19	22.5	976.54	17.3 Ω/km
ANM10.001.52.017AB	UL21320	1000V	52X17AWG	37/0.19	22.5	983.94	17.3 Ω/km
ANM10.001.53.017AB	UL21320	1000V	53X17AWG	37/0.19	23.1	1024.04	17.3 Ω/km
ANM10.001.54.017AB	UL21320	1000V	54X17AWG	37/0.19	23.1	1031.34	17.3 Ω/km
ANM10.001.55.017AB	UL21320	1000V	55X17AWG	37/0.19	23.1	1038.84	17.3 Ω/km
ANM10.001.56.017AB	UL21320	1000V	56X17AWG	37/0.19	23.1	1046.14	17.3 Ω/km
ANM10.001.57.017AB	UL21320	1000V	57X17AWG	37/0.19	23.7	1087.04	17.3 Ω/km
ANM10.001.58.017AB	UL21320	1000V	58X17AWG	37/0.19	23.7	1094.44	17.3 Ω/km
ANM10.001.59.017AB	UL21320	1000V	59X17AWG	37/0.19	23.7	1101.74	17.3 Ω/km
ANM10.001.60.017AB	UL21320	1000V	60X17AWG	37/0.19	23.7	1109.14	17.3 Ω/km
ANM10.001.61.017AB	UL21320	1000V	61X17AWG	37/0.19	23.7	1116.44	17.3 Ω/km
ANM10.001.62.017AB	UL21320	1000V	62X17AWG	37/0.19	24.4	1164.24	17.3 Ω/km
ANM10.001.63.017AB	UL21320	1000V	63X17AWG	37/0.19	24.4	1171.54	17.3 Ω/km
ANM10.001.64.017AB	UL21320	1000V	64X17AWG	37/0.19	24.4	1179.04	17.3 Ω/km
ANM10.001.65.017AB	UL21320	1000V	65X17AWG	37/0.19	24.4	1186.34	17.3 Ω/km
ANM10.001.02.016AB	UL21320	1000V	2X16AWG	27/0.25	7.8	90.81	13.7 Ω/km
ANM10.001.03.016AB	UL21320	1000V	3X16AWG	27/0.25	8.2	107.81	13.7 Ω/km
ANM10.001.04.016AB	UL21320	1000V	4X16AWG	27/0.25	8.9	131.41	13.7 Ω/km
ANM10.001.05.016AB	UL21320	1000V	5X16AWG	27/0.25	9.6	156.11	13.7 Ω/km
ANM10.001.06.016AB	UL21320	1000V	6X16AWG	27/0.25	10.3	182.21	13.7 Ω/km



ANM10.001.07.016AB	UL21320	1000V	7X16AWG	27/0.25	10.3	191.71	13.7 Ω/km
ANM10.001.08.016AB	UL21320	1000V	8X16AWG	27/0.25	11.1	221.51	13.7 Ω/km
ANM10.001.09.016AB	UL21320	1000V	9X16AWG	27/0.25	12.1	258.51	13.7 Ω/km
ANM10.001.10.016AB	UL21320	1000V	10X16AWG	27/0.25	12.8	288.61	13.7 Ω/km
ANM10.001.11.016AB	UL21320	1000V	11X16AWG	27/0.25	13.3	313.71	13.7 Ω/km
ANM10.001.12.016AB	UL21320	1000V	12X16AWG	27/0.25	13.3	323.21	13.7 Ω/km
ANM10.001.13.016AB	UL21320	1000V	13X16AWG	27/0.25	14	355.41	13.7 Ω/km
ANM10.001.14.016AB	UL21320	1000V	14X16AWG	27/0.25	14	365.01	13.7 Ω/km
ANM10.001.15.016AB	UL21320	1000V	15X16AWG	27/0.25	14.7	398.31	13.7 Ω/km
ANM10.001.16.016AB	UL21320	1000V	16X16AWG	27/0.25	14.7	408.01	13.7 Ω/km
ANM10.001.17.016AB	UL21320	1000V	17X16AWG	27/0.25	15.4	442.51	13.7 Ω/km
ANM10.001.18.016AB	UL21320	1000V	18X16AWG	27/0.25	15.4	452.01	13.7 Ω/km
ANM10.001.19.016AB	UL21320	1000V	19X16AWG	27/0.25	15.4	461.71	13.7 Ω/km
ANM10.001.20.016AB	UL21320	1000V	20X16AWG	27/0.25	15.8	486.01	13.7 Ω/km
ANM10.001.21.016AB	UL21320	1000V	21X16AWG	27/0.25	16.2	510.71	13.7 Ω/km
ANM10.001.22.016AB	UL21320	1000V	22X16AWG	27/0.25	17.2	560.11	13.7 Ω/km
ANM10.001.23.016AB	UL21320	1000V	23X16AWG	27/0.25	17.9	598.91	13.7 Ω/km
ANM10.001.24.016AB	UL21320	1000V	24X16AWG	27/0.25	17.9	608.61	13.7 Ω/km
ANM10.001.25.016AB	UL21320	1000V	25X16AWG	27/0.25	18.3	635.31	13.7 Ω/km
ANM10.001.26.016AB	UL21320	1000V	26X16AWG	27/0.25	18.3	644.81	13.7 Ω/km
ANM10.001.27.016AB	UL21320	1000V	27X16AWG	27/0.25	18.3	654.41	13.7 Ω/km
ANM10.001.28.016AB	UL21320	1000V	28X16AWG	27/0.25	19	695.01	13.7 Ω/km
ANM10.001.29.016AB	UL21320	1000V	29X16AWG	27/0.25	19	704.41	13.7 Ω/km
ANM10.001.30.016AB	UL21320	1000V	30X16AWG	27/0.25	19	714.11	13.7 Ω/km
ANM10.001.31.016AB	UL21320	1000V	31X16AWG	27/0.25	20.7	803.91	13.7 Ω/km
ANM10.001.32.016AB	UL21320	1000V	32X16AWG	27/0.25	20.7	813.41	13.7 Ω/km
ANM10.001.33.016AB	UL21320	1000V	33X16AWG	27/0.25	20.7	823.01	13.7 Ω/km
ANM10.001.34.016AB	UL21320	1000V	34X16AWG	27/0.25	21.4	867.61	13.7 Ω/km
ANM10.001.35.016AB	UL21320	1000V	35X16AWG	27/0.25	21.4	877.21	13.7 Ω/km
ANM10.001.36.016AB	UL21320	1000V	36X16AWG	27/0.25	21.4	886.71	13.7 Ω/km
ANM10.001.37.016AB	UL21320	1000V	37X16AWG	27/0.25	21.4	896.21	13.7 Ω/km
ANM10.001.38.016AB	UL21320	1000V	38X16AWG	27/0.25	22.2	947.51	13.7 Ω/km
ANM10.001.39.016AB	UL21320	1000V	39X16AWG	27/0.25	22.2	957.01	13.7 Ω/km
ANM10.001.40.016AB	UL21320	1000V	40X16AWG	27/0.25	22.2	966.61	13.7 Ω/km
ANM10.001.41.016AB	UL21320	1000V	41X16AWG	27/0.25	23.9	1069.71	13.7 Ω/km
ANM10.001.42.016AB	UL21320	1000V	42X16AWG	27/0.25	23.9	1079.21	13.7 Ω/km
ANM10.001.43.016AB	UL21320	1000V	43X16AWG	27/0.25	23.9	1088.81	13.7 Ω/km
ANM10.001.44.016AB	UL21320	1000V	44X16AWG	27/0.25	23.9	1098.31	13.7 Ω/km
ANM10.001.45.016AB	UL21320	1000V	45X16AWG	27/0.25	24.3	1130.91	13.7 Ω/km
ANM10.001.46.016AB	UL21320	1000V	46X16AWG	27/0.25	24.3	1140.51	13.7 Ω/km
ANM10.001.47.016AB	UL21320	1000V	47X16AWG	27/0.25	24.3	1150.01	13.7 Ω/km
ANM10.001.48.016AB	UL21320	1000V	48X16AWG	27/0.25	24.3	1159.71	13.7 Ω/km



ANM10.001.49.016AB	UL21320	1000V	49X16AWG	27/0.25	25	1210.31	13.7 Ω/km
ANM10.001.50.016AB	UL21320	1000V	50X16AWG	27/0.25	25	1219.91	13.7 Ω/km
ANM10.001.51.016AB	UL21320	1000V	51X16AWG	27/0.25	25	1229.41	13.7 Ω/km
ANM10.001.52.016AB	UL21320	1000V	52X16AWG	27/0.25	25	1239.01	13.7 Ω/km
ANM10.001.53.016AB	UL21320	1000V	53X16AWG	27/0.25	25.7	1290.91	13.7 Ω/km
ANM10.001.54.016AB	UL21320	1000V	54X16AWG	27/0.25	25.7	1300.51	13.7 Ω/km
ANM10.001.55.016AB	UL21320	1000V	55X16AWG	27/0.25	25.7	1310.01	13.7 Ω/km
ANM10.001.56.016AB	UL21320	1000V	56X16AWG	27/0.25	25.7	1319.61	13.7 Ω/km
ANM10.001.57.016AB	UL21320	1000V	57X16AWG	27/0.25	26.4	1372.81	13.7 Ω/km
ANM10.001.58.016AB	UL21320	1000V	58X16AWG	27/0.25	26.4	1382.31	13.7 Ω/km
ANM10.001.59.016AB	UL21320	1000V	59X16AWG	27/0.25	26.4	1391.91	13.7 Ω/km
ANM10.001.60.016AB	UL21320	1000V	60X16AWG	27/0.25	26.4	1401.41	13.7 Ω/km
ANM10.001.61.016AB	UL21320	1000V	61X16AWG	27/0.25	26.4	1410.91	13.7 Ω/km
ANM10.001.62.016AB	UL21320	1000V	62X16AWG	27/0.25	27.2	1471.81	13.7 Ω/km
ANM10.001.63.016AB	UL21320	1000V	63X16AWG	27/0.25	27.2	1481.31	13.7 Ω/km
ANM10.001.64.016AB	UL21320	1000V	64X16AWG	27/0.25	27.2	1490.91	13.7 Ω/km
ANM10.001.65.016AB	UL21320	1000V	65X16AWG	27/0.25	27.2	1500.41	13.7 Ω/km
ANM10.001.02.015AB	UL21320	1000V	2X15AWG	34/0.25	8.2	103.45	10.9 Ω/km
ANM10.001.03.015AB	UL21320	1000V	3X15AWG	34/0.25	8.7	125.35	10.9 Ω/km
ANM10.001.04.015AB	UL21320	1000V	4X15AWG	34/0.25	9.4	152.25	10.9 Ω/km
ANM10.001.05.015AB	UL21320	1000V	5X15AWG	34/0.25	10.1	180.25	10.9 Ω/km
ANM10.001.06.015AB	UL21320	1000V	6X15AWG	34/0.25	10.9	212.05	10.9 Ω/km
ANM10.001.07.015AB	UL21320	1000V	7X15AWG	34/0.25	10.9	224.05	10.9 Ω/km
ANM10.001.08.015AB	UL21320	1000V	8X15AWG	34/0.25	11.8	260.15	10.9 Ω/km
ANM10.001.09.015AB	UL21320	1000V	9X15AWG	34/0.25	12.8	301.25	10.9 Ω/km
ANM10.001.10.015AB	UL21320	1000V	10X15AWG	34/0.25	13.7	341.55	10.9 Ω/km
ANM10.001.11.015AB	UL21320	1000V	11X15AWG	34/0.25	14.2	370.15	10.9 Ω/km
ANM10.001.12.015AB	UL21320	1000V	12X15AWG	34/0.25	14.2	382.05	10.9 Ω/km
ANM10.001.13.015AB	UL21320	1000V	13X15AWG	34/0.25	14.9	418.15	10.9 Ω/km
ANM10.001.14.015AB	UL21320	1000V	14X15AWG	34/0.25	14.9	430.15	10.9 Ω/km
ANM10.001.15.015AB	UL21320	1000V	15X15AWG	34/0.25	15.6	467.45	10.9 Ω/km
ANM10.001.16.015AB	UL21320	1000V	16X15AWG	34/0.25	15.6	479.45	10.9 Ω/km
ANM10.001.17.015AB	UL21320	1000V	17X15AWG	34/0.25	16.4	521.95	10.9 Ω/km
ANM10.001.18.015AB	UL21320	1000V	18X15AWG	34/0.25	16.4	533.95	10.9 Ω/km
ANM10.001.19.015AB	UL21320	1000V	19X15AWG	34/0.25	16.4	545.95	10.9 Ω/km
ANM10.001.20.015AB	UL21320	1000V	20X15AWG	34/0.25	16.9	577.65	10.9 Ω/km
ANM10.001.21.015AB	UL21320	1000V	21X15AWG	34/0.25	17.3	605.85	10.9 Ω/km
ANM10.001.22.015AB	UL21320	1000V	22X15AWG	34/0.25	18.3	660.35	10.9 Ω/km
ANM10.001.23.015AB	UL21320	1000V	23X15AWG	34/0.25	19.1	707.95	10.9 Ω/km
ANM10.001.24.015AB	UL21320	1000V	24X15AWG	34/0.25	19.1	719.85	10.9 Ω/km
ANM10.001.25.015AB	UL21320	1000V	25X15AWG	34/0.25	20.6	802.65	10.9 Ω/km
ANM10.001.26.015AB	UL21320	1000V	26X15AWG	34/0.25	20.6	814.55	10.9 Ω/km



ANM10.001.27.015AB	UL21320	1000V	27X15AWG	34/0.25	20.6	826.55	10.9Ω/km
ANM10.001.28.015AB	UL21320	1000V	28X15AWG	34/0.25	21.3	873.55	10.9Ω/km
ANM10.001.29.015AB	UL21320	1000V	29X15AWG	34/0.25	21.3	885.55	10.9Ω/km
ANM10.001.30.015AB	UL21320	1000V	30X15AWG	34/0.25	21.3	897.45	10.9Ω/km
ANM10.001.31.015AB	UL21320	1000V	31X15AWG	34/0.25	22	945.55	10.9Ω/km
ANM10.001.32.015AB	UL21320	1000V	32X15AWG	34/0.25	22	957.55	10.9Ω/km
ANM10.001.33.015AB	UL21320	1000V	33X15AWG	34/0.25	22	969.45	10.9Ω/km
ANM10.001.34.015AB	UL21320	1000V	34X15AWG	34/0.25	22.8	1024.25	10.9Ω/km
ANM10.001.35.015AB	UL21320	1000V	35X15AWG	34/0.25	22.8	1036.25	10.9Ω/km
ANM10.001.36.015AB	UL21320	1000V	36X15AWG	34/0.25	22.8	1048.25	10.9Ω/km
ANM10.001.37.015AB	UL21320	1000V	37X15AWG	34/0.25	22.8	1060.25	10.9Ω/km
ANM10.001.38.015AB	UL21320	1000V	38X15AWG	34/0.25	23.7	1122.15	10.9Ω/km
ANM10.001.39.015AB	UL21320	1000V	39X15AWG	34/0.25	23.7	1134.05	10.9Ω/km
ANM10.001.40.015AB	UL21320	1000V	40X15AWG	34/0.25	23.7	1146.05	10.9Ω/km
ANM10.001.41.015AB	UL21320	1000V	41X15AWG	34/0.25	25.5	1263.95	10.9Ω/km
ANM10.001.42.015AB	UL21320	1000V	42X15AWG	34/0.25	25.5	1275.85	10.9Ω/km
ANM10.001.43.015AB	UL21320	1000V	43X15AWG	34/0.25	25.5	1287.85	10.9Ω/km
ANM10.001.44.015AB	UL21320	1000V	44X15AWG	34/0.25	25.5	1299.85	10.9Ω/km
ANM10.001.45.015AB	UL21320	1000V	45X15AWG	34/0.25	26	1342.75	10.9Ω/km
ANM10.001.46.015AB	UL21320	1000V	46X15AWG	34/0.25	26	1354.65	10.9Ω/km
ANM10.001.47.015AB	UL21320	1000V	47X15AWG	34/0.25	26	1366.65	10.9Ω/km
ANM10.001.48.015AB	UL21320	1000V	48X15AWG	34/0.25	26	1378.55	10.9Ω/km
ANM10.001.49.015AB	UL21320	1000V	49X15AWG	34/0.25	26.7	1434.65	10.9Ω/km
ANM10.001.50.015AB	UL21320	1000V	50X15AWG	34/0.25	26.7	1446.65	10.9Ω/km
ANM10.001.51.015AB	UL21320	1000V	51X15AWG	34/0.25	26.7	1458.55	10.9Ω/km
ANM10.001.52.015AB	UL21320	1000V	52X15AWG	34/0.25	26.7	1470.55	10.9Ω/km
ANM10.001.53.015AB	UL21320	1000V	53X15AWG	34/0.25	27.4	1527.75	10.9Ω/km
ANM10.001.54.015AB	UL21320	1000V	54X15AWG	34/0.25	27.4	1539.75	10.9Ω/km
ANM10.001.55.015AB	UL21320	1000V	55X15AWG	34/0.25	27.4	1551.75	10.9Ω/km
ANM10.001.56.015AB	UL21320	1000V	56X15AWG	34/0.25	27.4	1563.75	10.9Ω/km
ANM10.001.57.015AB	UL21320	1000V	57X15AWG	34/0.25	28.2	1628.95	10.9Ω/km
ANM10.001.58.015AB	UL21320	1000V	58X15AWG	34/0.25	28.2	1640.95	10.9Ω/km
ANM10.001.59.015AB	UL21320	1000V	59X15AWG	34/0.25	28.2	1652.85	10.9Ω/km
ANM10.001.60.015AB	UL21320	1000V	60X15AWG	34/0.25	28.2	1664.85	10.9Ω/km
ANM10.001.61.015AB	UL21320	1000V	61X15AWG	34/0.25	28.2	1676.75	10.9Ω/km
ANM10.001.62.015AB	UL21320	1000V	62X15AWG	34/0.25	30.1	1820.55	10.9Ω/km
ANM10.001.63.015AB	UL21320	1000V	63X15AWG	34/0.25	30.1	1832.55	10.9Ω/km
ANM10.001.64.015AB	UL21320	1000V	64X15AWG	34/0.25	30.1	1844.55	10.9Ω/km
ANM10.001.65.015AB	UL21320	1000V	65X15AWG	34/0.25	30.1	1856.45	10.9Ω/km
ANM10.001.02.014AB	UL21320	1000V	2X14AWG	43/0.25	8.6	118.08	8.62Ω/km
ANM10.001.03.014AB	UL21320	1000V	3X14AWG	43/0.25	9.1	143.68	8.62Ω/km
ANM10.001.04.014AB	UL21320	1000V	4X14AWG	43/0.25	9.9	176.68	8.62Ω/km



ANM10.001.05.014AB	UL21320	1000V	5X14AWG	43/0.25	10.7	211.38	8.62 Ω/km
ANM10.001.06.014AB	UL21320	1000V	6X14AWG	43/0.25	11.5	247.48	8.62 Ω/km
ANM10.001.07.014AB	UL21320	1000V	7X14AWG	43/0.25	11.5	262.58	8.62 Ω/km
ANM10.001.08.014AB	UL21320	1000V	8X14AWG	43/0.25	12.4	303.08	8.62 Ω/km
ANM10.001.09.014AB	UL21320	1000V	9X14AWG	43/0.25	13.7	358.58	8.62 Ω/km
ANM10.001.10.014AB	UL21320	1000V	10X14AWG	43/0.25	14.5	400.58	8.62 Ω/km
ANM10.001.11.014AB	UL21320	1000V	11X14AWG	43/0.25	15	433.18	8.62 Ω/km
ANM10.001.12.014AB	UL21320	1000V	12X14AWG	43/0.25	15	448.38	8.62 Ω/km
ANM10.001.13.014AB	UL21320	1000V	13X14AWG	43/0.25	15.8	492.88	8.62 Ω/km
ANM10.001.14.014AB	UL21320	1000V	14X14AWG	43/0.25	15.8	507.98	8.62 Ω/km
ANM10.001.15.014AB	UL21320	1000V	15X14AWG	43/0.25	16.6	553.88	8.62 Ω/km
ANM10.001.16.014AB	UL21320	1000V	16X14AWG	43/0.25	16.6	569.08	8.62 Ω/km
ANM10.001.17.014AB	UL21320	1000V	17X14AWG	43/0.25	17.4	616.58	8.62 Ω/km
ANM10.001.18.014AB	UL21320	1000V	18X14AWG	43/0.25	17.4	631.78	8.62 Ω/km
ANM10.001.19.014AB	UL21320	1000V	19X14AWG	43/0.25	17.4	646.88	8.62 Ω/km
ANM10.001.20.014AB	UL21320	1000V	20X14AWG	43/0.25	17.9	683.08	8.62 Ω/km
ANM10.001.21.014AB	UL21320	1000V	21X14AWG	43/0.25	18.3	715.48	8.62 Ω/km
ANM10.001.22.014AB	UL21320	1000V	22X14AWG	43/0.25	20.5	832.08	8.62 Ω/km
ANM10.001.23.014AB	UL21320	1000V	23X14AWG	43/0.25	21.3	887.18	8.62 Ω/km
ANM10.001.24.014AB	UL21320	1000V	24X14AWG	43/0.25	21.3	902.38	8.62 Ω/km
ANM10.001.25.014AB	UL21320	1000V	25X14AWG	43/0.25	21.8	943.18	8.62 Ω/km
ANM10.001.26.014AB	UL21320	1000V	26X14AWG	43/0.25	21.8	958.28	8.62 Ω/km
ANM10.001.27.014AB	UL21320	1000V	27X14AWG	43/0.25	21.8	973.38	8.62 Ω/km
ANM10.001.28.014AB	UL21320	1000V	28X14AWG	43/0.25	22.6	1031.08	8.62 Ω/km
ANM10.001.29.014AB	UL21320	1000V	29X14AWG	43/0.25	22.6	1046.18	8.62 Ω/km
ANM10.001.30.014AB	UL21320	1000V	30X14AWG	43/0.25	22.6	1061.28	8.62 Ω/km
ANM10.001.31.014AB	UL21320	1000V	31X14AWG	43/0.25	23.4	1120.48	8.62 Ω/km
ANM10.001.32.014AB	UL21320	1000V	32X14AWG	43/0.25	23.4	1135.58	8.62 Ω/km
ANM10.001.33.014AB	UL21320	1000V	33X14AWG	43/0.25	23.4	1150.78	8.62 Ω/km
ANM10.001.34.014AB	UL21320	1000V	34X14AWG	43/0.25	24.2	1211.38	8.62 Ω/km
ANM10.001.35.014AB	UL21320	1000V	35X14AWG	43/0.25	24.2	1226.48	8.62 Ω/km
ANM10.001.36.014AB	UL21320	1000V	36X14AWG	43/0.25	24.2	1241.68	8.62 Ω/km
ANM10.001.37.014AB	UL21320	1000V	37X14AWG	43/0.25	24.2	1256.88	8.62 Ω/km
ANM10.001.38.014AB	UL21320	1000V	38X14AWG	43/0.25	25.1	1324.98	8.62 Ω/km
ANM10.001.39.014AB	UL21320	1000V	39X14AWG	43/0.25	25.1	1340.08	8.62 Ω/km
ANM10.001.40.014AB	UL21320	1000V	40X14AWG	43/0.25	25.1	1355.38	8.62 Ω/km
ANM10.001.41.014AB	UL21320	1000V	41X14AWG	43/0.25	27.1	1495.38	8.62 Ω/km
ANM10.001.42.014AB	UL21320	1000V	42X14AWG	43/0.25	27.1	1510.48	8.62 Ω/km
ANM10.001.43.014AB	UL21320	1000V	43X14AWG	43/0.25	27.1	1525.58	8.62 Ω/km
ANM10.001.44.014AB	UL21320	1000V	44X14AWG	43/0.25	27.1	1540.68	8.62 Ω/km
ANM10.001.45.014AB	UL21320	1000V	45X14AWG	43/0.25	27.6	1588.68	8.62 Ω/km
ANM10.001.46.014AB	UL21320	1000V	46X14AWG	43/0.25	27.6	1603.78	8.62 Ω/km



ANM10.001.47.014AB	UL21320	1000V	47X14AWG	43/0.25	27.6	1618.78	8.62 Ω/km
ANM10.001.48.014AB	UL21320	1000V	48X14AWG	43/0.25	27.6	1633.98	8.62 Ω/km
ANM10.001.49.014AB	UL21320	1000V	49X14AWG	43/0.25	28.4	1702.88	8.62 Ω/km
ANM10.001.50.014AB	UL21320	1000V	50X14AWG	43/0.25	28.4	1717.98	8.62 Ω/km
ANM10.001.51.014AB	UL21320	1000V	51X14AWG	43/0.25	28.4	1733.18	8.62 Ω/km
ANM10.001.52.014AB	UL21320	1000V	52X14AWG	43/0.25	28.4	1748.28	8.62 Ω/km
ANM10.001.02.013AB	UL21320	1000V	2X13AWG	54/0.25	9.2	138.63	6.82 Ω/km
ANM10.001.03.013AB	UL21320	1000V	3X13AWG	54/0.25	9.7	168.63	6.82 Ω/km
ANM10.001.04.013AB	UL21320	1000V	4X13AWG	54/0.25	10.6	208.93	6.82 Ω/km
ANM10.001.05.013AB	UL21320	1000V	5X13AWG	54/0.25	11.5	251.23	6.82 Ω/km
ANM10.001.06.013AB	UL21320	1000V	6X13AWG	54/0.25	12.4	295.53	6.82 Ω/km
ANM10.001.07.013AB	UL21320	1000V	7X13AWG	54/0.25	12.4	314.33	6.82 Ω/km
ANM10.001.08.013AB	UL21320	1000V	8X13AWG	54/0.25	13.5	367.03	6.82 Ω/km
ANM10.001.09.013AB	UL21320	1000V	9X13AWG	54/0.25	14.8	429.63	6.82 Ω/km
ANM10.001.10.013AB	UL21320	1000V	10X13AWG	54/0.25	15.7	481.13	6.82 Ω/km
ANM10.001.11.013AB	UL21320	1000V	11X13AWG	54/0.25	16.2	518.83	6.82 Ω/km
ANM10.001.12.013AB	UL21320	1000V	12X13AWG	54/0.25	16.2	537.63	6.82 Ω/km
ANM10.001.13.013AB	UL21320	1000V	13X13AWG	54/0.25	17.1	592.13	6.82 Ω/km
ANM10.001.14.013AB	UL21320	1000V	14X13AWG	54/0.25	17.1	611.03	6.82 Ω/km
ANM10.001.15.013AB	UL21320	1000V	15X13AWG	54/0.25	18	667.53	6.82 Ω/km
ANM10.001.16.013AB	UL21320	1000V	16X13AWG	54/0.25	18	686.33	6.82 Ω/km
ANM10.001.17.013AB	UL21320	1000V	17X13AWG	54/0.25	18.9	744.83	6.82 Ω/km
ANM10.001.18.013AB	UL21320	1000V	18X13AWG	54/0.25	18.9	763.73	6.82 Ω/km
ANM10.001.19.013AB	UL21320	1000V	19X13AWG	54/0.25	18.9	782.53	6.82 Ω/km
ANM10.001.20.013AB	UL21320	1000V	20X13AWG	54/0.25	19.4	824.13	6.82 Ω/km
ANM10.001.21.013AB	UL21320	1000V	21X13AWG	54/0.25	20.9	914.83	6.82 Ω/km
ANM10.001.22.013AB	UL21320	1000V	22X13AWG	54/0.25	22.2	1000.53	6.82 Ω/km
ANM10.001.23.013AB	UL21320	1000V	23X13AWG	54/0.25	23.1	1068.03	6.82 Ω/km
ANM10.001.24.013AB	UL21320	1000V	24X13AWG	54/0.25	23.1	1086.73	6.82 Ω/km
ANM10.001.25.013AB	UL21320	1000V	25X13AWG	54/0.25	23.6	1133.43	6.82 Ω/km
ANM10.001.26.013AB	UL21320	1000V	26X13AWG	54/0.25	23.6	1152.23	6.82 Ω/km
ANM10.001.27.013AB	UL21320	1000V	27X13AWG	54/0.25	23.6	1171.13	6.82 Ω/km
ANM10.001.28.013AB	UL21320	1000V	28X13AWG	54/0.25	24.5	1241.83	6.82 Ω/km
ANM10.001.29.013AB	UL21320	1000V	29X13AWG	54/0.25	24.5	1260.63	6.82 Ω/km
ANM10.001.30.013AB	UL21320	1000V	30X13AWG	54/0.25	24.5	1279.43	6.82 Ω/km
ANM10.001.31.013AB	UL21320	1000V	31X13AWG	54/0.25	25.4	1351.93	6.82 Ω/km
ANM10.001.32.013AB	UL21320	1000V	32X13AWG	54/0.25	25.4	1370.73	6.82 Ω/km
ANM10.001.33.013AB	UL21320	1000V	33X13AWG	54/0.25	25.4	1389.53	6.82 Ω/km
ANM10.001.34.013AB	UL21320	1000V	34X13AWG	54/0.25	26.3	1464.13	6.82 Ω/km
ANM10.001.35.013AB	UL21320	1000V	35X13AWG	54/0.25	26.3	1482.93	6.82 Ω/km
ANM10.001.36.013AB	UL21320	1000V	36X13AWG	54/0.25	26.3	1501.83	6.82 Ω/km
ANM10.001.37.013AB	UL21320	1000V	37X13AWG	54/0.25	26.3	1520.63	6.82 Ω/km



ANM10.001.38.013AB	UL21320	1000V	38X13AWG	54/0.25	27.3	1603.63	6.82 Ω/km
ANM10.001.39.013AB	UL21320	1000V	39X13AWG	54/0.25	27.3	1622.43	6.82 Ω/km
ANM10.001.40.013AB	UL21320	1000V	40X13AWG	54/0.25	27.3	1641.23	6.82 Ω/km
ANM10.001.41.013AB	UL21320	1000V	41X13AWG	54/0.25	30.5	1880.83	6.82 Ω/km
ANM10.001.42.013AB	UL21320	1000V	42X13AWG	54/0.25	30.5	1899.63	6.82 Ω/km
ANM10.001.43.013AB	UL21320	1000V	43X13AWG	54/0.25	30.5	1918.43	6.82 Ω/km
ANM10.001.44.013AB	UL21320	1000V	44X13AWG	54/0.25	30.5	1937.33	6.82 Ω/km
ANM10.001.45.013AB	UL21320	1000V	45X13AWG	54/0.25	31	1993.03	6.82 Ω/km
ANM10.001.46.013AB	UL21320	1000V	46X13AWG	54/0.25	31	2011.83	6.82 Ω/km
ANM10.001.47.013AB	UL21320	1000V	47X13AWG	54/0.25	31	2030.53	6.82 Ω/km
ANM10.001.48.013AB	UL21320	1000V	48X13AWG	54/0.25	31	2049.33	6.82 Ω/km
ANM10.001.49.013AB	UL21320	1000V	49X13AWG	54/0.25	31.9	2136.03	6.82 Ω/km
ANM10.001.50.013AB	UL21320	1000V	50X13AWG	54/0.25	31.9	2154.83	6.82 Ω/km
ANM10.001.51.013AB	UL21320	1000V	51X13AWG	54/0.25	31.9	2173.63	6.82 Ω/km
ANM10.001.52.013AB	UL21320	1000V	52X13AWG	54/0.25	31.9	2192.43	6.82 Ω/km
ANM10.001.02.012AB	UL21320	1000V	2X12AWG	68/0.25	10	167.91	5.43 Ω/km
ANM10.001.03.012AB	UL21320	1000V	3X12AWG	68/0.25	10.6	206.51	5.43 Ω/km
ANM10.001.04.012AB	UL21320	1000V	4X12AWG	68/0.25	11.5	254.31	5.43 Ω/km
ANM10.001.05.012AB	UL21320	1000V	5X12AWG	68/0.25	12.6	309.71	5.43 Ω/km
ANM10.001.06.012AB	UL21320	1000V	6X12AWG	68/0.25	13.7	368.01	5.43 Ω/km
ANM10.001.07.012AB	UL21320	1000V	7X12AWG	68/0.25	13.7	392.01	5.43 Ω/km
ANM10.001.08.012AB	UL21320	1000V	8X12AWG	68/0.25	14.8	453.61	5.43 Ω/km
ANM10.001.09.012AB	UL21320	1000V	9X12AWG	68/0.25	16.3	533.11	5.43 Ω/km
ANM10.001.10.012AB	UL21320	1000V	10X12AWG	68/0.25	17.3	597.21	5.43 Ω/km
ANM10.001.11.012AB	UL21320	1000V	11X12AWG	68/0.25	17.9	646.51	5.43 Ω/km
ANM10.001.12.012AB	UL21320	1000V	12X12AWG	68/0.25	17.9	670.61	5.43 Ω/km
ANM10.001.13.012AB	UL21320	1000V	13X12AWG	68/0.25	18.8	734.01	5.43 Ω/km
ANM10.001.14.012AB	UL21320	1000V	14X12AWG	68/0.25	18.8	758.01	5.43 Ω/km
ANM10.001.15.012AB	UL21320	1000V	15X12AWG	68/0.25	20.9	881.31	5.43 Ω/km
ANM10.001.16.012AB	UL21320	1000V	16X12AWG	68/0.25	20.9	905.41	5.43 Ω/km
ANM10.001.17.012AB	UL21320	1000V	17X12AWG	68/0.25	21.9	980.51	5.43 Ω/km
ANM10.001.18.012AB	UL21320	1000V	18X12AWG	68/0.25	21.9	1004.51	5.43 Ω/km
ANM10.001.19.012AB	UL21320	1000V	19X12AWG	68/0.25	21.9	1028.81	5.43 Ω/km
ANM10.001.20.012AB	UL21320	1000V	20X12AWG	68/0.25	22.5	1084.71	5.43 Ω/km
ANM10.001.21.012AB	UL21320	1000V	21X12AWG	68/0.25	23	1135.91	5.43 Ω/km
ANM10.001.22.012AB	UL21320	1000V	22X12AWG	68/0.25	24.5	1245.21	5.43 Ω/km
ANM10.001.23.012AB	UL21320	1000V	23X12AWG	68/0.25	25.5	1329.11	5.43 Ω/km
ANM10.001.24.012AB	UL21320	1000V	24X12AWG	68/0.25	25.5	1353.11	5.43 Ω/km
ANM10.001.25.012AB	UL21320	1000V	25X12AWG	68/0.25	26.1	1414.31	5.43 Ω/km
ANM10.001.26.012AB	UL21320	1000V	26X12AWG	68/0.25	26.1	1438.41	5.43 Ω/km
ANM10.001.27.012AB	UL21320	1000V	27X12AWG	68/0.25	26.1	1462.51	5.43 Ω/km
ANM10.001.28.012AB	UL21320	1000V	28X12AWG	68/0.25	27	1543.71	5.43 Ω/km



ANM10.001.29.012AB	UL21320	1000V	29X12AWG	68/0.25	27	1567.71	5.43 Ω/km
ANM10.001.30.012AB	UL21320	1000V	30X12AWG	68/0.25	27	1591.91	5.43 Ω/km
ANM10.001.31.012AB	UL21320	1000V	31X12AWG	68/0.25	28.1	1688.61	5.43 Ω/km
ANM10.001.32.012AB	UL21320	1000V	32X12AWG	68/0.25	28.1	1712.71	5.43 Ω/km
ANM10.001.33.012AB	UL21320	1000V	33X12AWG	68/0.25	28.1	1736.81	5.43 Ω/km
ANM10.001.34.012AB	UL21320	1000V	34X12AWG	68/0.25	30.1	1899.51	5.43 Ω/km
ANM10.001.35.012AB	UL21320	1000V	35X12AWG	68/0.25	30.1	1923.51	5.43 Ω/km
ANM10.001.36.012AB	UL21320	1000V	36X12AWG	68/0.25	30.1	1947.51	5.43 Ω/km
ANM10.001.37.012AB	UL21320	1000V	37X12AWG	68/0.25	30.1	1971.71	5.43 Ω/km
ANM10.001.02.011AB	UL21320	1000V	2X11AWG	85/0.25	10.8	199.57	4.30 Ω/km
ANM10.001.03.011AB	UL21320	1000V	3X11AWG	85/0.25	11.5	247.67	4.30 Ω/km
ANM10.001.04.011AB	UL21320	1000V	4X11AWG	85/0.25	12.5	305.77	4.30 Ω/km
ANM10.001.05.011AB	UL21320	1000V	5X11AWG	85/0.25	13.7	372.67	4.30 Ω/km
ANM10.001.06.011AB	UL21320	1000V	6X11AWG	85/0.25	14.9	443.07	4.30 Ω/km
ANM10.001.07.011AB	UL21320	1000V	7X11AWG	85/0.25	14.9	472.77	4.30 Ω/km
ANM10.001.08.011AB	UL21320	1000V	8X11AWG	85/0.25	16.1	546.87	4.30 Ω/km
ANM10.001.09.011AB	UL21320	1000V	9X11AWG	85/0.25	17.7	640.87	4.30 Ω/km
ANM10.001.10.011AB	UL21320	1000V	10X11AWG	85/0.25	18.9	722.87	4.30 Ω/km
ANM10.001.11.011AB	UL21320	1000V	11X11AWG	85/0.25	20.6	832.37	4.30 Ω/km
ANM10.001.12.011AB	UL21320	1000V	12X11AWG	85/0.25	20.6	861.97	4.30 Ω/km
ANM10.001.13.011AB	UL21320	1000V	13X11AWG	85/0.25	21.6	942.07	4.30 Ω/km
ANM10.001.14.011AB	UL21320	1000V	14X11AWG	85/0.25	21.6	971.67	4.30 Ω/km
ANM10.001.15.011AB	UL21320	1000V	15X11AWG	85/0.25	22.7	1059.47	4.30 Ω/km
ANM10.001.16.011AB	UL21320	1000V	16X11AWG	85/0.25	22.7	1089.27	4.30 Ω/km
ANM10.001.17.011AB	UL21320	1000V	17X11AWG	85/0.25	23.9	1185.57	4.30 Ω/km
ANM10.001.18.011AB	UL21320	1000V	18X11AWG	85/0.25	23.9	1215.27	4.30 Ω/km
ANM10.001.19.011AB	UL21320	1000V	19X11AWG	85/0.25	23.9	1244.97	4.30 Ω/km
ANM10.001.20.011AB	UL21320	1000V	20X11AWG	85/0.25	24.6	1315.17	4.30 Ω/km
ANM10.001.21.011AB	UL21320	1000V	21X11AWG	85/0.25	25.1	1374.67	4.30 Ω/km
ANM10.001.22.011AB	UL21320	1000V	22X11AWG	85/0.25	26.7	1503.47	4.30 Ω/km
ANM10.001.23.011AB	UL21320	1000V	23X11AWG	85/0.25	27.9	1611.67	4.30 Ω/km
ANM10.001.24.011AB	UL21320	1000V	24X11AWG	85/0.25	27.9	1641.27	4.30 Ω/km
ANM10.001.25.011AB	UL21320	1000V	25X11AWG	85/0.25	29.6	1787.17	4.30 Ω/km
ANM10.001.26.011AB	UL21320	1000V	26X11AWG	85/0.25	29.6	1816.77	4.30 Ω/km
ANM10.001.27.011AB	UL21320	1000V	27X11AWG	85/0.25	29.6	1846.47	4.30 Ω/km
ANM10.001.28.011AB	UL21320	1000V	28X11AWG	85/0.25	30.6	1948.37	4.30 Ω/km
ANM10.001.29.011AB	UL21320	1000V	29X11AWG	85/0.25	30.6	1977.97	4.30 Ω/km
ANM10.001.30.011AB	UL21320	1000V	30X11AWG	85/0.25	30.6	2007.57	4.30 Ω/km
ANM10.001.31.011AB	UL21320	1000V	31X11AWG	85/0.25	31.7	2119.37	4.30 Ω/km
ANM10.001.32.011AB	UL21320	1000V	32X11AWG	85/0.25	31.7	2148.97	4.30 Ω/km
ANM10.001.33.011AB	UL21320	1000V	33X11AWG	85/0.25	31.7	2178.67	4.30 Ω/km
ANM10.001.34.011AB	UL21320	1000V	34X11AWG	85/0.25	32.9	2301.17	4.30 Ω/km



ANM10.001.35.011AB	UL21320	1000V	35X11AWG	85/0.25	32.9	2330.77	4.30 Ω/km
ANM10.001.36.011AB	UL21320	1000V	36X11AWG	85/0.25	32.9	2360.57	4.30 Ω/km
ANM10.001.37.011AB	UL21320	1000V	37X11AWG	85/0.25	32.9	2390.07	4.30 Ω/km
ANM10.001.02.010AB	UL21320	1000V	2X10AWG	108/0.25	12	244.47	3.409 Ω/km
ANM10.001.03.010AB	UL21320	1000V	3X10AWG	108/0.25	12.8	303.47	3.409 Ω/km
ANM10.001.04.010AB	UL21320	1000V	4X10AWG	108/0.25	14.1	380.37	3.409 Ω/km
ANM10.001.05.010AB	UL21320	1000V	5X10AWG	108/0.25	15.4	461.47	3.409 Ω/km
ANM10.001.06.010AB	UL21320	1000V	6X10AWG	108/0.25	16.7	546.57	3.409 Ω/km
ANM10.001.07.010AB	UL21320	1000V	7X10AWG	108/0.25	16.7	581.97	3.409 Ω/km
ANM10.001.08.010AB	UL21320	1000V	8X10AWG	108/0.25	18.1	675.37	3.409 Ω/km
ANM10.001.09.010AB	UL21320	1000V	9X10AWG	108/0.25	21	845.77	3.409 Ω/km
ANM10.001.10.010AB	UL21320	1000V	10X10AWG	108/0.25	22.3	948.57	3.409 Ω/km
ANM10.001.11.010AB	UL21320	1000V	11X10AWG	108/0.25	23.1	1027.17	3.409 Ω/km
ANM10.001.12.010AB	UL21320	1000V	12X10AWG	108/0.25	23.1	1062.57	3.409 Ω/km
ANM10.001.13.010AB	UL21320	1000V	13X10AWG	108/0.25	24.3	1166.17	3.409 Ω/km
ANM10.001.14.010AB	UL21320	1000V	14X10AWG	108/0.25	24.3	1201.47	3.409 Ω/km
ANM10.001.15.010AB	UL21320	1000V	15X10AWG	108/0.25	25.6	1314.47	3.409 Ω/km
ANM10.001.16.010AB	UL21320	1000V	16X10AWG	108/0.25	25.6	1349.97	3.409 Ω/km
ANM10.001.17.010AB	UL21320	1000V	17X10AWG	108/0.25	26.9	1466.97	3.409 Ω/km
ANM10.001.18.010AB	UL21320	1000V	18X10AWG	108/0.25	26.9	1502.37	3.409 Ω/km
ANM10.001.19.010AB	UL21320	1000V	19X10AWG	108/0.25	26.9	1537.87	3.409 Ω/km
ANM10.001.20.010AB	UL21320	1000V	20X10AWG	108/0.25	27.7	1625.57	3.409 Ω/km
ANM10.001.21.010AB	UL21320	1000V	21X10AWG	108/0.25	28.3	1701.17	3.409 Ω/km
ANM10.001.22.010AB	UL21320	1000V	22X10AWG	108/0.25	31.2	1942.57	3.409 Ω/km
ANM10.001.23.010AB	UL21320	1000V	23X10AWG	108/0.25	32.5	2077.27	3.409 Ω/km
ANM10.001.24.010AB	UL21320	1000V	24X10AWG	108/0.25	32.5	2112.57	3.409 Ω/km
ANM10.001.25.010AB	UL21320	1000V	25X10AWG	108/0.25	33.3	2211.17	3.409 Ω/km
ANM10.001.26.010AB	UL21320	1000V	26X10AWG	108/0.25	33.3	2246.57	3.409 Ω/km
ANM10.001.27.010AB	UL21320	1000V	27X10AWG	108/0.25	33.3	2281.87	3.409 Ω/km
ANM10.001.28.010AB	UL21320	1000V	28X10AWG	108/0.25	34.5	2414.97	3.409 Ω/km
ANM10.001.29.010AB	UL21320	1000V	29X10AWG	108/0.25	34.5	2450.37	3.409 Ω/km
ANM10.001.30.010AB	UL21320	1000V	30X10AWG	108/0.25	34.5	2485.77	3.409 Ω/km
ANM10.001.31.010AB	UL21320	1000V	31X10AWG	108/0.25	36.1	2656.67	3.409 Ω/km
ANM10.001.32.010AB	UL21320	1000V	32X10AWG	108/0.25	36.1	2692.07	3.409 Ω/km
ANM10.001.33.010AB	UL21320	1000V	33X10AWG	108/0.25	36.1	2727.47	3.409 Ω/km
ANM10.001.34.010AB	UL21320	1000V	34X10AWG	108/0.25	37.4	2877.37	3.409 Ω/km
ANM10.001.35.010AB	UL21320	1000V	35X10AWG	108/0.25	37.4	2912.87	3.409 Ω/km
ANM10.001.36.010AB	UL21320	1000V	36X10AWG	108/0.25	37.4	2948.27	3.409 Ω/km
ANM10.001.37.010AB	UL21320	1000V	37X10AWG	108/0.25	37.4	2983.57	3.409 Ω/km
ANM10.001.02.009AB	UL21320	1000V	2X9AWG	136/0.25	13.5	311.84	2.705 Ω/km
ANM10.001.03.009AB	UL21320	1000V	3X9AWG	136/0.25	14.4	387.14	2.705 Ω/km
ANM10.001.04.009AB	UL21320	1000V	4X9AWG	136/0.25	15.7	479.44	2.705 Ω/km



ANM10.001.05.009AB	UL21320	1000V	5X9AWG	136/0.25	17.3	587.84	2.705 Ω/km
ANM10.001.06.009AB	UL21320	1000V	6X9AWG	136/0.25	18.8	698.14	2.705 Ω/km
ANM10.001.07.009AB	UL21320	1000V	7X9AWG	136/0.25	18.8	743.64	2.705 Ω/km
ANM10.001.02.008AB	UL21320	1000V	2X8AWG	171/0.25	14.3	364.97	2.144 Ω/km
ANM10.001.03.008AB	UL21320	1000V	3X8AWG	171/0.25	15.2	454.87	2.144 Ω/km
ANM10.001.04.008AB	UL21320	1000V	4X8AWG	171/0.25	16.7	569.97	2.144 Ω/km
ANM10.001.05.008AB	UL21320	1000V	5X8AWG	171/0.25	18.3	694.97	2.144 Ω/km
ANM10.001.06.008AB	UL21320	1000V	6X8AWG	171/0.25	21	879.57	2.144 Ω/km
ANM10.001.07.008AB	UL21320	1000V	7X8AWG	171/0.25	21	937.67	2.144 Ω/km
ANM10.001.02.007AB	UL21320	1000V	2X7AWG	84/0.4	15.1	427.95	1.700 Ω/km
ANM10.001.03.007AB	UL21320	1000V	3X7AWG	84/0.4	16.1	539.75	1.700 Ω/km
ANM10.001.04.007AB	UL21320	1000V	4X7AWG	84/0.4	17.7	678.85	1.700 Ω/km
ANM10.001.05.007AB	UL21320	1000V	5X7AWG	84/0.4	19.4	828.65	1.700 Ω/km
ANM10.001.06.007AB	UL21320	1000V	6X7AWG	84/0.4	22.2	1042.05	1.700 Ω/km
ANM10.001.07.007AB	UL21320	1000V	7X7AWG	84/0.4	22.2	1116.75	1.700 Ω/km
ANM10.001.02.006AB	UL21320	1000V	2X6AWG	106/0.4	16.5	518.7	1.348 Ω/km
ANM10.001.03.006AB	UL21320	1000V	3X6AWG	106/0.4	17.6	655.8	1.348 Ω/km
ANM10.001.04.006AB	UL21320	1000V	4X6AWG	106/0.4	19.4	827.4	1.348 Ω/km
ANM10.001.05.006AB	UL21320	1000V	5X6AWG	106/0.4	22.3	1063.9	1.348 Ω/km
ANM10.001.06.006AB	UL21320	1000V	6X6AWG	106/0.4	24.3	1267.5	1.348 Ω/km
ANM10.001.07.006AB	UL21320	1000V	7X6AWG	106/0.4	24.3	1359.8	1.348 Ω/km
ANM10.001.02.005AB	UL21320	1000V	2X5AWG	134/0.4	17.7	620.67	1.070 Ω/km
ANM10.001.03.005AB	UL21320	1000V	3X5AWG	134/0.4	18.9	789.97	1.070 Ω/km
ANM10.001.04.005AB	UL21320	1000V	4X5AWG	134/0.4	21.8	1047.47	1.070 Ω/km
ANM10.001.05.005AB	UL21320	1000V	5X5AWG	134/0.4	23.9	1279.07	1.070 Ω/km
ANM10.001.06.005AB	UL21320	1000V	6X5AWG	134/0.4	26.1	1527.77	1.070 Ω/km
ANM10.001.07.005AB	UL21320	1000V	7X5AWG	134/0.4	26.1	1644.67	1.070 Ω/km
ANM10.001.02.004AB	UL21320	1000V	2X4AWG	169/0.4	21.3	853.35	0.8481 Ω/km
ANM10.001.03.004AB	UL21320	1000V	3X4AWG	169/0.4	22.7	1074.45	0.8481 Ω/km
ANM10.001.04.004AB	UL21320	1000V	4X4AWG	169/0.4	25	1353.35	0.8481 Ω/km
ANM10.001.05.004AB	UL21320	1000V	5X4AWG	169/0.4	27.4	1651.35	0.8481 Ω/km
ANM10.001.06.004AB	UL21320	1000V	6X4AWG	169/0.4	31	2049.95	0.8481 Ω/km
ANM10.001.07.004AB	UL21320	1000V	7X4AWG	169/0.4	31	2197.65	0.8481 Ω/km
ANM10.001.02.003AB	UL21320	1000V	2X3AWG	213/0.4	22.9	1020.67	0.6727 Ω/km
ANM10.001.03.003AB	UL21320	1000V	3X3AWG	213/0.4	24.4	1291.77	0.6727 Ω/km
ANM10.001.04.003AB	UL21320	1000V	4X3AWG	213/0.4	26.9	1631.27	0.6727 Ω/km
ANM10.001.05.003AB	UL21320	1000V	5X3AWG	213/0.4	30.6	2071.67	0.6727 Ω/km
ANM10.001.06.003AB	UL21320	1000V	6X3AWG	213/0.4	33.4	2472.57	0.6727 Ω/km
ANM10.001.07.003AB	UL21320	1000V	7X3AWG	213/0.4	33.4	2658.87	0.6727 Ω/km
ANM10.001.02.002AB	UL21320	1000V	2X2AWG	268/0.4	24.7	1227.22	0.5335 Ω/km
ANM10.001.03.002AB	UL21320	1000V	3X2AWG	268/0.4	26.4	1565.92	0.5335 Ω/km
ANM10.001.04.002AB	UL21320	1000V	4X2AWG	268/0.4	30.1	2050.32	0.5335 Ω/km



ANM10.001.05.002AB	UL21320	1000V	5X2AWG	268/0.4	33	2504.52	0.5335 Ω/km
ANM10.001.06.002AB	UL21320	1000V	6X2AWG	268/0.4	36.4	3022.22	0.5335 Ω/km
ANM10.001.07.002AB	UL21320	1000V	7X2AWG	268/0.4	36.4	3257.02	0.5335 Ω/km
ANM10.001.02.001AB	UL21320	1000V	2X1AWG	338/0.4	27.3	1525.31	0.4230 Ω/km
ANM10.001.03.001AB	UL21320	1000V	3X1AWG	338/0.4	30.2	2022.81	0.4230 Ω/km
ANM10.001.04.001AB	UL21320	1000V	4X1AWG	338/0.4	33.2	2549.31	0.4230 Ω/km
ANM10.001.05.001AB	UL21320	1000V	5X1AWG	338/0.4	36.8	3150.21	0.4230 Ω/km
ANM10.001.06.001AB	UL21320	1000V	6X1AWG	338/0.4	40.3	3772.61	0.4230 Ω/km
ANM10.001.07.001AB	UL21320	1000V	7X1AWG	338/0.4	40.3	4071.21	0.4230 Ω/km
ANM10.001.02.1/0AB	UL21320	1000V	2X1/0AWG	426/0.4	30.9	1933.99	0.3354 Ω/km
ANM10.001.03.1/0AB	UL21320	1000V	3X1/0AWG	426/0.4	33	2467.09	0.3354 Ω/km
ANM10.001.04.1/0AB	UL21320	1000V	4X1/0AWG	426/0.4	36.6	3139.89	0.3354 Ω/km
ANM10.001.05.1/0AB	UL21320	1000V	5X1/0AWG	426/0.4	40.3	3853.59	0.3354 Ω/km
ANM10.001.06.1/0AB	UL21320	1000V	6X1/0AWG	426/0.4	45.6	4770.69	0.3354 Ω/km
ANM10.001.07.1/0AB	UL21320	1000V	7X1/0AWG	426/0.4	45.6	5142.99	0.3354 Ω/km
ANM10.001.02.2/0AB	UL21320	1000V	2X2/0AWG	537/0.4	33.5	2341.83	0.2660 Ω/km
ANM10.001.03.2/0AB	UL21320	1000V	3X2/0AWG	537/0.4	36.1	3027.73	0.2660 Ω/km
ANM10.001.04.2/0AB	UL21320	1000V	4X2/0AWG	537/0.4	39.8	3833.63	0.2660 Ω/km
ANM10.001.05.2/0AB	UL21320	1000V	5X2/0AWG	537/0.4	45.3	4862.63	0.2660 Ω/km
ANM10.001.06.2/0AB	UL21320	1000V	6X2/0AWG	537/0.4	49.5	5809.83	0.2660 Ω/km
ANM10.001.07.2/0AB	UL21320	1000V	7X2/0AWG	537/0.4	49.5	6278.63	0.2660 Ω/km
ANM10.001.02.3/0AB	UL21320	1000V	2X3/0AWG	677/0.4	36.4	2856.21	0.2110 Ω/km
ANM10.001.03.3/0AB	UL21320	1000V	3X3/0AWG	677/0.4	38.9	3677.91	0.2110 Ω/km
ANM10.001.04.3/0AB	UL21320	1000V	4X3/0AWG	677/0.4	44.3	4811.01	0.2110 Ω/km
ANM10.001.05.3/0AB	UL21320	1000V	5X3/0AWG	677/0.4	48.8	5910.11	0.2110 Ω/km
ANM10.001.06.3/0AB	UL21320	1000V	6X3/0AWG	677/0.4	53.4	7070.91	0.2110 Ω/km
ANM10.001.07.3/0AB	UL21320	1000V	7X3/0AWG	677/0.4	53.4	7666.41	0.2110 Ω/km
ANM10.001.02.4/0AB	UL21320	1000V	2X4/0AWG	854/0.4	39.6	3481.8	0.1673 Ω/km
ANM10.001.03.4/0AB	UL21320	1000V	3X4/0AWG	854/0.4	42.3	4498.7	0.1673 Ω/km
ANM10.001.04.4/0AB	UL21320	1000V	4X4/0AWG	854/0.4	48.2	5889.3	0.1673 Ω/km
ANM10.001.05.4/0AB	UL21320	1000V	5X4/0AWG	854/0.4	53.1	7237.4	0.1673 Ω/km
ANM10.001.06.4/0AB	UL21320	1000V	6X4/0AWG	854/0.4	58.2	8671.4	0.1673 Ω/km
ANM10.001.07.4/0AB	UL21320	1000V	7X4/0AWG	854/0.4	58.2	9422.8	0.1673 Ω/km
ANM10.001.02.250kV	UL21320	1000V	2X250Kcmil	1007/0.4	45.2	4330.5	0.1416 Ω/km
ANM10.001.03.250kV	UL21320	1000V	3X250Kcmil	1007/0.4	48.2	5548.8	0.1416 Ω/km
ANM10.001.04.250kV	UL21320	1000V	4X250Kcmil	1007/0.4	53.2	7039.8	0.1416 Ω/km
ANM10.001.05.250kV	UL21320	1000V	5X250Kcmil	1007/0.4	58.8	8675.9	0.1416 Ω/km
ANM10.001.02.300kV	UL21320	1000V	2X300Kcmil	1184/0.4	47.4	4982.9	0.1180 Ω/km
ANM10.001.03.300kV	UL21320	1000V	3X300Kcmil	1184/0.4	50.6	6432.9	0.1180 Ω/km
ANM10.001.04.300kV	UL21320	1000V	4X300Kcmil	1184/0.4	55.9	8184.5	0.1180 Ω/km
ANM10.001.05.300kV	UL21320	1000V	5X300Kcmil	1184/0.4	61.7	10078.2	0.1180 Ω/km
ANM10.001.02.350kV	UL21320	1000V	2X350Kcmil	1406/0.4	50.4	5701.3	0.1011 Ω/km



ANM10.001.03.350kV	UL21320	1000V	3X350Kcmil	1406/0.4	53.8	7370.9	0.1011 Ω /km
ANM10.001.04.350kV	UL21320	1000V	4X350Kcmil	1406/0.4	59.5	9391.2	0.1011 Ω /km
ANM10.001.02.400kV	UL21320	1000V	2X400Kcmil	1628/0.4	53.4	6450.7	0.08851 Ω /km
ANM10.001.03.400kV	UL21320	1000V	3X400Kcmil	1628/0.4	57.1	8360.4	0.08851 Ω /km
ANM10.001.02.450kV	UL21320	1000V	2X450Kcmil	1830/0.4	55.8	7141.3	0.07867 Ω /km
ANM10.001.03.450kV	UL21320	1000V	3X450Kcmil	1830/0.4	59.6	9262.1	0.07867 Ω /km

