



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω /km
芯线 XLPE 材质							
ANM10.008.02.022AB	UL21320	1000V	2X22AWG	22/0.14	8	87.23	55.4 Ω /km
ANM10.008.03.022AB	UL21320	1000V	3X22AWG	22/0.14	8.4	97.53	55.4 Ω /km
ANM10.008.04.022AB	UL21320	1000V	4X22AWG	22/0.14	9	113.03	55.4 Ω /km
ANM10.008.05.022AB	UL21320	1000V	5X22AWG	22/0.14	9.7	131.73	55.4 Ω /km
ANM10.008.06.022AB	UL21320	1000V	6X22AWG	22/0.14	10.4	151.63	55.4 Ω /km
ANM10.008.07.022AB	UL21320	1000V	7X22AWG	22/0.14	10.4	153.73	55.4 Ω /km
ANM10.008.08.022AB	UL21320	1000V	8X22AWG	22/0.14	11.2	177.53	55.4 Ω /km
ANM10.008.09.022AB	UL21320	1000V	9X22AWG	22/0.14	12.1	205.93	55.4 Ω /km
ANM10.008.10.022AB	UL21320	1000V	10X22AWG	22/0.14	12.8	229.83	55.4 Ω /km
ANM10.008.11.022AB	UL21320	1000V	11X22AWG	22/0.14	13.2	245.13	55.4 Ω /km
ANM10.008.12.022AB	UL21320	1000V	12X22AWG	22/0.14	13.2	247.13	55.4 Ω /km
ANM10.008.13.022AB	UL21320	1000V	13X22AWG	22/0.14	13.8	269.63	55.4 Ω /km
ANM10.008.14.022AB	UL21320	1000V	14X22AWG	22/0.14	13.8	271.63	55.4 Ω /km
ANM10.008.15.022AB	UL21320	1000V	15X22AWG	22/0.14	14.5	298.53	55.4 Ω /km
ANM10.008.16.022AB	UL21320	1000V	16X22AWG	22/0.14	14.5	300.73	55.4 Ω /km
ANM10.008.17.022AB	UL21320	1000V	17X22AWG	22/0.14	15.2	328.53	55.4 Ω /km
ANM10.008.18.022AB	UL21320	1000V	18X22AWG	22/0.14	15.2	330.83	55.4 Ω /km
ANM10.008.19.022AB	UL21320	1000V	19X22AWG	22/0.14	15.2	332.93	55.4 Ω /km
ANM10.008.20.022AB	UL21320	1000V	20X22AWG	22/0.14	15.6	350.33	55.4 Ω /km
ANM10.008.21.022AB	UL21320	1000V	21X22AWG	22/0.14	16	368.23	55.4 Ω /km
ANM10.008.22.022AB	UL21320	1000V	22X22AWG	22/0.14	16.9	407.13	55.4 Ω /km
ANM10.008.23.022AB	UL21320	1000V	23X22AWG	22/0.14	17.6	439.13	55.4 Ω /km
ANM10.008.24.022AB	UL21320	1000V	24X22AWG	22/0.14	17.6	441.33	55.4 Ω /km
ANM10.008.25.022AB	UL21320	1000V	25X22AWG	22/0.14	18	461.23	55.4 Ω /km
ANM10.008.26.022AB	UL21320	1000V	26X22AWG	22/0.14	18	463.33	55.4 Ω /km
ANM10.008.27.022AB	UL21320	1000V	27X22AWG	22/0.14	18	465.53	55.4 Ω /km
ANM10.008.28.022AB	UL21320	1000V	28X22AWG	22/0.14	18.6	494.63	55.4 Ω /km
ANM10.008.29.022AB	UL21320	1000V	29X22AWG	22/0.14	18.6	496.93	55.4 Ω /km
ANM10.008.30.022AB	UL21320	1000V	30X22AWG	22/0.14	18.6	499.03	55.4 Ω /km
ANM10.008.31.022AB	UL21320	1000V	31X22AWG	22/0.14	19.3	533.83	55.4 Ω /km
ANM10.008.32.022AB	UL21320	1000V	32X22AWG	22/0.14	19.3	536.13	55.4 Ω /km
ANM10.008.33.022AB	UL21320	1000V	33X22AWG	22/0.14	19.3	538.23	55.4 Ω /km
ANM10.008.34.022AB	UL21320	1000V	34X22AWG	22/0.14	21	622.93	55.4 Ω /km
ANM10.008.35.022AB	UL21320	1000V	35X22AWG	22/0.14	21	625.13	55.4 Ω /km
ANM10.008.36.022AB	UL21320	1000V	36X22AWG	22/0.14	21	627.33	55.4 Ω /km
ANM10.008.37.022AB	UL21320	1000V	37X22AWG	22/0.14	21	629.33	55.4 Ω /km
ANM10.008.38.022AB	UL21320	1000V	38X22AWG	22/0.14	21.8	673.73	55.4 Ω /km
ANM10.008.39.022AB	UL21320	1000V	39X22AWG	22/0.14	21.8	675.93	55.4 Ω /km
ANM10.008.40.022AB	UL21320	1000V	40X22AWG	22/0.14	21.8	678.03	55.4 Ω /km



ANM10.008.41.022AB	UL21320	1000V	41X22AWG	22/0.14	23.4	769.23	55.4 Ω/km
ANM10.008.42.022AB	UL21320	1000V	42X22AWG	22/0.14	23.4	771.33	55.4 Ω/km
ANM10.008.43.022AB	UL21320	1000V	43X22AWG	22/0.14	23.4	773.53	55.4 Ω/km
ANM10.008.44.022AB	UL21320	1000V	44X22AWG	22/0.14	23.4	775.63	55.4 Ω/km
ANM10.008.45.022AB	UL21320	1000V	45X22AWG	22/0.14	23.8	800.93	55.4 Ω/km
ANM10.008.46.022AB	UL21320	1000V	46X22AWG	22/0.14	23.8	803.23	55.4 Ω/km
ANM10.008.47.022AB	UL21320	1000V	47X22AWG	22/0.14	23.8	805.33	55.4 Ω/km
ANM10.008.48.022AB	UL21320	1000V	48X22AWG	22/0.14	23.8	807.43	55.4 Ω/km
ANM10.008.49.022AB	UL21320	1000V	49X22AWG	22/0.14	24.4	845.13	55.4 Ω/km
ANM10.008.50.022AB	UL21320	1000V	50X22AWG	22/0.14	24.4	847.43	55.4 Ω/km
ANM10.008.51.022AB	UL21320	1000V	51X22AWG	22/0.14	24.4	849.43	55.4 Ω/km
ANM10.008.52.022AB	UL21320	1000V	52X22AWG	22/0.14	24.4	851.63	55.4 Ω/km
ANM10.008.53.022AB	UL21320	1000V	53X22AWG	22/0.14	25.1	896.33	55.4 Ω/km
ANM10.008.54.022AB	UL21320	1000V	54X22AWG	22/0.14	25.1	898.43	55.4 Ω/km
ANM10.008.55.022AB	UL21320	1000V	55X22AWG	22/0.14	25.1	900.73	55.4 Ω/km
ANM10.008.56.022AB	UL21320	1000V	56X22AWG	22/0.14	25.1	902.73	55.4 Ω/km
ANM10.008.57.022AB	UL21320	1000V	57X22AWG	22/0.14	25.8	948.73	55.4 Ω/km
ANM10.008.58.022AB	UL21320	1000V	58X22AWG	22/0.14	25.8	950.83	55.4 Ω/km
ANM10.008.59.022AB	UL21320	1000V	59X22AWG	22/0.14	25.8	952.93	55.4 Ω/km
ANM10.008.60.022AB	UL21320	1000V	60X22AWG	22/0.14	25.8	955.13	55.4 Ω/km
ANM10.008.61.022AB	UL21320	1000V	61X22AWG	22/0.14	25.8	957.33	55.4 Ω/km
ANM10.008.62.022AB	UL21320	1000V	62X22AWG	22/0.14	26.6	1011.03	55.4 Ω/km
ANM10.008.63.022AB	UL21320	1000V	63X22AWG	22/0.14	26.6	1013.13	55.4 Ω/km
ANM10.008.64.022AB	UL21320	1000V	64X22AWG	22/0.14	26.6	1015.23	55.4 Ω/km
ANM10.008.65.022AB	UL21320	1000V	65X22AWG	22/0.14	26.6	1017.43	55.4 Ω/km
ANM10.008.02.021AB	UL21320	1000V	2X21AWG	27/0.14	8.2	92.42	43.6 Ω/km
ANM10.008.03.021AB	UL21320	1000V	3X21AWG	27/0.14	8.6	103.82	43.6 Ω/km
ANM10.008.04.021AB	UL21320	1000V	4X21AWG	27/0.14	9.3	122.42	43.6 Ω/km
ANM10.008.05.021AB	UL21320	1000V	5X21AWG	27/0.14	10	142.32	43.6 Ω/km
ANM10.008.06.021AB	UL21320	1000V	6X21AWG	27/0.14	10.7	163.32	43.6 Ω/km
ANM10.008.07.021AB	UL21320	1000V	7X21AWG	27/0.14	10.7	166.12	43.6 Ω/km
ANM10.008.08.021AB	UL21320	1000V	8X21AWG	27/0.14	11.5	191.12	43.6 Ω/km
ANM10.008.09.021AB	UL21320	1000V	9X21AWG	27/0.14	12.5	223.92	43.6 Ω/km
ANM10.008.10.021AB	UL21320	1000V	10X21AWG	27/0.14	13.2	249.12	43.6 Ω/km
ANM10.008.11.021AB	UL21320	1000V	11X21AWG	27/0.14	13.6	265.22	43.6 Ω/km
ANM10.008.12.021AB	UL21320	1000V	12X21AWG	27/0.14	13.6	268.02	43.6 Ω/km
ANM10.008.13.021AB	UL21320	1000V	13X21AWG	27/0.14	14.3	295.12	43.6 Ω/km
ANM10.008.14.021AB	UL21320	1000V	14X21AWG	27/0.14	14.3	298.02	43.6 Ω/km
ANM10.008.15.021AB	UL21320	1000V	15X21AWG	27/0.14	15	326.22	43.6 Ω/km
ANM10.008.16.021AB	UL21320	1000V	16X21AWG	27/0.14	15	328.92	43.6 Ω/km
ANM10.008.17.021AB	UL21320	1000V	17X21AWG	27/0.14	15.7	358.42	43.6 Ω/km
ANM10.008.18.021AB	UL21320	1000V	18X21AWG	27/0.14	15.7	361.22	43.6 Ω/km



ANM10.008.19.021AB	UL21320	1000V	19X21AWG	27/0.14	15.7	364.02	43.6 Ω/km
ANM10.008.20.021AB	UL21320	1000V	20X21AWG	27/0.14	16.1	382.52	43.6 Ω/km
ANM10.008.21.021AB	UL21320	1000V	21X21AWG	27/0.14	16.5	401.42	43.6 Ω/km
ANM10.008.22.021AB	UL21320	1000V	22X21AWG	27/0.14	17.5	446.32	43.6 Ω/km
ANM10.008.23.021AB	UL21320	1000V	23X21AWG	27/0.14	18.2	479.92	43.6 Ω/km
ANM10.008.24.021AB	UL21320	1000V	24X21AWG	27/0.14	18.2	482.82	43.6 Ω/km
ANM10.008.25.021AB	UL21320	1000V	25X21AWG	27/0.14	18.6	503.72	43.6 Ω/km
ANM10.008.26.021AB	UL21320	1000V	26X21AWG	27/0.14	18.6	506.62	43.6 Ω/km
ANM10.008.27.021AB	UL21320	1000V	27X21AWG	27/0.14	18.6	509.32	43.6 Ω/km
ANM10.008.28.021AB	UL21320	1000V	28X21AWG	27/0.14	19.3	544.82	43.6 Ω/km
ANM10.008.29.021AB	UL21320	1000V	29X21AWG	27/0.14	19.3	547.62	43.6 Ω/km
ANM10.008.30.021AB	UL21320	1000V	30X21AWG	27/0.14	19.3	550.32	43.6 Ω/km
ANM10.008.31.021AB	UL21320	1000V	31X21AWG	27/0.14	21	635.72	43.6 Ω/km
ANM10.008.32.021AB	UL21320	1000V	32X21AWG	27/0.14	21	638.42	43.6 Ω/km
ANM10.008.33.021AB	UL21320	1000V	33X21AWG	27/0.14	21	641.22	43.6 Ω/km
ANM10.008.34.021AB	UL21320	1000V	34X21AWG	27/0.14	21.7	680.82	43.6 Ω/km
ANM10.008.35.021AB	UL21320	1000V	35X21AWG	27/0.14	21.7	683.62	43.6 Ω/km
ANM10.008.36.021AB	UL21320	1000V	36X21AWG	27/0.14	21.7	686.32	43.6 Ω/km
ANM10.008.37.021AB	UL21320	1000V	37X21AWG	27/0.14	21.7	689.12	43.6 Ω/km
ANM10.008.38.021AB	UL21320	1000V	38X21AWG	27/0.14	22.5	735.42	43.6 Ω/km
ANM10.008.39.021AB	UL21320	1000V	39X21AWG	27/0.14	22.5	738.22	43.6 Ω/km
ANM10.008.40.021AB	UL21320	1000V	40X21AWG	27/0.14	22.5	741.02	43.6 Ω/km
ANM10.008.41.021AB	UL21320	1000V	41X21AWG	27/0.14	24.2	841.32	43.6 Ω/km
ANM10.008.42.021AB	UL21320	1000V	42X21AWG	27/0.14	24.2	844.22	43.6 Ω/km
ANM10.008.43.021AB	UL21320	1000V	43X21AWG	27/0.14	24.2	846.92	43.6 Ω/km
ANM10.008.44.021AB	UL21320	1000V	44X21AWG	27/0.14	24.2	849.72	43.6 Ω/km
ANM10.008.45.021AB	UL21320	1000V	45X21AWG	27/0.14	24.6	876.42	43.6 Ω/km
ANM10.008.46.021AB	UL21320	1000V	46X21AWG	27/0.14	24.6	879.12	43.6 Ω/km
ANM10.008.47.021AB	UL21320	1000V	47X21AWG	27/0.14	24.6	881.92	43.6 Ω/km
ANM10.008.48.021AB	UL21320	1000V	48X21AWG	27/0.14	24.6	884.72	43.6 Ω/km
ANM10.008.49.021AB	UL21320	1000V	49X21AWG	27/0.14	25.3	930.42	43.6 Ω/km
ANM10.008.50.021AB	UL21320	1000V	50X21AWG	27/0.14	25.3	933.12	43.6 Ω/km
ANM10.008.51.021AB	UL21320	1000V	51X21AWG	27/0.14	25.3	935.92	43.6 Ω/km
ANM10.008.52.021AB	UL21320	1000V	52X21AWG	27/0.14	25.3	938.72	43.6 Ω/km
ANM10.008.53.021AB	UL21320	1000V	53X21AWG	27/0.14	26	985.62	43.6 Ω/km
ANM10.008.54.021AB	UL21320	1000V	54X21AWG	27/0.14	26	988.32	43.6 Ω/km
ANM10.008.55.021AB	UL21320	1000V	55X21AWG	27/0.14	26	991.12	43.6 Ω/km
ANM10.008.56.021AB	UL21320	1000V	56X21AWG	27/0.14	26	993.92	43.6 Ω/km
ANM10.008.57.021AB	UL21320	1000V	57X21AWG	27/0.14	26.7	1041.92	43.6 Ω/km
ANM10.008.58.021AB	UL21320	1000V	58X21AWG	27/0.14	26.7	1044.72	43.6 Ω/km
ANM10.008.59.021AB	UL21320	1000V	59X21AWG	27/0.14	26.7	1047.52	43.6 Ω/km
ANM10.008.60.021AB	UL21320	1000V	60X21AWG	27/0.14	26.7	1050.22	43.6 Ω/km



ANM10.008.61.021AB	UL21320	1000V	61X21AWG	27/0.14	26.7	1053.02	43.6 Ω/km
ANM10.008.62.021AB	UL21320	1000V	62X21AWG	27/0.14	27.5	1108.92	43.6 Ω/km
ANM10.008.63.021AB	UL21320	1000V	63X21AWG	27/0.14	27.5	1111.82	43.6 Ω/km
ANM10.008.64.021AB	UL21320	1000V	64X21AWG	27/0.14	27.5	1114.52	43.6 Ω/km
ANM10.008.65.021AB	UL21320	1000V	65X21AWG	27/0.14	27.5	1117.22	43.6 Ω/km
ANM10.008.02.020AB	UL21320	1000V	2X20AWG	34/0.14	8.4	98.42	34.6 Ω/km
ANM10.008.03.020AB	UL21320	1000V	3X20AWG	34/0.14	8.9	112.82	34.6 Ω/km
ANM10.008.04.020AB	UL21320	1000V	4X20AWG	34/0.14	9.5	130.32	34.6 Ω/km
ANM10.008.05.020AB	UL21320	1000V	5X20AWG	34/0.14	10.3	153.92	34.6 Ω/km
ANM10.008.06.020AB	UL21320	1000V	6X20AWG	34/0.14	11	176.22	34.6 Ω/km
ANM10.008.07.020AB	UL21320	1000V	7X20AWG	34/0.14	11	179.72	34.6 Ω/km
ANM10.008.08.020AB	UL21320	1000V	8X20AWG	34/0.14	11.8	206.12	34.6 Ω/km
ANM10.008.09.020AB	UL21320	1000V	9X20AWG	34/0.14	12.9	243.62	34.6 Ω/km
ANM10.008.10.020AB	UL21320	1000V	10X20AWG	34/0.14	13.6	270.32	34.6 Ω/km
ANM10.008.11.020AB	UL21320	1000V	11X20AWG	34/0.14	14.1	291.12	34.6 Ω/km
ANM10.008.12.020AB	UL21320	1000V	12X20AWG	34/0.14	14.1	294.72	34.6 Ω/km
ANM10.008.13.020AB	UL21320	1000V	13X20AWG	34/0.14	14.7	319.62	34.6 Ω/km
ANM10.008.14.020AB	UL21320	1000V	14X20AWG	34/0.14	14.7	323.32	34.6 Ω/km
ANM10.008.15.020AB	UL21320	1000V	15X20AWG	34/0.14	15.5	356.82	34.6 Ω/km
ANM10.008.16.020AB	UL21320	1000V	16X20AWG	34/0.14	15.5	360.32	34.6 Ω/km
ANM10.008.17.020AB	UL21320	1000V	17X20AWG	34/0.14	16.2	391.42	34.6 Ω/km
ANM10.008.18.020AB	UL21320	1000V	18X20AWG	34/0.14	16.2	394.92	34.6 Ω/km
ANM10.008.19.020AB	UL21320	1000V	19X20AWG	34/0.14	16.2	398.52	34.6 Ω/km
ANM10.008.20.020AB	UL21320	1000V	20X20AWG	34/0.14	16.7	422.42	34.6 Ω/km
ANM10.008.21.020AB	UL21320	1000V	21X20AWG	34/0.14	17	438.52	34.6 Ω/km
ANM10.008.22.020AB	UL21320	1000V	22X20AWG	34/0.14	18.1	489.82	34.6 Ω/km
ANM10.008.23.020AB	UL21320	1000V	23X20AWG	34/0.14	18.8	525.32	34.6 Ω/km
ANM10.008.24.020AB	UL21320	1000V	24X20AWG	34/0.14	18.8	528.92	34.6 Ω/km
ANM10.008.25.020AB	UL21320	1000V	25X20AWG	34/0.14	19.3	555.92	34.6 Ω/km
ANM10.008.26.020AB	UL21320	1000V	26X20AWG	34/0.14	19.3	559.42	34.6 Ω/km
ANM10.008.27.020AB	UL21320	1000V	27X20AWG	34/0.14	19.3	562.82	34.6 Ω/km
ANM10.008.28.020AB	UL21320	1000V	28X20AWG	34/0.14	20.9	644.02	34.6 Ω/km
ANM10.008.29.020AB	UL21320	1000V	29X20AWG	34/0.14	20.9	647.52	34.6 Ω/km
ANM10.008.30.020AB	UL21320	1000V	30X20AWG	34/0.14	20.9	651.02	34.6 Ω/km
ANM10.008.31.020AB	UL21320	1000V	31X20AWG	34/0.14	21.7	696.42	34.6 Ω/km
ANM10.008.32.020AB	UL21320	1000V	32X20AWG	34/0.14	21.7	700.02	34.6 Ω/km
ANM10.008.33.020AB	UL21320	1000V	33X20AWG	34/0.14	21.7	703.62	34.6 Ω/km
ANM10.008.34.020AB	UL21320	1000V	34X20AWG	34/0.14	22.4	745.12	34.6 Ω/km
ANM10.008.35.020AB	UL21320	1000V	35X20AWG	34/0.14	22.4	748.72	34.6 Ω/km
ANM10.008.36.020AB	UL21320	1000V	36X20AWG	34/0.14	22.4	752.22	34.6 Ω/km
ANM10.008.37.020AB	UL21320	1000V	37X20AWG	34/0.14	22.4	755.82	34.6 Ω/km
ANM10.008.38.020AB	UL21320	1000V	38X20AWG	34/0.14	23.2	804.22	34.6 Ω/km



ANM10.008.39.020AB	UL21320	1000V	39X20AWG	34/0.14	23.2	807.72	34.6Ω/km
ANM10.008.40.020AB	UL21320	1000V	40X20AWG	34/0.14	23.2	811.32	34.6Ω/km
ANM10.008.41.020AB	UL21320	1000V	41X20AWG	34/0.14	25	921.52	34.6Ω/km
ANM10.008.42.020AB	UL21320	1000V	42X20AWG	34/0.14	25	925.02	34.6Ω/km
ANM10.008.43.020AB	UL21320	1000V	43X20AWG	34/0.14	25	928.62	34.6Ω/km
ANM10.008.44.020AB	UL21320	1000V	44X20AWG	34/0.14	25	932.12	34.6Ω/km
ANM10.008.45.020AB	UL21320	1000V	45X20AWG	34/0.14	25.5	966.62	34.6Ω/km
ANM10.008.46.020AB	UL21320	1000V	46X20AWG	34/0.14	25.5	970.22	34.6Ω/km
ANM10.008.47.020AB	UL21320	1000V	47X20AWG	34/0.14	25.5	973.82	34.6Ω/km
ANM10.008.48.020AB	UL21320	1000V	48X20AWG	34/0.14	25.5	977.32	34.6Ω/km
ANM10.008.49.020AB	UL21320	1000V	49X20AWG	34/0.14	26.1	1018.82	34.6Ω/km
ANM10.008.50.020AB	UL21320	1000V	50X20AWG	34/0.14	26.1	1022.52	34.6Ω/km
ANM10.008.51.020AB	UL21320	1000V	51X20AWG	34/0.14	26.1	1026.02	34.6Ω/km
ANM10.008.52.020AB	UL21320	1000V	52X20AWG	34/0.14	26.1	1029.52	34.6Ω/km
ANM10.008.53.020AB	UL21320	1000V	53X20AWG	34/0.14	26.9	1085.12	34.6Ω/km
ANM10.008.54.020AB	UL21320	1000V	54X20AWG	34/0.14	26.9	1088.52	34.6Ω/km
ANM10.008.55.020AB	UL21320	1000V	55X20AWG	34/0.14	26.9	1092.12	34.6Ω/km
ANM10.008.56.020AB	UL21320	1000V	56X20AWG	34/0.14	26.9	1095.72	34.6Ω/km
ANM10.008.57.020AB	UL21320	1000V	57X20AWG	34/0.14	27.6	1146.02	34.6Ω/km
ANM10.008.58.020AB	UL21320	1000V	58X20AWG	34/0.14	27.6	1149.52	34.6Ω/km
ANM10.008.59.020AB	UL21320	1000V	59X20AWG	34/0.14	27.6	1153.12	34.6Ω/km
ANM10.008.60.020AB	UL21320	1000V	60X20AWG	34/0.14	27.6	1156.62	34.6Ω/km
ANM10.008.61.020AB	UL21320	1000V	61X20AWG	34/0.14	27.6	1160.12	34.6Ω/km
ANM10.008.62.020AB	UL21320	1000V	62X20AWG	34/0.14	28.4	1218.62	34.6Ω/km
ANM10.008.63.020AB	UL21320	1000V	63X20AWG	34/0.14	28.4	1222.12	34.6Ω/km
ANM10.008.64.020AB	UL21320	1000V	64X20AWG	34/0.14	28.4	1225.82	34.6Ω/km
ANM10.008.65.020AB	UL21320	1000V	65X20AWG	34/0.14	28.4	1229.32	34.6Ω/km
ANM10.008.02.019AB	UL21320	1000V	2X19AWG	43/0.14	8.6	104.86	27.4Ω/km
ANM10.008.03.019AB	UL21320	1000V	3X19AWG	43/0.14	9.1	120.66	27.4Ω/km
ANM10.008.04.019AB	UL21320	1000V	4X19AWG	43/0.14	9.8	141.86	27.4Ω/km
ANM10.008.05.019AB	UL21320	1000V	5X19AWG	43/0.14	10.5	164.26	27.4Ω/km
ANM10.008.06.019AB	UL21320	1000V	6X19AWG	43/0.14	11.3	190.86	27.4Ω/km
ANM10.008.07.019AB	UL21320	1000V	7X19AWG	43/0.14	11.3	195.36	27.4Ω/km
ANM10.008.08.019AB	UL21320	1000V	8X19AWG	43/0.14	12.2	226.36	27.4Ω/km
ANM10.008.09.019AB	UL21320	1000V	9X19AWG	43/0.14	13.2	262.46	27.4Ω/km
ANM10.008.10.019AB	UL21320	1000V	10X19AWG	43/0.14	14	294.16	27.4Ω/km
ANM10.008.11.019AB	UL21320	1000V	11X19AWG	43/0.14	14.5	316.46	27.4Ω/km
ANM10.008.12.019AB	UL21320	1000V	12X19AWG	43/0.14	14.5	321.06	27.4Ω/km
ANM10.008.13.019AB	UL21320	1000V	13X19AWG	43/0.14	15.2	351.26	27.4Ω/km
ANM10.008.14.019AB	UL21320	1000V	14X19AWG	43/0.14	15.2	355.86	27.4Ω/km
ANM10.008.15.019AB	UL21320	1000V	15X19AWG	43/0.14	15.9	387.46	27.4Ω/km
ANM10.008.16.019AB	UL21320	1000V	16X19AWG	43/0.14	15.9	391.96	27.4Ω/km



ANM10.008.17.019AB	UL21320	1000V	17X19AWG	43/0.14	16.7	428.86	27.4Ω/km
ANM10.008.18.019AB	UL21320	1000V	18X19AWG	43/0.14	16.7	433.46	27.4Ω/km
ANM10.008.19.019AB	UL21320	1000V	19X19AWG	43/0.14	16.7	437.86	27.4Ω/km
ANM10.008.20.019AB	UL21320	1000V	20X19AWG	43/0.14	17.2	463.46	27.4Ω/km
ANM10.008.21.019AB	UL21320	1000V	21X19AWG	43/0.14	17.6	485.16	27.4Ω/km
ANM10.008.22.019AB	UL21320	1000V	22X19AWG	43/0.14	18.6	534.56	27.4Ω/km
ANM10.008.23.019AB	UL21320	1000V	23X19AWG	43/0.14	19.4	576.66	27.4Ω/km
ANM10.008.24.019AB	UL21320	1000V	24X19AWG	43/0.14	19.4	581.16	27.4Ω/km
ANM10.008.25.019AB	UL21320	1000V	25X19AWG	43/0.14	20.9	658.36	27.4Ω/km
ANM10.008.26.019AB	UL21320	1000V	26X19AWG	43/0.14	20.9	662.86	27.4Ω/km
ANM10.008.27.019AB	UL21320	1000V	27X19AWG	43/0.14	20.9	667.36	27.4Ω/km
ANM10.008.28.019AB	UL21320	1000V	28X19AWG	43/0.14	21.6	708.46	27.4Ω/km
ANM10.008.29.019AB	UL21320	1000V	29X19AWG	43/0.14	21.6	712.96	27.4Ω/km
ANM10.008.30.019AB	UL21320	1000V	30X19AWG	43/0.14	21.6	717.56	27.4Ω/km
ANM10.008.31.019AB	UL21320	1000V	31X19AWG	43/0.14	22.3	759.96	27.4Ω/km
ANM10.008.32.019AB	UL21320	1000V	32X19AWG	43/0.14	22.3	764.46	27.4Ω/km
ANM10.008.33.019AB	UL21320	1000V	33X19AWG	43/0.14	22.3	768.96	27.4Ω/km
ANM10.008.34.019AB	UL21320	1000V	34X19AWG	43/0.14	23.1	818.26	27.4Ω/km
ANM10.008.35.019AB	UL21320	1000V	35X19AWG	43/0.14	23.1	822.76	27.4Ω/km
ANM10.008.36.019AB	UL21320	1000V	36X19AWG	43/0.14	23.1	827.36	27.4Ω/km
ANM10.008.37.019AB	UL21320	1000V	37X19AWG	43/0.14	23.1	831.86	27.4Ω/km
ANM10.008.38.019AB	UL21320	1000V	38X19AWG	43/0.14	24	888.46	27.4Ω/km
ANM10.008.39.019AB	UL21320	1000V	39X19AWG	43/0.14	24	892.96	27.4Ω/km
ANM10.008.40.019AB	UL21320	1000V	40X19AWG	43/0.14	24	897.56	27.4Ω/km
ANM10.008.41.019AB	UL21320	1000V	41X19AWG	43/0.14	25.8	1012.06	27.4Ω/km
ANM10.008.42.019AB	UL21320	1000V	42X19AWG	43/0.14	25.8	1016.66	27.4Ω/km
ANM10.008.43.019AB	UL21320	1000V	43X19AWG	43/0.14	25.8	1021.16	27.4Ω/km
ANM10.008.44.019AB	UL21320	1000V	44X19AWG	43/0.14	25.8	1025.76	27.4Ω/km
ANM10.008.45.019AB	UL21320	1000V	45X19AWG	43/0.14	26.3	1062.26	27.4Ω/km
ANM10.008.46.019AB	UL21320	1000V	46X19AWG	43/0.14	26.3	1066.86	27.4Ω/km
ANM10.008.47.019AB	UL21320	1000V	47X19AWG	43/0.14	26.3	1071.36	27.4Ω/km
ANM10.008.48.019AB	UL21320	1000V	48X19AWG	43/0.14	26.3	1075.96	27.4Ω/km
ANM10.008.49.019AB	UL21320	1000V	49X19AWG	43/0.14	27	1126.16	27.4Ω/km
ANM10.008.50.019AB	UL21320	1000V	50X19AWG	43/0.14	27	1130.76	27.4Ω/km
ANM10.008.51.019AB	UL21320	1000V	51X19AWG	43/0.14	27	1135.26	27.4Ω/km
ANM10.008.52.019AB	UL21320	1000V	52X19AWG	43/0.14	27	1139.86	27.4Ω/km
ANM10.008.53.019AB	UL21320	1000V	53X19AWG	43/0.14	27.7	1191.36	27.4Ω/km
ANM10.008.54.019AB	UL21320	1000V	54X19AWG	43/0.14	27.7	1195.86	27.4Ω/km
ANM10.008.55.019AB	UL21320	1000V	55X19AWG	43/0.14	27.7	1200.46	27.4Ω/km
ANM10.008.56.019AB	UL21320	1000V	56X19AWG	43/0.14	27.7	1204.96	27.4Ω/km
ANM10.008.57.019AB	UL21320	1000V	57X19AWG	43/0.14	29.5	1333.46	27.4Ω/km
ANM10.008.58.019AB	UL21320	1000V	58X19AWG	43/0.14	29.5	1337.96	27.4Ω/km



ANM10.008.59.019AB	UL21320	1000V	59X19AWG	43/0.14	29.5	1342.46	27.4Ω/km
ANM10.008.60.019AB	UL21320	1000V	60X19AWG	43/0.14	29.5	1346.96	27.4Ω/km
ANM10.008.61.019AB	UL21320	1000V	61X19AWG	43/0.14	29.5	1351.56	27.4Ω/km
ANM10.008.62.019AB	UL21320	1000V	62X19AWG	43/0.14	30.8	1486.16	27.4Ω/km
ANM10.008.63.019AB	UL21320	1000V	63X19AWG	43/0.14	30.8	1490.76	27.4Ω/km
ANM10.008.64.019AB	UL21320	1000V	64X19AWG	43/0.14	30.8	1495.26	27.4Ω/km
ANM10.008.65.019AB	UL21320	1000V	65X19AWG	43/0.14	30.8	1499.86	27.4Ω/km
ANM10.008.02.018AB	UL21320	1000V	2X18AWG	29/0.19	8.8	112.23	21.8Ω/km
ANM10.008.03.018AB	UL21320	1000V	3X18AWG	29/0.19	9.3	129.33	21.8Ω/km
ANM10.008.04.018AB	UL21320	1000V	4X18AWG	29/0.19	10	152.33	21.8Ω/km
ANM10.008.05.018AB	UL21320	1000V	5X18AWG	29/0.19	10.8	179.13	21.8Ω/km
ANM10.008.06.018AB	UL21320	1000V	6X18AWG	29/0.19	11.6	207.33	21.8Ω/km
ANM10.008.07.018AB	UL21320	1000V	7X18AWG	29/0.19	11.6	213.23	21.8Ω/km
ANM10.008.08.018AB	UL21320	1000V	8X18AWG	29/0.19	12.5	246.33	21.8Ω/km
ANM10.008.09.018AB	UL21320	1000V	9X18AWG	29/0.19	13.6	287.93	21.8Ω/km
ANM10.008.10.018AB	UL21320	1000V	10X18AWG	29/0.19	14.4	321.73	21.8Ω/km
ANM10.008.11.018AB	UL21320	1000V	11X18AWG	29/0.19	14.9	345.73	21.8Ω/km
ANM10.008.12.018AB	UL21320	1000V	12X18AWG	29/0.19	14.9	351.53	21.8Ω/km
ANM10.008.13.018AB	UL21320	1000V	13X18AWG	29/0.19	15.6	384.03	21.8Ω/km
ANM10.008.14.018AB	UL21320	1000V	14X18AWG	29/0.19	15.6	389.83	21.8Ω/km
ANM10.008.15.018AB	UL21320	1000V	15X18AWG	29/0.19	16.4	427.63	21.8Ω/km
ANM10.008.16.018AB	UL21320	1000V	16X18AWG	29/0.19	16.4	433.43	21.8Ω/km
ANM10.008.17.018AB	UL21320	1000V	17X18AWG	29/0.19	17.2	472.43	21.8Ω/km
ANM10.008.18.018AB	UL21320	1000V	18X18AWG	29/0.19	17.2	478.33	21.8Ω/km
ANM10.008.19.018AB	UL21320	1000V	19X18AWG	29/0.19	17.2	484.33	21.8Ω/km
ANM10.008.20.018AB	UL21320	1000V	20X18AWG	29/0.19	17.7	511.83	21.8Ω/km
ANM10.008.21.018AB	UL21320	1000V	21X18AWG	29/0.19	18.1	535.23	21.8Ω/km
ANM10.008.22.018AB	UL21320	1000V	22X18AWG	29/0.19	19.2	592.03	21.8Ω/km
ANM10.008.23.018AB	UL21320	1000V	23X18AWG	29/0.19	21	685.03	21.8Ω/km
ANM10.008.24.018AB	UL21320	1000V	24X18AWG	29/0.19	21	690.93	21.8Ω/km
ANM10.008.25.018AB	UL21320	1000V	25X18AWG	29/0.19	21.5	723.03	21.8Ω/km
ANM10.008.26.018AB	UL21320	1000V	26X18AWG	29/0.19	21.5	728.73	21.8Ω/km
ANM10.008.27.018AB	UL21320	1000V	27X18AWG	29/0.19	21.5	734.63	21.8Ω/km
ANM10.008.28.018AB	UL21320	1000V	28X18AWG	29/0.19	22.2	778.23	21.8Ω/km
ANM10.008.29.018AB	UL21320	1000V	29X18AWG	29/0.19	22.2	784.13	21.8Ω/km
ANM10.008.30.018AB	UL21320	1000V	30X18AWG	29/0.19	22.2	790.03	21.8Ω/km
ANM10.008.31.018AB	UL21320	1000V	31X18AWG	29/0.19	23	840.13	21.8Ω/km
ANM10.008.32.018AB	UL21320	1000V	32X18AWG	29/0.19	23	846.03	21.8Ω/km
ANM10.008.33.018AB	UL21320	1000V	33X18AWG	29/0.19	23	852.03	21.8Ω/km
ANM10.008.34.018AB	UL21320	1000V	34X18AWG	29/0.19	23.8	903.83	21.8Ω/km
ANM10.008.35.018AB	UL21320	1000V	35X18AWG	29/0.19	23.8	909.73	21.8Ω/km
ANM10.008.36.018AB	UL21320	1000V	36X18AWG	29/0.19	23.8	915.63	21.8Ω/km



ANM10.008.37.018AB	UL21320	1000V	37X18AWG	29/0.19	23.8	921.43	21.8Ω/km
ANM10.008.38.018AB	UL21320	1000V	38X18AWG	29/0.19	24.7	981.03	21.8Ω/km
ANM10.008.39.018AB	UL21320	1000V	39X18AWG	29/0.19	24.7	986.93	21.8Ω/km
ANM10.008.40.018AB	UL21320	1000V	40X18AWG	29/0.19	24.7	992.73	21.8Ω/km
ANM10.008.41.018AB	UL21320	1000V	41X18AWG	29/0.19	26.6	1118.23	21.8Ω/km
ANM10.008.42.018AB	UL21320	1000V	42X18AWG	29/0.19	26.6	1124.13	21.8Ω/km
ANM10.008.43.018AB	UL21320	1000V	43X18AWG	29/0.19	26.6	1130.03	21.8Ω/km
ANM10.008.44.018AB	UL21320	1000V	44X18AWG	29/0.19	26.6	1135.93	21.8Ω/km
ANM10.008.45.018AB	UL21320	1000V	45X18AWG	29/0.19	27.1	1174.63	21.8Ω/km
ANM10.008.46.018AB	UL21320	1000V	46X18AWG	29/0.19	27.1	1180.53	21.8Ω/km
ANM10.008.47.018AB	UL21320	1000V	47X18AWG	29/0.19	27.1	1186.43	21.8Ω/km
ANM10.008.48.018AB	UL21320	1000V	48X18AWG	29/0.19	27.1	1192.23	21.8Ω/km
ANM10.008.49.018AB	UL21320	1000V	49X18AWG	29/0.19	27.8	1245.33	21.8Ω/km
ANM10.008.50.018AB	UL21320	1000V	50X18AWG	29/0.19	27.8	1251.23	21.8Ω/km
ANM10.008.51.018AB	UL21320	1000V	51X18AWG	29/0.19	27.8	1257.03	21.8Ω/km
ANM10.008.52.018AB	UL21320	1000V	52X18AWG	29/0.19	27.8	1262.93	21.8Ω/km
ANM10.008.53.018AB	UL21320	1000V	53X18AWG	29/0.19	29.6	1392.93	21.8Ω/km
ANM10.008.54.018AB	UL21320	1000V	54X18AWG	29/0.19	29.6	1398.73	21.8Ω/km
ANM10.008.55.018AB	UL21320	1000V	55X18AWG	29/0.19	29.6	1404.73	21.8Ω/km
ANM10.008.56.018AB	UL21320	1000V	56X18AWG	29/0.19	29.6	1410.43	21.8Ω/km
ANM10.008.57.018AB	UL21320	1000V	57X18AWG	29/0.19	30.8	1539.33	21.8Ω/km
ANM10.008.58.018AB	UL21320	1000V	58X18AWG	29/0.19	30.8	1545.23	21.8Ω/km
ANM10.008.59.018AB	UL21320	1000V	59X18AWG	29/0.19	30.8	1551.03	21.8Ω/km
ANM10.008.60.018AB	UL21320	1000V	60X18AWG	29/0.19	30.8	1556.93	21.8Ω/km
ANM10.008.61.018AB	UL21320	1000V	61X18AWG	29/0.19	30.8	1562.73	21.8Ω/km
ANM10.008.62.018AB	UL21320	1000V	62X18AWG	29/0.19	31.7	1638.63	21.8Ω/km
ANM10.008.63.018AB	UL21320	1000V	63X18AWG	29/0.19	31.7	1644.63	21.8Ω/km
ANM10.008.64.018AB	UL21320	1000V	64X18AWG	29/0.19	31.7	1650.53	21.8Ω/km
ANM10.008.65.018AB	UL21320	1000V	65X18AWG	29/0.19	31.7	1656.33	21.8Ω/km
ANM10.008.02.017AB	UL21320	1000V	2X17AWG	37/0.19	9.2	124.24	17.3Ω/km
ANM10.008.03.017AB	UL21320	1000V	3X17AWG	37/0.19	9.7	143.54	17.3Ω/km
ANM10.008.04.017AB	UL21320	1000V	4X17AWG	37/0.19	10.5	170.94	17.3Ω/km
ANM10.008.05.017AB	UL21320	1000V	5X17AWG	37/0.19	11.3	200.14	17.3Ω/km
ANM10.008.06.017AB	UL21320	1000V	6X17AWG	37/0.19	12.2	233.94	17.3Ω/km
ANM10.008.07.017AB	UL21320	1000V	7X17AWG	37/0.19	12.2	241.14	17.3Ω/km
ANM10.008.08.017AB	UL21320	1000V	8X17AWG	37/0.19	13.1	276.84	17.3Ω/km
ANM10.008.09.017AB	UL21320	1000V	9X17AWG	37/0.19	14.3	325.14	17.3Ω/km
ANM10.008.10.017AB	UL21320	1000V	10X17AWG	37/0.19	15.2	365.34	17.3Ω/km
ANM10.008.11.017AB	UL21320	1000V	11X17AWG	37/0.19	15.7	391.94	17.3Ω/km
ANM10.008.12.017AB	UL21320	1000V	12X17AWG	37/0.19	15.7	399.14	17.3Ω/km
ANM10.008.13.017AB	UL21320	1000V	13X17AWG	37/0.19	16.5	438.24	17.3Ω/km
ANM10.008.14.017AB	UL21320	1000V	14X17AWG	37/0.19	16.5	445.54	17.3Ω/km



ANM10.008.15.017AB	UL21320	1000V	15X17AWG	37/0.19	17.3	486.34	17.3 Ω/km
ANM10.008.16.017AB	UL21320	1000V	16X17AWG	37/0.19	17.3	493.64	17.3 Ω/km
ANM10.008.17.017AB	UL21320	1000V	17X17AWG	37/0.19	18.2	540.34	17.3 Ω/km
ANM10.008.18.017AB	UL21320	1000V	18X17AWG	37/0.19	18.2	547.74	17.3 Ω/km
ANM10.008.19.017AB	UL21320	1000V	19X17AWG	37/0.19	18.2	555.04	17.3 Ω/km
ANM10.008.20.017AB	UL21320	1000V	20X17AWG	37/0.19	18.7	585.04	17.3 Ω/km
ANM10.008.21.017AB	UL21320	1000V	21X17AWG	37/0.19	19.1	610.94	17.3 Ω/km
ANM10.008.22.017AB	UL21320	1000V	22X17AWG	37/0.19	21.3	725.94	17.3 Ω/km
ANM10.008.23.017AB	UL21320	1000V	23X17AWG	37/0.19	22.2	781.34	17.3 Ω/km
ANM10.008.24.017AB	UL21320	1000V	24X17AWG	37/0.19	22.2	788.64	17.3 Ω/km
ANM10.008.25.017AB	UL21320	1000V	25X17AWG	37/0.19	22.7	823.54	17.3 Ω/km
ANM10.008.26.017AB	UL21320	1000V	26X17AWG	37/0.19	22.7	830.74	17.3 Ω/km
ANM10.008.27.017AB	UL21320	1000V	27X17AWG	37/0.19	22.7	838.14	17.3 Ω/km
ANM10.008.28.017AB	UL21320	1000V	28X17AWG	37/0.19	23.5	890.74	17.3 Ω/km
ANM10.008.29.017AB	UL21320	1000V	29X17AWG	37/0.19	23.5	898.04	17.3 Ω/km
ANM10.008.30.017AB	UL21320	1000V	30X17AWG	37/0.19	23.5	905.24	17.3 Ω/km
ANM10.008.31.017AB	UL21320	1000V	31X17AWG	37/0.19	24.3	959.54	17.3 Ω/km
ANM10.008.32.017AB	UL21320	1000V	32X17AWG	37/0.19	24.3	966.84	17.3 Ω/km
ANM10.008.33.017AB	UL21320	1000V	33X17AWG	37/0.19	24.3	974.14	17.3 Ω/km
ANM10.008.34.017AB	UL21320	1000V	34X17AWG	37/0.19	25.2	1035.94	17.3 Ω/km
ANM10.008.35.017AB	UL21320	1000V	35X17AWG	37/0.19	25.2	1043.34	17.3 Ω/km
ANM10.008.36.017AB	UL21320	1000V	36X17AWG	37/0.19	25.2	1050.64	17.3 Ω/km
ANM10.008.37.017AB	UL21320	1000V	37X17AWG	37/0.19	25.2	1057.94	17.3 Ω/km
ANM10.008.38.017AB	UL21320	1000V	38X17AWG	37/0.19	26.1	1121.84	17.3 Ω/km
ANM10.008.39.017AB	UL21320	1000V	39X17AWG	37/0.19	26.1	1129.04	17.3 Ω/km
ANM10.008.40.017AB	UL21320	1000V	40X17AWG	37/0.19	26.1	1136.44	17.3 Ω/km
ANM10.008.41.017AB	UL21320	1000V	41X17AWG	37/0.19	28.2	1283.54	17.3 Ω/km
ANM10.008.42.017AB	UL21320	1000V	42X17AWG	37/0.19	28.2	1290.74	17.3 Ω/km
ANM10.008.43.017AB	UL21320	1000V	43X17AWG	37/0.19	28.2	1298.04	17.3 Ω/km
ANM10.008.44.017AB	UL21320	1000V	44X17AWG	37/0.19	28.2	1305.24	17.3 Ω/km
ANM10.008.45.017AB	UL21320	1000V	45X17AWG	37/0.19	29.7	1416.74	17.3 Ω/km
ANM10.008.46.017AB	UL21320	1000V	46X17AWG	37/0.19	29.7	1423.94	17.3 Ω/km
ANM10.008.47.017AB	UL21320	1000V	47X17AWG	37/0.19	29.7	1431.14	17.3 Ω/km
ANM10.008.48.017AB	UL21320	1000V	48X17AWG	37/0.19	29.7	1438.54	17.3 Ω/km
ANM10.008.49.017AB	UL21320	1000V	49X17AWG	37/0.19	30.9	1569.04	17.3 Ω/km
ANM10.008.50.017AB	UL21320	1000V	50X17AWG	37/0.19	30.9	1576.44	17.3 Ω/km
ANM10.008.51.017AB	UL21320	1000V	51X17AWG	37/0.19	30.9	1583.64	17.3 Ω/km
ANM10.008.52.017AB	UL21320	1000V	52X17AWG	37/0.19	30.9	1590.84	17.3 Ω/km
ANM10.008.53.017AB	UL21320	1000V	53X17AWG	37/0.19	31.7	1660.54	17.3 Ω/km
ANM10.008.54.017AB	UL21320	1000V	54X17AWG	37/0.19	31.7	1667.74	17.3 Ω/km
ANM10.008.55.017AB	UL21320	1000V	55X17AWG	37/0.19	31.7	1674.94	17.3 Ω/km
ANM10.008.56.017AB	UL21320	1000V	56X17AWG	37/0.19	31.7	1682.34	17.3 Ω/km



ANM10.008.57.017AB	UL21320	1000V	57X17AWG	37/0.19	32.6	1761.54	17.3 Ω/km
ANM10.008.58.017AB	UL21320	1000V	58X17AWG	37/0.19	32.6	1768.84	17.3 Ω/km
ANM10.008.59.017AB	UL21320	1000V	59X17AWG	37/0.19	32.6	1776.04	17.3 Ω/km
ANM10.008.60.017AB	UL21320	1000V	60X17AWG	37/0.19	32.6	1783.34	17.3 Ω/km
ANM10.008.61.017AB	UL21320	1000V	61X17AWG	37/0.19	32.6	1790.64	17.3 Ω/km
ANM10.008.62.017AB	UL21320	1000V	62X17AWG	37/0.19	33.5	1871.94	17.3 Ω/km
ANM10.008.63.017AB	UL21320	1000V	63X17AWG	37/0.19	33.5	1879.14	17.3 Ω/km
ANM10.008.64.017AB	UL21320	1000V	64X17AWG	37/0.19	33.5	1886.44	17.3 Ω/km
ANM10.008.65.017AB	UL21320	1000V	65X17AWG	37/0.19	33.5	1893.64	17.3 Ω/km
ANM10.008.02.016AB	UL21320	1000V	2X16AWG	27/0.25	9.4	133.61	13.7 Ω/km
ANM10.008.03.016AB	UL21320	1000V	3X16AWG	27/0.25	9.9	155.21	13.7 Ω/km
ANM10.008.04.016AB	UL21320	1000V	4X16AWG	27/0.25	10.7	185.41	13.7 Ω/km
ANM10.008.05.016AB	UL21320	1000V	5X16AWG	27/0.25	11.6	219.91	13.7 Ω/km
ANM10.008.06.016AB	UL21320	1000V	6X16AWG	27/0.25	12.5	256.71	13.7 Ω/km
ANM10.008.07.016AB	UL21320	1000V	7X16AWG	27/0.25	12.5	266.11	13.7 Ω/km
ANM10.008.08.016AB	UL21320	1000V	8X16AWG	27/0.25	13.5	307.91	13.7 Ω/km
ANM10.008.09.016AB	UL21320	1000V	9X16AWG	27/0.25	14.7	359.51	13.7 Ω/km
ANM10.008.10.016AB	UL21320	1000V	10X16AWG	27/0.25	15.6	402.71	13.7 Ω/km
ANM10.008.11.016AB	UL21320	1000V	11X16AWG	27/0.25	16.1	432.01	13.7 Ω/km
ANM10.008.12.016AB	UL21320	1000V	12X16AWG	27/0.25	16.1	441.51	13.7 Ω/km
ANM10.008.13.016AB	UL21320	1000V	13X16AWG	27/0.25	16.9	483.51	13.7 Ω/km
ANM10.008.14.016AB	UL21320	1000V	14X16AWG	27/0.25	16.9	493.01	13.7 Ω/km
ANM10.008.15.016AB	UL21320	1000V	15X16AWG	27/0.25	17.8	541.11	13.7 Ω/km
ANM10.008.16.016AB	UL21320	1000V	16X16AWG	27/0.25	17.8	550.61	13.7 Ω/km
ANM10.008.17.016AB	UL21320	1000V	17X16AWG	27/0.25	18.7	600.61	13.7 Ω/km
ANM10.008.18.016AB	UL21320	1000V	18X16AWG	27/0.25	18.7	610.21	13.7 Ω/km
ANM10.008.19.016AB	UL21320	1000V	19X16AWG	27/0.25	18.7	619.61	13.7 Ω/km
ANM10.008.20.016AB	UL21320	1000V	20X16AWG	27/0.25	19.2	652.51	13.7 Ω/km
ANM10.008.21.016AB	UL21320	1000V	21X16AWG	27/0.25	20.7	733.81	13.7 Ω/km
ANM10.008.22.016AB	UL21320	1000V	22X16AWG	27/0.25	21.9	806.11	13.7 Ω/km
ANM10.008.23.016AB	UL21320	1000V	23X16AWG	27/0.25	22.8	865.11	13.7 Ω/km
ANM10.008.24.016AB	UL21320	1000V	24X16AWG	27/0.25	22.8	874.71	13.7 Ω/km
ANM10.008.25.016AB	UL21320	1000V	25X16AWG	27/0.25	23.3	912.41	13.7 Ω/km
ANM10.008.26.016AB	UL21320	1000V	26X16AWG	27/0.25	23.3	921.91	13.7 Ω/km
ANM10.008.27.016AB	UL21320	1000V	27X16AWG	27/0.25	23.3	931.21	13.7 Ω/km
ANM10.008.28.016AB	UL21320	1000V	28X16AWG	27/0.25	24.1	987.41	13.7 Ω/km
ANM10.008.29.016AB	UL21320	1000V	29X16AWG	27/0.25	24.1	996.81	13.7 Ω/km
ANM10.008.30.016AB	UL21320	1000V	30X16AWG	27/0.25	24.1	1006.41	13.7 Ω/km
ANM10.008.31.016AB	UL21320	1000V	31X16AWG	27/0.25	25	1070.11	13.7 Ω/km
ANM10.008.32.016AB	UL21320	1000V	32X16AWG	27/0.25	25	1079.51	13.7 Ω/km
ANM10.008.33.016AB	UL21320	1000V	33X16AWG	27/0.25	25	1089.01	13.7 Ω/km
ANM10.008.34.016AB	UL21320	1000V	34X16AWG	27/0.25	25.9	1154.61	13.7 Ω/km



ANM10.008.35.016AB	UL21320	1000V	35X16AWG	27/0.25	25.9	1164.11	13.7 Ω/km
ANM10.008.36.016AB	UL21320	1000V	36X16AWG	27/0.25	25.9	1173.71	13.7 Ω/km
ANM10.008.37.016AB	UL21320	1000V	37X16AWG	27/0.25	25.9	1183.11	13.7 Ω/km
ANM10.008.38.016AB	UL21320	1000V	38X16AWG	27/0.25	26.9	1257.31	13.7 Ω/km
ANM10.008.39.016AB	UL21320	1000V	39X16AWG	27/0.25	26.9	1266.71	13.7 Ω/km
ANM10.008.40.016AB	UL21320	1000V	40X16AWG	27/0.25	26.9	1276.21	13.7 Ω/km
ANM10.008.41.016AB	UL21320	1000V	41X16AWG	27/0.25	30	1499.41	13.7 Ω/km
ANM10.008.42.016AB	UL21320	1000V	42X16AWG	27/0.25	30	1508.91	13.7 Ω/km
ANM10.008.43.016AB	UL21320	1000V	43X16AWG	27/0.25	30	1518.41	13.7 Ω/km
ANM10.008.44.016AB	UL21320	1000V	44X16AWG	27/0.25	30	1527.81	13.7 Ω/km
ANM10.008.45.016AB	UL21320	1000V	45X16AWG	27/0.25	30.9	1638.81	13.7 Ω/km
ANM10.008.46.016AB	UL21320	1000V	46X16AWG	27/0.25	30.9	1648.21	13.7 Ω/km
ANM10.008.47.016AB	UL21320	1000V	47X16AWG	27/0.25	30.9	1657.71	13.7 Ω/km
ANM10.008.48.016AB	UL21320	1000V	48X16AWG	27/0.25	30.9	1667.21	13.7 Ω/km
ANM10.008.49.016AB	UL21320	1000V	49X16AWG	27/0.25	31.7	1738.91	13.7 Ω/km
ANM10.008.50.016AB	UL21320	1000V	50X16AWG	27/0.25	31.7	1748.41	13.7 Ω/km
ANM10.008.51.016AB	UL21320	1000V	51X16AWG	27/0.25	31.7	1757.81	13.7 Ω/km
ANM10.008.52.016AB	UL21320	1000V	52X16AWG	27/0.25	31.7	1767.21	13.7 Ω/km
ANM10.008.53.016AB	UL21320	1000V	53X16AWG	27/0.25	32.6	1848.91	13.7 Ω/km
ANM10.008.54.016AB	UL21320	1000V	54X16AWG	27/0.25	32.6	1858.21	13.7 Ω/km
ANM10.008.55.016AB	UL21320	1000V	55X16AWG	27/0.25	32.6	1867.71	13.7 Ω/km
ANM10.008.56.016AB	UL21320	1000V	56X16AWG	27/0.25	32.6	1877.11	13.7 Ω/km
ANM10.008.57.016AB	UL21320	1000V	57X16AWG	27/0.25	33.5	1960.61	13.7 Ω/km
ANM10.008.58.016AB	UL21320	1000V	58X16AWG	27/0.25	33.5	1969.91	13.7 Ω/km
ANM10.008.59.016AB	UL21320	1000V	59X16AWG	27/0.25	33.5	1979.51	13.7 Ω/km
ANM10.008.60.016AB	UL21320	1000V	60X16AWG	27/0.25	33.5	1989.01	13.7 Ω/km
ANM10.008.61.016AB	UL21320	1000V	61X16AWG	27/0.25	33.5	1998.41	13.7 Ω/km
ANM10.008.62.016AB	UL21320	1000V	62X16AWG	27/0.25	34.5	2092.21	13.7 Ω/km
ANM10.008.63.016AB	UL21320	1000V	63X16AWG	27/0.25	34.5	2101.61	13.7 Ω/km
ANM10.008.64.016AB	UL21320	1000V	64X16AWG	27/0.25	34.5	2111.11	13.7 Ω/km
ANM10.008.65.016AB	UL21320	1000V	65X16AWG	27/0.25	34.5	2120.71	13.7 Ω/km
ANM10.008.02.015AB	UL21320	1000V	2X15AWG	34/0.25	9.8	148.35	10.9 Ω/km
ANM10.008.03.015AB	UL21320	1000V	3X15AWG	34/0.25	10.4	175.65	10.9 Ω/km
ANM10.008.04.015AB	UL21320	1000V	4X15AWG	34/0.25	11.2	209.15	10.9 Ω/km
ANM10.008.05.015AB	UL21320	1000V	5X15AWG	34/0.25	12.2	250.35	10.9 Ω/km
ANM10.008.06.015AB	UL21320	1000V	6X15AWG	34/0.25	13.1	290.55	10.9 Ω/km
ANM10.008.07.015AB	UL21320	1000V	7X15AWG	34/0.25	13.1	302.45	10.9 Ω/km
ANM10.008.08.015AB	UL21320	1000V	8X15AWG	34/0.25	14.1	348.35	10.9 Ω/km
ANM10.008.09.015AB	UL21320	1000V	9X15AWG	34/0.25	15.5	411.55	10.9 Ω/km
ANM10.008.10.015AB	UL21320	1000V	10X15AWG	34/0.25	16.4	459.15	10.9 Ω/km
ANM10.008.11.015AB	UL21320	1000V	11X15AWG	34/0.25	17	495.85	10.9 Ω/km
ANM10.008.12.015AB	UL21320	1000V	12X15AWG	34/0.25	17	507.75	10.9 Ω/km



ANM10.008.13.015AB	UL21320	1000V	13X15AWG	34/0.25	17.8	554.05	10.9Ω/km
ANM10.008.14.015AB	UL21320	1000V	14X15AWG	34/0.25	17.8	565.95	10.9Ω/km
ANM10.008.15.015AB	UL21320	1000V	15X15AWG	34/0.25	18.8	622.95	10.9Ω/km
ANM10.008.16.015AB	UL21320	1000V	16X15AWG	34/0.25	18.8	634.85	10.9Ω/km
ANM10.008.17.015AB	UL21320	1000V	17X15AWG	34/0.25	20.7	737.45	10.9Ω/km
ANM10.008.18.015AB	UL21320	1000V	18X15AWG	34/0.25	20.7	749.25	10.9Ω/km
ANM10.008.19.015AB	UL21320	1000V	19X15AWG	34/0.25	20.7	761.15	10.9Ω/km
ANM10.008.20.015AB	UL21320	1000V	20X15AWG	34/0.25	21.3	804.15	10.9Ω/km
ANM10.008.21.015AB	UL21320	1000V	21X15AWG	34/0.25	21.7	837.05	10.9Ω/km
ANM10.008.22.015AB	UL21320	1000V	22X15AWG	34/0.25	23.1	926.15	10.9Ω/km
ANM10.008.23.015AB	UL21320	1000V	23X15AWG	34/0.25	24	990.15	10.9Ω/km
ANM10.008.24.015AB	UL21320	1000V	24X15AWG	34/0.25	24	1001.95	10.9Ω/km
ANM10.008.25.015AB	UL21320	1000V	25X15AWG	34/0.25	24.6	1049.65	10.9Ω/km
ANM10.008.26.015AB	UL21320	1000V	26X15AWG	34/0.25	24.6	1061.65	10.9Ω/km
ANM10.008.27.015AB	UL21320	1000V	27X15AWG	34/0.25	24.6	1073.45	10.9Ω/km
ANM10.008.28.015AB	UL21320	1000V	28X15AWG	34/0.25	25.4	1134.55	10.9Ω/km
ANM10.008.29.015AB	UL21320	1000V	29X15AWG	34/0.25	25.4	1146.35	10.9Ω/km
ANM10.008.30.015AB	UL21320	1000V	30X15AWG	34/0.25	25.4	1158.15	10.9Ω/km
ANM10.008.31.015AB	UL21320	1000V	31X15AWG	34/0.25	26.4	1233.75	10.9Ω/km
ANM10.008.32.015AB	UL21320	1000V	32X15AWG	34/0.25	26.4	1245.65	10.9Ω/km
ANM10.008.33.015AB	UL21320	1000V	33X15AWG	34/0.25	26.4	1257.45	10.9Ω/km
ANM10.008.34.015AB	UL21320	1000V	34X15AWG	34/0.25	27.3	1328.55	10.9Ω/km
ANM10.008.35.015AB	UL21320	1000V	35X15AWG	34/0.25	27.3	1340.55	10.9Ω/km
ANM10.008.36.015AB	UL21320	1000V	36X15AWG	34/0.25	27.3	1352.35	10.9Ω/km
ANM10.008.37.015AB	UL21320	1000V	37X15AWG	34/0.25	27.3	1364.15	10.9Ω/km
ANM10.008.38.015AB	UL21320	1000V	38X15AWG	34/0.25	28.3	1444.25	10.9Ω/km
ANM10.008.39.015AB	UL21320	1000V	39X15AWG	34/0.25	28.3	1456.15	10.9Ω/km
ANM10.008.40.015AB	UL21320	1000V	40X15AWG	34/0.25	28.3	1468.05	10.9Ω/km
ANM10.008.41.015AB	UL21320	1000V	41X15AWG	34/0.25	32	1786.55	10.9Ω/km
ANM10.008.42.015AB	UL21320	1000V	42X15AWG	34/0.25	32	1798.35	10.9Ω/km
ANM10.008.43.015AB	UL21320	1000V	43X15AWG	34/0.25	32	1810.35	10.9Ω/km
ANM10.008.44.015AB	UL21320	1000V	44X15AWG	34/0.25	32	1822.25	10.9Ω/km
ANM10.008.45.015AB	UL21320	1000V	45X15AWG	34/0.25	32.6	1882.25	10.9Ω/km
ANM10.008.46.015AB	UL21320	1000V	46X15AWG	34/0.25	32.6	1894.15	10.9Ω/km
ANM10.008.47.015AB	UL21320	1000V	47X15AWG	34/0.25	32.6	1906.05	10.9Ω/km
ANM10.008.48.015AB	UL21320	1000V	48X15AWG	34/0.25	32.6	1917.95	10.9Ω/km
ANM10.008.49.015AB	UL21320	1000V	49X15AWG	34/0.25	33.4	1995.35	10.9Ω/km
ANM10.008.50.015AB	UL21320	1000V	50X15AWG	34/0.25	33.4	2007.25	10.9Ω/km
ANM10.008.51.015AB	UL21320	1000V	51X15AWG	34/0.25	33.4	2019.15	10.9Ω/km
ANM10.008.52.015AB	UL21320	1000V	52X15AWG	34/0.25	33.4	2031.05	10.9Ω/km
ANM10.008.53.015AB	UL21320	1000V	53X15AWG	34/0.25	34.4	2127.25	10.9Ω/km
ANM10.008.54.015AB	UL21320	1000V	54X15AWG	34/0.25	34.4	2139.05	10.9Ω/km



ANM10.008.55.015AB	UL21320	1000V	55X15AWG	34/0.25	34.4	2150.95	10.9Ω/km
ANM10.008.56.015AB	UL21320	1000V	56X15AWG	34/0.25	34.4	2162.85	10.9Ω/km
ANM10.008.57.015AB	UL21320	1000V	57X15AWG	34/0.25	35.3	2252.35	10.9Ω/km
ANM10.008.58.015AB	UL21320	1000V	58X15AWG	34/0.25	35.3	2264.25	10.9Ω/km
ANM10.008.59.015AB	UL21320	1000V	59X15AWG	34/0.25	35.3	2276.05	10.9Ω/km
ANM10.008.60.015AB	UL21320	1000V	60X15AWG	34/0.25	35.3	2288.05	10.9Ω/km
ANM10.008.61.015AB	UL21320	1000V	61X15AWG	34/0.25	35.3	2299.85	10.9Ω/km
ANM10.008.62.015AB	UL21320	1000V	62X15AWG	34/0.25	36.3	2400.65	10.9Ω/km
ANM10.008.63.015AB	UL21320	1000V	63X15AWG	34/0.25	36.3	2412.55	10.9Ω/km
ANM10.008.64.015AB	UL21320	1000V	64X15AWG	34/0.25	36.3	2424.45	10.9Ω/km
ANM10.008.65.015AB	UL21320	1000V	65X15AWG	34/0.25	36.3	2436.25	10.9Ω/km
ANM10.008.02.014AB	UL21320	1000V	2X14AWG	43/0.25	10.2	165.18	8.62Ω/km
ANM10.008.03.014AB	UL21320	1000V	3X14AWG	43/0.25	10.8	196.08	8.62Ω/km
ANM10.008.04.014AB	UL21320	1000V	4X14AWG	43/0.25	11.7	236.48	8.62Ω/km
ANM10.008.05.014AB	UL21320	1000V	5X14AWG	43/0.25	12.7	282.18	8.62Ω/km
ANM10.008.06.014AB	UL21320	1000V	6X14AWG	43/0.25	13.7	329.98	8.62Ω/km
ANM10.008.07.014AB	UL21320	1000V	7X14AWG	43/0.25	13.7	345.08	8.62Ω/km
ANM10.008.08.014AB	UL21320	1000V	8X14AWG	43/0.25	14.8	399.18	8.62Ω/km
ANM10.008.09.014AB	UL21320	1000V	9X14AWG	43/0.25	16.2	468.08	8.62Ω/km
ANM10.008.10.014AB	UL21320	1000V	10X14AWG	43/0.25	17.2	524.58	8.62Ω/km
ANM10.008.11.014AB	UL21320	1000V	11X14AWG	43/0.25	17.8	565.58	8.62Ω/km
ANM10.008.12.014AB	UL21320	1000V	12X14AWG	43/0.25	17.8	580.58	8.62Ω/km
ANM10.008.13.014AB	UL21320	1000V	13X14AWG	43/0.25	18.7	636.28	8.62Ω/km
ANM10.008.14.014AB	UL21320	1000V	14X14AWG	43/0.25	18.7	651.38	8.62Ω/km
ANM10.008.15.014AB	UL21320	1000V	15X14AWG	43/0.25	20.7	761.58	8.62Ω/km
ANM10.008.16.014AB	UL21320	1000V	16X14AWG	43/0.25	20.7	776.68	8.62Ω/km
ANM10.008.17.014AB	UL21320	1000V	17X14AWG	43/0.25	21.7	843.88	8.62Ω/km
ANM10.008.18.014AB	UL21320	1000V	18X14AWG	43/0.25	21.7	858.98	8.62Ω/km
ANM10.008.19.014AB	UL21320	1000V	19X14AWG	43/0.25	21.7	874.08	8.62Ω/km
ANM10.008.20.014AB	UL21320	1000V	20X14AWG	43/0.25	22.3	921.58	8.62Ω/km
ANM10.008.21.014AB	UL21320	1000V	21X14AWG	43/0.25	22.8	964.28	8.62Ω/km
ANM10.008.22.014AB	UL21320	1000V	22X14AWG	43/0.25	24.2	1060.28	8.62Ω/km
ANM10.008.23.014AB	UL21320	1000V	23X14AWG	43/0.25	25.2	1136.08	8.62Ω/km
ANM10.008.24.014AB	UL21320	1000V	24X14AWG	43/0.25	25.2	1151.08	8.62Ω/km
ANM10.008.25.014AB	UL21320	1000V	25X14AWG	43/0.25	25.8	1203.58	8.62Ω/km
ANM10.008.26.014AB	UL21320	1000V	26X14AWG	43/0.25	25.8	1218.58	8.62Ω/km
ANM10.008.27.014AB	UL21320	1000V	27X14AWG	43/0.25	25.8	1233.68	8.62Ω/km
ANM10.008.28.014AB	UL21320	1000V	28X14AWG	43/0.25	26.7	1306.78	8.62Ω/km
ANM10.008.29.014AB	UL21320	1000V	29X14AWG	43/0.25	26.7	1321.78	8.62Ω/km
ANM10.008.30.014AB	UL21320	1000V	30X14AWG	43/0.25	26.7	1336.78	8.62Ω/km
ANM10.008.31.014AB	UL21320	1000V	31X14AWG	43/0.25	27.7	1418.68	8.62Ω/km
ANM10.008.32.014AB	UL21320	1000V	32X14AWG	43/0.25	27.7	1433.68	8.62Ω/km



ANM10.008.33.014AB	UL21320	1000V	33X14AWG	43/0.25	27.7	1448.68	8.62 Ω/km
ANM10.008.34.014AB	UL21320	1000V	34X14AWG	43/0.25	29.7	1602.18	8.62 Ω/km
ANM10.008.35.014AB	UL21320	1000V	35X14AWG	43/0.25	29.7	1617.18	8.62 Ω/km
ANM10.008.36.014AB	UL21320	1000V	36X14AWG	43/0.25	29.7	1632.28	8.62 Ω/km
ANM10.008.37.014AB	UL21320	1000V	37X14AWG	43/0.25	29.7	1647.38	8.62 Ω/km
ANM10.008.38.014AB	UL21320	1000V	38X14AWG	43/0.25	31.2	1808.88	8.62 Ω/km
ANM10.008.39.014AB	UL21320	1000V	39X14AWG	43/0.25	31.2	1823.88	8.62 Ω/km
ANM10.008.40.014AB	UL21320	1000V	40X14AWG	43/0.25	31.2	1839.08	8.62 Ω/km
ANM10.008.41.014AB	UL21320	1000V	41X14AWG	43/0.25	33.6	2047.48	8.62 Ω/km
ANM10.008.42.014AB	UL21320	1000V	42X14AWG	43/0.25	33.6	2062.48	8.62 Ω/km
ANM10.008.43.014AB	UL21320	1000V	43X14AWG	43/0.25	33.6	2077.58	8.62 Ω/km
ANM10.008.44.014AB	UL21320	1000V	44X14AWG	43/0.25	33.6	2092.58	8.62 Ω/km
ANM10.008.45.014AB	UL21320	1000V	45X14AWG	43/0.25	34.2	2158.18	8.62 Ω/km
ANM10.008.46.014AB	UL21320	1000V	46X14AWG	43/0.25	34.2	2173.28	8.62 Ω/km
ANM10.008.47.014AB	UL21320	1000V	47X14AWG	43/0.25	34.2	2188.28	8.62 Ω/km
ANM10.008.48.014AB	UL21320	1000V	48X14AWG	43/0.25	34.2	2203.28	8.62 Ω/km
ANM10.008.49.014AB	UL21320	1000V	49X14AWG	43/0.25	35.1	2295.88	8.62 Ω/km
ANM10.008.50.014AB	UL21320	1000V	50X14AWG	43/0.25	35.1	2310.88	8.62 Ω/km
ANM10.008.51.014AB	UL21320	1000V	51X14AWG	43/0.25	35.1	2325.88	8.62 Ω/km
ANM10.008.52.014AB	UL21320	1000V	52X14AWG	43/0.25	35.1	2340.98	8.62 Ω/km
ANM10.008.02.013AB	UL21320	1000V	2X13AWG	54/0.25	10.8	189.03	6.82 Ω/km
ANM10.008.03.013AB	UL21320	1000V	3X13AWG	54/0.25	11.4	224.43	6.82 Ω/km
ANM10.008.04.013AB	UL21320	1000V	4X13AWG	54/0.25	12.4	272.93	6.82 Ω/km
ANM10.008.05.013AB	UL21320	1000V	5X13AWG	54/0.25	13.5	327.23	6.82 Ω/km
ANM10.008.06.013AB	UL21320	1000V	6X13AWG	54/0.25	14.6	384.33	6.82 Ω/km
ANM10.008.07.013AB	UL21320	1000V	7X13AWG	54/0.25	14.6	402.93	6.82 Ω/km
ANM10.008.08.013AB	UL21320	1000V	8X13AWG	54/0.25	15.8	467.13	6.82 Ω/km
ANM10.008.09.013AB	UL21320	1000V	9X13AWG	54/0.25	17.3	547.53	6.82 Ω/km
ANM10.008.10.013AB	UL21320	1000V	10X13AWG	54/0.25	18.4	614.73	6.82 Ω/km
ANM10.008.11.013AB	UL21320	1000V	11X13AWG	54/0.25	19	661.13	6.82 Ω/km
ANM10.008.12.013AB	UL21320	1000V	12X13AWG	54/0.25	19	679.83	6.82 Ω/km
ANM10.008.13.013AB	UL21320	1000V	13X13AWG	54/0.25	21	795.33	6.82 Ω/km
ANM10.008.14.013AB	UL21320	1000V	14X13AWG	54/0.25	21	814.03	6.82 Ω/km
ANM10.008.15.013AB	UL21320	1000V	15X13AWG	54/0.25	22.1	891.03	6.82 Ω/km
ANM10.008.16.013AB	UL21320	1000V	16X13AWG	54/0.25	22.1	909.83	6.82 Ω/km
ANM10.008.17.013AB	UL21320	1000V	17X13AWG	54/0.25	23.2	989.83	6.82 Ω/km
ANM10.008.18.013AB	UL21320	1000V	18X13AWG	54/0.25	23.2	1008.63	6.82 Ω/km
ANM10.008.19.013AB	UL21320	1000V	19X13AWG	54/0.25	23.2	1027.43	6.82 Ω/km
ANM10.008.20.013AB	UL21320	1000V	20X13AWG	54/0.25	23.8	1080.73	6.82 Ω/km
ANM10.008.21.013AB	UL21320	1000V	21X13AWG	54/0.25	24.4	1134.93	6.82 Ω/km
ANM10.008.22.013AB	UL21320	1000V	22X13AWG	54/0.25	25.9	1246.43	6.82 Ω/km
ANM10.008.23.013AB	UL21320	1000V	23X13AWG	54/0.25	27	1336.53	6.82 Ω/km



ANM10.008.24.013AB	UL21320	1000V	24X13AWG	54/0.25	27	1355.13	6.82 Ω/km
ANM10.008.25.013AB	UL21320	1000V	25X13AWG	54/0.25	27.6	1414.13	6.82 Ω/km
ANM10.008.26.013AB	UL21320	1000V	26X13AWG	54/0.25	27.6	1432.83	6.82 Ω/km
ANM10.008.27.013AB	UL21320	1000V	27X13AWG	54/0.25	27.6	1451.53	6.82 Ω/km
ANM10.008.28.013AB	UL21320	1000V	28X13AWG	54/0.25	29.6	1608.13	6.82 Ω/km
ANM10.008.29.013AB	UL21320	1000V	29X13AWG	54/0.25	29.6	1626.83	6.82 Ω/km
ANM10.008.30.013AB	UL21320	1000V	30X13AWG	54/0.25	29.6	1645.53	6.82 Ω/km
ANM10.008.31.013AB	UL21320	1000V	31X13AWG	54/0.25	31.1	1810.43	6.82 Ω/km
ANM10.008.32.013AB	UL21320	1000V	32X13AWG	54/0.25	31.1	1829.13	6.82 Ω/km
ANM10.008.33.013AB	UL21320	1000V	33X13AWG	54/0.25	31.1	1847.93	6.82 Ω/km
ANM10.008.34.013AB	UL21320	1000V	34X13AWG	54/0.25	32.2	1953.03	6.82 Ω/km
ANM10.008.35.013AB	UL21320	1000V	35X13AWG	54/0.25	32.2	1971.83	6.82 Ω/km
ANM10.008.36.013AB	UL21320	1000V	36X13AWG	54/0.25	32.2	1990.63	6.82 Ω/km
ANM10.008.37.013AB	UL21320	1000V	37X13AWG	54/0.25	32.2	2009.33	6.82 Ω/km
ANM10.008.38.013AB	UL21320	1000V	38X13AWG	54/0.25	33.4	2125.93	6.82 Ω/km
ANM10.008.39.013AB	UL21320	1000V	39X13AWG	54/0.25	33.4	2144.73	6.82 Ω/km
ANM10.008.40.013AB	UL21320	1000V	40X13AWG	54/0.25	33.4	2163.43	6.82 Ω/km
ANM10.008.41.013AB	UL21320	1000V	41X13AWG	54/0.25	36	2406.13	6.82 Ω/km
ANM10.008.42.013AB	UL21320	1000V	42X13AWG	54/0.25	36	2424.83	6.82 Ω/km
ANM10.008.43.013AB	UL21320	1000V	43X13AWG	54/0.25	36	2443.63	6.82 Ω/km
ANM10.008.44.013AB	UL21320	1000V	44X13AWG	54/0.25	36	2462.33	6.82 Ω/km
ANM10.008.45.013AB	UL21320	1000V	45X13AWG	54/0.25	36.6	2535.13	6.82 Ω/km
ANM10.008.46.013AB	UL21320	1000V	46X13AWG	54/0.25	36.6	2553.83	6.82 Ω/km
ANM10.008.47.013AB	UL21320	1000V	47X13AWG	54/0.25	36.6	2572.53	6.82 Ω/km
ANM10.008.48.013AB	UL21320	1000V	48X13AWG	54/0.25	36.6	2591.23	6.82 Ω/km
ANM10.008.49.013AB	UL21320	1000V	49X13AWG	54/0.25	37.6	2701.93	6.82 Ω/km
ANM10.008.50.013AB	UL21320	1000V	50X13AWG	54/0.25	37.6	2720.73	6.82 Ω/km
ANM10.008.51.013AB	UL21320	1000V	51X13AWG	54/0.25	37.6	2739.33	6.82 Ω/km
ANM10.008.52.013AB	UL21320	1000V	52X13AWG	54/0.25	37.6	2758.03	6.82 Ω/km
ANM10.008.02.012AB	UL21320	1000V	2X12AWG	68/0.25	11.2	211.31	5.43 Ω/km
ANM10.008.03.012AB	UL21320	1000V	3X12AWG	68/0.25	11.9	255.51	5.43 Ω/km
ANM10.008.04.012AB	UL21320	1000V	4X12AWG	68/0.25	12.9	310.71	5.43 Ω/km
ANM10.008.05.012AB	UL21320	1000V	5X12AWG	68/0.25	14	371.41	5.43 Ω/km
ANM10.008.06.012AB	UL21320	1000V	6X12AWG	68/0.25	15.2	439.01	5.43 Ω/km
ANM10.008.07.012AB	UL21320	1000V	7X12AWG	68/0.25	15.2	462.91	5.43 Ω/km
ANM10.008.08.012AB	UL21320	1000V	8X12AWG	68/0.25	16.4	534.21	5.43 Ω/km
ANM10.008.09.012AB	UL21320	1000V	9X12AWG	68/0.25	18	626.31	5.43 Ω/km
ANM10.008.10.012AB	UL21320	1000V	10X12AWG	68/0.25	19.2	705.51	5.43 Ω/km
ANM10.008.11.012AB	UL21320	1000V	11X12AWG	68/0.25	20.9	811.61	5.43 Ω/km
ANM10.008.12.012AB	UL21320	1000V	12X12AWG	68/0.25	20.9	835.71	5.43 Ω/km
ANM10.008.13.012AB	UL21320	1000V	13X12AWG	68/0.25	21.9	912.21	5.43 Ω/km
ANM10.008.14.012AB	UL21320	1000V	14X12AWG	68/0.25	21.9	936.21	5.43 Ω/km



ANM10.008.15.012AB	UL21320	1000V	15X12AWG	68/0.25	23	1021.01	5.43 Ω/km
ANM10.008.16.012AB	UL21320	1000V	16X12AWG	68/0.25	23	1045.01	5.43 Ω/km
ANM10.008.17.012AB	UL21320	1000V	17X12AWG	68/0.25	24.2	1138.71	5.43 Ω/km
ANM10.008.18.012AB	UL21320	1000V	18X12AWG	68/0.25	24.2	1162.71	5.43 Ω/km
ANM10.008.19.012AB	UL21320	1000V	19X12AWG	68/0.25	24.2	1186.81	5.43 Ω/km
ANM10.008.20.012AB	UL21320	1000V	20X12AWG	68/0.25	24.9	1252.91	5.43 Ω/km
ANM10.008.21.012AB	UL21320	1000V	21X12AWG	68/0.25	25.4	1307.81	5.43 Ω/km
ANM10.008.22.012AB	UL21320	1000V	22X12AWG	68/0.25	27	1434.71	5.43 Ω/km
ANM10.008.23.012AB	UL21320	1000V	23X12AWG	68/0.25	28.2	1540.11	5.43 Ω/km
ANM10.008.24.012AB	UL21320	1000V	24X12AWG	68/0.25	28.2	1564.01	5.43 Ω/km
ANM10.008.25.012AB	UL21320	1000V	25X12AWG	68/0.25	29.9	1706.81	5.43 Ω/km
ANM10.008.26.012AB	UL21320	1000V	26X12AWG	68/0.25	29.9	1730.71	5.43 Ω/km
ANM10.008.27.012AB	UL21320	1000V	27X12AWG	68/0.25	29.9	1754.81	5.43 Ω/km
ANM10.008.28.012AB	UL21320	1000V	28X12AWG	68/0.25	31.3	1918.31	5.43 Ω/km
ANM10.008.29.012AB	UL21320	1000V	29X12AWG	68/0.25	31.3	1942.41	5.43 Ω/km
ANM10.008.30.012AB	UL21320	1000V	30X12AWG	68/0.25	31.3	1966.31	5.43 Ω/km
ANM10.008.31.012AB	UL21320	1000V	31X12AWG	68/0.25	32.4	2077.71	5.43 Ω/km
ANM10.008.32.012AB	UL21320	1000V	32X12AWG	68/0.25	32.4	2101.61	5.43 Ω/km
ANM10.008.33.012AB	UL21320	1000V	33X12AWG	68/0.25	32.4	2125.71	5.43 Ω/km
ANM10.008.34.012AB	UL21320	1000V	34X12AWG	68/0.25	33.6	2248.21	5.43 Ω/km
ANM10.008.35.012AB	UL21320	1000V	35X12AWG	68/0.25	33.6	2272.21	5.43 Ω/km
ANM10.008.36.012AB	UL21320	1000V	36X12AWG	68/0.25	33.6	2296.21	5.43 Ω/km
ANM10.008.37.012AB	UL21320	1000V	37X12AWG	68/0.25	33.6	2320.21	5.43 Ω/km
ANM10.008.02.011AB	UL21320	1000V	2X11AWG	85/0.25	12	246.47	4.30 Ω/km
ANM10.008.03.011AB	UL21320	1000V	3X11AWG	85/0.25	12.7	297.77	4.30 Ω/km
ANM10.008.04.011AB	UL21320	1000V	4X11AWG	85/0.25	13.9	366.97	4.30 Ω/km
ANM10.008.05.011AB	UL21320	1000V	5X11AWG	85/0.25	15.1	439.97	4.30 Ω/km
ANM10.008.06.011AB	UL21320	1000V	6X11AWG	85/0.25	16.4	520.37	4.30 Ω/km
ANM10.008.07.011AB	UL21320	1000V	7X11AWG	85/0.25	16.4	549.97	4.30 Ω/km
ANM10.008.08.011AB	UL21320	1000V	8X11AWG	85/0.25	17.8	638.87	4.30 Ω/km
ANM10.008.09.011AB	UL21320	1000V	9X11AWG	85/0.25	20.5	794.07	4.30 Ω/km
ANM10.008.10.011AB	UL21320	1000V	10X11AWG	85/0.25	21.8	891.37	4.30 Ω/km
ANM10.008.11.011AB	UL21320	1000V	11X11AWG	85/0.25	22.5	959.17	4.30 Ω/km
ANM10.008.12.011AB	UL21320	1000V	12X11AWG	85/0.25	22.5	988.77	4.30 Ω/km
ANM10.008.13.011AB	UL21320	1000V	13X11AWG	85/0.25	23.7	1086.37	4.30 Ω/km
ANM10.008.14.011AB	UL21320	1000V	14X11AWG	85/0.25	23.7	1115.97	4.30 Ω/km
ANM10.008.15.011AB	UL21320	1000V	15X11AWG	85/0.25	24.9	1217.17	4.30 Ω/km
ANM10.008.16.011AB	UL21320	1000V	16X11AWG	85/0.25	24.9	1246.87	4.30 Ω/km
ANM10.008.17.011AB	UL21320	1000V	17X11AWG	85/0.25	26.2	1358.07	4.30 Ω/km
ANM10.008.18.011AB	UL21320	1000V	18X11AWG	85/0.25	26.2	1387.67	4.30 Ω/km
ANM10.008.19.011AB	UL21320	1000V	19X11AWG	85/0.25	26.2	1417.17	4.30 Ω/km
ANM10.008.20.011AB	UL21320	1000V	20X11AWG	85/0.25	26.9	1492.27	4.30 Ω/km



ANM10.008.21.011AB	UL21320	1000V	21X11AWG	85/0.25	27.6	1568.77	4.30 Ω /km
ANM10.008.22.011AB	UL21320	1000V	22X11AWG	85/0.25	30.7	1851.37	4.30 Ω /km
ANM10.008.23.011AB	UL21320	1000V	23X11AWG	85/0.25	32	1982.57	4.30 Ω /km
ANM10.008.24.011AB	UL21320	1000V	24X11AWG	85/0.25	32	2012.07	4.30 Ω /km
ANM10.008.25.011AB	UL21320	1000V	25X11AWG	85/0.25	32.7	2097.97	4.30 Ω /km
ANM10.008.26.011AB	UL21320	1000V	26X11AWG	85/0.25	32.7	2127.57	4.30 Ω /km
ANM10.008.27.011AB	UL21320	1000V	27X11AWG	85/0.25	32.7	2157.07	4.30 Ω /km
ANM10.008.28.011AB	UL21320	1000V	28X11AWG	85/0.25	33.9	2285.97	4.30 Ω /km
ANM10.008.29.011AB	UL21320	1000V	29X11AWG	85/0.25	33.9	2315.47	4.30 Ω /km
ANM10.008.30.011AB	UL21320	1000V	30X11AWG	85/0.25	33.9	2345.07	4.30 Ω /km
ANM10.008.31.011AB	UL21320	1000V	31X11AWG	85/0.25	35.1	2477.57	4.30 Ω /km
ANM10.008.32.011AB	UL21320	1000V	32X11AWG	85/0.25	35.1	2507.17	4.30 Ω /km
ANM10.008.33.011AB	UL21320	1000V	33X11AWG	85/0.25	35.1	2536.77	4.30 Ω /km
ANM10.008.34.011AB	UL21320	1000V	34X11AWG	85/0.25	36.4	2681.47	4.30 Ω /km
ANM10.008.35.011AB	UL21320	1000V	35X11AWG	85/0.25	36.4	2711.07	4.30 Ω /km
ANM10.008.36.011AB	UL21320	1000V	36X11AWG	85/0.25	36.4	2740.67	4.30 Ω /km
ANM10.008.37.011AB	UL21320	1000V	37X11AWG	85/0.25	36.4	2770.27	4.30 Ω /km
ANM10.008.02.010AB	UL21320	1000V	2X10AWG	108/0.25	13.2	296.87	3.409 Ω /km
ANM10.008.03.010AB	UL21320	1000V	3X10AWG	108/0.25	14	359.27	3.409 Ω /km
ANM10.008.04.010AB	UL21320	1000V	4X10AWG	108/0.25	15.3	441.97	3.409 Ω /km
ANM10.008.05.010AB	UL21320	1000V	5X10AWG	108/0.25	16.7	532.87	3.409 Ω /km
ANM10.008.06.010AB	UL21320	1000V	6X10AWG	108/0.25	18.2	633.07	3.409 Ω /km
ANM10.008.07.010AB	UL21320	1000V	7X10AWG	108/0.25	18.2	668.37	3.409 Ω /km
ANM10.008.08.010AB	UL21320	1000V	8X10AWG	108/0.25	20.7	821.77	3.409 Ω /km
ANM10.008.09.010AB	UL21320	1000V	9X10AWG	108/0.25	22.7	963.97	3.409 Ω /km
ANM10.008.10.010AB	UL21320	1000V	10X10AWG	108/0.25	24.2	1085.77	3.409 Ω /km
ANM10.008.11.010AB	UL21320	1000V	11X10AWG	108/0.25	25	1169.37	3.409 Ω /km
ANM10.008.12.010AB	UL21320	1000V	12X10AWG	108/0.25	25	1204.77	3.409 Ω /km
ANM10.008.13.010AB	UL21320	1000V	13X10AWG	108/0.25	26.3	1321.97	3.409 Ω /km
ANM10.008.14.010AB	UL21320	1000V	14X10AWG	108/0.25	26.3	1357.27	3.409 Ω /km
ANM10.008.15.010AB	UL21320	1000V	15X10AWG	108/0.25	27.7	1485.27	3.409 Ω /km
ANM10.008.16.010AB	UL21320	1000V	16X10AWG	108/0.25	27.7	1520.57	3.409 Ω /km
ANM10.008.17.010AB	UL21320	1000V	17X10AWG	108/0.25	30.6	1794.77	3.409 Ω /km
ANM10.008.18.010AB	UL21320	1000V	18X10AWG	108/0.25	30.6	1830.07	3.409 Ω /km
ANM10.008.19.010AB	UL21320	1000V	19X10AWG	108/0.25	30.6	1865.37	3.409 Ω /km
ANM10.008.20.010AB	UL21320	1000V	20X10AWG	108/0.25	31.4	1962.37	3.409 Ω /km
ANM10.008.21.010AB	UL21320	1000V	21X10AWG	108/0.25	32.1	2052.97	3.409 Ω /km
ANM10.008.22.010AB	UL21320	1000V	22X10AWG	108/0.25	34.1	2252.97	3.409 Ω /km
ANM10.008.23.010AB	UL21320	1000V	23X10AWG	108/0.25	35.6	2418.17	3.409 Ω /km
ANM10.008.24.010AB	UL21320	1000V	24X10AWG	108/0.25	35.6	2453.47	3.409 Ω /km
ANM10.008.25.010AB	UL21320	1000V	25X10AWG	108/0.25	36.4	2560.17	3.409 Ω /km
ANM10.008.26.010AB	UL21320	1000V	26X10AWG	108/0.25	36.4	2595.47	3.409 Ω /km



ANM10.008.27.010AB	UL21320	1000V	27X10AWG	108/0.25	36.4	2630.77	3.409 Ω/km
ANM10.008.28.010AB	UL21320	1000V	28X10AWG	108/0.25	37.7	2785.77	3.409 Ω/km
ANM10.008.29.010AB	UL21320	1000V	29X10AWG	108/0.25	37.7	2820.97	3.409 Ω/km
ANM10.008.30.010AB	UL21320	1000V	30X10AWG	108/0.25	37.7	2856.27	3.409 Ω/km
ANM10.008.31.010AB	UL21320	1000V	31X10AWG	108/0.25	39.1	3024.67	3.409 Ω/km
ANM10.008.32.010AB	UL21320	1000V	32X10AWG	108/0.25	39.1	3059.97	3.409 Ω/km
ANM10.008.33.010AB	UL21320	1000V	33X10AWG	108/0.25	39.1	3095.17	3.409 Ω/km
ANM10.008.34.010AB	UL21320	1000V	34X10AWG	108/0.25	40.8	3336.27	3.409 Ω/km
ANM10.008.35.010AB	UL21320	1000V	35X10AWG	108/0.25	40.8	3371.67	3.409 Ω/km
ANM10.008.36.010AB	UL21320	1000V	36X10AWG	108/0.25	40.8	3406.87	3.409 Ω/km
ANM10.008.37.010AB	UL21320	1000V	37X10AWG	108/0.25	40.8	3442.17	3.409 Ω/km
ANM10.008.02.009AB	UL21320	1000V	2X9AWG	136/0.25	13.8	339.24	2.705 Ω/km
ANM10.008.03.009AB	UL21320	1000V	3X9AWG	136/0.25	14.7	416.64	2.705 Ω/km
ANM10.008.04.009AB	UL21320	1000V	4X9AWG	136/0.25	16	511.94	2.705 Ω/km
ANM10.008.05.009AB	UL21320	1000V	5X9AWG	136/0.25	17.6	624.04	2.705 Ω/km
ANM10.008.06.009AB	UL21320	1000V	6X9AWG	136/0.25	19.1	737.84	2.705 Ω/km
ANM10.008.07.009AB	UL21320	1000V	7X9AWG	136/0.25	19.1	783.34	2.705 Ω/km
ANM10.008.02.008AB	UL21320	1000V	2X8AWG	171/0.25	16.2	454.97	2.144 Ω/km
ANM10.008.03.008AB	UL21320	1000V	3X8AWG	171/0.25	17.3	558.67	2.144 Ω/km
ANM10.008.04.008AB	UL21320	1000V	4X8AWG	171/0.25	18.9	688.27	2.144 Ω/km
ANM10.008.05.008AB	UL21320	1000V	5X8AWG	171/0.25	21.8	889.77	2.144 Ω/km
ANM10.008.06.008AB	UL21320	1000V	6X8AWG	171/0.25	23.7	1053.97	2.144 Ω/km
ANM10.008.07.008AB	UL21320	1000V	7X8AWG	171/0.25	23.7	1111.97	2.144 Ω/km
ANM10.008.02.007AB	UL21320	1000V	2X7AWG	84/0.4	17	522.85	1.700 Ω/km
ANM10.008.03.007AB	UL21320	1000V	3X7AWG	84/0.4	18.1	644.95	1.700 Ω/km
ANM10.008.04.007AB	UL21320	1000V	4X7AWG	84/0.4	20.9	852.35	1.700 Ω/km
ANM10.008.05.007AB	UL21320	1000V	5X7AWG	84/0.4	22.9	1034.45	1.700 Ω/km
ANM10.008.06.007AB	UL21320	1000V	6X7AWG	84/0.4	24.9	1226.25	1.700 Ω/km
ANM10.008.07.007AB	UL21320	1000V	7X7AWG	84/0.4	24.9	1300.65	1.700 Ω/km
ANM10.008.02.006AB	UL21320	1000V	2X6AWG	106/0.4	18.4	622.2	1.348 Ω/km
ANM10.008.03.006AB	UL21320	1000V	3X6AWG	106/0.4	20.6	818.3	1.348 Ω/km
ANM10.008.04.006AB	UL21320	1000V	4X6AWG	106/0.4	22.6	1016.5	1.348 Ω/km
ANM10.008.05.006AB	UL21320	1000V	5X6AWG	106/0.4	24.8	1236.8	1.348 Ω/km
ANM10.008.06.006AB	UL21320	1000V	6X6AWG	106/0.4	27	1468.7	1.348 Ω/km
ANM10.008.07.006AB	UL21320	1000V	7X6AWG	106/0.4	27	1560.7	1.348 Ω/km
ANM10.008.02.005AB	UL21320	1000V	2X5AWG	134/0.4	20.6	779.07	1.070 Ω/km
ANM10.008.03.005AB	UL21320	1000V	3X5AWG	134/0.4	21.9	963.67	1.070 Ω/km
ANM10.008.04.005AB	UL21320	1000V	4X5AWG	134/0.4	24	1198.87	1.070 Ω/km
ANM10.008.05.005AB	UL21320	1000V	5X5AWG	134/0.4	26.4	1464.27	1.070 Ω/km
ANM10.008.06.005AB	UL21320	1000V	6X5AWG	134/0.4	29.8	1812.77	1.070 Ω/km
ANM10.008.07.005AB	UL21320	1000V	7X5AWG	134/0.4	29.8	1929.47	1.070 Ω/km
ANM10.008.02.004AB	UL21320	1000V	2X4AWG	169/0.4	22	918.45	0.8481 Ω/km



ANM10.008.03.004AB	UL21320	1000V	3X4AWG	169/0.4	23.4	1144.15	0.8481 Ω/km
ANM10.008.04.004AB	UL21320	1000V	4X4AWG	169/0.4	25.7	1430.45	0.8481 Ω/km
ANM10.008.05.004AB	UL21320	1000V	5X4AWG	169/0.4	28.3	1750.15	0.8481 Ω/km
ANM10.008.06.004AB	UL21320	1000V	6X4AWG	169/0.4	32.3	2228.35	0.8481 Ω/km
ANM10.008.07.004AB	UL21320	1000V	7X4AWG	169/0.4	32.3	2375.95	0.8481 Ω/km
ANM10.008.02.003AB	UL21320	1000V	2X3AWG	213/0.4	23.6	1091.07	0.6727 Ω/km
ANM10.008.03.003AB	UL21320	1000V	3X3AWG	213/0.4	25.1	1366.87	0.6727 Ω/km
ANM10.008.04.003AB	UL21320	1000V	4X3AWG	213/0.4	27.7	1721.47	0.6727 Ω/km
ANM10.008.05.003AB	UL21320	1000V	5X3AWG	213/0.4	31.8	2239.77	0.6727 Ω/km
ANM10.008.06.003AB	UL21320	1000V	6X3AWG	213/0.4	34.7	2665.57	0.6727 Ω/km
ANM10.008.07.003AB	UL21320	1000V	7X3AWG	213/0.4	34.7	2851.67	0.6727 Ω/km
ANM10.008.02.002AB	UL21320	1000V	2X2AWG	268/0.4	25.4	1303.52	0.5335 Ω/km
ANM10.008.03.002AB	UL21320	1000V	3X2AWG	268/0.4	27.1	1647.92	0.5335 Ω/km
ANM10.008.04.002AB	UL21320	1000V	4X2AWG	268/0.4	31.2	2207.72	0.5335 Ω/km
ANM10.008.05.002AB	UL21320	1000V	5X2AWG	268/0.4	34.3	2694.92	0.5335 Ω/km
ANM10.008.06.002AB	UL21320	1000V	6X2AWG	268/0.4	37.4	3205.52	0.5335 Ω/km
ANM10.008.07.002AB	UL21320	1000V	7X2AWG	268/0.4	37.4	3440.12	0.5335 Ω/km
ANM10.008.02.001AB	UL21320	1000V	2X1AWG	338/0.4	28	1610.21	0.4230 Ω/km
ANM10.008.03.001AB	UL21320	1000V	3X1AWG	338/0.4	31.3	2180.81	0.4230 Ω/km
ANM10.008.04.001AB	UL21320	1000V	4X1AWG	338/0.4	34.4	2732.61	0.4230 Ω/km
ANM10.008.05.001AB	UL21320	1000V	5X1AWG	338/0.4	37.8	3335.61	0.4230 Ω/km
ANM10.008.06.001AB	UL21320	1000V	6X1AWG	338/0.4	41.5	4035.51	0.4230 Ω/km
ANM10.008.07.001AB	UL21320	1000V	7X1AWG	338/0.4	41.5	4333.91	0.4230 Ω/km
ANM10.008.02.1/0AB	UL21320	1000V	2X1/0AWG	426/0.4	32	2096.09	0.3354 Ω/km
ANM10.008.03.1/0AB	UL21320	1000V	3X1/0AWG	426/0.4	34.1	2640.69	0.3354 Ω/km
ANM10.008.04.1/0AB	UL21320	1000V	4X1/0AWG	426/0.4	37.5	3314.99	0.3354 Ω/km
ANM10.008.05.1/0AB	UL21320	1000V	5X1/0AWG	426/0.4	41.5	4116.69	0.3354 Ω/km
ANM10.008.06.1/0AB	UL21320	1000V	6X1/0AWG	426/0.4	46.8	5064.29	0.3354 Ω/km
ANM10.008.07.1/0AB	UL21320	1000V	7X1/0AWG	426/0.4	46.8	5436.39	0.3354 Ω/km
ANM10.008.02.2/0AB	UL21320	1000V	2X2/0AWG	537/0.4	34.6	2518.23	0.2660 Ω/km
ANM10.008.03.2/0AB	UL21320	1000V	3X2/0AWG	537/0.4	36.9	3191.23	0.2660 Ω/km
ANM10.008.04.2/0AB	UL21320	1000V	4X2/0AWG	537/0.4	40.9	4082.83	0.2660 Ω/km
ANM10.008.05.2/0AB	UL21320	1000V	5X2/0AWG	537/0.4	46.4	5142.63	0.2660 Ω/km
ANM10.008.06.2/0AB	UL21320	1000V	6X2/0AWG	537/0.4	50.7	6130.23	0.2660 Ω/km
ANM10.008.07.2/0AB	UL21320	1000V	7X2/0AWG	537/0.4	50.7	6598.93	0.2660 Ω/km
ANM10.008.02.3/0AB	UL21320	1000V	2X3/0AWG	677/0.4	37.2	3021.21	0.2110 Ω/km
ANM10.008.03.3/0AB	UL21320	1000V	3X3/0AWG	677/0.4	39.7	3854.91	0.2110 Ω/km
ANM10.008.04.3/0AB	UL21320	1000V	4X3/0AWG	677/0.4	45.4	5084.61	0.2110 Ω/km
ANM10.008.05.3/0AB	UL21320	1000V	5X3/0AWG	677/0.4	49.9	6213.31	0.2110 Ω/km
ANM10.008.06.3/0AB	UL21320	1000V	6X3/0AWG	677/0.4	54.6	7418.11	0.2110 Ω/km
ANM10.008.07.3/0AB	UL21320	1000V	7X3/0AWG	677/0.4	54.6	8013.51	0.2110 Ω/km
ANM10.008.02.4/0AB	UL21320	1000V	2X4/0AWG	854/0.4	40.4	3662.3	0.1673 Ω/km



ANM10.008.03.4/OAB	UL21320	1000V	3X4/OAWG	854/0.4	44.7	4899.6	0.1673 Ω/km
ANM10.008.04.4/OAB	UL21320	1000V	4X4/OAWG	854/0.4	49.3	6188.7	0.1673 Ω/km
ANM10.008.05.4/OAB	UL21320	1000V	5X4/OAWG	854/0.4	54.2	7569.4	0.1673 Ω/km
ANM10.008.06.4/OAB	UL21320	1000V	6X4/OAWG	854/0.4	59.4	9051.8	0.1673 Ω/km
ANM10.008.07.4/OAB	UL21320	1000V	7X4/OAWG	854/0.4	59.4	9803	0.1673 Ω/km
ANM10.008.02.250kV	UL21320	1000V	2X250Kcmil	1007/0.4	46.2	4598.7	0.1416 Ω/km
ANM10.008.03.250kV	UL21320	1000V	3X250Kcmil	1007/0.4	49.3	5848.2	0.1416 Ω/km
ANM10.008.04.250kV	UL21320	1000V	4X250Kcmil	1007/0.4	54.3	7372.4	0.1416 Ω/km
ANM10.008.05.250kV	UL21320	1000V	5X250Kcmil	1007/0.4	59.9	9045.6	0.1416 Ω/km
ANM10.008.02.300kV	UL21320	1000V	2X300Kcmil	1184/0.4	48.4	5265.3	0.1180 Ω/km
ANM10.008.03.300kV	UL21320	1000V	3X300Kcmil	1184/0.4	51.6	6735.5	0.1180 Ω/km
ANM10.008.04.300kV	UL21320	1000V	4X300Kcmil	1184/0.4	57	8535.1	0.1180 Ω/km
ANM10.008.05.300kV	UL21320	1000V	5X300Kcmil	1184/0.4	62.9	10482.6	0.1180 Ω/km
ANM10.008.02.350kV	UL21320	1000V	2X350Kcmil	1406/0.4	51.4	6002.9	0.1011 Ω/km
ANM10.008.03.350kV	UL21320	1000V	3X350Kcmil	1406/0.4	54.9	7707.6	0.1011 Ω/km
ANM10.008.04.350kV	UL21320	1000V	4X350Kcmil	1406/0.4	60.6	9765.6	0.1011 Ω/km
ANM10.008.02.400kV	UL21320	1000V	2X400Kcmil	1628/0.4	54.4	6771.4	0.08851 Ω/km
ANM10.008.03.400kV	UL21320	1000V	3X400Kcmil	1628/0.4	58.1	8704.6	0.08851 Ω/km
ANM10.008.02.450kV	UL21320	1000V	2X450Kcmil	1830/0.4	56.8	7477.5	0.07867 Ω/km
ANM10.008.03.450kV	UL21320	1000V	3X450Kcmil	1830/0.4	60.7	9637.4	0.07867 Ω/km
ANM10.008.03.01.013AB	UL21320	1000V	3X13AWG+1X15AWG	54/0.25	11.9	254.75	6.82 Ω/km
ANM10.008.03.01.012AB	UL21320	1000V	3X12AWG+1X14AWG	68/0.25	12.4	289.68	5.43 Ω/km
ANM10.008.03.01.011AB	UL21320	1000V	3X11AWG+1X14AWG	85/0.25	13.2	332.38	4.30 Ω/km
ANM10.008.03.01.010AB	UL21320	1000V	3X10AWG+1X13AWG	108/0.25	14.5	399.33	3.409 Ω/km
ANM10.008.03.01.009AB	UL21320	1000V	3X9AWG+1X12AWG	136/0.25	15.1	458.51	2.705 Ω/km
ANM10.008.03.01.008AB	UL21320	1000V	3X8AWG+1X11AWG	171/0.25	17.6	604.67	2.144 Ω/km
ANM10.008.03.01.007AB	UL21320	1000V	3X7AWG+1X10AWG	84/0.4	18.6	705.87	1.700 Ω/km
ANM10.008.03.01.006AB	UL21320	1000V	3X6AWG+1X9AWG	106/0.4	21.1	891.74	1.348 Ω/km
ANM10.008.03.01.005AB	UL21320	1000V	3X5AWG+1X8AWG	134/0.4	22.9	1078.17	1.070 Ω/km
ANM10.008.03.01.004AB	UL21320	1000V	3X4AWG+1X7AWG	169/0.4	24.4	1277.15	0.8481 Ω/km
ANM10.008.03.01.003AB	UL21320	1000V	3X3AWG+1X6AWG	213/0.4	26.3	1532.6	0.6727 Ω/km
ANM10.008.03.01.002AB	UL21320	1000V	3X2AWG+1X5AWG	268/0.4	28.3	1841.57	0.5335 Ω/km
ANM10.008.03.01.001AB	UL21320	1000V	3X1AWG+1X4AWG	338/0.4	32.5	2416.55	0.4230 Ω/km
ANM10.008.03.01.1/OAB	UL21320	1000V	3X1/OAWG+1X3AWG	426/0.4	35.3	2918.87	0.3354 Ω/km
ANM10.008.03.01.2/OAB	UL21320	1000V	3X2/OAWG+1X2AWG	537/0.4	38.5	3558.52	0.2660 Ω/km
ANM10.008.03.01.3/OAB	UL21320	1000V	3X3/OAWG+1X1AWG	677/0.4	41.9	4390.31	0.2110 Ω/km
ANM10.008.03.01.4/OAB	UL21320	1000V	3X4/OAWG+1X1/OAWG	854/0.4	47	5501.39	0.1673 Ω/km
ANM10.008.03.01.250kV	UL21320	1000V	3X250kcmil+1X2/OAWG	1007/0.4	51.6	6568.33	0.1416 Ω/km
ANM10.008.03.01.300kV	UL21320	1000V	3X300kcmil+1X3/OAWG	1184/0.4	54.3	7642.71	0.1180 Ω/km
ANM10.008.03.01.350kV	UL21320	1000V	3X350kcmil+1X4/OAWG	1406/0.4	58	8848.4	0.1011 Ω/km
ANM10.008.03.01.400kV	UL21320	1000V	3X400kcmil+1X250kcmil	1628/0.4	62	10117.1	0.08851 Ω/km
ANM10.008.03.01.450kV	UL21320	1000V	3X450kcmil+1X300kcmil	1830/0.4	64.9	11315.3	0.07867 Ω/km



ANM10.008.03.01.500kB	UL21320	1000V	3X500kcmil+1X350kcmil	2013/0.4	67.6	12501.5	0.07080 Ω/km
ANM10.008.03.02.013AB	UL21320	1000V	3X13AWG+2X15AWG	54/0.25	12.7	291.65	6.82 Ω/km
ANM10.008.03.02.012AB	UL21320	1000V	3X12AWG+2X14AWG	68/0.25	13.4	337.48	5.43 Ω/km
ANM10.008.03.02.011AB	UL21320	1000V	3X11AWG+2X14AWG	85/0.25	14	374.78	4.30 Ω/km
ANM10.008.03.02.010AB	UL21320	1000V	3X10AWG+2X13AWG	108/0.25	15.3	448.03	3.409 Ω/km
ANM10.008.03.02.009AB	UL21320	1000V	3X9AWG+2X12AWG	136/0.25	16	517.91	2.705 Ω/km
ANM10.008.03.02.008AB	UL21320	1000V	3X8AWG+2X11AWG	171/0.25	18.4	670.07	2.144 Ω/km
ANM10.008.03.02.007AB	UL21320	1000V	3X7AWG+2X10AWG	84/0.4	20.7	841.67	1.700 Ω/km
ANM10.008.03.02.006AB	UL21320	1000V	3X6AWG+2X9AWG	106/0.4	22.1	990.94	1.348 Ω/km
ANM10.008.03.02.005AB	UL21320	1000V	3X5AWG+2X8AWG	134/0.4	24.4	1223.97	1.070 Ω/km
ANM10.008.03.02.004AB	UL21320	1000V	3X4AWG+2X7AWG	169/0.4	26	1451.45	0.8481 Ω/km
ANM10.008.03.02.003AB	UL21320	1000V	3X3AWG+2X6AWG	213/0.4	28	1738.8	0.6727 Ω/km
ANM10.008.03.02.002AB	UL21320	1000V	3X2AWG+2X5AWG	268/0.4	31.5	2226.67	0.5335 Ω/km
ANM10.008.03.02.001AB	UL21320	1000V	3X1AWG+2X4AWG	338/0.4	34.4	2722.95	0.4230 Ω/km
ANM10.008.03.02.1/OAB	UL21320	1000V	3X1/OAWG+2X3AWG	426/0.4	37.7	3323.57	0.3354 Ω/km
ANM10.008.03.02.2/OAB	UL21320	1000V	3X2/OAWG+2X2AWG	537/0.4	40.9	4068.12	0.2660 Ω/km
ANM10.008.03.02.3/OAB	UL21320	1000V	3X3/OAWG+2X1AWG	677/0.4	45.8	5108.81	0.2110 Ω/km
ANM10.008.03.02.4/OAB	UL21320	1000V	3X4/OAWG+2X1/OAWG	854/0.4	49.8	6211.69	0.1673 Ω/km
ANM10.008.03.02.250kB	UL21320	1000V	3X250kcmil+2X2/OAWG	1007/0.4	54.7	7447.23	0.1416 Ω/km
ANM10.008.03.02.300kB	UL21320	1000V	3X300kcmil+2X3/OAWG	1184/0.4	57.8	8725.81	0.1180 Ω/km
ANM10.008.03.02.350kB	UL21320	1000V	3X350kcmil+2X4/OAWG	1406/0.4	62	10195	0.1011 Ω/km
ANM10.008.03.02.400kB	UL21320	1000V	3X400kcmil+2X250kcmil	1628/0.4	66.7	11747.8	0.08851 Ω/km
ANM10.008.03.02.450kB	UL21320	1000V	3X450kcmil+2X300kcmil	1830/0.4	64	12285.4	0.07867 Ω/km
ANM10.008.03.02.500kB	UL21320	1000V	3X500kcmil+2X350kcmil	2013/0.4	67.3	13736.7	0.07080 Ω/km
ANM10.008.01.01.013AB	UL21320	1000V	4X13AWG+1X15AWG	54/0.25	13	308.25	6.82 Ω/km
ANM10.008.01.01.012AB	UL21320	1000V	4X12AWG+1X14AWG	68/0.25	13.6	353.18	5.43 Ω/km
ANM10.008.01.01.011AB	UL21320	1000V	4X11AWG+1X14AWG	85/0.25	14.5	407.38	4.30 Ω/km
ANM10.008.01.01.010AB	UL21320	1000V	4X10AWG+1X13AWG	108/0.25	16	492.23	3.409 Ω/km
ANM10.008.01.01.009AB	UL21320	1000V	4X9AWG+1X12AWG	136/0.25	16.7	568.11	2.705 Ω/km
ANM10.008.01.01.008AB	UL21320	1000V	4X8AWG+1X11AWG	171/0.25	20.5	797.87	2.144 Ω/km
ANM10.008.01.01.007AB	UL21320	1000V	4X7AWG+1X10AWG	84/0.4	21.7	933.27	1.700 Ω/km
ANM10.008.01.01.006AB	UL21320	1000V	4X6AWG+1X9AWG	106/0.4	23.4	1110.74	1.348 Ω/km
ANM10.008.01.01.005AB	UL21320	1000V	4X5AWG+1X8AWG	134/0.4	25.3	1338.17	1.070 Ω/km
ANM10.008.01.01.001AB	UL21320	1000V	4X4AWG+1X7AWG	169/0.4	27.1	1596.75	0.8481 Ω/km
ANM10.008.01.01.003AB	UL21320	1000V	4X3AWG+1X6AWG	213/0.4	30.6	2052.1	0.6727 Ω/km
ANM10.008.01.01.002AB	UL21320	1000V	4X2AWG+1X5AWG	268/0.4	32.8	2449.27	0.5335 Ω/km
ANM10.008.01.01.001AB	UL21320	1000V	4X1AWG+1X4AWG	338/0.4	36.3	3041.65	0.4230 Ω/km
ANM10.008.01.01.1/OAB	UL21320	1000V	4X1/OAWG+1X3AWG	426/0.4	39.6	3692.47	0.3354 Ω/km
ANM10.008.01.01.2/OAB	UL21320	1000V	4X2/OAWG+1X2AWG	537/0.4	44.4	4668.12	0.2660 Ω/km
ANM10.008.01.01.3/OAB	UL21320	1000V	4X3/OAWG+1X1AWG	677/0.4	48	5663.71	0.2110 Ω/km
ANM10.008.01.01.4/OAB	UL21320	1000V	4X4/OAWG+1X1/OAWG	854/0.4	52.1	6882.89	0.1673 Ω/km
ANM10.008.01.01.250kB	UL21320	1000V	4X250kcmil+1X2/OAWG	1007/0.4	57.4	8236.23	0.1416 Ω/km



ANM10.008.01.01.300kB	UL21320	1000V	4X300kcmil+1X3/OAWG	1184/0.4	60.4	9584.51	0.1180 Ω/km
ANM10.008.01.01.350kB	UL21320	1000V	4X350kcmil+1X4/OAWG	1406/0.4	64.5	11078.9	0.1011 Ω/km
ANM10.008.01.01.400kB	UL21320	1000V	4X400kcmil+1X250kcmil	1628/0.4	63.1	11746.2	0.08851 Ω/km
ANM10.008.01.01.450kB	UL21320	1000V	4X450kcmil+1X300kcmil	1830/0.4	66.3	13177.3	0.07867 Ω/km
ANM10.008.01.01.500kB	UL21320	1000V	4X500kcmil+1X350kcmil	2013/0.4	69.3	14607.6	0.07080 Ω/km
ANM10.008.03.03.013AB	UL21320	1000V	3X13AWG+3X18AWG	54/0.25	12.9	291.23	6.82 Ω/km
ANM10.008.03.03.012AB	UL21320	1000V	3X12AWG+3X17AWG	68/0.25	13.6	334.84	5.43 Ω/km
ANM10.008.03.03.011AB	UL21320	1000V	3X11AWG+3X16AWG	85/0.25	14.3	383.01	4.30 Ω/km
ANM10.008.03.03.010AB	UL21320	1000V	3X10AWG+3X15AWG	108/0.25	15.5	452.85	3.409 Ω/km
ANM10.008.03.03.009AB	UL21320	1000V	3X9AWG+3X14AWG	136/0.25	16.2	521.78	2.705 Ω/km
ANM10.008.03.03.008AB	UL21320	1000V	3X8AWG+3X13AWG	171/0.25	18.3	661.13	2.144 Ω/km
ANM10.008.03.03.007AB	UL21320	1000V	3X7AWG+3X12AWG	84/0.4	19.2	768.81	1.700 Ω/km
ANM10.008.03.03.006AB	UL21320	1000V	3X6AWG+3X11AWG	106/0.4	21.8	969.57	1.348 Ω/km
ANM10.008.03.03.005AB	UL21320	1000V	3X5AWG+3X10AWG	134/0.4	23.6	1163.37	1.070 Ω/km
ANM10.008.03.03.004AB	UL21320	1000V	3X4AWG+3X9AWG	169/0.4	25.1	1378.64	0.8481 Ω/km
ANM10.008.03.03.003AB	UL21320	1000V	3X3AWG+3X8AWG	213/0.4	28.2	1737.57	0.6727 Ω/km
ANM10.008.03.03.002AB	UL21320	1000V	3X2AWG+3X7AWG	268/0.4	31.5	2210.05	0.5335 Ω/km
ANM10.008.03.03.001AB	UL21320	1000V	3X1AWG+3X6AWG	338/0.4	34.4	2696.1	0.4230 Ω/km
ANM10.008.03.03.1/0AB	UL21320	1000V	3X1/OAWG+3X5AWG	426/0.4	37.5	3272.67	0.3354 Ω/km
ANM10.008.03.03.2/0AB	UL21320	1000V	3X2/OAWG+3X4AWG	537/0.4	40.6	3998.05	0.2660 Ω/km
ANM10.008.03.03.3/0AB	UL21320	1000V	3X3/OAWG+3X3AWG	677/0.4	45.1	4974.87	0.2110 Ω/km
ANM10.008.03.03.4/0AB	UL21320	1000V	3X4/OAWG+3X2AWG	854/0.4	48.8	6028.72	0.1673 Ω/km
ANM10.008.03.03.250kB	UL21320	1000V	3X250kcmil+3X1AWG	1007/0.4	53.8	7258.71	0.1416 Ω/km
ANM10.008.03.03.300kB	UL21320	1000V	3X300kcmil+3X1/OAWG	1184/0.4	57.5	8576.69	0.1180 Ω/km
ANM10.008.03.03.350kB	UL21320	1000V	3X350kcmil+3X1/OAWG	1406/0.4	59.5	9378.59	0.1011 Ω/km
ANM10.008.03.03.400kB	UL21320	1000V	3X400kcmil+3X2/OAWG	1628/0.4	63.7	10847.03	0.08851 Ω/km
ANM10.008.03.03.450kB	UL21320	1000V	3X450kcmil+3X3/OAWG	1830/0.4	67.5	12388.01	0.07867 Ω/km
ANM10.008.03.03.500kB	UL21320	1000V	3X500kcmil+3X3/OAWG	2013/0.4	63.1	12265.41	0.07080 Ω/km