



物料编号	型号	规格	额定电压	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
AN19020001	Aein bei ke ® drag chain flex cable 1902	4 G 22AWG + (2 x 22AWG) + (4 x 26AWG)	300/300V	22/0.14	9.8	128	55.4
AN19020002	Aein bei ke ® drag chain flex cable 1902	4 G 19AWG + (2 x 21AWG) + (4 x 26AWG)	300/300V	43/0.14	10.6	159	27.4
AN19020003	Aein bei ke ® drag chain flex cable 1902	4 G 22AWG + (2 x 22AWG) + (4 x 0.20)	300/300V	22/0.14	9.8	128	55.4
AN19020004	Aein bei ke ® drag chain flex cable 1902	4 G 19AWG + (2 x 21AWG) + (4 x 0.20)	300/300V	43/0.14	10.6	159	27.4
AN19020005	Aein bei ke ® drag chain flex cable 1902	4 G 1.5 + (2 x 1.5) + (4 x 0.20)	300/300V	7/27/0.1	12.7	257	13.3
AN19020006	Aein bei ke ® drag chain flex cable 1902	4 G 2.5 + (2 x 1.5) + (4 x 0.20)	300/300V	7/23/0.14	13.7	303	7.98
AN19020007	Aein bei ke ® drag chain flex cable 1902	2 X 0.5	300/500V	64/0.1	5.8	42.9	39
AN19020008	Aein bei ke ® drag chain flex cable 1902	3 G 0.5	300/500V	64/0.1	6.1	50.6	39
AN19020009	Aein bei ke ® drag chain flex cable 1902	4 G 0.5	300/500V	64/0.1	6.6	62.6	39
AN19020010	Aein bei ke ® drag chain flex cable 1902	5 G 0.5	300/500V	64/0.1	7.1	74.7	39
AN19020011	Aein bei ke ® drag chain flex cable 1902	7 G 0.5	300/500V	64/0.1	8.5	101.0	39
AN19020012	Aein bei ke ® drag chain flex cable 1902	12 G 0.5	300/500V	64/0.1	10.0	144.5	39
AN19020013	Aein bei ke ® drag chain flex cable 1902	18 G 0.5	300/500V	64/0.1	11.8	207.1	39
AN19020014	Aein bei ke ® drag chain flex cable 1902	25 G 0.5	300/500V	64/0.1	14.1	288.6	39
AN19020015	Aein bei ke ® drag chain flex cable 1902	2 X 0.75	300/500V	96/0.1	6.2	52.7	26
AN19020016	Aein bei ke ® drag chain flex cable 1902	3 G 0.75	300/500V	96/0.1	6.6	63.4	26
AN19020017	Aein bei ke ® drag chain flex cable 1902	4 G 0.75	300/500V	96/0.1	7.1	78.0	26
AN19020018	Aein bei ke ® drag chain flex cable 1902	5 G 0.75	300/500V	96/0.1	7.7	90.4	26
AN19020019	Aein bei ke ® drag chain flex cable 1902	7 G 0.75	300/500V	96/0.1	9.1	126.1	26
AN19020020	Aein bei ke ® drag chain flex cable 1902	12 G 0.75	300/500V	96/0.1	10.9	183.6	26
AN19020021	Aein bei ke ® drag chain flex cable 1902	18 G 0.75	300/500V	96/0.1	13.0	269.8	26
AN19020022	Aein bei ke ® drag chain flex cable 1902	25 G 0.75	300/500V	96/0.1	15.6	377.0	26
AN19020023	Aein bei ke ® drag chain flex cable 1902	2 X 1.0	300/500V	7/18/0.1	6.5	58.5	19.5
AN19020024	Aein bei ke ® drag chain flex cable 1902	3 G 1.0	300/500V	7/18/0.1	6.9	71.6	19.5
AN19020025	Aein bei ke ® drag chain flex cable 1902	4 G 1.0	300/500V	7/18/0.1	7.5	89.4	19.5
AN19020026	Aein bei ke ® drag chain flex cable 1902	5 G 1.0	300/500V	7/18/0.1	8.3	110.2	19.5
AN19020027	Aein bei ke ® drag chain flex cable 1902	7 G 1.0	300/500V	7/18/0.1	9.8	149.2	19.5
AN19020028	Aein bei ke ® drag chain flex cable 1902	12 G 1.0	300/500V	7/18/0.1	11.7	224.4	19.5
AN19020029	Aein bei ke ® drag chain flex cable 1902	18 G 1.0	300/500V	7/18/0.1	14.0	331.3	19.5
AN19020030	Aein bei ke ® drag chain flex cable 1902	25 G 1.0	300/500V	7/18/0.1	16.7	449.2	19.5
AN19020031	Aein bei ke ® drag chain flex cable 1902	2 X 1.5	300/500V	7/27/0.1	7.1	73.8	13.3
AN19020032	Aein bei ke ® drag chain flex cable 1902	3 G 1.5	300/500V	7/27/0.1	7.5	92.6	13.3
AN19020033	Aein bei ke ® drag chain flex cable 1902	4 G 1.5	300/500V	7/27/0.1	8.4	118.9	13.3
AN19020034	Aein bei ke ® drag chain flex cable 1902	5 G 1.5	300/500V	7/27/0.1	9.1	142.7	13.3
AN19020035	Aein bei ke ® drag chain flex cable 1902	7 G 1.5	300/500V	7/27/0.1	10.9	194.9	13.3
AN19020036	Aein bei ke ® drag chain flex cable 1902	12 G 1.5	300/500V	7/27/0.1	13.3	301.9	13.3
AN19020037	Aein bei ke ® drag chain flex cable 1902	18 G 1.5	300/500V	7/27/0.1	15.7	447.8	13.3
AN19020038	Aein bei ke ® drag chain flex cable 1902	25 G 1.5	300/500V	7/27/0.1	18.7	606.5	13.3
AN19020039	Aein bei ke ® drag chain flex cable 1902	3 G 2.5	300/500V	7/23/0.14	9.0	138.9	7.98



上海埃因电线电缆有限公司
Shanghai Aein Wire & Cable Co., Ltd.

AN19020040	Aein bei ke® drag chain flex cable 1902	4 G 2.5	300/500V	7/23/0.14	10.1	178.2	7.98
AN19020041	Aein bei ke® drag chain flex cable 1902	1.5	0.6/1KV	7/27/0.1	7.0	60.0	13.3
AN19020042	Aein bei ke® drag chain flex cable 1902	2.5	0.6/1KV	7/23/0.14	7.6	90.0	7.98
AN19020043	Aein bei ke® drag chain flex cable 1902	4	0.6/1KV	7/37/0.14	7.9	100.0	4.95
AN19020044	Aein bei ke® drag chain flex cable 1902	6	0.6/1KV	7/55/0.14	8.4	120.0	3.3
AN19020045	Aein bei ke® drag chain flex cable 1902	10	0.6/1KV	7/49/0.19	9.8	180.0	1.91
AN19020046	Aein bei ke® drag chain flex cable 1902	16	0.6/1KV	7/78/0.19	11.3	240.0	1.21
AN19020047	Aein bei ke® drag chain flex cable 1902	25	0.6/1KV	19/45/0.19	13.0	340.0	0.78
AN19020048	Aein bei ke® drag chain flex cable 1902	35	0.6/1KV	19/63/0.19	14.2	480.0	0.554
AN19020049	Aein bei ke® drag chain flex cable 1902	50	0.6/1KV	19/89/0.19	16.8	610.0	0.386
AN19020050	Aein bei ke® drag chain flex cable 1902	70	0.6/1KV	19/73/0.25	19.1	880.0	0.272
AN19020051	Aein bei ke® drag chain flex cable 1902	95	0.6/1KV	19/99/0.25	21.6	1160.0	0.206
AN19020052	Aein bei ke® drag chain flex cable 1902	120	0.6/1KV	37/64/0.25	23.6	1380.0	0.161
AN19020053	Aein bei ke® drag chain flex cable 1902	150	0.6/1KV	37/80/0.25	25.9	1670.0	0.129
AN19020054	Aein bei ke® drag chain flex cable 1902	185	0.6/1KV	61/60/0.25	28.5	1980.0	0.106
AN19020055	Aein bei ke® drag chain flex cable 1902	240	0.6/1KV	61/77/0.25	33.4	2600.0	0.0801
AN19020056	Aein bei ke® drag chain flex cable 1902	300	0.6/1KV	61/97/0.25	35.3	3210.0	0.0641
AN19020057	Aein bei ke® drag chain flex cable 1902	4 G 1.5	0.6/1KV	7/27/0.1	9.1	140.0	13.3
AN19020058	Aein bei ke® drag chain flex cable 1902	4 G 2.5	0.6/1KV	7/23/0.14	10.6	197.0	7.98
AN19020059	Aein bei ke® drag chain flex cable 1902	4 G 4	0.6/1KV	7/37/0.14	11.9	268.0	4.95
AN19020060	Aein bei ke® drag chain flex cable 1902	4 G 6	0.6/1KV	7/55/0.14	14.5	397.0	3.3
AN19020061	Aein bei ke® drag chain flex cable 1902	4 G 10	0.6/1KV	7/49/0.19	17.5	591.0	1.91
AN19020062	Aein bei ke® drag chain flex cable 1902	4 G 16	0.6/1KV	7/78/0.19	21.6	955.0	1.21
AN19020063	Aein bei ke® drag chain flex cable 1902	4 G 25	0.6/1KV	19/45/0.19	25.2	1337.0	0.78
AN19020064	Aein bei ke® drag chain flex cable 1902	4 G 35	0.6/1KV	19/63/0.19	28.6	1769.0	0.554
AN19020065	Aein bei ke® drag chain flex cable 1902	4 G 50	0.6/1KV	19/89/0.19	33.4	2468.0	0.386
AN19020066	Aein bei ke® drag chain flex cable 1902	4 G 0.75 + (2 x 0.5)	0.6/1KV	96/0.1	11.0	155.0	26
AN19020067	Aein bei ke® drag chain flex cable 1902	4 G 1 + (2 x 0.5)	0.6/1KV	7/18/0.1	11.5	164.0	19.5
AN19020068	Aein bei ke® drag chain flex cable 1902	4 G 1 + (2 x 1.0)	0.6/1KV	7/18/0.1	11.7	174.0	19.5
AN19020069	Aein bei ke® drag chain flex cable 1902	4 G 1.5 + (2 x 0.5)	0.6/1KV	7/27/0.1	12.0	187.0	13.3
AN19020070	Aein bei ke® drag chain flex cable 1902	4 G 1.5 + (2 x 1.0)	0.6/1KV	7/27/0.1	12.2	202.0	13.3
AN19020071	Aein bei ke® drag chain flex cable 1902	4 G 1.5 + (3 x 1.0)	0.6/1KV	7/27/0.1	12.0	220.0	13.3
AN19020072	Aein bei ke® drag chain flex cable 1902	4 G 1.5 + (3 x 1.0) + (2 x 0.75)	0.6/1KV	7/27/0.1	12.9	262.0	13.3
AN19020073	Aein bei ke® drag chain flex cable 1902	4 G 1.5 + (2 x 1.5)	0.6/1KV	7/27/0.1	11.6	261.0	13.3
AN19020074	Aein bei ke® drag chain flex cable 1902	4 G 1.5 + (4 x 0.5)	0.6/1KV	7/23/0.14	12.2	217.0	7.98
AN19020075	Aein bei ke® drag chain flex cable 1902	4 G 2.5 + (2 x 0.5)	0.6/1KV	7/23/0.14	12.6	243.0	7.98
AN19020076	Aein bei ke® drag chain flex cable 1902	4 G 2.5 + (2 x 1.0)	0.6/1KV	7/23/0.14	13.5	253.0	7.98
AN19020077	Aein bei ke® drag chain flex cable 1902	4 G 2.5 + (3 x 1.0)	0.6/1KV	7/23/0.14	13.5	294.0	7.98
AN19020078	Aein bei ke® drag chain flex cable 1902	4 G 2.5 + (3 x 1.0) + (2 x 0.75)	0.6/1KV	7/23/0.14	14.7	340.0	7.98
AN19020079	Aein bei ke® drag chain flex cable 1902	4 G 2.5 + (2 x 1.5)	0.6/1KV	7/23/0.14	13.4	318.0	7.98
AN19020080	Aein bei ke® drag chain flex cable 1902	4 G 2.5 + (4 x 0.5)	0.6/1KV	7/23/0.14	13.5	278.0	7.98
AN19020081	Aein bei ke® drag chain flex cable 1902	4 G 4 + (2 x 1.0)	0.6/1KV	7/37/0.14	14.8	359.0	4.95



AN19020082	Aein bei ke® drag chain flex cable 1902	4 G 4 + (3 x 1.0)	0.6/1KV	7/37/0.14	14.7	361.0	4.95
AN19020083	Aein bei ke® drag chain flex cable 1902	4 G 4 + (3 x 1.5) + (2 x 0.75)	0.6/1KV	7/37/0.14	16.3	462.0	4.95
AN19020084	Aein bei ke® drag chain flex cable 1902	4 G 4 + (2 x 1.5)	0.6/1KV	7/37/0.14	14.8	385.0	4.95
AN19020085	Aein bei ke® drag chain flex cable 1902	4 G 4 + (4 x 0.5)	0.6/1KV	7/37/0.14	14.9	345.0	4.95
AN19020086	Aein bei ke® drag chain flex cable 1902	4 G 6 + (2 x 1.0)	0.6/1KV	7/55/0.14	16.8	469.0	3.3
AN19020087	Aein bei ke® drag chain flex cable 1902	4 G 6 + (2 x 1.5)	0.6/1KV	7/55/0.14	16.8	486.0	3.3
AN19020088	Aein bei ke® drag chain flex cable 1902	4 G 6 + (3 x 1.5)	0.6/1KV	7/55/0.14	16.5	505.0	3.3
AN19020089	Aein bei ke® drag chain flex cable 1902	4 G 6 + (3 x 1.5) + (2 x 0.75)	0.6/1KV	7/55/0.14	18.2	561.0	3.3
AN19020090	Aein bei ke® drag chain flex cable 1902	4 G 6 + (4 x 0.5)	0.6/1KV	7/55/0.14	16.9	460.0	3.3
AN19020091	Aein bei ke® drag chain flex cable 1902	4 G 10 + (2 x 1.0)	0.6/1KV	7/49/0.19	18.8	689.0	1.91
AN19020092	Aein bei ke® drag chain flex cable 1902	4 G 10 + (2 x 1.5)	0.6/1KV	7/49/0.19	19.4	701.0	1.91
AN19020093	Aein bei ke® drag chain flex cable 1902	4 G 10 + (3 x 1.5)	0.6/1KV	7/49/0.19	19.7	722.0	1.91
AN19020094	Aein bei ke® drag chain flex cable 1902	4 G 10 + (3 x 1.5) + (2 x 0.75)	0.6/1KV	7/49/0.19	21.9	824.0	1.91
AN19020095	Aein bei ke® drag chain flex cable 1902	4 G 10 + (4 x 0.5)	0.6/1KV	7/49/0.19	18.9	687.0	1.91
AN19020096	Aein bei ke® drag chain flex cable 1902	4 G 16 + (2 x 1.0)	0.6/1KV	7/78/0.19	22.8	985.0	1.21
AN19020097	Aein bei ke® drag chain flex cable 1902	4 G 16 + (2 x 1.5)	0.6/1KV	7/78/0.19	23.1	1048.0	1.21
AN19020098	Aein bei ke® drag chain flex cable 1902	4 G 16 + (3 x 1.5)	0.6/1KV	7/78/0.19	23.3	1030.0	1.21
AN19020099	Aein bei ke® drag chain flex cable 1902	4 G 16 + (4 x 0.5)	0.6/1KV	7/78/0.19	22.9	1008.0	1.21
AN19020100	Aein bei ke® drag chain flex cable 1902	4 G 25 + (2 x 1.5)	0.6/1KV	19/45/0.19	26.6	1532.0	0.78
AN19020101	Aein bei ke® drag chain flex cable 1902	4 G 35 + (2 x 1.5)	0.6/1KV	19/63/0.19	30.9	2097.0	0.554
AN19020102	Aein bei ke® drag chain flex cable 1902	4 G 50 + (2 x 1.5)	0.6/1KV	19/89/0.19	34.0	2721.0	0.386
AN19020103	Aein bei ke® drag chain flex cable 1902	4 G 1.0 + 2 x (2 x 0.75)	0.6/1KV	7/18/0.1	11.6	284.0	19.5
AN19020104	Aein bei ke® drag chain flex cable 1902	4 G 1.5 + 2 x (2 x 0.75)	0.6/1KV	7/27/0.1	12.2	313.0	13.3
AN19020105	Aein bei ke® drag chain flex cable 1902	4 G 2.5 + 2 x (2 x 1.0)	0.6/1KV	7/23/0.14	14.6	395.0	7.98
AN19020106	Aein bei ke® drag chain flex cable 1902	4 G 4 + 2 x (2 x 1.0)	0.6/1KV	7/37/0.14	16.1	466.0	4.95
AN19020107	Aein bei ke® drag chain flex cable 1902	4 G 4 + (2 x 1.0) + (2 x 1.5)	0.6/1KV	7/37/0.14	16.3	485.0	4.95
AN19020108	Aein bei ke® drag chain flex cable 1902	4 G 6 + (2 x 1.0) + (2 x 1.5)	0.6/1KV	7/55/0.14	18.1	588.0	3.3
AN19020109	Aein bei ke® drag chain flex cable 1902	4 G 10 + (2 x 1.0) + (2 x 1.5)	0.6/1KV	7/49/0.19	21.8	819.0	1.91
AN19020110	Aein bei ke® drag chain flex cable 1902	4 G 16 + 2 x (2 x 1.5)	0.6/1KV	7/78/0.19	25.5	1135.0	1.21
AN19020111	Aein bei ke® drag chain flex cable 1902	4 G 25 + 2 x (2 x 1.5)	0.6/1KV	19/45/0.19	28.8	1559.0	0.78
AN19020112	Aein bei ke® drag chain flex cable 1902	4 G 35 + 2 x (2 x 1.5)	0.6/1KV	19/63/0.19	30.9	2093.0	0.554
AN19020113	Aein bei ke® drag chain flex cable 1902	4 G 50 + 2 x (2 x 2.5)	0.6/1KV	19/89/0.19	36.3	2920.0	0.386
AN19020114	Aein bei ke® drag chain flex cable 1902	4 G 1.5 + (2 x 22AWG)	0.6/1KV	7/27/0.1	11.2	198.0	13.3
AN19020115	Aein bei ke® drag chain flex cable 1902	4 G 2.5 + (2 x 22AWG)	0.6/1KV	7/23/0.14	12.6	269.0	7.98
AN19020116	Aein bei ke® drag chain flex cable 1902	4 G 4 + (2 x 22AWG)	0.6/1KV	7/37/0.14	14.0	343.0	4.95
AN19020117	Aein bei ke® drag chain flex cable 1902	4 G 0.5 + (2 x 0.34) + (2 x 26AWG)	0.6/1KV	64/0.1	9.6	132.0	39
AN19020118	Aein bei ke® drag chain flex cable 1902	4 G 0.75 + (2 x 0.34) + (2 x 26AWG)	0.6/1KV	96/0.1	10.6	160.0	26
AN19020119	Aein bei ke® drag chain flex cable 1902	4 G 1 + (2 x 0.75) + (2 x 22AWG)	0.6/1KV	7/18/0.1	11.8	202.0	19.5
AN19020120	Aein bei ke® drag chain flex cable 1902	4 G 1.5 + (2 x 1.0) + (2 x 22AWG)	0.6/1KV	7/27/0.1	13.2	256.0	13.3
AN19020121	Aein bei ke® drag chain flex cable 1902	4 G 2.5 + (2 x 1.0) + (2 x 22AWG)	0.6/1KV	7/23/0.14	14.0	313.0	7.98
AN19020122	Aein bei ke® drag chain flex cable 1902	4 G 4 + (2 x 1.0) + (2 x 22AWG)	0.6/1KV	7/37/0.14	15.8	407.0	4.95
AN19020123	Aein bei ke® drag chain flex cable 1902	4 G 6 + (2 x 1.0) + (2 x 22AWG)	0.6/1KV	7/55/0.14	17.8	485.0	3.3



AN19020124	Aein bei ke® drag chain flex cable 1902	4 G 2.5 + (2 x 1.0) + (2 x 22AWG)	0.6/1KV	7/23/0.14	14.4	326	7.98
AN19020125	Aein bei ke® drag chain flex cable 1902	4 G 1.5 + (2 x 1.0) + (2 x 22AWG)	0.6/1KV	7/27/0.1	13.3	276	13.3
AN19020126	Aein bei ke® drag chain flex cable 1902	4 G 0.5 + (2 x 0.25) + (2 x 26AWG)	0.6/1KV	64/0.1	9.4	130	39
AN19020127	Aein bei ke® drag chain flex cable 1902	4 G 1.5 + (2 x 0.75) + (4 x 24AWG)	0.6/1KV	7/27/0.1	13.3	252	13.3
AN19020128	Aein bei ke® drag chain flex cable 1902	4 G 2.5 + (2 x 1.0) + (2 x 24AWG + 2 x 2 x 26AWG)	0.6/1KV	7/23/0.14	15.6	313	7.98
AN19020129	Aein bei ke® drag chain flex cable 1902	4 G 1.5 + (2 x 0.75) + (2 x 0.30 + 2 x 2 x 0.15)	0.6/1KV	7/23/0.14	12.8	250	7.98
AN19020130	Aein bei ke® drag chain flex cable 1902	4 G 2.5 + (2 x 1) + (2 x 0.30 + 2 x 2 x 0.15)	0.6/1KV	7/23/0.14	14.2	316	7.98
AN19020131	Aein bei ke® drag chain flex cable 1902	4 G 4 + (2 x 1) + (2 x 0.30 + 2 x 2 x 0.15)	0.6/1KV	7/37/0.14	15.8	395	4.95
AN19020132	Aein bei ke® drag chain flex cable 1902	4 G 1.5 + (1 x Z50) + 2 x (2 x 1)	0.6/1KV	7/27/0.1	15.7	332	13.3
AN19020133	Aein bei ke® drag chain flex cable 1902	4 G 2.5 + (1 x Z50) + 2 x (2 x 1)	0.6/1KV	7/23/0.14	16.7	390	7.98
AN19020134	Aein bei ke® drag chain flex cable 1902	4 G 4 + (1 x Z50) + 2 x (2 x 1)	0.6/1KV	7/37/0.14	17.7	458	4.95

AEIN