



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻Ω/km
ANM01.006.01.028AB	UL11122	1000V	1X28AWG	11/0.1	1.4	2.49	223 Ω /km
ANM01.006.01.027AB	UL11122	1000V	1X27AWG	7/0.14	1.5	2.91	175 Ω /km
ANM01.006.01.026AB	UL11122	1000V	1X26AWG	9/0.14	1.5	3.23	140 Ω /km
ANM01.006.01.025AB	UL11122	1000V	1X25AWG	11/0.14	1.6	3.67	111 Ω /km
ANM01.006.01.024AB	UL11122	1000V	1X24AWG	14/0.14	1.6	4.11	87.6 Ω /km
ANM01.006.01.023AB	UL11122	1000V	1X23AWG	17/0.14	1.7	4.86	69.2 Ω /km
ANM01.006.01.022AB	UL11122	1000V	1X22AWG	22/0.14	1.8	5.73	55.4 Ω /km
ANM01.006.01.021AB	UL11122	1000V	1X21AWG	27/0.14	1.9	6.82	43.6 Ω /km
ANM01.006.01.020AB	UL11122	1000V	1X20AWG	34/0.14	2	8.12	34.6 Ω /km
ANM01.006.01.019AB	UL11122	1000V	1X19AWG	43/0.14	2.1	9.76	27.4 Ω /km
ANM01.006.01.018AB	UL11122	1000V	1X18AWG	29/0.19	2.2	11.73	21.8 Ω /km
ANM01.006.01.017AB	UL11122	1000V	1X17AWG	37/0.19	2.4	14.44	17.3 Ω /km
ANM01.006.01.016AB	UL11122	1000V	1X16AWG	27/0.25	2.7	18.51	13.7 Ω /km
ANM01.006.01.015AB	UL11122	1000V	1X15AWG	34/0.25	2.9	22.55	10.9 Ω /km
ANM01.006.01.014AB	UL11122	1000V	1X14AWG	43/0.25	3.1	27.48	8.62 Ω /km
ANM01.006.01.013AB	UL11122	1000V	1X13AWG	54/0.25	3.4	33.93	6.82 Ω /km
ANM01.006.01.012AB	UL11122	1000V	1X12AWG	68/0.25	3.8	43.21	5.43 Ω /km
ANM01.006.01.011AB	UL11122	1000V	1X11AWG	85/0.25	4.2	53.27	4.30 Ω /km
ANM01.006.01.010AB	UL11122	1000V	1X10AWG	108/0.25	4.8	66.37	3.409 Ω /km
ANM01.006.01.009AB	UL11122	1000V	1X9AWG	136/0.25	6.3	97.14	2.705 Ω /km
ANM01.006.01.008AB	UL11122	1000V	1X8AWG	171/0.25	6.7	117.57	2.144 Ω /km
ANM01.006.01.007AB	UL11122	1000V	1X7AWG	84/0.4	8.1	156.45	1.700 Ω /km
ANM01.006.01.006AB	UL11122	1000V	1X6AWG	106/0.4	8.8	190.4	1.348 Ω /km
ANM01.006.01.005AB	UL11122	1000V	1X5AWG	134/0.4	9.4	231.17	1.070 Ω /km
ANM01.006.01.004AB	UL11122	1000V	1X4AWG	169/0.4	10.1	282.15	0.8481 Ω /km
ANM01.006.01.003AB	UL11122	1000V	1X3AWG	213/0.4	11	345.87	0.6727 Ω /km
ANM01.006.01.002AB	UL11122	1000V	1X2AWG	268/0.4	11.9	425.12	0.5335 Ω /km
ANM01.006.01.001AB	UL11122	1000V	1X1AWG	338/0.4	13.8	554.01	0.4230 Ω /km
ANM01.006.01.1/0AB	UL11122	1000V	1X1/0AWG	426/0.4	15.1	682.59	0.3354 Ω /km
ANM01.006.01.2/0AB	UL11122	1000V	1X2/0AWG	537/0.4	16.4	840.93	0.2660 Ω /km
ANM01.006.01.3/0AB	UL11122	1000V	1X3/0AWG	677/0.4	17.7	1037.31	0.2110 Ω /km
ANM01.006.01.4/0AB	UL11122	1000V	1X4/0AWG	854/0.4	19.3	1284.8	0.1673 Ω /km
ANM01.006.01.250kB	UL11122	1000V	1X250Kcmil	1007/0.4	21.9	1545.5	0.1416 Ω /km
ANM01.006.01.300kB	UL11122	1000V	1X300Kcmil	1184/0.4	23	1819.4	0.1180 Ω /km
ANM01.006.01.350kB	UL11122	1000V	1X350Kcmil	1406/0.4	24.5	2098	0.1011 Ω /km
ANM01.006.01.400kB	UL11122	1000V	1X400Kcmil	1628/0.4	26	2387.1	0.08851 Ω /km
ANM01.006.01.450kB	UL11122	1000V	1X450Kcmil	1830/0.4	27.2	2662.1	0.07867 Ω /km
ANM01.006.01.500kB	UL11122	1000V	1X500Kcmil	2013/0.4	28.2	2934.9	0.07080 Ω /km