



物料编号	型号	规格	额定电压	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻Ω/km
ANO06.005.02.000.50B	YSLYCY	2X0.5	300/500V	18/0.19	7.2	47.29	39
ANO06.005.03.000.50B	YSLYCY	3X0.5	300/500V	18/0.19	7.5	54.73	39
ANO06.005.04.000.50B	YSLYCY	4X0.5	300/500V	18/0.19	8.5	70.66	39
ANO06.005.05.000.50B	YSLYCY	5X0.5	300/500V	18/0.19	8.9	80.52	39
ANO06.005.06.000.50B	YSLYCY	6X0.5	300/500V	18/0.19	9.4	92.58	39
ANO06.005.07.000.50B	YSLYCY	7X0.5	300/500V	18/0.19	9.4	96.01	39
ANO06.005.08.000.50B	YSLYCY	8X0.5	300/500V	18/0.19	10.2	115.65	39
ANO06.005.09.000.50B	YSLYCY	9X0.5	300/500V	18/0.19	10.9	136.90	39
ANO06.005.10.000.50B	YSLYCY	10X0.5	300/500V	18/0.19	11.4	151.74	39
ANO06.005.11.000.50B	YSLYCY	11X0.5	300/500V	18/0.19	11.7	162.32	39
ANO06.005.12.000.50B	YSLYCY	12X0.5	300/500V	18/0.19	11.7	165.74	39
ANO06.005.13.000.50B	YSLYCY	13X0.5	300/500V	18/0.19	12.4	187.70	39
ANO06.005.14.000.50B	YSLYCY	14X0.5	300/500V	18/0.19	12.4	191.13	39
ANO06.005.15.000.50B	YSLYCY	15X0.5	300/500V	18/0.19	12.8	205.20	39
ANO06.005.16.000.50B	YSLYCY	16X0.5	300/500V	18/0.19	12.8	208.61	39
ANO06.005.17.000.50B	YSLYCY	17X0.5	300/500V	18/0.19	13.6	227.71	39
ANO06.005.18.000.50B	YSLYCY	18X0.5	300/500V	18/0.19	13.6	231.14	39
ANO06.005.19.000.50B	YSLYCY	19X0.5	300/500V	18/0.19	13.6	234.56	39
ANO06.005.20.000.50B	YSLYCY	20X0.5	300/500V	18/0.19	13.9	246.64	39
ANO06.005.21.000.50B	YSLYCY	21X0.5	300/500V	18/0.19	14.2	258.96	39
ANO06.005.22.000.50B	YSLYCY	22X0.5	300/500V	18/0.19	15.0	288.26	39
ANO06.005.23.000.50B	YSLYCY	23X0.5	300/500V	18/0.19	15.5	308.09	39
ANO06.005.24.000.50B	YSLYCY	24X0.5	300/500V	18/0.19	15.5	311.52	39
ANO06.005.25.000.50B	YSLYCY	25X0.5	300/500V	18/0.19	15.8	325.11	39
ANO06.005.26.000.50B	YSLYCY	26X0.5	300/500V	18/0.19	15.8	328.53	39
ANO06.005.27.000.50B	YSLYCY	27X0.5	300/500V	18/0.19	15.8	331.95	39
ANO06.005.28.000.50B	YSLYCY	28X0.5	300/500V	18/0.19	16.3	352.86	39
ANO06.005.29.000.50B	YSLYCY	29X0.5	300/500V	18/0.19	16.3	356.27	39
ANO06.005.30.000.50B	YSLYCY	30X0.5	300/500V	18/0.19	16.3	359.70	39
ANO06.005.31.000.50B	YSLYCY	31X0.5	300/500V	18/0.19	16.9	385.85	39
ANO06.005.32.000.50B	YSLYCY	32X0.5	300/500V	18/0.19	16.9	389.27	39
ANO06.005.33.000.50B	YSLYCY	33X0.5	300/500V	18/0.19	16.9	392.70	39
ANO06.005.34.000.50B	YSLYCY	34X0.5	300/500V	18/0.19	17.4	415.04	39
ANO06.005.35.000.50B	YSLYCY	35X0.5	300/500V	18/0.19	17.4	418.46	39
ANO06.005.36.000.50B	YSLYCY	36X0.5	300/500V	18/0.19	17.4	421.88	39
ANO06.005.37.000.50B	YSLYCY	37X0.5	300/500V	18/0.19	17.4	425.31	39
ANO06.005.02.000.75B	YSLYCY	2X0.75	300/500V	27/0.19	7.6	56.28	26
ANO06.005.03.000.75B	YSLYCY	3X0.75	300/500V	27/0.19	8.4	71.06	26
ANO06.005.04.000.75B	YSLYCY	4X0.75	300/500V	27/0.19	8.9	84.27	26
ANO06.005.05.000.75B	YSLYCY	5X0.75	300/500V	27/0.19	9.5	99.94	26



ANO06.005.06.000.75B	YSLYCY	6X0.75	300/500V	27/0.19	10.2	119.55	26
ANO06.005.07.000.75B	YSLYCY	7X0.75	300/500V	27/0.19	10.2	124.77	26
ANO06.005.08.000.75B	YSLYCY	8X0.75	300/500V	27/0.19	10.9	147.83	26
ANO06.005.09.000.75B	YSLYCY	9X0.75	300/500V	27/0.19	11.7	171.61	26
ANO06.005.10.000.75B	YSLYCY	10X0.75	300/500V	27/0.19	12.4	195.37	26
ANO06.005.11.000.75B	YSLYCY	11X0.75	300/500V	27/0.19	12.7	208.54	26
ANO06.005.12.000.75B	YSLYCY	12X0.75	300/500V	27/0.19	12.7	213.76	26
ANO06.005.13.000.75B	YSLYCY	13X0.75	300/500V	27/0.19	13.5	234.50	26
ANO06.005.14.000.75B	YSLYCY	14X0.75	300/500V	27/0.19	13.5	239.72	26
ANO06.005.15.000.75B	YSLYCY	15X0.75	300/500V	27/0.19	14.1	262.34	26
ANO06.005.16.000.75B	YSLYCY	16X0.75	300/500V	27/0.19	14.1	267.55	26
ANO06.005.17.000.75B	YSLYCY	17X0.75	300/500V	27/0.19	14.8	295.24	26
ANO06.005.18.000.75B	YSLYCY	18X0.75	300/500V	27/0.19	14.8	300.46	26
ANO06.005.19.000.75B	YSLYCY	19X0.75	300/500V	27/0.19	14.8	305.67	26
ANO06.005.20.000.75B	YSLYCY	20X0.75	300/500V	27/0.19	15.1	320.50	26
ANO06.005.21.000.75B	YSLYCY	21X0.75	300/500V	27/0.19	15.4	335.57	26
ANO06.005.22.000.75B	YSLYCY	22X0.75	300/500V	27/0.19	16.2	368.22	26
ANO06.005.23.000.75B	YSLYCY	23X0.75	300/500V	27/0.19	16.9	399.73	26
ANO06.005.24.000.75B	YSLYCY	24X0.75	300/500V	27/0.19	16.9	404.94	26
ANO06.005.25.000.75B	YSLYCY	25X0.75	300/500V	27/0.19	17.2	421.43	26
ANO06.005.26.000.75B	YSLYCY	26X0.75	300/500V	27/0.19	17.2	426.64	26
ANO06.005.27.000.75B	YSLYCY	27X0.75	300/500V	27/0.19	17.2	431.85	26
ANO06.005.28.000.75B	YSLYCY	28X0.75	300/500V	27/0.19	18.0	458.43	26
ANO06.005.29.000.75B	YSLYCY	29X0.75	300/500V	27/0.19	18.0	463.65	26
ANO06.005.30.000.75B	YSLYCY	30X0.75	300/500V	27/0.19	18.0	468.87	26
ANO06.005.31.000.75B	YSLYCY	31X0.75	300/500V	27/0.19	18.6	498.15	26
ANO06.005.32.000.75B	YSLYCY	32X0.75	300/500V	27/0.19	18.6	503.37	26
ANO06.005.33.000.75B	YSLYCY	33X0.75	300/500V	27/0.19	18.6	508.57	26
ANO06.005.34.000.75B	YSLYCY	34X0.75	300/500V	27/0.19	19.3	544.03	26
ANO06.005.35.000.75B	YSLYCY	35X0.75	300/500V	27/0.19	19.3	549.24	26
ANO06.005.36.000.75B	YSLYCY	36X0.75	300/500V	27/0.19	19.3	554.46	26
ANO06.005.37.000.75B	YSLYCY	37X0.75	300/500V	27/0.19	19.3	559.66	26
ANO06.005.02.001.50B	YSLYCY	2X1.5	300/500V	31/0.25	9.1	87.61	13.3
ANO06.005.03.001.50B	YSLYCY	3X1.5	300/500V	31/0.25	9.5	105.10	13.3
ANO06.005.04.001.50B	YSLYCY	4X1.5	300/500V	31/0.25	10.3	131.93	13.3
ANO06.005.05.001.50B	YSLYCY	5X1.5	300/500V	31/0.25	11.1	162.66	13.3
ANO06.005.06.001.50B	YSLYCY	6X1.5	300/500V	31/0.25	11.8	189.59	13.3
ANO06.005.07.001.50B	YSLYCY	7X1.5	300/500V	31/0.25	11.8	200.00	13.3
ANO06.005.08.001.50B	YSLYCY	8X1.5	300/500V	31/0.25	12.8	237.16	13.3
ANO06.005.09.001.50B	YSLYCY	9X1.5	300/500V	31/0.25	14.0	274.86	13.3
ANO06.005.10.001.50B	YSLYCY	10X1.5	300/500V	31/0.25	14.9	313.90	13.3
ANO06.005.11.001.50B	YSLYCY	11X1.5	300/500V	31/0.25	15.3	337.28	13.3



ANO06.005.12.001.50B	YSLYCY	12X1.5	300/500V	31/0.25	15.3	347.68	13.3
ANO06.005.13.001.50B	YSLYCY	13X1.5	300/500V	31/0.25	15.9	378.35	13.3
ANO06.005.14.001.50B	YSLYCY	14X1.5	300/500V	31/0.25	15.9	388.76	13.3
ANO06.005.15.001.50B	YSLYCY	15X1.5	300/500V	31/0.25	16.8	432.26	13.3
ANO06.005.16.001.50B	YSLYCY	16X1.5	300/500V	31/0.25	16.8	442.67	13.3
ANO06.005.17.001.50B	YSLYCY	17X1.5	300/500V	31/0.25	17.5	479.57	13.3
ANO06.005.18.001.50B	YSLYCY	18X1.5	300/500V	31/0.25	17.5	489.98	13.3
ANO06.005.19.001.50B	YSLYCY	19X1.5	300/500V	31/0.25	17.5	500.39	13.3
ANO06.005.20.001.50B	YSLYCY	20X1.5	300/500V	31/0.25	18.2	528.57	13.3
ANO06.005.21.001.50B	YSLYCY	21X1.5	300/500V	31/0.25	18.6	555.12	13.3
ANO06.005.22.001.50B	YSLYCY	22X1.5	300/500V	31/0.25	19.7	613.07	13.3
ANO06.005.23.001.50B	YSLYCY	23X1.5	300/500V	31/0.25	20.4	654.77	13.3
ANO06.005.24.001.50B	YSLYCY	24X1.5	300/500V	31/0.25	20.4	665.19	13.3
ANO06.005.25.001.50B	YSLYCY	25X1.5	300/500V	31/0.25	21.1	704.37	13.3
ANO06.005.26.001.50B	YSLYCY	26X1.5	300/500V	31/0.25	21.1	714.78	13.3
ANO06.005.27.001.50B	YSLYCY	27X1.5	300/500V	31/0.25	21.1	725.19	13.3
ANO06.005.28.001.50B	YSLYCY	28X1.5	300/500V	31/0.25	21.9	775.06	13.3
ANO06.005.29.001.50B	YSLYCY	29X1.5	300/500V	31/0.25	21.9	785.47	13.3
ANO06.005.30.001.50B	YSLYCY	30X1.5	300/500V	31/0.25	21.9	795.89	13.3
ANO06.005.31.001.50B	YSLYCY	31X1.5	300/500V	31/0.25	22.9	843.95	13.3
ANO06.005.32.001.50B	YSLYCY	32X1.5	300/500V	31/0.25	22.9	854.36	13.3
ANO06.005.33.001.50B	YSLYCY	33X1.5	300/500V	31/0.25	22.9	864.77	13.3
ANO06.005.34.001.50B	YSLYCY	34X1.5	300/500V	31/0.25	23.8	923.24	13.3
ANO06.005.35.001.50B	YSLYCY	35X1.5	300/500V	31/0.25	23.8	933.66	13.3
ANO06.005.36.001.50B	YSLYCY	36X1.5	300/500V	31/0.25	23.8	944.06	13.3
ANO06.005.37.001.50B	YSLYCY	37X1.5	300/500V	31/0.25	23.8	954.48	13.3
ANO06.005.02.002.50B	YSLYCY	2X2.5	300/500V	51/0.25	10.3	124.90	7.98
ANO06.005.03.002.50B	YSLYCY	3X2.5	300/500V	51/0.25	10.9	158.03	7.98
ANO06.005.04.002.50B	YSLYCY	4X2.5	300/500V	51/0.25	11.7	193.88	7.98
ANO06.005.05.002.50B	YSLYCY	5X2.5	300/500V	51/0.25	12.7	237.68	7.98
ANO06.005.06.002.50B	YSLYCY	6X2.5	300/500V	51/0.25	13.8	279.10	7.98
ANO06.005.07.002.50B	YSLYCY	7X2.5	300/500V	51/0.25	13.8	296.41	7.98
ANO06.005.08.002.50B	YSLYCY	8X2.5	300/500V	51/0.25	14.9	348.20	7.98
ANO06.005.09.002.50B	YSLYCY	9X2.5	300/500V	51/0.25	16.1	405.69	7.98
ANO06.005.10.002.50B	YSLYCY	10X2.5	300/500V	51/0.25	17.1	460.28	7.98
ANO06.005.11.002.50B	YSLYCY	11X2.5	300/500V	51/0.25	17.9	498.84	7.98
ANO06.005.12.002.50B	YSLYCY	12X2.5	300/500V	51/0.25	17.9	516.13	7.98
ANO06.005.13.002.50B	YSLYCY	13X2.5	300/500V	51/0.25	18.7	565.52	7.98
ANO06.005.14.002.50B	YSLYCY	14X2.5	300/500V	51/0.25	18.7	582.82	7.98
ANO06.005.15.002.50B	YSLYCY	15X2.5	300/500V	51/0.25	19.7	643.56	7.98
ANO06.005.16.002.50B	YSLYCY	16X2.5	300/500V	51/0.25	19.7	660.84	7.98
ANO06.005.17.002.50B	YSLYCY	17X2.5	300/500V	51/0.25	20.5	714.03	7.98



ANO06.005.18.002.50B	YSLYCY	18X2.5	300/500V	51/0.25	20.5	731.32	7.98
ANO06.005.19.002.50B	YSLYCY	19X2.5	300/500V	51/0.25	20.5	748.63	7.98
ANO06.005.20.002.50B	YSLYCY	20X2.5	300/500V	51/0.25	21.5	810.08	7.98
ANO06.005.21.002.50B	YSLYCY	21X2.5	300/500V	51/0.25	21.9	846.89	7.98
ANO06.005.22.002.50B	YSLYCY	22X2.5	300/500V	51/0.25	23.4	927.73	7.98
ANO06.005.23.002.50B	YSLYCY	23X2.5	300/500V	51/0.25	24.4	999.78	7.98
ANO06.005.24.002.50B	YSLYCY	24X2.5	300/500V	51/0.25	24.4	1017.07	7.98
ANO06.005.25.002.50B	YSLYCY	25X2.5	300/500V	51/0.25	24.9	1062.26	7.98
ANO06.005.26.002.50B	YSLYCY	26X2.5	300/500V	51/0.25	24.9	1079.56	7.98
ANO06.005.27.002.50B	YSLYCY	27X2.5	300/500V	51/0.25	24.9	1096.86	7.98
ANO06.005.28.002.50B	YSLYCY	28X2.5	300/500V	51/0.25	25.9	1172.79	7.98
ANO06.005.29.002.50B	YSLYCY	29X2.5	300/500V	51/0.25	25.9	1190.08	7.98
ANO06.005.30.002.50B	YSLYCY	30X2.5	300/500V	51/0.25	25.9	1207.38	7.98
ANO06.005.31.002.50B	YSLYCY	31X2.5	300/500V	51/0.25	26.7	1272.76	7.98
ANO06.005.32.002.50B	YSLYCY	32X2.5	300/500V	51/0.25	26.7	1290.06	7.98
ANO06.005.33.002.50B	YSLYCY	33X2.5	300/500V	51/0.25	26.7	1307.37	7.98
ANO06.005.34.002.50B	YSLYCY	34X2.5	300/500V	51/0.25	27.8	1377.24	7.98
ANO06.005.35.002.50B	YSLYCY	35X2.5	300/500V	51/0.25	27.8	1394.54	7.98
ANO06.005.36.002.50B	YSLYCY	36X2.5	300/500V	51/0.25	27.8	1411.84	7.98
ANO06.005.37.002.50B	YSLYCY	37X2.5	300/500V	51/0.25	27.8	1429.14	7.98
ANO06.005.02.004.00B	YSLYCY	2X4	300/500V	82/0.25	11.8	183.32	4.95
ANO06.005.03.004.00B	YSLYCY	3X4	300/500V	82/0.25	12.6	232.79	4.95
ANO06.005.04.004.00B	YSLYCY	4X4	300/500V	82/0.25	13.8	287.68	4.95
ANO06.005.05.004.00B	YSLYCY	5X4	300/500V	82/0.25	15.1	356.69	4.95
ANO06.005.06.004.00B	YSLYCY	6X4	300/500V	82/0.25	16.1	418.56	4.95
ANO06.005.07.004.00B	YSLYCY	7X4	300/500V	82/0.25	16.1	446.65	4.95
ANO06.005.08.004.00B	YSLYCY	8X4	300/500V	82/0.25	17.4	523.48	4.95
ANO06.005.09.004.00B	YSLYCY	9X4	300/500V	82/0.25	19.4	623.88	4.95
ANO06.005.10.004.00B	YSLYCY	10X4	300/500V	82/0.25	20.4	696.29	4.95
ANO06.005.11.004.00B	YSLYCY	11X4	300/500V	82/0.25	21.5	773.13	4.95
ANO06.005.12.004.00B	YSLYCY	12X4	300/500V	82/0.25	21.5	801.21	4.95
ANO06.005.13.004.00B	YSLYCY	13X4	300/500V	82/0.25	22.4	873.78	4.95
ANO06.005.14.004.00B	YSLYCY	14X4	300/500V	82/0.25	22.4	901.88	4.95
ANO06.005.15.004.00B	YSLYCY	15X4	300/500V	82/0.25	24.0	1001.47	4.95
ANO06.005.16.004.00B	YSLYCY	16X4	300/500V	82/0.25	24.0	1029.56	4.95
ANO06.005.17.004.00B	YSLYCY	17X4	300/500V	82/0.25	25.0	1113.01	4.95
ANO06.005.18.004.00B	YSLYCY	18X4	300/500V	82/0.25	25.0	1141.12	4.95
ANO06.005.19.004.00B	YSLYCY	19X4	300/500V	82/0.25	25.0	1169.20	4.95
ANO06.005.02.006.00B	YSLYCY	2X6	300/500V	123/0.25	13.9	262.28	3.3
ANO06.005.03.006.00B	YSLYCY	3X6	300/500V	123/0.25	14.8	332.70	3.3
ANO06.005.04.006.00B	YSLYCY	4X6	300/500V	123/0.25	16.0	414.61	3.3
ANO06.005.05.006.00B	YSLYCY	5X6	300/500V	123/0.25	17.4	508.86	3.3



ANO06.005.06.006.00B	YSLYCY	6X6	300/500V	123/0.25	19.2	614.65	3.3
ANO06.005.07.006.00B	YSLYCY	7X6	300/500V	123/0.25	19.2	656.69	3.3
ANO06.005.02.010.00B	YSLYCY	2X10	300/500V	77/0.4	16.9	416.36	1.91
ANO06.005.03.010.00B	YSLYCY	3X10	300/500V	77/0.4	18.1	521.23	1.91
ANO06.005.04.010.00B	YSLYCY	4X10	300/500V	77/0.4	19.8	661.57	1.91
ANO06.005.05.010.00B	YSLYCY	5X10	300/500V	77/0.4	21.9	824.98	1.91
ANO06.005.06.010.00B	YSLYCY	6X10	300/500V	77/0.4	24.1	995.14	1.91
ANO06.005.07.010.00B	YSLYCY	7X10	300/500V	77/0.4	24.1	1063.42	1.91
ANO06.005.02.016.00B	YSLYCY	2X16	300/500V	126/0.4	19.8	606.23	1.21
ANO06.005.03.016.00B	YSLYCY	3X16	300/500V	126/0.4	21.2	775.51	1.21
ANO06.005.04.016.00B	YSLYCY	4X16	300/500V	126/0.4	23.7	999.53	1.21
ANO06.005.05.016.00B	YSLYCY	5X16	300/500V	126/0.4	25.9	1232.85	1.21
ANO06.005.06.016.00B	YSLYCY	6X16	300/500V	126/0.4	28.4	1481.78	1.21
ANO06.005.07.016.00B	YSLYCY	7X16	300/500V	126/0.4	28.4	1590.68	1.21
ANO06.005.02.025.00B	YSLYCY	2X25	300/500V	189/0.4	23.8	912.90	0.78
ANO06.005.03.025.00B	YSLYCY	3X25	300/500V	189/0.4	25.1	1156.50	0.78
ANO06.005.04.025.00B	YSLYCY	4X25	300/500V	189/0.4	27.8	1476.25	0.78
ANO06.005.05.025.00B	YSLYCY	5X25	300/500V	189/0.4	30.6	1811.35	0.78
ANO06.005.02.035.00B	YSLYCY	2X35	300/500V	266/0.4	26.6	1210.25	0.554
ANO06.005.03.035.00B	YSLYCY	3X35	300/500V	266/0.4	28.6	1561.30	0.554
ANO06.005.04.035.00B	YSLYCY	4X35	300/500V	266/0.4	31.6	1984.16	0.554
ANO06.005.05.035.00B	YSLYCY	5X35	300/500V	266/0.4	35.0	2466.02	0.554
ANO06.005.02.001.00B	YSLYCY	2X1	300/500V	35/0.19	8.5	70.77	19.5
ANO06.005.03.001.00B	YSLYCY	3X1	300/500V	35/0.19	8.9	84.11	19.5
ANO06.005.04.001.00B	YSLYCY	4X1	300/500V	35/0.19	9.4	99.66	19.5
ANO06.005.05.001.00B	YSLYCY	5X1	300/500V	35/0.19	10.2	122.77	19.5
ANO06.005.06.001.00B	YSLYCY	6X1	300/500V	35/0.19	10.9	147.52	19.5
ANO06.005.07.001.00B	YSLYCY	7X1	300/500V	35/0.19	10.9	154.43	19.5
ANO06.005.08.001.00B	YSLYCY	8X1	300/500V	35/0.19	11.6	177.48	19.5
ANO06.005.09.001.00B	YSLYCY	9X1	300/500V	35/0.19	12.6	210.62	19.5
ANO06.005.10.001.00B	YSLYCY	10X1	300/500V	35/0.19	13.5	235.73	19.5
ANO06.005.11.001.00B	YSLYCY	11X1	300/500V	35/0.19	13.9	254.12	19.5
ANO06.005.12.001.00B	YSLYCY	12X1	300/500V	35/0.19	13.9	261.03	19.5
ANO06.005.13.001.00B	YSLYCY	13X1	300/500V	35/0.19	14.6	290.05	19.5
ANO06.005.14.001.00B	YSLYCY	14X1	300/500V	35/0.19	14.6	296.95	19.5
ANO06.005.15.001.00B	YSLYCY	15X1	300/500V	35/0.19	15.2	322.99	19.5
ANO06.005.16.001.00B	YSLYCY	16X1	300/500V	35/0.19	15.2	329.88	19.5
ANO06.005.17.001.00B	YSLYCY	17X1	300/500V	35/0.19	15.8	356.89	19.5
ANO06.005.18.001.00B	YSLYCY	18X1	300/500V	35/0.19	15.8	363.79	19.5
ANO06.005.19.001.00B	YSLYCY	19X1	300/500V	35/0.19	15.8	370.70	19.5
ANO06.005.20.001.00B	YSLYCY	20X1	300/500V	35/0.19	16.2	391.52	19.5
ANO06.005.21.001.00B	YSLYCY	21X1	300/500V	35/0.19	16.5	409.15	19.5



ANO06.005.22.001.00B	YSLYCY	22X1	300/500V	35/0.19	17.5	454.40	19.5
ANO06.005.23.001.00B	YSLYCY	23X1	300/500V	35/0.19	18.4	487.10	19.5
ANO06.005.24.001.00B	YSLYCY	24X1	300/500V	35/0.19	18.4	494.00	19.5
ANO06.005.25.001.00B	YSLYCY	25X1	300/500V	35/0.19	19.0	526.57	19.5
ANO06.005.26.001.00B	YSLYCY	26X1	300/500V	35/0.19	19.0	533.46	19.5
ANO06.005.27.001.00B	YSLYCY	27X1	300/500V	35/0.19	19.0	540.37	19.5
ANO06.005.28.001.00B	YSLYCY	28X1	300/500V	35/0.19	19.5	568.56	19.5
ANO06.005.29.001.00B	YSLYCY	29X1	300/500V	35/0.19	19.5	575.47	19.5
ANO06.005.30.001.00B	YSLYCY	30X1	300/500V	35/0.19	19.5	582.36	19.5
ANO06.005.31.001.00B	YSLYCY	31X1	300/500V	35/0.19	20.1	615.69	19.5
ANO06.005.32.001.00B	YSLYCY	32X1	300/500V	35/0.19	20.1	622.60	19.5
ANO06.005.33.001.00B	YSLYCY	33X1	300/500V	35/0.19	20.1	629.49	19.5
ANO06.005.34.001.00B	YSLYCY	34X1	300/500V	35/0.19	21.0	674.03	19.5
ANO06.005.35.001.00B	YSLYCY	35X1	300/500V	35/0.19	21.0	680.92	19.5
ANO06.005.36.001.00B	YSLYCY	36X1	300/500V	35/0.19	21.0	687.82	19.5
ANO06.005.37.001.00B	YSLYCY	37X1	300/500V	35/0.19	21.0	694.72	19.5