



| 物料编号 | 型号 | 额定电压 | 规格 | 导体结构 | 电缆近似外径 mm | 近似重量 kg/km | 导体电阻Ω/km |
|--------------------|-----|------|----------|---------|-----------|------------|-----------|
| ANM14.002.02.018AB | SOW | 600V | 2X18AWG | 29/0.19 | 9.6 | 122.83 | 21.8 Ω/km |
| ANM14.002.03.018AB | SOW | 600V | 3X18AWG | 29/0.19 | 10.1 | 140.43 | 21.8 Ω/km |
| ANM14.002.04.018AB | SOW | 600V | 4X18AWG | 29/0.19 | 10.8 | 163.93 | 21.8 Ω/km |
| ANM14.002.05.018AB | SOW | 600V | 5X18AWG | 29/0.19 | 12.8 | 225.93 | 21.8 Ω/km |
| ANM14.002.06.018AB | SOW | 600V | 6X18AWG | 29/0.19 | 13.6 | 257.03 | 21.8 Ω/km |
| ANM14.002.07.018AB | SOW | 600V | 7X18AWG | 29/0.19 | 13.6 | 262.93 | 21.8 Ω/km |
| ANM14.002.08.018AB | SOW | 600V | 8X18AWG | 29/0.19 | 14.5 | 299.23 | 21.8 Ω/km |
| ANM14.002.09.018AB | SOW | 600V | 9X18AWG | 29/0.19 | 15.7 | 348.63 | 21.8 Ω/km |
| ANM14.002.10.018AB | SOW | 600V | 10X18AWG | 29/0.19 | 16.5 | 385.53 | 21.8 Ω/km |
| ANM14.002.11.018AB | SOW | 600V | 11X18AWG | 29/0.19 | 17 | 411.43 | 21.8 Ω/km |
| ANM14.002.12.018AB | SOW | 600V | 12X18AWG | 29/0.19 | 17 | 417.23 | 21.8 Ω/km |
| ANM14.002.13.018AB | SOW | 600V | 13X18AWG | 29/0.19 | 18.7 | 495.53 | 21.8 Ω/km |
| ANM14.002.14.018AB | SOW | 600V | 14X18AWG | 29/0.19 | 18.7 | 501.33 | 21.8 Ω/km |
| ANM14.002.15.018AB | SOW | 600V | 15X18AWG | 29/0.19 | 19.5 | 543.93 | 21.8 Ω/km |
| ANM14.002.16.018AB | SOW | 600V | 16X18AWG | 29/0.19 | 19.5 | 549.83 | 21.8 Ω/km |
| ANM14.002.17.018AB | SOW | 600V | 17X18AWG | 29/0.19 | 20.3 | 593.83 | 21.8 Ω/km |
| ANM14.002.18.018AB | SOW | 600V | 18X18AWG | 29/0.19 | 20.3 | 599.73 | 21.8 Ω/km |
| ANM14.002.19.018AB | SOW | 600V | 19X18AWG | 29/0.19 | 20.3 | 605.63 | 21.8 Ω/km |
| ANM14.002.20.018AB | SOW | 600V | 20X18AWG | 29/0.19 | 20.8 | 636.13 | 21.8 Ω/km |
| ANM14.002.21.018AB | SOW | 600V | 21X18AWG | 29/0.19 | 21.2 | 662.23 | 21.8 Ω/km |
| ANM14.002.22.018AB | SOW | 600V | 22X18AWG | 29/0.19 | 22.3 | 725.73 | 21.8 Ω/km |
| ANM14.002.23.018AB | SOW | 600V | 23X18AWG | 29/0.19 | 23.1 | 775.13 | 21.8 Ω/km |
| ANM14.002.24.018AB | SOW | 600V | 24X18AWG | 29/0.19 | 23.1 | 781.03 | 21.8 Ω/km |
| ANM14.002.25.018AB | SOW | 600V | 25X18AWG | 29/0.19 | 23.6 | 815.03 | 21.8 Ω/km |
| ANM14.002.26.018AB | SOW | 600V | 26X18AWG | 29/0.19 | 23.6 | 820.83 | 21.8 Ω/km |
| ANM14.002.27.018AB | SOW | 600V | 27X18AWG | 29/0.19 | 23.6 | 826.73 | 21.8 Ω/km |
| ANM14.002.28.018AB | SOW | 600V | 28X18AWG | 29/0.19 | 24.3 | 872.93 | 21.8 Ω/km |
| ANM14.002.29.018AB | SOW | 600V | 29X18AWG | 29/0.19 | 24.3 | 878.83 | 21.8 Ω/km |
| ANM14.002.30.018AB | SOW | 600V | 30X18AWG | 29/0.19 | 24.3 | 884.73 | 21.8 Ω/km |
| ANM14.002.31.018AB | SOW | 600V | 31X18AWG | 29/0.19 | 25.1 | 937.93 | 21.8 Ω/km |
| ANM14.002.32.018AB | SOW | 600V | 32X18AWG | 29/0.19 | 25.1 | 943.93 | 21.8 Ω/km |
| ANM14.002.33.018AB | SOW | 600V | 33X18AWG | 29/0.19 | 25.1 | 949.83 | 21.8 Ω/km |
| ANM14.002.34.018AB | SOW | 600V | 34X18AWG | 29/0.19 | 26.7 | 1054.63 | 21.8 Ω/km |
| ANM14.002.35.018AB | SOW | 600V | 35X18AWG | 29/0.19 | 26.7 | 1060.53 | 21.8 Ω/km |
| ANM14.002.36.018AB | SOW | 600V | 36X18AWG | 29/0.19 | 26.7 | 1066.43 | 21.8 Ω/km |
| ANM14.002.37.018AB | SOW | 600V | 37X18AWG | 29/0.19 | 26.7 | 1072.23 | 21.8 Ω/km |
| ANM14.002.02.017AB | SOW | 600V | 2X17AWG | 37/0.19 | 9.8 | 130.54 | 17.3 Ω/km |
| ANM14.002.03.017AB | SOW | 600V | 3X17AWG | 37/0.19 | 10.3 | 149.84 | 17.3 Ω/km |
| ANM14.002.04.017AB | SOW | 600V | 4X17AWG | 37/0.19 | 11.1 | 177.64 | 17.3 Ω/km |
| ANM14.002.05.017AB | SOW | 600V | 5X17AWG | 37/0.19 | 12.9 | 236.34 | 17.3 Ω/km |



| | | | | | | | |
|--------------------|-----|------|----------|---------|------|---------|----------|
| ANM14.002.06.017AB | SOW | 600V | 6X17AWG | 37/0.19 | 14.2 | 285.74 | 17.3Ω/km |
| ANM14.002.07.017AB | SOW | 600V | 7X17AWG | 37/0.19 | 14.2 | 292.94 | 17.3Ω/km |
| ANM14.002.08.017AB | SOW | 600V | 8X17AWG | 37/0.19 | 15.1 | 331.94 | 17.3Ω/km |
| ANM14.002.09.017AB | SOW | 600V | 9X17AWG | 37/0.19 | 16.4 | 388.54 | 17.3Ω/km |
| ANM14.002.10.017AB | SOW | 600V | 10X17AWG | 37/0.19 | 17.3 | 432.14 | 17.3Ω/km |
| ANM14.002.11.017AB | SOW | 600V | 11X17AWG | 37/0.19 | 18.8 | 503.94 | 17.3Ω/km |
| ANM14.002.12.017AB | SOW | 600V | 12X17AWG | 37/0.19 | 18.8 | 511.14 | 17.3Ω/km |
| ANM14.002.13.017AB | SOW | 600V | 13X17AWG | 37/0.19 | 19.6 | 555.24 | 17.3Ω/km |
| ANM14.002.14.017AB | SOW | 600V | 14X17AWG | 37/0.19 | 19.6 | 562.64 | 17.3Ω/km |
| ANM14.002.15.017AB | SOW | 600V | 15X17AWG | 37/0.19 | 20.4 | 608.24 | 17.3Ω/km |
| ANM14.002.16.017AB | SOW | 600V | 16X17AWG | 37/0.19 | 20.4 | 615.54 | 17.3Ω/km |
| ANM14.002.17.017AB | SOW | 600V | 17X17AWG | 37/0.19 | 21.3 | 667.84 | 17.3Ω/km |
| ANM14.002.18.017AB | SOW | 600V | 18X17AWG | 37/0.19 | 21.3 | 675.14 | 17.3Ω/km |
| ANM14.002.19.017AB | SOW | 600V | 19X17AWG | 37/0.19 | 21.3 | 682.54 | 17.3Ω/km |
| ANM14.002.20.017AB | SOW | 600V | 20X17AWG | 37/0.19 | 21.8 | 715.64 | 17.3Ω/km |
| ANM14.002.21.017AB | SOW | 600V | 21X17AWG | 37/0.19 | 22.2 | 744.04 | 17.3Ω/km |
| ANM14.002.22.017AB | SOW | 600V | 22X17AWG | 37/0.19 | 23.4 | 817.24 | 17.3Ω/km |
| ANM14.002.23.017AB | SOW | 600V | 23X17AWG | 37/0.19 | 24.3 | 876.04 | 17.3Ω/km |
| ANM14.002.24.017AB | SOW | 600V | 24X17AWG | 37/0.19 | 24.3 | 883.34 | 17.3Ω/km |
| ANM14.002.25.017AB | SOW | 600V | 25X17AWG | 37/0.19 | 24.8 | 920.14 | 17.3Ω/km |
| ANM14.002.26.017AB | SOW | 600V | 26X17AWG | 37/0.19 | 24.8 | 927.34 | 17.3Ω/km |
| ANM14.002.27.017AB | SOW | 600V | 27X17AWG | 37/0.19 | 24.8 | 934.74 | 17.3Ω/km |
| ANM14.002.28.017AB | SOW | 600V | 28X17AWG | 37/0.19 | 26.4 | 1039.74 | 17.3Ω/km |
| ANM14.002.29.017AB | SOW | 600V | 29X17AWG | 37/0.19 | 26.4 | 1047.04 | 17.3Ω/km |
| ANM14.002.30.017AB | SOW | 600V | 30X17AWG | 37/0.19 | 26.4 | 1054.24 | 17.3Ω/km |
| ANM14.002.31.017AB | SOW | 600V | 31X17AWG | 37/0.19 | 27.2 | 1113.04 | 17.3Ω/km |
| ANM14.002.32.017AB | SOW | 600V | 32X17AWG | 37/0.19 | 27.2 | 1120.44 | 17.3Ω/km |
| ANM14.002.33.017AB | SOW | 600V | 33X17AWG | 37/0.19 | 27.2 | 1127.64 | 17.3Ω/km |
| ANM14.002.34.017AB | SOW | 600V | 34X17AWG | 37/0.19 | 28.1 | 1194.74 | 17.3Ω/km |
| ANM14.002.35.017AB | SOW | 600V | 35X17AWG | 37/0.19 | 28.1 | 1202.04 | 17.3Ω/km |
| ANM14.002.36.017AB | SOW | 600V | 36X17AWG | 37/0.19 | 28.1 | 1209.34 | 17.3Ω/km |
| ANM14.002.37.017AB | SOW | 600V | 37X17AWG | 37/0.19 | 28.1 | 1216.64 | 17.3Ω/km |
| ANM14.002.38.017AB | SOW | 600V | 38X17AWG | 37/0.19 | 29 | 1285.74 | 17.3Ω/km |
| ANM14.002.39.017AB | SOW | 600V | 39X17AWG | 37/0.19 | 29 | 1292.94 | 17.3Ω/km |
| ANM14.002.40.017AB | SOW | 600V | 40X17AWG | 37/0.19 | 29 | 1300.24 | 17.3Ω/km |
| ANM14.002.41.017AB | SOW | 600V | 41X17AWG | 37/0.19 | 31.1 | 1459.34 | 17.3Ω/km |
| ANM14.002.42.017AB | SOW | 600V | 42X17AWG | 37/0.19 | 31.1 | 1466.64 | 17.3Ω/km |
| ANM14.002.43.017AB | SOW | 600V | 43X17AWG | 37/0.19 | 31.1 | 1473.94 | 17.3Ω/km |
| ANM14.002.44.017AB | SOW | 600V | 44X17AWG | 37/0.19 | 31.1 | 1481.14 | 17.3Ω/km |
| ANM14.002.45.017AB | SOW | 600V | 45X17AWG | 37/0.19 | 31.6 | 1526.34 | 17.3Ω/km |
| ANM14.002.46.017AB | SOW | 600V | 46X17AWG | 37/0.19 | 31.6 | 1533.54 | 17.3Ω/km |
| ANM14.002.47.017AB | SOW | 600V | 47X17AWG | 37/0.19 | 31.6 | 1540.74 | 17.3Ω/km |



| | | | | | | | |
|--------------------|-----|------|----------|---------|------|---------|----------|
| ANM14.002.48.017AB | SOW | 600V | 48X17AWG | 37/0.19 | 31.6 | 1548.04 | 17.3Ω/km |
| ANM14.002.49.017AB | SOW | 600V | 49X17AWG | 37/0.19 | 33.4 | 1694.84 | 17.3Ω/km |
| ANM14.002.50.017AB | SOW | 600V | 50X17AWG | 37/0.19 | 33.4 | 1702.14 | 17.3Ω/km |
| ANM14.002.51.017AB | SOW | 600V | 51X17AWG | 37/0.19 | 33.4 | 1709.44 | 17.3Ω/km |
| ANM14.002.52.017AB | SOW | 600V | 52X17AWG | 37/0.19 | 33.4 | 1716.64 | 17.3Ω/km |
| ANM14.002.53.017AB | SOW | 600V | 53X17AWG | 37/0.19 | 34.2 | 1789.14 | 17.3Ω/km |
| ANM14.002.54.017AB | SOW | 600V | 54X17AWG | 37/0.19 | 34.2 | 1796.34 | 17.3Ω/km |
| ANM14.002.55.017AB | SOW | 600V | 55X17AWG | 37/0.19 | 34.2 | 1803.54 | 17.3Ω/km |
| ANM14.002.56.017AB | SOW | 600V | 56X17AWG | 37/0.19 | 34.2 | 1810.84 | 17.3Ω/km |
| ANM14.002.57.017AB | SOW | 600V | 57X17AWG | 37/0.19 | 35.1 | 1893.14 | 17.3Ω/km |
| ANM14.002.58.017AB | SOW | 600V | 58X17AWG | 37/0.19 | 35.1 | 1900.44 | 17.3Ω/km |
| ANM14.002.59.017AB | SOW | 600V | 59X17AWG | 37/0.19 | 35.1 | 1907.64 | 17.3Ω/km |
| ANM14.002.60.017AB | SOW | 600V | 60X17AWG | 37/0.19 | 35.1 | 1914.94 | 17.3Ω/km |
| ANM14.002.61.017AB | SOW | 600V | 61X17AWG | 37/0.19 | 35.1 | 1922.24 | 17.3Ω/km |
| ANM14.002.62.017AB | SOW | 600V | 62X17AWG | 37/0.19 | 38.1 | 2193.94 | 17.3Ω/km |
| ANM14.002.63.017AB | SOW | 600V | 63X17AWG | 37/0.19 | 38.1 | 2201.14 | 17.3Ω/km |
| ANM14.002.64.017AB | SOW | 600V | 64X17AWG | 37/0.19 | 38.1 | 2208.44 | 17.3Ω/km |
| ANM14.002.65.017AB | SOW | 600V | 65X17AWG | 37/0.19 | 38.1 | 2215.64 | 17.3Ω/km |
| ANM14.002.02.016AB | SOW | 600V | 2X16AWG | 27/0.25 | 10.2 | 144.71 | 13.7Ω/km |
| ANM14.002.03.016AB | SOW | 600V | 3X16AWG | 27/0.25 | 10.7 | 166.71 | 13.7Ω/km |
| ANM14.002.04.016AB | SOW | 600V | 4X16AWG | 27/0.25 | 11.5 | 197.51 | 13.7Ω/km |
| ANM14.002.05.016AB | SOW | 600V | 5X16AWG | 27/0.25 | 13.6 | 269.61 | 13.7Ω/km |
| ANM14.002.06.016AB | SOW | 600V | 6X16AWG | 27/0.25 | 14.5 | 309.61 | 13.7Ω/km |
| ANM14.002.07.016AB | SOW | 600V | 7X16AWG | 27/0.25 | 14.5 | 319.01 | 13.7Ω/km |
| ANM14.002.08.016AB | SOW | 600V | 8X16AWG | 27/0.25 | 15.6 | 368.21 | 13.7Ω/km |
| ANM14.002.09.016AB | SOW | 600V | 9X16AWG | 27/0.25 | 16.8 | 424.41 | 13.7Ω/km |
| ANM14.002.10.016AB | SOW | 600V | 10X16AWG | 27/0.25 | 18.7 | 514.21 | 13.7Ω/km |
| ANM14.002.11.016AB | SOW | 600V | 11X16AWG | 27/0.25 | 19.2 | 546.41 | 13.7Ω/km |
| ANM14.002.12.016AB | SOW | 600V | 12X16AWG | 27/0.25 | 19.2 | 556.01 | 13.7Ω/km |
| ANM14.002.13.016AB | SOW | 600V | 13X16AWG | 27/0.25 | 20 | 603.11 | 13.7Ω/km |
| ANM14.002.14.016AB | SOW | 600V | 14X16AWG | 27/0.25 | 20 | 612.61 | 13.7Ω/km |
| ANM14.002.15.016AB | SOW | 600V | 15X16AWG | 27/0.25 | 20.9 | 666.21 | 13.7Ω/km |
| ANM14.002.16.016AB | SOW | 600V | 16X16AWG | 27/0.25 | 20.9 | 675.71 | 13.7Ω/km |
| ANM14.002.17.016AB | SOW | 600V | 17X16AWG | 27/0.25 | 21.8 | 731.21 | 13.7Ω/km |
| ANM14.002.18.016AB | SOW | 600V | 18X16AWG | 27/0.25 | 21.8 | 740.81 | 13.7Ω/km |
| ANM14.002.19.016AB | SOW | 600V | 19X16AWG | 27/0.25 | 21.8 | 750.21 | 13.7Ω/km |
| ANM14.002.20.016AB | SOW | 600V | 20X16AWG | 27/0.25 | 22.3 | 786.21 | 13.7Ω/km |
| ANM14.002.21.016AB | SOW | 600V | 21X16AWG | 27/0.25 | 22.8 | 822.81 | 13.7Ω/km |
| ANM14.002.22.016AB | SOW | 600V | 22X16AWG | 27/0.25 | 24 | 899.71 | 13.7Ω/km |
| ANM14.002.23.016AB | SOW | 600V | 23X16AWG | 27/0.25 | 24.9 | 962.21 | 13.7Ω/km |
| ANM14.002.24.016AB | SOW | 600V | 24X16AWG | 27/0.25 | 24.9 | 971.71 | 13.7Ω/km |
| ANM14.002.25.016AB | SOW | 600V | 25X16AWG | 27/0.25 | 26.2 | 1060.31 | 13.7Ω/km |



| | | | | | | | |
|--------------------|-----|------|----------|---------|------|---------|-----------|
| ANM14.002.26.016AB | SOW | 600V | 26X16AWG | 27/0.25 | 26.2 | 1069.81 | 13.7 Ω/km |
| ANM14.002.27.016AB | SOW | 600V | 27X16AWG | 27/0.25 | 26.2 | 1079.11 | 13.7 Ω/km |
| ANM14.002.28.016AB | SOW | 600V | 28X16AWG | 27/0.25 | 27 | 1139.81 | 13.7 Ω/km |
| ANM14.002.29.016AB | SOW | 600V | 29X16AWG | 27/0.25 | 27 | 1149.21 | 13.7 Ω/km |
| ANM14.002.30.016AB | SOW | 600V | 30X16AWG | 27/0.25 | 27 | 1158.81 | 13.7 Ω/km |
| ANM14.002.31.016AB | SOW | 600V | 31X16AWG | 27/0.25 | 27.9 | 1227.71 | 13.7 Ω/km |
| ANM14.002.32.016AB | SOW | 600V | 32X16AWG | 27/0.25 | 27.9 | 1237.11 | 13.7 Ω/km |
| ANM14.002.33.016AB | SOW | 600V | 33X16AWG | 27/0.25 | 27.9 | 1246.61 | 13.7 Ω/km |
| ANM14.002.34.016AB | SOW | 600V | 34X16AWG | 27/0.25 | 28.8 | 1317.41 | 13.7 Ω/km |
| ANM14.002.35.016AB | SOW | 600V | 35X16AWG | 27/0.25 | 28.8 | 1326.81 | 13.7 Ω/km |
| ANM14.002.36.016AB | SOW | 600V | 36X16AWG | 27/0.25 | 28.8 | 1336.41 | 13.7 Ω/km |
| ANM14.002.37.016AB | SOW | 600V | 37X16AWG | 27/0.25 | 28.8 | 1345.81 | 13.7 Ω/km |
| ANM14.002.38.016AB | SOW | 600V | 38X16AWG | 27/0.25 | 29.8 | 1425.81 | 13.7 Ω/km |
| ANM14.002.39.016AB | SOW | 600V | 39X16AWG | 27/0.25 | 29.8 | 1435.21 | 13.7 Ω/km |
| ANM14.002.40.016AB | SOW | 600V | 40X16AWG | 27/0.25 | 29.8 | 1444.61 | 13.7 Ω/km |
| ANM14.002.41.016AB | SOW | 600V | 41X16AWG | 27/0.25 | 31.9 | 1610.11 | 13.7 Ω/km |
| ANM14.002.42.016AB | SOW | 600V | 42X16AWG | 27/0.25 | 31.9 | 1619.61 | 13.7 Ω/km |
| ANM14.002.43.016AB | SOW | 600V | 43X16AWG | 27/0.25 | 31.9 | 1629.01 | 13.7 Ω/km |
| ANM14.002.44.016AB | SOW | 600V | 44X16AWG | 27/0.25 | 31.9 | 1638.41 | 13.7 Ω/km |
| ANM14.002.45.016AB | SOW | 600V | 45X16AWG | 27/0.25 | 33.4 | 1764.61 | 13.7 Ω/km |
| ANM14.002.46.016AB | SOW | 600V | 46X16AWG | 27/0.25 | 33.4 | 1773.91 | 13.7 Ω/km |
| ANM14.002.47.016AB | SOW | 600V | 47X16AWG | 27/0.25 | 33.4 | 1783.51 | 13.7 Ω/km |
| ANM14.002.48.016AB | SOW | 600V | 48X16AWG | 27/0.25 | 33.4 | 1793.01 | 13.7 Ω/km |
| ANM14.002.49.016AB | SOW | 600V | 49X16AWG | 27/0.25 | 34.2 | 1867.51 | 13.7 Ω/km |
| ANM14.002.50.016AB | SOW | 600V | 50X16AWG | 27/0.25 | 34.2 | 1877.01 | 13.7 Ω/km |
| ANM14.002.51.016AB | SOW | 600V | 51X16AWG | 27/0.25 | 34.2 | 1886.31 | 13.7 Ω/km |
| ANM14.002.52.016AB | SOW | 600V | 52X16AWG | 27/0.25 | 34.2 | 1895.81 | 13.7 Ω/km |
| ANM14.002.53.016AB | SOW | 600V | 53X16AWG | 27/0.25 | 35.1 | 1980.41 | 13.7 Ω/km |
| ANM14.002.54.016AB | SOW | 600V | 54X16AWG | 27/0.25 | 35.1 | 1989.81 | 13.7 Ω/km |
| ANM14.002.55.016AB | SOW | 600V | 55X16AWG | 27/0.25 | 35.1 | 1999.31 | 13.7 Ω/km |
| ANM14.002.56.016AB | SOW | 600V | 56X16AWG | 27/0.25 | 35.1 | 2008.71 | 13.7 Ω/km |
| ANM14.002.57.016AB | SOW | 600V | 57X16AWG | 27/0.25 | 36 | 2095.21 | 13.7 Ω/km |
| ANM14.002.58.016AB | SOW | 600V | 58X16AWG | 27/0.25 | 36 | 2104.51 | 13.7 Ω/km |
| ANM14.002.59.016AB | SOW | 600V | 59X16AWG | 27/0.25 | 36 | 2114.11 | 13.7 Ω/km |
| ANM14.002.60.016AB | SOW | 600V | 60X16AWG | 27/0.25 | 36 | 2123.61 | 13.7 Ω/km |
| ANM14.002.61.016AB | SOW | 600V | 61X16AWG | 27/0.25 | 36 | 2133.01 | 13.7 Ω/km |
| ANM14.002.62.016AB | SOW | 600V | 62X16AWG | 27/0.25 | 39.4 | 2451.31 | 13.7 Ω/km |
| ANM14.002.63.016AB | SOW | 600V | 63X16AWG | 27/0.25 | 39.4 | 2460.61 | 13.7 Ω/km |
| ANM14.002.64.016AB | SOW | 600V | 64X16AWG | 27/0.25 | 39.4 | 2470.11 | 13.7 Ω/km |
| ANM14.002.65.016AB | SOW | 600V | 65X16AWG | 27/0.25 | 39.4 | 2479.71 | 13.7 Ω/km |
| ANM14.002.02.015AB | SOW | 600V | 2X15AWG | 34/0.25 | 12.8 | 220.75 | 10.9 Ω/km |
| ANM14.002.03.015AB | SOW | 600V | 3X15AWG | 34/0.25 | 13.4 | 251.55 | 10.9 Ω/km |



| | | | | | | | |
|--------------------|-----|------|----------|---------|------|---------|----------|
| ANM14.002.04.015AB | SOW | 600V | 4X15AWG | 34/0.25 | 14.8 | 310.45 | 10.9Ω/km |
| ANM14.002.05.015AB | SOW | 600V | 5X15AWG | 34/0.25 | 15.8 | 359.05 | 10.9Ω/km |
| ANM14.002.06.015AB | SOW | 600V | 6X15AWG | 34/0.25 | 15.1 | 345.65 | 10.9Ω/km |
| ANM14.002.07.015AB | SOW | 600V | 7X15AWG | 34/0.25 | 15.1 | 357.55 | 10.9Ω/km |
| ANM14.002.08.015AB | SOW | 600V | 8X15AWG | 34/0.25 | 16.2 | 410.85 | 10.9Ω/km |
| ANM14.002.09.015AB | SOW | 600V | 9X15AWG | 34/0.25 | 17.6 | 479.45 | 10.9Ω/km |
| ANM14.002.10.015AB | SOW | 600V | 10X15AWG | 34/0.25 | 19.5 | 575.55 | 10.9Ω/km |
| ANM14.002.11.015AB | SOW | 600V | 11X15AWG | 34/0.25 | 20.1 | 615.95 | 10.9Ω/km |
| ANM14.002.12.015AB | SOW | 600V | 12X15AWG | 34/0.25 | 20.1 | 627.85 | 10.9Ω/km |
| ANM14.002.13.015AB | SOW | 600V | 13X15AWG | 34/0.25 | 20.9 | 679.05 | 10.9Ω/km |
| ANM14.002.14.015AB | SOW | 600V | 14X15AWG | 34/0.25 | 20.9 | 691.05 | 10.9Ω/km |
| ANM14.002.15.015AB | SOW | 600V | 15X15AWG | 34/0.25 | 21.9 | 754.35 | 10.9Ω/km |
| ANM14.002.16.015AB | SOW | 600V | 16X15AWG | 34/0.25 | 21.9 | 766.25 | 10.9Ω/km |
| ANM14.002.17.015AB | SOW | 600V | 17X15AWG | 34/0.25 | 22.8 | 826.45 | 10.9Ω/km |
| ANM14.002.18.015AB | SOW | 600V | 18X15AWG | 34/0.25 | 22.8 | 838.25 | 10.9Ω/km |
| ANM14.002.19.015AB | SOW | 600V | 19X15AWG | 34/0.25 | 22.8 | 850.25 | 10.9Ω/km |
| ANM14.002.20.015AB | SOW | 600V | 20X15AWG | 34/0.25 | 23.4 | 895.45 | 10.9Ω/km |
| ANM14.002.21.015AB | SOW | 600V | 21X15AWG | 34/0.25 | 23.8 | 929.95 | 10.9Ω/km |
| ANM14.002.22.015AB | SOW | 600V | 22X15AWG | 34/0.25 | 26 | 1072.95 | 10.9Ω/km |
| ANM14.002.23.015AB | SOW | 600V | 23X15AWG | 34/0.25 | 26.9 | 1142.15 | 10.9Ω/km |
| ANM14.002.24.015AB | SOW | 600V | 24X15AWG | 34/0.25 | 26.9 | 1153.95 | 10.9Ω/km |
| ANM14.002.25.015AB | SOW | 600V | 25X15AWG | 34/0.25 | 27.5 | 1204.95 | 10.9Ω/km |
| ANM14.002.26.015AB | SOW | 600V | 26X15AWG | 34/0.25 | 27.5 | 1216.95 | 10.9Ω/km |
| ANM14.002.27.015AB | SOW | 600V | 27X15AWG | 34/0.25 | 27.5 | 1228.75 | 10.9Ω/km |
| ANM14.002.28.015AB | SOW | 600V | 28X15AWG | 34/0.25 | 28.3 | 1294.35 | 10.9Ω/km |
| ANM14.002.29.015AB | SOW | 600V | 29X15AWG | 34/0.25 | 28.3 | 1306.25 | 10.9Ω/km |
| ANM14.002.30.015AB | SOW | 600V | 30X15AWG | 34/0.25 | 28.3 | 1318.05 | 10.9Ω/km |
| ANM14.002.31.015AB | SOW | 600V | 31X15AWG | 34/0.25 | 29.3 | 1399.25 | 10.9Ω/km |
| ANM14.002.32.015AB | SOW | 600V | 32X15AWG | 34/0.25 | 29.3 | 1411.25 | 10.9Ω/km |
| ANM14.002.33.015AB | SOW | 600V | 33X15AWG | 34/0.25 | 29.3 | 1422.95 | 10.9Ω/km |
| ANM14.002.34.015AB | SOW | 600V | 34X15AWG | 34/0.25 | 30.2 | 1499.35 | 10.9Ω/km |
| ANM14.002.35.015AB | SOW | 600V | 35X15AWG | 34/0.25 | 30.2 | 1511.25 | 10.9Ω/km |
| ANM14.002.36.015AB | SOW | 600V | 36X15AWG | 34/0.25 | 30.2 | 1523.15 | 10.9Ω/km |
| ANM14.002.37.015AB | SOW | 600V | 37X15AWG | 34/0.25 | 30.2 | 1534.95 | 10.9Ω/km |
| ANM14.002.38.015AB | SOW | 600V | 38X15AWG | 34/0.25 | 31.2 | 1620.75 | 10.9Ω/km |
| ANM14.002.39.015AB | SOW | 600V | 39X15AWG | 34/0.25 | 31.2 | 1632.65 | 10.9Ω/km |
| ANM14.002.40.015AB | SOW | 600V | 40X15AWG | 34/0.25 | 31.2 | 1644.55 | 10.9Ω/km |
| ANM14.002.41.015AB | SOW | 600V | 41X15AWG | 34/0.25 | 34.5 | 1916.15 | 10.9Ω/km |
| ANM14.002.42.015AB | SOW | 600V | 42X15AWG | 34/0.25 | 34.5 | 1927.95 | 10.9Ω/km |
| ANM14.002.43.015AB | SOW | 600V | 43X15AWG | 34/0.25 | 34.5 | 1939.85 | 10.9Ω/km |
| ANM14.002.44.015AB | SOW | 600V | 44X15AWG | 34/0.25 | 34.5 | 1951.85 | 10.9Ω/km |
| ANM14.002.45.015AB | SOW | 600V | 45X15AWG | 34/0.25 | 35.1 | 2013.85 | 10.9Ω/km |



| | | | | | | | |
|--------------------|-----|------|----------|---------|------|---------|----------|
| ANM14.002.46.015AB | SOW | 600V | 46X15AWG | 34/0.25 | 35.1 | 2025.75 | 10.9Ω/km |
| ANM14.002.47.015AB | SOW | 600V | 47X15AWG | 34/0.25 | 35.1 | 2037.65 | 10.9Ω/km |
| ANM14.002.48.015AB | SOW | 600V | 48X15AWG | 34/0.25 | 35.1 | 2049.55 | 10.9Ω/km |
| ANM14.002.49.015AB | SOW | 600V | 49X15AWG | 34/0.25 | 35.9 | 2129.75 | 10.9Ω/km |
| ANM14.002.50.015AB | SOW | 600V | 50X15AWG | 34/0.25 | 35.9 | 2141.65 | 10.9Ω/km |
| ANM14.002.51.015AB | SOW | 600V | 51X15AWG | 34/0.25 | 35.9 | 2153.45 | 10.9Ω/km |
| ANM14.002.52.015AB | SOW | 600V | 52X15AWG | 34/0.25 | 35.9 | 2165.45 | 10.9Ω/km |
| ANM14.002.53.015AB | SOW | 600V | 53X15AWG | 34/0.25 | 36.9 | 2264.95 | 10.9Ω/km |
| ANM14.002.54.015AB | SOW | 600V | 54X15AWG | 34/0.25 | 36.9 | 2276.75 | 10.9Ω/km |
| ANM14.002.55.015AB | SOW | 600V | 55X15AWG | 34/0.25 | 36.9 | 2288.65 | 10.9Ω/km |
| ANM14.002.56.015AB | SOW | 600V | 56X15AWG | 34/0.25 | 36.9 | 2300.65 | 10.9Ω/km |
| ANM14.002.57.015AB | SOW | 600V | 57X15AWG | 34/0.25 | 37.8 | 2393.25 | 10.9Ω/km |
| ANM14.002.58.015AB | SOW | 600V | 58X15AWG | 34/0.25 | 37.8 | 2405.25 | 10.9Ω/km |
| ANM14.002.59.015AB | SOW | 600V | 59X15AWG | 34/0.25 | 37.8 | 2417.05 | 10.9Ω/km |
| ANM14.002.60.015AB | SOW | 600V | 60X15AWG | 34/0.25 | 37.8 | 2428.95 | 10.9Ω/km |
| ANM14.002.61.015AB | SOW | 600V | 61X15AWG | 34/0.25 | 37.8 | 2440.75 | 10.9Ω/km |
| ANM14.002.62.015AB | SOW | 600V | 62X15AWG | 34/0.25 | 41.4 | 2796.05 | 10.9Ω/km |
| ANM14.002.63.015AB | SOW | 600V | 63X15AWG | 34/0.25 | 41.4 | 2807.95 | 10.9Ω/km |
| ANM14.002.64.015AB | SOW | 600V | 64X15AWG | 34/0.25 | 41.4 | 2819.95 | 10.9Ω/km |
| ANM14.002.65.015AB | SOW | 600V | 65X15AWG | 34/0.25 | 41.4 | 2831.65 | 10.9Ω/km |
| ANM14.002.02.014AB | SOW | 600V | 2X14AWG | 43/0.25 | 13.8 | 259.58 | 8.62Ω/km |
| ANM14.002.03.014AB | SOW | 600V | 3X14AWG | 43/0.25 | 14.5 | 298.18 | 8.62Ω/km |
| ANM14.002.04.014AB | SOW | 600V | 4X14AWG | 43/0.25 | 15.7 | 356.58 | 8.62Ω/km |
| ANM14.002.05.014AB | SOW | 600V | 5X14AWG | 43/0.25 | 17 | 422.68 | 8.62Ω/km |
| ANM14.002.06.014AB | SOW | 600V | 6X14AWG | 43/0.25 | 19.2 | 532.58 | 8.62Ω/km |
| ANM14.002.07.014AB | SOW | 600V | 7X14AWG | 43/0.25 | 19.2 | 547.38 | 8.62Ω/km |
| ANM14.002.08.014AB | SOW | 600V | 8X14AWG | 43/0.25 | 20.5 | 624.28 | 8.62Ω/km |
| ANM14.002.09.014AB | SOW | 600V | 9X14AWG | 43/0.25 | 22.3 | 731.98 | 8.62Ω/km |
| ANM14.002.10.014AB | SOW | 600V | 10X14AWG | 43/0.25 | 23.5 | 812.88 | 8.62Ω/km |
| ANM14.002.11.014AB | SOW | 600V | 11X14AWG | 43/0.25 | 24.2 | 867.98 | 8.62Ω/km |
| ANM14.002.12.014AB | SOW | 600V | 12X14AWG | 43/0.25 | 24.2 | 882.78 | 8.62Ω/km |
| ANM14.002.13.014AB | SOW | 600V | 13X14AWG | 43/0.25 | 26.1 | 1011.98 | 8.62Ω/km |
| ANM14.002.14.014AB | SOW | 600V | 14X14AWG | 43/0.25 | 26.1 | 1026.88 | 8.62Ω/km |
| ANM14.002.15.014AB | SOW | 600V | 15X14AWG | 43/0.25 | 27.4 | 1125.38 | 8.62Ω/km |
| ANM14.002.16.014AB | SOW | 600V | 16X14AWG | 43/0.25 | 27.4 | 1140.18 | 8.62Ω/km |
| ANM14.002.17.014AB | SOW | 600V | 17X14AWG | 43/0.25 | 28.6 | 1236.08 | 8.62Ω/km |
| ANM14.002.18.014AB | SOW | 600V | 18X14AWG | 43/0.25 | 28.6 | 1250.98 | 8.62Ω/km |
| ANM14.002.19.014AB | SOW | 600V | 19X14AWG | 43/0.25 | 28.6 | 1265.78 | 8.62Ω/km |
| ANM14.002.20.014AB | SOW | 600V | 20X14AWG | 43/0.25 | 29.3 | 1329.38 | 8.62Ω/km |
| ANM14.002.21.014AB | SOW | 600V | 21X14AWG | 43/0.25 | 29.9 | 1386.98 | 8.62Ω/km |
| ANM14.002.22.014AB | SOW | 600V | 22X14AWG | 43/0.25 | 31.7 | 1535.48 | 8.62Ω/km |
| ANM14.002.23.014AB | SOW | 600V | 23X14AWG | 43/0.25 | 33.9 | 1722.78 | 8.62Ω/km |



| | | | | | | | |
|--------------------|-----|------|----------|---------|------|---------|-----------|
| ANM14.002.24.014AB | SOW | 600V | 24X14AWG | 43/0.25 | 33.9 | 1737.58 | 8.62 Ω/km |
| ANM14.002.25.014AB | SOW | 600V | 25X14AWG | 43/0.25 | 34.6 | 1810.28 | 8.62 Ω/km |
| ANM14.002.26.014AB | SOW | 600V | 26X14AWG | 43/0.25 | 34.6 | 1825.18 | 8.62 Ω/km |
| ANM14.002.27.014AB | SOW | 600V | 27X14AWG | 43/0.25 | 34.6 | 1840.08 | 8.62 Ω/km |
| ANM14.002.28.014AB | SOW | 600V | 28X14AWG | 43/0.25 | 35.7 | 1948.08 | 8.62 Ω/km |
| ANM14.002.29.014AB | SOW | 600V | 29X14AWG | 43/0.25 | 35.7 | 1962.88 | 8.62 Ω/km |
| ANM14.002.30.014AB | SOW | 600V | 30X14AWG | 43/0.25 | 35.7 | 1977.78 | 8.62 Ω/km |
| ANM14.002.31.014AB | SOW | 600V | 31X14AWG | 43/0.25 | 37 | 2106.48 | 8.62 Ω/km |
| ANM14.002.32.014AB | SOW | 600V | 32X14AWG | 43/0.25 | 37 | 2121.38 | 8.62 Ω/km |
| ANM14.002.33.014AB | SOW | 600V | 33X14AWG | 43/0.25 | 37 | 2136.18 | 8.62 Ω/km |
| ANM14.002.34.014AB | SOW | 600V | 34X14AWG | 43/0.25 | 38.5 | 2287.48 | 8.62 Ω/km |
| ANM14.002.35.014AB | SOW | 600V | 35X14AWG | 43/0.25 | 38.5 | 2302.38 | 8.62 Ω/km |
| ANM14.002.36.014AB | SOW | 600V | 36X14AWG | 43/0.25 | 38.5 | 2317.28 | 8.62 Ω/km |
| ANM14.002.37.014AB | SOW | 600V | 37X14AWG | 43/0.25 | 38.5 | 2332.08 | 8.62 Ω/km |
| ANM14.002.38.014AB | SOW | 600V | 38X14AWG | 43/0.25 | 39.8 | 2469.68 | 8.62 Ω/km |
| ANM14.002.39.014AB | SOW | 600V | 39X14AWG | 43/0.25 | 39.8 | 2484.58 | 8.62 Ω/km |
| ANM14.002.40.014AB | SOW | 600V | 40X14AWG | 43/0.25 | 39.8 | 2499.48 | 8.62 Ω/km |
| ANM14.002.41.014AB | SOW | 600V | 41X14AWG | 43/0.25 | 42.8 | 2812.88 | 8.62 Ω/km |
| ANM14.002.42.014AB | SOW | 600V | 42X14AWG | 43/0.25 | 42.8 | 2827.68 | 8.62 Ω/km |
| ANM14.002.43.014AB | SOW | 600V | 43X14AWG | 43/0.25 | 42.8 | 2842.68 | 8.62 Ω/km |
| ANM14.002.44.014AB | SOW | 600V | 44X14AWG | 43/0.25 | 42.8 | 2857.48 | 8.62 Ω/km |
| ANM14.002.45.014AB | SOW | 600V | 45X14AWG | 43/0.25 | 43.5 | 2945.18 | 8.62 Ω/km |
| ANM14.002.46.014AB | SOW | 600V | 46X14AWG | 43/0.25 | 43.5 | 2959.98 | 8.62 Ω/km |
| ANM14.002.47.014AB | SOW | 600V | 47X14AWG | 43/0.25 | 43.5 | 2974.98 | 8.62 Ω/km |
| ANM14.002.48.014AB | SOW | 600V | 48X14AWG | 43/0.25 | 43.5 | 2989.78 | 8.62 Ω/km |
| ANM14.002.49.014AB | SOW | 600V | 49X14AWG | 43/0.25 | 44.6 | 3121.48 | 8.62 Ω/km |
| ANM14.002.50.014AB | SOW | 600V | 50X14AWG | 43/0.25 | 44.6 | 3136.28 | 8.62 Ω/km |
| ANM14.002.51.014AB | SOW | 600V | 51X14AWG | 43/0.25 | 44.6 | 3151.28 | 8.62 Ω/km |
| ANM14.002.52.014AB | SOW | 600V | 52X14AWG | 43/0.25 | 44.6 | 3166.08 | 8.62 Ω/km |
| ANM14.002.02.013AB | SOW | 600V | 2X13AWG | 54/0.25 | 14 | 274.23 | 6.82 Ω/km |
| ANM14.002.03.013AB | SOW | 600V | 3X13AWG | 54/0.25 | 14.8 | 320.53 | 6.82 Ω/km |
| ANM14.002.04.013AB | SOW | 600V | 4X13AWG | 54/0.25 | 15.9 | 379.73 | 6.82 Ω/km |
| ANM14.002.05.013AB | SOW | 600V | 5X13AWG | 54/0.25 | 17.4 | 458.33 | 6.82 Ω/km |
| ANM14.002.06.013AB | SOW | 600V | 6X13AWG | 54/0.25 | 20.1 | 597.63 | 6.82 Ω/km |
| ANM14.002.07.013AB | SOW | 600V | 7X13AWG | 54/0.25 | 20.1 | 616.23 | 6.82 Ω/km |
| ANM14.002.08.013AB | SOW | 600V | 8X13AWG | 54/0.25 | 21.5 | 704.73 | 6.82 Ω/km |
| ANM14.002.09.013AB | SOW | 600V | 9X13AWG | 54/0.25 | 23.4 | 825.93 | 6.82 Ω/km |
| ANM14.002.10.013AB | SOW | 600V | 10X13AWG | 54/0.25 | 24.7 | 919.73 | 6.82 Ω/km |
| ANM14.002.11.013AB | SOW | 600V | 11X13AWG | 54/0.25 | 26.3 | 1035.63 | 6.82 Ω/km |
| ANM14.002.12.013AB | SOW | 600V | 12X13AWG | 54/0.25 | 26.3 | 1054.13 | 6.82 Ω/km |
| ANM14.002.13.013AB | SOW | 600V | 13X13AWG | 54/0.25 | 27.5 | 1150.33 | 6.82 Ω/km |
| ANM14.002.14.013AB | SOW | 600V | 14X13AWG | 54/0.25 | 27.5 | 1168.93 | 6.82 Ω/km |



| | | | | | | | |
|--------------------|-----|------|----------|---------|------|---------|-----------|
| ANM14.002.15.013AB | SOW | 600V | 15X13AWG | 54/0.25 | 28.8 | 1275.63 | 6.82 Ω/km |
| ANM14.002.16.013AB | SOW | 600V | 16X13AWG | 54/0.25 | 28.8 | 1294.13 | 6.82 Ω/km |
| ANM14.002.17.013AB | SOW | 600V | 17X13AWG | 54/0.25 | 30.1 | 1404.73 | 6.82 Ω/km |
| ANM14.002.18.013AB | SOW | 600V | 18X13AWG | 54/0.25 | 30.1 | 1423.43 | 6.82 Ω/km |
| ANM14.002.19.013AB | SOW | 600V | 19X13AWG | 54/0.25 | 30.1 | 1441.93 | 6.82 Ω/km |
| ANM14.002.20.013AB | SOW | 600V | 20X13AWG | 54/0.25 | 30.9 | 1519.23 | 6.82 Ω/km |
| ANM14.002.21.013AB | SOW | 600V | 21X13AWG | 54/0.25 | 31.5 | 1582.93 | 6.82 Ω/km |
| ANM14.002.22.013AB | SOW | 600V | 22X13AWG | 54/0.25 | 34.4 | 1830.23 | 6.82 Ω/km |
| ANM14.002.23.013AB | SOW | 600V | 23X13AWG | 54/0.25 | 35.7 | 1958.43 | 6.82 Ω/km |
| ANM14.002.24.013AB | SOW | 600V | 24X13AWG | 54/0.25 | 35.7 | 1976.93 | 6.82 Ω/km |
| ANM14.002.25.013AB | SOW | 600V | 25X13AWG | 54/0.25 | 36.5 | 2065.13 | 6.82 Ω/km |
| ANM14.002.26.013AB | SOW | 600V | 26X13AWG | 54/0.25 | 36.5 | 2083.63 | 6.82 Ω/km |
| ANM14.002.27.013AB | SOW | 600V | 27X13AWG | 54/0.25 | 36.5 | 2102.23 | 6.82 Ω/km |
| ANM14.002.28.013AB | SOW | 600V | 28X13AWG | 54/0.25 | 37.7 | 2228.13 | 6.82 Ω/km |
| ANM14.002.29.013AB | SOW | 600V | 29X13AWG | 54/0.25 | 37.7 | 2246.63 | 6.82 Ω/km |
| ANM14.002.30.013AB | SOW | 600V | 30X13AWG | 54/0.25 | 37.7 | 2265.13 | 6.82 Ω/km |
| ANM14.002.31.013AB | SOW | 600V | 31X13AWG | 54/0.25 | 39.3 | 2432.03 | 6.82 Ω/km |
| ANM14.002.32.013AB | SOW | 600V | 32X13AWG | 54/0.25 | 39.3 | 2450.53 | 6.82 Ω/km |
| ANM14.002.33.013AB | SOW | 600V | 33X13AWG | 54/0.25 | 39.3 | 2469.03 | 6.82 Ω/km |
| ANM14.002.34.013AB | SOW | 600V | 34X13AWG | 54/0.25 | 40.6 | 2612.63 | 6.82 Ω/km |
| ANM14.002.35.013AB | SOW | 600V | 35X13AWG | 54/0.25 | 40.6 | 2631.23 | 6.82 Ω/km |
| ANM14.002.36.013AB | SOW | 600V | 36X13AWG | 54/0.25 | 40.6 | 2649.83 | 6.82 Ω/km |
| ANM14.002.37.013AB | SOW | 600V | 37X13AWG | 54/0.25 | 40.6 | 2668.33 | 6.82 Ω/km |
| ANM14.002.38.013AB | SOW | 600V | 38X13AWG | 54/0.25 | 42 | 2826.33 | 6.82 Ω/km |
| ANM14.002.39.013AB | SOW | 600V | 39X13AWG | 54/0.25 | 42 | 2844.83 | 6.82 Ω/km |
| ANM14.002.40.013AB | SOW | 600V | 40X13AWG | 54/0.25 | 42 | 2863.33 | 6.82 Ω/km |
| ANM14.002.41.013AB | SOW | 600V | 41X13AWG | 54/0.25 | 45.2 | 3218.03 | 6.82 Ω/km |
| ANM14.002.42.013AB | SOW | 600V | 42X13AWG | 54/0.25 | 45.2 | 3236.73 | 6.82 Ω/km |
| ANM14.002.43.013AB | SOW | 600V | 43X13AWG | 54/0.25 | 45.2 | 3255.23 | 6.82 Ω/km |
| ANM14.002.44.013AB | SOW | 600V | 44X13AWG | 54/0.25 | 45.2 | 3273.83 | 6.82 Ω/km |
| ANM14.002.45.013AB | SOW | 600V | 45X13AWG | 54/0.25 | 47 | 3490.53 | 6.82 Ω/km |
| ANM14.002.46.013AB | SOW | 600V | 46X13AWG | 54/0.25 | 47 | 3509.03 | 6.82 Ω/km |
| ANM14.002.47.013AB | SOW | 600V | 47X13AWG | 54/0.25 | 47 | 3527.53 | 6.82 Ω/km |
| ANM14.002.48.013AB | SOW | 600V | 48X13AWG | 54/0.25 | 47 | 3546.03 | 6.82 Ω/km |
| ANM14.002.49.013AB | SOW | 600V | 49X13AWG | 54/0.25 | 48.2 | 3702.33 | 6.82 Ω/km |
| ANM14.002.50.013AB | SOW | 600V | 50X13AWG | 54/0.25 | 48.2 | 3720.83 | 6.82 Ω/km |
| ANM14.002.51.013AB | SOW | 600V | 51X13AWG | 54/0.25 | 48.2 | 3739.33 | 6.82 Ω/km |
| ANM14.002.52.013AB | SOW | 600V | 52X13AWG | 54/0.25 | 48.2 | 3757.93 | 6.82 Ω/km |
| ANM14.002.02.012AB | SOW | 600V | 2X12AWG | 68/0.25 | 15.2 | 327.21 | 5.43 Ω/km |
| ANM14.002.03.012AB | SOW | 600V | 3X12AWG | 68/0.25 | 16.1 | 384.81 | 5.43 Ω/km |
| ANM14.002.04.012AB | SOW | 600V | 4X12AWG | 68/0.25 | 17.3 | 456.91 | 5.43 Ω/km |
| ANM14.002.05.012AB | SOW | 600V | 5X12AWG | 68/0.25 | 18.7 | 541.31 | 5.43 Ω/km |



| | | | | | | | |
|--------------------|-----|------|----------|---------|------|---------|-----------|
| ANM14.002.06.012AB | SOW | 600V | 6X12AWG | 68/0.25 | 20.7 | 659.31 | 5.43 Ω/km |
| ANM14.002.07.012AB | SOW | 600V | 7X12AWG | 68/0.25 | 20.7 | 683.11 | 5.43 Ω/km |
| ANM14.002.08.012AB | SOW | 600V | 8X12AWG | 68/0.25 | 22.2 | 784.41 | 5.43 Ω/km |
| ANM14.002.09.012AB | SOW | 600V | 9X12AWG | 68/0.25 | 24.1 | 914.01 | 5.43 Ω/km |
| ANM14.002.10.012AB | SOW | 600V | 10X12AWG | 68/0.25 | 26.3 | 1070.51 | 5.43 Ω/km |
| ANM14.002.11.012AB | SOW | 600V | 11X12AWG | 68/0.25 | 27.1 | 1145.71 | 5.43 Ω/km |
| ANM14.002.12.012AB | SOW | 600V | 12X12AWG | 68/0.25 | 27.1 | 1169.61 | 5.43 Ω/km |
| ANM14.002.13.012AB | SOW | 600V | 13X12AWG | 68/0.25 | 28.3 | 1273.41 | 5.43 Ω/km |
| ANM14.002.14.012AB | SOW | 600V | 14X12AWG | 68/0.25 | 28.3 | 1297.21 | 5.43 Ω/km |
| ANM14.002.15.012AB | SOW | 600V | 15X12AWG | 68/0.25 | 29.7 | 1418.71 | 5.43 Ω/km |
| ANM14.002.16.012AB | SOW | 600V | 16X12AWG | 68/0.25 | 29.7 | 1442.71 | 5.43 Ω/km |
| ANM14.002.17.012AB | SOW | 600V | 17X12AWG | 68/0.25 | 31.1 | 1568.91 | 5.43 Ω/km |
| ANM14.002.18.012AB | SOW | 600V | 18X12AWG | 68/0.25 | 31.1 | 1592.61 | 5.43 Ω/km |
| ANM14.002.19.012AB | SOW | 600V | 19X12AWG | 68/0.25 | 31.1 | 1616.61 | 5.43 Ω/km |
| ANM14.002.20.012AB | SOW | 600V | 20X12AWG | 68/0.25 | 31.9 | 1701.11 | 5.43 Ω/km |
| ANM14.002.21.012AB | SOW | 600V | 21X12AWG | 68/0.25 | 33.6 | 1857.61 | 5.43 Ω/km |
| ANM14.002.22.012AB | SOW | 600V | 22X12AWG | 68/0.25 | 35.5 | 2039.51 | 5.43 Ω/km |
| ANM14.002.23.012AB | SOW | 600V | 23X12AWG | 68/0.25 | 36.9 | 2185.51 | 5.43 Ω/km |
| ANM14.002.24.012AB | SOW | 600V | 24X12AWG | 68/0.25 | 36.9 | 2209.31 | 5.43 Ω/km |
| ANM14.002.25.012AB | SOW | 600V | 25X12AWG | 68/0.25 | 37.7 | 2305.01 | 5.43 Ω/km |
| ANM14.002.26.012AB | SOW | 600V | 26X12AWG | 68/0.25 | 37.7 | 2328.81 | 5.43 Ω/km |
| ANM14.002.27.012AB | SOW | 600V | 27X12AWG | 68/0.25 | 37.7 | 2352.71 | 5.43 Ω/km |
| ANM14.002.28.012AB | SOW | 600V | 28X12AWG | 68/0.25 | 39.2 | 2515.41 | 5.43 Ω/km |
| ANM14.002.29.012AB | SOW | 600V | 29X12AWG | 68/0.25 | 39.2 | 2539.21 | 5.43 Ω/km |
| ANM14.002.30.012AB | SOW | 600V | 30X12AWG | 68/0.25 | 39.2 | 2563.01 | 5.43 Ω/km |
| ANM14.002.31.012AB | SOW | 600V | 31X12AWG | 68/0.25 | 40.6 | 2721.41 | 5.43 Ω/km |
| ANM14.002.32.012AB | SOW | 600V | 32X12AWG | 68/0.25 | 40.6 | 2745.21 | 5.43 Ω/km |
| ANM14.002.33.012AB | SOW | 600V | 33X12AWG | 68/0.25 | 40.6 | 2769.01 | 5.43 Ω/km |
| ANM14.002.34.012AB | SOW | 600V | 34X12AWG | 68/0.25 | 42 | 2932.31 | 5.43 Ω/km |
| ANM14.002.35.012AB | SOW | 600V | 35X12AWG | 68/0.25 | 42 | 2956.11 | 5.43 Ω/km |
| ANM14.002.36.012AB | SOW | 600V | 36X12AWG | 68/0.25 | 42 | 2979.81 | 5.43 Ω/km |
| ANM14.002.37.012AB | SOW | 600V | 37X12AWG | 68/0.25 | 42 | 3003.71 | 5.43 Ω/km |
| ANM14.002.02.011AB | SOW | 600V | 2X11AWG | 85/0.25 | 16.3 | 380.57 | 4.30 Ω/km |
| ANM14.002.03.011AB | SOW | 600V | 3X11AWG | 85/0.25 | 17 | 438.27 | 4.30 Ω/km |
| ANM14.002.04.011AB | SOW | 600V | 4X11AWG | 85/0.25 | 18.3 | 522.67 | 4.30 Ω/km |
| ANM14.002.05.011AB | SOW | 600V | 5X11AWG | 85/0.25 | 19.8 | 620.77 | 4.30 Ω/km |
| ANM14.002.06.011AB | SOW | 600V | 6X11AWG | 85/0.25 | 21.9 | 755.07 | 4.30 Ω/km |
| ANM14.002.07.011AB | SOW | 600V | 7X11AWG | 85/0.25 | 21.9 | 784.37 | 4.30 Ω/km |
| ANM14.002.08.011AB | SOW | 600V | 8X11AWG | 85/0.25 | 23.5 | 901.17 | 4.30 Ω/km |
| ANM14.002.09.011AB | SOW | 600V | 9X11AWG | 85/0.25 | 26.4 | 1103.77 | 4.30 Ω/km |
| ANM14.002.10.011AB | SOW | 600V | 10X11AWG | 85/0.25 | 27.9 | 1231.27 | 4.30 Ω/km |
| ANM14.002.11.011AB | SOW | 600V | 11X11AWG | 85/0.25 | 28.8 | 1322.07 | 4.30 Ω/km |



| | | | | | | | |
|--------------------|-----|------|----------|----------|------|---------|------------|
| ANM14.002.12.011AB | SOW | 600V | 12X11AWG | 85/0.25 | 28.8 | 1351.37 | 4.30 Ω/km |
| ANM14.002.13.011AB | SOW | 600V | 13X11AWG | 85/0.25 | 30.1 | 1472.97 | 4.30 Ω/km |
| ANM14.002.14.011AB | SOW | 600V | 14X11AWG | 85/0.25 | 30.1 | 1502.27 | 4.30 Ω/km |
| ANM14.002.15.011AB | SOW | 600V | 15X11AWG | 85/0.25 | 31.6 | 1643.17 | 4.30 Ω/km |
| ANM14.002.16.011AB | SOW | 600V | 16X11AWG | 85/0.25 | 31.6 | 1672.57 | 4.30 Ω/km |
| ANM14.002.17.011AB | SOW | 600V | 17X11AWG | 85/0.25 | 34.1 | 1898.27 | 4.30 Ω/km |
| ANM14.002.18.011AB | SOW | 600V | 18X11AWG | 85/0.25 | 34.1 | 1927.77 | 4.30 Ω/km |
| ANM14.002.19.011AB | SOW | 600V | 19X11AWG | 85/0.25 | 34.1 | 1957.07 | 4.30 Ω/km |
| ANM14.002.20.011AB | SOW | 600V | 20X11AWG | 85/0.25 | 35 | 2061.37 | 4.30 Ω/km |
| ANM14.002.21.011AB | SOW | 600V | 21X11AWG | 85/0.25 | 35.7 | 2150.27 | 4.30 Ω/km |
| ANM14.002.22.011AB | SOW | 600V | 22X11AWG | 85/0.25 | 37.8 | 2365.47 | 4.30 Ω/km |
| ANM14.002.23.011AB | SOW | 600V | 23X11AWG | 85/0.25 | 39.6 | 2562.77 | 4.30 Ω/km |
| ANM14.002.24.011AB | SOW | 600V | 24X11AWG | 85/0.25 | 39.6 | 2592.07 | 4.30 Ω/km |
| ANM14.002.25.011AB | SOW | 600V | 25X11AWG | 85/0.25 | 40.5 | 2708.27 | 4.30 Ω/km |
| ANM14.002.26.011AB | SOW | 600V | 26X11AWG | 85/0.25 | 40.5 | 2737.67 | 4.30 Ω/km |
| ANM14.002.27.011AB | SOW | 600V | 27X11AWG | 85/0.25 | 40.5 | 2766.97 | 4.30 Ω/km |
| ANM14.002.28.011AB | SOW | 600V | 28X11AWG | 85/0.25 | 41.8 | 2925.37 | 4.30 Ω/km |
| ANM14.002.29.011AB | SOW | 600V | 29X11AWG | 85/0.25 | 41.8 | 2954.67 | 4.30 Ω/km |
| ANM14.002.30.011AB | SOW | 600V | 30X11AWG | 85/0.25 | 41.8 | 2984.07 | 4.30 Ω/km |
| ANM14.002.31.011AB | SOW | 600V | 31X11AWG | 85/0.25 | 43.3 | 3167.27 | 4.30 Ω/km |
| ANM14.002.32.011AB | SOW | 600V | 32X11AWG | 85/0.25 | 43.3 | 3196.57 | 4.30 Ω/km |
| ANM14.002.33.011AB | SOW | 600V | 33X11AWG | 85/0.25 | 43.3 | 3226.07 | 4.30 Ω/km |
| ANM14.002.34.011AB | SOW | 600V | 34X11AWG | 85/0.25 | 44.8 | 3414.57 | 4.30 Ω/km |
| ANM14.002.35.011AB | SOW | 600V | 35X11AWG | 85/0.25 | 44.8 | 3443.97 | 4.30 Ω/km |
| ANM14.002.36.011AB | SOW | 600V | 36X11AWG | 85/0.25 | 44.8 | 3473.37 | 4.30 Ω/km |
| ANM14.002.37.011AB | SOW | 600V | 37X11AWG | 85/0.25 | 44.8 | 3502.67 | 4.30 Ω/km |
| ANM14.002.02.010AB | SOW | 600V | 2X10AWG | 108/0.25 | 17.3 | 433.77 | 3.409 Ω/km |
| ANM14.002.03.010AB | SOW | 600V | 3X10AWG | 108/0.25 | 18.2 | 507.17 | 3.409 Ω/km |
| ANM14.002.04.010AB | SOW | 600V | 4X10AWG | 108/0.25 | 19.6 | 606.07 | 3.409 Ω/km |
| ANM14.002.05.010AB | SOW | 600V | 5X10AWG | 108/0.25 | 21.2 | 719.67 | 3.409 Ω/km |
| ANM14.002.06.010AB | SOW | 600V | 6X10AWG | 108/0.25 | 23.7 | 889.27 | 3.409 Ω/km |
| ANM14.002.07.010AB | SOW | 600V | 7X10AWG | 108/0.25 | 23.7 | 924.37 | 3.409 Ω/km |
| ANM14.002.08.010AB | SOW | 600V | 8X10AWG | 108/0.25 | 26.3 | 1115.07 | 3.409 Ω/km |
| ANM14.002.09.010AB | SOW | 600V | 9X10AWG | 108/0.25 | 28.6 | 1302.07 | 3.409 Ω/km |
| ANM14.002.10.010AB | SOW | 600V | 10X10AWG | 108/0.25 | 30.3 | 1457.67 | 3.409 Ω/km |
| ANM14.002.11.010AB | SOW | 600V | 11X10AWG | 108/0.25 | 31.2 | 1559.37 | 3.409 Ω/km |
| ANM14.002.12.010AB | SOW | 600V | 12X10AWG | 108/0.25 | 31.2 | 1594.47 | 3.409 Ω/km |
| ANM14.002.13.010AB | SOW | 600V | 13X10AWG | 108/0.25 | 33.8 | 1831.77 | 3.409 Ω/km |
| ANM14.002.14.010AB | SOW | 600V | 14X10AWG | 108/0.25 | 33.8 | 1866.87 | 3.409 Ω/km |
| ANM14.002.15.010AB | SOW | 600V | 15X10AWG | 108/0.25 | 35.4 | 2035.27 | 3.409 Ω/km |
| ANM14.002.16.010AB | SOW | 600V | 16X10AWG | 108/0.25 | 35.4 | 2070.47 | 3.409 Ω/km |
| ANM14.002.17.010AB | SOW | 600V | 17X10AWG | 108/0.25 | 37.1 | 2253.87 | 3.409 Ω/km |



| | | | | | | | |
|--------------------|-----|------|----------|----------|------|---------|------------|
| ANM14.002.18.010AB | SOW | 600V | 18X10AWG | 108/0.25 | 37.1 | 2288.97 | 3.409 Ω/km |
| ANM14.002.19.010AB | SOW | 600V | 19X10AWG | 108/0.25 | 37.1 | 2324.07 | 3.409 Ω/km |
| ANM14.002.20.010AB | SOW | 600V | 20X10AWG | 108/0.25 | 38 | 2440.57 | 3.409 Ω/km |
| ANM14.002.21.010AB | SOW | 600V | 21X10AWG | 108/0.25 | 39.2 | 2587.17 | 3.409 Ω/km |
| ANM14.002.22.010AB | SOW | 600V | 22X10AWG | 108/0.25 | 41.5 | 2845.97 | 3.409 Ω/km |
| ANM14.002.23.010AB | SOW | 600V | 23X10AWG | 108/0.25 | 43.2 | 3054.47 | 3.409 Ω/km |
| ANM14.002.24.010AB | SOW | 600V | 24X10AWG | 108/0.25 | 43.2 | 3089.67 | 3.409 Ω/km |
| ANM14.002.25.010AB | SOW | 600V | 25X10AWG | 108/0.25 | 44.1 | 3219.37 | 3.409 Ω/km |
| ANM14.002.26.010AB | SOW | 600V | 26X10AWG | 108/0.25 | 44.1 | 3254.47 | 3.409 Ω/km |
| ANM14.002.27.010AB | SOW | 600V | 27X10AWG | 108/0.25 | 44.1 | 3289.47 | 3.409 Ω/km |
| ANM14.002.28.010AB | SOW | 600V | 28X10AWG | 108/0.25 | 45.7 | 3497.87 | 3.409 Ω/km |
| ANM14.002.29.010AB | SOW | 600V | 29X10AWG | 108/0.25 | 45.7 | 3532.97 | 3.409 Ω/km |
| ANM14.002.30.010AB | SOW | 600V | 30X10AWG | 108/0.25 | 45.7 | 3568.07 | 3.409 Ω/km |
| ANM14.002.31.010AB | SOW | 600V | 31X10AWG | 108/0.25 | 48.3 | 3895.77 | 3.409 Ω/km |
| ANM14.002.32.010AB | SOW | 600V | 32X10AWG | 108/0.25 | 48.3 | 3930.87 | 3.409 Ω/km |
| ANM14.002.33.010AB | SOW | 600V | 33X10AWG | 108/0.25 | 48.3 | 3965.87 | 3.409 Ω/km |
| ANM14.002.34.010AB | SOW | 600V | 34X10AWG | 108/0.25 | 50 | 4202.27 | 3.409 Ω/km |
| ANM14.002.35.010AB | SOW | 600V | 35X10AWG | 108/0.25 | 50 | 4237.37 | 3.409 Ω/km |
| ANM14.002.36.010AB | SOW | 600V | 36X10AWG | 108/0.25 | 50 | 4272.57 | 3.409 Ω/km |
| ANM14.002.37.010AB | SOW | 600V | 37X10AWG | 108/0.25 | 50 | 4307.57 | 3.409 Ω/km |
| ANM14.002.02.009AB | SOW | 600V | 2X9AWG | 136/0.25 | 18.1 | 487.84 | 2.705 Ω/km |
| ANM14.002.03.009AB | SOW | 600V | 3X9AWG | 136/0.25 | 19.1 | 577.04 | 2.705 Ω/km |
| ANM14.002.04.009AB | SOW | 600V | 4X9AWG | 136/0.25 | 20.5 | 688.44 | 2.705 Ω/km |
| ANM14.002.05.009AB | SOW | 600V | 5X9AWG | 136/0.25 | 22.3 | 825.64 | 2.705 Ω/km |
| ANM14.002.06.009AB | SOW | 600V | 6X9AWG | 136/0.25 | 24.9 | 1017.04 | 2.705 Ω/km |
| ANM14.002.07.009AB | SOW | 600V | 7X9AWG | 136/0.25 | 24.9 | 1061.44 | 2.705 Ω/km |
| ANM14.002.08.009AB | SOW | 600V | 8X9AWG | 136/0.25 | 27.6 | 1275.94 | 2.705 Ω/km |
| ANM14.002.09.009AB | SOW | 600V | 9X9AWG | 136/0.25 | 30.1 | 1493.94 | 2.705 Ω/km |
| ANM14.002.10.009AB | SOW | 600V | 10X9AWG | 136/0.25 | 31.9 | 1672.74 | 2.705 Ω/km |
| ANM14.002.11.009AB | SOW | 600V | 11X9AWG | 136/0.25 | 33.9 | 1874.44 | 2.705 Ω/km |
| ANM14.002.12.009AB | SOW | 600V | 12X9AWG | 136/0.25 | 33.9 | 1918.94 | 2.705 Ω/km |
| ANM14.002.13.009AB | SOW | 600V | 13X9AWG | 136/0.25 | 35.5 | 2097.14 | 2.705 Ω/km |
| ANM14.002.14.009AB | SOW | 600V | 14X9AWG | 136/0.25 | 35.5 | 2141.54 | 2.705 Ω/km |
| ANM14.002.15.009AB | SOW | 600V | 15X9AWG | 136/0.25 | 37.3 | 2343.84 | 2.705 Ω/km |
| ANM14.002.16.009AB | SOW | 600V | 16X9AWG | 136/0.25 | 37.3 | 2388.44 | 2.705 Ω/km |
| ANM14.002.17.009AB | SOW | 600V | 17X9AWG | 136/0.25 | 39.4 | 2626.84 | 2.705 Ω/km |
| ANM14.002.18.009AB | SOW | 600V | 18X9AWG | 136/0.25 | 39.4 | 2671.34 | 2.705 Ω/km |
| ANM14.002.19.009AB | SOW | 600V | 19X9AWG | 136/0.25 | 39.4 | 2715.74 | 2.705 Ω/km |
| ANM14.002.20.009AB | SOW | 600V | 20X9AWG | 136/0.25 | 40.4 | 2856.44 | 2.705 Ω/km |
| ANM14.002.21.009AB | SOW | 600V | 21X9AWG | 136/0.25 | 41.3 | 2989.54 | 2.705 Ω/km |
| ANM14.002.22.009AB | SOW | 600V | 22X9AWG | 136/0.25 | 43.8 | 3290.34 | 2.705 Ω/km |
| ANM14.002.23.009AB | SOW | 600V | 23X9AWG | 136/0.25 | 45.6 | 3528.74 | 2.705 Ω/km |



| | | | | | | | |
|--------------------|-----|------|---------|----------|------|---------|------------|
| ANM14.002.24.009AB | SOW | 600V | 24X9AWG | 136/0.25 | 45.6 | 3573.24 | 2.705 Ω/km |
| ANM14.002.25.009AB | SOW | 600V | 25X9AWG | 136/0.25 | 47.6 | 3840.54 | 2.705 Ω/km |
| ANM14.002.26.009AB | SOW | 600V | 26X9AWG | 136/0.25 | 47.6 | 3884.94 | 2.705 Ω/km |
| ANM14.002.27.009AB | SOW | 600V | 27X9AWG | 136/0.25 | 47.6 | 3929.44 | 2.705 Ω/km |
| ANM14.002.28.009AB | SOW | 600V | 28X9AWG | 136/0.25 | 49.2 | 4160.44 | 2.705 Ω/km |
| ANM14.002.29.009AB | SOW | 600V | 29X9AWG | 136/0.25 | 49.2 | 4205.04 | 2.705 Ω/km |
| ANM14.002.30.009AB | SOW | 600V | 30X9AWG | 136/0.25 | 49.2 | 4249.54 | 2.705 Ω/km |
| ANM14.002.31.009AB | SOW | 600V | 31X9AWG | 136/0.25 | 51 | 4511.24 | 2.705 Ω/km |
| ANM14.002.32.009AB | SOW | 600V | 32X9AWG | 136/0.25 | 51 | 4555.84 | 2.705 Ω/km |
| ANM14.002.33.009AB | SOW | 600V | 33X9AWG | 136/0.25 | 51 | 4600.24 | 2.705 Ω/km |
| ANM14.002.34.009AB | SOW | 600V | 34X9AWG | 136/0.25 | 52.8 | 4870.04 | 2.705 Ω/km |
| ANM14.002.35.009AB | SOW | 600V | 35X9AWG | 136/0.25 | 52.8 | 4914.44 | 2.705 Ω/km |
| ANM14.002.36.009AB | SOW | 600V | 36X9AWG | 136/0.25 | 52.8 | 4959.04 | 2.705 Ω/km |
| ANM14.002.37.009AB | SOW | 600V | 37X9AWG | 136/0.25 | 52.8 | 5003.54 | 2.705 Ω/km |
| ANM14.002.02.008AB | SOW | 600V | 2X8AWG | 171/0.25 | 21.7 | 687.27 | 2.144 Ω/km |
| ANM14.002.03.008AB | SOW | 600V | 3X8AWG | 171/0.25 | 22.9 | 809.27 | 2.144 Ω/km |
| ANM14.002.04.008AB | SOW | 600V | 4X8AWG | 171/0.25 | 25.8 | 1035.87 | 2.144 Ω/km |
| ANM14.002.05.008AB | SOW | 600V | 5X8AWG | 171/0.25 | 27.9 | 1229.07 | 2.144 Ω/km |
| ANM14.002.06.008AB | SOW | 600V | 6X8AWG | 171/0.25 | 30.4 | 1461.67 | 2.144 Ω/km |
| ANM14.002.07.008AB | SOW | 600V | 7X8AWG | 171/0.25 | 30.4 | 1519.37 | 2.144 Ω/km |
| ANM14.002.08.008AB | SOW | 600V | 8X8AWG | 171/0.25 | 32.6 | 1743.67 | 2.144 Ω/km |
| ANM14.002.09.008AB | SOW | 600V | 9X8AWG | 171/0.25 | 36.6 | 2133.17 | 2.144 Ω/km |
| ANM14.002.10.008AB | SOW | 600V | 10X8AWG | 171/0.25 | 38.7 | 2381.17 | 2.144 Ω/km |
| ANM14.002.11.008AB | SOW | 600V | 11X8AWG | 171/0.25 | 40.2 | 2581.27 | 2.144 Ω/km |
| ANM14.002.12.008AB | SOW | 600V | 12X8AWG | 171/0.25 | 40.2 | 2638.97 | 2.144 Ω/km |
| ANM14.002.13.008AB | SOW | 600V | 13X8AWG | 171/0.25 | 43.1 | 2985.77 | 2.144 Ω/km |
| ANM14.002.14.008AB | SOW | 600V | 14X8AWG | 171/0.25 | 43.1 | 3043.47 | 2.144 Ω/km |
| ANM14.002.15.008AB | SOW | 600V | 15X8AWG | 171/0.25 | 45.2 | 3324.37 | 2.144 Ω/km |
| ANM14.002.16.008AB | SOW | 600V | 16X8AWG | 171/0.25 | 45.2 | 3382.07 | 2.144 Ω/km |
| ANM14.002.17.008AB | SOW | 600V | 17X8AWG | 171/0.25 | 47.3 | 3673.67 | 2.144 Ω/km |
| ANM14.002.18.008AB | SOW | 600V | 18X8AWG | 171/0.25 | 47.3 | 3731.37 | 2.144 Ω/km |
| ANM14.002.19.008AB | SOW | 600V | 19X8AWG | 171/0.25 | 47.3 | 3789.07 | 2.144 Ω/km |
| ANM14.002.20.008AB | SOW | 600V | 20X8AWG | 171/0.25 | 49.7 | 4124.67 | 2.144 Ω/km |
| ANM14.002.21.008AB | SOW | 600V | 21X8AWG | 171/0.25 | 50.7 | 4303.27 | 2.144 Ω/km |
| ANM14.002.22.008AB | SOW | 600V | 22X8AWG | 171/0.25 | 53.7 | 4737.97 | 2.144 Ω/km |
| ANM14.002.23.008AB | SOW | 600V | 23X8AWG | 171/0.25 | 56.8 | 5205.97 | 2.144 Ω/km |
| ANM14.002.24.008AB | SOW | 600V | 24X8AWG | 171/0.25 | 56.8 | 5263.67 | 2.144 Ω/km |
| ANM14.002.25.008AB | SOW | 600V | 25X8AWG | 171/0.25 | 58 | 5487.27 | 2.144 Ω/km |
| ANM14.002.26.008AB | SOW | 600V | 26X8AWG | 171/0.25 | 58 | 5544.87 | 2.144 Ω/km |
| ANM14.002.27.008AB | SOW | 600V | 27X8AWG | 171/0.25 | 58 | 5602.67 | 2.144 Ω/km |
| ANM14.002.28.008AB | SOW | 600V | 28X8AWG | 171/0.25 | 59.9 | 5930.07 | 2.144 Ω/km |
| ANM14.002.29.008AB | SOW | 600V | 29X8AWG | 171/0.25 | 59.9 | 5987.67 | 2.144 Ω/km |



| | | | | | | | |
|--------------------|-----|------|---------|----------|------|---------|------------|
| ANM14.002.30.008AB | SOW | 600V | 30X8AWG | 171/0.25 | 59.9 | 6045.47 | 2.144 Ω/km |
| ANM14.002.31.008AB | SOW | 600V | 31X8AWG | 171/0.25 | 62 | 6411.27 | 2.144 Ω/km |
| ANM14.002.32.008AB | SOW | 600V | 32X8AWG | 171/0.25 | 62 | 6469.07 | 2.144 Ω/km |
| ANM14.002.33.008AB | SOW | 600V | 33X8AWG | 171/0.25 | 62 | 6526.77 | 2.144 Ω/km |
| ANM14.002.34.008AB | SOW | 600V | 34X8AWG | 171/0.25 | 64.9 | 7025.77 | 2.144 Ω/km |
| ANM14.002.35.008AB | SOW | 600V | 35X8AWG | 171/0.25 | 64.9 | 7083.37 | 2.144 Ω/km |
| ANM14.002.36.008AB | SOW | 600V | 36X8AWG | 171/0.25 | 64.9 | 7141.17 | 2.144 Ω/km |
| ANM14.002.37.008AB | SOW | 600V | 37X8AWG | 171/0.25 | 64.9 | 7198.77 | 2.144 Ω/km |
| ANM14.002.02.007AB | SOW | 600V | 2X7AWG | 84/0.4 | 23.3 | 803.85 | 1.700 Ω/km |
| ANM14.002.03.007AB | SOW | 600V | 3X7AWG | 84/0.4 | 24.6 | 950.45 | 1.700 Ω/km |
| ANM14.002.04.007AB | SOW | 600V | 4X7AWG | 84/0.4 | 26.6 | 1145.45 | 1.700 Ω/km |
| ANM14.002.05.007AB | SOW | 600V | 5X7AWG | 84/0.4 | 28.9 | 1370.75 | 1.700 Ω/km |
| ANM14.002.06.007AB | SOW | 600V | 6X7AWG | 84/0.4 | 32.2 | 1684.05 | 1.700 Ω/km |
| ANM14.002.07.007AB | SOW | 600V | 7X7AWG | 84/0.4 | 32.2 | 1755.85 | 1.700 Ω/km |
| ANM14.002.08.007AB | SOW | 600V | 8X7AWG | 84/0.4 | 35.6 | 2103.65 | 1.700 Ω/km |
| ANM14.002.09.007AB | SOW | 600V | 9X7AWG | 84/0.4 | 38.8 | 2461.95 | 1.700 Ω/km |
| ANM14.002.10.007AB | SOW | 600V | 10X7AWG | 84/0.4 | 42.4 | 2884.05 | 1.700 Ω/km |
| ANM14.002.11.007AB | SOW | 600V | 11X7AWG | 84/0.4 | 43.7 | 3090.55 | 1.700 Ω/km |
| ANM14.002.12.007AB | SOW | 600V | 12X7AWG | 84/0.4 | 43.7 | 3162.35 | 1.700 Ω/km |
| ANM14.002.13.007AB | SOW | 600V | 13X7AWG | 84/0.4 | 45.7 | 3449.35 | 1.700 Ω/km |
| ANM14.002.14.007AB | SOW | 600V | 14X7AWG | 84/0.4 | 45.7 | 3521.15 | 1.700 Ω/km |
| ANM14.002.15.007AB | SOW | 600V | 15X7AWG | 84/0.4 | 48 | 3852.55 | 1.700 Ω/km |
| ANM14.002.16.007AB | SOW | 600V | 16X7AWG | 84/0.4 | 48 | 3924.25 | 1.700 Ω/km |
| ANM14.002.17.007AB | SOW | 600V | 17X7AWG | 84/0.4 | 51.5 | 4412.95 | 1.700 Ω/km |
| ANM14.002.18.007AB | SOW | 600V | 18X7AWG | 84/0.4 | 51.5 | 4484.75 | 1.700 Ω/km |
| ANM14.002.19.007AB | SOW | 600V | 19X7AWG | 84/0.4 | 51.5 | 4556.55 | 1.700 Ω/km |
| ANM14.002.02.006AB | SOW | 600V | 2X6AWG | 106/0.4 | 24.5 | 912.8 | 1.348 Ω/km |
| ANM14.002.03.006AB | SOW | 600V | 3X6AWG | 106/0.4 | 25.9 | 1088 | 1.348 Ω/km |
| ANM14.002.04.006AB | SOW | 600V | 4X6AWG | 106/0.4 | 29.1 | 1388.9 | 1.348 Ω/km |
| ANM14.002.05.006AB | SOW | 600V | 5X6AWG | 106/0.4 | 31.5 | 1654.3 | 1.348 Ω/km |
| ANM14.002.06.006AB | SOW | 600V | 6X6AWG | 106/0.4 | 35 | 2023.4 | 1.348 Ω/km |
| ANM14.002.07.006AB | SOW | 600V | 7X6AWG | 106/0.4 | 35 | 2113.8 | 1.348 Ω/km |
| ANM14.002.08.006AB | SOW | 600V | 8X6AWG | 106/0.4 | 37.6 | 2431.3 | 1.348 Ω/km |
| ANM14.002.09.006AB | SOW | 600V | 9X6AWG | 106/0.4 | 42.3 | 2972.2 | 1.348 Ω/km |
| ANM14.002.10.006AB | SOW | 600V | 10X6AWG | 106/0.4 | 44.8 | 3324.7 | 1.348 Ω/km |
| ANM14.002.11.006AB | SOW | 600V | 11X6AWG | 106/0.4 | 46.2 | 3568.3 | 1.348 Ω/km |
| ANM14.002.12.006AB | SOW | 600V | 12X6AWG | 106/0.4 | 46.2 | 3658.7 | 1.348 Ω/km |
| ANM14.002.13.006AB | SOW | 600V | 13X6AWG | 106/0.4 | 49.6 | 4139 | 1.348 Ω/km |
| ANM14.002.14.006AB | SOW | 600V | 14X6AWG | 106/0.4 | 49.6 | 4229.4 | 1.348 Ω/km |
| ANM14.002.15.006AB | SOW | 600V | 15X6AWG | 106/0.4 | 52 | 4613.3 | 1.348 Ω/km |
| ANM14.002.16.006AB | SOW | 600V | 16X6AWG | 106/0.4 | 52 | 4703.7 | 1.348 Ω/km |
| ANM14.002.17.006AB | SOW | 600V | 17X6AWG | 106/0.4 | 54.5 | 5114.7 | 1.348 Ω/km |



| | | | | | | | |
|--------------------|-----|------|---------|---------|------|---------|-------------|
| ANM14.002.18.006AB | SOW | 600V | 18X6AWG | 106/0.4 | 54.5 | 5205 | 1.348 Ω/km |
| ANM14.002.19.006AB | SOW | 600V | 19X6AWG | 106/0.4 | 54.5 | 5295.4 | 1.348 Ω/km |
| ANM14.002.02.005AB | SOW | 600V | 2X5AWG | 134/0.4 | 26.9 | 1109.77 | 1.070 Ω/km |
| ANM14.002.03.005AB | SOW | 600V | 3X5AWG | 134/0.4 | 28.4 | 1322.97 | 1.070 Ω/km |
| ANM14.002.04.005AB | SOW | 600V | 4X5AWG | 134/0.4 | 30.8 | 1607.17 | 1.070 Ω/km |
| ANM14.002.05.005AB | SOW | 600V | 5X5AWG | 134/0.4 | 33.4 | 1921.47 | 1.070 Ω/km |
| ANM14.002.06.005AB | SOW | 600V | 6X5AWG | 134/0.4 | 37.1 | 2347.37 | 1.070 Ω/km |
| ANM14.002.07.005AB | SOW | 600V | 7X5AWG | 134/0.4 | 37.1 | 2460.77 | 1.070 Ω/km |
| ANM14.002.08.005AB | SOW | 600V | 8X5AWG | 134/0.4 | 40.2 | 2862.67 | 1.070 Ω/km |
| ANM14.002.09.005AB | SOW | 600V | 9X5AWG | 134/0.4 | 44.9 | 3455.97 | 1.070 Ω/km |
| ANM14.002.10.005AB | SOW | 600V | 10X5AWG | 134/0.4 | 47.6 | 3869.97 | 1.070 Ω/km |
| ANM14.002.11.005AB | SOW | 600V | 11X5AWG | 134/0.4 | 50.3 | 4299.37 | 1.070 Ω/km |
| ANM14.002.12.005AB | SOW | 600V | 12X5AWG | 134/0.4 | 50.3 | 4412.87 | 1.070 Ω/km |
| ANM14.002.13.005AB | SOW | 600V | 13X5AWG | 134/0.4 | 52.7 | 4824.07 | 1.070 Ω/km |
| ANM14.002.14.005AB | SOW | 600V | 14X5AWG | 134/0.4 | 52.7 | 4937.47 | 1.070 Ω/km |
| ANM14.002.15.005AB | SOW | 600V | 15X5AWG | 134/0.4 | 55.3 | 5388.97 | 1.070 Ω/km |
| ANM14.002.16.005AB | SOW | 600V | 16X5AWG | 134/0.4 | 55.3 | 5502.47 | 1.070 Ω/km |
| ANM14.002.17.005AB | SOW | 600V | 17X5AWG | 134/0.4 | 59 | 6122.87 | 1.070 Ω/km |
| ANM14.002.18.005AB | SOW | 600V | 18X5AWG | 134/0.4 | 59 | 6236.37 | 1.070 Ω/km |
| ANM14.002.19.005AB | SOW | 600V | 19X5AWG | 134/0.4 | 59 | 6349.77 | 1.070 Ω/km |
| ANM14.002.02.004AB | SOW | 600V | 2X4AWG | 169/0.4 | 28.5 | 1278.25 | 0.8481 Ω/km |
| ANM14.002.03.004AB | SOW | 600V | 3X4AWG | 169/0.4 | 30.1 | 1533.25 | 0.8481 Ω/km |
| ANM14.002.04.004AB | SOW | 600V | 4X4AWG | 169/0.4 | 33.7 | 1950.55 | 0.8481 Ω/km |
| ANM14.002.05.004AB | SOW | 600V | 5X4AWG | 169/0.4 | 36.5 | 2329.15 | 0.8481 Ω/km |
| ANM14.002.06.004AB | SOW | 600V | 6X4AWG | 169/0.4 | 39.5 | 2745.85 | 0.8481 Ω/km |
| ANM14.002.07.004AB | SOW | 600V | 7X4AWG | 169/0.4 | 39.5 | 2888.15 | 0.8481 Ω/km |
| ANM14.002.08.004AB | SOW | 600V | 8X4AWG | 169/0.4 | 43.8 | 3459.85 | 0.8481 Ω/km |
| ANM14.002.09.004AB | SOW | 600V | 9X4AWG | 169/0.4 | 47.8 | 4043.25 | 0.8481 Ω/km |
| ANM14.002.10.004AB | SOW | 600V | 10X4AWG | 169/0.4 | 52 | 4687.85 | 0.8481 Ω/km |
| ANM14.002.11.004AB | SOW | 600V | 11X4AWG | 169/0.4 | 53.6 | 5033.45 | 0.8481 Ω/km |
| ANM14.002.12.004AB | SOW | 600V | 12X4AWG | 169/0.4 | 53.6 | 5175.75 | 0.8481 Ω/km |
| ANM14.002.13.004AB | SOW | 600V | 13X4AWG | 169/0.4 | 57.2 | 5796.15 | 0.8481 Ω/km |
| ANM14.002.14.004AB | SOW | 600V | 14X4AWG | 169/0.4 | 57.2 | 5938.55 | 0.8481 Ω/km |
| ANM14.002.15.004AB | SOW | 600V | 15X4AWG | 169/0.4 | 60 | 6475.75 | 0.8481 Ω/km |
| ANM14.002.16.004AB | SOW | 600V | 16X4AWG | 169/0.4 | 60 | 6618.05 | 0.8481 Ω/km |
| ANM14.002.17.004AB | SOW | 600V | 17X4AWG | 169/0.4 | 63 | 7204.75 | 0.8481 Ω/km |
| ANM14.002.18.004AB | SOW | 600V | 18X4AWG | 169/0.4 | 63 | 7347.05 | 0.8481 Ω/km |
| ANM14.002.19.004AB | SOW | 600V | 19X4AWG | 169/0.4 | 63 | 7489.25 | 0.8481 Ω/km |
| ANM14.002.02.003AB | SOW | 600V | 2X3AWG | 213/0.4 | 30.5 | 1511.57 | 0.6727 Ω/km |
| ANM14.002.03.003AB | SOW | 600V | 3X3AWG | 213/0.4 | 32.2 | 1825.27 | 0.6727 Ω/km |
| ANM14.002.04.003AB | SOW | 600V | 4X3AWG | 213/0.4 | 34.9 | 2228.97 | 0.6727 Ω/km |
| ANM14.002.05.003AB | SOW | 600V | 5X3AWG | 213/0.4 | 37.9 | 2677.47 | 0.6727 Ω/km |



| | | | | | | | |
|--------------------|-----|------|---------|---------|------|----------|-------------|
| ANM14.002.06.003AB | SOW | 600V | 6X3AWG | 213/0.4 | 42.3 | 3286.37 | 0.6727 Ω/km |
| ANM14.002.07.003AB | SOW | 600V | 7X3AWG | 213/0.4 | 42.3 | 3472.07 | 0.6727 Ω/km |
| ANM14.002.08.003AB | SOW | 600V | 8X3AWG | 213/0.4 | 45.5 | 3995.87 | 0.6727 Ω/km |
| ANM14.002.09.003AB | SOW | 600V | 9X3AWG | 213/0.4 | 50.9 | 4806.07 | 0.6727 Ω/km |
| ANM14.002.10.003AB | SOW | 600V | 10X3AWG | 213/0.4 | 54 | 5383.27 | 0.6727 Ω/km |
| ANM14.002.11.003AB | SOW | 600V | 11X3AWG | 213/0.4 | 55.7 | 5793.57 | 0.6727 Ω/km |
| ANM14.002.12.003AB | SOW | 600V | 12X3AWG | 213/0.4 | 55.7 | 5979.27 | 0.6727 Ω/km |
| ANM14.002.13.003AB | SOW | 600V | 13X3AWG | 213/0.4 | 59.4 | 6675.67 | 0.6727 Ω/km |
| ANM14.002.14.003AB | SOW | 600V | 14X3AWG | 213/0.4 | 59.4 | 6861.37 | 0.6727 Ω/km |
| ANM14.002.15.003AB | SOW | 600V | 15X3AWG | 213/0.4 | 62.4 | 7487.17 | 0.6727 Ω/km |
| ANM14.002.16.003AB | SOW | 600V | 16X3AWG | 213/0.4 | 62.4 | 7672.87 | 0.6727 Ω/km |
| ANM14.002.17.003AB | SOW | 600V | 17X3AWG | 213/0.4 | 66.3 | 8461.07 | 0.6727 Ω/km |
| ANM14.002.18.003AB | SOW | 600V | 18X3AWG | 213/0.4 | 66.3 | 8646.77 | 0.6727 Ω/km |
| ANM14.002.19.003AB | SOW | 600V | 19X3AWG | 213/0.4 | 66.3 | 8832.47 | 0.6727 Ω/km |
| ANM14.002.02.002AB | SOW | 600V | 2X2AWG | 268/0.4 | 33.1 | 1797.92 | 0.5335 Ω/km |
| ANM14.002.03.002AB | SOW | 600V | 3X2AWG | 268/0.4 | 35 | 2179.62 | 0.5335 Ω/km |
| ANM14.002.04.002AB | SOW | 600V | 4X2AWG | 268/0.4 | 39 | 2760.32 | 0.5335 Ω/km |
| ANM14.002.05.002AB | SOW | 600V | 5X2AWG | 268/0.4 | 42.7 | 3350.12 | 0.5335 Ω/km |
| ANM14.002.06.002AB | SOW | 600V | 6X2AWG | 268/0.4 | 46.2 | 3950.82 | 0.5335 Ω/km |
| ANM14.002.07.002AB | SOW | 600V | 7X2AWG | 268/0.4 | 46.2 | 4176.92 | 0.5335 Ω/km |
| ANM14.002.08.002AB | SOW | 600V | 8X2AWG | 268/0.4 | 51 | 4962.42 | 0.5335 Ω/km |
| ANM14.002.09.002AB | SOW | 600V | 9X2AWG | 268/0.4 | 55.7 | 5792.32 | 0.5335 Ω/km |
| ANM14.002.10.002AB | SOW | 600V | 10X2AWG | 268/0.4 | 60.2 | 6644.32 | 0.5335 Ω/km |
| ANM14.002.11.002AB | SOW | 600V | 11X2AWG | 268/0.4 | 62.1 | 7150.12 | 0.5335 Ω/km |
| ANM14.002.12.002AB | SOW | 600V | 12X2AWG | 268/0.4 | 62.1 | 7376.22 | 0.5335 Ω/km |
| ANM14.002.13.002AB | SOW | 600V | 13X2AWG | 268/0.4 | 65.9 | 8186.22 | 0.5335 Ω/km |
| ANM14.002.14.002AB | SOW | 600V | 14X2AWG | 268/0.4 | 65.9 | 8412.12 | 0.5335 Ω/km |
| ANM14.002.15.002AB | SOW | 600V | 15X2AWG | 268/0.4 | 69.3 | 9192.02 | 0.5335 Ω/km |
| ANM14.002.16.002AB | SOW | 600V | 16X2AWG | 268/0.4 | 69.3 | 9418.02 | 0.5335 Ω/km |
| ANM14.002.17.002AB | SOW | 600V | 17X2AWG | 268/0.4 | 73.8 | 10417.02 | 0.5335 Ω/km |
| ANM14.002.18.002AB | SOW | 600V | 18X2AWG | 268/0.4 | 73.8 | 10643.02 | 0.5335 Ω/km |
| ANM14.002.19.002AB | SOW | 600V | 19X2AWG | 268/0.4 | 73.8 | 10869.22 | 0.5335 Ω/km |