



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 $\Omega$ /km
芯线 PE 材质							
ANM11.002.02.030AB	UL20276	30V	2X30AWG	7/0.1	3.8	21.16	354 $\Omega$ /km
ANM11.002.03.030AB	UL20276	30V	3X30AWG	7/0.1	4	23.76	354 $\Omega$ /km
ANM11.002.04.030AB	UL20276	30V	4X30AWG	7/0.1	4.1	25.06	354 $\Omega$ /km
ANM11.002.05.030AB	UL20276	30V	5X30AWG	7/0.1	4.3	27.76	354 $\Omega$ /km
ANM11.002.06.030AB	UL20276	30V	6X30AWG	7/0.1	4.5	30.66	354 $\Omega$ /km
ANM11.002.07.030AB	UL20276	30V	7X30AWG	7/0.1	4.5	31.06	354 $\Omega$ /km
ANM11.002.08.030AB	UL20276	30V	8X30AWG	7/0.1	4.8	35.16	354 $\Omega$ /km
ANM11.002.09.030AB	UL20276	30V	9X30AWG	7/0.1	5	38.26	354 $\Omega$ /km
ANM11.002.10.030AB	UL20276	30V	10X30AWG	7/0.1	5.2	41.36	354 $\Omega$ /km
ANM11.002.11.030AB	UL20276	30V	11X30AWG	7/0.1	5.4	44.56	354 $\Omega$ /km
ANM11.002.12.030AB	UL20276	30V	12X30AWG	7/0.1	5.4	44.86	354 $\Omega$ /km
ANM11.002.13.030AB	UL20276	30V	13X30AWG	7/0.1	5.5	46.76	354 $\Omega$ /km
ANM11.002.14.030AB	UL20276	30V	14X30AWG	7/0.1	5.5	47.06	354 $\Omega$ /km
ANM11.002.15.030AB	UL20276	30V	15X30AWG	7/0.1	5.7	50.46	354 $\Omega$ /km
ANM11.002.16.030AB	UL20276	30V	16X30AWG	7/0.1	5.7	50.76	354 $\Omega$ /km
ANM11.002.17.030AB	UL20276	30V	17X30AWG	7/0.1	5.9	54.36	354 $\Omega$ /km
ANM11.002.18.030AB	UL20276	30V	18X30AWG	7/0.1	5.9	54.76	354 $\Omega$ /km
ANM11.002.19.030AB	UL20276	30V	19X30AWG	7/0.1	5.9	55.06	354 $\Omega$ /km
ANM11.002.20.030AB	UL20276	30V	20X30AWG	7/0.1	6.1	58.56	354 $\Omega$ /km
ANM11.002.21.030AB	UL20276	30V	21X30AWG	7/0.1	6.2	60.56	354 $\Omega$ /km
ANM11.002.22.030AB	UL20276	30V	22X30AWG	7/0.1	6.4	64.26	354 $\Omega$ /km
ANM11.002.23.030AB	UL20276	30V	23X30AWG	7/0.1	6.6	68.16	354 $\Omega$ /km
ANM11.002.24.030AB	UL20276	30V	24X30AWG	7/0.1	6.6	68.46	354 $\Omega$ /km
ANM11.002.25.030AB	UL20276	30V	25X30AWG	7/0.1	6.8	72.36	354 $\Omega$ /km
ANM11.002.26.030AB	UL20276	30V	26X30AWG	7/0.1	6.8	72.76	354 $\Omega$ /km
ANM11.002.27.030AB	UL20276	30V	27X30AWG	7/0.1	6.8	73.06	354 $\Omega$ /km
ANM11.002.28.030AB	UL20276	30V	28X30AWG	7/0.1	6.9	75.16	354 $\Omega$ /km
ANM11.002.29.030AB	UL20276	30V	29X30AWG	7/0.1	6.9	75.56	354 $\Omega$ /km
ANM11.002.30.030AB	UL20276	30V	30X30AWG	7/0.1	6.9	75.96	354 $\Omega$ /km
ANM11.002.31.030AB	UL20276	30V	31X30AWG	7/0.1	7.1	79.96	354 $\Omega$ /km
ANM11.002.32.030AB	UL20276	30V	32X30AWG	7/0.1	7.1	80.36	354 $\Omega$ /km
ANM11.002.33.030AB	UL20276	30V	33X30AWG	7/0.1	7.1	80.66	354 $\Omega$ /km
ANM11.002.34.030AB	UL20276	30V	34X30AWG	7/0.1	7.3	84.96	354 $\Omega$ /km
ANM11.002.35.030AB	UL20276	30V	35X30AWG	7/0.1	7.3	85.26	354 $\Omega$ /km
ANM11.002.36.030AB	UL20276	30V	36X30AWG	7/0.1	7.3	85.66	354 $\Omega$ /km
ANM11.002.37.030AB	UL20276	30V	37X30AWG	7/0.1	7.3	85.96	354 $\Omega$ /km
ANM11.002.38.030AB	UL20276	30V	38X30AWG	7/0.1	7.6	92.16	354 $\Omega$ /km
ANM11.002.39.030AB	UL20276	30V	39X30AWG	7/0.1	7.6	92.46	354 $\Omega$ /km
ANM11.002.40.030AB	UL20276	30V	40X30AWG	7/0.1	7.6	92.86	354 $\Omega$ /km



ANM11.002.41.030AB	UL20276	30V	41X30AWG	7/0.1	8	101.46	354 Ω/km
ANM11.002.42.030AB	UL20276	30V	42X30AWG	7/0.1	8	101.66	354 Ω/km
ANM11.002.43.030AB	UL20276	30V	43X30AWG	7/0.1	8	102.16	354 Ω/km
ANM11.002.44.030AB	UL20276	30V	44X30AWG	7/0.1	8	102.56	354 Ω/km
ANM11.002.45.030AB	UL20276	30V	45X30AWG	7/0.1	8.2	107.16	354 Ω/km
ANM11.002.46.030AB	UL20276	30V	46X30AWG	7/0.1	8.2	107.46	354 Ω/km
ANM11.002.47.030AB	UL20276	30V	47X30AWG	7/0.1	8.2	107.76	354 Ω/km
ANM11.002.48.030AB	UL20276	30V	48X30AWG	7/0.1	8.2	108.16	354 Ω/km
ANM11.002.49.030AB	UL20276	30V	49X30AWG	7/0.1	8.3	110.66	354 Ω/km
ANM11.002.50.030AB	UL20276	30V	50X30AWG	7/0.1	8.3	110.96	354 Ω/km
ANM11.002.51.030AB	UL20276	30V	51X30AWG	7/0.1	8.3	111.26	354 Ω/km
ANM11.002.52.030AB	UL20276	30V	52X30AWG	7/0.1	8.3	111.66	354 Ω/km
ANM11.002.53.030AB	UL20276	30V	53X30AWG	7/0.1	8.5	116.46	354 Ω/km
ANM11.002.54.030AB	UL20276	30V	54X30AWG	7/0.1	8.5	116.86	354 Ω/km
ANM11.002.55.030AB	UL20276	30V	55X30AWG	7/0.1	8.5	117.26	354 Ω/km
ANM11.002.56.030AB	UL20276	30V	56X30AWG	7/0.1	8.5	117.56	354 Ω/km
ANM11.002.57.030AB	UL20276	30V	57X30AWG	7/0.1	8.7	122.46	354 Ω/km
ANM11.002.58.030AB	UL20276	30V	58X30AWG	7/0.1	8.7	122.76	354 Ω/km
ANM11.002.59.030AB	UL20276	30V	59X30AWG	7/0.1	8.7	123.16	354 Ω/km
ANM11.002.60.030AB	UL20276	30V	60X30AWG	7/0.1	8.7	123.46	354 Ω/km
ANM11.002.61.030AB	UL20276	30V	61X30AWG	7/0.1	8.7	123.76	354 Ω/km
ANM11.002.62.030AB	UL20276	30V	62X30AWG	7/0.1	9	130.96	354 Ω/km
ANM11.002.63.030AB	UL20276	30V	63X30AWG	7/0.1	9	131.36	354 Ω/km
ANM11.002.64.030AB	UL20276	30V	64X30AWG	7/0.1	9	131.76	354 Ω/km
ANM11.002.65.030AB	UL20276	30V	65X30AWG	7/0.1	9	132.06	354 Ω/km
ANM11.002.02.029AB	UL20276	30V	2X29AWG	9/0.1	4	23.57	277 Ω/km
ANM11.002.03.029AB	UL20276	30V	3X29AWG	9/0.1	4.2	26.37	277 Ω/km
ANM11.002.04.029AB	UL20276	30V	4X29AWG	9/0.1	4.4	29.17	277 Ω/km
ANM11.002.05.029AB	UL20276	30V	5X29AWG	9/0.1	4.6	31.97	277 Ω/km
ANM11.002.06.029AB	UL20276	30V	6X29AWG	9/0.1	4.8	35.17	277 Ω/km
ANM11.002.07.029AB	UL20276	30V	7X29AWG	9/0.1	4.8	35.57	277 Ω/km
ANM11.002.08.029AB	UL20276	30V	8X29AWG	9/0.1	5.1	40.07	277 Ω/km
ANM11.002.09.029AB	UL20276	30V	9X29AWG	9/0.1	5.4	44.87	277 Ω/km
ANM11.002.10.029AB	UL20276	30V	10X29AWG	9/0.1	5.6	48.37	277 Ω/km
ANM11.002.11.029AB	UL20276	30V	11X29AWG	9/0.1	5.8	51.87	277 Ω/km
ANM11.002.12.029AB	UL20276	30V	12X29AWG	9/0.1	5.8	52.27	277 Ω/km
ANM11.002.13.029AB	UL20276	30V	13X29AWG	9/0.1	6	55.97	277 Ω/km
ANM11.002.14.029AB	UL20276	30V	14X29AWG	9/0.1	6	56.47	277 Ω/km
ANM11.002.15.029AB	UL20276	30V	15X29AWG	9/0.1	6.2	60.07	277 Ω/km
ANM11.002.16.029AB	UL20276	30V	16X29AWG	9/0.1	6.2	60.47	277 Ω/km
ANM11.002.17.029AB	UL20276	30V	17X29AWG	9/0.1	6.4	64.37	277 Ω/km
ANM11.002.18.029AB	UL20276	30V	18X29AWG	9/0.1	6.4	64.87	277 Ω/km



ANM11.002.19.029AB	UL20276	30V	19X29AWG	9/0.1	6.4	65.27	277 Ω/km
ANM11.002.20.029AB	UL20276	30V	20X29AWG	9/0.1	6.6	69.47	277 Ω/km
ANM11.002.21.029AB	UL20276	30V	21X29AWG	9/0.1	6.7	71.57	277 Ω/km
ANM11.002.22.029AB	UL20276	30V	22X29AWG	9/0.1	7	77.57	277 Ω/km
ANM11.002.23.029AB	UL20276	30V	23X29AWG	9/0.1	7.2	81.67	277 Ω/km
ANM11.002.24.029AB	UL20276	30V	24X29AWG	9/0.1	7.2	82.07	277 Ω/km
ANM11.002.25.029AB	UL20276	30V	25X29AWG	9/0.1	7.4	86.47	277 Ω/km
ANM11.002.26.029AB	UL20276	30V	26X29AWG	9/0.1	7.4	86.87	277 Ω/km
ANM11.002.27.029AB	UL20276	30V	27X29AWG	9/0.1	7.4	87.37	277 Ω/km
ANM11.002.28.029AB	UL20276	30V	28X29AWG	9/0.1	7.6	91.67	277 Ω/km
ANM11.002.29.029AB	UL20276	30V	29X29AWG	9/0.1	7.6	92.27	277 Ω/km
ANM11.002.30.029AB	UL20276	30V	30X29AWG	9/0.1	7.6	92.77	277 Ω/km
ANM11.002.31.029AB	UL20276	30V	31X29AWG	9/0.1	7.8	97.27	277 Ω/km
ANM11.002.32.029AB	UL20276	30V	32X29AWG	9/0.1	7.8	97.67	277 Ω/km
ANM11.002.33.029AB	UL20276	30V	33X29AWG	9/0.1	7.8	98.17	277 Ω/km
ANM11.002.34.029AB	UL20276	30V	34X29AWG	9/0.1	8	102.77	277 Ω/km
ANM11.002.35.029AB	UL20276	30V	35X29AWG	9/0.1	8	103.17	277 Ω/km
ANM11.002.36.029AB	UL20276	30V	36X29AWG	9/0.1	8	103.77	277 Ω/km
ANM11.002.37.029AB	UL20276	30V	37X29AWG	9/0.1	8	104.17	277 Ω/km
ANM11.002.38.029AB	UL20276	30V	38X29AWG	9/0.1	8.3	110.87	277 Ω/km
ANM11.002.39.029AB	UL20276	30V	39X29AWG	9/0.1	8.3	111.57	277 Ω/km
ANM11.002.40.029AB	UL20276	30V	40X29AWG	9/0.1	8.3	111.97	277 Ω/km
ANM11.002.41.029AB	UL20276	30V	41X29AWG	9/0.1	8.8	123.57	277 Ω/km
ANM11.002.42.029AB	UL20276	30V	42X29AWG	9/0.1	8.8	123.97	277 Ω/km
ANM11.002.43.029AB	UL20276	30V	43X29AWG	9/0.1	8.8	124.47	277 Ω/km
ANM11.002.44.029AB	UL20276	30V	44X29AWG	9/0.1	8.8	124.97	277 Ω/km
ANM11.002.45.029AB	UL20276	30V	45X29AWG	9/0.1	9	129.97	277 Ω/km
ANM11.002.46.029AB	UL20276	30V	46X29AWG	9/0.1	9	130.47	277 Ω/km
ANM11.002.47.029AB	UL20276	30V	47X29AWG	9/0.1	9	130.97	277 Ω/km
ANM11.002.48.029AB	UL20276	30V	48X29AWG	9/0.1	9	131.37	277 Ω/km
ANM11.002.49.029AB	UL20276	30V	49X29AWG	9/0.1	9.2	136.57	277 Ω/km
ANM11.002.50.029AB	UL20276	30V	50X29AWG	9/0.1	9.2	137.07	277 Ω/km
ANM11.002.51.029AB	UL20276	30V	51X29AWG	9/0.1	9.2	137.47	277 Ω/km
ANM11.002.52.029AB	UL20276	30V	52X29AWG	9/0.1	9.2	138.07	277 Ω/km
ANM11.002.53.029AB	UL20276	30V	53X29AWG	9/0.1	9.4	143.27	277 Ω/km
ANM11.002.54.029AB	UL20276	30V	54X29AWG	9/0.1	9.4	143.77	277 Ω/km
ANM11.002.55.029AB	UL20276	30V	55X29AWG	9/0.1	9.4	144.27	277 Ω/km
ANM11.002.56.029AB	UL20276	30V	56X29AWG	9/0.1	9.4	144.67	277 Ω/km
ANM11.002.57.029AB	UL20276	30V	57X29AWG	9/0.1	9.6	150.07	277 Ω/km
ANM11.002.58.029AB	UL20276	30V	58X29AWG	9/0.1	9.6	150.67	277 Ω/km
ANM11.002.59.029AB	UL20276	30V	59X29AWG	9/0.1	9.6	151.07	277 Ω/km
ANM11.002.60.029AB	UL20276	30V	60X29AWG	9/0.1	9.6	151.57	277 Ω/km



ANM11.002.61.029AB	UL20276	30V	61X29AWG	9/0.1	9.6	152.07	277 Ω /km
ANM11.002.62.029AB	UL20276	30V	62X29AWG	9/0.1	9.9	159.97	277 Ω /km
ANM11.002.63.029AB	UL20276	30V	63X29AWG	9/0.1	9.9	160.47	277 Ω /km
ANM11.002.64.029AB	UL20276	30V	64X29AWG	9/0.1	9.9	160.87	277 Ω /km
ANM11.002.65.029AB	UL20276	30V	65X29AWG	9/0.1	9.9	161.27	277 Ω /km
ANM11.002.02.028AB	UL20276	30V	2X28AWG	11/0.1	4	23.89	223 Ω /km
ANM11.002.03.028AB	UL20276	30V	3X28AWG	11/0.1	4.2	26.69	223 Ω /km
ANM11.002.04.028AB	UL20276	30V	4X28AWG	11/0.1	4.4	29.69	223 Ω /km
ANM11.002.05.028AB	UL20276	30V	5X28AWG	11/0.1	4.6	32.59	223 Ω /km
ANM11.002.06.028AB	UL20276	30V	6X28AWG	11/0.1	4.8	35.89	223 Ω /km
ANM11.002.07.028AB	UL20276	30V	7X28AWG	11/0.1	4.8	36.49	223 Ω /km
ANM11.002.08.028AB	UL20276	30V	8X28AWG	11/0.1	5.1	41.09	223 Ω /km
ANM11.002.09.028AB	UL20276	30V	9X28AWG	11/0.1	5.4	45.99	223 Ω /km
ANM11.002.10.028AB	UL20276	30V	10X28AWG	11/0.1	5.6	49.49	223 Ω /km
ANM11.002.11.028AB	UL20276	30V	11X28AWG	11/0.1	5.8	53.09	223 Ω /km
ANM11.002.12.028AB	UL20276	30V	12X28AWG	11/0.1	5.8	53.69	223 Ω /km
ANM11.002.13.028AB	UL20276	30V	13X28AWG	11/0.1	6	57.49	223 Ω /km
ANM11.002.14.028AB	UL20276	30V	14X28AWG	11/0.1	6	58.09	223 Ω /km
ANM11.002.15.028AB	UL20276	30V	15X28AWG	11/0.1	6.2	61.79	223 Ω /km
ANM11.002.16.028AB	UL20276	30V	16X28AWG	11/0.1	6.2	62.39	223 Ω /km
ANM11.002.17.028AB	UL20276	30V	17X28AWG	11/0.1	6.4	66.29	223 Ω /km
ANM11.002.18.028AB	UL20276	30V	18X28AWG	11/0.1	6.4	66.99	223 Ω /km
ANM11.002.19.028AB	UL20276	30V	19X28AWG	11/0.1	6.4	67.59	223 Ω /km
ANM11.002.20.028AB	UL20276	30V	20X28AWG	11/0.1	6.6	71.69	223 Ω /km
ANM11.002.21.028AB	UL20276	30V	21X28AWG	11/0.1	6.7	73.99	223 Ω /km
ANM11.002.22.028AB	UL20276	30V	22X28AWG	11/0.1	7	79.99	223 Ω /km
ANM11.002.23.028AB	UL20276	30V	23X28AWG	11/0.1	7.2	84.39	223 Ω /km
ANM11.002.24.028AB	UL20276	30V	24X28AWG	11/0.1	7.2	84.99	223 Ω /km
ANM11.002.25.028AB	UL20276	30V	25X28AWG	11/0.1	7.4	89.39	223 Ω /km
ANM11.002.26.028AB	UL20276	30V	26X28AWG	11/0.1	7.4	89.99	223 Ω /km
ANM11.002.27.028AB	UL20276	30V	27X28AWG	11/0.1	7.4	90.59	223 Ω /km
ANM11.002.28.028AB	UL20276	30V	28X28AWG	11/0.1	7.6	94.99	223 Ω /km
ANM11.002.29.028AB	UL20276	30V	29X28AWG	11/0.1	7.6	95.59	223 Ω /km
ANM11.002.30.028AB	UL20276	30V	30X28AWG	11/0.1	7.6	96.19	223 Ω /km
ANM11.002.31.028AB	UL20276	30V	31X28AWG	11/0.1	7.8	100.89	223 Ω /km
ANM11.002.32.028AB	UL20276	30V	32X28AWG	11/0.1	7.8	101.39	223 Ω /km
ANM11.002.33.028AB	UL20276	30V	33X28AWG	11/0.1	7.8	101.99	223 Ω /km
ANM11.002.34.028AB	UL20276	30V	34X28AWG	11/0.1	8	106.69	223 Ω /km
ANM11.002.35.028AB	UL20276	30V	35X28AWG	11/0.1	8	107.29	223 Ω /km
ANM11.002.36.028AB	UL20276	30V	36X28AWG	11/0.1	8	107.99	223 Ω /km
ANM11.002.37.028AB	UL20276	30V	37X28AWG	11/0.1	8	108.49	223 Ω /km
ANM11.002.38.028AB	UL20276	30V	38X28AWG	11/0.1	8.3	115.39	223 Ω /km



ANM11.002.39.028AB	UL20276	30V	39X28AWG	11/0.1	8.3	115.99	223 Ω/km
ANM11.002.40.028AB	UL20276	30V	40X28AWG	11/0.1	8.3	116.59	223 Ω/km
ANM11.002.41.028AB	UL20276	30V	41X28AWG	11/0.1	8.8	128.19	223 Ω/km
ANM11.002.42.028AB	UL20276	30V	42X28AWG	11/0.1	8.8	128.79	223 Ω/km
ANM11.002.43.028AB	UL20276	30V	43X28AWG	11/0.1	8.8	129.49	223 Ω/km
ANM11.002.44.028AB	UL20276	30V	44X28AWG	11/0.1	8.8	129.99	223 Ω/km
ANM11.002.45.028AB	UL20276	30V	45X28AWG	11/0.1	9	135.29	223 Ω/km
ANM11.002.46.028AB	UL20276	30V	46X28AWG	11/0.1	9	135.89	223 Ω/km
ANM11.002.47.028AB	UL20276	30V	47X28AWG	11/0.1	9	136.49	223 Ω/km
ANM11.002.48.028AB	UL20276	30V	48X28AWG	11/0.1	9	137.09	223 Ω/km
ANM11.002.49.028AB	UL20276	30V	49X28AWG	11/0.1	9.2	142.29	223 Ω/km
ANM11.002.50.028AB	UL20276	30V	50X28AWG	11/0.1	9.2	142.89	223 Ω/km
ANM11.002.51.028AB	UL20276	30V	51X28AWG	11/0.1	9.2	143.39	223 Ω/km
ANM11.002.52.028AB	UL20276	30V	52X28AWG	11/0.1	9.2	144.09	223 Ω/km
ANM11.002.53.028AB	UL20276	30V	53X28AWG	11/0.1	9.4	149.49	223 Ω/km
ANM11.002.54.028AB	UL20276	30V	54X28AWG	11/0.1	9.4	150.09	223 Ω/km
ANM11.002.55.028AB	UL20276	30V	55X28AWG	11/0.1	9.4	150.69	223 Ω/km
ANM11.002.56.028AB	UL20276	30V	56X28AWG	11/0.1	9.4	151.19	223 Ω/km
ANM11.002.57.028AB	UL20276	30V	57X28AWG	11/0.1	9.6	156.79	223 Ω/km
ANM11.002.58.028AB	UL20276	30V	58X28AWG	11/0.1	9.6	157.29	223 Ω/km
ANM11.002.59.028AB	UL20276	30V	59X28AWG	11/0.1	9.6	157.89	223 Ω/km
ANM11.002.60.028AB	UL20276	30V	60X28AWG	11/0.1	9.6	158.49	223 Ω/km
ANM11.002.61.028AB	UL20276	30V	61X28AWG	11/0.1	9.6	159.09	223 Ω/km
ANM11.002.62.028AB	UL20276	30V	62X28AWG	11/0.1	9.9	167.19	223 Ω/km
ANM11.002.63.028AB	UL20276	30V	63X28AWG	11/0.1	9.9	167.69	223 Ω/km
ANM11.002.64.028AB	UL20276	30V	64X28AWG	11/0.1	9.9	168.29	223 Ω/km
ANM11.002.65.028AB	UL20276	30V	65X28AWG	11/0.1	9.9	168.89	223 Ω/km
ANM11.002.02.027AB	UL20276	30V	2X27AWG	7/0.14	4.2	26.21	175 Ω/km
ANM11.002.03.027AB	UL20276	30V	3X27AWG	7/0.14	4.4	29.21	175 Ω/km
ANM11.002.04.027AB	UL20276	30V	4X27AWG	7/0.14	4.6	32.31	175 Ω/km
ANM11.002.05.027AB	UL20276	30V	5X27AWG	7/0.14	4.9	37.01	175 Ω/km
ANM11.002.06.027AB	UL20276	30V	6X27AWG	7/0.14	5.1	40.21	175 Ω/km
ANM11.002.07.027AB	UL20276	30V	7X27AWG	7/0.14	5.1	41.01	175 Ω/km
ANM11.002.08.027AB	UL20276	30V	8X27AWG	7/0.14	5.4	45.81	175 Ω/km
ANM11.002.09.027AB	UL20276	30V	9X27AWG	7/0.14	5.8	52.41	175 Ω/km
ANM11.002.10.027AB	UL20276	30V	10X27AWG	7/0.14	6	56.31	175 Ω/km
ANM11.002.11.027AB	UL20276	30V	11X27AWG	7/0.14	6.2	60.01	175 Ω/km
ANM11.002.12.027AB	UL20276	30V	12X27AWG	7/0.14	6.2	60.71	175 Ω/km
ANM11.002.13.027AB	UL20276	30V	13X27AWG	7/0.14	6.4	64.81	175 Ω/km
ANM11.002.14.027AB	UL20276	30V	14X27AWG	7/0.14	6.4	65.41	175 Ω/km
ANM11.002.15.027AB	UL20276	30V	15X27AWG	7/0.14	6.7	71.31	175 Ω/km
ANM11.002.16.027AB	UL20276	30V	16X27AWG	7/0.14	6.7	72.01	175 Ω/km



ANM11.002.17.027AB	UL20276	30V	17X27AWG	7/0.14	6.9	76.11	175 Ω/km
ANM11.002.18.027AB	UL20276	30V	18X27AWG	7/0.14	6.9	76.81	175 Ω/km
ANM11.002.19.027AB	UL20276	30V	19X27AWG	7/0.14	6.9	77.51	175 Ω/km
ANM11.002.20.027AB	UL20276	30V	20X27AWG	7/0.14	7.1	81.81	175 Ω/km
ANM11.002.21.027AB	UL20276	30V	21X27AWG	7/0.14	7.2	84.41	175 Ω/km
ANM11.002.22.027AB	UL20276	30V	22X27AWG	7/0.14	7.6	92.71	175 Ω/km
ANM11.002.23.027AB	UL20276	30V	23X27AWG	7/0.14	7.8	97.41	175 Ω/km
ANM11.002.24.027AB	UL20276	30V	24X27AWG	7/0.14	7.8	98.11	175 Ω/km
ANM11.002.25.027AB	UL20276	30V	25X27AWG	7/0.14	8	102.81	175 Ω/km
ANM11.002.26.027AB	UL20276	30V	26X27AWG	7/0.14	8	103.61	175 Ω/km
ANM11.002.27.027AB	UL20276	30V	27X27AWG	7/0.14	8	104.21	175 Ω/km
ANM11.002.28.027AB	UL20276	30V	28X27AWG	7/0.14	8.2	109.11	175 Ω/km
ANM11.002.29.027AB	UL20276	30V	29X27AWG	7/0.14	8.2	109.81	175 Ω/km
ANM11.002.30.027AB	UL20276	30V	30X27AWG	7/0.14	8.2	110.31	175 Ω/km
ANM11.002.31.027AB	UL20276	30V	31X27AWG	7/0.14	8.5	117.51	175 Ω/km
ANM11.002.32.027AB	UL20276	30V	32X27AWG	7/0.14	8.5	118.11	175 Ω/km
ANM11.002.33.027AB	UL20276	30V	33X27AWG	7/0.14	8.5	118.71	175 Ω/km
ANM11.002.34.027AB	UL20276	30V	34X27AWG	7/0.14	8.7	123.91	175 Ω/km
ANM11.002.35.027AB	UL20276	30V	35X27AWG	7/0.14	8.7	124.61	175 Ω/km
ANM11.002.36.027AB	UL20276	30V	36X27AWG	7/0.14	8.7	125.21	175 Ω/km
ANM11.002.37.027AB	UL20276	30V	37X27AWG	7/0.14	8.7	125.91	175 Ω/km
ANM11.002.38.027AB	UL20276	30V	38X27AWG	7/0.14	9	133.31	175 Ω/km
ANM11.002.39.027AB	UL20276	30V	39X27AWG	7/0.14	9	134.01	175 Ω/km
ANM11.002.40.027AB	UL20276	30V	40X27AWG	7/0.14	9	134.61	175 Ω/km
ANM11.002.41.027AB	UL20276	30V	41X27AWG	7/0.14	9.6	149.61	175 Ω/km
ANM11.002.42.027AB	UL20276	30V	42X27AWG	7/0.14	9.6	150.31	175 Ω/km
ANM11.002.43.027AB	UL20276	30V	43X27AWG	7/0.14	9.6	151.01	175 Ω/km
ANM11.002.44.027AB	UL20276	30V	44X27AWG	7/0.14	9.6	151.61	175 Ω/km
ANM11.002.45.027AB	UL20276	30V	45X27AWG	7/0.14	9.8	157.31	175 Ω/km
ANM11.002.46.027AB	UL20276	30V	46X27AWG	7/0.14	9.8	157.91	175 Ω/km
ANM11.002.47.027AB	UL20276	30V	47X27AWG	7/0.14	9.8	158.61	175 Ω/km
ANM11.002.48.027AB	UL20276	30V	48X27AWG	7/0.14	9.8	159.21	175 Ω/km
ANM11.002.49.027AB	UL20276	30V	49X27AWG	7/0.14	10	164.91	175 Ω/km
ANM11.002.50.027AB	UL20276	30V	50X27AWG	7/0.14	10	165.71	175 Ω/km
ANM11.002.51.027AB	UL20276	30V	51X27AWG	7/0.14	10	166.31	175 Ω/km
ANM11.002.52.027AB	UL20276	30V	52X27AWG	7/0.14	10	166.91	175 Ω/km
ANM11.002.53.027AB	UL20276	30V	53X27AWG	7/0.14	10.3	175.41	175 Ω/km
ANM11.002.54.027AB	UL20276	30V	54X27AWG	7/0.14	10.3	176.01	175 Ω/km
ANM11.002.55.027AB	UL20276	30V	55X27AWG	7/0.14	10.3	176.61	175 Ω/km
ANM11.002.56.027AB	UL20276	30V	56X27AWG	7/0.14	10.3	177.21	175 Ω/km
ANM11.002.57.027AB	UL20276	30V	57X27AWG	7/0.14	11.1	198.61	175 Ω/km
ANM11.002.58.027AB	UL20276	30V	58X27AWG	7/0.14	11.1	199.31	175 Ω/km



ANM11.002.59.027AB	UL20276	30V	59X27AWG	7/0.14	11.1	199.91	175 Ω/km
ANM11.002.60.027AB	UL20276	30V	60X27AWG	7/0.14	11.1	200.51	175 Ω/km
ANM11.002.61.027AB	UL20276	30V	61X27AWG	7/0.14	11.1	201.11	175 Ω/km
ANM11.002.62.027AB	UL20276	30V	62X27AWG	7/0.14	11.4	210.41	175 Ω/km
ANM11.002.63.027AB	UL20276	30V	63X27AWG	7/0.14	11.4	211.01	175 Ω/km
ANM11.002.64.027AB	UL20276	30V	64X27AWG	7/0.14	11.4	211.61	175 Ω/km
ANM11.002.65.027AB	UL20276	30V	65X27AWG	7/0.14	11.4	212.31	175 Ω/km
ANM11.002.02.026AB	UL20276	30V	2X26AWG	9/0.14	4.2	26.73	140 Ω/km
ANM11.002.03.026AB	UL20276	30V	3X26AWG	9/0.14	4.4	30.03	140 Ω/km
ANM11.002.04.026AB	UL20276	30V	4X26AWG	9/0.14	4.6	33.33	140 Ω/km
ANM11.002.05.026AB	UL20276	30V	5X26AWG	9/0.14	4.9	38.23	140 Ω/km
ANM11.002.06.026AB	UL20276	30V	6X26AWG	9/0.14	5.1	41.73	140 Ω/km
ANM11.002.07.026AB	UL20276	30V	7X26AWG	9/0.14	5.1	42.73	140 Ω/km
ANM11.002.08.026AB	UL20276	30V	8X26AWG	9/0.14	5.4	47.83	140 Ω/km
ANM11.002.09.026AB	UL20276	30V	9X26AWG	9/0.14	5.8	54.63	140 Ω/km
ANM11.002.10.026AB	UL20276	30V	10X26AWG	9/0.14	6	58.73	140 Ω/km
ANM11.002.11.026AB	UL20276	30V	11X26AWG	9/0.14	6.2	62.73	140 Ω/km
ANM11.002.12.026AB	UL20276	30V	12X26AWG	9/0.14	6.2	63.63	140 Ω/km
ANM11.002.13.026AB	UL20276	30V	13X26AWG	9/0.14	6.4	67.93	140 Ω/km
ANM11.002.14.026AB	UL20276	30V	14X26AWG	9/0.14	6.4	68.93	140 Ω/km
ANM11.002.15.026AB	UL20276	30V	15X26AWG	9/0.14	6.7	75.03	140 Ω/km
ANM11.002.16.026AB	UL20276	30V	16X26AWG	9/0.14	6.7	76.03	140 Ω/km
ANM11.002.17.026AB	UL20276	30V	17X26AWG	9/0.14	6.9	80.33	140 Ω/km
ANM11.002.18.026AB	UL20276	30V	18X26AWG	9/0.14	6.9	81.23	140 Ω/km
ANM11.002.19.026AB	UL20276	30V	19X26AWG	9/0.14	6.9	82.23	140 Ω/km
ANM11.002.20.026AB	UL20276	30V	20X26AWG	9/0.14	7.1	86.73	140 Ω/km
ANM11.002.21.026AB	UL20276	30V	21X26AWG	9/0.14	7.2	89.53	140 Ω/km
ANM11.002.22.026AB	UL20276	30V	22X26AWG	9/0.14	7.6	98.13	140 Ω/km
ANM11.002.23.026AB	UL20276	30V	23X26AWG	9/0.14	7.8	103.03	140 Ω/km
ANM11.002.24.026AB	UL20276	30V	24X26AWG	9/0.14	7.8	104.03	140 Ω/km
ANM11.002.25.026AB	UL20276	30V	25X26AWG	9/0.14	8	108.93	140 Ω/km
ANM11.002.26.026AB	UL20276	30V	26X26AWG	9/0.14	8	109.93	140 Ω/km
ANM11.002.27.026AB	UL20276	30V	27X26AWG	9/0.14	8	110.93	140 Ω/km
ANM11.002.28.026AB	UL20276	30V	28X26AWG	9/0.14	8.2	116.03	140 Ω/km
ANM11.002.29.026AB	UL20276	30V	29X26AWG	9/0.14	8.2	116.93	140 Ω/km
ANM11.002.30.026AB	UL20276	30V	30X26AWG	9/0.14	8.2	117.73	140 Ω/km
ANM11.002.31.026AB	UL20276	30V	31X26AWG	9/0.14	8.5	125.13	140 Ω/km
ANM11.002.32.026AB	UL20276	30V	32X26AWG	9/0.14	8.5	126.03	140 Ω/km
ANM11.002.33.026AB	UL20276	30V	33X26AWG	9/0.14	8.5	126.83	140 Ω/km
ANM11.002.34.026AB	UL20276	30V	34X26AWG	9/0.14	8.7	132.23	140 Ω/km
ANM11.002.35.026AB	UL20276	30V	35X26AWG	9/0.14	8.7	133.23	140 Ω/km
ANM11.002.36.026AB	UL20276	30V	36X26AWG	9/0.14	8.7	134.03	140 Ω/km



ANM11.002.37.026AB	UL20276	30V	37X26AWG	9/0.14	8.7	134.93	140 Ω/km
ANM11.002.38.026AB	UL20276	30V	38X26AWG	9/0.14	9	142.63	140 Ω/km
ANM11.002.39.026AB	UL20276	30V	39X26AWG	9/0.14	9	143.53	140 Ω/km
ANM11.002.40.026AB	UL20276	30V	40X26AWG	9/0.14	9	144.53	140 Ω/km
ANM11.002.41.026AB	UL20276	30V	41X26AWG	9/0.14	9.6	159.73	140 Ω/km
ANM11.002.42.026AB	UL20276	30V	42X26AWG	9/0.14	9.6	160.63	140 Ω/km
ANM11.002.43.026AB	UL20276	30V	43X26AWG	9/0.14	9.6	161.63	140 Ω/km
ANM11.002.44.026AB	UL20276	30V	44X26AWG	9/0.14	9.6	162.43	140 Ω/km
ANM11.002.45.026AB	UL20276	30V	45X26AWG	9/0.14	9.8	168.33	140 Ω/km
ANM11.002.46.026AB	UL20276	30V	46X26AWG	9/0.14	9.8	169.23	140 Ω/km
ANM11.002.47.026AB	UL20276	30V	47X26AWG	9/0.14	9.8	170.13	140 Ω/km
ANM11.002.48.026AB	UL20276	30V	48X26AWG	9/0.14	9.8	171.03	140 Ω/km
ANM11.002.49.026AB	UL20276	30V	49X26AWG	9/0.14	10	176.93	140 Ω/km
ANM11.002.50.026AB	UL20276	30V	50X26AWG	9/0.14	10	177.93	140 Ω/km
ANM11.002.51.026AB	UL20276	30V	51X26AWG	9/0.14	10	178.83	140 Ω/km
ANM11.002.52.026AB	UL20276	30V	52X26AWG	9/0.14	10	179.63	140 Ω/km
ANM11.002.53.026AB	UL20276	30V	53X26AWG	9/0.14	10.3	188.43	140 Ω/km
ANM11.002.54.026AB	UL20276	30V	54X26AWG	9/0.14	10.3	189.33	140 Ω/km
ANM11.002.55.026AB	UL20276	30V	55X26AWG	9/0.14	10.3	190.13	140 Ω/km
ANM11.002.56.026AB	UL20276	30V	56X26AWG	9/0.14	10.3	191.03	140 Ω/km
ANM11.002.57.026AB	UL20276	30V	57X26AWG	9/0.14	11.1	212.63	140 Ω/km
ANM11.002.58.026AB	UL20276	30V	58X26AWG	9/0.14	11.1	213.53	140 Ω/km
ANM11.002.59.026AB	UL20276	30V	59X26AWG	9/0.14	11.1	214.43	140 Ω/km
ANM11.002.60.026AB	UL20276	30V	60X26AWG	9/0.14	11.1	215.23	140 Ω/km
ANM11.002.61.026AB	UL20276	30V	61X26AWG	9/0.14	11.1	216.13	140 Ω/km
ANM11.002.62.026AB	UL20276	30V	62X26AWG	9/0.14	11.4	225.63	140 Ω/km
ANM11.002.63.026AB	UL20276	30V	63X26AWG	9/0.14	11.4	226.43	140 Ω/km
ANM11.002.64.026AB	UL20276	30V	64X26AWG	9/0.14	11.4	227.33	140 Ω/km
ANM11.002.65.026AB	UL20276	30V	65X26AWG	9/0.14	11.4	228.23	140 Ω/km
ANM11.002.02.025AB	UL20276	30V	2X25AWG	11/0.14	4.4	29.57	111 Ω/km
ANM11.002.03.025AB	UL20276	30V	3X25AWG	11/0.14	4.6	32.97	111 Ω/km
ANM11.002.04.025AB	UL20276	30V	4X25AWG	11/0.14	4.9	38.07	111 Ω/km
ANM11.002.05.025AB	UL20276	30V	5X25AWG	11/0.14	5.1	41.87	111 Ω/km
ANM11.002.06.025AB	UL20276	30V	6X25AWG	11/0.14	5.4	47.17	111 Ω/km
ANM11.002.07.025AB	UL20276	30V	7X25AWG	11/0.14	5.4	48.27	111 Ω/km
ANM11.002.08.025AB	UL20276	30V	8X25AWG	11/0.14	5.7	53.77	111 Ω/km
ANM11.002.09.025AB	UL20276	30V	9X25AWG	11/0.14	6.1	61.27	111 Ω/km
ANM11.002.10.025AB	UL20276	30V	10X25AWG	11/0.14	6.4	67.17	111 Ω/km
ANM11.002.11.025AB	UL20276	30V	11X25AWG	11/0.14	6.6	71.97	111 Ω/km
ANM11.002.12.025AB	UL20276	30V	12X25AWG	11/0.14	6.6	72.97	111 Ω/km
ANM11.002.13.025AB	UL20276	30V	13X25AWG	11/0.14	6.9	79.17	111 Ω/km
ANM11.002.14.025AB	UL20276	30V	14X25AWG	11/0.14	6.9	80.27	111 Ω/km





ANM11.002.15.025AB	UL20276	30V	15X25AWG	11/0.14	7.1	85.07	111 Ω/km
ANM11.002.16.025AB	UL20276	30V	16X25AWG	11/0.14	7.1	86.17	111 Ω/km
ANM11.002.17.025AB	UL20276	30V	17X25AWG	11/0.14	7.4	92.97	111 Ω/km
ANM11.002.18.025AB	UL20276	30V	18X25AWG	11/0.14	7.4	94.17	111 Ω/km
ANM11.002.19.025AB	UL20276	30V	19X25AWG	11/0.14	7.4	95.27	111 Ω/km
ANM11.002.20.025AB	UL20276	30V	20X25AWG	11/0.14	7.6	100.07	111 Ω/km
ANM11.002.21.025AB	UL20276	30V	21X25AWG	11/0.14	7.7	103.17	111 Ω/km
ANM11.002.22.025AB	UL20276	30V	22X25AWG	11/0.14	8.1	112.47	111 Ω/km
ANM11.002.23.025AB	UL20276	30V	23X25AWG	11/0.14	8.4	120.07	111 Ω/km
ANM11.002.24.025AB	UL20276	30V	24X25AWG	11/0.14	8.4	121.07	111 Ω/km
ANM11.002.25.025AB	UL20276	30V	25X25AWG	11/0.14	8.6	126.77	111 Ω/km
ANM11.002.26.025AB	UL20276	30V	26X25AWG	11/0.14	8.6	127.77	111 Ω/km
ANM11.002.27.025AB	UL20276	30V	27X25AWG	11/0.14	8.6	128.77	111 Ω/km
ANM11.002.28.025AB	UL20276	30V	28X25AWG	11/0.14	8.9	136.77	111 Ω/km
ANM11.002.29.025AB	UL20276	30V	29X25AWG	11/0.14	8.9	137.87	111 Ω/km
ANM11.002.30.025AB	UL20276	30V	30X25AWG	11/0.14	8.9	138.97	111 Ω/km
ANM11.002.31.025AB	UL20276	30V	31X25AWG	11/0.14	9.1	144.47	111 Ω/km
ANM11.002.32.025AB	UL20276	30V	32X25AWG	11/0.14	9.1	145.67	111 Ω/km
ANM11.002.33.025AB	UL20276	30V	33X25AWG	11/0.14	9.1	146.77	111 Ω/km
ANM11.002.34.025AB	UL20276	30V	34X25AWG	11/0.14	9.4	154.87	111 Ω/km
ANM11.002.35.025AB	UL20276	30V	35X25AWG	11/0.14	9.4	155.97	111 Ω/km
ANM11.002.36.025AB	UL20276	30V	36X25AWG	11/0.14	9.4	157.07	111 Ω/km
ANM11.002.37.025AB	UL20276	30V	37X25AWG	11/0.14	9.4	158.17	111 Ω/km
ANM11.002.38.025AB	UL20276	30V	38X25AWG	11/0.14	9.7	166.67	111 Ω/km
ANM11.002.39.025AB	UL20276	30V	39X25AWG	11/0.14	9.7	167.77	111 Ω/km
ANM11.002.40.025AB	UL20276	30V	40X25AWG	11/0.14	9.7	168.87	111 Ω/km
ANM11.002.41.025AB	UL20276	30V	41X25AWG	11/0.14	11	203.17	111 Ω/km
ANM11.002.42.025AB	UL20276	30V	42X25AWG	11/0.14	11	204.27	111 Ω/km
ANM11.002.43.025AB	UL20276	30V	43X25AWG	11/0.14	11	205.37	111 Ω/km
ANM11.002.44.025AB	UL20276	30V	44X25AWG	11/0.14	11	206.47	111 Ω/km
ANM11.002.45.025AB	UL20276	30V	45X25AWG	11/0.14	11.2	213.17	111 Ω/km
ANM11.002.46.025AB	UL20276	30V	46X25AWG	11/0.14	11.2	214.27	111 Ω/km
ANM11.002.47.025AB	UL20276	30V	47X25AWG	11/0.14	11.2	215.27	111 Ω/km
ANM11.002.48.025AB	UL20276	30V	48X25AWG	11/0.14	11.2	216.27	111 Ω/km
ANM11.002.49.025AB	UL20276	30V	49X25AWG	11/0.14	11.5	226.07	111 Ω/km
ANM11.002.50.025AB	UL20276	30V	50X25AWG	11/0.14	11.5	227.27	111 Ω/km
ANM11.002.51.025AB	UL20276	30V	51X25AWG	11/0.14	11.5	228.27	111 Ω/km
ANM11.002.52.025AB	UL20276	30V	52X25AWG	11/0.14	11.5	229.37	111 Ω/km
ANM11.002.53.025AB	UL20276	30V	53X25AWG	11/0.14	11.7	236.37	111 Ω/km
ANM11.002.54.025AB	UL20276	30V	54X25AWG	11/0.14	11.7	237.37	111 Ω/km
ANM11.002.55.025AB	UL20276	30V	55X25AWG	11/0.14	11.7	238.37	111 Ω/km
ANM11.002.56.025AB	UL20276	30V	56X25AWG	11/0.14	11.7	239.47	111 Ω/km



ANM11.002.57.025AB	UL20276	30V	57X25AWG	11/0.14	12	249.77	111 Ω/km
ANM11.002.58.025AB	UL20276	30V	58X25AWG	11/0.14	12	250.77	111 Ω/km
ANM11.002.59.025AB	UL20276	30V	59X25AWG	11/0.14	12	251.87	111 Ω/km
ANM11.002.60.025AB	UL20276	30V	60X25AWG	11/0.14	12	252.87	111 Ω/km
ANM11.002.61.025AB	UL20276	30V	61X25AWG	11/0.14	12	253.97	111 Ω/km
ANM11.002.62.025AB	UL20276	30V	62X25AWG	11/0.14	12.3	264.37	111 Ω/km
ANM11.002.63.025AB	UL20276	30V	63X25AWG	11/0.14	12.3	265.47	111 Ω/km
ANM11.002.64.025AB	UL20276	30V	64X25AWG	11/0.14	12.3	266.67	111 Ω/km
ANM11.002.65.025AB	UL20276	30V	65X25AWG	11/0.14	12.3	267.67	111 Ω/km
ANM11.002.02.024AB	UL20276	30V	2X24AWG	14/0.14	4.4	30.41	87.6 Ω/km
ANM11.002.03.024AB	UL20276	30V	3X24AWG	14/0.14	4.6	34.31	87.6 Ω/km
ANM11.002.04.024AB	UL20276	30V	4X24AWG	14/0.14	4.9	39.71	87.6 Ω/km
ANM11.002.05.024AB	UL20276	30V	5X24AWG	14/0.14	5.1	43.91	87.6 Ω/km
ANM11.002.06.024AB	UL20276	30V	6X24AWG	14/0.14	5.4	49.71	87.6 Ω/km
ANM11.002.07.024AB	UL20276	30V	7X24AWG	14/0.14	5.4	51.21	87.6 Ω/km
ANM11.002.08.024AB	UL20276	30V	8X24AWG	14/0.14	5.7	57.01	87.6 Ω/km
ANM11.002.09.024AB	UL20276	30V	9X24AWG	14/0.14	6.1	65.01	87.6 Ω/km
ANM11.002.10.024AB	UL20276	30V	10X24AWG	14/0.14	6.4	71.31	87.6 Ω/km
ANM11.002.11.024AB	UL20276	30V	11X24AWG	14/0.14	6.6	76.41	87.6 Ω/km
ANM11.002.12.024AB	UL20276	30V	12X24AWG	14/0.14	6.6	77.91	87.6 Ω/km
ANM11.002.13.024AB	UL20276	30V	13X24AWG	14/0.14	6.9	84.51	87.6 Ω/km
ANM11.002.14.024AB	UL20276	30V	14X24AWG	14/0.14	6.9	86.01	87.6 Ω/km
ANM11.002.15.024AB	UL20276	30V	15X24AWG	14/0.14	7.1	91.21	87.6 Ω/km
ANM11.002.16.024AB	UL20276	30V	16X24AWG	14/0.14	7.1	92.71	87.6 Ω/km
ANM11.002.17.024AB	UL20276	30V	17X24AWG	14/0.14	7.4	99.91	87.6 Ω/km
ANM11.002.18.024AB	UL20276	30V	18X24AWG	14/0.14	7.4	101.51	87.6 Ω/km
ANM11.002.19.024AB	UL20276	30V	19X24AWG	14/0.14	7.4	103.01	87.6 Ω/km
ANM11.002.20.024AB	UL20276	30V	20X24AWG	14/0.14	7.6	108.21	87.6 Ω/km
ANM11.002.21.024AB	UL20276	30V	21X24AWG	14/0.14	7.7	111.81	87.6 Ω/km
ANM11.002.22.024AB	UL20276	30V	22X24AWG	14/0.14	8.1	121.41	87.6 Ω/km
ANM11.002.23.024AB	UL20276	30V	23X24AWG	14/0.14	8.4	129.41	87.6 Ω/km
ANM11.002.24.024AB	UL20276	30V	24X24AWG	14/0.14	8.4	130.91	87.6 Ω/km
ANM11.002.25.024AB	UL20276	30V	25X24AWG	14/0.14	8.6	136.91	87.6 Ω/km
ANM11.002.26.024AB	UL20276	30V	26X24AWG	14/0.14	8.6	138.31	87.6 Ω/km
ANM11.002.27.024AB	UL20276	30V	27X24AWG	14/0.14	8.6	139.81	87.6 Ω/km
ANM11.002.28.024AB	UL20276	30V	28X24AWG	14/0.14	8.9	148.21	87.6 Ω/km
ANM11.002.29.024AB	UL20276	30V	29X24AWG	14/0.14	8.9	149.61	87.6 Ω/km
ANM11.002.30.024AB	UL20276	30V	30X24AWG	14/0.14	8.9	151.21	87.6 Ω/km
ANM11.002.31.024AB	UL20276	30V	31X24AWG	14/0.14	9.1	157.11	87.6 Ω/km
ANM11.002.32.024AB	UL20276	30V	32X24AWG	14/0.14	9.1	158.61	87.6 Ω/km
ANM11.002.33.024AB	UL20276	30V	33X24AWG	14/0.14	9.1	160.21	87.6 Ω/km
ANM11.002.34.024AB	UL20276	30V	34X24AWG	14/0.14	9.4	168.71	87.6 Ω/km



ANM11.002.35.024AB	UL20276	30V	35X24AWG	14/0.14	9.4	170.21	87.6Ω/km
ANM11.002.36.024AB	UL20276	30V	36X24AWG	14/0.14	9.4	171.71	87.6Ω/km
ANM11.002.37.024AB	UL20276	30V	37X24AWG	14/0.14	9.4	173.21	87.6Ω/km
ANM11.002.38.024AB	UL20276	30V	38X24AWG	14/0.14	9.7	182.11	87.6Ω/km
ANM11.002.39.024AB	UL20276	30V	39X24AWG	14/0.14	9.7	183.61	87.6Ω/km
ANM11.002.40.024AB	UL20276	30V	40X24AWG	14/0.14	9.7	185.11	87.6Ω/km
ANM11.002.41.024AB	UL20276	30V	41X24AWG	14/0.14	11	219.81	87.6Ω/km
ANM11.002.42.024AB	UL20276	30V	42X24AWG	14/0.14	11	221.41	87.6Ω/km
ANM11.002.43.024AB	UL20276	30V	43X24AWG	14/0.14	11	222.81	87.6Ω/km
ANM11.002.44.024AB	UL20276	30V	44X24AWG	14/0.14	11	224.31	87.6Ω/km
ANM11.002.45.024AB	UL20276	30V	45X24AWG	14/0.14	11.2	231.51	87.6Ω/km
ANM11.002.46.024AB	UL20276	30V	46X24AWG	14/0.14	11.2	232.91	87.6Ω/km
ANM11.002.47.024AB	UL20276	30V	47X24AWG	14/0.14	11.2	234.31	87.6Ω/km
ANM11.002.48.024AB	UL20276	30V	48X24AWG	14/0.14	11.2	235.81	87.6Ω/km
ANM11.002.49.024AB	UL20276	30V	49X24AWG	14/0.14	11.5	246.01	87.6Ω/km
ANM11.002.50.024AB	UL20276	30V	50X24AWG	14/0.14	11.5	247.51	87.6Ω/km
ANM11.002.51.024AB	UL20276	30V	51X24AWG	14/0.14	11.5	249.01	87.6Ω/km
ANM11.002.52.024AB	UL20276	30V	52X24AWG	14/0.14	11.5	250.51	87.6Ω/km
ANM11.002.53.024AB	UL20276	30V	53X24AWG	14/0.14	11.7	257.91	87.6Ω/km
ANM11.002.54.024AB	UL20276	30V	54X24AWG	14/0.14	11.7	259.31	87.6Ω/km
ANM11.002.55.024AB	UL20276	30V	55X24AWG	14/0.14	11.7	260.71	87.6Ω/km
ANM11.002.56.024AB	UL20276	30V	56X24AWG	14/0.14	11.7	262.31	87.6Ω/km
ANM11.002.57.024AB	UL20276	30V	57X24AWG	14/0.14	12	272.91	87.6Ω/km
ANM11.002.58.024AB	UL20276	30V	58X24AWG	14/0.14	12	274.31	87.6Ω/km
ANM11.002.59.024AB	UL20276	30V	59X24AWG	14/0.14	12	275.91	87.6Ω/km
ANM11.002.60.024AB	UL20276	30V	60X24AWG	14/0.14	12	277.31	87.6Ω/km
ANM11.002.61.024AB	UL20276	30V	61X24AWG	14/0.14	12	278.71	87.6Ω/km
ANM11.002.62.024AB	UL20276	30V	62X24AWG	14/0.14	12.3	289.61	87.6Ω/km
ANM11.002.63.024AB	UL20276	30V	63X24AWG	14/0.14	12.3	291.11	87.6Ω/km
ANM11.002.64.024AB	UL20276	30V	64X24AWG	14/0.14	12.3	292.61	87.6Ω/km
ANM11.002.65.024AB	UL20276	30V	65X24AWG	14/0.14	12.3	294.11	87.6Ω/km
ANM11.002.02.023AB	UL20276	30V	2X23AWG	17/0.14	5	38.76	69.2Ω/km
ANM11.002.03.023AB	UL20276	30V	3X23AWG	17/0.14	5.3	44.76	69.2Ω/km
ANM11.002.04.023AB	UL20276	30V	4X23AWG	17/0.14	5.6	51.06	69.2Ω/km
ANM11.002.05.023AB	UL20276	30V	5X23AWG	17/0.14	6	59.16	69.2Ω/km
ANM11.002.06.023AB	UL20276	30V	6X23AWG	17/0.14	6.3	65.86	69.2Ω/km
ANM11.002.07.023AB	UL20276	30V	7X23AWG	17/0.14	6.3	67.76	69.2Ω/km
ANM11.002.08.023AB	UL20276	30V	8X23AWG	17/0.14	6.7	76.36	69.2Ω/km
ANM11.002.09.023AB	UL20276	30V	9X23AWG	17/0.14	7.3	89.16	69.2Ω/km
ANM11.002.10.023AB	UL20276	30V	10X23AWG	17/0.14	7.6	96.96	69.2Ω/km
ANM11.002.11.023AB	UL20276	30V	11X23AWG	17/0.14	7.9	104.86	69.2Ω/km
ANM11.002.12.023AB	UL20276	30V	12X23AWG	17/0.14	7.9	106.66	69.2Ω/km



ANM11.002.13.023AB	UL20276	30V	13X23AWG	17/0.14	8.2	114.76	69.2Ω/km
ANM11.002.14.023AB	UL20276	30V	14X23AWG	17/0.14	8.2	116.66	69.2Ω/km
ANM11.002.15.023AB	UL20276	30V	15X23AWG	17/0.14	8.6	127.16	69.2Ω/km
ANM11.002.16.023AB	UL20276	30V	16X23AWG	17/0.14	8.6	128.96	69.2Ω/km
ANM11.002.17.023AB	UL20276	30V	17X23AWG	17/0.14	8.9	137.66	69.2Ω/km
ANM11.002.18.023AB	UL20276	30V	18X23AWG	17/0.14	8.9	139.46	69.2Ω/km
ANM11.002.19.023AB	UL20276	30V	19X23AWG	17/0.14	8.9	141.36	69.2Ω/km
ANM11.002.20.023AB	UL20276	30V	20X23AWG	17/0.14	9.2	149.96	69.2Ω/km
ANM11.002.21.023AB	UL20276	30V	21X23AWG	17/0.14	9.3	154.36	69.2Ω/km
ANM11.002.22.023AB	UL20276	30V	22X23AWG	17/0.14	9.9	170.86	69.2Ω/km
ANM11.002.23.023AB	UL20276	30V	23X23AWG	17/0.14	10.2	180.36	69.2Ω/km
ANM11.002.24.023AB	UL20276	30V	24X23AWG	17/0.14	10.2	182.36	69.2Ω/km
ANM11.002.25.023AB	UL20276	30V	25X23AWG	17/0.14	11.1	207.46	69.2Ω/km
ANM11.002.26.023AB	UL20276	30V	26X23AWG	17/0.14	11.1	209.26	69.2Ω/km
ANM11.002.27.023AB	UL20276	30V	27X23AWG	17/0.14	11.1	211.06	69.2Ω/km
ANM11.002.28.023AB	UL20276	30V	28X23AWG	17/0.14	11.4	221.46	69.2Ω/km
ANM11.002.29.023AB	UL20276	30V	29X23AWG	17/0.14	11.4	223.26	69.2Ω/km
ANM11.002.30.023AB	UL20276	30V	30X23AWG	17/0.14	11.4	225.16	69.2Ω/km
ANM11.002.31.023AB	UL20276	30V	31X23AWG	17/0.14	11.8	238.86	69.2Ω/km
ANM11.002.32.023AB	UL20276	30V	32X23AWG	17/0.14	11.8	240.56	69.2Ω/km
ANM11.002.33.023AB	UL20276	30V	33X23AWG	17/0.14	11.8	242.56	69.2Ω/km
ANM11.002.34.023AB	UL20276	30V	34X23AWG	17/0.14	12.1	253.36	69.2Ω/km
ANM11.002.35.023AB	UL20276	30V	35X23AWG	17/0.14	12.1	255.16	69.2Ω/km
ANM11.002.36.023AB	UL20276	30V	36X23AWG	17/0.14	12.1	256.96	69.2Ω/km
ANM11.002.37.023AB	UL20276	30V	37X23AWG	17/0.14	12.1	258.76	69.2Ω/km
ANM11.002.38.023AB	UL20276	30V	38X23AWG	17/0.14	12.5	273.26	69.2Ω/km
ANM11.002.39.023AB	UL20276	30V	39X23AWG	17/0.14	12.5	274.96	69.2Ω/km
ANM11.002.40.023AB	UL20276	30V	40X23AWG	17/0.14	12.5	276.86	69.2Ω/km
ANM11.002.41.023AB	UL20276	30V	41X23AWG	17/0.14	13.5	311.46	69.2Ω/km
ANM11.002.42.023AB	UL20276	30V	42X23AWG	17/0.14	13.5	313.36	69.2Ω/km
ANM11.002.43.023AB	UL20276	30V	43X23AWG	17/0.14	13.5	315.16	69.2Ω/km
ANM11.002.44.023AB	UL20276	30V	44X23AWG	17/0.14	13.5	317.06	69.2Ω/km
ANM11.002.45.023AB	UL20276	30V	45X23AWG	17/0.14	13.8	329.16	69.2Ω/km
ANM11.002.46.023AB	UL20276	30V	46X23AWG	17/0.14	13.8	330.96	69.2Ω/km
ANM11.002.47.023AB	UL20276	30V	47X23AWG	17/0.14	13.8	332.76	69.2Ω/km
ANM11.002.48.023AB	UL20276	30V	48X23AWG	17/0.14	13.8	334.66	69.2Ω/km
ANM11.002.49.023AB	UL20276	30V	49X23AWG	17/0.14	14.1	347.06	69.2Ω/km
ANM11.002.50.023AB	UL20276	30V	50X23AWG	17/0.14	14.1	348.86	69.2Ω/km
ANM11.002.51.023AB	UL20276	30V	51X23AWG	17/0.14	14.1	350.66	69.2Ω/km
ANM11.002.52.023AB	UL20276	30V	52X23AWG	17/0.14	14.1	352.56	69.2Ω/km
ANM11.002.53.023AB	UL20276	30V	53X23AWG	17/0.14	14.5	368.86	69.2Ω/km
ANM11.002.54.023AB	UL20276	30V	54X23AWG	17/0.14	14.5	370.56	69.2Ω/km



ANM11.002.55.023AB	UL20276	30V	55X23AWG	17/0.14	14.5	372.36	69.2Ω/km
ANM11.002.56.023AB	UL20276	30V	56X23AWG	17/0.14	14.5	374.26	69.2Ω/km
ANM11.002.57.023AB	UL20276	30V	57X23AWG	17/0.14	14.8	387.16	69.2Ω/km
ANM11.002.58.023AB	UL20276	30V	58X23AWG	17/0.14	14.8	389.06	69.2Ω/km
ANM11.002.59.023AB	UL20276	30V	59X23AWG	17/0.14	14.8	390.76	69.2Ω/km
ANM11.002.60.023AB	UL20276	30V	60X23AWG	17/0.14	14.8	392.66	69.2Ω/km
ANM11.002.61.023AB	UL20276	30V	61X23AWG	17/0.14	14.8	394.36	69.2Ω/km
ANM11.002.62.023AB	UL20276	30V	62X23AWG	17/0.14	15.2	411.26	69.2Ω/km
ANM11.002.63.023AB	UL20276	30V	63X23AWG	17/0.14	15.2	413.06	69.2Ω/km
ANM11.002.64.023AB	UL20276	30V	64X23AWG	17/0.14	15.2	414.86	69.2Ω/km
ANM11.002.65.023AB	UL20276	30V	65X23AWG	17/0.14	15.2	416.76	69.2Ω/km
ANM11.002.02.022AB	UL20276	30V	2X22AWG	22/0.14	5.2	42.63	55.4Ω/km
ANM11.002.03.022AB	UL20276	30V	3X22AWG	22/0.14	5.5	49.03	55.4Ω/km
ANM11.002.04.022AB	UL20276	30V	4X22AWG	22/0.14	5.8	55.83	55.4Ω/km
ANM11.002.05.022AB	UL20276	30V	5X22AWG	22/0.14	6.2	64.43	55.4Ω/km
ANM11.002.06.022AB	UL20276	30V	6X22AWG	22/0.14	6.6	73.63	55.4Ω/km
ANM11.002.07.022AB	UL20276	30V	7X22AWG	22/0.14	6.6	75.93	55.4Ω/km
ANM11.002.08.022AB	UL20276	30V	8X22AWG	22/0.14	7.1	87.13	55.4Ω/km
ANM11.002.09.022AB	UL20276	30V	9X22AWG	22/0.14	7.6	99.03	55.4Ω/km
ANM11.002.10.022AB	UL20276	30V	10X22AWG	22/0.14	8	109.43	55.4Ω/km
ANM11.002.11.022AB	UL20276	30V	11X22AWG	22/0.14	8.3	118.03	55.4Ω/km
ANM11.002.12.022AB	UL20276	30V	12X22AWG	22/0.14	8.3	120.23	55.4Ω/km
ANM11.002.13.022AB	UL20276	30V	13X22AWG	22/0.14	8.6	129.23	55.4Ω/km
ANM11.002.14.022AB	UL20276	30V	14X22AWG	22/0.14	8.6	131.33	55.4Ω/km
ANM11.002.15.022AB	UL20276	30V	15X22AWG	22/0.14	9	142.73	55.4Ω/km
ANM11.002.16.022AB	UL20276	30V	16X22AWG	22/0.14	9	145.03	55.4Ω/km
ANM11.002.17.022AB	UL20276	30V	17X22AWG	22/0.14	9.4	156.73	55.4Ω/km
ANM11.002.18.022AB	UL20276	30V	18X22AWG	22/0.14	9.4	159.03	55.4Ω/km
ANM11.002.19.022AB	UL20276	30V	19X22AWG	22/0.14	9.4	161.23	55.4Ω/km
ANM11.002.20.022AB	UL20276	30V	20X22AWG	22/0.14	9.7	170.93	55.4Ω/km
ANM11.002.21.022AB	UL20276	30V	21X22AWG	22/0.14	9.9	178.13	55.4Ω/km
ANM11.002.22.022AB	UL20276	30V	22X22AWG	22/0.14	11	208.63	55.4Ω/km
ANM11.002.23.022AB	UL20276	30V	23X22AWG	22/0.14	11.4	222.33	55.4Ω/km
ANM11.002.24.022AB	UL20276	30V	24X22AWG	22/0.14	11.4	224.53	55.4Ω/km
ANM11.002.25.022AB	UL20276	30V	25X22AWG	22/0.14	11.7	235.63	55.4Ω/km
ANM11.002.26.022AB	UL20276	30V	26X22AWG	22/0.14	11.7	237.83	55.4Ω/km
ANM11.002.27.022AB	UL20276	30V	27X22AWG	22/0.14	11.7	240.13	55.4Ω/km
ANM11.002.28.022AB	UL20276	30V	28X22AWG	22/0.14	12	251.33	55.4Ω/km
ANM11.002.29.022AB	UL20276	30V	29X22AWG	22/0.14	12	253.73	55.4Ω/km
ANM11.002.30.022AB	UL20276	30V	30X22AWG	22/0.14	12	255.93	55.4Ω/km
ANM11.002.31.022AB	UL20276	30V	31X22AWG	22/0.14	12.4	270.53	55.4Ω/km
ANM11.002.32.022AB	UL20276	30V	32X22AWG	22/0.14	12.4	272.93	55.4Ω/km



ANM11.002.33.022AB	UL20276	30V	33X22AWG	22/0.14	12.4	275.03	55.4 Ω/km
ANM11.002.34.022AB	UL20276	30V	34X22AWG	22/0.14	12.8	290.13	55.4 Ω/km
ANM11.002.35.022AB	UL20276	30V	35X22AWG	22/0.14	12.8	292.33	55.4 Ω/km
ANM11.002.36.022AB	UL20276	30V	36X22AWG	22/0.14	12.8	294.63	55.4 Ω/km
ANM11.002.37.022AB	UL20276	30V	37X22AWG	22/0.14	12.8	296.83	55.4 Ω/km
ANM11.002.38.022AB	UL20276	30V	38X22AWG	22/0.14	13.4	319.13	55.4 Ω/km
ANM11.002.39.022AB	UL20276	30V	39X22AWG	22/0.14	13.4	321.33	55.4 Ω/km
ANM11.002.40.022AB	UL20276	30V	40X22AWG	22/0.14	13.4	323.53	55.4 Ω/km
ANM11.002.41.022AB	UL20276	30V	41X22AWG	22/0.14	14.3	357.23	55.4 Ω/km
ANM11.002.42.022AB	UL20276	30V	42X22AWG	22/0.14	14.3	359.43	55.4 Ω/km
ANM11.002.43.022AB	UL20276	30V	43X22AWG	22/0.14	14.3	361.83	55.4 Ω/km
ANM11.002.44.022AB	UL20276	30V	44X22AWG	22/0.14	14.3	363.93	55.4 Ω/km
ANM11.002.45.022AB	UL20276	30V	45X22AWG	22/0.14	14.6	377.23	55.4 Ω/km
ANM11.002.46.022AB	UL20276	30V	46X22AWG	22/0.14	14.6	379.53	55.4 Ω/km
ANM11.002.47.022AB	UL20276	30V	47X22AWG	22/0.14	14.6	381.63	55.4 Ω/km
ANM11.002.48.022AB	UL20276	30V	48X22AWG	22/0.14	14.6	384.03	55.4 Ω/km
ANM11.002.49.022AB	UL20276	30V	49X22AWG	22/0.14	14.9	397.33	55.4 Ω/km
ANM11.002.50.022AB	UL20276	30V	50X22AWG	22/0.14	14.9	399.53	55.4 Ω/km
ANM11.002.51.022AB	UL20276	30V	51X22AWG	22/0.14	14.9	401.73	55.4 Ω/km
ANM11.002.52.022AB	UL20276	30V	52X22AWG	22/0.14	14.9	404.03	55.4 Ω/km
ANM11.002.53.022AB	UL20276	30V	53X22AWG	22/0.14	15.3	421.63	55.4 Ω/km
ANM11.002.54.022AB	UL20276	30V	54X22AWG	22/0.14	15.3	423.83	55.4 Ω/km
ANM11.002.55.022AB	UL20276	30V	55X22AWG	22/0.14	15.3	426.13	55.4 Ω/km
ANM11.002.56.022AB	UL20276	30V	56X22AWG	22/0.14	15.3	428.33	55.4 Ω/km
ANM11.002.57.022AB	UL20276	30V	57X22AWG	22/0.14	15.7	446.23	55.4 Ω/km
ANM11.002.58.022AB	UL20276	30V	58X22AWG	22/0.14	15.7	448.33	55.4 Ω/km
ANM11.002.59.022AB	UL20276	30V	59X22AWG	22/0.14	15.7	450.73	55.4 Ω/km
ANM11.002.60.022AB	UL20276	30V	60X22AWG	22/0.14	15.7	452.93	55.4 Ω/km
ANM11.002.61.022AB	UL20276	30V	61X22AWG	22/0.14	15.7	455.13	55.4 Ω/km
ANM11.002.62.022AB	UL20276	30V	62X22AWG	22/0.14	16.2	477.53	55.4 Ω/km
ANM11.002.63.022AB	UL20276	30V	63X22AWG	22/0.14	16.2	479.63	55.4 Ω/km
ANM11.002.64.022AB	UL20276	30V	64X22AWG	22/0.14	16.2	481.93	55.4 Ω/km
ANM11.002.65.022AB	UL20276	30V	65X22AWG	22/0.14	16.2	484.13	55.4 Ω/km
ANM11.002.02.021AB	UL20276	30V	2X21AWG	27/0.14	5.4	46.72	43.6 Ω/km
ANM11.002.03.021AB	UL20276	30V	3X21AWG	27/0.14	5.7	54.02	43.6 Ω/km
ANM11.002.04.021AB	UL20276	30V	4X21AWG	27/0.14	6.1	63.32	43.6 Ω/km
ANM11.002.05.021AB	UL20276	30V	5X21AWG	27/0.14	6.5	72.82	43.6 Ω/km
ANM11.002.06.021AB	UL20276	30V	6X21AWG	27/0.14	6.9	82.72	43.6 Ω/km
ANM11.002.07.021AB	UL20276	30V	7X21AWG	27/0.14	6.9	85.62	43.6 Ω/km
ANM11.002.08.021AB	UL20276	30V	8X21AWG	27/0.14	7.4	97.92	43.6 Ω/km
ANM11.002.09.021AB	UL20276	30V	9X21AWG	27/0.14	8	112.82	43.6 Ω/km
ANM11.002.10.021AB	UL20276	30V	10X21AWG	27/0.14	8.4	124.22	43.6 Ω/km



ANM11.002.11.021AB	UL20276	30V	11X21AWG	27/0.14	8.7	133.82	43.6Ω/km
ANM11.002.12.021AB	UL20276	30V	12X21AWG	27/0.14	8.7	136.72	43.6Ω/km
ANM11.002.13.021AB	UL20276	30V	13X21AWG	27/0.14	9.1	148.82	43.6Ω/km
ANM11.002.14.021AB	UL20276	30V	14X21AWG	27/0.14	9.1	151.62	43.6Ω/km
ANM11.002.15.021AB	UL20276	30V	15X21AWG	27/0.14	9.5	164.12	43.6Ω/km
ANM11.002.16.021AB	UL20276	30V	16X21AWG	27/0.14	9.5	166.92	43.6Ω/km
ANM11.002.17.021AB	UL20276	30V	17X21AWG	27/0.14	9.9	179.72	43.6Ω/km
ANM11.002.18.021AB	UL20276	30V	18X21AWG	27/0.14	9.9	182.62	43.6Ω/km
ANM11.002.19.021AB	UL20276	30V	19X21AWG	27/0.14	9.9	185.62	43.6Ω/km
ANM11.002.20.021AB	UL20276	30V	20X21AWG	27/0.14	10.2	196.22	43.6Ω/km
ANM11.002.21.021AB	UL20276	30V	21X21AWG	27/0.14	11	219.62	43.6Ω/km
ANM11.002.22.021AB	UL20276	30V	22X21AWG	27/0.14	11.6	239.82	43.6Ω/km
ANM11.002.23.021AB	UL20276	30V	23X21AWG	27/0.14	12	254.52	43.6Ω/km
ANM11.002.24.021AB	UL20276	30V	24X21AWG	27/0.14	12	257.42	43.6Ω/km
ANM11.002.25.021AB	UL20276	30V	25X21AWG	27/0.14	12.3	269.72	43.6Ω/km
ANM11.002.26.021AB	UL20276	30V	26X21AWG	27/0.14	12.3	272.62	43.6Ω/km
ANM11.002.27.021AB	UL20276	30V	27X21AWG	27/0.14	12.3	275.42	43.6Ω/km
ANM11.002.28.021AB	UL20276	30V	28X21AWG	27/0.14	12.7	290.92	43.6Ω/km
ANM11.002.29.021AB	UL20276	30V	29X21AWG	27/0.14	12.7	293.82	43.6Ω/km
ANM11.002.30.021AB	UL20276	30V	30X21AWG	27/0.14	12.7	296.72	43.6Ω/km
ANM11.002.31.021AB	UL20276	30V	31X21AWG	27/0.14	13.2	315.92	43.6Ω/km
ANM11.002.32.021AB	UL20276	30V	32X21AWG	27/0.14	13.2	318.82	43.6Ω/km
ANM11.002.33.021AB	UL20276	30V	33X21AWG	27/0.14	13.2	321.72	43.6Ω/km
ANM11.002.34.021AB	UL20276	30V	34X21AWG	27/0.14	13.6	338.02	43.6Ω/km
ANM11.002.35.021AB	UL20276	30V	35X21AWG	27/0.14	13.6	340.92	43.6Ω/km
ANM11.002.36.021AB	UL20276	30V	36X21AWG	27/0.14	13.6	343.82	43.6Ω/km
ANM11.002.37.021AB	UL20276	30V	37X21AWG	27/0.14	13.6	346.72	43.6Ω/km
ANM11.002.38.021AB	UL20276	30V	38X21AWG	27/0.14	14.1	367.12	43.6Ω/km
ANM11.002.39.021AB	UL20276	30V	39X21AWG	27/0.14	14.1	370.02	43.6Ω/km
ANM11.002.40.021AB	UL20276	30V	40X21AWG	27/0.14	14.1	372.82	43.6Ω/km
ANM11.002.41.021AB	UL20276	30V	41X21AWG	27/0.14	15.1	412.52	43.6Ω/km
ANM11.002.42.021AB	UL20276	30V	42X21AWG	27/0.14	15.1	415.32	43.6Ω/km
ANM11.002.43.021AB	UL20276	30V	43X21AWG	27/0.14	15.1	418.22	43.6Ω/km
ANM11.002.44.021AB	UL20276	30V	44X21AWG	27/0.14	15.1	421.12	43.6Ω/km
ANM11.002.45.021AB	UL20276	30V	45X21AWG	27/0.14	15.4	435.52	43.6Ω/km
ANM11.002.46.021AB	UL20276	30V	46X21AWG	27/0.14	15.4	438.32	43.6Ω/km
ANM11.002.47.021AB	UL20276	30V	47X21AWG	27/0.14	15.4	441.22	43.6Ω/km
ANM11.002.48.021AB	UL20276	30V	48X21AWG	27/0.14	15.4	444.02	43.6Ω/km
ANM11.002.49.021AB	UL20276	30V	49X21AWG	27/0.14	15.8	462.62	43.6Ω/km
ANM11.002.50.021AB	UL20276	30V	50X21AWG	27/0.14	15.8	465.52	43.6Ω/km
ANM11.002.51.021AB	UL20276	30V	51X21AWG	27/0.14	15.8	468.42	43.6Ω/km
ANM11.002.52.021AB	UL20276	30V	52X21AWG	27/0.14	15.8	471.22	43.6Ω/km



ANM11.002.53.021AB	UL20276	30V	53X21AWG	27/0.14	16.2	490.22	43.6Ω/km
ANM11.002.54.021AB	UL20276	30V	54X21AWG	27/0.14	16.2	493.02	43.6Ω/km
ANM11.002.55.021AB	UL20276	30V	55X21AWG	27/0.14	16.2	496.02	43.6Ω/km
ANM11.002.56.021AB	UL20276	30V	56X21AWG	27/0.14	16.2	498.82	43.6Ω/km
ANM11.002.57.021AB	UL20276	30V	57X21AWG	27/0.14	16.6	518.22	43.6Ω/km
ANM11.002.58.021AB	UL20276	30V	58X21AWG	27/0.14	16.6	521.02	43.6Ω/km
ANM11.002.59.021AB	UL20276	30V	59X21AWG	27/0.14	16.6	523.92	43.6Ω/km
ANM11.002.60.021AB	UL20276	30V	60X21AWG	27/0.14	16.6	526.82	43.6Ω/km
ANM11.002.61.021AB	UL20276	30V	61X21AWG	27/0.14	16.6	529.62	43.6Ω/km
ANM11.002.62.021AB	UL20276	30V	62X21AWG	27/0.14	17.1	553.62	43.6Ω/km
ANM11.002.63.021AB	UL20276	30V	63X21AWG	27/0.14	17.1	556.42	43.6Ω/km
ANM11.002.64.021AB	UL20276	30V	64X21AWG	27/0.14	17.1	559.32	43.6Ω/km
ANM11.002.65.021AB	UL20276	30V	65X21AWG	27/0.14	17.1	562.22	43.6Ω/km
ANM11.002.02.020AB	UL20276	30V	2X20AWG	34/0.14	6	57.52	34.6Ω/km
ANM11.002.03.020AB	UL20276	30V	3X20AWG	34/0.14	6.3	66.02	34.6Ω/km
ANM11.002.04.020AB	UL20276	30V	4X20AWG	34/0.14	6.8	78.42	34.6Ω/km
ANM11.002.05.020AB	UL20276	30V	5X20AWG	34/0.14	7.3	91.22	34.6Ω/km
ANM11.002.06.020AB	UL20276	30V	6X20AWG	34/0.14	7.8	104.82	34.6Ω/km
ANM11.002.07.020AB	UL20276	30V	7X20AWG	34/0.14	7.8	108.32	34.6Ω/km
ANM11.002.08.020AB	UL20276	30V	8X20AWG	34/0.14	8.4	124.72	34.6Ω/km
ANM11.002.09.020AB	UL20276	30V	9X20AWG	34/0.14	9.1	144.22	34.6Ω/km
ANM11.002.10.020AB	UL20276	30V	10X20AWG	34/0.14	9.6	159.92	34.6Ω/km
ANM11.002.11.020AB	UL20276	30V	11X20AWG	34/0.14	9.9	171.02	34.6Ω/km
ANM11.002.12.020AB	UL20276	30V	12X20AWG	34/0.14	9.9	174.62	34.6Ω/km
ANM11.002.13.020AB	UL20276	30V	13X20AWG	34/0.14	11	206.52	34.6Ω/km
ANM11.002.14.020AB	UL20276	30V	14X20AWG	34/0.14	11	210.22	34.6Ω/km
ANM11.002.15.020AB	UL20276	30V	15X20AWG	34/0.14	11.5	228.12	34.6Ω/km
ANM11.002.16.020AB	UL20276	30V	16X20AWG	34/0.14	11.5	231.82	34.6Ω/km
ANM11.002.17.020AB	UL20276	30V	17X20AWG	34/0.14	12	250.42	34.6Ω/km
ANM11.002.18.020AB	UL20276	30V	18X20AWG	34/0.14	12	254.02	34.6Ω/km
ANM11.002.19.020AB	UL20276	30V	19X20AWG	34/0.14	12	257.72	34.6Ω/km
ANM11.002.20.020AB	UL20276	30V	20X20AWG	34/0.14	12.3	270.62	34.6Ω/km
ANM11.002.21.020AB	UL20276	30V	21X20AWG	34/0.14	12.6	283.72	34.6Ω/km
ANM11.002.22.020AB	UL20276	30V	22X20AWG	34/0.14	13.4	313.62	34.6Ω/km
ANM11.002.23.020AB	UL20276	30V	23X20AWG	34/0.14	13.9	334.52	34.6Ω/km
ANM11.002.24.020AB	UL20276	30V	24X20AWG	34/0.14	13.9	338.12	34.6Ω/km
ANM11.002.25.020AB	UL20276	30V	25X20AWG	34/0.14	14.2	352.52	34.6Ω/km
ANM11.002.26.020AB	UL20276	30V	26X20AWG	34/0.14	14.2	356.02	34.6Ω/km
ANM11.002.27.020AB	UL20276	30V	27X20AWG	34/0.14	14.2	359.62	34.6Ω/km
ANM11.002.28.020AB	UL20276	30V	28X20AWG	34/0.14	14.7	381.42	34.6Ω/km
ANM11.002.29.020AB	UL20276	30V	29X20AWG	34/0.14	14.7	385.12	34.6Ω/km
ANM11.002.30.020AB	UL20276	30V	30X20AWG	34/0.14	14.7	388.72	34.6Ω/km





ANM11.002.31.020AB	UL20276	30V	31X20AWG	34/0.14	15.2	411.12	34.6Ω/km
ANM11.002.32.020AB	UL20276	30V	32X20AWG	34/0.14	15.2	414.72	34.6Ω/km
ANM11.002.33.020AB	UL20276	30V	33X20AWG	34/0.14	15.2	418.42	34.6Ω/km
ANM11.002.34.020AB	UL20276	30V	34X20AWG	34/0.14	15.7	441.62	34.6Ω/km
ANM11.002.35.020AB	UL20276	30V	35X20AWG	34/0.14	15.7	445.22	34.6Ω/km
ANM11.002.36.020AB	UL20276	30V	36X20AWG	34/0.14	15.7	448.82	34.6Ω/km
ANM11.002.37.020AB	UL20276	30V	37X20AWG	34/0.14	15.7	452.42	34.6Ω/km
ANM11.002.38.020AB	UL20276	30V	38X20AWG	34/0.14	16.3	480.22	34.6Ω/km
ANM11.002.39.020AB	UL20276	30V	39X20AWG	34/0.14	16.3	483.72	34.6Ω/km
ANM11.002.40.020AB	UL20276	30V	40X20AWG	34/0.14	16.3	487.42	34.6Ω/km
ANM11.002.41.020AB	UL20276	30V	41X20AWG	34/0.14	17.5	541.82	34.6Ω/km
ANM11.002.42.020AB	UL20276	30V	42X20AWG	34/0.14	17.5	545.52	34.6Ω/km
ANM11.002.43.020AB	UL20276	30V	43X20AWG	34/0.14	17.5	549.12	34.6Ω/km
ANM11.002.44.020AB	UL20276	30V	44X20AWG	34/0.14	17.5	552.82	34.6Ω/km
ANM11.002.45.020AB	UL20276	30V	45X20AWG	34/0.14	17.8	569.62	34.6Ω/km
ANM11.002.46.020AB	UL20276	30V	46X20AWG	34/0.14	17.8	573.32	34.6Ω/km
ANM11.002.47.020AB	UL20276	30V	47X20AWG	34/0.14	17.8	576.92	34.6Ω/km
ANM11.002.48.020AB	UL20276	30V	48X20AWG	34/0.14	17.8	580.62	34.6Ω/km
ANM11.002.49.020AB	UL20276	30V	49X20AWG	34/0.14	18.3	606.82	34.6Ω/km
ANM11.002.50.020AB	UL20276	30V	50X20AWG	34/0.14	18.3	610.52	34.6Ω/km
ANM11.002.51.020AB	UL20276	30V	51X20AWG	34/0.14	18.3	614.22	34.6Ω/km
ANM11.002.52.020AB	UL20276	30V	52X20AWG	34/0.14	18.3	617.82	34.6Ω/km
ANM11.002.53.020AB	UL20276	30V	53X20AWG	34/0.14	18.8	644.52	34.6Ω/km
ANM11.002.54.020AB	UL20276	30V	54X20AWG	34/0.14	18.8	648.02	34.6Ω/km
ANM11.002.55.020AB	UL20276	30V	55X20AWG	34/0.14	18.8	651.72	34.6Ω/km
ANM11.002.56.020AB	UL20276	30V	56X20AWG	34/0.14	18.8	655.22	34.6Ω/km
ANM11.002.57.020AB	UL20276	30V	57X20AWG	34/0.14	19.3	682.72	34.6Ω/km
ANM11.002.58.020AB	UL20276	30V	58X20AWG	34/0.14	19.3	686.22	34.6Ω/km
ANM11.002.59.020AB	UL20276	30V	59X20AWG	34/0.14	19.3	689.92	34.6Ω/km
ANM11.002.60.020AB	UL20276	30V	60X20AWG	34/0.14	19.3	693.52	34.6Ω/km
ANM11.002.61.020AB	UL20276	30V	61X20AWG	34/0.14	19.3	697.22	34.6Ω/km
ANM11.002.62.020AB	UL20276	30V	62X20AWG	34/0.14	20.7	768.72	34.6Ω/km
ANM11.002.63.020AB	UL20276	30V	63X20AWG	34/0.14	20.7	772.32	34.6Ω/km
ANM11.002.64.020AB	UL20276	30V	64X20AWG	34/0.14	20.7	775.92	34.6Ω/km
ANM11.002.65.020AB	UL20276	30V	65X20AWG	34/0.14	20.7	779.62	34.6Ω/km
ANM11.002.02.019AB	UL20276	30V	2X19AWG	43/0.14	6.2	62.86	27.4Ω/km
ANM11.002.03.019AB	UL20276	30V	3X19AWG	43/0.14	6.5	72.56	27.4Ω/km
ANM11.002.04.019AB	UL20276	30V	4X19AWG	43/0.14	7	86.26	27.4Ω/km
ANM11.002.05.019AB	UL20276	30V	5X19AWG	43/0.14	7.6	102.26	27.4Ω/km
ANM11.002.06.019AB	UL20276	30V	6X19AWG	43/0.14	8.1	117.16	27.4Ω/km
ANM11.002.07.019AB	UL20276	30V	7X19AWG	43/0.14	8.1	121.66	27.4Ω/km
ANM11.002.08.019AB	UL20276	30V	8X19AWG	43/0.14	8.7	139.56	27.4Ω/km



ANM11.002.09.019AB	UL20276	30V	9X19AWG	43/0.14	9.5	162.86	27.4 Ω/km
ANM11.002.10.019AB	UL20276	30V	10X19AWG	43/0.14	10	180.26	27.4 Ω/km
ANM11.002.11.019AB	UL20276	30V	11X19AWG	43/0.14	10.3	192.56	27.4 Ω/km
ANM11.002.12.019AB	UL20276	30V	12X19AWG	43/0.14	10.3	197.26	27.4 Ω/km
ANM11.002.13.019AB	UL20276	30V	13X19AWG	43/0.14	11.4	230.96	27.4 Ω/km
ANM11.002.14.019AB	UL20276	30V	14X19AWG	43/0.14	11.4	235.66	27.4 Ω/km
ANM11.002.15.019AB	UL20276	30V	15X19AWG	43/0.14	12	258.16	27.4 Ω/km
ANM11.002.16.019AB	UL20276	30V	16X19AWG	43/0.14	12	262.86	27.4 Ω/km
ANM11.002.17.019AB	UL20276	30V	17X19AWG	43/0.14	12.5	283.06	27.4 Ω/km
ANM11.002.18.019AB	UL20276	30V	18X19AWG	43/0.14	12.5	287.76	27.4 Ω/km
ANM11.002.19.019AB	UL20276	30V	19X19AWG	43/0.14	12.5	292.36	27.4 Ω/km
ANM11.002.20.019AB	UL20276	30V	20X19AWG	43/0.14	12.8	306.56	27.4 Ω/km
ANM11.002.21.019AB	UL20276	30V	21X19AWG	43/0.14	13.2	324.36	27.4 Ω/km
ANM11.002.22.019AB	UL20276	30V	22X19AWG	43/0.14	14	356.46	27.4 Ω/km
ANM11.002.23.019AB	UL20276	30V	23X19AWG	43/0.14	14.5	379.06	27.4 Ω/km
ANM11.002.24.019AB	UL20276	30V	24X19AWG	43/0.14	14.5	383.76	27.4 Ω/km
ANM11.002.25.019AB	UL20276	30V	25X19AWG	43/0.14	14.8	399.46	27.4 Ω/km
ANM11.002.26.019AB	UL20276	30V	26X19AWG	43/0.14	14.8	404.16	27.4 Ω/km
ANM11.002.27.019AB	UL20276	30V	27X19AWG	43/0.14	14.8	408.66	27.4 Ω/km
ANM11.002.28.019AB	UL20276	30V	28X19AWG	43/0.14	15.3	432.26	27.4 Ω/km
ANM11.002.29.019AB	UL20276	30V	29X19AWG	43/0.14	15.3	436.86	27.4 Ω/km
ANM11.002.30.019AB	UL20276	30V	30X19AWG	43/0.14	15.3	441.46	27.4 Ω/km
ANM11.002.31.019AB	UL20276	30V	31X19AWG	43/0.14	15.9	469.66	27.4 Ω/km
ANM11.002.32.019AB	UL20276	30V	32X19AWG	43/0.14	15.9	474.26	27.4 Ω/km
ANM11.002.33.019AB	UL20276	30V	33X19AWG	43/0.14	15.9	478.86	27.4 Ω/km
ANM11.002.34.019AB	UL20276	30V	34X19AWG	43/0.14	16.4	503.86	27.4 Ω/km
ANM11.002.35.019AB	UL20276	30V	35X19AWG	43/0.14	16.4	508.36	27.4 Ω/km
ANM11.002.36.019AB	UL20276	30V	36X19AWG	43/0.14	16.4	513.16	27.4 Ω/km
ANM11.002.37.019AB	UL20276	30V	37X19AWG	43/0.14	16.4	517.66	27.4 Ω/km
ANM11.002.38.019AB	UL20276	30V	38X19AWG	43/0.14	17	547.46	27.4 Ω/km
ANM11.002.39.019AB	UL20276	30V	39X19AWG	43/0.14	17	551.96	27.4 Ω/km
ANM11.002.40.019AB	UL20276	30V	40X19AWG	43/0.14	17	556.76	27.4 Ω/km
ANM11.002.41.019AB	UL20276	30V	41X19AWG	43/0.14	18.3	618.76	27.4 Ω/km
ANM11.002.42.019AB	UL20276	30V	42X19AWG	43/0.14	18.3	623.36	27.4 Ω/km
ANM11.002.43.019AB	UL20276	30V	43X19AWG	43/0.14	18.3	628.06	27.4 Ω/km
ANM11.002.44.019AB	UL20276	30V	44X19AWG	43/0.14	18.3	632.66	27.4 Ω/km
ANM11.002.45.019AB	UL20276	30V	45X19AWG	43/0.14	18.6	651.06	27.4 Ω/km
ANM11.002.46.019AB	UL20276	30V	46X19AWG	43/0.14	18.6	655.66	27.4 Ω/km
ANM11.002.47.019AB	UL20276	30V	47X19AWG	43/0.14	18.6	660.26	27.4 Ω/km
ANM11.002.48.019AB	UL20276	30V	48X19AWG	43/0.14	18.6	664.96	27.4 Ω/km
ANM11.002.49.019AB	UL20276	30V	49X19AWG	43/0.14	19.1	693.06	27.4 Ω/km
ANM11.002.50.019AB	UL20276	30V	50X19AWG	43/0.14	19.1	697.76	27.4 Ω/km



ANM11.002.51.019AB	UL20276	30V	51X19AWG	43/0.14	19.1	702.26	27.4 Ω/km
ANM11.002.52.019AB	UL20276	30V	52X19AWG	43/0.14	19.1	707.06	27.4 Ω/km
ANM11.002.53.019AB	UL20276	30V	53X19AWG	43/0.14	20.5	778.86	27.4 Ω/km
ANM11.002.54.019AB	UL20276	30V	54X19AWG	43/0.14	20.5	783.36	27.4 Ω/km
ANM11.002.55.019AB	UL20276	30V	55X19AWG	43/0.14	20.5	788.16	27.4 Ω/km
ANM11.002.56.019AB	UL20276	30V	56X19AWG	43/0.14	20.5	792.66	27.4 Ω/km
ANM11.002.57.019AB	UL20276	30V	57X19AWG	43/0.14	21	823.16	27.4 Ω/km
ANM11.002.58.019AB	UL20276	30V	58X19AWG	43/0.14	21	827.66	27.4 Ω/km
ANM11.002.59.019AB	UL20276	30V	59X19AWG	43/0.14	21	832.36	27.4 Ω/km
ANM11.002.60.019AB	UL20276	30V	60X19AWG	43/0.14	21	836.96	27.4 Ω/km
ANM11.002.61.019AB	UL20276	30V	61X19AWG	43/0.14	21	841.56	27.4 Ω/km
ANM11.002.62.019AB	UL20276	30V	62X19AWG	43/0.14	21.6	878.06	27.4 Ω/km
ANM11.002.63.019AB	UL20276	30V	63X19AWG	43/0.14	21.6	882.76	27.4 Ω/km
ANM11.002.64.019AB	UL20276	30V	64X19AWG	43/0.14	21.6	887.36	27.4 Ω/km
ANM11.002.65.019AB	UL20276	30V	65X19AWG	43/0.14	21.6	891.96	27.4 Ω/km
ANM11.002.02.018AB	UL20276	30V	2X18AWG	29/0.19	6.4	69.03	21.8 Ω/km
ANM11.002.03.018AB	UL20276	30V	3X18AWG	29/0.19	6.8	81.93	21.8 Ω/km
ANM11.002.04.018AB	UL20276	30V	4X18AWG	29/0.19	7.3	97.33	21.8 Ω/km
ANM11.002.05.018AB	UL20276	30V	5X18AWG	29/0.19	7.8	113.13	21.8 Ω/km
ANM11.002.06.018AB	UL20276	30V	6X18AWG	29/0.19	8.4	131.63	21.8 Ω/km
ANM11.002.07.018AB	UL20276	30V	7X18AWG	29/0.19	8.4	137.73	21.8 Ω/km
ANM11.002.08.018AB	UL20276	30V	8X18AWG	29/0.19	9	157.23	21.8 Ω/km
ANM11.002.09.018AB	UL20276	30V	9X18AWG	29/0.19	9.8	182.53	21.8 Ω/km
ANM11.002.10.018AB	UL20276	30V	10X18AWG	29/0.19	11	219.33	21.8 Ω/km
ANM11.002.11.018AB	UL20276	30V	11X18AWG	29/0.19	11.4	236.63	21.8 Ω/km
ANM11.002.12.018AB	UL20276	30V	12X18AWG	29/0.19	11.4	242.43	21.8 Ω/km
ANM11.002.13.018AB	UL20276	30V	13X18AWG	29/0.19	11.9	263.43	21.8 Ω/km
ANM11.002.14.018AB	UL20276	30V	14X18AWG	29/0.19	11.9	269.33	21.8 Ω/km
ANM11.002.15.018AB	UL20276	30V	15X18AWG	29/0.19	12.4	290.63	21.8 Ω/km
ANM11.002.16.018AB	UL20276	30V	16X18AWG	29/0.19	12.4	296.73	21.8 Ω/km
ANM11.002.17.018AB	UL20276	30V	17X18AWG	29/0.19	13	321.83	21.8 Ω/km
ANM11.002.18.018AB	UL20276	30V	18X18AWG	29/0.19	13	327.83	21.8 Ω/km
ANM11.002.19.018AB	UL20276	30V	19X18AWG	29/0.19	13	333.93	21.8 Ω/km
ANM11.002.20.018AB	UL20276	30V	20X18AWG	29/0.19	13.5	356.63	21.8 Ω/km
ANM11.002.21.018AB	UL20276	30V	21X18AWG	29/0.19	13.7	369.43	21.8 Ω/km
ANM11.002.22.018AB	UL20276	30V	22X18AWG	29/0.19	14.5	404.03	21.8 Ω/km
ANM11.002.23.018AB	UL20276	30V	23X18AWG	29/0.19	15.1	432.23	21.8 Ω/km
ANM11.002.24.018AB	UL20276	30V	24X18AWG	29/0.19	15.1	438.13	21.8 Ω/km
ANM11.002.25.018AB	UL20276	30V	25X18AWG	29/0.19	15.5	459.63	21.8 Ω/km
ANM11.002.26.018AB	UL20276	30V	26X18AWG	29/0.19	15.5	465.43	21.8 Ω/km
ANM11.002.27.018AB	UL20276	30V	27X18AWG	29/0.19	15.5	471.43	21.8 Ω/km
ANM11.002.28.018AB	UL20276	30V	28X18AWG	29/0.19	16	497.13	21.8 Ω/km



ANM11.002.29.018AB	UL20276	30V	29X18AWG	29/0.19	16	503.23	21.8Ω/km
ANM11.002.30.018AB	UL20276	30V	30X18AWG	29/0.19	16	509.23	21.8Ω/km
ANM11.002.31.018AB	UL20276	30V	31X18AWG	29/0.19	16.5	535.33	21.8Ω/km
ANM11.002.32.018AB	UL20276	30V	32X18AWG	29/0.19	16.5	541.33	21.8Ω/km
ANM11.002.33.018AB	UL20276	30V	33X18AWG	29/0.19	16.5	547.33	21.8Ω/km
ANM11.002.34.018AB	UL20276	30V	34X18AWG	29/0.19	17.1	578.53	21.8Ω/km
ANM11.002.35.018AB	UL20276	30V	35X18AWG	29/0.19	17.1	584.63	21.8Ω/km
ANM11.002.36.018AB	UL20276	30V	36X18AWG	29/0.19	17.1	590.53	21.8Ω/km
ANM11.002.37.018AB	UL20276	30V	37X18AWG	29/0.19	17.1	596.43	21.8Ω/km
ANM11.002.38.018AB	UL20276	30V	38X18AWG	29/0.19	17.7	628.63	21.8Ω/km
ANM11.002.39.018AB	UL20276	30V	39X18AWG	29/0.19	17.7	634.63	21.8Ω/km
ANM11.002.40.018AB	UL20276	30V	40X18AWG	29/0.19	17.7	640.53	21.8Ω/km
ANM11.002.41.018AB	UL20276	30V	41X18AWG	29/0.19	19.1	710.83	21.8Ω/km
ANM11.002.42.018AB	UL20276	30V	42X18AWG	29/0.19	19.1	716.73	21.8Ω/km
ANM11.002.43.018AB	UL20276	30V	43X18AWG	29/0.19	19.1	722.73	21.8Ω/km
ANM11.002.44.018AB	UL20276	30V	44X18AWG	29/0.19	19.1	728.73	21.8Ω/km
ANM11.002.45.018AB	UL20276	30V	45X18AWG	29/0.19	20.3	791.63	21.8Ω/km
ANM11.002.46.018AB	UL20276	30V	46X18AWG	29/0.19	20.3	797.53	21.8Ω/km
ANM11.002.47.018AB	UL20276	30V	47X18AWG	29/0.19	20.3	803.63	21.8Ω/km
ANM11.002.48.018AB	UL20276	30V	48X18AWG	29/0.19	20.3	809.43	21.8Ω/km
ANM11.002.49.018AB	UL20276	30V	49X18AWG	29/0.19	20.8	841.03	21.8Ω/km
ANM11.002.50.018AB	UL20276	30V	50X18AWG	29/0.19	20.8	847.13	21.8Ω/km
ANM11.002.51.018AB	UL20276	30V	51X18AWG	29/0.19	20.8	852.93	21.8Ω/km
ANM11.002.52.018AB	UL20276	30V	52X18AWG	29/0.19	20.8	858.93	21.8Ω/km
ANM11.002.53.018AB	UL20276	30V	53X18AWG	29/0.19	21.3	891.13	21.8Ω/km
ANM11.002.54.018AB	UL20276	30V	54X18AWG	29/0.19	21.3	897.03	21.8Ω/km
ANM11.002.55.018AB	UL20276	30V	55X18AWG	29/0.19	21.3	903.03	21.8Ω/km
ANM11.002.56.018AB	UL20276	30V	56X18AWG	29/0.19	21.3	908.83	21.8Ω/km
ANM11.002.57.018AB	UL20276	30V	57X18AWG	29/0.19	21.9	947.03	21.8Ω/km
ANM11.002.58.018AB	UL20276	30V	58X18AWG	29/0.19	21.9	953.03	21.8Ω/km
ANM11.002.59.018AB	UL20276	30V	59X18AWG	29/0.19	21.9	958.93	21.8Ω/km
ANM11.002.60.018AB	UL20276	30V	60X18AWG	29/0.19	21.9	964.93	21.8Ω/km
ANM11.002.61.018AB	UL20276	30V	61X18AWG	29/0.19	21.9	970.93	21.8Ω/km
ANM11.002.62.018AB	UL20276	30V	62X18AWG	29/0.19	22.5	1009.93	21.8Ω/km
ANM11.002.63.018AB	UL20276	30V	63X18AWG	29/0.19	22.5	1016.03	21.8Ω/km
ANM11.002.64.018AB	UL20276	30V	64X18AWG	29/0.19	22.5	1022.03	21.8Ω/km
ANM11.002.65.018AB	UL20276	30V	65X18AWG	29/0.19	22.5	1027.83	21.8Ω/km
ANM11.002.02.017AB	UL20276	30V	2X17AWG	37/0.19	6.8	79.14	17.3Ω/km
ANM11.002.03.017AB	UL20276	30V	3X17AWG	37/0.19	7.2	93.84	17.3Ω/km
ANM11.002.04.017AB	UL20276	30V	4X17AWG	37/0.19	7.8	113.04	17.3Ω/km
ANM11.002.05.017AB	UL20276	30V	5X17AWG	37/0.19	8.4	133.04	17.3Ω/km
ANM11.002.06.017AB	UL20276	30V	6X17AWG	37/0.19	9	153.94	17.3Ω/km



ANM11.002.07.017AB	UL20276	30V	7X17AWG	37/0.19	9	161.24	17.3 Ω/km
ANM11.002.08.017AB	UL20276	30V	8X17AWG	37/0.19	9.7	185.54	17.3 Ω/km
ANM11.002.09.017AB	UL20276	30V	9X17AWG	37/0.19	11.2	231.84	17.3 Ω/km
ANM11.002.10.017AB	UL20276	30V	10X17AWG	37/0.19	11.8	256.94	17.3 Ω/km
ANM11.002.11.017AB	UL20276	30V	11X17AWG	37/0.19	12.2	276.44	17.3 Ω/km
ANM11.002.12.017AB	UL20276	30V	12X17AWG	37/0.19	12.2	283.84	17.3 Ω/km
ANM11.002.13.017AB	UL20276	30V	13X17AWG	37/0.19	12.8	310.14	17.3 Ω/km
ANM11.002.14.017AB	UL20276	30V	14X17AWG	37/0.19	12.8	317.44	17.3 Ω/km
ANM11.002.15.017AB	UL20276	30V	15X17AWG	37/0.19	13.5	348.14	17.3 Ω/km
ANM11.002.16.017AB	UL20276	30V	16X17AWG	37/0.19	13.5	355.54	17.3 Ω/km
ANM11.002.17.017AB	UL20276	30V	17X17AWG	37/0.19	14.1	383.84	17.3 Ω/km
ANM11.002.18.017AB	UL20276	30V	18X17AWG	37/0.19	14.1	391.24	17.3 Ω/km
ANM11.002.19.017AB	UL20276	30V	19X17AWG	37/0.19	14.1	398.74	17.3 Ω/km
ANM11.002.20.017AB	UL20276	30V	20X17AWG	37/0.19	14.5	420.44	17.3 Ω/km
ANM11.002.21.017AB	UL20276	30V	21X17AWG	37/0.19	14.8	438.94	17.3 Ω/km
ANM11.002.22.017AB	UL20276	30V	22X17AWG	37/0.19	15.7	480.74	17.3 Ω/km
ANM11.002.23.017AB	UL20276	30V	23X17AWG	37/0.19	16.3	512.14	17.3 Ω/km
ANM11.002.24.017AB	UL20276	30V	24X17AWG	37/0.19	16.3	519.54	17.3 Ω/km
ANM11.002.25.017AB	UL20276	30V	25X17AWG	37/0.19	16.7	543.44	17.3 Ω/km
ANM11.002.26.017AB	UL20276	30V	26X17AWG	37/0.19	16.7	550.74	17.3 Ω/km
ANM11.002.27.017AB	UL20276	30V	27X17AWG	37/0.19	16.7	558.24	17.3 Ω/km
ANM11.002.28.017AB	UL20276	30V	28X17AWG	37/0.19	17.3	591.24	17.3 Ω/km
ANM11.002.29.017AB	UL20276	30V	29X17AWG	37/0.19	17.3	598.64	17.3 Ω/km
ANM11.002.30.017AB	UL20276	30V	30X17AWG	37/0.19	17.3	605.94	17.3 Ω/km
ANM11.002.31.017AB	UL20276	30V	31X17AWG	37/0.19	17.9	639.74	17.3 Ω/km
ANM11.002.32.017AB	UL20276	30V	32X17AWG	37/0.19	17.9	647.04	17.3 Ω/km
ANM11.002.33.017AB	UL20276	30V	33X17AWG	37/0.19	17.9	654.34	17.3 Ω/km
ANM11.002.34.017AB	UL20276	30V	34X17AWG	37/0.19	18.5	689.04	17.3 Ω/km
ANM11.002.35.017AB	UL20276	30V	35X17AWG	37/0.19	18.5	696.44	17.3 Ω/km
ANM11.002.36.017AB	UL20276	30V	36X17AWG	37/0.19	18.5	703.84	17.3 Ω/km
ANM11.002.37.017AB	UL20276	30V	37X17AWG	37/0.19	18.5	711.34	17.3 Ω/km
ANM11.002.38.017AB	UL20276	30V	38X17AWG	37/0.19	19.2	751.64	17.3 Ω/km
ANM11.002.39.017AB	UL20276	30V	39X17AWG	37/0.19	19.2	759.04	17.3 Ω/km
ANM11.002.40.017AB	UL20276	30V	40X17AWG	37/0.19	19.2	766.34	17.3 Ω/km
ANM11.002.41.017AB	UL20276	30V	41X17AWG	37/0.19	21.5	888.24	17.3 Ω/km
ANM11.002.42.017AB	UL20276	30V	42X17AWG	37/0.19	21.5	895.54	17.3 Ω/km
ANM11.002.43.017AB	UL20276	30V	43X17AWG	37/0.19	21.5	902.94	17.3 Ω/km
ANM11.002.44.017AB	UL20276	30V	44X17AWG	37/0.19	21.5	910.24	17.3 Ω/km
ANM11.002.45.017AB	UL20276	30V	45X17AWG	37/0.19	21.9	939.24	17.3 Ω/km
ANM11.002.46.017AB	UL20276	30V	46X17AWG	37/0.19	21.9	946.64	17.3 Ω/km
ANM11.002.47.017AB	UL20276	30V	47X17AWG	37/0.19	21.9	954.04	17.3 Ω/km
ANM11.002.48.017AB	UL20276	30V	48X17AWG	37/0.19	21.9	961.34	17.3 Ω/km



ANM11.002.49.017AB	UL20276	30V	49X17AWG	37/0.19	22.5	1001.94	17.3 Ω/km
ANM11.002.50.017AB	UL20276	30V	50X17AWG	37/0.19	22.5	1009.24	17.3 Ω/km
ANM11.002.51.017AB	UL20276	30V	51X17AWG	37/0.19	22.5	1016.54	17.3 Ω/km
ANM11.002.52.017AB	UL20276	30V	52X17AWG	37/0.19	22.5	1023.94	17.3 Ω/km
ANM11.002.53.017AB	UL20276	30V	53X17AWG	37/0.19	23.1	1065.24	17.3 Ω/km
ANM11.002.54.017AB	UL20276	30V	54X17AWG	37/0.19	23.1	1072.54	17.3 Ω/km
ANM11.002.55.017AB	UL20276	30V	55X17AWG	37/0.19	23.1	1080.04	17.3 Ω/km
ANM11.002.56.017AB	UL20276	30V	56X17AWG	37/0.19	23.1	1087.34	17.3 Ω/km
ANM11.002.57.017AB	UL20276	30V	57X17AWG	37/0.19	23.7	1129.64	17.3 Ω/km
ANM11.002.58.017AB	UL20276	30V	58X17AWG	37/0.19	23.7	1137.04	17.3 Ω/km
ANM11.002.59.017AB	UL20276	30V	59X17AWG	37/0.19	23.7	1144.34	17.3 Ω/km
ANM11.002.60.017AB	UL20276	30V	60X17AWG	37/0.19	23.7	1151.74	17.3 Ω/km
ANM11.002.61.017AB	UL20276	30V	61X17AWG	37/0.19	23.7	1159.04	17.3 Ω/km
ANM11.002.62.017AB	UL20276	30V	62X17AWG	37/0.19	24.4	1208.24	17.3 Ω/km
ANM11.002.63.017AB	UL20276	30V	63X17AWG	37/0.19	24.4	1215.54	17.3 Ω/km
ANM11.002.64.017AB	UL20276	30V	64X17AWG	37/0.19	24.4	1223.04	17.3 Ω/km
ANM11.002.65.017AB	UL20276	30V	65X17AWG	37/0.19	24.4	1230.34	17.3 Ω/km
ANM11.002.02.016AB	UL20276	30V	2X16AWG	27/0.25	7	87.51	13.7 Ω/km
ANM11.002.03.016AB	UL20276	30V	3X16AWG	27/0.25	7.4	104.61	13.7 Ω/km
ANM11.002.04.016AB	UL20276	30V	4X16AWG	27/0.25	8	126.21	13.7 Ω/km
ANM11.002.05.016AB	UL20276	30V	5X16AWG	27/0.25	8.7	151.01	13.7 Ω/km
ANM11.002.06.016AB	UL20276	30V	6X16AWG	27/0.25	9.3	174.51	13.7 Ω/km
ANM11.002.07.016AB	UL20276	30V	7X16AWG	27/0.25	9.3	184.11	13.7 Ω/km
ANM11.002.08.016AB	UL20276	30V	8X16AWG	27/0.25	10	211.11	13.7 Ω/km
ANM11.002.09.016AB	UL20276	30V	9X16AWG	27/0.25	11.6	263.61	13.7 Ω/km
ANM11.002.10.016AB	UL20276	30V	10X16AWG	27/0.25	12.2	291.21	13.7 Ω/km
ANM11.002.11.016AB	UL20276	30V	11X16AWG	27/0.25	12.6	313.41	13.7 Ω/km
ANM11.002.12.016AB	UL20276	30V	12X16AWG	27/0.25	12.6	323.01	13.7 Ω/km
ANM11.002.13.016AB	UL20276	30V	13X16AWG	27/0.25	13.3	355.41	13.7 Ω/km
ANM11.002.14.016AB	UL20276	30V	14X16AWG	27/0.25	13.3	365.01	13.7 Ω/km
ANM11.002.15.016AB	UL20276	30V	15X16AWG	27/0.25	14	398.71	13.7 Ω/km
ANM11.002.16.016AB	UL20276	30V	16X16AWG	27/0.25	14	408.31	13.7 Ω/km
ANM11.002.17.016AB	UL20276	30V	17X16AWG	27/0.25	14.6	439.51	13.7 Ω/km
ANM11.002.18.016AB	UL20276	30V	18X16AWG	27/0.25	14.6	449.11	13.7 Ω/km
ANM11.002.19.016AB	UL20276	30V	19X16AWG	27/0.25	14.6	458.71	13.7 Ω/km
ANM11.002.20.016AB	UL20276	30V	20X16AWG	27/0.25	15	483.11	13.7 Ω/km
ANM11.002.21.016AB	UL20276	30V	21X16AWG	27/0.25	15.3	504.21	13.7 Ω/km
ANM11.002.22.016AB	UL20276	30V	22X16AWG	27/0.25	16.3	553.31	13.7 Ω/km
ANM11.002.23.016AB	UL20276	30V	23X16AWG	27/0.25	16.9	588.01	13.7 Ω/km
ANM11.002.24.016AB	UL20276	30V	24X16AWG	27/0.25	16.9	597.61	13.7 Ω/km
ANM11.002.25.016AB	UL20276	30V	25X16AWG	27/0.25	17.3	624.21	13.7 Ω/km
ANM11.002.26.016AB	UL20276	30V	26X16AWG	27/0.25	17.3	633.81	13.7 Ω/km



ANM11.002.27.016AB	UL20276	30V	27X16AWG	27/0.25	17.3	643.31	13.7 Ω/km
ANM11.002.28.016AB	UL20276	30V	28X16AWG	27/0.25	17.9	679.31	13.7 Ω/km
ANM11.002.29.016AB	UL20276	30V	29X16AWG	27/0.25	17.9	688.81	13.7 Ω/km
ANM11.002.30.016AB	UL20276	30V	30X16AWG	27/0.25	17.9	698.41	13.7 Ω/km
ANM11.002.31.016AB	UL20276	30V	31X16AWG	27/0.25	18.6	739.91	13.7 Ω/km
ANM11.002.32.016AB	UL20276	30V	32X16AWG	27/0.25	18.6	749.41	13.7 Ω/km
ANM11.002.33.016AB	UL20276	30V	33X16AWG	27/0.25	18.6	759.01	13.7 Ω/km
ANM11.002.34.016AB	UL20276	30V	34X16AWG	27/0.25	19.2	796.91	13.7 Ω/km
ANM11.002.35.016AB	UL20276	30V	35X16AWG	27/0.25	19.2	806.51	13.7 Ω/km
ANM11.002.36.016AB	UL20276	30V	36X16AWG	27/0.25	19.2	816.11	13.7 Ω/km
ANM11.002.37.016AB	UL20276	30V	37X16AWG	27/0.25	19.2	825.61	13.7 Ω/km
ANM11.002.38.016AB	UL20276	30V	38X16AWG	27/0.25	20.7	907.81	13.7 Ω/km
ANM11.002.39.016AB	UL20276	30V	39X16AWG	27/0.25	20.7	917.31	13.7 Ω/km
ANM11.002.40.016AB	UL20276	30V	40X16AWG	27/0.25	20.7	926.91	13.7 Ω/km
ANM11.002.41.016AB	UL20276	30V	41X16AWG	27/0.25	22.3	1022.11	13.7 Ω/km
ANM11.002.42.016AB	UL20276	30V	42X16AWG	27/0.25	22.3	1031.61	13.7 Ω/km
ANM11.002.43.016AB	UL20276	30V	43X16AWG	27/0.25	22.3	1041.21	13.7 Ω/km
ANM11.002.44.016AB	UL20276	30V	44X16AWG	27/0.25	22.3	1050.71	13.7 Ω/km
ANM11.002.45.016AB	UL20276	30V	45X16AWG	27/0.25	22.7	1082.61	13.7 Ω/km
ANM11.002.46.016AB	UL20276	30V	46X16AWG	27/0.25	22.7	1092.11	13.7 Ω/km
ANM11.002.47.016AB	UL20276	30V	47X16AWG	27/0.25	22.7	1101.71	13.7 Ω/km
ANM11.002.48.016AB	UL20276	30V	48X16AWG	27/0.25	22.7	1111.31	13.7 Ω/km
ANM11.002.49.016AB	UL20276	30V	49X16AWG	27/0.25	23.3	1154.91	13.7 Ω/km
ANM11.002.50.016AB	UL20276	30V	50X16AWG	27/0.25	23.3	1164.51	13.7 Ω/km
ANM11.002.51.016AB	UL20276	30V	51X16AWG	27/0.25	23.3	1174.01	13.7 Ω/km
ANM11.002.52.016AB	UL20276	30V	52X16AWG	27/0.25	23.3	1183.61	13.7 Ω/km
ANM11.002.53.016AB	UL20276	30V	53X16AWG	27/0.25	24	1234.31	13.7 Ω/km
ANM11.002.54.016AB	UL20276	30V	54X16AWG	27/0.25	24	1243.81	13.7 Ω/km
ANM11.002.55.016AB	UL20276	30V	55X16AWG	27/0.25	24	1253.41	13.7 Ω/km
ANM11.002.56.016AB	UL20276	30V	56X16AWG	27/0.25	24	1262.91	13.7 Ω/km
ANM11.002.57.016AB	UL20276	30V	57X16AWG	27/0.25	24.6	1308.71	13.7 Ω/km
ANM11.002.58.016AB	UL20276	30V	58X16AWG	27/0.25	24.6	1318.21	13.7 Ω/km
ANM11.002.59.016AB	UL20276	30V	59X16AWG	27/0.25	24.6	1327.81	13.7 Ω/km
ANM11.002.60.016AB	UL20276	30V	60X16AWG	27/0.25	24.6	1337.41	13.7 Ω/km
ANM11.002.61.016AB	UL20276	30V	61X16AWG	27/0.25	24.6	1346.91	13.7 Ω/km
ANM11.002.62.016AB	UL20276	30V	62X16AWG	27/0.25	25.3	1399.81	13.7 Ω/km
ANM11.002.63.016AB	UL20276	30V	63X16AWG	27/0.25	25.3	1409.31	13.7 Ω/km
ANM11.002.64.016AB	UL20276	30V	64X16AWG	27/0.25	25.3	1418.91	13.7 Ω/km
ANM11.002.65.016AB	UL20276	30V	65X16AWG	27/0.25	25.3	1428.51	13.7 Ω/km
物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
芯线 PVC 材质							



ANM11.011.02.030AB	UL20276	30V	2X30AWG	7/0.1	4.4	27.96	354 Ω/km
ANM11.011.03.030AB	UL20276	30V	3X30AWG	7/0.1	4.6	30.76	354 Ω/km
ANM11.011.04.030AB	UL20276	30V	4X30AWG	7/0.1	4.9	35.06	354 Ω/km
ANM11.011.05.030AB	UL20276	30V	5X30AWG	7/0.1	5.1	38.06	354 Ω/km
ANM11.011.06.030AB	UL20276	30V	6X30AWG	7/0.1	5.4	42.66	354 Ω/km
ANM11.011.07.030AB	UL20276	30V	7X30AWG	7/0.1	5.4	43.06	354 Ω/km
ANM11.011.08.030AB	UL20276	30V	8X30AWG	7/0.1	5.7	47.86	354 Ω/km
ANM11.011.09.030AB	UL20276	30V	9X30AWG	7/0.1	6.1	54.66	354 Ω/km
ANM11.011.10.030AB	UL20276	30V	10X30AWG	7/0.1	6.4	59.76	354 Ω/km
ANM11.011.11.030AB	UL20276	30V	11X30AWG	7/0.1	6.6	63.76	354 Ω/km
ANM11.011.12.030AB	UL20276	30V	12X30AWG	7/0.1	6.6	64.16	354 Ω/km
ANM11.011.13.030AB	UL20276	30V	13X30AWG	7/0.1	6.9	69.66	354 Ω/km
ANM11.011.14.030AB	UL20276	30V	14X30AWG	7/0.1	6.9	69.86	354 Ω/km
ANM11.011.15.030AB	UL20276	30V	15X30AWG	7/0.1	7.1	73.96	354 Ω/km
ANM11.011.16.030AB	UL20276	30V	16X30AWG	7/0.1	7.1	74.36	354 Ω/km
ANM11.011.17.030AB	UL20276	30V	17X30AWG	7/0.1	7.4	80.56	354 Ω/km
ANM11.011.18.030AB	UL20276	30V	18X30AWG	7/0.1	7.4	80.96	354 Ω/km
ANM11.011.19.030AB	UL20276	30V	19X30AWG	7/0.1	7.4	81.16	354 Ω/km
ANM11.011.20.030AB	UL20276	30V	20X30AWG	7/0.1	7.6	85.36	354 Ω/km
ANM11.011.21.030AB	UL20276	30V	21X30AWG	7/0.1	7.7	87.76	354 Ω/km
ANM11.011.22.030AB	UL20276	30V	22X30AWG	7/0.1	8.1	96.36	354 Ω/km
ANM11.011.23.030AB	UL20276	30V	23X30AWG	7/0.1	8.4	103.16	354 Ω/km
ANM11.011.24.030AB	UL20276	30V	24X30AWG	7/0.1	8.4	103.46	354 Ω/km
ANM11.011.25.030AB	UL20276	30V	25X30AWG	7/0.1	8.6	108.36	354 Ω/km
ANM11.011.26.030AB	UL20276	30V	26X30AWG	7/0.1	8.6	108.66	354 Ω/km
ANM11.011.27.030AB	UL20276	30V	27X30AWG	7/0.1	8.6	109.06	354 Ω/km
ANM11.011.28.030AB	UL20276	30V	28X30AWG	7/0.1	8.9	116.16	354 Ω/km
ANM11.011.29.030AB	UL20276	30V	29X30AWG	7/0.1	8.9	116.56	354 Ω/km
ANM11.011.30.030AB	UL20276	30V	30X30AWG	7/0.1	8.9	116.96	354 Ω/km
ANM11.011.31.030AB	UL20276	30V	31X30AWG	7/0.1	9.1	121.86	354 Ω/km
ANM11.011.32.030AB	UL20276	30V	32X30AWG	7/0.1	9.1	122.16	354 Ω/km
ANM11.011.33.030AB	UL20276	30V	33X30AWG	7/0.1	9.1	122.46	354 Ω/km
ANM11.011.34.030AB	UL20276	30V	34X30AWG	7/0.1	9.4	129.96	354 Ω/km
ANM11.011.35.030AB	UL20276	30V	35X30AWG	7/0.1	9.4	130.36	354 Ω/km
ANM11.011.36.030AB	UL20276	30V	36X30AWG	7/0.1	9.4	130.76	354 Ω/km
ANM11.011.37.030AB	UL20276	30V	37X30AWG	7/0.1	9.4	130.96	354 Ω/km
ANM11.011.38.030AB	UL20276	30V	38X30AWG	7/0.1	9.7	138.76	354 Ω/km
ANM11.011.39.030AB	UL20276	30V	39X30AWG	7/0.1	9.7	139.16	354 Ω/km
ANM11.011.40.030AB	UL20276	30V	40X30AWG	7/0.1	9.7	139.56	354 Ω/km
ANM11.011.41.030AB	UL20276	30V	41X30AWG	7/0.1	11	173.16	354 Ω/km
ANM11.011.42.030AB	UL20276	30V	42X30AWG	7/0.1	11	173.46	354 Ω/km
ANM11.011.43.030AB	UL20276	30V	43X30AWG	7/0.1	11	173.86	354 Ω/km





ANM11.011.44.030AB	UL20276	30V	44X30AWG	7/0.1	11	174.26	354 Ω/km
ANM11.011.45.030AB	UL20276	30V	45X30AWG	7/0.1	11.2	180.26	354 Ω/km
ANM11.011.46.030AB	UL20276	30V	46X30AWG	7/0.1	11.2	180.56	354 Ω/km
ANM11.011.47.030AB	UL20276	30V	47X30AWG	7/0.1	11.2	180.76	354 Ω/km
ANM11.011.48.030AB	UL20276	30V	48X30AWG	7/0.1	11.2	181.16	354 Ω/km
ANM11.011.49.030AB	UL20276	30V	49X30AWG	7/0.1	11.5	190.26	354 Ω/km
ANM11.011.50.030AB	UL20276	30V	50X30AWG	7/0.1	11.5	190.56	354 Ω/km
ANM11.011.51.030AB	UL20276	30V	51X30AWG	7/0.1	11.5	190.86	354 Ω/km
ANM11.011.52.030AB	UL20276	30V	52X30AWG	7/0.1	11.5	191.26	354 Ω/km
ANM11.011.53.030AB	UL20276	30V	53X30AWG	7/0.1	11.7	197.56	354 Ω/km
ANM11.011.54.030AB	UL20276	30V	54X30AWG	7/0.1	11.7	197.86	354 Ω/km
ANM11.011.55.030AB	UL20276	30V	55X30AWG	7/0.1	11.7	198.16	354 Ω/km
ANM11.011.56.030AB	UL20276	30V	56X30AWG	7/0.1	11.7	198.46	354 Ω/km
ANM11.011.57.030AB	UL20276	30V	57X30AWG	7/0.1	12	207.96	354 Ω/km
ANM11.011.58.030AB	UL20276	30V	58X30AWG	7/0.1	12	208.36	354 Ω/km
ANM11.011.59.030AB	UL20276	30V	59X30AWG	7/0.1	12	208.66	354 Ω/km
ANM11.011.60.030AB	UL20276	30V	60X30AWG	7/0.1	12	208.96	354 Ω/km
ANM11.011.61.030AB	UL20276	30V	61X30AWG	7/0.1	12	209.26	354 Ω/km
ANM11.011.62.030AB	UL20276	30V	62X30AWG	7/0.1	12.3	219.06	354 Ω/km
ANM11.011.63.030AB	UL20276	30V	63X30AWG	7/0.1	12.3	219.46	354 Ω/km
ANM11.011.64.030AB	UL20276	30V	64X30AWG	7/0.1	12.3	219.76	354 Ω/km
ANM11.011.65.030AB	UL20276	30V	65X30AWG	7/0.1	12.3	220.06	354 Ω/km
ANM11.011.02.029AB	UL20276	30V	2X29AWG	9/0.1	4.6	30.67	277 Ω/km
ANM11.011.03.029AB	UL20276	30V	3X29AWG	9/0.1	4.8	33.67	277 Ω/km
ANM11.011.04.029AB	UL20276	30V	4X29AWG	9/0.1	5.1	38.27	277 Ω/km
ANM11.011.05.029AB	UL20276	30V	5X29AWG	9/0.1	5.4	42.87	277 Ω/km
ANM11.011.06.029AB	UL20276	30V	6X29AWG	9/0.1	5.7	47.77	277 Ω/km
ANM11.011.07.029AB	UL20276	30V	7X29AWG	9/0.1	5.7	48.17	277 Ω/km
ANM11.011.08.029AB	UL20276	30V	8X29AWG	9/0.1	6.1	54.97	277 Ω/km
ANM11.011.09.029AB	UL20276	30V	9X29AWG	9/0.1	6.5	62.17	277 Ω/km
ANM11.011.10.029AB	UL20276	30V	10X29AWG	9/0.1	6.8	68.07	277 Ω/km
ANM11.011.11.029AB	UL20276	30V	11X29AWG	9/0.1	7	72.17	277 Ω/km
ANM11.011.12.029AB	UL20276	30V	12X29AWG	9/0.1	7	72.67	277 Ω/km
ANM11.011.13.029AB	UL20276	30V	13X29AWG	9/0.1	7.3	78.67	277 Ω/km
ANM11.011.14.029AB	UL20276	30V	14X29AWG	9/0.1	7.3	79.07	277 Ω/km
ANM11.011.15.029AB	UL20276	30V	15X29AWG	9/0.1	7.6	85.37	277 Ω/km
ANM11.011.16.029AB	UL20276	30V	16X29AWG	9/0.1	7.6	85.77	277 Ω/km
ANM11.011.17.029AB	UL20276	30V	17X29AWG	9/0.1	7.9	92.47	277 Ω/km
ANM11.011.18.029AB	UL20276	30V	18X29AWG	9/0.1	7.9	92.87	277 Ω/km
ANM11.011.19.029AB	UL20276	30V	19X29AWG	9/0.1	7.9	93.27	277 Ω/km
ANM11.011.20.029AB	UL20276	30V	20X29AWG	9/0.1	8.1	97.97	277 Ω/km
ANM11.011.21.029AB	UL20276	30V	21X29AWG	9/0.1	8.3	102.67	277 Ω/km



ANM11.011.22.029AB	UL20276	30V	22X29AWG	9/0.1	8.7	112.07	277 Ω/km
ANM11.011.23.029AB	UL20276	30V	23X29AWG	9/0.1	9	119.27	277 Ω/km
ANM11.011.24.029AB	UL20276	30V	24X29AWG	9/0.1	9	119.77	277 Ω/km
ANM11.011.25.029AB	UL20276	30V	25X29AWG	9/0.1	9.2	124.77	277 Ω/km
ANM11.011.26.029AB	UL20276	30V	26X29AWG	9/0.1	9.2	125.37	277 Ω/km
ANM11.011.27.029AB	UL20276	30V	27X29AWG	9/0.1	9.2	125.77	277 Ω/km
ANM11.011.28.029AB	UL20276	30V	28X29AWG	9/0.1	9.5	133.47	277 Ω/km
ANM11.011.29.029AB	UL20276	30V	29X29AWG	9/0.1	9.5	134.07	277 Ω/km
ANM11.011.30.029AB	UL20276	30V	30X29AWG	9/0.1	9.5	134.47	277 Ω/km
ANM11.011.31.029AB	UL20276	30V	31X29AWG	9/0.1	9.8	142.37	277 Ω/km
ANM11.011.32.029AB	UL20276	30V	32X29AWG	9/0.1	9.8	142.87	277 Ω/km
ANM11.011.33.029AB	UL20276	30V	33X29AWG	9/0.1	9.8	143.27	277 Ω/km
ANM11.011.34.029AB	UL20276	30V	34X29AWG	9/0.1	10.1	151.47	277 Ω/km
ANM11.011.35.029AB	UL20276	30V	35X29AWG	9/0.1	10.1	151.87	277 Ω/km
ANM11.011.36.029AB	UL20276	30V	36X29AWG	9/0.1	10.1	152.27	277 Ω/km
ANM11.011.37.029AB	UL20276	30V	37X29AWG	9/0.1	10.1	152.77	277 Ω/km
ANM11.011.38.029AB	UL20276	30V	38X29AWG	9/0.1	11.1	179.17	277 Ω/km
ANM11.011.39.029AB	UL20276	30V	39X29AWG	9/0.1	11.1	179.67	277 Ω/km
ANM11.011.40.029AB	UL20276	30V	40X29AWG	9/0.1	11.1	180.07	277 Ω/km
ANM11.011.41.029AB	UL20276	30V	41X29AWG	9/0.1	11.8	200.97	277 Ω/km
ANM11.011.42.029AB	UL20276	30V	42X29AWG	9/0.1	11.8	201.47	277 Ω/km
ANM11.011.43.029AB	UL20276	30V	43X29AWG	9/0.1	11.8	201.97	277 Ω/km
ANM11.011.44.029AB	UL20276	30V	44X29AWG	9/0.1	11.8	202.37	277 Ω/km
ANM11.011.45.029AB	UL20276	30V	45X29AWG	9/0.1	12	208.87	277 Ω/km
ANM11.011.46.029AB	UL20276	30V	46X29AWG	9/0.1	12	209.27	277 Ω/km
ANM11.011.47.029AB	UL20276	30V	47X29AWG	9/0.1	12	209.67	277 Ω/km
ANM11.011.48.029AB	UL20276	30V	48X29AWG	9/0.1	12	210.17	277 Ω/km
ANM11.011.49.029AB	UL20276	30V	49X29AWG	9/0.1	12.3	220.07	277 Ω/km
ANM11.011.50.029AB	UL20276	30V	50X29AWG	9/0.1	12.3	220.47	277 Ω/km
ANM11.011.51.029AB	UL20276	30V	51X29AWG	9/0.1	12.3	221.07	277 Ω/km
ANM11.011.52.029AB	UL20276	30V	52X29AWG	9/0.1	12.3	221.47	277 Ω/km
ANM11.011.53.029AB	UL20276	30V	53X29AWG	9/0.1	12.6	231.27	277 Ω/km
ANM11.011.54.029AB	UL20276	30V	54X29AWG	9/0.1	12.6	231.77	277 Ω/km
ANM11.011.55.029AB	UL20276	30V	55X29AWG	9/0.1	12.6	232.17	277 Ω/km
ANM11.011.56.029AB	UL20276	30V	56X29AWG	9/0.1	12.6	232.67	277 Ω/km
ANM11.011.57.029AB	UL20276	30V	57X29AWG	9/0.1	12.9	242.77	277 Ω/km
ANM11.011.58.029AB	UL20276	30V	58X29AWG	9/0.1	12.9	243.27	277 Ω/km
ANM11.011.59.029AB	UL20276	30V	59X29AWG	9/0.1	12.9	243.77	277 Ω/km
ANM11.011.60.029AB	UL20276	30V	60X29AWG	9/0.1	12.9	244.27	277 Ω/km
ANM11.011.61.029AB	UL20276	30V	61X29AWG	9/0.1	12.9	244.77	277 Ω/km
ANM11.011.62.029AB	UL20276	30V	62X29AWG	9/0.1	13.4	261.77	277 Ω/km
ANM11.011.63.029AB	UL20276	30V	63X29AWG	9/0.1	13.4	262.17	277 Ω/km



ANM11.011.64.029AB	UL20276	30V	64X29AWG	9/0.1	13.4	262.67	277 Ω/km
ANM11.011.65.029AB	UL20276	30V	65X29AWG	9/0.1	13.4	263.07	277 Ω/km
ANM11.011.02.028AB	UL20276	30V	2X28AWG	11/0.1	4.6	30.89	223 Ω/km
ANM11.011.03.028AB	UL20276	30V	3X28AWG	11/0.1	4.8	33.99	223 Ω/km
ANM11.011.04.028AB	UL20276	30V	4X28AWG	11/0.1	5.1	38.79	223 Ω/km
ANM11.011.05.028AB	UL20276	30V	5X28AWG	11/0.1	5.4	43.39	223 Ω/km
ANM11.011.06.028AB	UL20276	30V	6X28AWG	11/0.1	5.7	48.49	223 Ω/km
ANM11.011.07.028AB	UL20276	30V	7X28AWG	11/0.1	5.7	49.09	223 Ω/km
ANM11.011.08.028AB	UL20276	30V	8X28AWG	11/0.1	6.1	55.99	223 Ω/km
ANM11.011.09.028AB	UL20276	30V	9X28AWG	11/0.1	6.5	63.29	223 Ω/km
ANM11.011.10.028AB	UL20276	30V	10X28AWG	11/0.1	6.8	69.09	223 Ω/km
ANM11.011.11.028AB	UL20276	30V	11X28AWG	11/0.1	7	73.39	223 Ω/km
ANM11.011.12.028AB	UL20276	30V	12X28AWG	11/0.1	7	74.09	223 Ω/km
ANM11.011.13.028AB	UL20276	30V	13X28AWG	11/0.1	7.3	80.19	223 Ω/km
ANM11.011.14.028AB	UL20276	30V	14X28AWG	11/0.1	7.3	80.79	223 Ω/km
ANM11.011.15.028AB	UL20276	30V	15X28AWG	11/0.1	7.6	87.09	223 Ω/km
ANM11.011.16.028AB	UL20276	30V	16X28AWG	11/0.1	7.6	87.69	223 Ω/km
ANM11.011.17.028AB	UL20276	30V	17X28AWG	11/0.1	7.9	94.39	223 Ω/km
ANM11.011.18.028AB	UL20276	30V	18X28AWG	11/0.1	7.9	94.99	223 Ω/km
ANM11.011.19.028AB	UL20276	30V	19X28AWG	11/0.1	7.9	95.59	223 Ω/km
ANM11.011.20.028AB	UL20276	30V	20X28AWG	11/0.1	8.1	100.19	223 Ω/km
ANM11.011.21.028AB	UL20276	30V	21X28AWG	11/0.1	8.3	105.09	223 Ω/km
ANM11.011.22.028AB	UL20276	30V	22X28AWG	11/0.1	8.7	114.59	223 Ω/km
ANM11.011.23.028AB	UL20276	30V	23X28AWG	11/0.1	9	121.99	223 Ω/km
ANM11.011.24.028AB	UL20276	30V	24X28AWG	11/0.1	9	122.69	223 Ω/km
ANM11.011.25.028AB	UL20276	30V	25X28AWG	11/0.1	9.2	127.69	223 Ω/km
ANM11.011.26.028AB	UL20276	30V	26X28AWG	11/0.1	9.2	128.39	223 Ω/km
ANM11.011.27.028AB	UL20276	30V	27X28AWG	11/0.1	9.2	128.89	223 Ω/km
ANM11.011.28.028AB	UL20276	30V	28X28AWG	11/0.1	9.5	136.79	223 Ω/km
ANM11.011.29.028AB	UL20276	30V	29X28AWG	11/0.1	9.5	137.39	223 Ω/km
ANM11.011.30.028AB	UL20276	30V	30X28AWG	11/0.1	9.5	137.89	223 Ω/km
ANM11.011.31.028AB	UL20276	30V	31X28AWG	11/0.1	9.8	145.99	223 Ω/km
ANM11.011.32.028AB	UL20276	30V	32X28AWG	11/0.1	9.8	146.59	223 Ω/km
ANM11.011.33.028AB	UL20276	30V	33X28AWG	11/0.1	9.8	147.19	223 Ω/km
ANM11.011.34.028AB	UL20276	30V	34X28AWG	11/0.1	10.1	155.39	223 Ω/km
ANM11.011.35.028AB	UL20276	30V	35X28AWG	11/0.1	10.1	155.89	223 Ω/km
ANM11.011.36.028AB	UL20276	30V	36X28AWG	11/0.1	10.1	156.49	223 Ω/km
ANM11.011.37.028AB	UL20276	30V	37X28AWG	11/0.1	10.1	157.09	223 Ω/km
ANM11.011.38.028AB	UL20276	30V	38X28AWG	11/0.1	11.1	183.69	223 Ω/km
ANM11.011.39.028AB	UL20276	30V	39X28AWG	11/0.1	11.1	184.19	223 Ω/km
ANM11.011.40.028AB	UL20276	30V	40X28AWG	11/0.1	11.1	184.69	223 Ω/km
ANM11.011.41.028AB	UL20276	30V	41X28AWG	11/0.1	11.8	205.69	223 Ω/km



ANM11.011.42.028AB	UL20276	30V	42X28AWG	11/0.1	11.8	206.39	223 Ω/km
ANM11.011.43.028AB	UL20276	30V	43X28AWG	11/0.1	11.8	206.99	223 Ω/km
ANM11.011.44.028AB	UL20276	30V	44X28AWG	11/0.1	11.8	207.49	223 Ω/km
ANM11.011.45.028AB	UL20276	30V	45X28AWG	11/0.1	12	214.09	223 Ω/km
ANM11.011.46.028AB	UL20276	30V	46X28AWG	11/0.1	12	214.59	223 Ω/km
ANM11.011.47.028AB	UL20276	30V	47X28AWG	11/0.1	12	215.19	223 Ω/km
ANM11.011.48.028AB	UL20276	30V	48X28AWG	11/0.1	12	215.89	223 Ω/km
ANM11.011.49.028AB	UL20276	30V	49X28AWG	11/0.1	12.3	225.79	223 Ω/km
ANM11.011.50.028AB	UL20276	30V	50X28AWG	11/0.1	12.3	226.29	223 Ω/km
ANM11.011.51.028AB	UL20276	30V	51X28AWG	11/0.1	12.3	226.89	223 Ω/km
ANM11.011.52.028AB	UL20276	30V	52X28AWG	11/0.1	12.3	227.49	223 Ω/km
ANM11.011.53.028AB	UL20276	30V	53X28AWG	11/0.1	12.6	237.49	223 Ω/km
ANM11.011.54.028AB	UL20276	30V	54X28AWG	11/0.1	12.6	237.99	223 Ω/km
ANM11.011.55.028AB	UL20276	30V	55X28AWG	11/0.1	12.6	238.59	223 Ω/km
ANM11.011.56.028AB	UL20276	30V	56X28AWG	11/0.1	12.6	239.19	223 Ω/km
ANM11.011.57.028AB	UL20276	30V	57X28AWG	11/0.1	12.9	249.49	223 Ω/km
ANM11.011.58.028AB	UL20276	30V	58X28AWG	11/0.1	12.9	249.99	223 Ω/km
ANM11.011.59.028AB	UL20276	30V	59X28AWG	11/0.1	12.9	250.59	223 Ω/km
ANM11.011.60.028AB	UL20276	30V	60X28AWG	11/0.1	12.9	251.19	223 Ω/km
ANM11.011.61.028AB	UL20276	30V	61X28AWG	11/0.1	12.9	251.79	223 Ω/km
ANM11.011.62.028AB	UL20276	30V	62X28AWG	11/0.1	13.4	268.99	223 Ω/km
ANM11.011.63.028AB	UL20276	30V	63X28AWG	11/0.1	13.4	269.49	223 Ω/km
ANM11.011.64.028AB	UL20276	30V	64X28AWG	11/0.1	13.4	270.09	223 Ω/km
ANM11.011.65.028AB	UL20276	30V	65X28AWG	11/0.1	13.4	270.69	223 Ω/km
ANM11.011.02.027AB	UL20276	30V	2X27AWG	7/0.14	4.8	33.61	175 Ω/km
ANM11.011.03.027AB	UL20276	30V	3X27AWG	7/0.14	5	36.91	175 Ω/km
ANM11.011.04.027AB	UL20276	30V	4X27AWG	7/0.14	5.3	41.71	175 Ω/km
ANM11.011.05.027AB	UL20276	30V	5X27AWG	7/0.14	5.7	48.31	175 Ω/km
ANM11.011.06.027AB	UL20276	30V	6X27AWG	7/0.14	6	53.61	175 Ω/km
ANM11.011.07.027AB	UL20276	30V	7X27AWG	7/0.14	6	54.21	175 Ω/km
ANM11.011.08.027AB	UL20276	30V	8X27AWG	7/0.14	6.4	61.41	175 Ω/km
ANM11.011.09.027AB	UL20276	30V	9X27AWG	7/0.14	6.9	70.81	175 Ω/km
ANM11.011.10.027AB	UL20276	30V	10X27AWG	7/0.14	7.2	77.11	175 Ω/km
ANM11.011.11.027AB	UL20276	30V	11X27AWG	7/0.14	7.4	81.61	175 Ω/km
ANM11.011.12.027AB	UL20276	30V	12X27AWG	7/0.14	7.4	82.31	175 Ω/km
ANM11.011.13.027AB	UL20276	30V	13X27AWG	7/0.14	7.7	88.81	175 Ω/km
ANM11.011.14.027AB	UL20276	30V	14X27AWG	7/0.14	7.7	89.41	175 Ω/km
ANM11.011.15.027AB	UL20276	30V	15X27AWG	7/0.14	8.1	98.21	175 Ω/km
ANM11.011.16.027AB	UL20276	30V	16X27AWG	7/0.14	8.1	98.81	175 Ω/km
ANM11.011.17.027AB	UL20276	30V	17X27AWG	7/0.14	8.4	105.91	175 Ω/km
ANM11.011.18.027AB	UL20276	30V	18X27AWG	7/0.14	8.4	106.61	175 Ω/km
ANM11.011.19.027AB	UL20276	30V	19X27AWG	7/0.14	8.4	107.21	175 Ω/km



ANM11.011.20.027AB	UL20276	30V	20X27AWG	7/0.14	8.6	112.31	175 Ω/km
ANM11.011.21.027AB	UL20276	30V	21X27AWG	7/0.14	8.8	117.41	175 Ω/km
ANM11.011.22.027AB	UL20276	30V	22X27AWG	7/0.14	9.3	129.81	175 Ω/km
ANM11.011.23.027AB	UL20276	30V	23X27AWG	7/0.14	9.6	137.71	175 Ω/km
ANM11.011.24.027AB	UL20276	30V	24X27AWG	7/0.14	9.6	138.31	175 Ω/km
ANM11.011.25.027AB	UL20276	30V	25X27AWG	7/0.14	9.8	144.01	175 Ω/km
ANM11.011.26.027AB	UL20276	30V	26X27AWG	7/0.14	9.8	144.61	175 Ω/km
ANM11.011.27.027AB	UL20276	30V	27X27AWG	7/0.14	9.8	145.21	175 Ω/km
ANM11.011.28.027AB	UL20276	30V	28X27AWG	7/0.14	10.1	153.51	175 Ω/km
ANM11.011.29.027AB	UL20276	30V	29X27AWG	7/0.14	10.1	154.11	175 Ω/km
ANM11.011.30.027AB	UL20276	30V	30X27AWG	7/0.14	10.1	154.71	175 Ω/km
ANM11.011.31.027AB	UL20276	30V	31X27AWG	7/0.14	11.1	181.31	175 Ω/km
ANM11.011.32.027AB	UL20276	30V	32X27AWG	7/0.14	11.1	181.91	175 Ω/km
ANM11.011.33.027AB	UL20276	30V	33X27AWG	7/0.14	11.1	182.61	175 Ω/km
ANM11.011.34.027AB	UL20276	30V	34X27AWG	7/0.14	11.4	191.81	175 Ω/km
ANM11.011.35.027AB	UL20276	30V	35X27AWG	7/0.14	11.4	192.31	175 Ω/km
ANM11.011.36.027AB	UL20276	30V	36X27AWG	7/0.14	11.4	193.01	175 Ω/km
ANM11.011.37.027AB	UL20276	30V	37X27AWG	7/0.14	11.4	193.71	175 Ω/km
ANM11.011.38.027AB	UL20276	30V	38X27AWG	7/0.14	11.8	206.11	175 Ω/km
ANM11.011.39.027AB	UL20276	30V	39X27AWG	7/0.14	11.8	206.81	175 Ω/km
ANM11.011.40.027AB	UL20276	30V	40X27AWG	7/0.14	11.8	207.41	175 Ω/km
ANM11.011.41.027AB	UL20276	30V	41X27AWG	7/0.14	12.6	232.81	175 Ω/km
ANM11.011.42.027AB	UL20276	30V	42X27AWG	7/0.14	12.6	233.51	175 Ω/km
ANM11.011.43.027AB	UL20276	30V	43X27AWG	7/0.14	12.6	234.11	175 Ω/km
ANM11.011.44.027AB	UL20276	30V	44X27AWG	7/0.14	12.6	234.81	175 Ω/km
ANM11.011.45.027AB	UL20276	30V	45X27AWG	7/0.14	12.8	241.81	175 Ω/km
ANM11.011.46.027AB	UL20276	30V	46X27AWG	7/0.14	12.8	242.41	175 Ω/km
ANM11.011.47.027AB	UL20276	30V	47X27AWG	7/0.14	12.8	243.01	175 Ω/km
ANM11.011.48.027AB	UL20276	30V	48X27AWG	7/0.14	12.8	243.61	175 Ω/km
ANM11.011.49.027AB	UL20276	30V	49X27AWG	7/0.14	13.2	257.51	175 Ω/km
ANM11.011.50.027AB	UL20276	30V	50X27AWG	7/0.14	13.2	258.21	175 Ω/km
ANM11.011.51.027AB	UL20276	30V	51X27AWG	7/0.14	13.2	258.71	175 Ω/km
ANM11.011.52.027AB	UL20276	30V	52X27AWG	7/0.14	13.2	259.41	175 Ω/km
ANM11.011.53.027AB	UL20276	30V	53X27AWG	7/0.14	13.6	273.51	175 Ω/km
ANM11.011.54.027AB	UL20276	30V	54X27AWG	7/0.14	13.6	274.21	175 Ω/km
ANM11.011.55.027AB	UL20276	30V	55X27AWG	7/0.14	13.6	274.81	175 Ω/km
ANM11.011.56.027AB	UL20276	30V	56X27AWG	7/0.14	13.6	275.41	175 Ω/km
ANM11.011.57.027AB	UL20276	30V	57X27AWG	7/0.14	13.9	286.51	175 Ω/km
ANM11.011.58.027AB	UL20276	30V	58X27AWG	7/0.14	13.9	287.21	175 Ω/km
ANM11.011.59.027AB	UL20276	30V	59X27AWG	7/0.14	13.9	287.71	175 Ω/km
ANM11.011.60.027AB	UL20276	30V	60X27AWG	7/0.14	13.9	288.41	175 Ω/km
ANM11.011.61.027AB	UL20276	30V	61X27AWG	7/0.14	13.9	288.91	175 Ω/km



ANM11.011.62.027AB	UL20276	30V	62X27AWG	7/0.14	14.3	303.81	175 Ω/km
ANM11.011.63.027AB	UL20276	30V	63X27AWG	7/0.14	14.3	304.51	175 Ω/km
ANM11.011.64.027AB	UL20276	30V	64X27AWG	7/0.14	14.3	305.11	175 Ω/km
ANM11.011.65.027AB	UL20276	30V	65X27AWG	7/0.14	14.3	305.81	175 Ω/km
ANM11.011.02.026AB	UL20276	30V	2X26AWG	9/0.14	4.8	34.13	140 Ω/km
ANM11.011.03.026AB	UL20276	30V	3X26AWG	9/0.14	5	37.73	140 Ω/km
ANM11.011.04.026AB	UL20276	30V	4X26AWG	9/0.14	5.3	42.73	140 Ω/km
ANM11.011.05.026AB	UL20276	30V	5X26AWG	9/0.14	5.7	49.53	140 Ω/km
ANM11.011.06.026AB	UL20276	30V	6X26AWG	9/0.14	6	55.13	140 Ω/km
ANM11.011.07.026AB	UL20276	30V	7X26AWG	9/0.14	6	55.93	140 Ω/km
ANM11.011.08.026AB	UL20276	30V	8X26AWG	9/0.14	6.4	63.43	140 Ω/km
ANM11.011.09.026AB	UL20276	30V	9X26AWG	9/0.14	6.9	73.03	140 Ω/km
ANM11.011.10.026AB	UL20276	30V	10X26AWG	9/0.14	7.2	79.53	140 Ω/km
ANM11.011.11.026AB	UL20276	30V	11X26AWG	9/0.14	7.4	84.33	140 Ω/km
ANM11.011.12.026AB	UL20276	30V	12X26AWG	9/0.14	7.4	85.23	140 Ω/km
ANM11.011.13.026AB	UL20276	30V	13X26AWG	9/0.14	7.7	91.93	140 Ω/km
ANM11.011.14.026AB	UL20276	30V	14X26AWG	9/0.14	7.7	92.93	140 Ω/km
ANM11.011.15.026AB	UL20276	30V	15X26AWG	9/0.14	8.1	101.93	140 Ω/km
ANM11.011.16.026AB	UL20276	30V	16X26AWG	9/0.14	8.1	102.83	140 Ω/km
ANM11.011.17.026AB	UL20276	30V	17X26AWG	9/0.14	8.4	110.13	140 Ω/km
ANM11.011.18.026AB	UL20276	30V	18X26AWG	9/0.14	8.4	111.03	140 Ω/km
ANM11.011.19.026AB	UL20276	30V	19X26AWG	9/0.14	8.4	111.93	140 Ω/km
ANM11.011.20.026AB	UL20276	30V	20X26AWG	9/0.14	8.6	117.23	140 Ω/km
ANM11.011.21.026AB	UL20276	30V	21X26AWG	9/0.14	8.8	122.53	140 Ω/km
ANM11.011.22.026AB	UL20276	30V	22X26AWG	9/0.14	9.3	135.23	140 Ω/km
ANM11.011.23.026AB	UL20276	30V	23X26AWG	9/0.14	9.6	143.33	140 Ω/km
ANM11.011.24.026AB	UL20276	30V	24X26AWG	9/0.14	9.6	144.23	140 Ω/km
ANM11.011.25.026AB	UL20276	30V	25X26AWG	9/0.14	9.8	150.13	140 Ω/km
ANM11.011.26.026AB	UL20276	30V	26X26AWG	9/0.14	9.8	150.93	140 Ω/km
ANM11.011.27.026AB	UL20276	30V	27X26AWG	9/0.14	9.8	151.93	140 Ω/km
ANM11.011.28.026AB	UL20276	30V	28X26AWG	9/0.14	10.1	160.43	140 Ω/km
ANM11.011.29.026AB	UL20276	30V	29X26AWG	9/0.14	10.1	161.23	140 Ω/km
ANM11.011.30.026AB	UL20276	30V	30X26AWG	9/0.14	10.1	162.13	140 Ω/km
ANM11.011.31.026AB	UL20276	30V	31X26AWG	9/0.14	11.1	188.93	140 Ω/km
ANM11.011.32.026AB	UL20276	30V	32X26AWG	9/0.14	11.1	189.83	140 Ω/km
ANM11.011.33.026AB	UL20276	30V	33X26AWG	9/0.14	11.1	190.73	140 Ω/km
ANM11.011.34.026AB	UL20276	30V	34X26AWG	9/0.14	11.4	200.13	140 Ω/km
ANM11.011.35.026AB	UL20276	30V	35X26AWG	9/0.14	11.4	200.93	140 Ω/km
ANM11.011.36.026AB	UL20276	30V	36X26AWG	9/0.14	11.4	201.83	140 Ω/km
ANM11.011.37.026AB	UL20276	30V	37X26AWG	9/0.14	11.4	202.73	140 Ω/km
ANM11.011.38.026AB	UL20276	30V	38X26AWG	9/0.14	11.8	215.43	140 Ω/km
ANM11.011.39.026AB	UL20276	30V	39X26AWG	9/0.14	11.8	216.33	140 Ω/km



ANM11.011.40.026AB	UL20276	30V	40X26AWG	9/0.14	11.8	217.33	140 Ω/km
ANM11.011.41.026AB	UL20276	30V	41X26AWG	9/0.14	12.6	242.93	140 Ω/km
ANM11.011.42.026AB	UL20276	30V	42X26AWG	9/0.14	12.6	243.83	140 Ω/km
ANM11.011.43.026AB	UL20276	30V	43X26AWG	9/0.14	12.6	244.73	140 Ω/km
ANM11.011.44.026AB	UL20276	30V	44X26AWG	9/0.14	12.6	245.63	140 Ω/km
ANM11.011.45.026AB	UL20276	30V	45X26AWG	9/0.14	12.8	252.83	140 Ω/km
ANM11.011.46.026AB	UL20276	30V	46X26AWG	9/0.14	12.8	253.73	140 Ω/km
ANM11.011.47.026AB	UL20276	30V	47X26AWG	9/0.14	12.8	254.53	140 Ω/km
ANM11.011.48.026AB	UL20276	30V	48X26AWG	9/0.14	12.8	255.43	140 Ω/km
ANM11.011.49.026AB	UL20276	30V	49X26AWG	9/0.14	13.2	269.53	140 Ω/km
ANM11.011.50.026AB	UL20276	30V	50X26AWG	9/0.14	13.2	270.43	140 Ω/km
ANM11.011.51.026AB	UL20276	30V	51X26AWG	9/0.14	13.2	271.23	140 Ω/km
ANM11.011.52.026AB	UL20276	30V	52X26AWG	9/0.14	13.2	272.13	140 Ω/km
ANM11.011.53.026AB	UL20276	30V	53X26AWG	9/0.14	13.6	286.53	140 Ω/km
ANM11.011.54.026AB	UL20276	30V	54X26AWG	9/0.14	13.6	287.53	140 Ω/km
ANM11.011.55.026AB	UL20276	30V	55X26AWG	9/0.14	13.6	288.33	140 Ω/km
ANM11.011.56.026AB	UL20276	30V	56X26AWG	9/0.14	13.6	289.23	140 Ω/km
ANM11.011.57.026AB	UL20276	30V	57X26AWG	9/0.14	13.9	300.53	140 Ω/km
ANM11.011.58.026AB	UL20276	30V	58X26AWG	9/0.14	13.9	301.43	140 Ω/km
ANM11.011.59.026AB	UL20276	30V	59X26AWG	9/0.14	13.9	302.23	140 Ω/km
ANM11.011.60.026AB	UL20276	30V	60X26AWG	9/0.14	13.9	303.13	140 Ω/km
ANM11.011.61.026AB	UL20276	30V	61X26AWG	9/0.14	13.9	303.93	140 Ω/km
ANM11.011.62.026AB	UL20276	30V	62X26AWG	9/0.14	14.3	319.03	140 Ω/km
ANM11.011.63.026AB	UL20276	30V	63X26AWG	9/0.14	14.3	319.93	140 Ω/km
ANM11.011.64.026AB	UL20276	30V	64X26AWG	9/0.14	14.3	320.83	140 Ω/km
ANM11.011.65.026AB	UL20276	30V	65X26AWG	9/0.14	14.3	321.73	140 Ω/km
ANM11.011.02.025AB	UL20276	30V	2X25AWG	11/0.14	5	37.17	111 Ω/km
ANM11.011.03.025AB	UL20276	30V	3X25AWG	11/0.14	5.3	42.37	111 Ω/km
ANM11.011.04.025AB	UL20276	30V	4X25AWG	11/0.14	5.6	48.07	111 Ω/km
ANM11.011.05.025AB	UL20276	30V	5X25AWG	11/0.14	6	55.17	111 Ω/km
ANM11.011.06.025AB	UL20276	30V	6X25AWG	11/0.14	6.3	61.17	111 Ω/km
ANM11.011.07.025AB	UL20276	30V	7X25AWG	11/0.14	6.3	62.27	111 Ω/km
ANM11.011.08.025AB	UL20276	30V	8X25AWG	11/0.14	6.7	70.27	111 Ω/km
ANM11.011.09.025AB	UL20276	30V	9X25AWG	11/0.14	7.3	82.27	111 Ω/km
ANM11.011.10.025AB	UL20276	30V	10X25AWG	11/0.14	7.6	89.17	111 Ω/km
ANM11.011.11.025AB	UL20276	30V	11X25AWG	11/0.14	7.9	96.47	111 Ω/km
ANM11.011.12.025AB	UL20276	30V	12X25AWG	11/0.14	7.9	97.47	111 Ω/km
ANM11.011.13.025AB	UL20276	30V	13X25AWG	11/0.14	8.2	104.77	111 Ω/km
ANM11.011.14.025AB	UL20276	30V	14X25AWG	11/0.14	8.2	105.87	111 Ω/km
ANM11.011.15.025AB	UL20276	30V	15X25AWG	11/0.14	8.6	115.67	111 Ω/km
ANM11.011.16.025AB	UL20276	30V	16X25AWG	11/0.14	8.6	116.77	111 Ω/km
ANM11.011.17.025AB	UL20276	30V	17X25AWG	11/0.14	8.9	124.57	111 Ω/km



ANM11.011.18.025AB	UL20276	30V	18X25AWG	11/0.14	8.9	125.77	111 Ω/km
ANM11.011.19.025AB	UL20276	30V	19X25AWG	11/0.14	8.9	126.77	111 Ω/km
ANM11.011.20.025AB	UL20276	30V	20X25AWG	11/0.14	9.2	134.67	111 Ω/km
ANM11.011.21.025AB	UL20276	30V	21X25AWG	11/0.14	9.3	138.17	111 Ω/km
ANM11.011.22.025AB	UL20276	30V	22X25AWG	11/0.14	9.9	154.07	111 Ω/km
ANM11.011.23.025AB	UL20276	30V	23X25AWG	11/0.14	10.2	162.87	111 Ω/km
ANM11.011.24.025AB	UL20276	30V	24X25AWG	11/0.14	10.2	163.97	111 Ω/km
ANM11.011.25.025AB	UL20276	30V	25X25AWG	11/0.14	11.1	188.37	111 Ω/km
ANM11.011.26.025AB	UL20276	30V	26X25AWG	11/0.14	11.1	189.37	111 Ω/km
ANM11.011.27.025AB	UL20276	30V	27X25AWG	11/0.14	11.1	190.47	111 Ω/km
ANM11.011.28.025AB	UL20276	30V	28X25AWG	11/0.14	11.4	200.07	111 Ω/km
ANM11.011.29.025AB	UL20276	30V	29X25AWG	11/0.14	11.4	201.07	111 Ω/km
ANM11.011.30.025AB	UL20276	30V	30X25AWG	11/0.14	11.4	202.17	111 Ω/km
ANM11.011.31.025AB	UL20276	30V	31X25AWG	11/0.14	11.8	215.17	111 Ω/km
ANM11.011.32.025AB	UL20276	30V	32X25AWG	11/0.14	11.8	216.27	111 Ω/km
ANM11.011.33.025AB	UL20276	30V	33X25AWG	11/0.14	11.8	217.27	111 Ω/km
ANM11.011.34.025AB	UL20276	30V	34X25AWG	11/0.14	12.1	227.37	111 Ω/km
ANM11.011.35.025AB	UL20276	30V	35X25AWG	11/0.14	12.1	228.37	111 Ω/km
ANM11.011.36.025AB	UL20276	30V	36X25AWG	11/0.14	12.1	229.57	111 Ω/km
ANM11.011.37.025AB	UL20276	30V	37X25AWG	11/0.14	12.1	230.47	111 Ω/km
ANM11.011.38.025AB	UL20276	30V	38X25AWG	11/0.14	12.5	244.17	111 Ω/km
ANM11.011.39.025AB	UL20276	30V	39X25AWG	11/0.14	12.5	245.27	111 Ω/km
ANM11.011.40.025AB	UL20276	30V	40X25AWG	11/0.14	12.5	246.37	111 Ω/km
ANM11.011.41.025AB	UL20276	30V	41X25AWG	11/0.14	13.5	280.17	111 Ω/km
ANM11.011.42.025AB	UL20276	30V	42X25AWG	11/0.14	13.5	281.27	111 Ω/km
ANM11.011.43.025AB	UL20276	30V	43X25AWG	11/0.14	13.5	282.37	111 Ω/km
ANM11.011.44.025AB	UL20276	30V	44X25AWG	11/0.14	13.5	283.47	111 Ω/km
ANM11.011.45.025AB	UL20276	30V	45X25AWG	11/0.14	13.8	294.77	111 Ω/km
ANM11.011.46.025AB	UL20276	30V	46X25AWG	11/0.14	13.8	295.97	111 Ω/km
ANM11.011.47.025AB	UL20276	30V	47X25AWG	11/0.14	13.8	296.97	111 Ω/km
ANM11.011.48.025AB	UL20276	30V	48X25AWG	11/0.14	13.8	298.07	111 Ω/km
ANM11.011.49.025AB	UL20276	30V	49X25AWG	11/0.14	14.1	309.57	111 Ω/km
ANM11.011.50.025AB	UL20276	30V	50X25AWG	11/0.14	14.1	310.77	111 Ω/km
ANM11.011.51.025AB	UL20276	30V	51X25AWG	11/0.14	14.1	311.77	111 Ω/km
ANM11.011.52.025AB	UL20276	30V	52X25AWG	11/0.14	14.1	312.87	111 Ω/km
ANM11.011.53.025AB	UL20276	30V	53X25AWG	11/0.14	14.5	328.37	111 Ω/km
ANM11.011.54.025AB	UL20276	30V	54X25AWG	11/0.14	14.5	329.37	111 Ω/km
ANM11.011.55.025AB	UL20276	30V	55X25AWG	11/0.14	14.5	330.47	111 Ω/km
ANM11.011.56.025AB	UL20276	30V	56X25AWG	11/0.14	14.5	331.57	111 Ω/km
ANM11.011.57.025AB	UL20276	30V	57X25AWG	11/0.14	14.8	343.67	111 Ω/km
ANM11.011.58.025AB	UL20276	30V	58X25AWG	11/0.14	14.8	344.77	111 Ω/km
ANM11.011.59.025AB	UL20276	30V	59X25AWG	11/0.14	14.8	345.77	111 Ω/km





ANM11.011.60.025AB	UL20276	30V	60X25AWG	11/0.14	14.8	346.87	111 Ω/km
ANM11.011.61.025AB	UL20276	30V	61X25AWG	11/0.14	14.8	347.87	111 Ω/km
ANM11.011.62.025AB	UL20276	30V	62X25AWG	11/0.14	15.2	363.97	111 Ω/km
ANM11.011.63.025AB	UL20276	30V	63X25AWG	11/0.14	15.2	364.97	111 Ω/km
ANM11.011.64.025AB	UL20276	30V	64X25AWG	11/0.14	15.2	366.17	111 Ω/km
ANM11.011.65.025AB	UL20276	30V	65X25AWG	11/0.14	15.2	367.17	111 Ω/km
ANM11.011.02.024AB	UL20276	30V	2X24AWG	14/0.14	5	38.01	87.6 Ω/km
ANM11.011.03.024AB	UL20276	30V	3X24AWG	14/0.14	5.3	43.71	87.6 Ω/km
ANM11.011.04.024AB	UL20276	30V	4X24AWG	14/0.14	5.6	49.71	87.6 Ω/km
ANM11.011.05.024AB	UL20276	30V	5X24AWG	14/0.14	6	57.21	87.6 Ω/km
ANM11.011.06.024AB	UL20276	30V	6X24AWG	14/0.14	6.3	63.71	87.6 Ω/km
ANM11.011.07.024AB	UL20276	30V	7X24AWG	14/0.14	6.3	65.21	87.6 Ω/km
ANM11.011.08.024AB	UL20276	30V	8X24AWG	14/0.14	6.7	73.51	87.6 Ω/km
ANM11.011.09.024AB	UL20276	30V	9X24AWG	14/0.14	7.3	86.01	87.6 Ω/km
ANM11.011.10.024AB	UL20276	30V	10X24AWG	14/0.14	7.6	93.31	87.6 Ω/km
ANM11.011.11.024AB	UL20276	30V	11X24AWG	14/0.14	7.9	100.91	87.6 Ω/km
ANM11.011.12.024AB	UL20276	30V	12X24AWG	14/0.14	7.9	102.41	87.6 Ω/km
ANM11.011.13.024AB	UL20276	30V	13X24AWG	14/0.14	8.2	110.11	87.6 Ω/km
ANM11.011.14.024AB	UL20276	30V	14X24AWG	14/0.14	8.2	111.61	87.6 Ω/km
ANM11.011.15.024AB	UL20276	30V	15X24AWG	14/0.14	8.6	121.81	87.6 Ω/km
ANM11.011.16.024AB	UL20276	30V	16X24AWG	14/0.14	8.6	123.31	87.6 Ω/km
ANM11.011.17.024AB	UL20276	30V	17X24AWG	14/0.14	8.9	131.51	87.6 Ω/km
ANM11.011.18.024AB	UL20276	30V	18X24AWG	14/0.14	8.9	133.11	87.6 Ω/km
ANM11.011.19.024AB	UL20276	30V	19X24AWG	14/0.14	8.9	134.51	87.6 Ω/km
ANM11.011.20.024AB	UL20276	30V	20X24AWG	14/0.14	9.2	142.81	87.6 Ω/km
ANM11.011.21.024AB	UL20276	30V	21X24AWG	14/0.14	9.3	146.81	87.6 Ω/km
ANM11.011.22.024AB	UL20276	30V	22X24AWG	14/0.14	9.9	163.01	87.6 Ω/km
ANM11.011.23.024AB	UL20276	30V	23X24AWG	14/0.14	10.2	172.21	87.6 Ω/km
ANM11.011.24.024AB	UL20276	30V	24X24AWG	14/0.14	10.2	173.81	87.6 Ω/km
ANM11.011.25.024AB	UL20276	30V	25X24AWG	14/0.14	11.1	198.51	87.6 Ω/km
ANM11.011.26.024AB	UL20276	30V	26X24AWG	14/0.14	11.1	199.91	87.6 Ω/km
ANM11.011.27.024AB	UL20276	30V	27X24AWG	14/0.14	11.1	201.51	87.6 Ω/km
ANM11.011.28.024AB	UL20276	30V	28X24AWG	14/0.14	11.4	211.51	87.6 Ω/km
ANM11.011.29.024AB	UL20276	30V	29X24AWG	14/0.14	11.4	212.81	87.6 Ω/km
ANM11.011.30.024AB	UL20276	30V	30X24AWG	14/0.14	11.4	214.41	87.6 Ω/km
ANM11.011.31.024AB	UL20276	30V	31X24AWG	14/0.14	11.8	227.81	87.6 Ω/km
ANM11.011.32.024AB	UL20276	30V	32X24AWG	14/0.14	11.8	229.21	87.6 Ω/km
ANM11.011.33.024AB	UL20276	30V	33X24AWG	14/0.14	11.8	230.71	87.6 Ω/km
ANM11.011.34.024AB	UL20276	30V	34X24AWG	14/0.14	12.1	241.21	87.6 Ω/km
ANM11.011.35.024AB	UL20276	30V	35X24AWG	14/0.14	12.1	242.61	87.6 Ω/km
ANM11.011.36.024AB	UL20276	30V	36X24AWG	14/0.14	12.1	244.21	87.6 Ω/km
ANM11.011.37.024AB	UL20276	30V	37X24AWG	14/0.14	12.1	245.51	87.6 Ω/km



ANM11.011.38.024AB	UL20276	30V	38X24AWG	14/0.14	12.5	259.61	87.6Ω/km
ANM11.011.39.024AB	UL20276	30V	39X24AWG	14/0.14	12.5	261.11	87.6Ω/km
ANM11.011.40.024AB	UL20276	30V	40X24AWG	14/0.14	12.5	262.61	87.6Ω/km
ANM11.011.41.024AB	UL20276	30V	41X24AWG	14/0.14	13.5	296.81	87.6Ω/km
ANM11.011.42.024AB	UL20276	30V	42X24AWG	14/0.14	13.5	298.41	87.6Ω/km
ANM11.011.43.024AB	UL20276	30V	43X24AWG	14/0.14	13.5	299.81	87.6Ω/km
ANM11.011.44.024AB	UL20276	30V	44X24AWG	14/0.14	13.5	301.31	87.6Ω/km
ANM11.011.45.024AB	UL20276	30V	45X24AWG	14/0.14	13.8	313.11	87.6Ω/km
ANM11.011.46.024AB	UL20276	30V	46X24AWG	14/0.14	13.8	314.61	87.6Ω/km
ANM11.011.47.024AB	UL20276	30V	47X24AWG	14/0.14	13.8	316.01	87.6Ω/km
ANM11.011.48.024AB	UL20276	30V	48X24AWG	14/0.14	13.8	317.61	87.6Ω/km
ANM11.011.49.024AB	UL20276	30V	49X24AWG	14/0.14	14.1	329.51	87.6Ω/km
ANM11.011.50.024AB	UL20276	30V	50X24AWG	14/0.14	14.1	331.01	87.6Ω/km
ANM11.011.51.024AB	UL20276	30V	51X24AWG	14/0.14	14.1	332.51	87.6Ω/km
ANM11.011.52.024AB	UL20276	30V	52X24AWG	14/0.14	14.1	334.01	87.6Ω/km
ANM11.011.53.024AB	UL20276	30V	53X24AWG	14/0.14	14.5	349.91	87.6Ω/km
ANM11.011.54.024AB	UL20276	30V	54X24AWG	14/0.14	14.5	351.31	87.6Ω/km
ANM11.011.55.024AB	UL20276	30V	55X24AWG	14/0.14	14.5	352.81	87.6Ω/km
ANM11.011.56.024AB	UL20276	30V	56X24AWG	14/0.14	14.5	354.41	87.6Ω/km
ANM11.011.57.024AB	UL20276	30V	57X24AWG	14/0.14	14.8	366.81	87.6Ω/km
ANM11.011.58.024AB	UL20276	30V	58X24AWG	14/0.14	14.8	368.31	87.6Ω/km
ANM11.011.59.024AB	UL20276	30V	59X24AWG	14/0.14	14.8	369.81	87.6Ω/km
ANM11.011.60.024AB	UL20276	30V	60X24AWG	14/0.14	14.8	371.31	87.6Ω/km
ANM11.011.61.024AB	UL20276	30V	61X24AWG	14/0.14	14.8	372.61	87.6Ω/km
ANM11.011.62.024AB	UL20276	30V	62X24AWG	14/0.14	15.2	389.21	87.6Ω/km
ANM11.011.63.024AB	UL20276	30V	63X24AWG	14/0.14	15.2	390.61	87.6Ω/km
ANM11.011.64.024AB	UL20276	30V	64X24AWG	14/0.14	15.2	392.11	87.6Ω/km
ANM11.011.65.024AB	UL20276	30V	65X24AWG	14/0.14	15.2	393.61	87.6Ω/km
ANM11.011.02.023AB	UL20276	30V	2X23AWG	17/0.14	5.2	41.56	69.2Ω/km
ANM11.011.03.023AB	UL20276	30V	3X23AWG	17/0.14	5.5	47.76	69.2Ω/km
ANM11.011.04.023AB	UL20276	30V	4X23AWG	17/0.14	5.8	53.96	69.2Ω/km
ANM11.011.05.023AB	UL20276	30V	5X23AWG	17/0.14	6.2	62.26	69.2Ω/km
ANM11.011.06.023AB	UL20276	30V	6X23AWG	17/0.14	6.6	70.96	69.2Ω/km
ANM11.011.07.023AB	UL20276	30V	7X23AWG	17/0.14	6.6	72.86	69.2Ω/km
ANM11.011.08.023AB	UL20276	30V	8X23AWG	17/0.14	7.1	83.56	69.2Ω/km
ANM11.011.09.023AB	UL20276	30V	9X23AWG	17/0.14	7.6	94.96	69.2Ω/km
ANM11.011.10.023AB	UL20276	30V	10X23AWG	17/0.14	8	105.06	69.2Ω/km
ANM11.011.11.023AB	UL20276	30V	11X23AWG	17/0.14	8.3	113.16	69.2Ω/km
ANM11.011.12.023AB	UL20276	30V	12X23AWG	17/0.14	8.3	114.96	69.2Ω/km
ANM11.011.13.023AB	UL20276	30V	13X23AWG	17/0.14	8.6	123.46	69.2Ω/km
ANM11.011.14.023AB	UL20276	30V	14X23AWG	17/0.14	8.6	125.26	69.2Ω/km
ANM11.011.15.023AB	UL20276	30V	15X23AWG	17/0.14	9	136.16	69.2Ω/km



ANM11.011.16.023AB	UL20276	30V	16X23AWG	17/0.14	9	137.86	69.2Ω/km
ANM11.011.17.023AB	UL20276	30V	17X23AWG	17/0.14	9.4	149.26	69.2Ω/km
ANM11.011.18.023AB	UL20276	30V	18X23AWG	17/0.14	9.4	151.06	69.2Ω/km
ANM11.011.19.023AB	UL20276	30V	19X23AWG	17/0.14	9.4	152.86	69.2Ω/km
ANM11.011.20.023AB	UL20276	30V	20X23AWG	17/0.14	9.7	162.16	69.2Ω/km
ANM11.011.21.023AB	UL20276	30V	21X23AWG	17/0.14	9.9	168.96	69.2Ω/km
ANM11.011.22.023AB	UL20276	30V	22X23AWG	17/0.14	11	199.06	69.2Ω/km
ANM11.011.23.023AB	UL20276	30V	23X23AWG	17/0.14	11.4	212.16	69.2Ω/km
ANM11.011.24.023AB	UL20276	30V	24X23AWG	17/0.14	11.4	213.96	69.2Ω/km
ANM11.011.25.023AB	UL20276	30V	25X23AWG	17/0.14	11.7	224.66	69.2Ω/km
ANM11.011.26.023AB	UL20276	30V	26X23AWG	17/0.14	11.7	226.46	69.2Ω/km
ANM11.011.27.023AB	UL20276	30V	27X23AWG	17/0.14	11.7	228.26	69.2Ω/km
ANM11.011.28.023AB	UL20276	30V	28X23AWG	17/0.14	12	239.16	69.2Ω/km
ANM11.011.29.023AB	UL20276	30V	29X23AWG	17/0.14	12	240.96	69.2Ω/km
ANM11.011.30.023AB	UL20276	30V	30X23AWG	17/0.14	12	242.86	69.2Ω/km
ANM11.011.31.023AB	UL20276	30V	31X23AWG	17/0.14	12.4	256.96	69.2Ω/km
ANM11.011.32.023AB	UL20276	30V	32X23AWG	17/0.14	12.4	258.86	69.2Ω/km
ANM11.011.33.023AB	UL20276	30V	33X23AWG	17/0.14	12.4	260.66	69.2Ω/km
ANM11.011.34.023AB	UL20276	30V	34X23AWG	17/0.14	12.8	275.16	69.2Ω/km
ANM11.011.35.023AB	UL20276	30V	35X23AWG	17/0.14	12.8	277.06	69.2Ω/km
ANM11.011.36.023AB	UL20276	30V	36X23AWG	17/0.14	12.8	278.86	69.2Ω/km
ANM11.011.37.023AB	UL20276	30V	37X23AWG	17/0.14	12.8	280.76	69.2Ω/km
ANM11.011.38.023AB	UL20276	30V	38X23AWG	17/0.14	13.4	302.46	69.2Ω/km
ANM11.011.39.023AB	UL20276	30V	39X23AWG	17/0.14	13.4	304.26	69.2Ω/km
ANM11.011.40.023AB	UL20276	30V	40X23AWG	17/0.14	13.4	306.06	69.2Ω/km
ANM11.011.41.023AB	UL20276	30V	41X23AWG	17/0.14	14.3	339.26	69.2Ω/km
ANM11.011.42.023AB	UL20276	30V	42X23AWG	17/0.14	14.3	341.16	69.2Ω/km
ANM11.011.43.023AB	UL20276	30V	43X23AWG	17/0.14	14.3	342.96	69.2Ω/km
ANM11.011.44.023AB	UL20276	30V	44X23AWG	17/0.14	14.3	344.86	69.2Ω/km
ANM11.011.45.023AB	UL20276	30V	45X23AWG	17/0.14	14.6	357.56	69.2Ω/km
ANM11.011.46.023AB	UL20276	30V	46X23AWG	17/0.14	14.6	359.26	69.2Ω/km
ANM11.011.47.023AB	UL20276	30V	47X23AWG	17/0.14	14.6	361.16	69.2Ω/km
ANM11.011.48.023AB	UL20276	30V	48X23AWG	17/0.14	14.6	362.96	69.2Ω/km
ANM11.011.49.023AB	UL20276	30V	49X23AWG	17/0.14	14.9	375.96	69.2Ω/km
ANM11.011.50.023AB	UL20276	30V	50X23AWG	17/0.14	14.9	377.66	69.2Ω/km
ANM11.011.51.023AB	UL20276	30V	51X23AWG	17/0.14	14.9	379.46	69.2Ω/km
ANM11.011.52.023AB	UL20276	30V	52X23AWG	17/0.14	14.9	381.36	69.2Ω/km
ANM11.011.53.023AB	UL20276	30V	53X23AWG	17/0.14	15.3	398.46	69.2Ω/km
ANM11.011.54.023AB	UL20276	30V	54X23AWG	17/0.14	15.3	400.26	69.2Ω/km
ANM11.011.55.023AB	UL20276	30V	55X23AWG	17/0.14	15.3	402.06	69.2Ω/km
ANM11.011.56.023AB	UL20276	30V	56X23AWG	17/0.14	15.3	403.86	69.2Ω/km
ANM11.011.57.023AB	UL20276	30V	57X23AWG	17/0.14	15.7	421.26	69.2Ω/km



ANM11.011.58.023AB	UL20276	30V	58X23AWG	17/0.14	15.7	423.06	69.2 Ω/km
ANM11.011.59.023AB	UL20276	30V	59X23AWG	17/0.14	15.7	424.96	69.2 Ω/km
ANM11.011.60.023AB	UL20276	30V	60X23AWG	17/0.14	15.7	426.76	69.2 Ω/km
ANM11.011.61.023AB	UL20276	30V	61X23AWG	17/0.14	15.7	428.56	69.2 Ω/km
ANM11.011.62.023AB	UL20276	30V	62X23AWG	17/0.14	16.2	450.36	69.2 Ω/km
ANM11.011.63.023AB	UL20276	30V	63X23AWG	17/0.14	16.2	452.16	69.2 Ω/km
ANM11.011.64.023AB	UL20276	30V	64X23AWG	17/0.14	16.2	453.96	69.2 Ω/km
ANM11.011.65.023AB	UL20276	30V	65X23AWG	17/0.14	16.2	455.76	69.2 Ω/km
ANM11.011.02.022AB	UL20276	30V	2X22AWG	22/0.14	5.4	45.43	55.4 Ω/km
ANM11.011.03.022AB	UL20276	30V	3X22AWG	22/0.14	5.7	52.03	55.4 Ω/km
ANM11.011.04.022AB	UL20276	30V	4X22AWG	22/0.14	6.1	60.73	55.4 Ω/km
ANM11.011.05.022AB	UL20276	30V	5X22AWG	22/0.14	6.5	69.53	55.4 Ω/km
ANM11.011.06.022AB	UL20276	30V	6X22AWG	22/0.14	6.9	78.83	55.4 Ω/km
ANM11.011.07.022AB	UL20276	30V	7X22AWG	22/0.14	6.9	81.03	55.4 Ω/km
ANM11.011.08.022AB	UL20276	30V	8X22AWG	22/0.14	7.4	92.83	55.4 Ω/km
ANM11.011.09.022AB	UL20276	30V	9X22AWG	22/0.14	8	107.13	55.4 Ω/km
ANM11.011.10.022AB	UL20276	30V	10X22AWG	22/0.14	8.4	117.83	55.4 Ω/km
ANM11.011.11.022AB	UL20276	30V	11X22AWG	22/0.14	8.7	126.83	55.4 Ω/km
ANM11.011.12.022AB	UL20276	30V	12X22AWG	22/0.14	8.7	129.03	55.4 Ω/km
ANM11.011.13.022AB	UL20276	30V	13X22AWG	22/0.14	9.1	140.53	55.4 Ω/km
ANM11.011.14.022AB	UL20276	30V	14X22AWG	22/0.14	9.1	142.63	55.4 Ω/km
ANM11.011.15.022AB	UL20276	30V	15X22AWG	22/0.14	9.5	154.63	55.4 Ω/km
ANM11.011.16.022AB	UL20276	30V	16X22AWG	22/0.14	9.5	156.93	55.4 Ω/km
ANM11.011.17.022AB	UL20276	30V	17X22AWG	22/0.14	9.9	169.03	55.4 Ω/km
ANM11.011.18.022AB	UL20276	30V	18X22AWG	22/0.14	9.9	171.33	55.4 Ω/km
ANM11.011.19.022AB	UL20276	30V	19X22AWG	22/0.14	9.9	173.53	55.4 Ω/km
ANM11.011.20.022AB	UL20276	30V	20X22AWG	22/0.14	10.2	183.53	55.4 Ω/km
ANM11.011.21.022AB	UL20276	30V	21X22AWG	22/0.14	11	206.23	55.4 Ω/km
ANM11.011.22.022AB	UL20276	30V	22X22AWG	22/0.14	11.6	225.83	55.4 Ω/km
ANM11.011.23.022AB	UL20276	30V	23X22AWG	22/0.14	12	240.03	55.4 Ω/km
ANM11.011.24.022AB	UL20276	30V	24X22AWG	22/0.14	12	242.23	55.4 Ω/km
ANM11.011.25.022AB	UL20276	30V	25X22AWG	22/0.14	12.3	253.93	55.4 Ω/km
ANM11.011.26.022AB	UL20276	30V	26X22AWG	22/0.14	12.3	256.13	55.4 Ω/km
ANM11.011.27.022AB	UL20276	30V	27X22AWG	22/0.14	12.3	258.33	55.4 Ω/km
ANM11.011.28.022AB	UL20276	30V	28X22AWG	22/0.14	12.7	273.13	55.4 Ω/km
ANM11.011.29.022AB	UL20276	30V	29X22AWG	22/0.14	12.7	275.43	55.4 Ω/km
ANM11.011.30.022AB	UL20276	30V	30X22AWG	22/0.14	12.7	277.73	55.4 Ω/km
ANM11.011.31.022AB	UL20276	30V	31X22AWG	22/0.14	13.2	296.43	55.4 Ω/km
ANM11.011.32.022AB	UL20276	30V	32X22AWG	22/0.14	13.2	298.73	55.4 Ω/km
ANM11.011.33.022AB	UL20276	30V	33X22AWG	22/0.14	13.2	300.93	55.4 Ω/km
ANM11.011.34.022AB	UL20276	30V	34X22AWG	22/0.14	13.6	316.63	55.4 Ω/km
ANM11.011.35.022AB	UL20276	30V	35X22AWG	22/0.14	13.6	318.83	55.4 Ω/km



ANM11.011.36.022AB	UL20276	30V	36X22AWG	22/0.14	13.6	321.13	55.4Ω/km
ANM11.011.37.022AB	UL20276	30V	37X22AWG	22/0.14	13.6	323.23	55.4Ω/km
ANM11.011.38.022AB	UL20276	30V	38X22AWG	22/0.14	14.1	343.13	55.4Ω/km
ANM11.011.39.022AB	UL20276	30V	39X22AWG	22/0.14	14.1	345.43	55.4Ω/km
ANM11.011.40.022AB	UL20276	30V	40X22AWG	22/0.14	14.1	347.53	55.4Ω/km
ANM11.011.41.022AB	UL20276	30V	41X22AWG	22/0.14	15.1	386.63	55.4Ω/km
ANM11.011.42.022AB	UL20276	30V	42X22AWG	22/0.14	15.1	388.73	55.4Ω/km
ANM11.011.43.022AB	UL20276	30V	43X22AWG	22/0.14	15.1	391.03	55.4Ω/km
ANM11.011.44.022AB	UL20276	30V	44X22AWG	22/0.14	15.1	393.33	55.4Ω/km
ANM11.011.45.022AB	UL20276	30V	45X22AWG	22/0.14	15.4	407.13	55.4Ω/km
ANM11.011.46.022AB	UL20276	30V	46X22AWG	22/0.14	15.4	409.43	55.4Ω/km
ANM11.011.47.022AB	UL20276	30V	47X22AWG	22/0.14	15.4	411.63	55.4Ω/km
ANM11.011.48.022AB	UL20276	30V	48X22AWG	22/0.14	15.4	413.83	55.4Ω/km
ANM11.011.49.022AB	UL20276	30V	49X22AWG	22/0.14	15.8	431.73	55.4Ω/km
ANM11.011.50.022AB	UL20276	30V	50X22AWG	22/0.14	15.8	434.03	55.4Ω/km
ANM11.011.51.022AB	UL20276	30V	51X22AWG	22/0.14	15.8	436.23	55.4Ω/km
ANM11.011.52.022AB	UL20276	30V	52X22AWG	22/0.14	15.8	438.43	55.4Ω/km
ANM11.011.53.022AB	UL20276	30V	53X22AWG	22/0.14	16.2	456.83	55.4Ω/km
ANM11.011.54.022AB	UL20276	30V	54X22AWG	22/0.14	16.2	459.03	55.4Ω/km
ANM11.011.55.022AB	UL20276	30V	55X22AWG	22/0.14	16.2	461.33	55.4Ω/km
ANM11.011.56.022AB	UL20276	30V	56X22AWG	22/0.14	16.2	463.43	55.4Ω/km
ANM11.011.57.022AB	UL20276	30V	57X22AWG	22/0.14	16.6	482.23	55.4Ω/km
ANM11.011.58.022AB	UL20276	30V	58X22AWG	22/0.14	16.6	484.33	55.4Ω/km
ANM11.011.59.022AB	UL20276	30V	59X22AWG	22/0.14	16.6	486.73	55.4Ω/km
ANM11.011.60.022AB	UL20276	30V	60X22AWG	22/0.14	16.6	488.93	55.4Ω/km
ANM11.011.61.022AB	UL20276	30V	61X22AWG	22/0.14	16.6	491.23	55.4Ω/km
ANM11.011.62.022AB	UL20276	30V	62X22AWG	22/0.14	17.1	514.63	55.4Ω/km
ANM11.011.63.022AB	UL20276	30V	63X22AWG	22/0.14	17.1	516.73	55.4Ω/km
ANM11.011.64.022AB	UL20276	30V	64X22AWG	22/0.14	17.1	519.03	55.4Ω/km
ANM11.011.65.022AB	UL20276	30V	65X22AWG	22/0.14	17.1	521.23	55.4Ω/km
ANM11.011.02.021AB	UL20276	30V	2X21AWG	27/0.14	5.6	49.62	43.6Ω/km
ANM11.011.03.021AB	UL20276	30V	3X21AWG	27/0.14	5.9	57.22	43.6Ω/km
ANM11.011.04.021AB	UL20276	30V	4X21AWG	27/0.14	6.3	66.52	43.6Ω/km
ANM11.011.05.021AB	UL20276	30V	5X21AWG	27/0.14	6.8	78.12	43.6Ω/km
ANM11.011.06.021AB	UL20276	30V	6X21AWG	27/0.14	7.2	88.32	43.6Ω/km
ANM11.011.07.021AB	UL20276	30V	7X21AWG	27/0.14	7.2	91.22	43.6Ω/km
ANM11.011.08.021AB	UL20276	30V	8X21AWG	27/0.14	7.7	103.72	43.6Ω/km
ANM11.011.09.021AB	UL20276	30V	9X21AWG	27/0.14	8.4	121.32	43.6Ω/km
ANM11.011.10.021AB	UL20276	30V	10X21AWG	27/0.14	8.8	133.12	43.6Ω/km
ANM11.011.11.021AB	UL20276	30V	11X21AWG	27/0.14	9.1	142.92	43.6Ω/km
ANM11.011.12.021AB	UL20276	30V	12X21AWG	27/0.14	9.1	145.82	43.6Ω/km
ANM11.011.13.021AB	UL20276	30V	13X21AWG	27/0.14	9.5	158.32	43.6Ω/km



ANM11.011.14.021AB	UL20276	30V	14X21AWG	27/0.14	9.5	161.22	43.6Ω/km
ANM11.011.15.021AB	UL20276	30V	15X21AWG	27/0.14	10	176.62	43.6Ω/km
ANM11.011.16.021AB	UL20276	30V	16X21AWG	27/0.14	10	179.42	43.6Ω/km
ANM11.011.17.021AB	UL20276	30V	17X21AWG	27/0.14	11	207.92	43.6Ω/km
ANM11.011.18.021AB	UL20276	30V	18X21AWG	27/0.14	11	210.82	43.6Ω/km
ANM11.011.19.021AB	UL20276	30V	19X21AWG	27/0.14	11	213.62	43.6Ω/km
ANM11.011.20.021AB	UL20276	30V	20X21AWG	27/0.14	11.3	225.12	43.6Ω/km
ANM11.011.21.021AB	UL20276	30V	21X21AWG	27/0.14	11.5	233.82	43.6Ω/km
ANM11.011.22.021AB	UL20276	30V	22X21AWG	27/0.14	12.2	257.72	43.6Ω/km
ANM11.011.23.021AB	UL20276	30V	23X21AWG	27/0.14	12.6	273.12	43.6Ω/km
ANM11.011.24.021AB	UL20276	30V	24X21AWG	27/0.14	12.6	276.02	43.6Ω/km
ANM11.011.25.021AB	UL20276	30V	25X21AWG	27/0.14	12.9	288.62	43.6Ω/km
ANM11.011.26.021AB	UL20276	30V	26X21AWG	27/0.14	12.9	291.42	43.6Ω/km
ANM11.011.27.021AB	UL20276	30V	27X21AWG	27/0.14	12.9	294.32	43.6Ω/km
ANM11.011.28.021AB	UL20276	30V	28X21AWG	27/0.14	13.4	313.92	43.6Ω/km
ANM11.011.29.021AB	UL20276	30V	29X21AWG	27/0.14	13.4	316.82	43.6Ω/km
ANM11.011.30.021AB	UL20276	30V	30X21AWG	27/0.14	13.4	319.62	43.6Ω/km
ANM11.011.31.021AB	UL20276	30V	31X21AWG	27/0.14	13.9	339.62	43.6Ω/km
ANM11.011.32.021AB	UL20276	30V	32X21AWG	27/0.14	13.9	342.52	43.6Ω/km
ANM11.011.33.021AB	UL20276	30V	33X21AWG	27/0.14	13.9	345.32	43.6Ω/km
ANM11.011.34.021AB	UL20276	30V	34X21AWG	27/0.14	14.3	362.42	43.6Ω/km
ANM11.011.35.021AB	UL20276	30V	35X21AWG	27/0.14	14.3	365.32	43.6Ω/km
ANM11.011.36.021AB	UL20276	30V	36X21AWG	27/0.14	14.3	368.22	43.6Ω/km
ANM11.011.37.021AB	UL20276	30V	37X21AWG	27/0.14	14.3	371.02	43.6Ω/km
ANM11.011.38.021AB	UL20276	30V	38X21AWG	27/0.14	14.8	392.32	43.6Ω/km
ANM11.011.39.021AB	UL20276	30V	39X21AWG	27/0.14	14.8	395.22	43.6Ω/km
ANM11.011.40.021AB	UL20276	30V	40X21AWG	27/0.14	14.8	398.12	43.6Ω/km
ANM11.011.41.021AB	UL20276	30V	41X21AWG	27/0.14	15.9	443.32	43.6Ω/km
ANM11.011.42.021AB	UL20276	30V	42X21AWG	27/0.14	15.9	446.22	43.6Ω/km
ANM11.011.43.021AB	UL20276	30V	43X21AWG	27/0.14	15.9	449.12	43.6Ω/km
ANM11.011.44.021AB	UL20276	30V	44X21AWG	27/0.14	15.9	451.92	43.6Ω/km
ANM11.011.45.021AB	UL20276	30V	45X21AWG	27/0.14	16.2	466.92	43.6Ω/km
ANM11.011.46.021AB	UL20276	30V	46X21AWG	27/0.14	16.2	469.72	43.6Ω/km
ANM11.011.47.021AB	UL20276	30V	47X21AWG	27/0.14	16.2	472.62	43.6Ω/km
ANM11.011.48.021AB	UL20276	30V	48X21AWG	27/0.14	16.2	475.42	43.6Ω/km
ANM11.011.49.021AB	UL20276	30V	49X21AWG	27/0.14	16.6	494.82	43.6Ω/km
ANM11.011.50.021AB	UL20276	30V	50X21AWG	27/0.14	16.6	497.72	43.6Ω/km
ANM11.011.51.021AB	UL20276	30V	51X21AWG	27/0.14	16.6	500.62	43.6Ω/km
ANM11.011.52.021AB	UL20276	30V	52X21AWG	27/0.14	16.6	503.42	43.6Ω/km
ANM11.011.53.021AB	UL20276	30V	53X21AWG	27/0.14	17.1	527.42	43.6Ω/km
ANM11.011.54.021AB	UL20276	30V	54X21AWG	27/0.14	17.1	530.22	43.6Ω/km
ANM11.011.55.021AB	UL20276	30V	55X21AWG	27/0.14	17.1	533.02	43.6Ω/km



ANM11.011.56.021AB	UL20276	30V	56X21AWG	27/0.14	17.1	535.92	43.6Ω/km
ANM11.011.57.021AB	UL20276	30V	57X21AWG	27/0.14	17.5	556.12	43.6Ω/km
ANM11.011.58.021AB	UL20276	30V	58X21AWG	27/0.14	17.5	559.02	43.6Ω/km
ANM11.011.59.021AB	UL20276	30V	59X21AWG	27/0.14	17.5	561.82	43.6Ω/km
ANM11.011.60.021AB	UL20276	30V	60X21AWG	27/0.14	17.5	564.72	43.6Ω/km
ANM11.011.61.021AB	UL20276	30V	61X21AWG	27/0.14	17.5	567.52	43.6Ω/km
ANM11.011.62.021AB	UL20276	30V	62X21AWG	27/0.14	18	592.72	43.6Ω/km
ANM11.011.63.021AB	UL20276	30V	63X21AWG	27/0.14	18	595.52	43.6Ω/km
ANM11.011.64.021AB	UL20276	30V	64X21AWG	27/0.14	18	598.42	43.6Ω/km
ANM11.011.65.021AB	UL20276	30V	65X21AWG	27/0.14	18	601.32	43.6Ω/km
ANM11.011.02.020AB	UL20276	30V	2X20AWG	34/0.14	5.8	54.22	34.6Ω/km
ANM11.011.03.020AB	UL20276	30V	3X20AWG	34/0.14	6.1	62.82	34.6Ω/km
ANM11.011.04.020AB	UL20276	30V	4X20AWG	34/0.14	6.6	74.92	34.6Ω/km
ANM11.011.05.020AB	UL20276	30V	5X20AWG	34/0.14	7	85.62	34.6Ω/km
ANM11.011.06.020AB	UL20276	30V	6X20AWG	34/0.14	7.5	98.92	34.6Ω/km
ANM11.011.07.020AB	UL20276	30V	7X20AWG	34/0.14	7.5	102.52	34.6Ω/km
ANM11.011.08.020AB	UL20276	30V	8X20AWG	34/0.14	8.1	118.32	34.6Ω/km
ANM11.011.09.020AB	UL20276	30V	9X20AWG	34/0.14	8.7	135.12	34.6Ω/km
ANM11.011.10.020AB	UL20276	30V	10X20AWG	34/0.14	9.2	150.22	34.6Ω/km
ANM11.011.11.020AB	UL20276	30V	11X20AWG	34/0.14	9.5	161.22	34.6Ω/km
ANM11.011.12.020AB	UL20276	30V	12X20AWG	34/0.14	9.5	164.82	34.6Ω/km
ANM11.011.13.020AB	UL20276	30V	13X20AWG	34/0.14	10	181.12	34.6Ω/km
ANM11.011.14.020AB	UL20276	30V	14X20AWG	34/0.14	10	184.72	34.6Ω/km
ANM11.011.15.020AB	UL20276	30V	15X20AWG	34/0.14	11	213.92	34.6Ω/km
ANM11.011.16.020AB	UL20276	30V	16X20AWG	34/0.14	11	217.62	34.6Ω/km
ANM11.011.17.020AB	UL20276	30V	17X20AWG	34/0.14	11.5	235.62	34.6Ω/km
ANM11.011.18.020AB	UL20276	30V	18X20AWG	34/0.14	11.5	239.22	34.6Ω/km
ANM11.011.19.020AB	UL20276	30V	19X20AWG	34/0.14	11.5	242.92	34.6Ω/km
ANM11.011.20.020AB	UL20276	30V	20X20AWG	34/0.14	11.8	255.42	34.6Ω/km
ANM11.011.21.020AB	UL20276	30V	21X20AWG	34/0.14	12.1	268.22	34.6Ω/km
ANM11.011.22.020AB	UL20276	30V	22X20AWG	34/0.14	12.7	290.72	34.6Ω/km
ANM11.011.23.020AB	UL20276	30V	23X20AWG	34/0.14	13.3	314.02	34.6Ω/km
ANM11.011.24.020AB	UL20276	30V	24X20AWG	34/0.14	13.3	317.72	34.6Ω/km
ANM11.011.25.020AB	UL20276	30V	25X20AWG	34/0.14	13.6	331.52	34.6Ω/km
ANM11.011.26.020AB	UL20276	30V	26X20AWG	34/0.14	13.6	335.22	34.6Ω/km
ANM11.011.27.020AB	UL20276	30V	27X20AWG	34/0.14	13.6	338.72	34.6Ω/km
ANM11.011.28.020AB	UL20276	30V	28X20AWG	34/0.14	14.1	359.92	34.6Ω/km
ANM11.011.29.020AB	UL20276	30V	29X20AWG	34/0.14	14.1	363.62	34.6Ω/km
ANM11.011.30.020AB	UL20276	30V	30X20AWG	34/0.14	14.1	367.22	34.6Ω/km
ANM11.011.31.020AB	UL20276	30V	31X20AWG	34/0.14	14.5	385.32	34.6Ω/km
ANM11.011.32.020AB	UL20276	30V	32X20AWG	34/0.14	14.5	389.02	34.6Ω/km
ANM11.011.33.020AB	UL20276	30V	33X20AWG	34/0.14	14.5	392.62	34.6Ω/km



ANM11.011.34.020AB	UL20276	30V	34X20AWG	34/0.14	15	414.82	34.6Ω/km
ANM11.011.35.020AB	UL20276	30V	35X20AWG	34/0.14	15	418.42	34.6Ω/km
ANM11.011.36.020AB	UL20276	30V	36X20AWG	34/0.14	15	422.02	34.6Ω/km
ANM11.011.37.020AB	UL20276	30V	37X20AWG	34/0.14	15	425.72	34.6Ω/km
ANM11.011.38.020AB	UL20276	30V	38X20AWG	34/0.14	15.6	452.42	34.6Ω/km
ANM11.011.39.020AB	UL20276	30V	39X20AWG	34/0.14	15.6	456.12	34.6Ω/km
ANM11.011.40.020AB	UL20276	30V	40X20AWG	34/0.14	15.6	459.72	34.6Ω/km
ANM11.011.41.020AB	UL20276	30V	41X20AWG	34/0.14	16.7	507.92	34.6Ω/km
ANM11.011.42.020AB	UL20276	30V	42X20AWG	34/0.14	16.7	511.62	34.6Ω/km
ANM11.011.43.020AB	UL20276	30V	43X20AWG	34/0.14	16.7	515.22	34.6Ω/km
ANM11.011.44.020AB	UL20276	30V	44X20AWG	34/0.14	16.7	518.82	34.6Ω/km
ANM11.011.45.020AB	UL20276	30V	45X20AWG	34/0.14	17	535.22	34.6Ω/km
ANM11.011.46.020AB	UL20276	30V	46X20AWG	34/0.14	17	538.82	34.6Ω/km
ANM11.011.47.020AB	UL20276	30V	47X20AWG	34/0.14	17	542.52	34.6Ω/km
ANM11.011.48.020AB	UL20276	30V	48X20AWG	34/0.14	17	546.22	34.6Ω/km
ANM11.011.49.020AB	UL20276	30V	49X20AWG	34/0.14	17.5	571.32	34.6Ω/km
ANM11.011.50.020AB	UL20276	30V	50X20AWG	34/0.14	17.5	575.02	34.6Ω/km
ANM11.011.51.020AB	UL20276	30V	51X20AWG	34/0.14	17.5	578.62	34.6Ω/km
ANM11.011.52.020AB	UL20276	30V	52X20AWG	34/0.14	17.5	582.32	34.6Ω/km
ANM11.011.53.020AB	UL20276	30V	53X20AWG	34/0.14	17.9	603.72	34.6Ω/km
ANM11.011.54.020AB	UL20276	30V	54X20AWG	34/0.14	17.9	607.22	34.6Ω/km
ANM11.011.55.020AB	UL20276	30V	55X20AWG	34/0.14	17.9	610.92	34.6Ω/km
ANM11.011.56.020AB	UL20276	30V	56X20AWG	34/0.14	17.9	614.52	34.6Ω/km
ANM11.011.57.020AB	UL20276	30V	57X20AWG	34/0.14	18.4	640.82	34.6Ω/km
ANM11.011.58.020AB	UL20276	30V	58X20AWG	34/0.14	18.4	644.52	34.6Ω/km
ANM11.011.59.020AB	UL20276	30V	59X20AWG	34/0.14	18.4	648.12	34.6Ω/km
ANM11.011.60.020AB	UL20276	30V	60X20AWG	34/0.14	18.4	651.82	34.6Ω/km
ANM11.011.61.020AB	UL20276	30V	61X20AWG	34/0.14	18.4	655.42	34.6Ω/km
ANM11.011.62.020AB	UL20276	30V	62X20AWG	34/0.14	19	687.12	34.6Ω/km
ANM11.011.63.020AB	UL20276	30V	63X20AWG	34/0.14	19	690.82	34.6Ω/km
ANM11.011.64.020AB	UL20276	30V	64X20AWG	34/0.14	19	694.42	34.6Ω/km
ANM11.011.65.020AB	UL20276	30V	65X20AWG	34/0.14	19	698.12	34.6Ω/km
ANM11.011.02.019AB	UL20276	30V	2X19AWG	43/0.14	6	59.76	27.4Ω/km
ANM11.011.03.019AB	UL20276	30V	3X19AWG	43/0.14	6.3	69.26	27.4Ω/km
ANM11.011.04.019AB	UL20276	30V	4X19AWG	43/0.14	6.8	82.66	27.4Ω/km
ANM11.011.05.019AB	UL20276	30V	5X19AWG	43/0.14	7.3	96.46	27.4Ω/km
ANM11.011.06.019AB	UL20276	30V	6X19AWG	43/0.14	7.8	111.06	27.4Ω/km
ANM11.011.07.019AB	UL20276	30V	7X19AWG	43/0.14	7.8	115.56	27.4Ω/km
ANM11.011.08.019AB	UL20276	30V	8X19AWG	43/0.14	8.4	132.96	27.4Ω/km
ANM11.011.09.019AB	UL20276	30V	9X19AWG	43/0.14	9.1	153.46	27.4Ω/km
ANM11.011.10.019AB	UL20276	30V	10X19AWG	43/0.14	9.6	170.16	27.4Ω/km
ANM11.011.11.019AB	UL20276	30V	11X19AWG	43/0.14	9.9	182.26	27.4Ω/km





ANM11.011.12.019AB	UL20276	30V	12X19AWG	43/0.14	9.9	186.86	27.4 Ω/km
ANM11.011.13.019AB	UL20276	30V	13X19AWG	43/0.14	11	219.76	27.4 Ω/km
ANM11.011.14.019AB	UL20276	30V	14X19AWG	43/0.14	11	224.46	27.4 Ω/km
ANM11.011.15.019AB	UL20276	30V	15X19AWG	43/0.14	11.5	243.36	27.4 Ω/km
ANM11.011.16.019AB	UL20276	30V	16X19AWG	43/0.14	11.5	248.06	27.4 Ω/km
ANM11.011.17.019AB	UL20276	30V	17X19AWG	43/0.14	12	267.56	27.4 Ω/km
ANM11.011.18.019AB	UL20276	30V	18X19AWG	43/0.14	12	272.26	27.4 Ω/km
ANM11.011.19.019AB	UL20276	30V	19X19AWG	43/0.14	12	276.86	27.4 Ω/km
ANM11.011.20.019AB	UL20276	30V	20X19AWG	43/0.14	12.3	290.86	27.4 Ω/km
ANM11.011.21.019AB	UL20276	30V	21X19AWG	43/0.14	12.6	304.86	27.4 Ω/km
ANM11.011.22.019AB	UL20276	30V	22X19AWG	43/0.14	13.4	335.86	27.4 Ω/km
ANM11.011.23.019AB	UL20276	30V	23X19AWG	43/0.14	13.9	357.66	27.4 Ω/km
ANM11.011.24.019AB	UL20276	30V	24X19AWG	43/0.14	13.9	362.46	27.4 Ω/km
ANM11.011.25.019AB	UL20276	30V	25X19AWG	43/0.14	14.2	377.76	27.4 Ω/km
ANM11.011.26.019AB	UL20276	30V	26X19AWG	43/0.14	14.2	382.36	27.4 Ω/km
ANM11.011.27.019AB	UL20276	30V	27X19AWG	43/0.14	14.2	386.96	27.4 Ω/km
ANM11.011.28.019AB	UL20276	30V	28X19AWG	43/0.14	14.7	409.86	27.4 Ω/km
ANM11.011.29.019AB	UL20276	30V	29X19AWG	43/0.14	14.7	414.46	27.4 Ω/km
ANM11.011.30.019AB	UL20276	30V	30X19AWG	43/0.14	14.7	419.16	27.4 Ω/km
ANM11.011.31.019AB	UL20276	30V	31X19AWG	43/0.14	15.2	442.46	27.4 Ω/km
ANM11.011.32.019AB	UL20276	30V	32X19AWG	43/0.14	15.2	447.16	27.4 Ω/km
ANM11.011.33.019AB	UL20276	30V	33X19AWG	43/0.14	15.2	451.76	27.4 Ω/km
ANM11.011.34.019AB	UL20276	30V	34X19AWG	43/0.14	15.7	475.96	27.4 Ω/km
ANM11.011.35.019AB	UL20276	30V	35X19AWG	43/0.14	15.7	480.56	27.4 Ω/km
ANM11.011.36.019AB	UL20276	30V	36X19AWG	43/0.14	15.7	485.16	27.4 Ω/km
ANM11.011.37.019AB	UL20276	30V	37X19AWG	43/0.14	15.7	489.76	27.4 Ω/km
ANM11.011.38.019AB	UL20276	30V	38X19AWG	43/0.14	16.3	518.56	27.4 Ω/km
ANM11.011.39.019AB	UL20276	30V	39X19AWG	43/0.14	16.3	523.06	27.4 Ω/km
ANM11.011.40.019AB	UL20276	30V	40X19AWG	43/0.14	16.3	527.76	27.4 Ω/km
ANM11.011.41.019AB	UL20276	30V	41X19AWG	43/0.14	17.5	583.16	27.4 Ω/km
ANM11.011.42.019AB	UL20276	30V	42X19AWG	43/0.14	17.5	587.86	27.4 Ω/km
ANM11.011.43.019AB	UL20276	30V	43X19AWG	43/0.14	17.5	592.46	27.4 Ω/km
ANM11.011.44.019AB	UL20276	30V	44X19AWG	43/0.14	17.5	597.16	27.4 Ω/km
ANM11.011.45.019AB	UL20276	30V	45X19AWG	43/0.14	17.8	614.96	27.4 Ω/km
ANM11.011.46.019AB	UL20276	30V	46X19AWG	43/0.14	17.8	619.66	27.4 Ω/km
ANM11.011.47.019AB	UL20276	30V	47X19AWG	43/0.14	17.8	624.36	27.4 Ω/km
ANM11.011.48.019AB	UL20276	30V	48X19AWG	43/0.14	17.8	629.06	27.4 Ω/km
ANM11.011.49.019AB	UL20276	30V	49X19AWG	43/0.14	18.3	656.26	27.4 Ω/km
ANM11.011.50.019AB	UL20276	30V	50X19AWG	43/0.14	18.3	660.96	27.4 Ω/km
ANM11.011.51.019AB	UL20276	30V	51X19AWG	43/0.14	18.3	665.56	27.4 Ω/km
ANM11.011.52.019AB	UL20276	30V	52X19AWG	43/0.14	18.3	670.26	27.4 Ω/km
ANM11.011.53.019AB	UL20276	30V	53X19AWG	43/0.14	18.8	697.96	27.4 Ω/km



ANM11.011.54.019AB	UL20276	30V	54X19AWG	43/0.14	18.8	702.56	27.4Ω/km
ANM11.011.55.019AB	UL20276	30V	55X19AWG	43/0.14	18.8	707.26	27.4Ω/km
ANM11.011.56.019AB	UL20276	30V	56X19AWG	43/0.14	18.8	711.76	27.4Ω/km
ANM11.011.57.019AB	UL20276	30V	57X19AWG	43/0.14	19.3	740.26	27.4Ω/km
ANM11.011.58.019AB	UL20276	30V	58X19AWG	43/0.14	19.3	744.76	27.4Ω/km
ANM11.011.59.019AB	UL20276	30V	59X19AWG	43/0.14	19.3	749.46	27.4Ω/km
ANM11.011.60.019AB	UL20276	30V	60X19AWG	43/0.14	19.3	754.06	27.4Ω/km
ANM11.011.61.019AB	UL20276	30V	61X19AWG	43/0.14	19.3	758.76	27.4Ω/km
ANM11.011.62.019AB	UL20276	30V	62X19AWG	43/0.14	20.7	831.26	27.4Ω/km
ANM11.011.63.019AB	UL20276	30V	63X19AWG	43/0.14	20.7	835.86	27.4Ω/km
ANM11.011.64.019AB	UL20276	30V	64X19AWG	43/0.14	20.7	840.46	27.4Ω/km
ANM11.011.65.019AB	UL20276	30V	65X19AWG	43/0.14	20.7	845.16	27.4Ω/km
ANM11.011.02.018AB	UL20276	30V	2X18AWG	29/0.19	6.2	65.73	21.8Ω/km
ANM11.011.03.018AB	UL20276	30V	3X18AWG	29/0.19	6.5	76.73	21.8Ω/km
ANM11.011.04.018AB	UL20276	30V	4X18AWG	29/0.19	7	91.73	21.8Ω/km
ANM11.011.05.018AB	UL20276	30V	5X18AWG	29/0.19	7.6	109.13	21.8Ω/km
ANM11.011.06.018AB	UL20276	30V	6X18AWG	29/0.19	8.1	125.33	21.8Ω/km
ANM11.011.07.018AB	UL20276	30V	7X18AWG	29/0.19	8.1	131.23	21.8Ω/km
ANM11.011.08.018AB	UL20276	30V	8X18AWG	29/0.19	8.7	150.43	21.8Ω/km
ANM11.011.09.018AB	UL20276	30V	9X18AWG	29/0.19	9.5	175.13	21.8Ω/km
ANM11.011.10.018AB	UL20276	30V	10X18AWG	29/0.19	10	193.83	21.8Ω/km
ANM11.011.11.018AB	UL20276	30V	11X18AWG	29/0.19	10.3	207.53	21.8Ω/km
ANM11.011.12.018AB	UL20276	30V	12X18AWG	29/0.19	10.3	213.43	21.8Ω/km
ANM11.011.13.018AB	UL20276	30V	13X18AWG	29/0.19	11.4	248.63	21.8Ω/km
ANM11.011.14.018AB	UL20276	30V	14X18AWG	29/0.19	11.4	254.53	21.8Ω/km
ANM11.011.15.018AB	UL20276	30V	15X18AWG	29/0.19	12	278.43	21.8Ω/km
ANM11.011.16.018AB	UL20276	30V	16X18AWG	29/0.19	12	284.53	21.8Ω/km
ANM11.011.17.018AB	UL20276	30V	17X18AWG	29/0.19	12.5	305.93	21.8Ω/km
ANM11.011.18.018AB	UL20276	30V	18X18AWG	29/0.19	12.5	312.03	21.8Ω/km
ANM11.011.19.018AB	UL20276	30V	19X18AWG	29/0.19	12.5	318.03	21.8Ω/km
ANM11.011.20.018AB	UL20276	30V	20X18AWG	29/0.19	12.8	333.53	21.8Ω/km
ANM11.011.21.018AB	UL20276	30V	21X18AWG	29/0.19	13.2	352.73	21.8Ω/km
ANM11.011.22.018AB	UL20276	30V	22X18AWG	29/0.19	14	386.13	21.8Ω/km
ANM11.011.23.018AB	UL20276	30V	23X18AWG	29/0.19	14.5	410.13	21.8Ω/km
ANM11.011.24.018AB	UL20276	30V	24X18AWG	29/0.19	14.5	416.03	21.8Ω/km
ANM11.011.25.018AB	UL20276	30V	25X18AWG	29/0.19	14.8	433.23	21.8Ω/km
ANM11.011.26.018AB	UL20276	30V	26X18AWG	29/0.19	14.8	439.13	21.8Ω/km
ANM11.011.27.018AB	UL20276	30V	27X18AWG	29/0.19	14.8	445.03	21.8Ω/km
ANM11.011.28.018AB	UL20276	30V	28X18AWG	29/0.19	15.3	469.93	21.8Ω/km
ANM11.011.29.018AB	UL20276	30V	29X18AWG	29/0.19	15.3	475.93	21.8Ω/km
ANM11.011.30.018AB	UL20276	30V	30X18AWG	29/0.19	15.3	481.93	21.8Ω/km
ANM11.011.31.018AB	UL20276	30V	31X18AWG	29/0.19	15.9	511.33	21.8Ω/km



ANM11.011.32.018AB	UL20276	30V	32X18AWG	29/0.19	15.9	517.33	21.8Ω/km
ANM11.011.33.018AB	UL20276	30V	33X18AWG	29/0.19	15.9	523.33	21.8Ω/km
ANM11.011.34.018AB	UL20276	30V	34X18AWG	29/0.19	16.4	549.53	21.8Ω/km
ANM11.011.35.018AB	UL20276	30V	35X18AWG	29/0.19	16.4	555.53	21.8Ω/km
ANM11.011.36.018AB	UL20276	30V	36X18AWG	29/0.19	16.4	561.63	21.8Ω/km
ANM11.011.37.018AB	UL20276	30V	37X18AWG	29/0.19	16.4	567.43	21.8Ω/km
ANM11.011.38.018AB	UL20276	30V	38X18AWG	29/0.19	17	598.53	21.8Ω/km
ANM11.011.39.018AB	UL20276	30V	39X18AWG	29/0.19	17	604.53	21.8Ω/km
ANM11.011.40.018AB	UL20276	30V	40X18AWG	29/0.19	17	610.53	21.8Ω/km
ANM11.011.41.018AB	UL20276	30V	41X18AWG	29/0.19	18.3	673.93	21.8Ω/km
ANM11.011.42.018AB	UL20276	30V	42X18AWG	29/0.19	18.3	679.83	21.8Ω/km
ANM11.011.43.018AB	UL20276	30V	43X18AWG	29/0.19	18.3	685.93	21.8Ω/km
ANM11.011.44.018AB	UL20276	30V	44X18AWG	29/0.19	18.3	691.83	21.8Ω/km
ANM11.011.45.018AB	UL20276	30V	45X18AWG	29/0.19	18.6	711.53	21.8Ω/km
ANM11.011.46.018AB	UL20276	30V	46X18AWG	29/0.19	18.6	717.53	21.8Ω/km
ANM11.011.47.018AB	UL20276	30V	47X18AWG	29/0.19	18.6	723.53	21.8Ω/km
ANM11.011.48.018AB	UL20276	30V	48X18AWG	29/0.19	18.6	729.43	21.8Ω/km
ANM11.011.49.018AB	UL20276	30V	49X18AWG	29/0.19	19.1	759.03	21.8Ω/km
ANM11.011.50.018AB	UL20276	30V	50X18AWG	29/0.19	19.1	765.03	21.8Ω/km
ANM11.011.51.018AB	UL20276	30V	51X18AWG	29/0.19	19.1	770.83	21.8Ω/km
ANM11.011.52.018AB	UL20276	30V	52X18AWG	29/0.19	19.1	776.93	21.8Ω/km
ANM11.011.53.018AB	UL20276	30V	53X18AWG	29/0.19	20.5	850.13	21.8Ω/km
ANM11.011.54.018AB	UL20276	30V	54X18AWG	29/0.19	20.5	855.93	21.8Ω/km
ANM11.011.55.018AB	UL20276	30V	55X18AWG	29/0.19	20.5	862.03	21.8Ω/km
ANM11.011.56.018AB	UL20276	30V	56X18AWG	29/0.19	20.5	867.93	21.8Ω/km
ANM11.011.57.018AB	UL20276	30V	57X18AWG	29/0.19	21	899.63	21.8Ω/km
ANM11.011.58.018AB	UL20276	30V	58X18AWG	29/0.19	21	905.63	21.8Ω/km
ANM11.011.59.018AB	UL20276	30V	59X18AWG	29/0.19	21	911.53	21.8Ω/km
ANM11.011.60.018AB	UL20276	30V	60X18AWG	29/0.19	21	917.63	21.8Ω/km
ANM11.011.61.018AB	UL20276	30V	61X18AWG	29/0.19	21	923.53	21.8Ω/km
ANM11.011.62.018AB	UL20276	30V	62X18AWG	29/0.19	21.6	961.33	21.8Ω/km
ANM11.011.63.018AB	UL20276	30V	63X18AWG	29/0.19	21.6	967.43	21.8Ω/km
ANM11.011.64.018AB	UL20276	30V	64X18AWG	29/0.19	21.6	973.33	21.8Ω/km
ANM11.011.65.018AB	UL20276	30V	65X18AWG	29/0.19	21.6	979.23	21.8Ω/km
ANM11.011.02.017AB	UL20276	30V	2X17AWG	37/0.19	6.6	75.74	17.3Ω/km
ANM11.011.03.017AB	UL20276	30V	3X17AWG	37/0.19	7	90.24	17.3Ω/km
ANM11.011.04.017AB	UL20276	30V	4X17AWG	37/0.19	7.5	107.14	17.3Ω/km
ANM11.011.05.017AB	UL20276	30V	5X17AWG	37/0.19	8.1	126.64	17.3Ω/km
ANM11.011.06.017AB	UL20276	30V	6X17AWG	37/0.19	8.7	147.14	17.3Ω/km
ANM11.011.07.017AB	UL20276	30V	7X17AWG	37/0.19	8.7	154.54	17.3Ω/km
ANM11.011.08.017AB	UL20276	30V	8X17AWG	37/0.19	9.4	178.24	17.3Ω/km
ANM11.011.09.017AB	UL20276	30V	9X17AWG	37/0.19	10.2	205.94	17.3Ω/km



ANM11.011.10.017AB	UL20276	30V	10X17AWG	37/0.19	11.4	245.14	17.3 Ω/km
ANM11.011.11.017AB	UL20276	30V	11X17AWG	37/0.19	11.8	264.34	17.3 Ω/km
ANM11.011.12.017AB	UL20276	30V	12X17AWG	37/0.19	11.8	271.74	17.3 Ω/km
ANM11.011.13.017AB	UL20276	30V	13X17AWG	37/0.19	12.3	294.54	17.3 Ω/km
ANM11.011.14.017AB	UL20276	30V	14X17AWG	37/0.19	12.3	301.84	17.3 Ω/km
ANM11.011.15.017AB	UL20276	30V	15X17AWG	37/0.19	12.9	328.34	17.3 Ω/km
ANM11.011.16.017AB	UL20276	30V	16X17AWG	37/0.19	12.9	335.74	17.3 Ω/km
ANM11.011.17.017AB	UL20276	30V	17X17AWG	37/0.19	13.6	366.54	17.3 Ω/km
ANM11.011.18.017AB	UL20276	30V	18X17AWG	37/0.19	13.6	373.94	17.3 Ω/km
ANM11.011.19.017AB	UL20276	30V	19X17AWG	37/0.19	13.6	381.34	17.3 Ω/km
ANM11.011.20.017AB	UL20276	30V	20X17AWG	37/0.19	14	402.64	17.3 Ω/km
ANM11.011.21.017AB	UL20276	30V	21X17AWG	37/0.19	14.3	420.74	17.3 Ω/km
ANM11.011.22.017AB	UL20276	30V	22X17AWG	37/0.19	15.1	457.74	17.3 Ω/km
ANM11.011.23.017AB	UL20276	30V	23X17AWG	37/0.19	15.7	488.34	17.3 Ω/km
ANM11.011.24.017AB	UL20276	30V	24X17AWG	37/0.19	15.7	495.74	17.3 Ω/km
ANM11.011.25.017AB	UL20276	30V	25X17AWG	37/0.19	16.1	519.14	17.3 Ω/km
ANM11.011.26.017AB	UL20276	30V	26X17AWG	37/0.19	16.1	526.44	17.3 Ω/km
ANM11.011.27.017AB	UL20276	30V	27X17AWG	37/0.19	16.1	533.94	17.3 Ω/km
ANM11.011.28.017AB	UL20276	30V	28X17AWG	37/0.19	16.6	561.74	17.3 Ω/km
ANM11.011.29.017AB	UL20276	30V	29X17AWG	37/0.19	16.6	569.14	17.3 Ω/km
ANM11.011.30.017AB	UL20276	30V	30X17AWG	37/0.19	16.6	576.54	17.3 Ω/km
ANM11.011.31.017AB	UL20276	30V	31X17AWG	37/0.19	17.2	609.24	17.3 Ω/km
ANM11.011.32.017AB	UL20276	30V	32X17AWG	37/0.19	17.2	616.64	17.3 Ω/km
ANM11.011.33.017AB	UL20276	30V	33X17AWG	37/0.19	17.2	623.94	17.3 Ω/km
ANM11.011.34.017AB	UL20276	30V	34X17AWG	37/0.19	17.8	657.64	17.3 Ω/km
ANM11.011.35.017AB	UL20276	30V	35X17AWG	37/0.19	17.8	665.04	17.3 Ω/km
ANM11.011.36.017AB	UL20276	30V	36X17AWG	37/0.19	17.8	672.54	17.3 Ω/km
ANM11.011.37.017AB	UL20276	30V	37X17AWG	37/0.19	17.8	679.84	17.3 Ω/km
ANM11.011.38.017AB	UL20276	30V	38X17AWG	37/0.19	18.5	719.04	17.3 Ω/km
ANM11.011.39.017AB	UL20276	30V	39X17AWG	37/0.19	18.5	726.44	17.3 Ω/km
ANM11.011.40.017AB	UL20276	30V	40X17AWG	37/0.19	18.5	733.74	17.3 Ω/km
ANM11.011.41.017AB	UL20276	30V	41X17AWG	37/0.19	20.7	846.64	17.3 Ω/km
ANM11.011.42.017AB	UL20276	30V	42X17AWG	37/0.19	20.7	854.04	17.3 Ω/km
ANM11.011.43.017AB	UL20276	30V	43X17AWG	37/0.19	20.7	861.44	17.3 Ω/km
ANM11.011.44.017AB	UL20276	30V	44X17AWG	37/0.19	20.7	868.74	17.3 Ω/km
ANM11.011.45.017AB	UL20276	30V	45X17AWG	37/0.19	21.1	897.04	17.3 Ω/km
ANM11.011.46.017AB	UL20276	30V	46X17AWG	37/0.19	21.1	904.44	17.3 Ω/km
ANM11.011.47.017AB	UL20276	30V	47X17AWG	37/0.19	21.1	911.84	17.3 Ω/km
ANM11.011.48.017AB	UL20276	30V	48X17AWG	37/0.19	21.1	919.14	17.3 Ω/km
ANM11.011.49.017AB	UL20276	30V	49X17AWG	37/0.19	21.6	953.14	17.3 Ω/km
ANM11.011.50.017AB	UL20276	30V	50X17AWG	37/0.19	21.6	960.44	17.3 Ω/km
ANM11.011.51.017AB	UL20276	30V	51X17AWG	37/0.19	21.6	967.84	17.3 Ω/km



ANM11.011.52.017AB	UL20276	30V	52X17AWG	37/0.19	21.6	975.24	17.3 Ω/km
ANM11.011.53.017AB	UL20276	30V	53X17AWG	37/0.19	22.2	1015.24	17.3 Ω/km
ANM11.011.54.017AB	UL20276	30V	54X17AWG	37/0.19	22.2	1022.64	17.3 Ω/km
ANM11.011.55.017AB	UL20276	30V	55X17AWG	37/0.19	22.2	1029.94	17.3 Ω/km
ANM11.011.56.017AB	UL20276	30V	56X17AWG	37/0.19	22.2	1037.34	17.3 Ω/km
ANM11.011.57.017AB	UL20276	30V	57X17AWG	37/0.19	22.8	1078.24	17.3 Ω/km
ANM11.011.58.017AB	UL20276	30V	58X17AWG	37/0.19	22.8	1085.74	17.3 Ω/km
ANM11.011.59.017AB	UL20276	30V	59X17AWG	37/0.19	22.8	1093.04	17.3 Ω/km
ANM11.011.60.017AB	UL20276	30V	60X17AWG	37/0.19	22.8	1100.44	17.3 Ω/km
ANM11.011.61.017AB	UL20276	30V	61X17AWG	37/0.19	22.8	1107.84	17.3 Ω/km
ANM11.011.62.017AB	UL20276	30V	62X17AWG	37/0.19	23.5	1155.54	17.3 Ω/km
ANM11.011.63.017AB	UL20276	30V	63X17AWG	37/0.19	23.5	1162.94	17.3 Ω/km
ANM11.011.64.017AB	UL20276	30V	64X17AWG	37/0.19	23.5	1170.34	17.3 Ω/km
ANM11.011.65.017AB	UL20276	30V	65X17AWG	37/0.19	23.5	1177.64	17.3 Ω/km
ANM11.011.02.016AB	UL20276	30V	2X16AWG	27/0.25	6.8	83.81	13.7 Ω/km
ANM11.011.03.016AB	UL20276	30V	3X16AWG	27/0.25	7.2	100.71	13.7 Ω/km
ANM11.011.04.016AB	UL20276	30V	4X16AWG	27/0.25	7.8	122.11	13.7 Ω/km
ANM11.011.05.016AB	UL20276	30V	5X16AWG	27/0.25	8.4	144.31	13.7 Ω/km
ANM11.011.06.016AB	UL20276	30V	6X16AWG	27/0.25	9	167.51	13.7 Ω/km
ANM11.011.07.016AB	UL20276	30V	7X16AWG	27/0.25	9	177.01	13.7 Ω/km
ANM11.011.08.016AB	UL20276	30V	8X16AWG	27/0.25	9.7	203.51	13.7 Ω/km
ANM11.011.09.016AB	UL20276	30V	9X16AWG	27/0.25	11.2	252.01	13.7 Ω/km
ANM11.011.10.016AB	UL20276	30V	10X16AWG	27/0.25	11.8	279.11	13.7 Ω/km
ANM11.011.11.016AB	UL20276	30V	11X16AWG	27/0.25	12.2	300.91	13.7 Ω/km
ANM11.011.12.016AB	UL20276	30V	12X16AWG	27/0.25	12.2	310.61	13.7 Ω/km
ANM11.011.13.016AB	UL20276	30V	13X16AWG	27/0.25	12.8	339.01	13.7 Ω/km
ANM11.011.14.016AB	UL20276	30V	14X16AWG	27/0.25	12.8	348.61	13.7 Ω/km
ANM11.011.15.016AB	UL20276	30V	15X16AWG	27/0.25	13.5	381.51	13.7 Ω/km
ANM11.011.16.016AB	UL20276	30V	16X16AWG	27/0.25	13.5	391.11	13.7 Ω/km
ANM11.011.17.016AB	UL20276	30V	17X16AWG	27/0.25	14.1	421.61	13.7 Ω/km
ANM11.011.18.016AB	UL20276	30V	18X16AWG	27/0.25	14.1	431.21	13.7 Ω/km
ANM11.011.19.016AB	UL20276	30V	19X16AWG	27/0.25	14.1	440.81	13.7 Ω/km
ANM11.011.20.016AB	UL20276	30V	20X16AWG	27/0.25	14.5	464.71	13.7 Ω/km
ANM11.011.21.016AB	UL20276	30V	21X16AWG	27/0.25	14.8	485.51	13.7 Ω/km
ANM11.011.22.016AB	UL20276	30V	22X16AWG	27/0.25	15.7	529.41	13.7 Ω/km
ANM11.011.23.016AB	UL20276	30V	23X16AWG	27/0.25	16.3	563.11	13.7 Ω/km
ANM11.011.24.016AB	UL20276	30V	24X16AWG	27/0.25	16.3	572.81	13.7 Ω/km
ANM11.011.25.016AB	UL20276	30V	25X16AWG	27/0.25	16.7	598.81	13.7 Ω/km
ANM11.011.26.016AB	UL20276	30V	26X16AWG	27/0.25	16.7	608.41	13.7 Ω/km
ANM11.011.27.016AB	UL20276	30V	27X16AWG	27/0.25	16.7	618.01	13.7 Ω/km
ANM11.011.28.016AB	UL20276	30V	28X16AWG	27/0.25	17.3	653.11	13.7 Ω/km
ANM11.011.29.016AB	UL20276	30V	29X16AWG	27/0.25	17.3	662.71	13.7 Ω/km



ANM11.011.30.016AB	UL20276	30V	30X16AWG	27/0.25	17.3	672.31	13.7 Ω/km
ANM11.011.31.016AB	UL20276	30V	31X16AWG	27/0.25	17.9	708.31	13.7 Ω/km
ANM11.011.32.016AB	UL20276	30V	32X16AWG	27/0.25	17.9	717.81	13.7 Ω/km
ANM11.011.33.016AB	UL20276	30V	33X16AWG	27/0.25	17.9	727.41	13.7 Ω/km
ANM11.011.34.016AB	UL20276	30V	34X16AWG	27/0.25	18.5	764.21	13.7 Ω/km
ANM11.011.35.016AB	UL20276	30V	35X16AWG	27/0.25	18.5	773.91	13.7 Ω/km
ANM11.011.36.016AB	UL20276	30V	36X16AWG	27/0.25	18.5	783.51	13.7 Ω/km
ANM11.011.37.016AB	UL20276	30V	37X16AWG	27/0.25	18.5	793.01	13.7 Ω/km
ANM11.011.38.016AB	UL20276	30V	38X16AWG	27/0.25	19.2	835.61	13.7 Ω/km
ANM11.011.39.016AB	UL20276	30V	39X16AWG	27/0.25	19.2	845.21	13.7 Ω/km
ANM11.011.40.016AB	UL20276	30V	40X16AWG	27/0.25	19.2	854.81	13.7 Ω/km
ANM11.011.41.016AB	UL20276	30V	41X16AWG	27/0.25	21.5	978.91	13.7 Ω/km
ANM11.011.42.016AB	UL20276	30V	42X16AWG	27/0.25	21.5	988.41	13.7 Ω/km
ANM11.011.43.016AB	UL20276	30V	43X16AWG	27/0.25	21.5	998.11	13.7 Ω/km
ANM11.011.44.016AB	UL20276	30V	44X16AWG	27/0.25	21.5	1007.51	13.7 Ω/km
ANM11.011.45.016AB	UL20276	30V	45X16AWG	27/0.25	21.9	1038.71	13.7 Ω/km
ANM11.011.46.016AB	UL20276	30V	46X16AWG	27/0.25	21.9	1048.21	13.7 Ω/km
ANM11.011.47.016AB	UL20276	30V	47X16AWG	27/0.25	21.9	1057.81	13.7 Ω/km
ANM11.011.48.016AB	UL20276	30V	48X16AWG	27/0.25	21.9	1067.41	13.7 Ω/km
ANM11.011.49.016AB	UL20276	30V	49X16AWG	27/0.25	22.5	1110.21	13.7 Ω/km
ANM11.011.50.016AB	UL20276	30V	50X16AWG	27/0.25	22.5	1119.71	13.7 Ω/km
ANM11.011.51.016AB	UL20276	30V	51X16AWG	27/0.25	22.5	1129.21	13.7 Ω/km
ANM11.011.52.016AB	UL20276	30V	52X16AWG	27/0.25	22.5	1138.91	13.7 Ω/km
ANM11.011.53.016AB	UL20276	30V	53X16AWG	27/0.25	23.1	1182.31	13.7 Ω/km
ANM11.011.54.016AB	UL20276	30V	54X16AWG	27/0.25	23.1	1191.81	13.7 Ω/km
ANM11.011.55.016AB	UL20276	30V	55X16AWG	27/0.25	23.1	1201.51	13.7 Ω/km
ANM11.011.56.016AB	UL20276	30V	56X16AWG	27/0.25	23.1	1210.91	13.7 Ω/km
ANM11.011.57.016AB	UL20276	30V	57X16AWG	27/0.25	23.7	1255.51	13.7 Ω/km
ANM11.011.58.016AB	UL20276	30V	58X16AWG	27/0.25	23.7	1265.11	13.7 Ω/km
ANM11.011.59.016AB	UL20276	30V	59X16AWG	27/0.25	23.7	1274.61	13.7 Ω/km
ANM11.011.60.016AB	UL20276	30V	60X16AWG	27/0.25	23.7	1284.31	13.7 Ω/km
ANM11.011.61.016AB	UL20276	30V	61X16AWG	27/0.25	23.7	1293.81	13.7 Ω/km
ANM11.011.62.016AB	UL20276	30V	62X16AWG	27/0.25	24.4	1345.11	13.7 Ω/km
ANM11.011.63.016AB	UL20276	30V	63X16AWG	27/0.25	24.4	1354.61	13.7 Ω/km
ANM11.011.64.016AB	UL20276	30V	64X16AWG	27/0.25	24.4	1364.31	13.7 Ω/km
ANM11.011.65.016AB	UL20276	30V	65X16AWG	27/0.25	24.4	1373.81	13.7 Ω/km