



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
芯线 PE 材质							
ANM11.001.02.030AB	UL20276	30V	2X30AWG	7/0.1	3.4	14.76	354 Ω/km
ANM11.001.03.030AB	UL20276	30V	3X30AWG	7/0.1	3.6	16.86	354 Ω/km
ANM11.001.04.030AB	UL20276	30V	4X30AWG	7/0.1	3.7	17.96	354 Ω/km
ANM11.001.05.030AB	UL20276	30V	5X30AWG	7/0.1	3.9	20.06	354 Ω/km
ANM11.001.06.030AB	UL20276	30V	6X30AWG	7/0.1	4.1	22.46	354 Ω/km
ANM11.001.07.030AB	UL20276	30V	7X30AWG	7/0.1	4.1	22.86	354 Ω/km
ANM11.001.08.030AB	UL20276	30V	8X30AWG	7/0.1	4.4	26.26	354 Ω/km
ANM11.001.09.030AB	UL20276	30V	9X30AWG	7/0.1	4.6	28.76	354 Ω/km
ANM11.001.10.030AB	UL20276	30V	10X30AWG	7/0.1	4.8	31.36	354 Ω/km
ANM11.001.11.030AB	UL20276	30V	11X30AWG	7/0.1	5	34.06	354 Ω/km
ANM11.001.12.030AB	UL20276	30V	12X30AWG	7/0.1	5	34.36	354 Ω/km
ANM11.001.13.030AB	UL20276	30V	13X30AWG	7/0.1	5.1	36.06	354 Ω/km
ANM11.001.14.030AB	UL20276	30V	14X30AWG	7/0.1	5.1	36.36	354 Ω/km
ANM11.001.15.030AB	UL20276	30V	15X30AWG	7/0.1	5.3	39.26	354 Ω/km
ANM11.001.16.030AB	UL20276	30V	16X30AWG	7/0.1	5.3	39.56	354 Ω/km
ANM11.001.17.030AB	UL20276	30V	17X30AWG	7/0.1	5.5	42.56	354 Ω/km
ANM11.001.18.030AB	UL20276	30V	18X30AWG	7/0.1	5.5	42.96	354 Ω/km
ANM11.001.19.030AB	UL20276	30V	19X30AWG	7/0.1	5.5	43.26	354 Ω/km
ANM11.001.20.030AB	UL20276	30V	20X30AWG	7/0.1	5.7	46.26	354 Ω/km
ANM11.001.21.030AB	UL20276	30V	21X30AWG	7/0.1	5.8	48.06	354 Ω/km
ANM11.001.22.030AB	UL20276	30V	22X30AWG	7/0.1	6	51.26	354 Ω/km
ANM11.001.23.030AB	UL20276	30V	23X30AWG	7/0.1	6.2	54.46	354 Ω/km
ANM11.001.24.030AB	UL20276	30V	24X30AWG	7/0.1	6.2	54.76	354 Ω/km
ANM11.001.25.030AB	UL20276	30V	25X30AWG	7/0.1	6.4	58.26	354 Ω/km
ANM11.001.26.030AB	UL20276	30V	26X30AWG	7/0.1	6.4	58.66	354 Ω/km
ANM11.001.27.030AB	UL20276	30V	27X30AWG	7/0.1	6.4	58.96	354 Ω/km
ANM11.001.28.030AB	UL20276	30V	28X30AWG	7/0.1	6.5	60.86	354 Ω/km
ANM11.001.29.030AB	UL20276	30V	29X30AWG	7/0.1	6.5	61.26	354 Ω/km
ANM11.001.30.030AB	UL20276	30V	30X30AWG	7/0.1	6.5	61.66	354 Ω/km
ANM11.001.31.030AB	UL20276	30V	31X30AWG	7/0.1	6.7	65.16	354 Ω/km
ANM11.001.32.030AB	UL20276	30V	32X30AWG	7/0.1	6.7	65.56	354 Ω/km
ANM11.001.33.030AB	UL20276	30V	33X30AWG	7/0.1	6.7	65.86	354 Ω/km
ANM11.001.34.030AB	UL20276	30V	34X30AWG	7/0.1	6.9	69.56	354 Ω/km
ANM11.001.35.030AB	UL20276	30V	35X30AWG	7/0.1	6.9	69.86	354 Ω/km
ANM11.001.36.030AB	UL20276	30V	36X30AWG	7/0.1	6.9	70.26	354 Ω/km
ANM11.001.37.030AB	UL20276	30V	37X30AWG	7/0.1	6.9	70.56	354 Ω/km
ANM11.001.38.030AB	UL20276	30V	38X30AWG	7/0.1	7.2	76.06	354 Ω/km
ANM11.001.39.030AB	UL20276	30V	39X30AWG	7/0.1	7.2	76.36	354 Ω/km
ANM11.001.40.030AB	UL20276	30V	40X30AWG	7/0.1	7.2	76.76	354 Ω/km



ANM11.001.41.030AB	UL20276	30V	41X30AWG	7/0.1	7.6	84.26	354 Ω/km
ANM11.001.42.030AB	UL20276	30V	42X30AWG	7/0.1	7.6	84.46	354 Ω/km
ANM11.001.43.030AB	UL20276	30V	43X30AWG	7/0.1	7.6	84.96	354 Ω/km
ANM11.001.44.030AB	UL20276	30V	44X30AWG	7/0.1	7.6	85.36	354 Ω/km
ANM11.001.45.030AB	UL20276	30V	45X30AWG	7/0.1	7.8	89.46	354 Ω/km
ANM11.001.46.030AB	UL20276	30V	46X30AWG	7/0.1	7.8	89.76	354 Ω/km
ANM11.001.47.030AB	UL20276	30V	47X30AWG	7/0.1	7.8	90.06	354 Ω/km
ANM11.001.48.030AB	UL20276	30V	48X30AWG	7/0.1	7.8	90.46	354 Ω/km
ANM11.001.49.030AB	UL20276	30V	49X30AWG	7/0.1	7.9	92.76	354 Ω/km
ANM11.001.50.030AB	UL20276	30V	50X30AWG	7/0.1	7.9	93.06	354 Ω/km
ANM11.001.51.030AB	UL20276	30V	51X30AWG	7/0.1	7.9	93.36	354 Ω/km
ANM11.001.52.030AB	UL20276	30V	52X30AWG	7/0.1	7.9	93.76	354 Ω/km
ANM11.001.53.030AB	UL20276	30V	53X30AWG	7/0.1	8.1	97.96	354 Ω/km
ANM11.001.54.030AB	UL20276	30V	54X30AWG	7/0.1	8.1	98.36	354 Ω/km
ANM11.001.55.030AB	UL20276	30V	55X30AWG	7/0.1	8.1	98.76	354 Ω/km
ANM11.001.56.030AB	UL20276	30V	56X30AWG	7/0.1	8.1	99.06	354 Ω/km
ANM11.001.57.030AB	UL20276	30V	57X30AWG	7/0.1	8.3	103.46	354 Ω/km
ANM11.001.58.030AB	UL20276	30V	58X30AWG	7/0.1	8.3	103.76	354 Ω/km
ANM11.001.59.030AB	UL20276	30V	59X30AWG	7/0.1	8.3	104.16	354 Ω/km
ANM11.001.60.030AB	UL20276	30V	60X30AWG	7/0.1	8.3	104.46	354 Ω/km
ANM11.001.61.030AB	UL20276	30V	61X30AWG	7/0.1	8.3	104.76	354 Ω/km
ANM11.001.62.030AB	UL20276	30V	62X30AWG	7/0.1	8.6	111.26	354 Ω/km
ANM11.001.63.030AB	UL20276	30V	63X30AWG	7/0.1	8.6	111.66	354 Ω/km
ANM11.001.64.030AB	UL20276	30V	64X30AWG	7/0.1	8.6	112.06	354 Ω/km
ANM11.001.65.030AB	UL20276	30V	65X30AWG	7/0.1	8.6	112.36	354 Ω/km
ANM11.001.02.029AB	UL20276	30V	2X29AWG	9/0.1	3.6	16.67	277 Ω/km
ANM11.001.03.029AB	UL20276	30V	3X29AWG	9/0.1	3.8	18.97	277 Ω/km
ANM11.001.04.029AB	UL20276	30V	4X29AWG	9/0.1	4	21.27	277 Ω/km
ANM11.001.05.029AB	UL20276	30V	5X29AWG	9/0.1	4.2	23.57	277 Ω/km
ANM11.001.06.029AB	UL20276	30V	6X29AWG	9/0.1	4.4	26.27	277 Ω/km
ANM11.001.07.029AB	UL20276	30V	7X29AWG	9/0.1	4.4	26.67	277 Ω/km
ANM11.001.08.029AB	UL20276	30V	8X29AWG	9/0.1	4.7	30.37	277 Ω/km
ANM11.001.09.029AB	UL20276	30V	9X29AWG	9/0.1	5	34.37	277 Ω/km
ANM11.001.10.029AB	UL20276	30V	10X29AWG	9/0.1	5.2	37.37	277 Ω/km
ANM11.001.11.029AB	UL20276	30V	11X29AWG	9/0.1	5.4	40.37	277 Ω/km
ANM11.001.12.029AB	UL20276	30V	12X29AWG	9/0.1	5.4	40.77	277 Ω/km
ANM11.001.13.029AB	UL20276	30V	13X29AWG	9/0.1	5.6	43.97	277 Ω/km
ANM11.001.14.029AB	UL20276	30V	14X29AWG	9/0.1	5.6	44.47	277 Ω/km
ANM11.001.15.029AB	UL20276	30V	15X29AWG	9/0.1	5.8	47.57	277 Ω/km
ANM11.001.16.029AB	UL20276	30V	16X29AWG	9/0.1	5.8	47.97	277 Ω/km
ANM11.001.17.029AB	UL20276	30V	17X29AWG	9/0.1	6	51.37	277 Ω/km
ANM11.001.18.029AB	UL20276	30V	18X29AWG	9/0.1	6	51.87	277 Ω/km



ANM11.001.19.029AB	UL20276	30V	19X29AWG	9/0.1	6	52.27	277 Ω/km
ANM11.001.20.029AB	UL20276	30V	20X29AWG	9/0.1	6.2	55.77	277 Ω/km
ANM11.001.21.029AB	UL20276	30V	21X29AWG	9/0.1	6.3	57.77	277 Ω/km
ANM11.001.22.029AB	UL20276	30V	22X29AWG	9/0.1	6.6	62.97	277 Ω/km
ANM11.001.23.029AB	UL20276	30V	23X29AWG	9/0.1	6.8	66.57	277 Ω/km
ANM11.001.24.029AB	UL20276	30V	24X29AWG	9/0.1	6.8	66.97	277 Ω/km
ANM11.001.25.029AB	UL20276	30V	25X29AWG	9/0.1	7	70.87	277 Ω/km
ANM11.001.26.029AB	UL20276	30V	26X29AWG	9/0.1	7	71.27	277 Ω/km
ANM11.001.27.029AB	UL20276	30V	27X29AWG	9/0.1	7	71.77	277 Ω/km
ANM11.001.28.029AB	UL20276	30V	28X29AWG	9/0.1	7.2	75.57	277 Ω/km
ANM11.001.29.029AB	UL20276	30V	29X29AWG	9/0.1	7.2	76.17	277 Ω/km
ANM11.001.30.029AB	UL20276	30V	30X29AWG	9/0.1	7.2	76.67	277 Ω/km
ANM11.001.31.029AB	UL20276	30V	31X29AWG	9/0.1	7.4	80.67	277 Ω/km
ANM11.001.32.029AB	UL20276	30V	32X29AWG	9/0.1	7.4	81.07	277 Ω/km
ANM11.001.33.029AB	UL20276	30V	33X29AWG	9/0.1	7.4	81.57	277 Ω/km
ANM11.001.34.029AB	UL20276	30V	34X29AWG	9/0.1	7.6	85.57	277 Ω/km
ANM11.001.35.029AB	UL20276	30V	35X29AWG	9/0.1	7.6	85.97	277 Ω/km
ANM11.001.36.029AB	UL20276	30V	36X29AWG	9/0.1	7.6	86.57	277 Ω/km
ANM11.001.37.029AB	UL20276	30V	37X29AWG	9/0.1	7.6	86.97	277 Ω/km
ANM11.001.38.029AB	UL20276	30V	38X29AWG	9/0.1	7.9	92.97	277 Ω/km
ANM11.001.39.029AB	UL20276	30V	39X29AWG	9/0.1	7.9	93.67	277 Ω/km
ANM11.001.40.029AB	UL20276	30V	40X29AWG	9/0.1	7.9	94.07	277 Ω/km
ANM11.001.41.029AB	UL20276	30V	41X29AWG	9/0.1	8.4	104.37	277 Ω/km
ANM11.001.42.029AB	UL20276	30V	42X29AWG	9/0.1	8.4	104.77	277 Ω/km
ANM11.001.43.029AB	UL20276	30V	43X29AWG	9/0.1	8.4	105.27	277 Ω/km
ANM11.001.44.029AB	UL20276	30V	44X29AWG	9/0.1	8.4	105.77	277 Ω/km
ANM11.001.45.029AB	UL20276	30V	45X29AWG	9/0.1	8.6	110.27	277 Ω/km
ANM11.001.46.029AB	UL20276	30V	46X29AWG	9/0.1	8.6	110.77	277 Ω/km
ANM11.001.47.029AB	UL20276	30V	47X29AWG	9/0.1	8.6	111.27	277 Ω/km
ANM11.001.48.029AB	UL20276	30V	48X29AWG	9/0.1	8.6	111.67	277 Ω/km
ANM11.001.49.029AB	UL20276	30V	49X29AWG	9/0.1	8.8	116.37	277 Ω/km
ANM11.001.50.029AB	UL20276	30V	50X29AWG	9/0.1	8.8	116.87	277 Ω/km
ANM11.001.51.029AB	UL20276	30V	51X29AWG	9/0.1	8.8	117.27	277 Ω/km
ANM11.001.52.029AB	UL20276	30V	52X29AWG	9/0.1	8.8	117.87	277 Ω/km
ANM11.001.53.029AB	UL20276	30V	53X29AWG	9/0.1	9	122.57	277 Ω/km
ANM11.001.54.029AB	UL20276	30V	54X29AWG	9/0.1	9	123.07	277 Ω/km
ANM11.001.55.029AB	UL20276	30V	55X29AWG	9/0.1	9	123.57	277 Ω/km
ANM11.001.56.029AB	UL20276	30V	56X29AWG	9/0.1	9	123.97	277 Ω/km
ANM11.001.57.029AB	UL20276	30V	57X29AWG	9/0.1	9.2	128.77	277 Ω/km
ANM11.001.58.029AB	UL20276	30V	58X29AWG	9/0.1	9.2	129.37	277 Ω/km
ANM11.001.59.029AB	UL20276	30V	59X29AWG	9/0.1	9.2	129.77	277 Ω/km
ANM11.001.60.029AB	UL20276	30V	60X29AWG	9/0.1	9.2	130.27	277 Ω/km



ANM11.001.61.029AB	UL20276	30V	61X29AWG	9/0.1	9.2	130.77	277 Ω/km
ANM11.001.62.029AB	UL20276	30V	62X29AWG	9/0.1	9.5	137.97	277 Ω/km
ANM11.001.63.029AB	UL20276	30V	63X29AWG	9/0.1	9.5	138.47	277 Ω/km
ANM11.001.64.029AB	UL20276	30V	64X29AWG	9/0.1	9.5	138.87	277 Ω/km
ANM11.001.65.029AB	UL20276	30V	65X29AWG	9/0.1	9.5	139.27	277 Ω/km
ANM11.001.02.028AB	UL20276	30V	2X28AWG	11/0.1	3.6	16.99	223 Ω/km
ANM11.001.03.028AB	UL20276	30V	3X28AWG	11/0.1	3.8	19.29	223 Ω/km
ANM11.001.04.028AB	UL20276	30V	4X28AWG	11/0.1	4	21.79	223 Ω/km
ANM11.001.05.028AB	UL20276	30V	5X28AWG	11/0.1	4.2	24.19	223 Ω/km
ANM11.001.06.028AB	UL20276	30V	6X28AWG	11/0.1	4.4	26.99	223 Ω/km
ANM11.001.07.028AB	UL20276	30V	7X28AWG	11/0.1	4.4	27.59	223 Ω/km
ANM11.001.08.028AB	UL20276	30V	8X28AWG	11/0.1	4.7	31.39	223 Ω/km
ANM11.001.09.028AB	UL20276	30V	9X28AWG	11/0.1	5	35.49	223 Ω/km
ANM11.001.10.028AB	UL20276	30V	10X28AWG	11/0.1	5.2	38.49	223 Ω/km
ANM11.001.11.028AB	UL20276	30V	11X28AWG	11/0.1	5.4	41.59	223 Ω/km
ANM11.001.12.028AB	UL20276	30V	12X28AWG	11/0.1	5.4	42.19	223 Ω/km
ANM11.001.13.028AB	UL20276	30V	13X28AWG	11/0.1	5.6	45.49	223 Ω/km
ANM11.001.14.028AB	UL20276	30V	14X28AWG	11/0.1	5.6	46.09	223 Ω/km
ANM11.001.15.028AB	UL20276	30V	15X28AWG	11/0.1	5.8	49.29	223 Ω/km
ANM11.001.16.028AB	UL20276	30V	16X28AWG	11/0.1	5.8	49.89	223 Ω/km
ANM11.001.17.028AB	UL20276	30V	17X28AWG	11/0.1	6	53.29	223 Ω/km
ANM11.001.18.028AB	UL20276	30V	18X28AWG	11/0.1	6	53.99	223 Ω/km
ANM11.001.19.028AB	UL20276	30V	19X28AWG	11/0.1	6	54.59	223 Ω/km
ANM11.001.20.028AB	UL20276	30V	20X28AWG	11/0.1	6.2	57.99	223 Ω/km
ANM11.001.21.028AB	UL20276	30V	21X28AWG	11/0.1	6.3	60.19	223 Ω/km
ANM11.001.22.028AB	UL20276	30V	22X28AWG	11/0.1	6.6	65.39	223 Ω/km
ANM11.001.23.028AB	UL20276	30V	23X28AWG	11/0.1	6.8	69.29	223 Ω/km
ANM11.001.24.028AB	UL20276	30V	24X28AWG	11/0.1	6.8	69.89	223 Ω/km
ANM11.001.25.028AB	UL20276	30V	25X28AWG	11/0.1	7	73.79	223 Ω/km
ANM11.001.26.028AB	UL20276	30V	26X28AWG	11/0.1	7	74.39	223 Ω/km
ANM11.001.27.028AB	UL20276	30V	27X28AWG	11/0.1	7	74.99	223 Ω/km
ANM11.001.28.028AB	UL20276	30V	28X28AWG	11/0.1	7.2	78.89	223 Ω/km
ANM11.001.29.028AB	UL20276	30V	29X28AWG	11/0.1	7.2	79.49	223 Ω/km
ANM11.001.30.028AB	UL20276	30V	30X28AWG	11/0.1	7.2	80.09	223 Ω/km
ANM11.001.31.028AB	UL20276	30V	31X28AWG	11/0.1	7.4	84.29	223 Ω/km
ANM11.001.32.028AB	UL20276	30V	32X28AWG	11/0.1	7.4	84.79	223 Ω/km
ANM11.001.33.028AB	UL20276	30V	33X28AWG	11/0.1	7.4	85.39	223 Ω/km
ANM11.001.34.028AB	UL20276	30V	34X28AWG	11/0.1	7.6	89.49	223 Ω/km
ANM11.001.35.028AB	UL20276	30V	35X28AWG	11/0.1	7.6	90.09	223 Ω/km
ANM11.001.36.028AB	UL20276	30V	36X28AWG	11/0.1	7.6	90.79	223 Ω/km
ANM11.001.37.028AB	UL20276	30V	37X28AWG	11/0.1	7.6	91.29	223 Ω/km
ANM11.001.38.028AB	UL20276	30V	38X28AWG	11/0.1	7.9	97.49	223 Ω/km



ANM11.001.39.028AB	UL20276	30V	39X28AWG	11/0.1	7.9	98.09	223 Ω/km
ANM11.001.40.028AB	UL20276	30V	40X28AWG	11/0.1	7.9	98.69	223 Ω/km
ANM11.001.41.028AB	UL20276	30V	41X28AWG	11/0.1	8.4	108.99	223 Ω/km
ANM11.001.42.028AB	UL20276	30V	42X28AWG	11/0.1	8.4	109.59	223 Ω/km
ANM11.001.43.028AB	UL20276	30V	43X28AWG	11/0.1	8.4	110.29	223 Ω/km
ANM11.001.44.028AB	UL20276	30V	44X28AWG	11/0.1	8.4	110.79	223 Ω/km
ANM11.001.45.028AB	UL20276	30V	45X28AWG	11/0.1	8.6	115.59	223 Ω/km
ANM11.001.46.028AB	UL20276	30V	46X28AWG	11/0.1	8.6	116.19	223 Ω/km
ANM11.001.47.028AB	UL20276	30V	47X28AWG	11/0.1	8.6	116.79	223 Ω/km
ANM11.001.48.028AB	UL20276	30V	48X28AWG	11/0.1	8.6	117.39	223 Ω/km
ANM11.001.49.028AB	UL20276	30V	49X28AWG	11/0.1	8.8	122.09	223 Ω/km
ANM11.001.50.028AB	UL20276	30V	50X28AWG	11/0.1	8.8	122.69	223 Ω/km
ANM11.001.51.028AB	UL20276	30V	51X28AWG	11/0.1	8.8	123.19	223 Ω/km
ANM11.001.52.028AB	UL20276	30V	52X28AWG	11/0.1	8.8	123.89	223 Ω/km
ANM11.001.53.028AB	UL20276	30V	53X28AWG	11/0.1	9	128.79	223 Ω/km
ANM11.001.54.028AB	UL20276	30V	54X28AWG	11/0.1	9	129.39	223 Ω/km
ANM11.001.55.028AB	UL20276	30V	55X28AWG	11/0.1	9	129.99	223 Ω/km
ANM11.001.56.028AB	UL20276	30V	56X28AWG	11/0.1	9	130.49	223 Ω/km
ANM11.001.57.028AB	UL20276	30V	57X28AWG	11/0.1	9.2	135.49	223 Ω/km
ANM11.001.58.028AB	UL20276	30V	58X28AWG	11/0.1	9.2	135.99	223 Ω/km
ANM11.001.59.028AB	UL20276	30V	59X28AWG	11/0.1	9.2	136.59	223 Ω/km
ANM11.001.60.028AB	UL20276	30V	60X28AWG	11/0.1	9.2	137.19	223 Ω/km
ANM11.001.61.028AB	UL20276	30V	61X28AWG	11/0.1	9.2	137.79	223 Ω/km
ANM11.001.62.028AB	UL20276	30V	62X28AWG	11/0.1	9.5	145.19	223 Ω/km
ANM11.001.63.028AB	UL20276	30V	63X28AWG	11/0.1	9.5	145.69	223 Ω/km
ANM11.001.64.028AB	UL20276	30V	64X28AWG	11/0.1	9.5	146.29	223 Ω/km
ANM11.001.65.028AB	UL20276	30V	65X28AWG	11/0.1	9.5	146.89	223 Ω/km
ANM11.001.02.027AB	UL20276	30V	2X27AWG	7/0.14	3.8	18.81	175 Ω/km
ANM11.001.03.027AB	UL20276	30V	3X27AWG	7/0.14	4	21.31	175 Ω/km
ANM11.001.04.027AB	UL20276	30V	4X27AWG	7/0.14	4.2	23.91	175 Ω/km
ANM11.001.05.027AB	UL20276	30V	5X27AWG	7/0.14	4.5	27.81	175 Ω/km
ANM11.001.06.027AB	UL20276	30V	6X27AWG	7/0.14	4.7	30.51	175 Ω/km
ANM11.001.07.027AB	UL20276	30V	7X27AWG	7/0.14	4.7	31.31	175 Ω/km
ANM11.001.08.027AB	UL20276	30V	8X27AWG	7/0.14	5	35.31	175 Ω/km
ANM11.001.09.027AB	UL20276	30V	9X27AWG	7/0.14	5.4	40.91	175 Ω/km
ANM11.001.10.027AB	UL20276	30V	10X27AWG	7/0.14	5.6	44.31	175 Ω/km
ANM11.001.11.027AB	UL20276	30V	11X27AWG	7/0.14	5.8	47.51	175 Ω/km
ANM11.001.12.027AB	UL20276	30V	12X27AWG	7/0.14	5.8	48.21	175 Ω/km
ANM11.001.13.027AB	UL20276	30V	13X27AWG	7/0.14	6	51.81	175 Ω/km
ANM11.001.14.027AB	UL20276	30V	14X27AWG	7/0.14	6	52.41	175 Ω/km
ANM11.001.15.027AB	UL20276	30V	15X27AWG	7/0.14	6.3	57.51	175 Ω/km
ANM11.001.16.027AB	UL20276	30V	16X27AWG	7/0.14	6.3	58.21	175 Ω/km



ANM11.001.17.027AB	UL20276	30V	17X27AWG	7/0.14	6.5	61.81	175 Ω/km
ANM11.001.18.027AB	UL20276	30V	18X27AWG	7/0.14	6.5	62.51	175 Ω/km
ANM11.001.19.027AB	UL20276	30V	19X27AWG	7/0.14	6.5	63.21	175 Ω/km
ANM11.001.20.027AB	UL20276	30V	20X27AWG	7/0.14	6.7	67.01	175 Ω/km
ANM11.001.21.027AB	UL20276	30V	21X27AWG	7/0.14	6.8	69.31	175 Ω/km
ANM11.001.22.027AB	UL20276	30V	22X27AWG	7/0.14	7.2	76.61	175 Ω/km
ANM11.001.23.027AB	UL20276	30V	23X27AWG	7/0.14	7.4	80.81	175 Ω/km
ANM11.001.24.027AB	UL20276	30V	24X27AWG	7/0.14	7.4	81.51	175 Ω/km
ANM11.001.25.027AB	UL20276	30V	25X27AWG	7/0.14	7.6	85.61	175 Ω/km
ANM11.001.26.027AB	UL20276	30V	26X27AWG	7/0.14	7.6	86.41	175 Ω/km
ANM11.001.27.027AB	UL20276	30V	27X27AWG	7/0.14	7.6	87.01	175 Ω/km
ANM11.001.28.027AB	UL20276	30V	28X27AWG	7/0.14	7.8	91.41	175 Ω/km
ANM11.001.29.027AB	UL20276	30V	29X27AWG	7/0.14	7.8	92.11	175 Ω/km
ANM11.001.30.027AB	UL20276	30V	30X27AWG	7/0.14	7.8	92.61	175 Ω/km
ANM11.001.31.027AB	UL20276	30V	31X27AWG	7/0.14	8.1	99.01	175 Ω/km
ANM11.001.32.027AB	UL20276	30V	32X27AWG	7/0.14	8.1	99.61	175 Ω/km
ANM11.001.33.027AB	UL20276	30V	33X27AWG	7/0.14	8.1	100.21	175 Ω/km
ANM11.001.34.027AB	UL20276	30V	34X27AWG	7/0.14	8.3	104.91	175 Ω/km
ANM11.001.35.027AB	UL20276	30V	35X27AWG	7/0.14	8.3	105.61	175 Ω/km
ANM11.001.36.027AB	UL20276	30V	36X27AWG	7/0.14	8.3	106.21	175 Ω/km
ANM11.001.37.027AB	UL20276	30V	37X27AWG	7/0.14	8.3	106.91	175 Ω/km
ANM11.001.38.027AB	UL20276	30V	38X27AWG	7/0.14	8.6	113.61	175 Ω/km
ANM11.001.39.027AB	UL20276	30V	39X27AWG	7/0.14	8.6	114.31	175 Ω/km
ANM11.001.40.027AB	UL20276	30V	40X27AWG	7/0.14	8.6	114.91	175 Ω/km
ANM11.001.41.027AB	UL20276	30V	41X27AWG	7/0.14	9.2	128.31	175 Ω/km
ANM11.001.42.027AB	UL20276	30V	42X27AWG	7/0.14	9.2	129.01	175 Ω/km
ANM11.001.43.027AB	UL20276	30V	43X27AWG	7/0.14	9.2	129.71	175 Ω/km
ANM11.001.44.027AB	UL20276	30V	44X27AWG	7/0.14	9.2	130.31	175 Ω/km
ANM11.001.45.027AB	UL20276	30V	45X27AWG	7/0.14	9.4	135.51	175 Ω/km
ANM11.001.46.027AB	UL20276	30V	46X27AWG	7/0.14	9.4	136.11	175 Ω/km
ANM11.001.47.027AB	UL20276	30V	47X27AWG	7/0.14	9.4	136.81	175 Ω/km
ANM11.001.48.027AB	UL20276	30V	48X27AWG	7/0.14	9.4	137.41	175 Ω/km
ANM11.001.49.027AB	UL20276	30V	49X27AWG	7/0.14	9.6	142.51	175 Ω/km
ANM11.001.50.027AB	UL20276	30V	50X27AWG	7/0.14	9.6	143.31	175 Ω/km
ANM11.001.51.027AB	UL20276	30V	51X27AWG	7/0.14	9.6	143.91	175 Ω/km
ANM11.001.52.027AB	UL20276	30V	52X27AWG	7/0.14	9.6	144.51	175 Ω/km
ANM11.001.53.027AB	UL20276	30V	53X27AWG	7/0.14	9.9	152.31	175 Ω/km
ANM11.001.54.027AB	UL20276	30V	54X27AWG	7/0.14	9.9	152.91	175 Ω/km
ANM11.001.55.027AB	UL20276	30V	55X27AWG	7/0.14	9.9	153.51	175 Ω/km
ANM11.001.56.027AB	UL20276	30V	56X27AWG	7/0.14	9.9	154.11	175 Ω/km
ANM11.001.57.027AB	UL20276	30V	57X27AWG	7/0.14	10.1	159.71	175 Ω/km
ANM11.001.58.027AB	UL20276	30V	58X27AWG	7/0.14	10.1	160.41	175 Ω/km



ANM11.001.59.027AB	UL20276	30V	59X27AWG	7/0.14	10.1	161.01	175 Ω/km
ANM11.001.60.027AB	UL20276	30V	60X27AWG	7/0.14	10.1	161.61	175 Ω/km
ANM11.001.61.027AB	UL20276	30V	61X27AWG	7/0.14	10.1	162.21	175 Ω/km
ANM11.001.62.027AB	UL20276	30V	62X27AWG	7/0.14	11	185.61	175 Ω/km
ANM11.001.63.027AB	UL20276	30V	63X27AWG	7/0.14	11	186.21	175 Ω/km
ANM11.001.64.027AB	UL20276	30V	64X27AWG	7/0.14	11	186.81	175 Ω/km
ANM11.001.65.027AB	UL20276	30V	65X27AWG	7/0.14	11	187.51	175 Ω/km
ANM11.001.02.026AB	UL20276	30V	2X26AWG	9/0.14	3.8	19.33	140 Ω/km
ANM11.001.03.026AB	UL20276	30V	3X26AWG	9/0.14	4	22.13	140 Ω/km
ANM11.001.04.026AB	UL20276	30V	4X26AWG	9/0.14	4.2	24.93	140 Ω/km
ANM11.001.05.026AB	UL20276	30V	5X26AWG	9/0.14	4.5	29.03	140 Ω/km
ANM11.001.06.026AB	UL20276	30V	6X26AWG	9/0.14	4.7	32.03	140 Ω/km
ANM11.001.07.026AB	UL20276	30V	7X26AWG	9/0.14	4.7	33.03	140 Ω/km
ANM11.001.08.026AB	UL20276	30V	8X26AWG	9/0.14	5	37.33	140 Ω/km
ANM11.001.09.026AB	UL20276	30V	9X26AWG	9/0.14	5.4	43.13	140 Ω/km
ANM11.001.10.026AB	UL20276	30V	10X26AWG	9/0.14	5.6	46.73	140 Ω/km
ANM11.001.11.026AB	UL20276	30V	11X26AWG	9/0.14	5.8	50.23	140 Ω/km
ANM11.001.12.026AB	UL20276	30V	12X26AWG	9/0.14	5.8	51.13	140 Ω/km
ANM11.001.13.026AB	UL20276	30V	13X26AWG	9/0.14	6	54.93	140 Ω/km
ANM11.001.14.026AB	UL20276	30V	14X26AWG	9/0.14	6	55.93	140 Ω/km
ANM11.001.15.026AB	UL20276	30V	15X26AWG	9/0.14	6.3	61.23	140 Ω/km
ANM11.001.16.026AB	UL20276	30V	16X26AWG	9/0.14	6.3	62.23	140 Ω/km
ANM11.001.17.026AB	UL20276	30V	17X26AWG	9/0.14	6.5	66.03	140 Ω/km
ANM11.001.18.026AB	UL20276	30V	18X26AWG	9/0.14	6.5	66.93	140 Ω/km
ANM11.001.19.026AB	UL20276	30V	19X26AWG	9/0.14	6.5	67.93	140 Ω/km
ANM11.001.20.026AB	UL20276	30V	20X26AWG	9/0.14	6.7	71.93	140 Ω/km
ANM11.001.21.026AB	UL20276	30V	21X26AWG	9/0.14	6.8	74.43	140 Ω/km
ANM11.001.22.026AB	UL20276	30V	22X26AWG	9/0.14	7.2	82.03	140 Ω/km
ANM11.001.23.026AB	UL20276	30V	23X26AWG	9/0.14	7.4	86.43	140 Ω/km
ANM11.001.24.026AB	UL20276	30V	24X26AWG	9/0.14	7.4	87.43	140 Ω/km
ANM11.001.25.026AB	UL20276	30V	25X26AWG	9/0.14	7.6	91.73	140 Ω/km
ANM11.001.26.026AB	UL20276	30V	26X26AWG	9/0.14	7.6	92.73	140 Ω/km
ANM11.001.27.026AB	UL20276	30V	27X26AWG	9/0.14	7.6	93.73	140 Ω/km
ANM11.001.28.026AB	UL20276	30V	28X26AWG	9/0.14	7.8	98.33	140 Ω/km
ANM11.001.29.026AB	UL20276	30V	29X26AWG	9/0.14	7.8	99.23	140 Ω/km
ANM11.001.30.026AB	UL20276	30V	30X26AWG	9/0.14	7.8	100.03	140 Ω/km
ANM11.001.31.026AB	UL20276	30V	31X26AWG	9/0.14	8.1	106.63	140 Ω/km
ANM11.001.32.026AB	UL20276	30V	32X26AWG	9/0.14	8.1	107.53	140 Ω/km
ANM11.001.33.026AB	UL20276	30V	33X26AWG	9/0.14	8.1	108.33	140 Ω/km
ANM11.001.34.026AB	UL20276	30V	34X26AWG	9/0.14	8.3	113.23	140 Ω/km
ANM11.001.35.026AB	UL20276	30V	35X26AWG	9/0.14	8.3	114.23	140 Ω/km
ANM11.001.36.026AB	UL20276	30V	36X26AWG	9/0.14	8.3	115.03	140 Ω/km



ANM11.001.37.026AB	UL20276	30V	37X26AWG	9/0.14	8.3	115.93	140 Ω/km
ANM11.001.38.026AB	UL20276	30V	38X26AWG	9/0.14	8.6	122.93	140 Ω/km
ANM11.001.39.026AB	UL20276	30V	39X26AWG	9/0.14	8.6	123.83	140 Ω/km
ANM11.001.40.026AB	UL20276	30V	40X26AWG	9/0.14	8.6	124.83	140 Ω/km
ANM11.001.41.026AB	UL20276	30V	41X26AWG	9/0.14	9.2	138.43	140 Ω/km
ANM11.001.42.026AB	UL20276	30V	42X26AWG	9/0.14	9.2	139.33	140 Ω/km
ANM11.001.43.026AB	UL20276	30V	43X26AWG	9/0.14	9.2	140.33	140 Ω/km
ANM11.001.44.026AB	UL20276	30V	44X26AWG	9/0.14	9.2	141.13	140 Ω/km
ANM11.001.45.026AB	UL20276	30V	45X26AWG	9/0.14	9.4	146.53	140 Ω/km
ANM11.001.46.026AB	UL20276	30V	46X26AWG	9/0.14	9.4	147.43	140 Ω/km
ANM11.001.47.026AB	UL20276	30V	47X26AWG	9/0.14	9.4	148.33	140 Ω/km
ANM11.001.48.026AB	UL20276	30V	48X26AWG	9/0.14	9.4	149.23	140 Ω/km
ANM11.001.49.026AB	UL20276	30V	49X26AWG	9/0.14	9.6	154.53	140 Ω/km
ANM11.001.50.026AB	UL20276	30V	50X26AWG	9/0.14	9.6	155.53	140 Ω/km
ANM11.001.51.026AB	UL20276	30V	51X26AWG	9/0.14	9.6	156.43	140 Ω/km
ANM11.001.52.026AB	UL20276	30V	52X26AWG	9/0.14	9.6	157.23	140 Ω/km
ANM11.001.53.026AB	UL20276	30V	53X26AWG	9/0.14	9.9	165.33	140 Ω/km
ANM11.001.54.026AB	UL20276	30V	54X26AWG	9/0.14	9.9	166.23	140 Ω/km
ANM11.001.55.026AB	UL20276	30V	55X26AWG	9/0.14	9.9	167.03	140 Ω/km
ANM11.001.56.026AB	UL20276	30V	56X26AWG	9/0.14	9.9	167.93	140 Ω/km
ANM11.001.57.026AB	UL20276	30V	57X26AWG	9/0.14	10.1	173.73	140 Ω/km
ANM11.001.58.026AB	UL20276	30V	58X26AWG	9/0.14	10.1	174.63	140 Ω/km
ANM11.001.59.026AB	UL20276	30V	59X26AWG	9/0.14	10.1	175.53	140 Ω/km
ANM11.001.60.026AB	UL20276	30V	60X26AWG	9/0.14	10.1	176.33	140 Ω/km
ANM11.001.61.026AB	UL20276	30V	61X26AWG	9/0.14	10.1	177.23	140 Ω/km
ANM11.001.62.026AB	UL20276	30V	62X26AWG	9/0.14	11	200.83	140 Ω/km
ANM11.001.63.026AB	UL20276	30V	63X26AWG	9/0.14	11	201.63	140 Ω/km
ANM11.001.64.026AB	UL20276	30V	64X26AWG	9/0.14	11	202.53	140 Ω/km
ANM11.001.65.026AB	UL20276	30V	65X26AWG	9/0.14	11	203.43	140 Ω/km
ANM11.001.02.025AB	UL20276	30V	2X25AWG	11/0.14	4	21.67	111 Ω/km
ANM11.001.03.025AB	UL20276	30V	3X25AWG	11/0.14	4.2	24.57	111 Ω/km
ANM11.001.04.025AB	UL20276	30V	4X25AWG	11/0.14	4.5	28.87	111 Ω/km
ANM11.001.05.025AB	UL20276	30V	5X25AWG	11/0.14	4.7	32.17	111 Ω/km
ANM11.001.06.025AB	UL20276	30V	6X25AWG	11/0.14	5	36.67	111 Ω/km
ANM11.001.07.025AB	UL20276	30V	7X25AWG	11/0.14	5	37.77	111 Ω/km
ANM11.001.08.025AB	UL20276	30V	8X25AWG	11/0.14	5.3	42.57	111 Ω/km
ANM11.001.09.025AB	UL20276	30V	9X25AWG	11/0.14	5.7	48.97	111 Ω/km
ANM11.001.10.025AB	UL20276	30V	10X25AWG	11/0.14	6	54.17	111 Ω/km
ANM11.001.11.025AB	UL20276	30V	11X25AWG	11/0.14	6.2	58.27	111 Ω/km
ANM11.001.12.025AB	UL20276	30V	12X25AWG	11/0.14	6.2	59.27	111 Ω/km
ANM11.001.13.025AB	UL20276	30V	13X25AWG	11/0.14	6.5	64.87	111 Ω/km
ANM11.001.14.025AB	UL20276	30V	14X25AWG	11/0.14	6.5	65.97	111 Ω/km



ANM11.001.15.025AB	UL20276	30V	15X25AWG	11/0.14	6.7	70.27	111 Ω/km
ANM11.001.16.025AB	UL20276	30V	16X25AWG	11/0.14	6.7	71.37	111 Ω/km
ANM11.001.17.025AB	UL20276	30V	17X25AWG	11/0.14	7	77.37	111 Ω/km
ANM11.001.18.025AB	UL20276	30V	18X25AWG	11/0.14	7	78.57	111 Ω/km
ANM11.001.19.025AB	UL20276	30V	19X25AWG	11/0.14	7	79.67	111 Ω/km
ANM11.001.20.025AB	UL20276	30V	20X25AWG	11/0.14	7.2	83.97	111 Ω/km
ANM11.001.21.025AB	UL20276	30V	21X25AWG	11/0.14	7.3	86.77	111 Ω/km
ANM11.001.22.025AB	UL20276	30V	22X25AWG	11/0.14	7.7	95.07	111 Ω/km
ANM11.001.23.025AB	UL20276	30V	23X25AWG	11/0.14	8	101.87	111 Ω/km
ANM11.001.24.025AB	UL20276	30V	24X25AWG	11/0.14	8	102.87	111 Ω/km
ANM11.001.25.025AB	UL20276	30V	25X25AWG	11/0.14	8.2	108.07	111 Ω/km
ANM11.001.26.025AB	UL20276	30V	26X25AWG	11/0.14	8.2	109.07	111 Ω/km
ANM11.001.27.025AB	UL20276	30V	27X25AWG	11/0.14	8.2	110.07	111 Ω/km
ANM11.001.28.025AB	UL20276	30V	28X25AWG	11/0.14	8.5	117.27	111 Ω/km
ANM11.001.29.025AB	UL20276	30V	29X25AWG	11/0.14	8.5	118.37	111 Ω/km
ANM11.001.30.025AB	UL20276	30V	30X25AWG	11/0.14	8.5	119.47	111 Ω/km
ANM11.001.31.025AB	UL20276	30V	31X25AWG	11/0.14	8.7	124.47	111 Ω/km
ANM11.001.32.025AB	UL20276	30V	32X25AWG	11/0.14	8.7	125.67	111 Ω/km
ANM11.001.33.025AB	UL20276	30V	33X25AWG	11/0.14	8.7	126.77	111 Ω/km
ANM11.001.34.025AB	UL20276	30V	34X25AWG	11/0.14	9	134.17	111 Ω/km
ANM11.001.35.025AB	UL20276	30V	35X25AWG	11/0.14	9	135.27	111 Ω/km
ANM11.001.36.025AB	UL20276	30V	36X25AWG	11/0.14	9	136.37	111 Ω/km
ANM11.001.37.025AB	UL20276	30V	37X25AWG	11/0.14	9	137.47	111 Ω/km
ANM11.001.38.025AB	UL20276	30V	38X25AWG	11/0.14	9.3	145.17	111 Ω/km
ANM11.001.39.025AB	UL20276	30V	39X25AWG	11/0.14	9.3	146.27	111 Ω/km
ANM11.001.40.025AB	UL20276	30V	40X25AWG	11/0.14	9.3	147.37	111 Ω/km
ANM11.001.41.025AB	UL20276	30V	41X25AWG	11/0.14	10	164.67	111 Ω/km
ANM11.001.42.025AB	UL20276	30V	42X25AWG	11/0.14	10	165.77	111 Ω/km
ANM11.001.43.025AB	UL20276	30V	43X25AWG	11/0.14	10	166.87	111 Ω/km
ANM11.001.44.025AB	UL20276	30V	44X25AWG	11/0.14	10	167.97	111 Ω/km
ANM11.001.45.025AB	UL20276	30V	45X25AWG	11/0.14	10.2	173.87	111 Ω/km
ANM11.001.46.025AB	UL20276	30V	46X25AWG	11/0.14	10.2	174.97	111 Ω/km
ANM11.001.47.025AB	UL20276	30V	47X25AWG	11/0.14	10.2	175.97	111 Ω/km
ANM11.001.48.025AB	UL20276	30V	48X25AWG	11/0.14	10.2	176.97	111 Ω/km
ANM11.001.49.025AB	UL20276	30V	49X25AWG	11/0.14	11.1	200.87	111 Ω/km
ANM11.001.50.025AB	UL20276	30V	50X25AWG	11/0.14	11.1	202.07	111 Ω/km
ANM11.001.51.025AB	UL20276	30V	51X25AWG	11/0.14	11.1	203.07	111 Ω/km
ANM11.001.52.025AB	UL20276	30V	52X25AWG	11/0.14	11.1	204.17	111 Ω/km
ANM11.001.53.025AB	UL20276	30V	53X25AWG	11/0.14	11.3	210.77	111 Ω/km
ANM11.001.54.025AB	UL20276	30V	54X25AWG	11/0.14	11.3	211.77	111 Ω/km
ANM11.001.55.025AB	UL20276	30V	55X25AWG	11/0.14	11.3	212.77	111 Ω/km
ANM11.001.56.025AB	UL20276	30V	56X25AWG	11/0.14	11.3	213.87	111 Ω/km



ANM11.001.57.025AB	UL20276	30V	57X25AWG	11/0.14	11.6	223.37	111 Ω/km
ANM11.001.58.025AB	UL20276	30V	58X25AWG	11/0.14	11.6	224.37	111 Ω/km
ANM11.001.59.025AB	UL20276	30V	59X25AWG	11/0.14	11.6	225.47	111 Ω/km
ANM11.001.60.025AB	UL20276	30V	60X25AWG	11/0.14	11.6	226.47	111 Ω/km
ANM11.001.61.025AB	UL20276	30V	61X25AWG	11/0.14	11.6	227.57	111 Ω/km
ANM11.001.62.025AB	UL20276	30V	62X25AWG	11/0.14	11.9	237.07	111 Ω/km
ANM11.001.63.025AB	UL20276	30V	63X25AWG	11/0.14	11.9	238.17	111 Ω/km
ANM11.001.64.025AB	UL20276	30V	64X25AWG	11/0.14	11.9	239.37	111 Ω/km
ANM11.001.65.025AB	UL20276	30V	65X25AWG	11/0.14	11.9	240.37	111 Ω/km
ANM11.001.02.024AB	UL20276	30V	2X24AWG	14/0.14	4	22.51	87.6 Ω/km
ANM11.001.03.024AB	UL20276	30V	3X24AWG	14/0.14	4.2	25.91	87.6 Ω/km
ANM11.001.04.024AB	UL20276	30V	4X24AWG	14/0.14	4.5	30.51	87.6 Ω/km
ANM11.001.05.024AB	UL20276	30V	5X24AWG	14/0.14	4.7	34.21	87.6 Ω/km
ANM11.001.06.024AB	UL20276	30V	6X24AWG	14/0.14	5	39.21	87.6 Ω/km
ANM11.001.07.024AB	UL20276	30V	7X24AWG	14/0.14	5	40.71	87.6 Ω/km
ANM11.001.08.024AB	UL20276	30V	8X24AWG	14/0.14	5.3	45.81	87.6 Ω/km
ANM11.001.09.024AB	UL20276	30V	9X24AWG	14/0.14	5.7	52.71	87.6 Ω/km
ANM11.001.10.024AB	UL20276	30V	10X24AWG	14/0.14	6	58.31	87.6 Ω/km
ANM11.001.11.024AB	UL20276	30V	11X24AWG	14/0.14	6.2	62.71	87.6 Ω/km
ANM11.001.12.024AB	UL20276	30V	12X24AWG	14/0.14	6.2	64.21	87.6 Ω/km
ANM11.001.13.024AB	UL20276	30V	13X24AWG	14/0.14	6.5	70.21	87.6 Ω/km
ANM11.001.14.024AB	UL20276	30V	14X24AWG	14/0.14	6.5	71.71	87.6 Ω/km
ANM11.001.15.024AB	UL20276	30V	15X24AWG	14/0.14	6.7	76.41	87.6 Ω/km
ANM11.001.16.024AB	UL20276	30V	16X24AWG	14/0.14	6.7	77.91	87.6 Ω/km
ANM11.001.17.024AB	UL20276	30V	17X24AWG	14/0.14	7	84.31	87.6 Ω/km
ANM11.001.18.024AB	UL20276	30V	18X24AWG	14/0.14	7	85.91	87.6 Ω/km
ANM11.001.19.024AB	UL20276	30V	19X24AWG	14/0.14	7	87.41	87.6 Ω/km
ANM11.001.20.024AB	UL20276	30V	20X24AWG	14/0.14	7.2	92.11	87.6 Ω/km
ANM11.001.21.024AB	UL20276	30V	21X24AWG	14/0.14	7.3	95.41	87.6 Ω/km
ANM11.001.22.024AB	UL20276	30V	22X24AWG	14/0.14	7.7	104.01	87.6 Ω/km
ANM11.001.23.024AB	UL20276	30V	23X24AWG	14/0.14	8	111.21	87.6 Ω/km
ANM11.001.24.024AB	UL20276	30V	24X24AWG	14/0.14	8	112.71	87.6 Ω/km
ANM11.001.25.024AB	UL20276	30V	25X24AWG	14/0.14	8.2	118.21	87.6 Ω/km
ANM11.001.26.024AB	UL20276	30V	26X24AWG	14/0.14	8.2	119.61	87.6 Ω/km
ANM11.001.27.024AB	UL20276	30V	27X24AWG	14/0.14	8.2	121.11	87.6 Ω/km
ANM11.001.28.024AB	UL20276	30V	28X24AWG	14/0.14	8.5	128.71	87.6 Ω/km
ANM11.001.29.024AB	UL20276	30V	29X24AWG	14/0.14	8.5	130.11	87.6 Ω/km
ANM11.001.30.024AB	UL20276	30V	30X24AWG	14/0.14	8.5	131.71	87.6 Ω/km
ANM11.001.31.024AB	UL20276	30V	31X24AWG	14/0.14	8.7	137.11	87.6 Ω/km
ANM11.001.32.024AB	UL20276	30V	32X24AWG	14/0.14	8.7	138.61	87.6 Ω/km
ANM11.001.33.024AB	UL20276	30V	33X24AWG	14/0.14	8.7	140.21	87.6 Ω/km
ANM11.001.34.024AB	UL20276	30V	34X24AWG	14/0.14	9	148.01	87.6 Ω/km



ANM11.001.35.024AB	UL20276	30V	35X24AWG	14/0.14	9	149.51	87.6Ω/km
ANM11.001.36.024AB	UL20276	30V	36X24AWG	14/0.14	9	151.01	87.6Ω/km
ANM11.001.37.024AB	UL20276	30V	37X24AWG	14/0.14	9	152.51	87.6Ω/km
ANM11.001.38.024AB	UL20276	30V	38X24AWG	14/0.14	9.3	160.61	87.6Ω/km
ANM11.001.39.024AB	UL20276	30V	39X24AWG	14/0.14	9.3	162.11	87.6Ω/km
ANM11.001.40.024AB	UL20276	30V	40X24AWG	14/0.14	9.3	163.61	87.6Ω/km
ANM11.001.41.024AB	UL20276	30V	41X24AWG	14/0.14	10	181.31	87.6Ω/km
ANM11.001.42.024AB	UL20276	30V	42X24AWG	14/0.14	10	182.91	87.6Ω/km
ANM11.001.43.024AB	UL20276	30V	43X24AWG	14/0.14	10	184.31	87.6Ω/km
ANM11.001.44.024AB	UL20276	30V	44X24AWG	14/0.14	10	185.81	87.6Ω/km
ANM11.001.45.024AB	UL20276	30V	45X24AWG	14/0.14	10.2	192.21	87.6Ω/km
ANM11.001.46.024AB	UL20276	30V	46X24AWG	14/0.14	10.2	193.61	87.6Ω/km
ANM11.001.47.024AB	UL20276	30V	47X24AWG	14/0.14	10.2	195.01	87.6Ω/km
ANM11.001.48.024AB	UL20276	30V	48X24AWG	14/0.14	10.2	196.51	87.6Ω/km
ANM11.001.49.024AB	UL20276	30V	49X24AWG	14/0.14	11.1	220.81	87.6Ω/km
ANM11.001.50.024AB	UL20276	30V	50X24AWG	14/0.14	11.1	222.31	87.6Ω/km
ANM11.001.51.024AB	UL20276	30V	51X24AWG	14/0.14	11.1	223.81	87.6Ω/km
ANM11.001.52.024AB	UL20276	30V	52X24AWG	14/0.14	11.1	225.31	87.6Ω/km
ANM11.001.53.024AB	UL20276	30V	53X24AWG	14/0.14	11.3	232.31	87.6Ω/km
ANM11.001.54.024AB	UL20276	30V	54X24AWG	14/0.14	11.3	233.71	87.6Ω/km
ANM11.001.55.024AB	UL20276	30V	55X24AWG	14/0.14	11.3	235.11	87.6Ω/km
ANM11.001.56.024AB	UL20276	30V	56X24AWG	14/0.14	11.3	236.71	87.6Ω/km
ANM11.001.57.024AB	UL20276	30V	57X24AWG	14/0.14	11.6	246.51	87.6Ω/km
ANM11.001.58.024AB	UL20276	30V	58X24AWG	14/0.14	11.6	247.91	87.6Ω/km
ANM11.001.59.024AB	UL20276	30V	59X24AWG	14/0.14	11.6	249.51	87.6Ω/km
ANM11.001.60.024AB	UL20276	30V	60X24AWG	14/0.14	11.6	250.91	87.6Ω/km
ANM11.001.61.024AB	UL20276	30V	61X24AWG	14/0.14	11.6	252.31	87.6Ω/km
ANM11.001.62.024AB	UL20276	30V	62X24AWG	14/0.14	11.9	262.31	87.6Ω/km
ANM11.001.63.024AB	UL20276	30V	63X24AWG	14/0.14	11.9	263.81	87.6Ω/km
ANM11.001.64.024AB	UL20276	30V	64X24AWG	14/0.14	11.9	265.31	87.6Ω/km
ANM11.001.65.024AB	UL20276	30V	65X24AWG	14/0.14	11.9	266.81	87.6Ω/km
ANM11.001.02.023AB	UL20276	30V	2X23AWG	17/0.14	4.6	29.26	69.2Ω/km
ANM11.001.03.023AB	UL20276	30V	3X23AWG	17/0.14	4.9	34.56	69.2Ω/km
ANM11.001.04.023AB	UL20276	30V	4X23AWG	17/0.14	5.2	40.06	69.2Ω/km
ANM11.001.05.023AB	UL20276	30V	5X23AWG	17/0.14	5.6	47.16	69.2Ω/km
ANM11.001.06.023AB	UL20276	30V	6X23AWG	17/0.14	5.9	53.06	69.2Ω/km
ANM11.001.07.023AB	UL20276	30V	7X23AWG	17/0.14	5.9	54.96	69.2Ω/km
ANM11.001.08.023AB	UL20276	30V	8X23AWG	17/0.14	6.3	62.56	69.2Ω/km
ANM11.001.09.023AB	UL20276	30V	9X23AWG	17/0.14	6.9	73.76	69.2Ω/km
ANM11.001.10.023AB	UL20276	30V	10X23AWG	17/0.14	7.2	80.86	69.2Ω/km
ANM11.001.11.023AB	UL20276	30V	11X23AWG	17/0.14	7.5	87.96	69.2Ω/km
ANM11.001.12.023AB	UL20276	30V	12X23AWG	17/0.14	7.5	89.76	69.2Ω/km



ANM11.001.13.023AB	UL20276	30V	13X23AWG	17/0.14	7.8	97.06	69.2Ω/km
ANM11.001.14.023AB	UL20276	30V	14X23AWG	17/0.14	7.8	98.96	69.2Ω/km
ANM11.001.15.023AB	UL20276	30V	15X23AWG	17/0.14	8.2	108.46	69.2Ω/km
ANM11.001.16.023AB	UL20276	30V	16X23AWG	17/0.14	8.2	110.26	69.2Ω/km
ANM11.001.17.023AB	UL20276	30V	17X23AWG	17/0.14	8.5	118.16	69.2Ω/km
ANM11.001.18.023AB	UL20276	30V	18X23AWG	17/0.14	8.5	119.96	69.2Ω/km
ANM11.001.19.023AB	UL20276	30V	19X23AWG	17/0.14	8.5	121.86	69.2Ω/km
ANM11.001.20.023AB	UL20276	30V	20X23AWG	17/0.14	8.8	129.76	69.2Ω/km
ANM11.001.21.023AB	UL20276	30V	21X23AWG	17/0.14	8.9	133.86	69.2Ω/km
ANM11.001.22.023AB	UL20276	30V	22X23AWG	17/0.14	9.5	148.86	69.2Ω/km
ANM11.001.23.023AB	UL20276	30V	23X23AWG	17/0.14	9.8	157.56	69.2Ω/km
ANM11.001.24.023AB	UL20276	30V	24X23AWG	17/0.14	9.8	159.56	69.2Ω/km
ANM11.001.25.023AB	UL20276	30V	25X23AWG	17/0.14	10.1	168.56	69.2Ω/km
ANM11.001.26.023AB	UL20276	30V	26X23AWG	17/0.14	10.1	170.36	69.2Ω/km
ANM11.001.27.023AB	UL20276	30V	27X23AWG	17/0.14	10.1	172.16	69.2Ω/km
ANM11.001.28.023AB	UL20276	30V	28X23AWG	17/0.14	11	196.66	69.2Ω/km
ANM11.001.29.023AB	UL20276	30V	29X23AWG	17/0.14	11	198.46	69.2Ω/km
ANM11.001.30.023AB	UL20276	30V	30X23AWG	17/0.14	11	200.36	69.2Ω/km
ANM11.001.31.023AB	UL20276	30V	31X23AWG	17/0.14	11.4	212.86	69.2Ω/km
ANM11.001.32.023AB	UL20276	30V	32X23AWG	17/0.14	11.4	214.56	69.2Ω/km
ANM11.001.33.023AB	UL20276	30V	33X23AWG	17/0.14	11.4	216.56	69.2Ω/km
ANM11.001.34.023AB	UL20276	30V	34X23AWG	17/0.14	11.7	226.66	69.2Ω/km
ANM11.001.35.023AB	UL20276	30V	35X23AWG	17/0.14	11.7	228.46	69.2Ω/km
ANM11.001.36.023AB	UL20276	30V	36X23AWG	17/0.14	11.7	230.26	69.2Ω/km
ANM11.001.37.023AB	UL20276	30V	37X23AWG	17/0.14	11.7	232.06	69.2Ω/km
ANM11.001.38.023AB	UL20276	30V	38X23AWG	17/0.14	12.1	245.46	69.2Ω/km
ANM11.001.39.023AB	UL20276	30V	39X23AWG	17/0.14	12.1	247.16	69.2Ω/km
ANM11.001.40.023AB	UL20276	30V	40X23AWG	17/0.14	12.1	249.06	69.2Ω/km
ANM11.001.41.023AB	UL20276	30V	41X23AWG	17/0.14	13.1	281.16	69.2Ω/km
ANM11.001.42.023AB	UL20276	30V	42X23AWG	17/0.14	13.1	283.06	69.2Ω/km
ANM11.001.43.023AB	UL20276	30V	43X23AWG	17/0.14	13.1	284.86	69.2Ω/km
ANM11.001.44.023AB	UL20276	30V	44X23AWG	17/0.14	13.1	286.76	69.2Ω/km
ANM11.001.45.023AB	UL20276	30V	45X23AWG	17/0.14	13.4	298.06	69.2Ω/km
ANM11.001.46.023AB	UL20276	30V	46X23AWG	17/0.14	13.4	299.86	69.2Ω/km
ANM11.001.47.023AB	UL20276	30V	47X23AWG	17/0.14	13.4	301.66	69.2Ω/km
ANM11.001.48.023AB	UL20276	30V	48X23AWG	17/0.14	13.4	303.56	69.2Ω/km
ANM11.001.49.023AB	UL20276	30V	49X23AWG	17/0.14	13.7	315.16	69.2Ω/km
ANM11.001.50.023AB	UL20276	30V	50X23AWG	17/0.14	13.7	316.96	69.2Ω/km
ANM11.001.51.023AB	UL20276	30V	51X23AWG	17/0.14	13.7	318.76	69.2Ω/km
ANM11.001.52.023AB	UL20276	30V	52X23AWG	17/0.14	13.7	320.66	69.2Ω/km
ANM11.001.53.023AB	UL20276	30V	53X23AWG	17/0.14	14.1	335.96	69.2Ω/km
ANM11.001.54.023AB	UL20276	30V	54X23AWG	17/0.14	14.1	337.66	69.2Ω/km



ANM11.001.55.023AB	UL20276	30V	55X23AWG	17/0.14	14.1	339.46	69.2 Ω/km
ANM11.001.56.023AB	UL20276	30V	56X23AWG	17/0.14	14.1	341.36	69.2 Ω/km
ANM11.001.57.023AB	UL20276	30V	57X23AWG	17/0.14	14.4	353.46	69.2 Ω/km
ANM11.001.58.023AB	UL20276	30V	58X23AWG	17/0.14	14.4	355.36	69.2 Ω/km
ANM11.001.59.023AB	UL20276	30V	59X23AWG	17/0.14	14.4	357.06	69.2 Ω/km
ANM11.001.60.023AB	UL20276	30V	60X23AWG	17/0.14	14.4	358.96	69.2 Ω/km
ANM11.001.61.023AB	UL20276	30V	61X23AWG	17/0.14	14.4	360.66	69.2 Ω/km
ANM11.001.62.023AB	UL20276	30V	62X23AWG	17/0.14	14.8	376.66	69.2 Ω/km
ANM11.001.63.023AB	UL20276	30V	63X23AWG	17/0.14	14.8	378.46	69.2 Ω/km
ANM11.001.64.023AB	UL20276	30V	64X23AWG	17/0.14	14.8	380.26	69.2 Ω/km
ANM11.001.65.023AB	UL20276	30V	65X23AWG	17/0.14	14.8	382.16	69.2 Ω/km
ANM11.001.02.022AB	UL20276	30V	2X22AWG	22/0.14	4.8	32.63	55.4 Ω/km
ANM11.001.03.022AB	UL20276	30V	3X22AWG	22/0.14	5.1	38.33	55.4 Ω/km
ANM11.001.04.022AB	UL20276	30V	4X22AWG	22/0.14	5.4	44.33	55.4 Ω/km
ANM11.001.05.022AB	UL20276	30V	5X22AWG	22/0.14	5.8	51.93	55.4 Ω/km
ANM11.001.06.022AB	UL20276	30V	6X22AWG	22/0.14	6.2	59.93	55.4 Ω/km
ANM11.001.07.022AB	UL20276	30V	7X22AWG	22/0.14	6.2	62.23	55.4 Ω/km
ANM11.001.08.022AB	UL20276	30V	8X22AWG	22/0.14	6.7	72.33	55.4 Ω/km
ANM11.001.09.022AB	UL20276	30V	9X22AWG	22/0.14	7.2	82.93	55.4 Ω/km
ANM11.001.10.022AB	UL20276	30V	10X22AWG	22/0.14	7.6	92.23	55.4 Ω/km
ANM11.001.11.022AB	UL20276	30V	11X22AWG	22/0.14	7.9	100.13	55.4 Ω/km
ANM11.001.12.022AB	UL20276	30V	12X22AWG	22/0.14	7.9	102.33	55.4 Ω/km
ANM11.001.13.022AB	UL20276	30V	13X22AWG	22/0.14	8.2	110.53	55.4 Ω/km
ANM11.001.14.022AB	UL20276	30V	14X22AWG	22/0.14	8.2	112.63	55.4 Ω/km
ANM11.001.15.022AB	UL20276	30V	15X22AWG	22/0.14	8.6	123.03	55.4 Ω/km
ANM11.001.16.022AB	UL20276	30V	16X22AWG	22/0.14	8.6	125.33	55.4 Ω/km
ANM11.001.17.022AB	UL20276	30V	17X22AWG	22/0.14	9	136.03	55.4 Ω/km
ANM11.001.18.022AB	UL20276	30V	18X22AWG	22/0.14	9	138.33	55.4 Ω/km
ANM11.001.19.022AB	UL20276	30V	19X22AWG	22/0.14	9	140.53	55.4 Ω/km
ANM11.001.20.022AB	UL20276	30V	20X22AWG	22/0.14	9.3	149.43	55.4 Ω/km
ANM11.001.21.022AB	UL20276	30V	21X22AWG	22/0.14	9.5	156.13	55.4 Ω/km
ANM11.001.22.022AB	UL20276	30V	22X22AWG	22/0.14	10	170.13	55.4 Ω/km
ANM11.001.23.022AB	UL20276	30V	23X22AWG	22/0.14	11	197.53	55.4 Ω/km
ANM11.001.24.022AB	UL20276	30V	24X22AWG	22/0.14	11	199.73	55.4 Ω/km
ANM11.001.25.022AB	UL20276	30V	25X22AWG	22/0.14	11.3	210.03	55.4 Ω/km
ANM11.001.26.022AB	UL20276	30V	26X22AWG	22/0.14	11.3	212.23	55.4 Ω/km
ANM11.001.27.022AB	UL20276	30V	27X22AWG	22/0.14	11.3	214.53	55.4 Ω/km
ANM11.001.28.022AB	UL20276	30V	28X22AWG	22/0.14	11.6	224.93	55.4 Ω/km
ANM11.001.29.022AB	UL20276	30V	29X22AWG	22/0.14	11.6	227.33	55.4 Ω/km
ANM11.001.30.022AB	UL20276	30V	30X22AWG	22/0.14	11.6	229.53	55.4 Ω/km
ANM11.001.31.022AB	UL20276	30V	31X22AWG	22/0.14	12	243.03	55.4 Ω/km
ANM11.001.32.022AB	UL20276	30V	32X22AWG	22/0.14	12	245.43	55.4 Ω/km



ANM11.001.33.022AB	UL20276	30V	33X22AWG	22/0.14	12	247.53	55.4 Ω/km
ANM11.001.34.022AB	UL20276	30V	34X22AWG	22/0.14	12.4	261.63	55.4 Ω/km
ANM11.001.35.022AB	UL20276	30V	35X22AWG	22/0.14	12.4	263.83	55.4 Ω/km
ANM11.001.36.022AB	UL20276	30V	36X22AWG	22/0.14	12.4	266.13	55.4 Ω/km
ANM11.001.37.022AB	UL20276	30V	37X22AWG	22/0.14	12.4	268.33	55.4 Ω/km
ANM11.001.38.022AB	UL20276	30V	38X22AWG	22/0.14	13	289.03	55.4 Ω/km
ANM11.001.39.022AB	UL20276	30V	39X22AWG	22/0.14	13	291.23	55.4 Ω/km
ANM11.001.40.022AB	UL20276	30V	40X22AWG	22/0.14	13	293.43	55.4 Ω/km
ANM11.001.41.022AB	UL20276	30V	41X22AWG	22/0.14	13.9	324.83	55.4 Ω/km
ANM11.001.42.022AB	UL20276	30V	42X22AWG	22/0.14	13.9	327.03	55.4 Ω/km
ANM11.001.43.022AB	UL20276	30V	43X22AWG	22/0.14	13.9	329.43	55.4 Ω/km
ANM11.001.44.022AB	UL20276	30V	44X22AWG	22/0.14	13.9	331.53	55.4 Ω/km
ANM11.001.45.022AB	UL20276	30V	45X22AWG	22/0.14	14.2	344.13	55.4 Ω/km
ANM11.001.46.022AB	UL20276	30V	46X22AWG	22/0.14	14.2	346.43	55.4 Ω/km
ANM11.001.47.022AB	UL20276	30V	47X22AWG	22/0.14	14.2	348.53	55.4 Ω/km
ANM11.001.48.022AB	UL20276	30V	48X22AWG	22/0.14	14.2	350.93	55.4 Ω/km
ANM11.001.49.022AB	UL20276	30V	49X22AWG	22/0.14	14.5	363.53	55.4 Ω/km
ANM11.001.50.022AB	UL20276	30V	50X22AWG	22/0.14	14.5	365.73	55.4 Ω/km
ANM11.001.51.022AB	UL20276	30V	51X22AWG	22/0.14	14.5	367.93	55.4 Ω/km
ANM11.001.52.022AB	UL20276	30V	52X22AWG	22/0.14	14.5	370.23	55.4 Ω/km
ANM11.001.53.022AB	UL20276	30V	53X22AWG	22/0.14	14.9	386.63	55.4 Ω/km
ANM11.001.54.022AB	UL20276	30V	54X22AWG	22/0.14	14.9	388.83	55.4 Ω/km
ANM11.001.55.022AB	UL20276	30V	55X22AWG	22/0.14	14.9	391.13	55.4 Ω/km
ANM11.001.56.022AB	UL20276	30V	56X22AWG	22/0.14	14.9	393.33	55.4 Ω/km
ANM11.001.57.022AB	UL20276	30V	57X22AWG	22/0.14	15.3	410.23	55.4 Ω/km
ANM11.001.58.022AB	UL20276	30V	58X22AWG	22/0.14	15.3	412.33	55.4 Ω/km
ANM11.001.59.022AB	UL20276	30V	59X22AWG	22/0.14	15.3	414.73	55.4 Ω/km
ANM11.001.60.022AB	UL20276	30V	60X22AWG	22/0.14	15.3	416.93	55.4 Ω/km
ANM11.001.61.022AB	UL20276	30V	61X22AWG	22/0.14	15.3	419.13	55.4 Ω/km
ANM11.001.62.022AB	UL20276	30V	62X22AWG	22/0.14	15.8	440.33	55.4 Ω/km
ANM11.001.63.022AB	UL20276	30V	63X22AWG	22/0.14	15.8	442.43	55.4 Ω/km
ANM11.001.64.022AB	UL20276	30V	64X22AWG	22/0.14	15.8	444.73	55.4 Ω/km
ANM11.001.65.022AB	UL20276	30V	65X22AWG	22/0.14	15.8	446.93	55.4 Ω/km
ANM11.001.02.021AB	UL20276	30V	2X21AWG	27/0.14	5	36.22	43.6 Ω/km
ANM11.001.03.021AB	UL20276	30V	3X21AWG	27/0.14	5.3	42.82	43.6 Ω/km
ANM11.001.04.021AB	UL20276	30V	4X21AWG	27/0.14	5.7	51.02	43.6 Ω/km
ANM11.001.05.021AB	UL20276	30V	5X21AWG	27/0.14	6.1	59.52	43.6 Ω/km
ANM11.001.06.021AB	UL20276	30V	6X21AWG	27/0.14	6.5	68.42	43.6 Ω/km
ANM11.001.07.021AB	UL20276	30V	7X21AWG	27/0.14	6.5	71.32	43.6 Ω/km
ANM11.001.08.021AB	UL20276	30V	8X21AWG	27/0.14	7	82.32	43.6 Ω/km
ANM11.001.09.021AB	UL20276	30V	9X21AWG	27/0.14	7.6	95.62	43.6 Ω/km
ANM11.001.10.021AB	UL20276	30V	10X21AWG	27/0.14	8	106.02	43.6 Ω/km



ANM11.001.11.021AB	UL20276	30V	11X21AWG	27/0.14	8.3	114.82	43.6Ω/km
ANM11.001.12.021AB	UL20276	30V	12X21AWG	27/0.14	8.3	117.72	43.6Ω/km
ANM11.001.13.021AB	UL20276	30V	13X21AWG	27/0.14	8.7	128.82	43.6Ω/km
ANM11.001.14.021AB	UL20276	30V	14X21AWG	27/0.14	8.7	131.62	43.6Ω/km
ANM11.001.15.021AB	UL20276	30V	15X21AWG	27/0.14	9.1	143.12	43.6Ω/km
ANM11.001.16.021AB	UL20276	30V	16X21AWG	27/0.14	9.1	145.92	43.6Ω/km
ANM11.001.17.021AB	UL20276	30V	17X21AWG	27/0.14	9.5	157.72	43.6Ω/km
ANM11.001.18.021AB	UL20276	30V	18X21AWG	27/0.14	9.5	160.62	43.6Ω/km
ANM11.001.19.021AB	UL20276	30V	19X21AWG	27/0.14	9.5	163.62	43.6Ω/km
ANM11.001.20.021AB	UL20276	30V	20X21AWG	27/0.14	9.8	173.42	43.6Ω/km
ANM11.001.21.021AB	UL20276	30V	21X21AWG	27/0.14	10	181.12	43.6Ω/km
ANM11.001.22.021AB	UL20276	30V	22X21AWG	27/0.14	11.2	214.32	43.6Ω/km
ANM11.001.23.021AB	UL20276	30V	23X21AWG	27/0.14	11.6	228.12	43.6Ω/km
ANM11.001.24.021AB	UL20276	30V	24X21AWG	27/0.14	11.6	231.02	43.6Ω/km
ANM11.001.25.021AB	UL20276	30V	25X21AWG	27/0.14	11.9	242.42	43.6Ω/km
ANM11.001.26.021AB	UL20276	30V	26X21AWG	27/0.14	11.9	245.32	43.6Ω/km
ANM11.001.27.021AB	UL20276	30V	27X21AWG	27/0.14	11.9	248.12	43.6Ω/km
ANM11.001.28.021AB	UL20276	30V	28X21AWG	27/0.14	12.3	262.72	43.6Ω/km
ANM11.001.29.021AB	UL20276	30V	29X21AWG	27/0.14	12.3	265.62	43.6Ω/km
ANM11.001.30.021AB	UL20276	30V	30X21AWG	27/0.14	12.3	268.52	43.6Ω/km
ANM11.001.31.021AB	UL20276	30V	31X21AWG	27/0.14	12.8	286.32	43.6Ω/km
ANM11.001.32.021AB	UL20276	30V	32X21AWG	27/0.14	12.8	289.22	43.6Ω/km
ANM11.001.33.021AB	UL20276	30V	33X21AWG	27/0.14	12.8	292.12	43.6Ω/km
ANM11.001.34.021AB	UL20276	30V	34X21AWG	27/0.14	13.2	307.52	43.6Ω/km
ANM11.001.35.021AB	UL20276	30V	35X21AWG	27/0.14	13.2	310.42	43.6Ω/km
ANM11.001.36.021AB	UL20276	30V	36X21AWG	27/0.14	13.2	313.32	43.6Ω/km
ANM11.001.37.021AB	UL20276	30V	37X21AWG	27/0.14	13.2	316.22	43.6Ω/km
ANM11.001.38.021AB	UL20276	30V	38X21AWG	27/0.14	13.7	335.22	43.6Ω/km
ANM11.001.39.021AB	UL20276	30V	39X21AWG	27/0.14	13.7	338.12	43.6Ω/km
ANM11.001.40.021AB	UL20276	30V	40X21AWG	27/0.14	13.7	340.92	43.6Ω/km
ANM11.001.41.021AB	UL20276	30V	41X21AWG	27/0.14	14.7	378.12	43.6Ω/km
ANM11.001.42.021AB	UL20276	30V	42X21AWG	27/0.14	14.7	380.92	43.6Ω/km
ANM11.001.43.021AB	UL20276	30V	43X21AWG	27/0.14	14.7	383.82	43.6Ω/km
ANM11.001.44.021AB	UL20276	30V	44X21AWG	27/0.14	14.7	386.72	43.6Ω/km
ANM11.001.45.021AB	UL20276	30V	45X21AWG	27/0.14	15	400.32	43.6Ω/km
ANM11.001.46.021AB	UL20276	30V	46X21AWG	27/0.14	15	403.12	43.6Ω/km
ANM11.001.47.021AB	UL20276	30V	47X21AWG	27/0.14	15	406.02	43.6Ω/km
ANM11.001.48.021AB	UL20276	30V	48X21AWG	27/0.14	15	408.82	43.6Ω/km
ANM11.001.49.021AB	UL20276	30V	49X21AWG	27/0.14	15.4	426.42	43.6Ω/km
ANM11.001.50.021AB	UL20276	30V	50X21AWG	27/0.14	15.4	429.32	43.6Ω/km
ANM11.001.51.021AB	UL20276	30V	51X21AWG	27/0.14	15.4	432.22	43.6Ω/km
ANM11.001.52.021AB	UL20276	30V	52X21AWG	27/0.14	15.4	435.02	43.6Ω/km



ANM11.001.53.021AB	UL20276	30V	53X21AWG	27/0.14	15.8	453.02	43.6Ω/km
ANM11.001.54.021AB	UL20276	30V	54X21AWG	27/0.14	15.8	455.82	43.6Ω/km
ANM11.001.55.021AB	UL20276	30V	55X21AWG	27/0.14	15.8	458.82	43.6Ω/km
ANM11.001.56.021AB	UL20276	30V	56X21AWG	27/0.14	15.8	461.62	43.6Ω/km
ANM11.001.57.021AB	UL20276	30V	57X21AWG	27/0.14	16.2	479.92	43.6Ω/km
ANM11.001.58.021AB	UL20276	30V	58X21AWG	27/0.14	16.2	482.72	43.6Ω/km
ANM11.001.59.021AB	UL20276	30V	59X21AWG	27/0.14	16.2	485.62	43.6Ω/km
ANM11.001.60.021AB	UL20276	30V	60X21AWG	27/0.14	16.2	488.52	43.6Ω/km
ANM11.001.61.021AB	UL20276	30V	61X21AWG	27/0.14	16.2	491.32	43.6Ω/km
ANM11.001.62.021AB	UL20276	30V	62X21AWG	27/0.14	16.7	514.12	43.6Ω/km
ANM11.001.63.021AB	UL20276	30V	63X21AWG	27/0.14	16.7	516.92	43.6Ω/km
ANM11.001.64.021AB	UL20276	30V	64X21AWG	27/0.14	16.7	519.82	43.6Ω/km
ANM11.001.65.021AB	UL20276	30V	65X21AWG	27/0.14	16.7	522.72	43.6Ω/km
ANM11.001.02.020AB	UL20276	30V	2X20AWG	34/0.14	5.6	45.52	34.6Ω/km
ANM11.001.03.020AB	UL20276	30V	3X20AWG	34/0.14	5.9	53.22	34.6Ω/km
ANM11.001.04.020AB	UL20276	30V	4X20AWG	34/0.14	6.4	64.32	34.6Ω/km
ANM11.001.05.020AB	UL20276	30V	5X20AWG	34/0.14	6.9	75.82	34.6Ω/km
ANM11.001.06.020AB	UL20276	30V	6X20AWG	34/0.14	7.4	88.22	34.6Ω/km
ANM11.001.07.020AB	UL20276	30V	7X20AWG	34/0.14	7.4	91.72	34.6Ω/km
ANM11.001.08.020AB	UL20276	30V	8X20AWG	34/0.14	8	106.52	34.6Ω/km
ANM11.001.09.020AB	UL20276	30V	9X20AWG	34/0.14	8.7	124.22	34.6Ω/km
ANM11.001.10.020AB	UL20276	30V	10X20AWG	34/0.14	9.2	138.62	34.6Ω/km
ANM11.001.11.020AB	UL20276	30V	11X20AWG	34/0.14	9.5	149.02	34.6Ω/km
ANM11.001.12.020AB	UL20276	30V	12X20AWG	34/0.14	9.5	152.62	34.6Ω/km
ANM11.001.13.020AB	UL20276	30V	13X20AWG	34/0.14	10	168.02	34.6Ω/km
ANM11.001.14.020AB	UL20276	30V	14X20AWG	34/0.14	10	171.72	34.6Ω/km
ANM11.001.15.020AB	UL20276	30V	15X20AWG	34/0.14	11.1	202.92	34.6Ω/km
ANM11.001.16.020AB	UL20276	30V	16X20AWG	34/0.14	11.1	206.62	34.6Ω/km
ANM11.001.17.020AB	UL20276	30V	17X20AWG	34/0.14	11.6	224.02	34.6Ω/km
ANM11.001.18.020AB	UL20276	30V	18X20AWG	34/0.14	11.6	227.62	34.6Ω/km
ANM11.001.19.020AB	UL20276	30V	19X20AWG	34/0.14	11.6	231.32	34.6Ω/km
ANM11.001.20.020AB	UL20276	30V	20X20AWG	34/0.14	11.9	243.32	34.6Ω/km
ANM11.001.21.020AB	UL20276	30V	21X20AWG	34/0.14	12.2	255.72	34.6Ω/km
ANM11.001.22.020AB	UL20276	30V	22X20AWG	34/0.14	13	283.52	34.6Ω/km
ANM11.001.23.020AB	UL20276	30V	23X20AWG	34/0.14	13.5	303.22	34.6Ω/km
ANM11.001.24.020AB	UL20276	30V	24X20AWG	34/0.14	13.5	306.82	34.6Ω/km
ANM11.001.25.020AB	UL20276	30V	25X20AWG	34/0.14	13.8	320.42	34.6Ω/km
ANM11.001.26.020AB	UL20276	30V	26X20AWG	34/0.14	13.8	323.92	34.6Ω/km
ANM11.001.27.020AB	UL20276	30V	27X20AWG	34/0.14	13.8	327.52	34.6Ω/km
ANM11.001.28.020AB	UL20276	30V	28X20AWG	34/0.14	14.3	348.02	34.6Ω/km
ANM11.001.29.020AB	UL20276	30V	29X20AWG	34/0.14	14.3	351.72	34.6Ω/km
ANM11.001.30.020AB	UL20276	30V	30X20AWG	34/0.14	14.3	355.32	34.6Ω/km



ANM11.001.31.020AB	UL20276	30V	31X20AWG	34/0.14	14.8	376.52	34.6Ω/km
ANM11.001.32.020AB	UL20276	30V	32X20AWG	34/0.14	14.8	380.12	34.6Ω/km
ANM11.001.33.020AB	UL20276	30V	33X20AWG	34/0.14	14.8	383.82	34.6Ω/km
ANM11.001.34.020AB	UL20276	30V	34X20AWG	34/0.14	15.3	405.62	34.6Ω/km
ANM11.001.35.020AB	UL20276	30V	35X20AWG	34/0.14	15.3	409.22	34.6Ω/km
ANM11.001.36.020AB	UL20276	30V	36X20AWG	34/0.14	15.3	412.82	34.6Ω/km
ANM11.001.37.020AB	UL20276	30V	37X20AWG	34/0.14	15.3	416.42	34.6Ω/km
ANM11.001.38.020AB	UL20276	30V	38X20AWG	34/0.14	15.9	442.72	34.6Ω/km
ANM11.001.39.020AB	UL20276	30V	39X20AWG	34/0.14	15.9	446.22	34.6Ω/km
ANM11.001.40.020AB	UL20276	30V	40X20AWG	34/0.14	15.9	449.92	34.6Ω/km
ANM11.001.41.020AB	UL20276	30V	41X20AWG	34/0.14	17.1	501.22	34.6Ω/km
ANM11.001.42.020AB	UL20276	30V	42X20AWG	34/0.14	17.1	504.92	34.6Ω/km
ANM11.001.43.020AB	UL20276	30V	43X20AWG	34/0.14	17.1	508.52	34.6Ω/km
ANM11.001.44.020AB	UL20276	30V	44X20AWG	34/0.14	17.1	512.22	34.6Ω/km
ANM11.001.45.020AB	UL20276	30V	45X20AWG	34/0.14	17.4	528.22	34.6Ω/km
ANM11.001.46.020AB	UL20276	30V	46X20AWG	34/0.14	17.4	531.92	34.6Ω/km
ANM11.001.47.020AB	UL20276	30V	47X20AWG	34/0.14	17.4	535.52	34.6Ω/km
ANM11.001.48.020AB	UL20276	30V	48X20AWG	34/0.14	17.4	539.22	34.6Ω/km
ANM11.001.49.020AB	UL20276	30V	49X20AWG	34/0.14	17.9	564.12	34.6Ω/km
ANM11.001.50.020AB	UL20276	30V	50X20AWG	34/0.14	17.9	567.82	34.6Ω/km
ANM11.001.51.020AB	UL20276	30V	51X20AWG	34/0.14	17.9	571.52	34.6Ω/km
ANM11.001.52.020AB	UL20276	30V	52X20AWG	34/0.14	17.9	575.12	34.6Ω/km
ANM11.001.53.020AB	UL20276	30V	53X20AWG	34/0.14	18.4	600.62	34.6Ω/km
ANM11.001.54.020AB	UL20276	30V	54X20AWG	34/0.14	18.4	604.12	34.6Ω/km
ANM11.001.55.020AB	UL20276	30V	55X20AWG	34/0.14	18.4	607.82	34.6Ω/km
ANM11.001.56.020AB	UL20276	30V	56X20AWG	34/0.14	18.4	611.32	34.6Ω/km
ANM11.001.57.020AB	UL20276	30V	57X20AWG	34/0.14	18.9	637.62	34.6Ω/km
ANM11.001.58.020AB	UL20276	30V	58X20AWG	34/0.14	18.9	641.12	34.6Ω/km
ANM11.001.59.020AB	UL20276	30V	59X20AWG	34/0.14	18.9	644.82	34.6Ω/km
ANM11.001.60.020AB	UL20276	30V	60X20AWG	34/0.14	18.9	648.42	34.6Ω/km
ANM11.001.61.020AB	UL20276	30V	61X20AWG	34/0.14	18.9	652.12	34.6Ω/km
ANM11.001.62.020AB	UL20276	30V	62X20AWG	34/0.14	20.3	721.22	34.6Ω/km
ANM11.001.63.020AB	UL20276	30V	63X20AWG	34/0.14	20.3	724.82	34.6Ω/km
ANM11.001.64.020AB	UL20276	30V	64X20AWG	34/0.14	20.3	728.42	34.6Ω/km
ANM11.001.65.020AB	UL20276	30V	65X20AWG	34/0.14	20.3	732.12	34.6Ω/km
ANM11.001.02.019AB	UL20276	30V	2X19AWG	43/0.14	5.8	50.36	27.4Ω/km
ANM11.001.03.019AB	UL20276	30V	3X19AWG	43/0.14	6.1	59.26	27.4Ω/km
ANM11.001.04.019AB	UL20276	30V	4X19AWG	43/0.14	6.6	71.66	27.4Ω/km
ANM11.001.05.019AB	UL20276	30V	5X19AWG	43/0.14	7.2	86.16	27.4Ω/km
ANM11.001.06.019AB	UL20276	30V	6X19AWG	43/0.14	7.7	99.76	27.4Ω/km
ANM11.001.07.019AB	UL20276	30V	7X19AWG	43/0.14	7.7	104.26	27.4Ω/km
ANM11.001.08.019AB	UL20276	30V	8X19AWG	43/0.14	8.3	120.56	27.4Ω/km



ANM11.001.09.019AB	UL20276	30V	9X19AWG	43/0.14	9.1	141.86	27.4 Ω/km
ANM11.001.10.019AB	UL20276	30V	10X19AWG	43/0.14	9.6	157.86	27.4 Ω/km
ANM11.001.11.019AB	UL20276	30V	11X19AWG	43/0.14	9.9	169.46	27.4 Ω/km
ANM11.001.12.019AB	UL20276	30V	12X19AWG	43/0.14	9.9	174.16	27.4 Ω/km
ANM11.001.13.019AB	UL20276	30V	13X19AWG	43/0.14	11	206.16	27.4 Ω/km
ANM11.001.14.019AB	UL20276	30V	14X19AWG	43/0.14	11	210.86	27.4 Ω/km
ANM11.001.15.019AB	UL20276	30V	15X19AWG	43/0.14	11.6	231.76	27.4 Ω/km
ANM11.001.16.019AB	UL20276	30V	16X19AWG	43/0.14	11.6	236.46	27.4 Ω/km
ANM11.001.17.019AB	UL20276	30V	17X19AWG	43/0.14	12.1	255.26	27.4 Ω/km
ANM11.001.18.019AB	UL20276	30V	18X19AWG	43/0.14	12.1	259.96	27.4 Ω/km
ANM11.001.19.019AB	UL20276	30V	19X19AWG	43/0.14	12.1	264.56	27.4 Ω/km
ANM11.001.20.019AB	UL20276	30V	20X19AWG	43/0.14	12.4	278.06	27.4 Ω/km
ANM11.001.21.019AB	UL20276	30V	21X19AWG	43/0.14	12.8	294.76	27.4 Ω/km
ANM11.001.22.019AB	UL20276	30V	22X19AWG	43/0.14	13.6	324.86	27.4 Ω/km
ANM11.001.23.019AB	UL20276	30V	23X19AWG	43/0.14	14.1	346.16	27.4 Ω/km
ANM11.001.24.019AB	UL20276	30V	24X19AWG	43/0.14	14.1	350.86	27.4 Ω/km
ANM11.001.25.019AB	UL20276	30V	25X19AWG	43/0.14	14.4	365.76	27.4 Ω/km
ANM11.001.26.019AB	UL20276	30V	26X19AWG	43/0.14	14.4	370.46	27.4 Ω/km
ANM11.001.27.019AB	UL20276	30V	27X19AWG	43/0.14	14.4	374.96	27.4 Ω/km
ANM11.001.28.019AB	UL20276	30V	28X19AWG	43/0.14	14.9	397.26	27.4 Ω/km
ANM11.001.29.019AB	UL20276	30V	29X19AWG	43/0.14	14.9	401.86	27.4 Ω/km
ANM11.001.30.019AB	UL20276	30V	30X19AWG	43/0.14	14.9	406.46	27.4 Ω/km
ANM11.001.31.019AB	UL20276	30V	31X19AWG	43/0.14	15.5	433.16	27.4 Ω/km
ANM11.001.32.019AB	UL20276	30V	32X19AWG	43/0.14	15.5	437.76	27.4 Ω/km
ANM11.001.33.019AB	UL20276	30V	33X19AWG	43/0.14	15.5	442.36	27.4 Ω/km
ANM11.001.34.019AB	UL20276	30V	34X19AWG	43/0.14	16	466.06	27.4 Ω/km
ANM11.001.35.019AB	UL20276	30V	35X19AWG	43/0.14	16	470.56	27.4 Ω/km
ANM11.001.36.019AB	UL20276	30V	36X19AWG	43/0.14	16	475.36	27.4 Ω/km
ANM11.001.37.019AB	UL20276	30V	37X19AWG	43/0.14	16	479.86	27.4 Ω/km
ANM11.001.38.019AB	UL20276	30V	38X19AWG	43/0.14	16.6	508.16	27.4 Ω/km
ANM11.001.39.019AB	UL20276	30V	39X19AWG	43/0.14	16.6	512.66	27.4 Ω/km
ANM11.001.40.019AB	UL20276	30V	40X19AWG	43/0.14	16.6	517.46	27.4 Ω/km
ANM11.001.41.019AB	UL20276	30V	41X19AWG	43/0.14	17.9	576.06	27.4 Ω/km
ANM11.001.42.019AB	UL20276	30V	42X19AWG	43/0.14	17.9	580.66	27.4 Ω/km
ANM11.001.43.019AB	UL20276	30V	43X19AWG	43/0.14	17.9	585.36	27.4 Ω/km
ANM11.001.44.019AB	UL20276	30V	44X19AWG	43/0.14	17.9	589.96	27.4 Ω/km
ANM11.001.45.019AB	UL20276	30V	45X19AWG	43/0.14	18.2	607.66	27.4 Ω/km
ANM11.001.46.019AB	UL20276	30V	46X19AWG	43/0.14	18.2	612.26	27.4 Ω/km
ANM11.001.47.019AB	UL20276	30V	47X19AWG	43/0.14	18.2	616.86	27.4 Ω/km
ANM11.001.48.019AB	UL20276	30V	48X19AWG	43/0.14	18.2	621.56	27.4 Ω/km
ANM11.001.49.019AB	UL20276	30V	49X19AWG	43/0.14	18.7	648.36	27.4 Ω/km
ANM11.001.50.019AB	UL20276	30V	50X19AWG	43/0.14	18.7	653.06	27.4 Ω/km



ANM11.001.51.019AB	UL20276	30V	51X19AWG	43/0.14	18.7	657.56	27.4 Ω/km
ANM11.001.52.019AB	UL20276	30V	52X19AWG	43/0.14	18.7	662.36	27.4 Ω/km
ANM11.001.53.019AB	UL20276	30V	53X19AWG	43/0.14	19.3	694.46	27.4 Ω/km
ANM11.001.54.019AB	UL20276	30V	54X19AWG	43/0.14	19.3	698.96	27.4 Ω/km
ANM11.001.55.019AB	UL20276	30V	55X19AWG	43/0.14	19.3	703.76	27.4 Ω/km
ANM11.001.56.019AB	UL20276	30V	56X19AWG	43/0.14	19.3	708.26	27.4 Ω/km
ANM11.001.57.019AB	UL20276	30V	57X19AWG	43/0.14	20.6	774.96	27.4 Ω/km
ANM11.001.58.019AB	UL20276	30V	58X19AWG	43/0.14	20.6	779.46	27.4 Ω/km
ANM11.001.59.019AB	UL20276	30V	59X19AWG	43/0.14	20.6	784.16	27.4 Ω/km
ANM11.001.60.019AB	UL20276	30V	60X19AWG	43/0.14	20.6	788.76	27.4 Ω/km
ANM11.001.61.019AB	UL20276	30V	61X19AWG	43/0.14	20.6	793.36	27.4 Ω/km
ANM11.001.62.019AB	UL20276	30V	62X19AWG	43/0.14	21.2	828.16	27.4 Ω/km
ANM11.001.63.019AB	UL20276	30V	63X19AWG	43/0.14	21.2	832.86	27.4 Ω/km
ANM11.001.64.019AB	UL20276	30V	64X19AWG	43/0.14	21.2	837.46	27.4 Ω/km
ANM11.001.65.019AB	UL20276	30V	65X19AWG	43/0.14	21.2	842.06	27.4 Ω/km
ANM11.001.02.018AB	UL20276	30V	2X18AWG	29/0.19	6	56.03	21.8 Ω/km
ANM11.001.03.018AB	UL20276	30V	3X18AWG	29/0.19	6.4	67.83	21.8 Ω/km
ANM11.001.04.018AB	UL20276	30V	4X18AWG	29/0.19	6.9	81.93	21.8 Ω/km
ANM11.001.05.018AB	UL20276	30V	5X18AWG	29/0.19	7.4	96.53	21.8 Ω/km
ANM11.001.06.018AB	UL20276	30V	6X18AWG	29/0.19	8	113.43	21.8 Ω/km
ANM11.001.07.018AB	UL20276	30V	7X18AWG	29/0.19	8	119.53	21.8 Ω/km
ANM11.001.08.018AB	UL20276	30V	8X18AWG	29/0.19	8.6	137.53	21.8 Ω/km
ANM11.001.09.018AB	UL20276	30V	9X18AWG	29/0.19	9.4	160.73	21.8 Ω/km
ANM11.001.10.018AB	UL20276	30V	10X18AWG	29/0.19	10	180.83	21.8 Ω/km
ANM11.001.11.018AB	UL20276	30V	11X18AWG	29/0.19	11	211.83	21.8 Ω/km
ANM11.001.12.018AB	UL20276	30V	12X18AWG	29/0.19	11	217.63	21.8 Ω/km
ANM11.001.13.018AB	UL20276	30V	13X18AWG	29/0.19	11.5	237.23	21.8 Ω/km
ANM11.001.14.018AB	UL20276	30V	14X18AWG	29/0.19	11.5	243.13	21.8 Ω/km
ANM11.001.15.018AB	UL20276	30V	15X18AWG	29/0.19	12	263.13	21.8 Ω/km
ANM11.001.16.018AB	UL20276	30V	16X18AWG	29/0.19	12	269.23	21.8 Ω/km
ANM11.001.17.018AB	UL20276	30V	17X18AWG	29/0.19	12.6	292.93	21.8 Ω/km
ANM11.001.18.018AB	UL20276	30V	18X18AWG	29/0.19	12.6	298.93	21.8 Ω/km
ANM11.001.19.018AB	UL20276	30V	19X18AWG	29/0.19	12.6	305.03	21.8 Ω/km
ANM11.001.20.018AB	UL20276	30V	20X18AWG	29/0.19	13.1	326.33	21.8 Ω/km
ANM11.001.21.018AB	UL20276	30V	21X18AWG	29/0.19	13.3	338.63	21.8 Ω/km
ANM11.001.22.018AB	UL20276	30V	22X18AWG	29/0.19	14.1	371.13	21.8 Ω/km
ANM11.001.23.018AB	UL20276	30V	23X18AWG	29/0.19	14.7	397.83	21.8 Ω/km
ANM11.001.24.018AB	UL20276	30V	24X18AWG	29/0.19	14.7	403.73	21.8 Ω/km
ANM11.001.25.018AB	UL20276	30V	25X18AWG	29/0.19	15.1	424.23	21.8 Ω/km
ANM11.001.26.018AB	UL20276	30V	26X18AWG	29/0.19	15.1	430.03	21.8 Ω/km
ANM11.001.27.018AB	UL20276	30V	27X18AWG	29/0.19	15.1	436.03	21.8 Ω/km
ANM11.001.28.018AB	UL20276	30V	28X18AWG	29/0.19	15.6	460.33	21.8 Ω/km



ANM11.001.29.018AB	UL20276	30V	29X18AWG	29/0.19	15.6	466.43	21.8Ω/km
ANM11.001.30.018AB	UL20276	30V	30X18AWG	29/0.19	15.6	472.43	21.8Ω/km
ANM11.001.31.018AB	UL20276	30V	31X18AWG	29/0.19	16.1	497.43	21.8Ω/km
ANM11.001.32.018AB	UL20276	30V	32X18AWG	29/0.19	16.1	503.43	21.8Ω/km
ANM11.001.33.018AB	UL20276	30V	33X18AWG	29/0.19	16.1	509.43	21.8Ω/km
ANM11.001.34.018AB	UL20276	30V	34X18AWG	29/0.19	16.7	539.03	21.8Ω/km
ANM11.001.35.018AB	UL20276	30V	35X18AWG	29/0.19	16.7	545.13	21.8Ω/km
ANM11.001.36.018AB	UL20276	30V	36X18AWG	29/0.19	16.7	551.03	21.8Ω/km
ANM11.001.37.018AB	UL20276	30V	37X18AWG	29/0.19	16.7	556.93	21.8Ω/km
ANM11.001.38.018AB	UL20276	30V	38X18AWG	29/0.19	17.3	587.53	21.8Ω/km
ANM11.001.39.018AB	UL20276	30V	39X18AWG	29/0.19	17.3	593.53	21.8Ω/km
ANM11.001.40.018AB	UL20276	30V	40X18AWG	29/0.19	17.3	599.43	21.8Ω/km
ANM11.001.41.018AB	UL20276	30V	41X18AWG	29/0.19	18.7	666.13	21.8Ω/km
ANM11.001.42.018AB	UL20276	30V	42X18AWG	29/0.19	18.7	672.03	21.8Ω/km
ANM11.001.43.018AB	UL20276	30V	43X18AWG	29/0.19	18.7	678.03	21.8Ω/km
ANM11.001.44.018AB	UL20276	30V	44X18AWG	29/0.19	18.7	684.03	21.8Ω/km
ANM11.001.45.018AB	UL20276	30V	45X18AWG	29/0.19	19.1	708.23	21.8Ω/km
ANM11.001.46.018AB	UL20276	30V	46X18AWG	29/0.19	19.1	714.13	21.8Ω/km
ANM11.001.47.018AB	UL20276	30V	47X18AWG	29/0.19	19.1	720.23	21.8Ω/km
ANM11.001.48.018AB	UL20276	30V	48X18AWG	29/0.19	19.1	726.03	21.8Ω/km
ANM11.001.49.018AB	UL20276	30V	49X18AWG	29/0.19	20.4	793.33	21.8Ω/km
ANM11.001.50.018AB	UL20276	30V	50X18AWG	29/0.19	20.4	799.43	21.8Ω/km
ANM11.001.51.018AB	UL20276	30V	51X18AWG	29/0.19	20.4	805.23	21.8Ω/km
ANM11.001.52.018AB	UL20276	30V	52X18AWG	29/0.19	20.4	811.23	21.8Ω/km
ANM11.001.53.018AB	UL20276	30V	53X18AWG	29/0.19	20.9	842.03	21.8Ω/km
ANM11.001.54.018AB	UL20276	30V	54X18AWG	29/0.19	20.9	847.93	21.8Ω/km
ANM11.001.55.018AB	UL20276	30V	55X18AWG	29/0.19	20.9	853.93	21.8Ω/km
ANM11.001.56.018AB	UL20276	30V	56X18AWG	29/0.19	20.9	859.73	21.8Ω/km
ANM11.001.57.018AB	UL20276	30V	57X18AWG	29/0.19	21.5	896.53	21.8Ω/km
ANM11.001.58.018AB	UL20276	30V	58X18AWG	29/0.19	21.5	902.53	21.8Ω/km
ANM11.001.59.018AB	UL20276	30V	59X18AWG	29/0.19	21.5	908.43	21.8Ω/km
ANM11.001.60.018AB	UL20276	30V	60X18AWG	29/0.19	21.5	914.43	21.8Ω/km
ANM11.001.61.018AB	UL20276	30V	61X18AWG	29/0.19	21.5	920.43	21.8Ω/km
ANM11.001.62.018AB	UL20276	30V	62X18AWG	29/0.19	22.1	957.73	21.8Ω/km
ANM11.001.63.018AB	UL20276	30V	63X18AWG	29/0.19	22.1	963.83	21.8Ω/km
ANM11.001.64.018AB	UL20276	30V	64X18AWG	29/0.19	22.1	969.83	21.8Ω/km
ANM11.001.65.018AB	UL20276	30V	65X18AWG	29/0.19	22.1	975.63	21.8Ω/km
ANM11.001.02.017AB	UL20276	30V	2X17AWG	37/0.19	6.4	65.04	17.3Ω/km
ANM11.001.03.017AB	UL20276	30V	3X17AWG	37/0.19	6.8	78.74	17.3Ω/km
ANM11.001.04.017AB	UL20276	30V	4X17AWG	37/0.19	7.4	96.44	17.3Ω/km
ANM11.001.05.017AB	UL20276	30V	5X17AWG	37/0.19	8	114.84	17.3Ω/km
ANM11.001.06.017AB	UL20276	30V	6X17AWG	37/0.19	8.6	134.24	17.3Ω/km



ANM11.001.07.017AB	UL20276	30V	7X17AWG	37/0.19	8.6	141.54	17.3 Ω/km
ANM11.001.08.017AB	UL20276	30V	8X17AWG	37/0.19	9.3	164.04	17.3 Ω/km
ANM11.001.09.017AB	UL20276	30V	9X17AWG	37/0.19	10.2	192.54	17.3 Ω/km
ANM11.001.10.017AB	UL20276	30V	10X17AWG	37/0.19	11.4	230.94	17.3 Ω/km
ANM11.001.11.017AB	UL20276	30V	11X17AWG	37/0.19	11.8	249.44	17.3 Ω/km
ANM11.001.12.017AB	UL20276	30V	12X17AWG	37/0.19	11.8	256.84	17.3 Ω/km
ANM11.001.13.017AB	UL20276	30V	13X17AWG	37/0.19	12.4	281.64	17.3 Ω/km
ANM11.001.14.017AB	UL20276	30V	14X17AWG	37/0.19	12.4	288.94	17.3 Ω/km
ANM11.001.15.017AB	UL20276	30V	15X17AWG	37/0.19	13.1	317.84	17.3 Ω/km
ANM11.001.16.017AB	UL20276	30V	16X17AWG	37/0.19	13.1	325.24	17.3 Ω/km
ANM11.001.17.017AB	UL20276	30V	17X17AWG	37/0.19	13.7	351.94	17.3 Ω/km
ANM11.001.18.017AB	UL20276	30V	18X17AWG	37/0.19	13.7	359.34	17.3 Ω/km
ANM11.001.19.017AB	UL20276	30V	19X17AWG	37/0.19	13.7	366.84	17.3 Ω/km
ANM11.001.20.017AB	UL20276	30V	20X17AWG	37/0.19	14.1	387.54	17.3 Ω/km
ANM11.001.21.017AB	UL20276	30V	21X17AWG	37/0.19	14.4	405.24	17.3 Ω/km
ANM11.001.22.017AB	UL20276	30V	22X17AWG	37/0.19	15.3	444.74	17.3 Ω/km
ANM11.001.23.017AB	UL20276	30V	23X17AWG	37/0.19	15.9	474.64	17.3 Ω/km
ANM11.001.24.017AB	UL20276	30V	24X17AWG	37/0.19	15.9	482.04	17.3 Ω/km
ANM11.001.25.017AB	UL20276	30V	25X17AWG	37/0.19	16.3	504.94	17.3 Ω/km
ANM11.001.26.017AB	UL20276	30V	26X17AWG	37/0.19	16.3	512.24	17.3 Ω/km
ANM11.001.27.017AB	UL20276	30V	27X17AWG	37/0.19	16.3	519.74	17.3 Ω/km
ANM11.001.28.017AB	UL20276	30V	28X17AWG	37/0.19	16.9	551.14	17.3 Ω/km
ANM11.001.29.017AB	UL20276	30V	29X17AWG	37/0.19	16.9	558.54	17.3 Ω/km
ANM11.001.30.017AB	UL20276	30V	30X17AWG	37/0.19	16.9	565.84	17.3 Ω/km
ANM11.001.31.017AB	UL20276	30V	31X17AWG	37/0.19	17.5	598.14	17.3 Ω/km
ANM11.001.32.017AB	UL20276	30V	32X17AWG	37/0.19	17.5	605.44	17.3 Ω/km
ANM11.001.33.017AB	UL20276	30V	33X17AWG	37/0.19	17.5	612.74	17.3 Ω/km
ANM11.001.34.017AB	UL20276	30V	34X17AWG	37/0.19	18.1	645.84	17.3 Ω/km
ANM11.001.35.017AB	UL20276	30V	35X17AWG	37/0.19	18.1	653.24	17.3 Ω/km
ANM11.001.36.017AB	UL20276	30V	36X17AWG	37/0.19	18.1	660.64	17.3 Ω/km
ANM11.001.37.017AB	UL20276	30V	37X17AWG	37/0.19	18.1	668.14	17.3 Ω/km
ANM11.001.38.017AB	UL20276	30V	38X17AWG	37/0.19	18.8	706.64	17.3 Ω/km
ANM11.001.39.017AB	UL20276	30V	39X17AWG	37/0.19	18.8	714.04	17.3 Ω/km
ANM11.001.40.017AB	UL20276	30V	40X17AWG	37/0.19	18.8	721.34	17.3 Ω/km
ANM11.001.41.017AB	UL20276	30V	41X17AWG	37/0.19	21.1	838.74	17.3 Ω/km
ANM11.001.42.017AB	UL20276	30V	42X17AWG	37/0.19	21.1	846.04	17.3 Ω/km
ANM11.001.43.017AB	UL20276	30V	43X17AWG	37/0.19	21.1	853.44	17.3 Ω/km
ANM11.001.44.017AB	UL20276	30V	44X17AWG	37/0.19	21.1	860.74	17.3 Ω/km
ANM11.001.45.017AB	UL20276	30V	45X17AWG	37/0.19	21.5	888.74	17.3 Ω/km
ANM11.001.46.017AB	UL20276	30V	46X17AWG	37/0.19	21.5	896.14	17.3 Ω/km
ANM11.001.47.017AB	UL20276	30V	47X17AWG	37/0.19	21.5	903.54	17.3 Ω/km
ANM11.001.48.017AB	UL20276	30V	48X17AWG	37/0.19	21.5	910.84	17.3 Ω/km



ANM11.001.49.017AB	UL20276	30V	49X17AWG	37/0.19	22.1	949.74	17.3 Ω/km
ANM11.001.50.017AB	UL20276	30V	50X17AWG	37/0.19	22.1	957.04	17.3 Ω/km
ANM11.001.51.017AB	UL20276	30V	51X17AWG	37/0.19	22.1	964.34	17.3 Ω/km
ANM11.001.52.017AB	UL20276	30V	52X17AWG	37/0.19	22.1	971.74	17.3 Ω/km
ANM11.001.53.017AB	UL20276	30V	53X17AWG	37/0.19	22.7	1011.64	17.3 Ω/km
ANM11.001.54.017AB	UL20276	30V	54X17AWG	37/0.19	22.7	1018.94	17.3 Ω/km
ANM11.001.55.017AB	UL20276	30V	55X17AWG	37/0.19	22.7	1026.44	17.3 Ω/km
ANM11.001.56.017AB	UL20276	30V	56X17AWG	37/0.19	22.7	1033.74	17.3 Ω/km
ANM11.001.57.017AB	UL20276	30V	57X17AWG	37/0.19	23.3	1074.34	17.3 Ω/km
ANM11.001.58.017AB	UL20276	30V	58X17AWG	37/0.19	23.3	1081.74	17.3 Ω/km
ANM11.001.59.017AB	UL20276	30V	59X17AWG	37/0.19	23.3	1089.04	17.3 Ω/km
ANM11.001.60.017AB	UL20276	30V	60X17AWG	37/0.19	23.3	1096.44	17.3 Ω/km
ANM11.001.61.017AB	UL20276	30V	61X17AWG	37/0.19	23.3	1103.74	17.3 Ω/km
ANM11.001.62.017AB	UL20276	30V	62X17AWG	37/0.19	24	1151.14	17.3 Ω/km
ANM11.001.63.017AB	UL20276	30V	63X17AWG	37/0.19	24	1158.44	17.3 Ω/km
ANM11.001.64.017AB	UL20276	30V	64X17AWG	37/0.19	24	1165.94	17.3 Ω/km
ANM11.001.65.017AB	UL20276	30V	65X17AWG	37/0.19	24	1173.24	17.3 Ω/km
ANM11.001.02.016AB	UL20276	30V	2X16AWG	27/0.25	6.6	72.91	13.7 Ω/km
ANM11.001.03.016AB	UL20276	30V	3X16AWG	27/0.25	7	89.01	13.7 Ω/km
ANM11.001.04.016AB	UL20276	30V	4X16AWG	27/0.25	7.6	109.01	13.7 Ω/km
ANM11.001.05.016AB	UL20276	30V	5X16AWG	27/0.25	8.3	132.01	13.7 Ω/km
ANM11.001.06.016AB	UL20276	30V	6X16AWG	27/0.25	8.9	154.01	13.7 Ω/km
ANM11.001.07.016AB	UL20276	30V	7X16AWG	27/0.25	8.9	163.61	13.7 Ω/km
ANM11.001.08.016AB	UL20276	30V	8X16AWG	27/0.25	9.6	188.71	13.7 Ω/km
ANM11.001.09.016AB	UL20276	30V	9X16AWG	27/0.25	11.2	238.11	13.7 Ω/km
ANM11.001.10.016AB	UL20276	30V	10X16AWG	27/0.25	11.8	264.21	13.7 Ω/km
ANM11.001.11.016AB	UL20276	30V	11X16AWG	27/0.25	12.2	285.41	13.7 Ω/km
ANM11.001.12.016AB	UL20276	30V	12X16AWG	27/0.25	12.2	295.01	13.7 Ω/km
ANM11.001.13.016AB	UL20276	30V	13X16AWG	27/0.25	12.9	325.71	13.7 Ω/km
ANM11.001.14.016AB	UL20276	30V	14X16AWG	27/0.25	12.9	335.31	13.7 Ω/km
ANM11.001.15.016AB	UL20276	30V	15X16AWG	27/0.25	13.6	367.11	13.7 Ω/km
ANM11.001.16.016AB	UL20276	30V	16X16AWG	27/0.25	13.6	376.71	13.7 Ω/km
ANM11.001.17.016AB	UL20276	30V	17X16AWG	27/0.25	14.2	406.41	13.7 Ω/km
ANM11.001.18.016AB	UL20276	30V	18X16AWG	27/0.25	14.2	416.01	13.7 Ω/km
ANM11.001.19.016AB	UL20276	30V	19X16AWG	27/0.25	14.2	425.61	13.7 Ω/km
ANM11.001.20.016AB	UL20276	30V	20X16AWG	27/0.25	14.6	448.91	13.7 Ω/km
ANM11.001.21.016AB	UL20276	30V	21X16AWG	27/0.25	14.9	469.21	13.7 Ω/km
ANM11.001.22.016AB	UL20276	30V	22X16AWG	27/0.25	15.9	515.81	13.7 Ω/km
ANM11.001.23.016AB	UL20276	30V	23X16AWG	27/0.25	16.5	548.91	13.7 Ω/km
ANM11.001.24.016AB	UL20276	30V	24X16AWG	27/0.25	16.5	558.51	13.7 Ω/km
ANM11.001.25.016AB	UL20276	30V	25X16AWG	27/0.25	16.9	584.11	13.7 Ω/km
ANM11.001.26.016AB	UL20276	30V	26X16AWG	27/0.25	16.9	593.71	13.7 Ω/km



ANM11.001.27.016AB	UL20276	30V	27X16AWG	27/0.25	16.9	603.21	13.7 Ω/km
ANM11.001.28.016AB	UL20276	30V	28X16AWG	27/0.25	17.5	637.71	13.7 Ω/km
ANM11.001.29.016AB	UL20276	30V	29X16AWG	27/0.25	17.5	647.21	13.7 Ω/km
ANM11.001.30.016AB	UL20276	30V	30X16AWG	27/0.25	17.5	656.81	13.7 Ω/km
ANM11.001.31.016AB	UL20276	30V	31X16AWG	27/0.25	18.2	696.51	13.7 Ω/km
ANM11.001.32.016AB	UL20276	30V	32X16AWG	27/0.25	18.2	706.01	13.7 Ω/km
ANM11.001.33.016AB	UL20276	30V	33X16AWG	27/0.25	18.2	715.61	13.7 Ω/km
ANM11.001.34.016AB	UL20276	30V	34X16AWG	27/0.25	18.8	751.91	13.7 Ω/km
ANM11.001.35.016AB	UL20276	30V	35X16AWG	27/0.25	18.8	761.51	13.7 Ω/km
ANM11.001.36.016AB	UL20276	30V	36X16AWG	27/0.25	18.8	771.11	13.7 Ω/km
ANM11.001.37.016AB	UL20276	30V	37X16AWG	27/0.25	18.8	780.61	13.7 Ω/km
ANM11.001.38.016AB	UL20276	30V	38X16AWG	27/0.25	20.3	860.31	13.7 Ω/km
ANM11.001.39.016AB	UL20276	30V	39X16AWG	27/0.25	20.3	869.81	13.7 Ω/km
ANM11.001.40.016AB	UL20276	30V	40X16AWG	27/0.25	20.3	879.41	13.7 Ω/km
ANM11.001.41.016AB	UL20276	30V	41X16AWG	27/0.25	21.9	970.41	13.7 Ω/km
ANM11.001.42.016AB	UL20276	30V	42X16AWG	27/0.25	21.9	979.91	13.7 Ω/km
ANM11.001.43.016AB	UL20276	30V	43X16AWG	27/0.25	21.9	989.51	13.7 Ω/km
ANM11.001.44.016AB	UL20276	30V	44X16AWG	27/0.25	21.9	999.01	13.7 Ω/km
ANM11.001.45.016AB	UL20276	30V	45X16AWG	27/0.25	22.3	1030.01	13.7 Ω/km
ANM11.001.46.016AB	UL20276	30V	46X16AWG	27/0.25	22.3	1039.51	13.7 Ω/km
ANM11.001.47.016AB	UL20276	30V	47X16AWG	27/0.25	22.3	1049.11	13.7 Ω/km
ANM11.001.48.016AB	UL20276	30V	48X16AWG	27/0.25	22.3	1058.71	13.7 Ω/km
ANM11.001.49.016AB	UL20276	30V	49X16AWG	27/0.25	22.9	1100.81	13.7 Ω/km
ANM11.001.50.016AB	UL20276	30V	50X16AWG	27/0.25	22.9	1110.41	13.7 Ω/km
ANM11.001.51.016AB	UL20276	30V	51X16AWG	27/0.25	22.9	1119.91	13.7 Ω/km
ANM11.001.52.016AB	UL20276	30V	52X16AWG	27/0.25	22.9	1129.51	13.7 Ω/km
ANM11.001.53.016AB	UL20276	30V	53X16AWG	27/0.25	23.6	1178.41	13.7 Ω/km
ANM11.001.54.016AB	UL20276	30V	54X16AWG	27/0.25	23.6	1187.91	13.7 Ω/km
ANM11.001.55.016AB	UL20276	30V	55X16AWG	27/0.25	23.6	1197.51	13.7 Ω/km
ANM11.001.56.016AB	UL20276	30V	56X16AWG	27/0.25	23.6	1207.01	13.7 Ω/km
ANM11.001.57.016AB	UL20276	30V	57X16AWG	27/0.25	24.2	1251.21	13.7 Ω/km
ANM11.001.58.016AB	UL20276	30V	58X16AWG	27/0.25	24.2	1260.71	13.7 Ω/km
ANM11.001.59.016AB	UL20276	30V	59X16AWG	27/0.25	24.2	1270.31	13.7 Ω/km
ANM11.001.60.016AB	UL20276	30V	60X16AWG	27/0.25	24.2	1279.91	13.7 Ω/km
ANM11.001.61.016AB	UL20276	30V	61X16AWG	27/0.25	24.2	1289.41	13.7 Ω/km
ANM11.001.62.016AB	UL20276	30V	62X16AWG	27/0.25	24.9	1340.51	13.7 Ω/km
ANM11.001.63.016AB	UL20276	30V	63X16AWG	27/0.25	24.9	1350.01	13.7 Ω/km
ANM11.001.64.016AB	UL20276	30V	64X16AWG	27/0.25	24.9	1359.61	13.7 Ω/km
ANM11.001.65.016AB	UL20276	30V	65X16AWG	27/0.25	24.9	1369.21	13.7 Ω/km
物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
芯线 PVC 材质							



ANM11.010.02.030AB	UL20276	30V	2X30AWG	7/0.1	4	20.06	354 Ω/km
ANM11.010.03.030AB	UL20276	30V	3X30AWG	7/0.1	4.2	22.36	354 Ω/km
ANM11.010.04.030AB	UL20276	30V	4X30AWG	7/0.1	4.5	25.86	354 Ω/km
ANM11.010.05.030AB	UL20276	30V	5X30AWG	7/0.1	4.7	28.36	354 Ω/km
ANM11.010.06.030AB	UL20276	30V	6X30AWG	7/0.1	5	32.16	354 Ω/km
ANM11.010.07.030AB	UL20276	30V	7X30AWG	7/0.1	5	32.56	354 Ω/km
ANM11.010.08.030AB	UL20276	30V	8X30AWG	7/0.1	5.3	36.66	354 Ω/km
ANM11.010.09.030AB	UL20276	30V	9X30AWG	7/0.1	5.7	42.36	354 Ω/km
ANM11.010.10.030AB	UL20276	30V	10X30AWG	7/0.1	6	46.76	354 Ω/km
ANM11.010.11.030AB	UL20276	30V	11X30AWG	7/0.1	6.2	50.06	354 Ω/km
ANM11.010.12.030AB	UL20276	30V	12X30AWG	7/0.1	6.2	50.46	354 Ω/km
ANM11.010.13.030AB	UL20276	30V	13X30AWG	7/0.1	6.5	55.36	354 Ω/km
ANM11.010.14.030AB	UL20276	30V	14X30AWG	7/0.1	6.5	55.56	354 Ω/km
ANM11.010.15.030AB	UL20276	30V	15X30AWG	7/0.1	6.7	59.16	354 Ω/km
ANM11.010.16.030AB	UL20276	30V	16X30AWG	7/0.1	6.7	59.56	354 Ω/km
ANM11.010.17.030AB	UL20276	30V	17X30AWG	7/0.1	7	64.96	354 Ω/km
ANM11.010.18.030AB	UL20276	30V	18X30AWG	7/0.1	7	65.36	354 Ω/km
ANM11.010.19.030AB	UL20276	30V	19X30AWG	7/0.1	7	65.56	354 Ω/km
ANM11.010.20.030AB	UL20276	30V	20X30AWG	7/0.1	7.2	69.26	354 Ω/km
ANM11.010.21.030AB	UL20276	30V	21X30AWG	7/0.1	7.3	71.36	354 Ω/km
ANM11.010.22.030AB	UL20276	30V	22X30AWG	7/0.1	7.7	78.96	354 Ω/km
ANM11.010.23.030AB	UL20276	30V	23X30AWG	7/0.1	8	84.96	354 Ω/km
ANM11.010.24.030AB	UL20276	30V	24X30AWG	7/0.1	8	85.26	354 Ω/km
ANM11.010.25.030AB	UL20276	30V	25X30AWG	7/0.1	8.2	89.66	354 Ω/km
ANM11.010.26.030AB	UL20276	30V	26X30AWG	7/0.1	8.2	89.96	354 Ω/km
ANM11.010.27.030AB	UL20276	30V	27X30AWG	7/0.1	8.2	90.36	354 Ω/km
ANM11.010.28.030AB	UL20276	30V	28X30AWG	7/0.1	8.5	96.66	354 Ω/km
ANM11.010.29.030AB	UL20276	30V	29X30AWG	7/0.1	8.5	97.06	354 Ω/km
ANM11.010.30.030AB	UL20276	30V	30X30AWG	7/0.1	8.5	97.46	354 Ω/km
ANM11.010.31.030AB	UL20276	30V	31X30AWG	7/0.1	8.7	101.86	354 Ω/km
ANM11.010.32.030AB	UL20276	30V	32X30AWG	7/0.1	8.7	102.16	354 Ω/km
ANM11.010.33.030AB	UL20276	30V	33X30AWG	7/0.1	8.7	102.46	354 Ω/km
ANM11.010.34.030AB	UL20276	30V	34X30AWG	7/0.1	9	109.26	354 Ω/km
ANM11.010.35.030AB	UL20276	30V	35X30AWG	7/0.1	9	109.66	354 Ω/km
ANM11.010.36.030AB	UL20276	30V	36X30AWG	7/0.1	9	110.06	354 Ω/km
ANM11.010.37.030AB	UL20276	30V	37X30AWG	7/0.1	9	110.26	354 Ω/km
ANM11.010.38.030AB	UL20276	30V	38X30AWG	7/0.1	9.3	117.26	354 Ω/km
ANM11.010.39.030AB	UL20276	30V	39X30AWG	7/0.1	9.3	117.66	354 Ω/km
ANM11.010.40.030AB	UL20276	30V	40X30AWG	7/0.1	9.3	118.06	354 Ω/km
ANM11.010.41.030AB	UL20276	30V	41X30AWG	7/0.1	10	134.66	354 Ω/km
ANM11.010.42.030AB	UL20276	30V	42X30AWG	7/0.1	10	134.96	354 Ω/km
ANM11.010.43.030AB	UL20276	30V	43X30AWG	7/0.1	10	135.36	354 Ω/km



ANM11.010.44.030AB	UL20276	30V	44X30AWG	7/0.1	10	135.76	354 Ω/km
ANM11.010.45.030AB	UL20276	30V	45X30AWG	7/0.1	10.2	140.96	354 Ω/km
ANM11.010.46.030AB	UL20276	30V	46X30AWG	7/0.1	10.2	141.26	354 Ω/km
ANM11.010.47.030AB	UL20276	30V	47X30AWG	7/0.1	10.2	141.46	354 Ω/km
ANM11.010.48.030AB	UL20276	30V	48X30AWG	7/0.1	10.2	141.86	354 Ω/km
ANM11.010.49.030AB	UL20276	30V	49X30AWG	7/0.1	11.1	165.06	354 Ω/km
ANM11.010.50.030AB	UL20276	30V	50X30AWG	7/0.1	11.1	165.36	354 Ω/km
ANM11.010.51.030AB	UL20276	30V	51X30AWG	7/0.1	11.1	165.66	354 Ω/km
ANM11.010.52.030AB	UL20276	30V	52X30AWG	7/0.1	11.1	166.06	354 Ω/km
ANM11.010.53.030AB	UL20276	30V	53X30AWG	7/0.1	11.3	171.96	354 Ω/km
ANM11.010.54.030AB	UL20276	30V	54X30AWG	7/0.1	11.3	172.26	354 Ω/km
ANM11.010.55.030AB	UL20276	30V	55X30AWG	7/0.1	11.3	172.56	354 Ω/km
ANM11.010.56.030AB	UL20276	30V	56X30AWG	7/0.1	11.3	172.86	354 Ω/km
ANM11.010.57.030AB	UL20276	30V	57X30AWG	7/0.1	11.6	181.56	354 Ω/km
ANM11.010.58.030AB	UL20276	30V	58X30AWG	7/0.1	11.6	181.96	354 Ω/km
ANM11.010.59.030AB	UL20276	30V	59X30AWG	7/0.1	11.6	182.26	354 Ω/km
ANM11.010.60.030AB	UL20276	30V	60X30AWG	7/0.1	11.6	182.56	354 Ω/km
ANM11.010.61.030AB	UL20276	30V	61X30AWG	7/0.1	11.6	182.86	354 Ω/km
ANM11.010.62.030AB	UL20276	30V	62X30AWG	7/0.1	11.9	191.76	354 Ω/km
ANM11.010.63.030AB	UL20276	30V	63X30AWG	7/0.1	11.9	192.16	354 Ω/km
ANM11.010.64.030AB	UL20276	30V	64X30AWG	7/0.1	11.9	192.46	354 Ω/km
ANM11.010.65.030AB	UL20276	30V	65X30AWG	7/0.1	11.9	192.76	354 Ω/km
ANM11.010.02.029AB	UL20276	30V	2X29AWG	9/0.1	4.2	22.27	277 Ω/km
ANM11.010.03.029AB	UL20276	30V	3X29AWG	9/0.1	4.4	24.77	277 Ω/km
ANM11.010.04.029AB	UL20276	30V	4X29AWG	9/0.1	4.7	28.57	277 Ω/km
ANM11.010.05.029AB	UL20276	30V	5X29AWG	9/0.1	5	32.37	277 Ω/km
ANM11.010.06.029AB	UL20276	30V	6X29AWG	9/0.1	5.3	36.57	277 Ω/km
ANM11.010.07.029AB	UL20276	30V	7X29AWG	9/0.1	5.3	36.97	277 Ω/km
ANM11.010.08.029AB	UL20276	30V	8X29AWG	9/0.1	5.7	42.67	277 Ω/km
ANM11.010.09.029AB	UL20276	30V	9X29AWG	9/0.1	6.1	48.87	277 Ω/km
ANM11.010.10.029AB	UL20276	30V	10X29AWG	9/0.1	6.4	53.97	277 Ω/km
ANM11.010.11.029AB	UL20276	30V	11X29AWG	9/0.1	6.6	57.57	277 Ω/km
ANM11.010.12.029AB	UL20276	30V	12X29AWG	9/0.1	6.6	58.07	277 Ω/km
ANM11.010.13.029AB	UL20276	30V	13X29AWG	9/0.1	6.9	63.27	277 Ω/km
ANM11.010.14.029AB	UL20276	30V	14X29AWG	9/0.1	6.9	63.67	277 Ω/km
ANM11.010.15.029AB	UL20276	30V	15X29AWG	9/0.1	7.2	69.27	277 Ω/km
ANM11.010.16.029AB	UL20276	30V	16X29AWG	9/0.1	7.2	69.67	277 Ω/km
ANM11.010.17.029AB	UL20276	30V	17X29AWG	9/0.1	7.5	75.57	277 Ω/km
ANM11.010.18.029AB	UL20276	30V	18X29AWG	9/0.1	7.5	75.97	277 Ω/km
ANM11.010.19.029AB	UL20276	30V	19X29AWG	9/0.1	7.5	76.37	277 Ω/km
ANM11.010.20.029AB	UL20276	30V	20X29AWG	9/0.1	7.7	80.57	277 Ω/km
ANM11.010.21.029AB	UL20276	30V	21X29AWG	9/0.1	7.9	84.77	277 Ω/km



ANM11.010.22.029AB	UL20276	30V	22X29AWG	9/0.1	8.3	93.07	277 Ω /km
ANM11.010.23.029AB	UL20276	30V	23X29AWG	9/0.1	8.6	99.57	277 Ω /km
ANM11.010.24.029AB	UL20276	30V	24X29AWG	9/0.1	8.6	100.07	277 Ω /km
ANM11.010.25.029AB	UL20276	30V	25X29AWG	9/0.1	8.8	104.57	277 Ω /km
ANM11.010.26.029AB	UL20276	30V	26X29AWG	9/0.1	8.8	105.17	277 Ω /km
ANM11.010.27.029AB	UL20276	30V	27X29AWG	9/0.1	8.8	105.57	277 Ω /km
ANM11.010.28.029AB	UL20276	30V	28X29AWG	9/0.1	9.1	112.47	277 Ω /km
ANM11.010.29.029AB	UL20276	30V	29X29AWG	9/0.1	9.1	113.07	277 Ω /km
ANM11.010.30.029AB	UL20276	30V	30X29AWG	9/0.1	9.1	113.47	277 Ω /km
ANM11.010.31.029AB	UL20276	30V	31X29AWG	9/0.1	9.4	120.57	277 Ω /km
ANM11.010.32.029AB	UL20276	30V	32X29AWG	9/0.1	9.4	121.07	277 Ω /km
ANM11.010.33.029AB	UL20276	30V	33X29AWG	9/0.1	9.4	121.47	277 Ω /km
ANM11.010.34.029AB	UL20276	30V	34X29AWG	9/0.1	9.7	128.97	277 Ω /km
ANM11.010.35.029AB	UL20276	30V	35X29AWG	9/0.1	9.7	129.37	277 Ω /km
ANM11.010.36.029AB	UL20276	30V	36X29AWG	9/0.1	9.7	129.77	277 Ω /km
ANM11.010.37.029AB	UL20276	30V	37X29AWG	9/0.1	9.7	130.27	277 Ω /km
ANM11.010.38.029AB	UL20276	30V	38X29AWG	9/0.1	10.1	140.27	277 Ω /km
ANM11.010.39.029AB	UL20276	30V	39X29AWG	9/0.1	10.1	140.77	277 Ω /km
ANM11.010.40.029AB	UL20276	30V	40X29AWG	9/0.1	10.1	141.17	277 Ω /km
ANM11.010.41.029AB	UL20276	30V	41X29AWG	9/0.1	11.4	174.97	277 Ω /km
ANM11.010.42.029AB	UL20276	30V	42X29AWG	9/0.1	11.4	175.47	277 Ω /km
ANM11.010.43.029AB	UL20276	30V	43X29AWG	9/0.1	11.4	175.97	277 Ω /km
ANM11.010.44.029AB	UL20276	30V	44X29AWG	9/0.1	11.4	176.37	277 Ω /km
ANM11.010.45.029AB	UL20276	30V	45X29AWG	9/0.1	11.6	182.47	277 Ω /km
ANM11.010.46.029AB	UL20276	30V	46X29AWG	9/0.1	11.6	182.87	277 Ω /km
ANM11.010.47.029AB	UL20276	30V	47X29AWG	9/0.1	11.6	183.27	277 Ω /km
ANM11.010.48.029AB	UL20276	30V	48X29AWG	9/0.1	11.6	183.77	277 Ω /km
ANM11.010.49.029AB	UL20276	30V	49X29AWG	9/0.1	11.9	192.77	277 Ω /km
ANM11.010.50.029AB	UL20276	30V	50X29AWG	9/0.1	11.9	193.17	277 Ω /km
ANM11.010.51.029AB	UL20276	30V	51X29AWG	9/0.1	11.9	193.77	277 Ω /km
ANM11.010.52.029AB	UL20276	30V	52X29AWG	9/0.1	11.9	194.17	277 Ω /km
ANM11.010.53.029AB	UL20276	30V	53X29AWG	9/0.1	12.2	203.27	277 Ω /km
ANM11.010.54.029AB	UL20276	30V	54X29AWG	9/0.1	12.2	203.77	277 Ω /km
ANM11.010.55.029AB	UL20276	30V	55X29AWG	9/0.1	12.2	204.17	277 Ω /km
ANM11.010.56.029AB	UL20276	30V	56X29AWG	9/0.1	12.2	204.67	277 Ω /km
ANM11.010.57.029AB	UL20276	30V	57X29AWG	9/0.1	12.5	213.97	277 Ω /km
ANM11.010.58.029AB	UL20276	30V	58X29AWG	9/0.1	12.5	214.47	277 Ω /km
ANM11.010.59.029AB	UL20276	30V	59X29AWG	9/0.1	12.5	214.97	277 Ω /km
ANM11.010.60.029AB	UL20276	30V	60X29AWG	9/0.1	12.5	215.47	277 Ω /km
ANM11.010.61.029AB	UL20276	30V	61X29AWG	9/0.1	12.5	215.97	277 Ω /km
ANM11.010.62.029AB	UL20276	30V	62X29AWG	9/0.1	13	231.67	277 Ω /km
ANM11.010.63.029AB	UL20276	30V	63X29AWG	9/0.1	13	232.07	277 Ω /km



ANM11.010.64.029AB	UL20276	30V	64X29AWG	9/0.1	13	232.57	277 Ω/km
ANM11.010.65.029AB	UL20276	30V	65X29AWG	9/0.1	13	232.97	277 Ω/km
ANM11.010.02.028AB	UL20276	30V	2X28AWG	11/0.1	4.2	22.49	223 Ω/km
ANM11.010.03.028AB	UL20276	30V	3X28AWG	11/0.1	4.4	25.09	223 Ω/km
ANM11.010.04.028AB	UL20276	30V	4X28AWG	11/0.1	4.7	29.09	223 Ω/km
ANM11.010.05.028AB	UL20276	30V	5X28AWG	11/0.1	5	32.89	223 Ω/km
ANM11.010.06.028AB	UL20276	30V	6X28AWG	11/0.1	5.3	37.29	223 Ω/km
ANM11.010.07.028AB	UL20276	30V	7X28AWG	11/0.1	5.3	37.89	223 Ω/km
ANM11.010.08.028AB	UL20276	30V	8X28AWG	11/0.1	5.7	43.69	223 Ω/km
ANM11.010.09.028AB	UL20276	30V	9X28AWG	11/0.1	6.1	49.99	223 Ω/km
ANM11.010.10.028AB	UL20276	30V	10X28AWG	11/0.1	6.4	54.99	223 Ω/km
ANM11.010.11.028AB	UL20276	30V	11X28AWG	11/0.1	6.6	58.79	223 Ω/km
ANM11.010.12.028AB	UL20276	30V	12X28AWG	11/0.1	6.6	59.49	223 Ω/km
ANM11.010.13.028AB	UL20276	30V	13X28AWG	11/0.1	6.9	64.79	223 Ω/km
ANM11.010.14.028AB	UL20276	30V	14X28AWG	11/0.1	6.9	65.39	223 Ω/km
ANM11.010.15.028AB	UL20276	30V	15X28AWG	11/0.1	7.2	70.99	223 Ω/km
ANM11.010.16.028AB	UL20276	30V	16X28AWG	11/0.1	7.2	71.59	223 Ω/km
ANM11.010.17.028AB	UL20276	30V	17X28AWG	11/0.1	7.5	77.49	223 Ω/km
ANM11.010.18.028AB	UL20276	30V	18X28AWG	11/0.1	7.5	78.09	223 Ω/km
ANM11.010.19.028AB	UL20276	30V	19X28AWG	11/0.1	7.5	78.69	223 Ω/km
ANM11.010.20.028AB	UL20276	30V	20X28AWG	11/0.1	7.7	82.79	223 Ω/km
ANM11.010.21.028AB	UL20276	30V	21X28AWG	11/0.1	7.9	87.19	223 Ω/km
ANM11.010.22.028AB	UL20276	30V	22X28AWG	11/0.1	8.3	95.59	223 Ω/km
ANM11.010.23.028AB	UL20276	30V	23X28AWG	11/0.1	8.6	102.29	223 Ω/km
ANM11.010.24.028AB	UL20276	30V	24X28AWG	11/0.1	8.6	102.99	223 Ω/km
ANM11.010.25.028AB	UL20276	30V	25X28AWG	11/0.1	8.8	107.49	223 Ω/km
ANM11.010.26.028AB	UL20276	30V	26X28AWG	11/0.1	8.8	108.19	223 Ω/km
ANM11.010.27.028AB	UL20276	30V	27X28AWG	11/0.1	8.8	108.69	223 Ω/km
ANM11.010.28.028AB	UL20276	30V	28X28AWG	11/0.1	9.1	115.79	223 Ω/km
ANM11.010.29.028AB	UL20276	30V	29X28AWG	11/0.1	9.1	116.39	223 Ω/km
ANM11.010.30.028AB	UL20276	30V	30X28AWG	11/0.1	9.1	116.89	223 Ω/km
ANM11.010.31.028AB	UL20276	30V	31X28AWG	11/0.1	9.4	124.19	223 Ω/km
ANM11.010.32.028AB	UL20276	30V	32X28AWG	11/0.1	9.4	124.79	223 Ω/km
ANM11.010.33.028AB	UL20276	30V	33X28AWG	11/0.1	9.4	125.39	223 Ω/km
ANM11.010.34.028AB	UL20276	30V	34X28AWG	11/0.1	9.7	132.89	223 Ω/km
ANM11.010.35.028AB	UL20276	30V	35X28AWG	11/0.1	9.7	133.39	223 Ω/km
ANM11.010.36.028AB	UL20276	30V	36X28AWG	11/0.1	9.7	133.99	223 Ω/km
ANM11.010.37.028AB	UL20276	30V	37X28AWG	11/0.1	9.7	134.59	223 Ω/km
ANM11.010.38.028AB	UL20276	30V	38X28AWG	11/0.1	10.1	144.79	223 Ω/km
ANM11.010.39.028AB	UL20276	30V	39X28AWG	11/0.1	10.1	145.29	223 Ω/km
ANM11.010.40.028AB	UL20276	30V	40X28AWG	11/0.1	10.1	145.79	223 Ω/km
ANM11.010.41.028AB	UL20276	30V	41X28AWG	11/0.1	11.4	179.69	223 Ω/km



ANM11.010.42.028AB	UL20276	30V	42X28AWG	11/0.1	11.4	180.39	223 Ω/km
ANM11.010.43.028AB	UL20276	30V	43X28AWG	11/0.1	11.4	180.99	223 Ω/km
ANM11.010.44.028AB	UL20276	30V	44X28AWG	11/0.1	11.4	181.49	223 Ω/km
ANM11.010.45.028AB	UL20276	30V	45X28AWG	11/0.1	11.6	187.69	223 Ω/km
ANM11.010.46.028AB	UL20276	30V	46X28AWG	11/0.1	11.6	188.19	223 Ω/km
ANM11.010.47.028AB	UL20276	30V	47X28AWG	11/0.1	11.6	188.79	223 Ω/km
ANM11.010.48.028AB	UL20276	30V	48X28AWG	11/0.1	11.6	189.49	223 Ω/km
ANM11.010.49.028AB	UL20276	30V	49X28AWG	11/0.1	11.9	198.49	223 Ω/km
ANM11.010.50.028AB	UL20276	30V	50X28AWG	11/0.1	11.9	198.99	223 Ω/km
ANM11.010.51.028AB	UL20276	30V	51X28AWG	11/0.1	11.9	199.59	223 Ω/km
ANM11.010.52.028AB	UL20276	30V	52X28AWG	11/0.1	11.9	200.19	223 Ω/km
ANM11.010.53.028AB	UL20276	30V	53X28AWG	11/0.1	12.2	209.49	223 Ω/km
ANM11.010.54.028AB	UL20276	30V	54X28AWG	11/0.1	12.2	209.99	223 Ω/km
ANM11.010.55.028AB	UL20276	30V	55X28AWG	11/0.1	12.2	210.59	223 Ω/km
ANM11.010.56.028AB	UL20276	30V	56X28AWG	11/0.1	12.2	211.19	223 Ω/km
ANM11.010.57.028AB	UL20276	30V	57X28AWG	11/0.1	12.5	220.69	223 Ω/km
ANM11.010.58.028AB	UL20276	30V	58X28AWG	11/0.1	12.5	221.19	223 Ω/km
ANM11.010.59.028AB	UL20276	30V	59X28AWG	11/0.1	12.5	221.79	223 Ω/km
ANM11.010.60.028AB	UL20276	30V	60X28AWG	11/0.1	12.5	222.39	223 Ω/km
ANM11.010.61.028AB	UL20276	30V	61X28AWG	11/0.1	12.5	222.99	223 Ω/km
ANM11.010.62.028AB	UL20276	30V	62X28AWG	11/0.1	13	238.89	223 Ω/km
ANM11.010.63.028AB	UL20276	30V	63X28AWG	11/0.1	13	239.39	223 Ω/km
ANM11.010.64.028AB	UL20276	30V	64X28AWG	11/0.1	13	239.99	223 Ω/km
ANM11.010.65.028AB	UL20276	30V	65X28AWG	11/0.1	13	240.59	223 Ω/km
ANM11.010.02.027AB	UL20276	30V	2X27AWG	7/0.14	4.4	24.71	175 Ω/km
ANM11.010.03.027AB	UL20276	30V	3X27AWG	7/0.14	4.6	27.41	175 Ω/km
ANM11.010.04.027AB	UL20276	30V	4X27AWG	7/0.14	4.9	31.51	175 Ω/km
ANM11.010.05.027AB	UL20276	30V	5X27AWG	7/0.14	5.3	37.11	175 Ω/km
ANM11.010.06.027AB	UL20276	30V	6X27AWG	7/0.14	5.6	41.61	175 Ω/km
ANM11.010.07.027AB	UL20276	30V	7X27AWG	7/0.14	5.6	42.21	175 Ω/km
ANM11.010.08.027AB	UL20276	30V	8X27AWG	7/0.14	6	48.41	175 Ω/km
ANM11.010.09.027AB	UL20276	30V	9X27AWG	7/0.14	6.5	56.51	175 Ω/km
ANM11.010.10.027AB	UL20276	30V	10X27AWG	7/0.14	6.8	62.01	175 Ω/km
ANM11.010.11.027AB	UL20276	30V	11X27AWG	7/0.14	7	66.01	175 Ω/km
ANM11.010.12.027AB	UL20276	30V	12X27AWG	7/0.14	7	66.71	175 Ω/km
ANM11.010.13.027AB	UL20276	30V	13X27AWG	7/0.14	7.3	72.41	175 Ω/km
ANM11.010.14.027AB	UL20276	30V	14X27AWG	7/0.14	7.3	73.01	175 Ω/km
ANM11.010.15.027AB	UL20276	30V	15X27AWG	7/0.14	7.7	80.81	175 Ω/km
ANM11.010.16.027AB	UL20276	30V	16X27AWG	7/0.14	7.7	81.41	175 Ω/km
ANM11.010.17.027AB	UL20276	30V	17X27AWG	7/0.14	8	87.71	175 Ω/km
ANM11.010.18.027AB	UL20276	30V	18X27AWG	7/0.14	8	88.41	175 Ω/km
ANM11.010.19.027AB	UL20276	30V	19X27AWG	7/0.14	8	89.01	175 Ω/km



ANM11.010.20.027AB	UL20276	30V	20X27AWG	7/0.14	8.2	93.61	175 Ω/km
ANM11.010.21.027AB	UL20276	30V	21X27AWG	7/0.14	8.4	98.21	175 Ω/km
ANM11.010.22.027AB	UL20276	30V	22X27AWG	7/0.14	8.9	109.31	175 Ω/km
ANM11.010.23.027AB	UL20276	30V	23X27AWG	7/0.14	9.2	116.41	175 Ω/km
ANM11.010.24.027AB	UL20276	30V	24X27AWG	7/0.14	9.2	117.01	175 Ω/km
ANM11.010.25.027AB	UL20276	30V	25X27AWG	7/0.14	9.4	122.21	175 Ω/km
ANM11.010.26.027AB	UL20276	30V	26X27AWG	7/0.14	9.4	122.81	175 Ω/km
ANM11.010.27.027AB	UL20276	30V	27X27AWG	7/0.14	9.4	123.41	175 Ω/km
ANM11.010.28.027AB	UL20276	30V	28X27AWG	7/0.14	9.7	131.01	175 Ω/km
ANM11.010.29.027AB	UL20276	30V	29X27AWG	7/0.14	9.7	131.61	175 Ω/km
ANM11.010.30.027AB	UL20276	30V	30X27AWG	7/0.14	9.7	132.21	175 Ω/km
ANM11.010.31.027AB	UL20276	30V	31X27AWG	7/0.14	10.1	142.41	175 Ω/km
ANM11.010.32.027AB	UL20276	30V	32X27AWG	7/0.14	10.1	143.01	175 Ω/km
ANM11.010.33.027AB	UL20276	30V	33X27AWG	7/0.14	10.1	143.71	175 Ω/km
ANM11.010.34.027AB	UL20276	30V	34X27AWG	7/0.14	11	167.01	175 Ω/km
ANM11.010.35.027AB	UL20276	30V	35X27AWG	7/0.14	11	167.51	175 Ω/km
ANM11.010.36.027AB	UL20276	30V	36X27AWG	7/0.14	11	168.21	175 Ω/km
ANM11.010.37.027AB	UL20276	30V	37X27AWG	7/0.14	11	168.91	175 Ω/km
ANM11.010.38.027AB	UL20276	30V	38X27AWG	7/0.14	11.4	180.11	175 Ω/km
ANM11.010.39.027AB	UL20276	30V	39X27AWG	7/0.14	11.4	180.81	175 Ω/km
ANM11.010.40.027AB	UL20276	30V	40X27AWG	7/0.14	11.4	181.41	175 Ω/km
ANM11.010.41.027AB	UL20276	30V	41X27AWG	7/0.14	12.2	204.81	175 Ω/km
ANM11.010.42.027AB	UL20276	30V	42X27AWG	7/0.14	12.2	205.51	175 Ω/km
ANM11.010.43.027AB	UL20276	30V	43X27AWG	7/0.14	12.2	206.11	175 Ω/km
ANM11.010.44.027AB	UL20276	30V	44X27AWG	7/0.14	12.2	206.81	175 Ω/km
ANM11.010.45.027AB	UL20276	30V	45X27AWG	7/0.14	12.4	213.31	175 Ω/km
ANM11.010.46.027AB	UL20276	30V	46X27AWG	7/0.14	12.4	213.91	175 Ω/km
ANM11.010.47.027AB	UL20276	30V	47X27AWG	7/0.14	12.4	214.51	175 Ω/km
ANM11.010.48.027AB	UL20276	30V	48X27AWG	7/0.14	12.4	215.11	175 Ω/km
ANM11.010.49.027AB	UL20276	30V	49X27AWG	7/0.14	12.8	227.91	175 Ω/km
ANM11.010.50.027AB	UL20276	30V	50X27AWG	7/0.14	12.8	228.61	175 Ω/km
ANM11.010.51.027AB	UL20276	30V	51X27AWG	7/0.14	12.8	229.11	175 Ω/km
ANM11.010.52.027AB	UL20276	30V	52X27AWG	7/0.14	12.8	229.81	175 Ω/km
ANM11.010.53.027AB	UL20276	30V	53X27AWG	7/0.14	13.2	243.01	175 Ω/km
ANM11.010.54.027AB	UL20276	30V	54X27AWG	7/0.14	13.2	243.71	175 Ω/km
ANM11.010.55.027AB	UL20276	30V	55X27AWG	7/0.14	13.2	244.31	175 Ω/km
ANM11.010.56.027AB	UL20276	30V	56X27AWG	7/0.14	13.2	244.91	175 Ω/km
ANM11.010.57.027AB	UL20276	30V	57X27AWG	7/0.14	13.5	255.21	175 Ω/km
ANM11.010.58.027AB	UL20276	30V	58X27AWG	7/0.14	13.5	255.91	175 Ω/km
ANM11.010.59.027AB	UL20276	30V	59X27AWG	7/0.14	13.5	256.41	175 Ω/km
ANM11.010.60.027AB	UL20276	30V	60X27AWG	7/0.14	13.5	257.11	175 Ω/km
ANM11.010.61.027AB	UL20276	30V	61X27AWG	7/0.14	13.5	257.61	175 Ω/km



ANM11.010.62.027AB	UL20276	30V	62X27AWG	7/0.14	13.9	271.41	175 Ω/km
ANM11.010.63.027AB	UL20276	30V	63X27AWG	7/0.14	13.9	272.11	175 Ω/km
ANM11.010.64.027AB	UL20276	30V	64X27AWG	7/0.14	13.9	272.71	175 Ω/km
ANM11.010.65.027AB	UL20276	30V	65X27AWG	7/0.14	13.9	273.41	175 Ω/km
ANM11.010.02.026AB	UL20276	30V	2X26AWG	9/0.14	4.4	25.23	140 Ω/km
ANM11.010.03.026AB	UL20276	30V	3X26AWG	9/0.14	4.6	28.23	140 Ω/km
ANM11.010.04.026AB	UL20276	30V	4X26AWG	9/0.14	4.9	32.53	140 Ω/km
ANM11.010.05.026AB	UL20276	30V	5X26AWG	9/0.14	5.3	38.33	140 Ω/km
ANM11.010.06.026AB	UL20276	30V	6X26AWG	9/0.14	5.6	43.13	140 Ω/km
ANM11.010.07.026AB	UL20276	30V	7X26AWG	9/0.14	5.6	43.93	140 Ω/km
ANM11.010.08.026AB	UL20276	30V	8X26AWG	9/0.14	6	50.43	140 Ω/km
ANM11.010.09.026AB	UL20276	30V	9X26AWG	9/0.14	6.5	58.73	140 Ω/km
ANM11.010.10.026AB	UL20276	30V	10X26AWG	9/0.14	6.8	64.43	140 Ω/km
ANM11.010.11.026AB	UL20276	30V	11X26AWG	9/0.14	7	68.73	140 Ω/km
ANM11.010.12.026AB	UL20276	30V	12X26AWG	9/0.14	7	69.63	140 Ω/km
ANM11.010.13.026AB	UL20276	30V	13X26AWG	9/0.14	7.3	75.53	140 Ω/km
ANM11.010.14.026AB	UL20276	30V	14X26AWG	9/0.14	7.3	76.53	140 Ω/km
ANM11.010.15.026AB	UL20276	30V	15X26AWG	9/0.14	7.7	84.53	140 Ω/km
ANM11.010.16.026AB	UL20276	30V	16X26AWG	9/0.14	7.7	85.43	140 Ω/km
ANM11.010.17.026AB	UL20276	30V	17X26AWG	9/0.14	8	91.93	140 Ω/km
ANM11.010.18.026AB	UL20276	30V	18X26AWG	9/0.14	8	92.83	140 Ω/km
ANM11.010.19.026AB	UL20276	30V	19X26AWG	9/0.14	8	93.73	140 Ω/km
ANM11.010.20.026AB	UL20276	30V	20X26AWG	9/0.14	8.2	98.53	140 Ω/km
ANM11.010.21.026AB	UL20276	30V	21X26AWG	9/0.14	8.4	103.33	140 Ω/km
ANM11.010.22.026AB	UL20276	30V	22X26AWG	9/0.14	8.9	114.73	140 Ω/km
ANM11.010.23.026AB	UL20276	30V	23X26AWG	9/0.14	9.2	122.03	140 Ω/km
ANM11.010.24.026AB	UL20276	30V	24X26AWG	9/0.14	9.2	122.93	140 Ω/km
ANM11.010.25.026AB	UL20276	30V	25X26AWG	9/0.14	9.4	128.33	140 Ω/km
ANM11.010.26.026AB	UL20276	30V	26X26AWG	9/0.14	9.4	129.13	140 Ω/km
ANM11.010.27.026AB	UL20276	30V	27X26AWG	9/0.14	9.4	130.13	140 Ω/km
ANM11.010.28.026AB	UL20276	30V	28X26AWG	9/0.14	9.7	137.93	140 Ω/km
ANM11.010.29.026AB	UL20276	30V	29X26AWG	9/0.14	9.7	138.73	140 Ω/km
ANM11.010.30.026AB	UL20276	30V	30X26AWG	9/0.14	9.7	139.63	140 Ω/km
ANM11.010.31.026AB	UL20276	30V	31X26AWG	9/0.14	10.1	150.03	140 Ω/km
ANM11.010.32.026AB	UL20276	30V	32X26AWG	9/0.14	10.1	150.93	140 Ω/km
ANM11.010.33.026AB	UL20276	30V	33X26AWG	9/0.14	10.1	151.83	140 Ω/km
ANM11.010.34.026AB	UL20276	30V	34X26AWG	9/0.14	11	175.33	140 Ω/km
ANM11.010.35.026AB	UL20276	30V	35X26AWG	9/0.14	11	176.13	140 Ω/km
ANM11.010.36.026AB	UL20276	30V	36X26AWG	9/0.14	11	177.03	140 Ω/km
ANM11.010.37.026AB	UL20276	30V	37X26AWG	9/0.14	11	177.93	140 Ω/km
ANM11.010.38.026AB	UL20276	30V	38X26AWG	9/0.14	11.4	189.43	140 Ω/km
ANM11.010.39.026AB	UL20276	30V	39X26AWG	9/0.14	11.4	190.33	140 Ω/km



ANM11.010.40.026AB	UL20276	30V	40X26AWG	9/0.14	11.4	191.33	140 Ω/km
ANM11.010.41.026AB	UL20276	30V	41X26AWG	9/0.14	12.2	214.93	140 Ω/km
ANM11.010.42.026AB	UL20276	30V	42X26AWG	9/0.14	12.2	215.83	140 Ω/km
ANM11.010.43.026AB	UL20276	30V	43X26AWG	9/0.14	12.2	216.73	140 Ω/km
ANM11.010.44.026AB	UL20276	30V	44X26AWG	9/0.14	12.2	217.63	140 Ω/km
ANM11.010.45.026AB	UL20276	30V	45X26AWG	9/0.14	12.4	224.33	140 Ω/km
ANM11.010.46.026AB	UL20276	30V	46X26AWG	9/0.14	12.4	225.23	140 Ω/km
ANM11.010.47.026AB	UL20276	30V	47X26AWG	9/0.14	12.4	226.03	140 Ω/km
ANM11.010.48.026AB	UL20276	30V	48X26AWG	9/0.14	12.4	226.93	140 Ω/km
ANM11.010.49.026AB	UL20276	30V	49X26AWG	9/0.14	12.8	239.93	140 Ω/km
ANM11.010.50.026AB	UL20276	30V	50X26AWG	9/0.14	12.8	240.83	140 Ω/km
ANM11.010.51.026AB	UL20276	30V	51X26AWG	9/0.14	12.8	241.63	140 Ω/km
ANM11.010.52.026AB	UL20276	30V	52X26AWG	9/0.14	12.8	242.53	140 Ω/km
ANM11.010.53.026AB	UL20276	30V	53X26AWG	9/0.14	13.2	256.03	140 Ω/km
ANM11.010.54.026AB	UL20276	30V	54X26AWG	9/0.14	13.2	257.03	140 Ω/km
ANM11.010.55.026AB	UL20276	30V	55X26AWG	9/0.14	13.2	257.83	140 Ω/km
ANM11.010.56.026AB	UL20276	30V	56X26AWG	9/0.14	13.2	258.73	140 Ω/km
ANM11.010.57.026AB	UL20276	30V	57X26AWG	9/0.14	13.5	269.23	140 Ω/km
ANM11.010.58.026AB	UL20276	30V	58X26AWG	9/0.14	13.5	270.13	140 Ω/km
ANM11.010.59.026AB	UL20276	30V	59X26AWG	9/0.14	13.5	270.93	140 Ω/km
ANM11.010.60.026AB	UL20276	30V	60X26AWG	9/0.14	13.5	271.83	140 Ω/km
ANM11.010.61.026AB	UL20276	30V	61X26AWG	9/0.14	13.5	272.63	140 Ω/km
ANM11.010.62.026AB	UL20276	30V	62X26AWG	9/0.14	13.9	286.63	140 Ω/km
ANM11.010.63.026AB	UL20276	30V	63X26AWG	9/0.14	13.9	287.53	140 Ω/km
ANM11.010.64.026AB	UL20276	30V	64X26AWG	9/0.14	13.9	288.43	140 Ω/km
ANM11.010.65.026AB	UL20276	30V	65X26AWG	9/0.14	13.9	289.33	140 Ω/km
ANM11.010.02.025AB	UL20276	30V	2X25AWG	11/0.14	4.6	27.67	111 Ω/km
ANM11.010.03.025AB	UL20276	30V	3X25AWG	11/0.14	4.9	32.17	111 Ω/km
ANM11.010.04.025AB	UL20276	30V	4X25AWG	11/0.14	5.2	37.07	111 Ω/km
ANM11.010.05.025AB	UL20276	30V	5X25AWG	11/0.14	5.6	43.17	111 Ω/km
ANM11.010.06.025AB	UL20276	30V	6X25AWG	11/0.14	5.9	48.37	111 Ω/km
ANM11.010.07.025AB	UL20276	30V	7X25AWG	11/0.14	5.9	49.47	111 Ω/km
ANM11.010.08.025AB	UL20276	30V	8X25AWG	11/0.14	6.3	56.47	111 Ω/km
ANM11.010.09.025AB	UL20276	30V	9X25AWG	11/0.14	6.9	66.87	111 Ω/km
ANM11.010.10.025AB	UL20276	30V	10X25AWG	11/0.14	7.2	73.07	111 Ω/km
ANM11.010.11.025AB	UL20276	30V	11X25AWG	11/0.14	7.5	79.57	111 Ω/km
ANM11.010.12.025AB	UL20276	30V	12X25AWG	11/0.14	7.5	80.57	111 Ω/km
ANM11.010.13.025AB	UL20276	30V	13X25AWG	11/0.14	7.8	87.07	111 Ω/km
ANM11.010.14.025AB	UL20276	30V	14X25AWG	11/0.14	7.8	88.17	111 Ω/km
ANM11.010.15.025AB	UL20276	30V	15X25AWG	11/0.14	8.2	96.97	111 Ω/km
ANM11.010.16.025AB	UL20276	30V	16X25AWG	11/0.14	8.2	98.07	111 Ω/km
ANM11.010.17.025AB	UL20276	30V	17X25AWG	11/0.14	8.5	105.07	111 Ω/km



ANM11.010.18.025AB	UL20276	30V	18X25AWG	11/0.14	8.5	106.27	111 Ω/km
ANM11.010.19.025AB	UL20276	30V	19X25AWG	11/0.14	8.5	107.27	111 Ω/km
ANM11.010.20.025AB	UL20276	30V	20X25AWG	11/0.14	8.8	114.47	111 Ω/km
ANM11.010.21.025AB	UL20276	30V	21X25AWG	11/0.14	8.9	117.67	111 Ω/km
ANM11.010.22.025AB	UL20276	30V	22X25AWG	11/0.14	9.5	132.07	111 Ω/km
ANM11.010.23.025AB	UL20276	30V	23X25AWG	11/0.14	9.8	140.07	111 Ω/km
ANM11.010.24.025AB	UL20276	30V	24X25AWG	11/0.14	9.8	141.17	111 Ω/km
ANM11.010.25.025AB	UL20276	30V	25X25AWG	11/0.14	10.1	149.47	111 Ω/km
ANM11.010.26.025AB	UL20276	30V	26X25AWG	11/0.14	10.1	150.47	111 Ω/km
ANM11.010.27.025AB	UL20276	30V	27X25AWG	11/0.14	10.1	151.57	111 Ω/km
ANM11.010.28.025AB	UL20276	30V	28X25AWG	11/0.14	11	175.27	111 Ω/km
ANM11.010.29.025AB	UL20276	30V	29X25AWG	11/0.14	11	176.27	111 Ω/km
ANM11.010.30.025AB	UL20276	30V	30X25AWG	11/0.14	11	177.37	111 Ω/km
ANM11.010.31.025AB	UL20276	30V	31X25AWG	11/0.14	11.4	189.17	111 Ω/km
ANM11.010.32.025AB	UL20276	30V	32X25AWG	11/0.14	11.4	190.27	111 Ω/km
ANM11.010.33.025AB	UL20276	30V	33X25AWG	11/0.14	11.4	191.27	111 Ω/km
ANM11.010.34.025AB	UL20276	30V	34X25AWG	11/0.14	11.7	200.67	111 Ω/km
ANM11.010.35.025AB	UL20276	30V	35X25AWG	11/0.14	11.7	201.67	111 Ω/km
ANM11.010.36.025AB	UL20276	30V	36X25AWG	11/0.14	11.7	202.87	111 Ω/km
ANM11.010.37.025AB	UL20276	30V	37X25AWG	11/0.14	11.7	203.77	111 Ω/km
ANM11.010.38.025AB	UL20276	30V	38X25AWG	11/0.14	12.1	216.37	111 Ω/km
ANM11.010.39.025AB	UL20276	30V	39X25AWG	11/0.14	12.1	217.47	111 Ω/km
ANM11.010.40.025AB	UL20276	30V	40X25AWG	11/0.14	12.1	218.57	111 Ω/km
ANM11.010.41.025AB	UL20276	30V	41X25AWG	11/0.14	13.1	249.87	111 Ω/km
ANM11.010.42.025AB	UL20276	30V	42X25AWG	11/0.14	13.1	250.97	111 Ω/km
ANM11.010.43.025AB	UL20276	30V	43X25AWG	11/0.14	13.1	252.07	111 Ω/km
ANM11.010.44.025AB	UL20276	30V	44X25AWG	11/0.14	13.1	253.17	111 Ω/km
ANM11.010.45.025AB	UL20276	30V	45X25AWG	11/0.14	13.4	263.67	111 Ω/km
ANM11.010.46.025AB	UL20276	30V	46X25AWG	11/0.14	13.4	264.87	111 Ω/km
ANM11.010.47.025AB	UL20276	30V	47X25AWG	11/0.14	13.4	265.87	111 Ω/km
ANM11.010.48.025AB	UL20276	30V	48X25AWG	11/0.14	13.4	266.97	111 Ω/km
ANM11.010.49.025AB	UL20276	30V	49X25AWG	11/0.14	13.7	277.67	111 Ω/km
ANM11.010.50.025AB	UL20276	30V	50X25AWG	11/0.14	13.7	278.87	111 Ω/km
ANM11.010.51.025AB	UL20276	30V	51X25AWG	11/0.14	13.7	279.87	111 Ω/km
ANM11.010.52.025AB	UL20276	30V	52X25AWG	11/0.14	13.7	280.97	111 Ω/km
ANM11.010.53.025AB	UL20276	30V	53X25AWG	11/0.14	14.1	295.47	111 Ω/km
ANM11.010.54.025AB	UL20276	30V	54X25AWG	11/0.14	14.1	296.47	111 Ω/km
ANM11.010.55.025AB	UL20276	30V	55X25AWG	11/0.14	14.1	297.57	111 Ω/km
ANM11.010.56.025AB	UL20276	30V	56X25AWG	11/0.14	14.1	298.67	111 Ω/km
ANM11.010.57.025AB	UL20276	30V	57X25AWG	11/0.14	14.4	309.97	111 Ω/km
ANM11.010.58.025AB	UL20276	30V	58X25AWG	11/0.14	14.4	311.07	111 Ω/km
ANM11.010.59.025AB	UL20276	30V	59X25AWG	11/0.14	14.4	312.07	111 Ω/km



ANM11.010.60.025AB	UL20276	30V	60X25AWG	11/0.14	14.4	313.17	111 Ω/km
ANM11.010.61.025AB	UL20276	30V	61X25AWG	11/0.14	14.4	314.17	111 Ω/km
ANM11.010.62.025AB	UL20276	30V	62X25AWG	11/0.14	14.8	329.37	111 Ω/km
ANM11.010.63.025AB	UL20276	30V	63X25AWG	11/0.14	14.8	330.37	111 Ω/km
ANM11.010.64.025AB	UL20276	30V	64X25AWG	11/0.14	14.8	331.57	111 Ω/km
ANM11.010.65.025AB	UL20276	30V	65X25AWG	11/0.14	14.8	332.57	111 Ω/km
ANM11.010.02.024AB	UL20276	30V	2X24AWG	14/0.14	4.6	28.51	87.6 Ω/km
ANM11.010.03.024AB	UL20276	30V	3X24AWG	14/0.14	4.9	33.51	87.6 Ω/km
ANM11.010.04.024AB	UL20276	30V	4X24AWG	14/0.14	5.2	38.71	87.6 Ω/km
ANM11.010.05.024AB	UL20276	30V	5X24AWG	14/0.14	5.6	45.21	87.6 Ω/km
ANM11.010.06.024AB	UL20276	30V	6X24AWG	14/0.14	5.9	50.91	87.6 Ω/km
ANM11.010.07.024AB	UL20276	30V	7X24AWG	14/0.14	5.9	52.41	87.6 Ω/km
ANM11.010.08.024AB	UL20276	30V	8X24AWG	14/0.14	6.3	59.71	87.6 Ω/km
ANM11.010.09.024AB	UL20276	30V	9X24AWG	14/0.14	6.9	70.61	87.6 Ω/km
ANM11.010.10.024AB	UL20276	30V	10X24AWG	14/0.14	7.2	77.21	87.6 Ω/km
ANM11.010.11.024AB	UL20276	30V	11X24AWG	14/0.14	7.5	84.01	87.6 Ω/km
ANM11.010.12.024AB	UL20276	30V	12X24AWG	14/0.14	7.5	85.51	87.6 Ω/km
ANM11.010.13.024AB	UL20276	30V	13X24AWG	14/0.14	7.8	92.41	87.6 Ω/km
ANM11.010.14.024AB	UL20276	30V	14X24AWG	14/0.14	7.8	93.91	87.6 Ω/km
ANM11.010.15.024AB	UL20276	30V	15X24AWG	14/0.14	8.2	103.11	87.6 Ω/km
ANM11.010.16.024AB	UL20276	30V	16X24AWG	14/0.14	8.2	104.61	87.6 Ω/km
ANM11.010.17.024AB	UL20276	30V	17X24AWG	14/0.14	8.5	112.01	87.6 Ω/km
ANM11.010.18.024AB	UL20276	30V	18X24AWG	14/0.14	8.5	113.61	87.6 Ω/km
ANM11.010.19.024AB	UL20276	30V	19X24AWG	14/0.14	8.5	115.01	87.6 Ω/km
ANM11.010.20.024AB	UL20276	30V	20X24AWG	14/0.14	8.8	122.61	87.6 Ω/km
ANM11.010.21.024AB	UL20276	30V	21X24AWG	14/0.14	8.9	126.31	87.6 Ω/km
ANM11.010.22.024AB	UL20276	30V	22X24AWG	14/0.14	9.5	141.01	87.6 Ω/km
ANM11.010.23.024AB	UL20276	30V	23X24AWG	14/0.14	9.8	149.41	87.6 Ω/km
ANM11.010.24.024AB	UL20276	30V	24X24AWG	14/0.14	9.8	151.01	87.6 Ω/km
ANM11.010.25.024AB	UL20276	30V	25X24AWG	14/0.14	10.1	159.61	87.6 Ω/km
ANM11.010.26.024AB	UL20276	30V	26X24AWG	14/0.14	10.1	161.01	87.6 Ω/km
ANM11.010.27.024AB	UL20276	30V	27X24AWG	14/0.14	10.1	162.61	87.6 Ω/km
ANM11.010.28.024AB	UL20276	30V	28X24AWG	14/0.14	11	186.71	87.6 Ω/km
ANM11.010.29.024AB	UL20276	30V	29X24AWG	14/0.14	11	188.01	87.6 Ω/km
ANM11.010.30.024AB	UL20276	30V	30X24AWG	14/0.14	11	189.61	87.6 Ω/km
ANM11.010.31.024AB	UL20276	30V	31X24AWG	14/0.14	11.4	201.81	87.6 Ω/km
ANM11.010.32.024AB	UL20276	30V	32X24AWG	14/0.14	11.4	203.21	87.6 Ω/km
ANM11.010.33.024AB	UL20276	30V	33X24AWG	14/0.14	11.4	204.71	87.6 Ω/km
ANM11.010.34.024AB	UL20276	30V	34X24AWG	14/0.14	11.7	214.51	87.6 Ω/km
ANM11.010.35.024AB	UL20276	30V	35X24AWG	14/0.14	11.7	215.91	87.6 Ω/km
ANM11.010.36.024AB	UL20276	30V	36X24AWG	14/0.14	11.7	217.51	87.6 Ω/km
ANM11.010.37.024AB	UL20276	30V	37X24AWG	14/0.14	11.7	218.81	87.6 Ω/km



ANM11.010.38.024AB	UL20276	30V	38X24AWG	14/0.14	12.1	231.81	87.6Ω/km
ANM11.010.39.024AB	UL20276	30V	39X24AWG	14/0.14	12.1	233.31	87.6Ω/km
ANM11.010.40.024AB	UL20276	30V	40X24AWG	14/0.14	12.1	234.81	87.6Ω/km
ANM11.010.41.024AB	UL20276	30V	41X24AWG	14/0.14	13.1	266.51	87.6Ω/km
ANM11.010.42.024AB	UL20276	30V	42X24AWG	14/0.14	13.1	268.11	87.6Ω/km
ANM11.010.43.024AB	UL20276	30V	43X24AWG	14/0.14	13.1	269.51	87.6Ω/km
ANM11.010.44.024AB	UL20276	30V	44X24AWG	14/0.14	13.1	271.01	87.6Ω/km
ANM11.010.45.024AB	UL20276	30V	45X24AWG	14/0.14	13.4	282.01	87.6Ω/km
ANM11.010.46.024AB	UL20276	30V	46X24AWG	14/0.14	13.4	283.51	87.6Ω/km
ANM11.010.47.024AB	UL20276	30V	47X24AWG	14/0.14	13.4	284.91	87.6Ω/km
ANM11.010.48.024AB	UL20276	30V	48X24AWG	14/0.14	13.4	286.51	87.6Ω/km
ANM11.010.49.024AB	UL20276	30V	49X24AWG	14/0.14	13.7	297.61	87.6Ω/km
ANM11.010.50.024AB	UL20276	30V	50X24AWG	14/0.14	13.7	299.11	87.6Ω/km
ANM11.010.51.024AB	UL20276	30V	51X24AWG	14/0.14	13.7	300.61	87.6Ω/km
ANM11.010.52.024AB	UL20276	30V	52X24AWG	14/0.14	13.7	302.11	87.6Ω/km
ANM11.010.53.024AB	UL20276	30V	53X24AWG	14/0.14	14.1	317.01	87.6Ω/km
ANM11.010.54.024AB	UL20276	30V	54X24AWG	14/0.14	14.1	318.41	87.6Ω/km
ANM11.010.55.024AB	UL20276	30V	55X24AWG	14/0.14	14.1	319.91	87.6Ω/km
ANM11.010.56.024AB	UL20276	30V	56X24AWG	14/0.14	14.1	321.51	87.6Ω/km
ANM11.010.57.024AB	UL20276	30V	57X24AWG	14/0.14	14.4	333.11	87.6Ω/km
ANM11.010.58.024AB	UL20276	30V	58X24AWG	14/0.14	14.4	334.61	87.6Ω/km
ANM11.010.59.024AB	UL20276	30V	59X24AWG	14/0.14	14.4	336.11	87.6Ω/km
ANM11.010.60.024AB	UL20276	30V	60X24AWG	14/0.14	14.4	337.61	87.6Ω/km
ANM11.010.61.024AB	UL20276	30V	61X24AWG	14/0.14	14.4	338.91	87.6Ω/km
ANM11.010.62.024AB	UL20276	30V	62X24AWG	14/0.14	14.8	354.61	87.6Ω/km
ANM11.010.63.024AB	UL20276	30V	63X24AWG	14/0.14	14.8	356.01	87.6Ω/km
ANM11.010.64.024AB	UL20276	30V	64X24AWG	14/0.14	14.8	357.51	87.6Ω/km
ANM11.010.65.024AB	UL20276	30V	65X24AWG	14/0.14	14.8	359.01	87.6Ω/km
ANM11.010.02.023AB	UL20276	30V	2X23AWG	17/0.14	4.8	31.56	69.2Ω/km
ANM11.010.03.023AB	UL20276	30V	3X23AWG	17/0.14	5.1	37.06	69.2Ω/km
ANM11.010.04.023AB	UL20276	30V	4X23AWG	17/0.14	5.4	42.46	69.2Ω/km
ANM11.010.05.023AB	UL20276	30V	5X23AWG	17/0.14	5.8	49.76	69.2Ω/km
ANM11.010.06.023AB	UL20276	30V	6X23AWG	17/0.14	6.2	57.26	69.2Ω/km
ANM11.010.07.023AB	UL20276	30V	7X23AWG	17/0.14	6.2	59.16	69.2Ω/km
ANM11.010.08.023AB	UL20276	30V	8X23AWG	17/0.14	6.7	68.76	69.2Ω/km
ANM11.010.09.023AB	UL20276	30V	9X23AWG	17/0.14	7.2	78.86	69.2Ω/km
ANM11.010.10.023AB	UL20276	30V	10X23AWG	17/0.14	7.6	87.86	69.2Ω/km
ANM11.010.11.023AB	UL20276	30V	11X23AWG	17/0.14	7.9	95.26	69.2Ω/km
ANM11.010.12.023AB	UL20276	30V	12X23AWG	17/0.14	7.9	97.06	69.2Ω/km
ANM11.010.13.023AB	UL20276	30V	13X23AWG	17/0.14	8.2	104.76	69.2Ω/km
ANM11.010.14.023AB	UL20276	30V	14X23AWG	17/0.14	8.2	106.56	69.2Ω/km
ANM11.010.15.023AB	UL20276	30V	15X23AWG	17/0.14	8.6	116.46	69.2Ω/km



ANM11.010.16.023AB	UL20276	30V	16X23AWG	17/0.14	8.6	118.16	69.2Ω/km
ANM11.010.17.023AB	UL20276	30V	17X23AWG	17/0.14	9	128.56	69.2Ω/km
ANM11.010.18.023AB	UL20276	30V	18X23AWG	17/0.14	9	130.36	69.2Ω/km
ANM11.010.19.023AB	UL20276	30V	19X23AWG	17/0.14	9	132.16	69.2Ω/km
ANM11.010.20.023AB	UL20276	30V	20X23AWG	17/0.14	9.3	140.66	69.2Ω/km
ANM11.010.21.023AB	UL20276	30V	21X23AWG	17/0.14	9.5	146.96	69.2Ω/km
ANM11.010.22.023AB	UL20276	30V	22X23AWG	17/0.14	10	160.56	69.2Ω/km
ANM11.010.23.023AB	UL20276	30V	23X23AWG	17/0.14	11	187.36	69.2Ω/km
ANM11.010.24.023AB	UL20276	30V	24X23AWG	17/0.14	11	189.16	69.2Ω/km
ANM11.010.25.023AB	UL20276	30V	25X23AWG	17/0.14	11.3	199.06	69.2Ω/km
ANM11.010.26.023AB	UL20276	30V	26X23AWG	17/0.14	11.3	200.86	69.2Ω/km
ANM11.010.27.023AB	UL20276	30V	27X23AWG	17/0.14	11.3	202.66	69.2Ω/km
ANM11.010.28.023AB	UL20276	30V	28X23AWG	17/0.14	11.6	212.76	69.2Ω/km
ANM11.010.29.023AB	UL20276	30V	29X23AWG	17/0.14	11.6	214.56	69.2Ω/km
ANM11.010.30.023AB	UL20276	30V	30X23AWG	17/0.14	11.6	216.46	69.2Ω/km
ANM11.010.31.023AB	UL20276	30V	31X23AWG	17/0.14	12	229.46	69.2Ω/km
ANM11.010.32.023AB	UL20276	30V	32X23AWG	17/0.14	12	231.36	69.2Ω/km
ANM11.010.33.023AB	UL20276	30V	33X23AWG	17/0.14	12	233.16	69.2Ω/km
ANM11.010.34.023AB	UL20276	30V	34X23AWG	17/0.14	12.4	246.66	69.2Ω/km
ANM11.010.35.023AB	UL20276	30V	35X23AWG	17/0.14	12.4	248.56	69.2Ω/km
ANM11.010.36.023AB	UL20276	30V	36X23AWG	17/0.14	12.4	250.36	69.2Ω/km
ANM11.010.37.023AB	UL20276	30V	37X23AWG	17/0.14	12.4	252.26	69.2Ω/km
ANM11.010.38.023AB	UL20276	30V	38X23AWG	17/0.14	13	272.36	69.2Ω/km
ANM11.010.39.023AB	UL20276	30V	39X23AWG	17/0.14	13	274.16	69.2Ω/km
ANM11.010.40.023AB	UL20276	30V	40X23AWG	17/0.14	13	275.96	69.2Ω/km
ANM11.010.41.023AB	UL20276	30V	41X23AWG	17/0.14	13.9	306.86	69.2Ω/km
ANM11.010.42.023AB	UL20276	30V	42X23AWG	17/0.14	13.9	308.76	69.2Ω/km
ANM11.010.43.023AB	UL20276	30V	43X23AWG	17/0.14	13.9	310.56	69.2Ω/km
ANM11.010.44.023AB	UL20276	30V	44X23AWG	17/0.14	13.9	312.46	69.2Ω/km
ANM11.010.45.023AB	UL20276	30V	45X23AWG	17/0.14	14.2	324.46	69.2Ω/km
ANM11.010.46.023AB	UL20276	30V	46X23AWG	17/0.14	14.2	326.16	69.2Ω/km
ANM11.010.47.023AB	UL20276	30V	47X23AWG	17/0.14	14.2	328.06	69.2Ω/km
ANM11.010.48.023AB	UL20276	30V	48X23AWG	17/0.14	14.2	329.86	69.2Ω/km
ANM11.010.49.023AB	UL20276	30V	49X23AWG	17/0.14	14.5	342.16	69.2Ω/km
ANM11.010.50.023AB	UL20276	30V	50X23AWG	17/0.14	14.5	343.86	69.2Ω/km
ANM11.010.51.023AB	UL20276	30V	51X23AWG	17/0.14	14.5	345.66	69.2Ω/km
ANM11.010.52.023AB	UL20276	30V	52X23AWG	17/0.14	14.5	347.56	69.2Ω/km
ANM11.010.53.023AB	UL20276	30V	53X23AWG	17/0.14	14.9	363.46	69.2Ω/km
ANM11.010.54.023AB	UL20276	30V	54X23AWG	17/0.14	14.9	365.26	69.2Ω/km
ANM11.010.55.023AB	UL20276	30V	55X23AWG	17/0.14	14.9	367.06	69.2Ω/km
ANM11.010.56.023AB	UL20276	30V	56X23AWG	17/0.14	14.9	368.86	69.2Ω/km
ANM11.010.57.023AB	UL20276	30V	57X23AWG	17/0.14	15.3	385.26	69.2Ω/km



ANM11.010.58.023AB	UL20276	30V	58X23AWG	17/0.14	15.3	387.06	69.2 Ω/km
ANM11.010.59.023AB	UL20276	30V	59X23AWG	17/0.14	15.3	388.96	69.2 Ω/km
ANM11.010.60.023AB	UL20276	30V	60X23AWG	17/0.14	15.3	390.76	69.2 Ω/km
ANM11.010.61.023AB	UL20276	30V	61X23AWG	17/0.14	15.3	392.56	69.2 Ω/km
ANM11.010.62.023AB	UL20276	30V	62X23AWG	17/0.14	15.8	413.16	69.2 Ω/km
ANM11.010.63.023AB	UL20276	30V	63X23AWG	17/0.14	15.8	414.96	69.2 Ω/km
ANM11.010.64.023AB	UL20276	30V	64X23AWG	17/0.14	15.8	416.76	69.2 Ω/km
ANM11.010.65.023AB	UL20276	30V	65X23AWG	17/0.14	15.8	418.56	69.2 Ω/km
ANM11.010.02.022AB	UL20276	30V	2X22AWG	22/0.14	5	34.93	55.4 Ω/km
ANM11.010.03.022AB	UL20276	30V	3X22AWG	22/0.14	5.3	40.83	55.4 Ω/km
ANM11.010.04.022AB	UL20276	30V	4X22AWG	22/0.14	5.7	48.43	55.4 Ω/km
ANM11.010.05.022AB	UL20276	30V	5X22AWG	22/0.14	6.1	56.23	55.4 Ω/km
ANM11.010.06.022AB	UL20276	30V	6X22AWG	22/0.14	6.5	64.53	55.4 Ω/km
ANM11.010.07.022AB	UL20276	30V	7X22AWG	22/0.14	6.5	66.73	55.4 Ω/km
ANM11.010.08.022AB	UL20276	30V	8X22AWG	22/0.14	7	77.23	55.4 Ω/km
ANM11.010.09.022AB	UL20276	30V	9X22AWG	22/0.14	7.6	89.93	55.4 Ω/km
ANM11.010.10.022AB	UL20276	30V	10X22AWG	22/0.14	8	99.63	55.4 Ω/km
ANM11.010.11.022AB	UL20276	30V	11X22AWG	22/0.14	8.3	107.83	55.4 Ω/km
ANM11.010.12.022AB	UL20276	30V	12X22AWG	22/0.14	8.3	110.03	55.4 Ω/km
ANM11.010.13.022AB	UL20276	30V	13X22AWG	22/0.14	8.7	120.53	55.4 Ω/km
ANM11.010.14.022AB	UL20276	30V	14X22AWG	22/0.14	8.7	122.63	55.4 Ω/km
ANM11.010.15.022AB	UL20276	30V	15X22AWG	22/0.14	9.1	133.63	55.4 Ω/km
ANM11.010.16.022AB	UL20276	30V	16X22AWG	22/0.14	9.1	135.93	55.4 Ω/km
ANM11.010.17.022AB	UL20276	30V	17X22AWG	22/0.14	9.5	147.03	55.4 Ω/km
ANM11.010.18.022AB	UL20276	30V	18X22AWG	22/0.14	9.5	149.33	55.4 Ω/km
ANM11.010.19.022AB	UL20276	30V	19X22AWG	22/0.14	9.5	151.53	55.4 Ω/km
ANM11.010.20.022AB	UL20276	30V	20X22AWG	22/0.14	9.8	160.73	55.4 Ω/km
ANM11.010.21.022AB	UL20276	30V	21X22AWG	22/0.14	10	167.73	55.4 Ω/km
ANM11.010.22.022AB	UL20276	30V	22X22AWG	22/0.14	11.2	200.33	55.4 Ω/km
ANM11.010.23.022AB	UL20276	30V	23X22AWG	22/0.14	11.6	213.63	55.4 Ω/km
ANM11.010.24.022AB	UL20276	30V	24X22AWG	22/0.14	11.6	215.83	55.4 Ω/km
ANM11.010.25.022AB	UL20276	30V	25X22AWG	22/0.14	11.9	226.63	55.4 Ω/km
ANM11.010.26.022AB	UL20276	30V	26X22AWG	22/0.14	11.9	228.83	55.4 Ω/km
ANM11.010.27.022AB	UL20276	30V	27X22AWG	22/0.14	11.9	231.03	55.4 Ω/km
ANM11.010.28.022AB	UL20276	30V	28X22AWG	22/0.14	12.3	244.93	55.4 Ω/km
ANM11.010.29.022AB	UL20276	30V	29X22AWG	22/0.14	12.3	247.23	55.4 Ω/km
ANM11.010.30.022AB	UL20276	30V	30X22AWG	22/0.14	12.3	249.53	55.4 Ω/km
ANM11.010.31.022AB	UL20276	30V	31X22AWG	22/0.14	12.8	266.83	55.4 Ω/km
ANM11.010.32.022AB	UL20276	30V	32X22AWG	22/0.14	12.8	269.13	55.4 Ω/km
ANM11.010.33.022AB	UL20276	30V	33X22AWG	22/0.14	12.8	271.33	55.4 Ω/km
ANM11.010.34.022AB	UL20276	30V	34X22AWG	22/0.14	13.2	286.13	55.4 Ω/km
ANM11.010.35.022AB	UL20276	30V	35X22AWG	22/0.14	13.2	288.33	55.4 Ω/km



ANM11.010.36.022AB	UL20276	30V	36X22AWG	22/0.14	13.2	290.63	55.4 Ω/km
ANM11.010.37.022AB	UL20276	30V	37X22AWG	22/0.14	13.2	292.73	55.4 Ω/km
ANM11.010.38.022AB	UL20276	30V	38X22AWG	22/0.14	13.7	311.23	55.4 Ω/km
ANM11.010.39.022AB	UL20276	30V	39X22AWG	22/0.14	13.7	313.53	55.4 Ω/km
ANM11.010.40.022AB	UL20276	30V	40X22AWG	22/0.14	13.7	315.63	55.4 Ω/km
ANM11.010.41.022AB	UL20276	30V	41X22AWG	22/0.14	14.7	352.23	55.4 Ω/km
ANM11.010.42.022AB	UL20276	30V	42X22AWG	22/0.14	14.7	354.33	55.4 Ω/km
ANM11.010.43.022AB	UL20276	30V	43X22AWG	22/0.14	14.7	356.63	55.4 Ω/km
ANM11.010.44.022AB	UL20276	30V	44X22AWG	22/0.14	14.7	358.93	55.4 Ω/km
ANM11.010.45.022AB	UL20276	30V	45X22AWG	22/0.14	15	371.93	55.4 Ω/km
ANM11.010.46.022AB	UL20276	30V	46X22AWG	22/0.14	15	374.23	55.4 Ω/km
ANM11.010.47.022AB	UL20276	30V	47X22AWG	22/0.14	15	376.43	55.4 Ω/km
ANM11.010.48.022AB	UL20276	30V	48X22AWG	22/0.14	15	378.63	55.4 Ω/km
ANM11.010.49.022AB	UL20276	30V	49X22AWG	22/0.14	15.4	395.53	55.4 Ω/km
ANM11.010.50.022AB	UL20276	30V	50X22AWG	22/0.14	15.4	397.83	55.4 Ω/km
ANM11.010.51.022AB	UL20276	30V	51X22AWG	22/0.14	15.4	400.03	55.4 Ω/km
ANM11.010.52.022AB	UL20276	30V	52X22AWG	22/0.14	15.4	402.23	55.4 Ω/km
ANM11.010.53.022AB	UL20276	30V	53X22AWG	22/0.14	15.8	419.63	55.4 Ω/km
ANM11.010.54.022AB	UL20276	30V	54X22AWG	22/0.14	15.8	421.83	55.4 Ω/km
ANM11.010.55.022AB	UL20276	30V	55X22AWG	22/0.14	15.8	424.13	55.4 Ω/km
ANM11.010.56.022AB	UL20276	30V	56X22AWG	22/0.14	15.8	426.23	55.4 Ω/km
ANM11.010.57.022AB	UL20276	30V	57X22AWG	22/0.14	16.2	443.93	55.4 Ω/km
ANM11.010.58.022AB	UL20276	30V	58X22AWG	22/0.14	16.2	446.03	55.4 Ω/km
ANM11.010.59.022AB	UL20276	30V	59X22AWG	22/0.14	16.2	448.43	55.4 Ω/km
ANM11.010.60.022AB	UL20276	30V	60X22AWG	22/0.14	16.2	450.63	55.4 Ω/km
ANM11.010.61.022AB	UL20276	30V	61X22AWG	22/0.14	16.2	452.93	55.4 Ω/km
ANM11.010.62.022AB	UL20276	30V	62X22AWG	22/0.14	16.7	475.13	55.4 Ω/km
ANM11.010.63.022AB	UL20276	30V	63X22AWG	22/0.14	16.7	477.23	55.4 Ω/km
ANM11.010.64.022AB	UL20276	30V	64X22AWG	22/0.14	16.7	479.53	55.4 Ω/km
ANM11.010.65.022AB	UL20276	30V	65X22AWG	22/0.14	16.7	481.73	55.4 Ω/km
ANM11.010.02.021AB	UL20276	30V	2X21AWG	27/0.14	5.2	38.62	43.6 Ω/km
ANM11.010.03.021AB	UL20276	30V	3X21AWG	27/0.14	5.5	45.42	43.6 Ω/km
ANM11.010.04.021AB	UL20276	30V	4X21AWG	27/0.14	5.9	53.72	43.6 Ω/km
ANM11.010.05.021AB	UL20276	30V	5X21AWG	27/0.14	6.4	64.02	43.6 Ω/km
ANM11.010.06.021AB	UL20276	30V	6X21AWG	27/0.14	6.8	73.22	43.6 Ω/km
ANM11.010.07.021AB	UL20276	30V	7X21AWG	27/0.14	6.8	76.12	43.6 Ω/km
ANM11.010.08.021AB	UL20276	30V	8X21AWG	27/0.14	7.3	87.32	43.6 Ω/km
ANM11.010.09.021AB	UL20276	30V	9X21AWG	27/0.14	8	103.12	43.6 Ω/km
ANM11.010.10.021AB	UL20276	30V	10X21AWG	27/0.14	8.4	113.92	43.6 Ω/km
ANM11.010.11.021AB	UL20276	30V	11X21AWG	27/0.14	8.7	122.92	43.6 Ω/km
ANM11.010.12.021AB	UL20276	30V	12X21AWG	27/0.14	8.7	125.82	43.6 Ω/km
ANM11.010.13.021AB	UL20276	30V	13X21AWG	27/0.14	9.1	137.32	43.6 Ω/km



ANM11.010.14.021AB	UL20276	30V	14X21AWG	27/0.14	9.1	140.22	43.6Ω/km
ANM11.010.15.021AB	UL20276	30V	15X21AWG	27/0.14	9.6	154.22	43.6Ω/km
ANM11.010.16.021AB	UL20276	30V	16X21AWG	27/0.14	9.6	157.02	43.6Ω/km
ANM11.010.17.021AB	UL20276	30V	17X21AWG	27/0.14	10	169.42	43.6Ω/km
ANM11.010.18.021AB	UL20276	30V	18X21AWG	27/0.14	10	172.32	43.6Ω/km
ANM11.010.19.021AB	UL20276	30V	19X21AWG	27/0.14	10	175.12	43.6Ω/km
ANM11.010.20.021AB	UL20276	30V	20X21AWG	27/0.14	10.3	185.32	43.6Ω/km
ANM11.010.21.021AB	UL20276	30V	21X21AWG	27/0.14	11.1	208.62	43.6Ω/km
ANM11.010.22.021AB	UL20276	30V	22X21AWG	27/0.14	11.8	230.72	43.6Ω/km
ANM11.010.23.021AB	UL20276	30V	23X21AWG	27/0.14	12.2	245.12	43.6Ω/km
ANM11.010.24.021AB	UL20276	30V	24X21AWG	27/0.14	12.2	248.02	43.6Ω/km
ANM11.010.25.021AB	UL20276	30V	25X21AWG	27/0.14	12.5	259.82	43.6Ω/km
ANM11.010.26.021AB	UL20276	30V	26X21AWG	27/0.14	12.5	262.62	43.6Ω/km
ANM11.010.27.021AB	UL20276	30V	27X21AWG	27/0.14	12.5	265.52	43.6Ω/km
ANM11.010.28.021AB	UL20276	30V	28X21AWG	27/0.14	13	283.82	43.6Ω/km
ANM11.010.29.021AB	UL20276	30V	29X21AWG	27/0.14	13	286.72	43.6Ω/km
ANM11.010.30.021AB	UL20276	30V	30X21AWG	27/0.14	13	289.52	43.6Ω/km
ANM11.010.31.021AB	UL20276	30V	31X21AWG	27/0.14	13.5	308.32	43.6Ω/km
ANM11.010.32.021AB	UL20276	30V	32X21AWG	27/0.14	13.5	311.22	43.6Ω/km
ANM11.010.33.021AB	UL20276	30V	33X21AWG	27/0.14	13.5	314.02	43.6Ω/km
ANM11.010.34.021AB	UL20276	30V	34X21AWG	27/0.14	13.9	330.02	43.6Ω/km
ANM11.010.35.021AB	UL20276	30V	35X21AWG	27/0.14	13.9	332.92	43.6Ω/km
ANM11.010.36.021AB	UL20276	30V	36X21AWG	27/0.14	13.9	335.82	43.6Ω/km
ANM11.010.37.021AB	UL20276	30V	37X21AWG	27/0.14	13.9	338.62	43.6Ω/km
ANM11.010.38.021AB	UL20276	30V	38X21AWG	27/0.14	14.4	358.62	43.6Ω/km
ANM11.010.39.021AB	UL20276	30V	39X21AWG	27/0.14	14.4	361.52	43.6Ω/km
ANM11.010.40.021AB	UL20276	30V	40X21AWG	27/0.14	14.4	364.42	43.6Ω/km
ANM11.010.41.021AB	UL20276	30V	41X21AWG	27/0.14	15.5	406.82	43.6Ω/km
ANM11.010.42.021AB	UL20276	30V	42X21AWG	27/0.14	15.5	409.72	43.6Ω/km
ANM11.010.43.021AB	UL20276	30V	43X21AWG	27/0.14	15.5	412.62	43.6Ω/km
ANM11.010.44.021AB	UL20276	30V	44X21AWG	27/0.14	15.5	415.42	43.6Ω/km
ANM11.010.45.021AB	UL20276	30V	45X21AWG	27/0.14	15.8	429.72	43.6Ω/km
ANM11.010.46.021AB	UL20276	30V	46X21AWG	27/0.14	15.8	432.52	43.6Ω/km
ANM11.010.47.021AB	UL20276	30V	47X21AWG	27/0.14	15.8	435.42	43.6Ω/km
ANM11.010.48.021AB	UL20276	30V	48X21AWG	27/0.14	15.8	438.22	43.6Ω/km
ANM11.010.49.021AB	UL20276	30V	49X21AWG	27/0.14	16.2	456.52	43.6Ω/km
ANM11.010.50.021AB	UL20276	30V	50X21AWG	27/0.14	16.2	459.42	43.6Ω/km
ANM11.010.51.021AB	UL20276	30V	51X21AWG	27/0.14	16.2	462.32	43.6Ω/km
ANM11.010.52.021AB	UL20276	30V	52X21AWG	27/0.14	16.2	465.12	43.6Ω/km
ANM11.010.53.021AB	UL20276	30V	53X21AWG	27/0.14	16.7	487.92	43.6Ω/km
ANM11.010.54.021AB	UL20276	30V	54X21AWG	27/0.14	16.7	490.72	43.6Ω/km
ANM11.010.55.021AB	UL20276	30V	55X21AWG	27/0.14	16.7	493.52	43.6Ω/km



ANM11.010.56.021AB	UL20276	30V	56X21AWG	27/0.14	16.7	496.42	43.6Ω/km
ANM11.010.57.021AB	UL20276	30V	57X21AWG	27/0.14	17.1	515.52	43.6Ω/km
ANM11.010.58.021AB	UL20276	30V	58X21AWG	27/0.14	17.1	518.42	43.6Ω/km
ANM11.010.59.021AB	UL20276	30V	59X21AWG	27/0.14	17.1	521.22	43.6Ω/km
ANM11.010.60.021AB	UL20276	30V	60X21AWG	27/0.14	17.1	524.12	43.6Ω/km
ANM11.010.61.021AB	UL20276	30V	61X21AWG	27/0.14	17.1	526.92	43.6Ω/km
ANM11.010.62.021AB	UL20276	30V	62X21AWG	27/0.14	17.6	550.82	43.6Ω/km
ANM11.010.63.021AB	UL20276	30V	63X21AWG	27/0.14	17.6	553.62	43.6Ω/km
ANM11.010.64.021AB	UL20276	30V	64X21AWG	27/0.14	17.6	556.52	43.6Ω/km
ANM11.010.65.021AB	UL20276	30V	65X21AWG	27/0.14	17.6	559.42	43.6Ω/km
ANM11.010.02.020AB	UL20276	30V	2X20AWG	34/0.14	5.4	42.72	34.6Ω/km
ANM11.010.03.020AB	UL20276	30V	3X20AWG	34/0.14	5.7	50.52	34.6Ω/km
ANM11.010.04.020AB	UL20276	30V	4X20AWG	34/0.14	6.2	61.22	34.6Ω/km
ANM11.010.05.020AB	UL20276	30V	5X20AWG	34/0.14	6.6	71.02	34.6Ω/km
ANM11.010.06.020AB	UL20276	30V	6X20AWG	34/0.14	7.1	83.02	34.6Ω/km
ANM11.010.07.020AB	UL20276	30V	7X20AWG	34/0.14	7.1	86.62	34.6Ω/km
ANM11.010.08.020AB	UL20276	30V	8X20AWG	34/0.14	7.7	100.92	34.6Ω/km
ANM11.010.09.020AB	UL20276	30V	9X20AWG	34/0.14	8.3	116.12	34.6Ω/km
ANM11.010.10.020AB	UL20276	30V	10X20AWG	34/0.14	8.8	130.02	34.6Ω/km
ANM11.010.11.020AB	UL20276	30V	11X20AWG	34/0.14	9.1	140.22	34.6Ω/km
ANM11.010.12.020AB	UL20276	30V	12X20AWG	34/0.14	9.1	143.82	34.6Ω/km
ANM11.010.13.020AB	UL20276	30V	13X20AWG	34/0.14	9.6	158.72	34.6Ω/km
ANM11.010.14.020AB	UL20276	30V	14X20AWG	34/0.14	9.6	162.32	34.6Ω/km
ANM11.010.15.020AB	UL20276	30V	15X20AWG	34/0.14	10	175.42	34.6Ω/km
ANM11.010.16.020AB	UL20276	30V	16X20AWG	34/0.14	10	179.12	34.6Ω/km
ANM11.010.17.020AB	UL20276	30V	17X20AWG	34/0.14	11.1	210.42	34.6Ω/km
ANM11.010.18.020AB	UL20276	30V	18X20AWG	34/0.14	11.1	214.02	34.6Ω/km
ANM11.010.19.020AB	UL20276	30V	19X20AWG	34/0.14	11.1	217.72	34.6Ω/km
ANM11.010.20.020AB	UL20276	30V	20X20AWG	34/0.14	11.4	229.42	34.6Ω/km
ANM11.010.21.020AB	UL20276	30V	21X20AWG	34/0.14	11.7	241.52	34.6Ω/km
ANM11.010.22.020AB	UL20276	30V	22X20AWG	34/0.14	12.3	262.52	34.6Ω/km
ANM11.010.23.020AB	UL20276	30V	23X20AWG	34/0.14	12.9	284.32	34.6Ω/km
ANM11.010.24.020AB	UL20276	30V	24X20AWG	34/0.14	12.9	288.02	34.6Ω/km
ANM11.010.25.020AB	UL20276	30V	25X20AWG	34/0.14	13.2	301.02	34.6Ω/km
ANM11.010.26.020AB	UL20276	30V	26X20AWG	34/0.14	13.2	304.72	34.6Ω/km
ANM11.010.27.020AB	UL20276	30V	27X20AWG	34/0.14	13.2	308.22	34.6Ω/km
ANM11.010.28.020AB	UL20276	30V	28X20AWG	34/0.14	13.7	328.02	34.6Ω/km
ANM11.010.29.020AB	UL20276	30V	29X20AWG	34/0.14	13.7	331.72	34.6Ω/km
ANM11.010.30.020AB	UL20276	30V	30X20AWG	34/0.14	13.7	335.32	34.6Ω/km
ANM11.010.31.020AB	UL20276	30V	31X20AWG	34/0.14	14.1	352.42	34.6Ω/km
ANM11.010.32.020AB	UL20276	30V	32X20AWG	34/0.14	14.1	356.12	34.6Ω/km
ANM11.010.33.020AB	UL20276	30V	33X20AWG	34/0.14	14.1	359.72	34.6Ω/km



ANM11.010.34.020AB	UL20276	30V	34X20AWG	34/0.14	14.6	380.62	34.6Ω/km
ANM11.010.35.020AB	UL20276	30V	35X20AWG	34/0.14	14.6	384.22	34.6Ω/km
ANM11.010.36.020AB	UL20276	30V	36X20AWG	34/0.14	14.6	387.82	34.6Ω/km
ANM11.010.37.020AB	UL20276	30V	37X20AWG	34/0.14	14.6	391.52	34.6Ω/km
ANM11.010.38.020AB	UL20276	30V	38X20AWG	34/0.14	15.2	416.72	34.6Ω/km
ANM11.010.39.020AB	UL20276	30V	39X20AWG	34/0.14	15.2	420.42	34.6Ω/km
ANM11.010.40.020AB	UL20276	30V	40X20AWG	34/0.14	15.2	424.02	34.6Ω/km
ANM11.010.41.020AB	UL20276	30V	41X20AWG	34/0.14	16.3	469.42	34.6Ω/km
ANM11.010.42.020AB	UL20276	30V	42X20AWG	34/0.14	16.3	473.12	34.6Ω/km
ANM11.010.43.020AB	UL20276	30V	43X20AWG	34/0.14	16.3	476.72	34.6Ω/km
ANM11.010.44.020AB	UL20276	30V	44X20AWG	34/0.14	16.3	480.32	34.6Ω/km
ANM11.010.45.020AB	UL20276	30V	45X20AWG	34/0.14	16.6	495.92	34.6Ω/km
ANM11.010.46.020AB	UL20276	30V	46X20AWG	34/0.14	16.6	499.52	34.6Ω/km
ANM11.010.47.020AB	UL20276	30V	47X20AWG	34/0.14	16.6	503.22	34.6Ω/km
ANM11.010.48.020AB	UL20276	30V	48X20AWG	34/0.14	16.6	506.92	34.6Ω/km
ANM11.010.49.020AB	UL20276	30V	49X20AWG	34/0.14	17.1	530.72	34.6Ω/km
ANM11.010.50.020AB	UL20276	30V	50X20AWG	34/0.14	17.1	534.42	34.6Ω/km
ANM11.010.51.020AB	UL20276	30V	51X20AWG	34/0.14	17.1	538.02	34.6Ω/km
ANM11.010.52.020AB	UL20276	30V	52X20AWG	34/0.14	17.1	541.72	34.6Ω/km
ANM11.010.53.020AB	UL20276	30V	53X20AWG	34/0.14	17.5	562.12	34.6Ω/km
ANM11.010.54.020AB	UL20276	30V	54X20AWG	34/0.14	17.5	565.62	34.6Ω/km
ANM11.010.55.020AB	UL20276	30V	55X20AWG	34/0.14	17.5	569.32	34.6Ω/km
ANM11.010.56.020AB	UL20276	30V	56X20AWG	34/0.14	17.5	572.92	34.6Ω/km
ANM11.010.57.020AB	UL20276	30V	57X20AWG	34/0.14	18	598.02	34.6Ω/km
ANM11.010.58.020AB	UL20276	30V	58X20AWG	34/0.14	18	601.72	34.6Ω/km
ANM11.010.59.020AB	UL20276	30V	59X20AWG	34/0.14	18	605.32	34.6Ω/km
ANM11.010.60.020AB	UL20276	30V	60X20AWG	34/0.14	18	609.02	34.6Ω/km
ANM11.010.61.020AB	UL20276	30V	61X20AWG	34/0.14	18	612.62	34.6Ω/km
ANM11.010.62.020AB	UL20276	30V	62X20AWG	34/0.14	18.6	642.72	34.6Ω/km
ANM11.010.63.020AB	UL20276	30V	63X20AWG	34/0.14	18.6	646.42	34.6Ω/km
ANM11.010.64.020AB	UL20276	30V	64X20AWG	34/0.14	18.6	650.02	34.6Ω/km
ANM11.010.65.020AB	UL20276	30V	65X20AWG	34/0.14	18.6	653.72	34.6Ω/km
ANM11.010.02.019AB	UL20276	30V	2X19AWG	43/0.14	5.6	47.76	27.4Ω/km
ANM11.010.03.019AB	UL20276	30V	3X19AWG	43/0.14	5.9	56.46	27.4Ω/km
ANM11.010.04.019AB	UL20276	30V	4X19AWG	43/0.14	6.4	68.56	27.4Ω/km
ANM11.010.05.019AB	UL20276	30V	5X19AWG	43/0.14	6.9	81.06	27.4Ω/km
ANM11.010.06.019AB	UL20276	30V	6X19AWG	43/0.14	7.4	94.46	27.4Ω/km
ANM11.010.07.019AB	UL20276	30V	7X19AWG	43/0.14	7.4	98.96	27.4Ω/km
ANM11.010.08.019AB	UL20276	30V	8X19AWG	43/0.14	8	114.76	27.4Ω/km
ANM11.010.09.019AB	UL20276	30V	9X19AWG	43/0.14	8.7	133.46	27.4Ω/km
ANM11.010.10.019AB	UL20276	30V	10X19AWG	43/0.14	9.2	148.86	27.4Ω/km
ANM11.010.11.019AB	UL20276	30V	11X19AWG	43/0.14	9.5	160.26	27.4Ω/km



ANM11.010.12.019AB	UL20276	30V	12X19AWG	43/0.14	9.5	164.86	27.4 Ω/km
ANM11.010.13.019AB	UL20276	30V	13X19AWG	43/0.14	10	181.26	27.4 Ω/km
ANM11.010.14.019AB	UL20276	30V	14X19AWG	43/0.14	10	185.96	27.4 Ω/km
ANM11.010.15.019AB	UL20276	30V	15X19AWG	43/0.14	11.1	218.16	27.4 Ω/km
ANM11.010.16.019AB	UL20276	30V	16X19AWG	43/0.14	11.1	222.86	27.4 Ω/km
ANM11.010.17.019AB	UL20276	30V	17X19AWG	43/0.14	11.6	241.16	27.4 Ω/km
ANM11.010.18.019AB	UL20276	30V	18X19AWG	43/0.14	11.6	245.86	27.4 Ω/km
ANM11.010.19.019AB	UL20276	30V	19X19AWG	43/0.14	11.6	250.46	27.4 Ω/km
ANM11.010.20.019AB	UL20276	30V	20X19AWG	43/0.14	11.9	263.56	27.4 Ω/km
ANM11.010.21.019AB	UL20276	30V	21X19AWG	43/0.14	12.2	276.86	27.4 Ω/km
ANM11.010.22.019AB	UL20276	30V	22X19AWG	43/0.14	13	305.76	27.4 Ω/km
ANM11.010.23.019AB	UL20276	30V	23X19AWG	43/0.14	13.5	326.36	27.4 Ω/km
ANM11.010.24.019AB	UL20276	30V	24X19AWG	43/0.14	13.5	331.16	27.4 Ω/km
ANM11.010.25.019AB	UL20276	30V	25X19AWG	43/0.14	13.8	345.66	27.4 Ω/km
ANM11.010.26.019AB	UL20276	30V	26X19AWG	43/0.14	13.8	350.26	27.4 Ω/km
ANM11.010.27.019AB	UL20276	30V	27X19AWG	43/0.14	13.8	354.86	27.4 Ω/km
ANM11.010.28.019AB	UL20276	30V	28X19AWG	43/0.14	14.3	376.46	27.4 Ω/km
ANM11.010.29.019AB	UL20276	30V	29X19AWG	43/0.14	14.3	381.06	27.4 Ω/km
ANM11.010.30.019AB	UL20276	30V	30X19AWG	43/0.14	14.3	385.76	27.4 Ω/km
ANM11.010.31.019AB	UL20276	30V	31X19AWG	43/0.14	14.8	407.86	27.4 Ω/km
ANM11.010.32.019AB	UL20276	30V	32X19AWG	43/0.14	14.8	412.56	27.4 Ω/km
ANM11.010.33.019AB	UL20276	30V	33X19AWG	43/0.14	14.8	417.16	27.4 Ω/km
ANM11.010.34.019AB	UL20276	30V	34X19AWG	43/0.14	15.3	439.96	27.4 Ω/km
ANM11.010.35.019AB	UL20276	30V	35X19AWG	43/0.14	15.3	444.56	27.4 Ω/km
ANM11.010.36.019AB	UL20276	30V	36X19AWG	43/0.14	15.3	449.16	27.4 Ω/km
ANM11.010.37.019AB	UL20276	30V	37X19AWG	43/0.14	15.3	453.76	27.4 Ω/km
ANM11.010.38.019AB	UL20276	30V	38X19AWG	43/0.14	15.9	481.06	27.4 Ω/km
ANM11.010.39.019AB	UL20276	30V	39X19AWG	43/0.14	15.9	485.56	27.4 Ω/km
ANM11.010.40.019AB	UL20276	30V	40X19AWG	43/0.14	15.9	490.26	27.4 Ω/km
ANM11.010.41.019AB	UL20276	30V	41X19AWG	43/0.14	17.1	542.56	27.4 Ω/km
ANM11.010.42.019AB	UL20276	30V	42X19AWG	43/0.14	17.1	547.26	27.4 Ω/km
ANM11.010.43.019AB	UL20276	30V	43X19AWG	43/0.14	17.1	551.86	27.4 Ω/km
ANM11.010.44.019AB	UL20276	30V	44X19AWG	43/0.14	17.1	556.56	27.4 Ω/km
ANM11.010.45.019AB	UL20276	30V	45X19AWG	43/0.14	17.4	573.56	27.4 Ω/km
ANM11.010.46.019AB	UL20276	30V	46X19AWG	43/0.14	17.4	578.26	27.4 Ω/km
ANM11.010.47.019AB	UL20276	30V	47X19AWG	43/0.14	17.4	582.96	27.4 Ω/km
ANM11.010.48.019AB	UL20276	30V	48X19AWG	43/0.14	17.4	587.66	27.4 Ω/km
ANM11.010.49.019AB	UL20276	30V	49X19AWG	43/0.14	17.9	613.56	27.4 Ω/km
ANM11.010.50.019AB	UL20276	30V	50X19AWG	43/0.14	17.9	618.26	27.4 Ω/km
ANM11.010.51.019AB	UL20276	30V	51X19AWG	43/0.14	17.9	622.86	27.4 Ω/km
ANM11.010.52.019AB	UL20276	30V	52X19AWG	43/0.14	17.9	627.56	27.4 Ω/km
ANM11.010.53.019AB	UL20276	30V	53X19AWG	43/0.14	18.4	654.06	27.4 Ω/km



ANM11.010.54.019AB	UL20276	30V	54X19AWG	43/0.14	18.4	658.66	27.4 Ω/km
ANM11.010.55.019AB	UL20276	30V	55X19AWG	43/0.14	18.4	663.36	27.4 Ω/km
ANM11.010.56.019AB	UL20276	30V	56X19AWG	43/0.14	18.4	667.86	27.4 Ω/km
ANM11.010.57.019AB	UL20276	30V	57X19AWG	43/0.14	18.9	695.16	27.4 Ω/km
ANM11.010.58.019AB	UL20276	30V	58X19AWG	43/0.14	18.9	699.66	27.4 Ω/km
ANM11.010.59.019AB	UL20276	30V	59X19AWG	43/0.14	18.9	704.36	27.4 Ω/km
ANM11.010.60.019AB	UL20276	30V	60X19AWG	43/0.14	18.9	708.96	27.4 Ω/km
ANM11.010.61.019AB	UL20276	30V	61X19AWG	43/0.14	18.9	713.66	27.4 Ω/km
ANM11.010.62.019AB	UL20276	30V	62X19AWG	43/0.14	20.3	783.76	27.4 Ω/km
ANM11.010.63.019AB	UL20276	30V	63X19AWG	43/0.14	20.3	788.36	27.4 Ω/km
ANM11.010.64.019AB	UL20276	30V	64X19AWG	43/0.14	20.3	792.96	27.4 Ω/km
ANM11.010.65.019AB	UL20276	30V	65X19AWG	43/0.14	20.3	797.66	27.4 Ω/km
ANM11.010.02.018AB	UL20276	30V	2X18AWG	29/0.19	5.8	53.23	21.8 Ω/km
ANM11.010.03.018AB	UL20276	30V	3X18AWG	29/0.19	6.1	63.43	21.8 Ω/km
ANM11.010.04.018AB	UL20276	30V	4X18AWG	29/0.19	6.6	77.13	21.8 Ω/km
ANM11.010.05.018AB	UL20276	30V	5X18AWG	29/0.19	7.2	93.03	21.8 Ω/km
ANM11.010.06.018AB	UL20276	30V	6X18AWG	29/0.19	7.7	107.93	21.8 Ω/km
ANM11.010.07.018AB	UL20276	30V	7X18AWG	29/0.19	7.7	113.83	21.8 Ω/km
ANM11.010.08.018AB	UL20276	30V	8X18AWG	29/0.19	8.3	131.43	21.8 Ω/km
ANM11.010.09.018AB	UL20276	30V	9X18AWG	29/0.19	9.1	154.13	21.8 Ω/km
ANM11.010.10.018AB	UL20276	30V	10X18AWG	29/0.19	9.6	171.43	21.8 Ω/km
ANM11.010.11.018AB	UL20276	30V	11X18AWG	29/0.19	9.9	184.43	21.8 Ω/km
ANM11.010.12.018AB	UL20276	30V	12X18AWG	29/0.19	9.9	190.33	21.8 Ω/km
ANM11.010.13.018AB	UL20276	30V	13X18AWG	29/0.19	11	223.83	21.8 Ω/km
ANM11.010.14.018AB	UL20276	30V	14X18AWG	29/0.19	11	229.73	21.8 Ω/km
ANM11.010.15.018AB	UL20276	30V	15X18AWG	29/0.19	11.6	252.03	21.8 Ω/km
ANM11.010.16.018AB	UL20276	30V	16X18AWG	29/0.19	11.6	258.13	21.8 Ω/km
ANM11.010.17.018AB	UL20276	30V	17X18AWG	29/0.19	12.1	278.13	21.8 Ω/km
ANM11.010.18.018AB	UL20276	30V	18X18AWG	29/0.19	12.1	284.23	21.8 Ω/km
ANM11.010.19.018AB	UL20276	30V	19X18AWG	29/0.19	12.1	290.23	21.8 Ω/km
ANM11.010.20.018AB	UL20276	30V	20X18AWG	29/0.19	12.4	305.03	21.8 Ω/km
ANM11.010.21.018AB	UL20276	30V	21X18AWG	29/0.19	12.8	323.13	21.8 Ω/km
ANM11.010.22.018AB	UL20276	30V	22X18AWG	29/0.19	13.6	354.53	21.8 Ω/km
ANM11.010.23.018AB	UL20276	30V	23X18AWG	29/0.19	14.1	377.23	21.8 Ω/km
ANM11.010.24.018AB	UL20276	30V	24X18AWG	29/0.19	14.1	383.13	21.8 Ω/km
ANM11.010.25.018AB	UL20276	30V	25X18AWG	29/0.19	14.4	399.53	21.8 Ω/km
ANM11.010.26.018AB	UL20276	30V	26X18AWG	29/0.19	14.4	405.43	21.8 Ω/km
ANM11.010.27.018AB	UL20276	30V	27X18AWG	29/0.19	14.4	411.33	21.8 Ω/km
ANM11.010.28.018AB	UL20276	30V	28X18AWG	29/0.19	14.9	434.93	21.8 Ω/km
ANM11.010.29.018AB	UL20276	30V	29X18AWG	29/0.19	14.9	440.93	21.8 Ω/km
ANM11.010.30.018AB	UL20276	30V	30X18AWG	29/0.19	14.9	446.93	21.8 Ω/km
ANM11.010.31.018AB	UL20276	30V	31X18AWG	29/0.19	15.5	474.83	21.8 Ω/km



ANM11.010.32.018AB	UL20276	30V	32X18AWG	29/0.19	15.5	480.83	21.8Ω/km
ANM11.010.33.018AB	UL20276	30V	33X18AWG	29/0.19	15.5	486.83	21.8Ω/km
ANM11.010.34.018AB	UL20276	30V	34X18AWG	29/0.19	16	511.73	21.8Ω/km
ANM11.010.35.018AB	UL20276	30V	35X18AWG	29/0.19	16	517.73	21.8Ω/km
ANM11.010.36.018AB	UL20276	30V	36X18AWG	29/0.19	16	523.83	21.8Ω/km
ANM11.010.37.018AB	UL20276	30V	37X18AWG	29/0.19	16	529.63	21.8Ω/km
ANM11.010.38.018AB	UL20276	30V	38X18AWG	29/0.19	16.6	559.23	21.8Ω/km
ANM11.010.39.018AB	UL20276	30V	39X18AWG	29/0.19	16.6	565.23	21.8Ω/km
ANM11.010.40.018AB	UL20276	30V	40X18AWG	29/0.19	16.6	571.23	21.8Ω/km
ANM11.010.41.018AB	UL20276	30V	41X18AWG	29/0.19	17.9	631.23	21.8Ω/km
ANM11.010.42.018AB	UL20276	30V	42X18AWG	29/0.19	17.9	637.13	21.8Ω/km
ANM11.010.43.018AB	UL20276	30V	43X18AWG	29/0.19	17.9	643.23	21.8Ω/km
ANM11.010.44.018AB	UL20276	30V	44X18AWG	29/0.19	17.9	649.13	21.8Ω/km
ANM11.010.45.018AB	UL20276	30V	45X18AWG	29/0.19	18.2	668.13	21.8Ω/km
ANM11.010.46.018AB	UL20276	30V	46X18AWG	29/0.19	18.2	674.13	21.8Ω/km
ANM11.010.47.018AB	UL20276	30V	47X18AWG	29/0.19	18.2	680.13	21.8Ω/km
ANM11.010.48.018AB	UL20276	30V	48X18AWG	29/0.19	18.2	686.03	21.8Ω/km
ANM11.010.49.018AB	UL20276	30V	49X18AWG	29/0.19	18.7	714.33	21.8Ω/km
ANM11.010.50.018AB	UL20276	30V	50X18AWG	29/0.19	18.7	720.33	21.8Ω/km
ANM11.010.51.018AB	UL20276	30V	51X18AWG	29/0.19	18.7	726.13	21.8Ω/km
ANM11.010.52.018AB	UL20276	30V	52X18AWG	29/0.19	18.7	732.23	21.8Ω/km
ANM11.010.53.018AB	UL20276	30V	53X18AWG	29/0.19	19.3	765.73	21.8Ω/km
ANM11.010.54.018AB	UL20276	30V	54X18AWG	29/0.19	19.3	771.53	21.8Ω/km
ANM11.010.55.018AB	UL20276	30V	55X18AWG	29/0.19	19.3	777.63	21.8Ω/km
ANM11.010.56.018AB	UL20276	30V	56X18AWG	29/0.19	19.3	783.53	21.8Ω/km
ANM11.010.57.018AB	UL20276	30V	57X18AWG	29/0.19	20.6	851.43	21.8Ω/km
ANM11.010.58.018AB	UL20276	30V	58X18AWG	29/0.19	20.6	857.43	21.8Ω/km
ANM11.010.59.018AB	UL20276	30V	59X18AWG	29/0.19	20.6	863.33	21.8Ω/km
ANM11.010.60.018AB	UL20276	30V	60X18AWG	29/0.19	20.6	869.43	21.8Ω/km
ANM11.010.61.018AB	UL20276	30V	61X18AWG	29/0.19	20.6	875.33	21.8Ω/km
ANM11.010.62.018AB	UL20276	30V	62X18AWG	29/0.19	21.2	911.43	21.8Ω/km
ANM11.010.63.018AB	UL20276	30V	63X18AWG	29/0.19	21.2	917.53	21.8Ω/km
ANM11.010.64.018AB	UL20276	30V	64X18AWG	29/0.19	21.2	923.43	21.8Ω/km
ANM11.010.65.018AB	UL20276	30V	65X18AWG	29/0.19	21.2	929.33	21.8Ω/km
ANM11.010.02.017AB	UL20276	30V	2X17AWG	37/0.19	6.2	62.04	17.3Ω/km
ANM11.010.03.017AB	UL20276	30V	3X17AWG	37/0.19	6.6	75.64	17.3Ω/km
ANM11.010.04.017AB	UL20276	30V	4X17AWG	37/0.19	7.1	91.24	17.3Ω/km
ANM11.010.05.017AB	UL20276	30V	5X17AWG	37/0.19	7.7	109.24	17.3Ω/km
ANM11.010.06.017AB	UL20276	30V	6X17AWG	37/0.19	8.3	128.14	17.3Ω/km
ANM11.010.07.017AB	UL20276	30V	7X17AWG	37/0.19	8.3	135.54	17.3Ω/km
ANM11.010.08.017AB	UL20276	30V	8X17AWG	37/0.19	9	157.54	17.3Ω/km
ANM11.010.09.017AB	UL20276	30V	9X17AWG	37/0.19	9.8	183.14	17.3Ω/km



ANM11.010.10.017AB	UL20276	30V	10X17AWG	37/0.19	11	220.34	17.3 Ω/km
ANM11.010.11.017AB	UL20276	30V	11X17AWG	37/0.19	11.4	238.34	17.3 Ω/km
ANM11.010.12.017AB	UL20276	30V	12X17AWG	37/0.19	11.4	245.74	17.3 Ω/km
ANM11.010.13.017AB	UL20276	30V	13X17AWG	37/0.19	11.9	267.24	17.3 Ω/km
ANM11.010.14.017AB	UL20276	30V	14X17AWG	37/0.19	11.9	274.54	17.3 Ω/km
ANM11.010.15.017AB	UL20276	30V	15X17AWG	37/0.19	12.5	299.54	17.3 Ω/km
ANM11.010.16.017AB	UL20276	30V	16X17AWG	37/0.19	12.5	306.94	17.3 Ω/km
ANM11.010.17.017AB	UL20276	30V	17X17AWG	37/0.19	13.2	336.04	17.3 Ω/km
ANM11.010.18.017AB	UL20276	30V	18X17AWG	37/0.19	13.2	343.44	17.3 Ω/km
ANM11.010.19.017AB	UL20276	30V	19X17AWG	37/0.19	13.2	350.84	17.3 Ω/km
ANM11.010.20.017AB	UL20276	30V	20X17AWG	37/0.19	13.6	371.04	17.3 Ω/km
ANM11.010.21.017AB	UL20276	30V	21X17AWG	37/0.19	13.9	388.34	17.3 Ω/km
ANM11.010.22.017AB	UL20276	30V	22X17AWG	37/0.19	14.7	423.34	17.3 Ω/km
ANM11.010.23.017AB	UL20276	30V	23X17AWG	37/0.19	15.3	452.34	17.3 Ω/km
ANM11.010.24.017AB	UL20276	30V	24X17AWG	37/0.19	15.3	459.74	17.3 Ω/km
ANM11.010.25.017AB	UL20276	30V	25X17AWG	37/0.19	15.7	482.14	17.3 Ω/km
ANM11.010.26.017AB	UL20276	30V	26X17AWG	37/0.19	15.7	489.44	17.3 Ω/km
ANM11.010.27.017AB	UL20276	30V	27X17AWG	37/0.19	15.7	496.94	17.3 Ω/km
ANM11.010.28.017AB	UL20276	30V	28X17AWG	37/0.19	16.2	523.44	17.3 Ω/km
ANM11.010.29.017AB	UL20276	30V	29X17AWG	37/0.19	16.2	530.84	17.3 Ω/km
ANM11.010.30.017AB	UL20276	30V	30X17AWG	37/0.19	16.2	538.24	17.3 Ω/km
ANM11.010.31.017AB	UL20276	30V	31X17AWG	37/0.19	16.8	569.44	17.3 Ω/km
ANM11.010.32.017AB	UL20276	30V	32X17AWG	37/0.19	16.8	576.84	17.3 Ω/km
ANM11.010.33.017AB	UL20276	30V	33X17AWG	37/0.19	16.8	584.14	17.3 Ω/km
ANM11.010.34.017AB	UL20276	30V	34X17AWG	37/0.19	17.4	616.24	17.3 Ω/km
ANM11.010.35.017AB	UL20276	30V	35X17AWG	37/0.19	17.4	623.64	17.3 Ω/km
ANM11.010.36.017AB	UL20276	30V	36X17AWG	37/0.19	17.4	631.14	17.3 Ω/km
ANM11.010.37.017AB	UL20276	30V	37X17AWG	37/0.19	17.4	638.44	17.3 Ω/km
ANM11.010.38.017AB	UL20276	30V	38X17AWG	37/0.19	18.1	675.84	17.3 Ω/km
ANM11.010.39.017AB	UL20276	30V	39X17AWG	37/0.19	18.1	683.24	17.3 Ω/km
ANM11.010.40.017AB	UL20276	30V	40X17AWG	37/0.19	18.1	690.54	17.3 Ω/km
ANM11.010.41.017AB	UL20276	30V	41X17AWG	37/0.19	20.3	799.14	17.3 Ω/km
ANM11.010.42.017AB	UL20276	30V	42X17AWG	37/0.19	20.3	806.54	17.3 Ω/km
ANM11.010.43.017AB	UL20276	30V	43X17AWG	37/0.19	20.3	813.94	17.3 Ω/km
ANM11.010.44.017AB	UL20276	30V	44X17AWG	37/0.19	20.3	821.24	17.3 Ω/km
ANM11.010.45.017AB	UL20276	30V	45X17AWG	37/0.19	20.7	848.44	17.3 Ω/km
ANM11.010.46.017AB	UL20276	30V	46X17AWG	37/0.19	20.7	855.84	17.3 Ω/km
ANM11.010.47.017AB	UL20276	30V	47X17AWG	37/0.19	20.7	863.24	17.3 Ω/km
ANM11.010.48.017AB	UL20276	30V	48X17AWG	37/0.19	20.7	870.54	17.3 Ω/km
ANM11.010.49.017AB	UL20276	30V	49X17AWG	37/0.19	21.2	903.24	17.3 Ω/km
ANM11.010.50.017AB	UL20276	30V	50X17AWG	37/0.19	21.2	910.54	17.3 Ω/km
ANM11.010.51.017AB	UL20276	30V	51X17AWG	37/0.19	21.2	917.94	17.3 Ω/km



ANM11.010.52.017AB	UL20276	30V	52X17AWG	37/0.19	21.2	925.34	17.3 Ω/km
ANM11.010.53.017AB	UL20276	30V	53X17AWG	37/0.19	21.8	963.94	17.3 Ω/km
ANM11.010.54.017AB	UL20276	30V	54X17AWG	37/0.19	21.8	971.34	17.3 Ω/km
ANM11.010.55.017AB	UL20276	30V	55X17AWG	37/0.19	21.8	978.64	17.3 Ω/km
ANM11.010.56.017AB	UL20276	30V	56X17AWG	37/0.19	21.8	986.04	17.3 Ω/km
ANM11.010.57.017AB	UL20276	30V	57X17AWG	37/0.19	22.4	1025.34	17.3 Ω/km
ANM11.010.58.017AB	UL20276	30V	58X17AWG	37/0.19	22.4	1032.84	17.3 Ω/km
ANM11.010.59.017AB	UL20276	30V	59X17AWG	37/0.19	22.4	1040.14	17.3 Ω/km
ANM11.010.60.017AB	UL20276	30V	60X17AWG	37/0.19	22.4	1047.54	17.3 Ω/km
ANM11.010.61.017AB	UL20276	30V	61X17AWG	37/0.19	22.4	1054.94	17.3 Ω/km
ANM11.010.62.017AB	UL20276	30V	62X17AWG	37/0.19	23.1	1100.74	17.3 Ω/km
ANM11.010.63.017AB	UL20276	30V	63X17AWG	37/0.19	23.1	1108.14	17.3 Ω/km
ANM11.010.64.017AB	UL20276	30V	64X17AWG	37/0.19	23.1	1115.54	17.3 Ω/km
ANM11.010.65.017AB	UL20276	30V	65X17AWG	37/0.19	23.1	1122.84	17.3 Ω/km
ANM11.010.02.016AB	UL20276	30V	2X16AWG	27/0.25	6.4	69.71	13.7 Ω/km
ANM11.010.03.016AB	UL20276	30V	3X16AWG	27/0.25	6.8	85.61	13.7 Ω/km
ANM11.010.04.016AB	UL20276	30V	4X16AWG	27/0.25	7.4	105.51	13.7 Ω/km
ANM11.010.05.016AB	UL20276	30V	5X16AWG	27/0.25	8	126.11	13.7 Ω/km
ANM11.010.06.016AB	UL20276	30V	6X16AWG	27/0.25	8.6	147.81	13.7 Ω/km
ANM11.010.07.016AB	UL20276	30V	7X16AWG	27/0.25	8.6	157.31	13.7 Ω/km
ANM11.010.08.016AB	UL20276	30V	8X16AWG	27/0.25	9.3	182.01	13.7 Ω/km
ANM11.010.09.016AB	UL20276	30V	9X16AWG	27/0.25	10.2	212.71	13.7 Ω/km
ANM11.010.10.016AB	UL20276	30V	10X16AWG	27/0.25	11.4	253.11	13.7 Ω/km
ANM11.010.11.016AB	UL20276	30V	11X16AWG	27/0.25	11.8	273.91	13.7 Ω/km
ANM11.010.12.016AB	UL20276	30V	12X16AWG	27/0.25	11.8	283.61	13.7 Ω/km
ANM11.010.13.016AB	UL20276	30V	13X16AWG	27/0.25	12.4	310.51	13.7 Ω/km
ANM11.010.14.016AB	UL20276	30V	14X16AWG	27/0.25	12.4	320.11	13.7 Ω/km
ANM11.010.15.016AB	UL20276	30V	15X16AWG	27/0.25	13.1	351.21	13.7 Ω/km
ANM11.010.16.016AB	UL20276	30V	16X16AWG	27/0.25	13.1	360.81	13.7 Ω/km
ANM11.010.17.016AB	UL20276	30V	17X16AWG	27/0.25	13.7	389.71	13.7 Ω/km
ANM11.010.18.016AB	UL20276	30V	18X16AWG	27/0.25	13.7	399.31	13.7 Ω/km
ANM11.010.19.016AB	UL20276	30V	19X16AWG	27/0.25	13.7	408.91	13.7 Ω/km
ANM11.010.20.016AB	UL20276	30V	20X16AWG	27/0.25	14.1	431.81	13.7 Ω/km
ANM11.010.21.016AB	UL20276	30V	21X16AWG	27/0.25	14.4	451.81	13.7 Ω/km
ANM11.010.22.016AB	UL20276	30V	22X16AWG	27/0.25	15.3	493.41	13.7 Ω/km
ANM11.010.23.016AB	UL20276	30V	23X16AWG	27/0.25	15.9	525.61	13.7 Ω/km
ANM11.010.24.016AB	UL20276	30V	24X16AWG	27/0.25	15.9	535.31	13.7 Ω/km
ANM11.010.25.016AB	UL20276	30V	25X16AWG	27/0.25	16.3	560.31	13.7 Ω/km
ANM11.010.26.016AB	UL20276	30V	26X16AWG	27/0.25	16.3	569.91	13.7 Ω/km
ANM11.010.27.016AB	UL20276	30V	27X16AWG	27/0.25	16.3	579.51	13.7 Ω/km
ANM11.010.28.016AB	UL20276	30V	28X16AWG	27/0.25	16.9	613.01	13.7 Ω/km
ANM11.010.29.016AB	UL20276	30V	29X16AWG	27/0.25	16.9	622.61	13.7 Ω/km



ANM11.010.30.016AB	UL20276	30V	30X16AWG	27/0.25	16.9	632.21	13.7 Ω/km
ANM11.010.31.016AB	UL20276	30V	31X16AWG	27/0.25	17.5	666.71	13.7 Ω/km
ANM11.010.32.016AB	UL20276	30V	32X16AWG	27/0.25	17.5	676.21	13.7 Ω/km
ANM11.010.33.016AB	UL20276	30V	33X16AWG	27/0.25	17.5	685.81	13.7 Ω/km
ANM11.010.34.016AB	UL20276	30V	34X16AWG	27/0.25	18.1	721.01	13.7 Ω/km
ANM11.010.35.016AB	UL20276	30V	35X16AWG	27/0.25	18.1	730.71	13.7 Ω/km
ANM11.010.36.016AB	UL20276	30V	36X16AWG	27/0.25	18.1	740.31	13.7 Ω/km
ANM11.010.37.016AB	UL20276	30V	37X16AWG	27/0.25	18.1	749.81	13.7 Ω/km
ANM11.010.38.016AB	UL20276	30V	38X16AWG	27/0.25	18.8	790.61	13.7 Ω/km
ANM11.010.39.016AB	UL20276	30V	39X16AWG	27/0.25	18.8	800.21	13.7 Ω/km
ANM11.010.40.016AB	UL20276	30V	40X16AWG	27/0.25	18.8	809.81	13.7 Ω/km
ANM11.010.41.016AB	UL20276	30V	41X16AWG	27/0.25	21.1	929.41	13.7 Ω/km
ANM11.010.42.016AB	UL20276	30V	42X16AWG	27/0.25	21.1	938.91	13.7 Ω/km
ANM11.010.43.016AB	UL20276	30V	43X16AWG	27/0.25	21.1	948.61	13.7 Ω/km
ANM11.010.44.016AB	UL20276	30V	44X16AWG	27/0.25	21.1	958.01	13.7 Ω/km
ANM11.010.45.016AB	UL20276	30V	45X16AWG	27/0.25	21.5	988.21	13.7 Ω/km
ANM11.010.46.016AB	UL20276	30V	46X16AWG	27/0.25	21.5	997.71	13.7 Ω/km
ANM11.010.47.016AB	UL20276	30V	47X16AWG	27/0.25	21.5	1007.31	13.7 Ω/km
ANM11.010.48.016AB	UL20276	30V	48X16AWG	27/0.25	21.5	1016.91	13.7 Ω/km
ANM11.010.49.016AB	UL20276	30V	49X16AWG	27/0.25	22.1	1058.01	13.7 Ω/km
ANM11.010.50.016AB	UL20276	30V	50X16AWG	27/0.25	22.1	1067.51	13.7 Ω/km
ANM11.010.51.016AB	UL20276	30V	51X16AWG	27/0.25	22.1	1077.01	13.7 Ω/km
ANM11.010.52.016AB	UL20276	30V	52X16AWG	27/0.25	22.1	1086.71	13.7 Ω/km
ANM11.010.53.016AB	UL20276	30V	53X16AWG	27/0.25	22.7	1128.71	13.7 Ω/km
ANM11.010.54.016AB	UL20276	30V	54X16AWG	27/0.25	22.7	1138.21	13.7 Ω/km
ANM11.010.55.016AB	UL20276	30V	55X16AWG	27/0.25	22.7	1147.91	13.7 Ω/km
ANM11.010.56.016AB	UL20276	30V	56X16AWG	27/0.25	22.7	1157.31	13.7 Ω/km
ANM11.010.57.016AB	UL20276	30V	57X16AWG	27/0.25	23.3	1200.21	13.7 Ω/km
ANM11.010.58.016AB	UL20276	30V	58X16AWG	27/0.25	23.3	1209.81	13.7 Ω/km
ANM11.010.59.016AB	UL20276	30V	59X16AWG	27/0.25	23.3	1219.31	13.7 Ω/km
ANM11.010.60.016AB	UL20276	30V	60X16AWG	27/0.25	23.3	1229.01	13.7 Ω/km
ANM11.010.61.016AB	UL20276	30V	61X16AWG	27/0.25	23.3	1238.51	13.7 Ω/km
ANM11.010.62.016AB	UL20276	30V	62X16AWG	27/0.25	24	1288.01	13.7 Ω/km
ANM11.010.63.016AB	UL20276	30V	63X16AWG	27/0.25	24	1297.51	13.7 Ω/km
ANM11.010.64.016AB	UL20276	30V	64X16AWG	27/0.25	24	1307.21	13.7 Ω/km
ANM11.010.65.016AB	UL20276	30V	65X16AWG	27/0.25	24	1316.71	13.7 Ω/km