



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
芯线 PVC 材质							
ANM09.003.02.022AB	UL20886	1000V	2X22AWG	22/0.14	6.2	56.73	55.4 Ω/km
ANM09.003.03.022AB	UL20886	1000V	3X22AWG	22/0.14	6.5	64.03	55.4 Ω/km
ANM09.003.04.022AB	UL20886	1000V	4X22AWG	22/0.14	6.9	73.33	55.4 Ω/km
ANM09.003.05.022AB	UL20886	1000V	5X22AWG	22/0.14	7.4	84.93	55.4 Ω/km
ANM09.003.06.022AB	UL20886	1000V	6X22AWG	22/0.14	7.8	95.13	55.4 Ω/km
ANM09.003.07.022AB	UL20886	1000V	7X22AWG	22/0.14	7.8	97.33	55.4 Ω/km
ANM09.003.08.022AB	UL20886	1000V	8X22AWG	22/0.14	8.3	110.03	55.4 Ω/km
ANM09.003.09.022AB	UL20886	1000V	9X22AWG	22/0.14	9	128.03	55.4 Ω/km
ANM09.003.10.022AB	UL20886	1000V	10X22AWG	22/0.14	9.4	139.73	55.4 Ω/km
ANM09.003.11.022AB	UL20886	1000V	11X22AWG	22/0.14	9.7	149.43	55.4 Ω/km
ANM09.003.12.022AB	UL20886	1000V	12X22AWG	22/0.14	9.7	151.53	55.4 Ω/km
ANM09.003.13.022AB	UL20886	1000V	13X22AWG	22/0.14	10.1	163.93	55.4 Ω/km
ANM09.003.14.022AB	UL20886	1000V	14X22AWG	22/0.14	10.1	166.13	55.4 Ω/km
ANM09.003.15.022AB	UL20886	1000V	15X22AWG	22/0.14	10.6	181.73	55.4 Ω/km
ANM09.003.16.022AB	UL20886	1000V	16X22AWG	22/0.14	10.6	183.93	55.4 Ω/km
ANM09.003.17.022AB	UL20886	1000V	17X22AWG	22/0.14	11	197.13	55.4 Ω/km
ANM09.003.18.022AB	UL20886	1000V	18X22AWG	22/0.14	11	199.43	55.4 Ω/km
ANM09.003.19.022AB	UL20886	1000V	19X22AWG	22/0.14	11	201.63	55.4 Ω/km
ANM09.003.20.022AB	UL20886	1000V	20X22AWG	22/0.14	11.3	212.43	55.4 Ω/km
ANM09.003.21.022AB	UL20886	1000V	21X22AWG	22/0.14	11.5	220.43	55.4 Ω/km
ANM09.003.22.022AB	UL20886	1000V	22X22AWG	22/0.14	12.2	243.83	55.4 Ω/km
ANM09.003.23.022AB	UL20886	1000V	23X22AWG	22/0.14	12.6	258.73	55.4 Ω/km
ANM09.003.24.022AB	UL20886	1000V	24X22AWG	22/0.14	12.6	260.83	55.4 Ω/km
ANM09.003.25.022AB	UL20886	1000V	25X22AWG	22/0.14	12.9	272.83	55.4 Ω/km
ANM09.003.26.022AB	UL20886	1000V	26X22AWG	22/0.14	12.9	275.03	55.4 Ω/km
ANM09.003.27.022AB	UL20886	1000V	27X22AWG	22/0.14	12.9	277.23	55.4 Ω/km
ANM09.003.28.022AB	UL20886	1000V	28X22AWG	22/0.14	13.4	296.13	55.4 Ω/km
ANM09.003.29.022AB	UL20886	1000V	29X22AWG	22/0.14	13.4	298.43	55.4 Ω/km
ANM09.003.30.022AB	UL20886	1000V	30X22AWG	22/0.14	13.4	300.63	55.4 Ω/km
ANM09.003.31.022AB	UL20886	1000V	31X22AWG	22/0.14	13.9	320.03	55.4 Ω/km
ANM09.003.32.022AB	UL20886	1000V	32X22AWG	22/0.14	13.9	322.33	55.4 Ω/km
ANM09.003.33.022AB	UL20886	1000V	33X22AWG	22/0.14	13.9	324.53	55.4 Ω/km
ANM09.003.34.022AB	UL20886	1000V	34X22AWG	22/0.14	14.3	341.03	55.4 Ω/km
ANM09.003.35.022AB	UL20886	1000V	35X22AWG	22/0.14	14.3	343.13	55.4 Ω/km
ANM09.003.36.022AB	UL20886	1000V	36X22AWG	22/0.14	14.3	345.43	55.4 Ω/km
ANM09.003.37.022AB	UL20886	1000V	37X22AWG	22/0.14	14.3	347.63	55.4 Ω/km
ANM09.003.38.022AB	UL20886	1000V	38X22AWG	22/0.14	14.8	368.43	55.4 Ω/km
ANM09.003.39.022AB	UL20886	1000V	39X22AWG	22/0.14	14.8	370.63	55.4 Ω/km
ANM09.003.40.022AB	UL20886	1000V	40X22AWG	22/0.14	14.8	372.83	55.4 Ω/km



ANM09.003.41.022AB	UL20886	1000V	41X22AWG	22/0.14	15.9	417.53	55.4 Ω/km
ANM09.003.42.022AB	UL20886	1000V	42X22AWG	22/0.14	15.9	419.73	55.4 Ω/km
ANM09.003.43.022AB	UL20886	1000V	43X22AWG	22/0.14	15.9	421.93	55.4 Ω/km
ANM09.003.44.022AB	UL20886	1000V	44X22AWG	22/0.14	15.9	424.13	55.4 Ω/km
ANM09.003.45.022AB	UL20886	1000V	45X22AWG	22/0.14	16.2	438.53	55.4 Ω/km
ANM09.003.46.022AB	UL20886	1000V	46X22AWG	22/0.14	16.2	440.83	55.4 Ω/km
ANM09.003.47.022AB	UL20886	1000V	47X22AWG	22/0.14	16.2	442.93	55.4 Ω/km
ANM09.003.48.022AB	UL20886	1000V	48X22AWG	22/0.14	16.2	445.23	55.4 Ω/km
ANM09.003.49.022AB	UL20886	1000V	49X22AWG	22/0.14	16.6	463.93	55.4 Ω/km
ANM09.003.50.022AB	UL20886	1000V	50X22AWG	22/0.14	16.6	466.23	55.4 Ω/km
ANM09.003.51.022AB	UL20886	1000V	51X22AWG	22/0.14	16.6	468.33	55.4 Ω/km
ANM09.003.52.022AB	UL20886	1000V	52X22AWG	22/0.14	16.6	470.63	55.4 Ω/km
ANM09.003.53.022AB	UL20886	1000V	53X22AWG	22/0.14	17.1	494.03	55.4 Ω/km
ANM09.003.54.022AB	UL20886	1000V	54X22AWG	22/0.14	17.1	496.13	55.4 Ω/km
ANM09.003.55.022AB	UL20886	1000V	55X22AWG	22/0.14	17.1	498.43	55.4 Ω/km
ANM09.003.56.022AB	UL20886	1000V	56X22AWG	22/0.14	17.1	500.63	55.4 Ω/km
ANM09.003.57.022AB	UL20886	1000V	57X22AWG	22/0.14	17.5	520.23	55.4 Ω/km
ANM09.003.58.022AB	UL20886	1000V	58X22AWG	22/0.14	17.5	522.33	55.4 Ω/km
ANM09.003.59.022AB	UL20886	1000V	59X22AWG	22/0.14	17.5	524.63	55.4 Ω/km
ANM09.003.60.022AB	UL20886	1000V	60X22AWG	22/0.14	17.5	526.83	55.4 Ω/km
ANM09.003.61.022AB	UL20886	1000V	61X22AWG	22/0.14	17.5	529.13	55.4 Ω/km
ANM09.003.62.022AB	UL20886	1000V	62X22AWG	22/0.14	18	553.63	55.4 Ω/km
ANM09.003.63.022AB	UL20886	1000V	63X22AWG	22/0.14	18	555.83	55.4 Ω/km
ANM09.003.64.022AB	UL20886	1000V	64X22AWG	22/0.14	18	558.13	55.4 Ω/km
ANM09.003.65.022AB	UL20886	1000V	65X22AWG	22/0.14	18	560.33	55.4 Ω/km
ANM09.003.02.021AB	UL20886	1000V	2X21AWG	27/0.14	6.4	61.32	43.6 Ω/km
ANM09.003.03.021AB	UL20886	1000V	3X21AWG	27/0.14	6.7	69.42	43.6 Ω/km
ANM09.003.04.021AB	UL20886	1000V	4X21AWG	27/0.14	7.2	81.52	43.6 Ω/km
ANM09.003.05.021AB	UL20886	1000V	5X21AWG	27/0.14	7.6	92.02	43.6 Ω/km
ANM09.003.06.021AB	UL20886	1000V	6X21AWG	27/0.14	8.1	105.22	43.6 Ω/km
ANM09.003.07.021AB	UL20886	1000V	7X21AWG	27/0.14	8.1	108.12	43.6 Ω/km
ANM09.003.08.021AB	UL20886	1000V	8X21AWG	27/0.14	8.7	123.92	43.6 Ω/km
ANM09.003.09.021AB	UL20886	1000V	9X21AWG	27/0.14	9.3	140.72	43.6 Ω/km
ANM09.003.10.021AB	UL20886	1000V	10X21AWG	27/0.14	9.8	155.82	43.6 Ω/km
ANM09.003.11.021AB	UL20886	1000V	11X21AWG	27/0.14	10.1	166.32	43.6 Ω/km
ANM09.003.12.021AB	UL20886	1000V	12X21AWG	27/0.14	10.1	169.22	43.6 Ω/km
ANM09.003.13.021AB	UL20886	1000V	13X21AWG	27/0.14	10.6	185.42	43.6 Ω/km
ANM09.003.14.021AB	UL20886	1000V	14X21AWG	27/0.14	10.6	188.22	43.6 Ω/km
ANM09.003.15.021AB	UL20886	1000V	15X21AWG	27/0.14	11	202.12	43.6 Ω/km
ANM09.003.16.021AB	UL20886	1000V	16X21AWG	27/0.14	11	204.92	43.6 Ω/km
ANM09.003.17.021AB	UL20886	1000V	17X21AWG	27/0.14	11.5	222.12	43.6 Ω/km
ANM09.003.18.021AB	UL20886	1000V	18X21AWG	27/0.14	11.5	225.02	43.6 Ω/km



ANM09.003.19.021AB	UL20886	1000V	19X21AWG	27/0.14	11.5	227.92	43.6Ω/km
ANM09.003.20.021AB	UL20886	1000V	20X21AWG	27/0.14	11.8	239.62	43.6Ω/km
ANM09.003.21.021AB	UL20886	1000V	21X21AWG	27/0.14	12.1	251.62	43.6Ω/km
ANM09.003.22.021AB	UL20886	1000V	22X21AWG	27/0.14	12.7	273.32	43.6Ω/km
ANM09.003.23.021AB	UL20886	1000V	23X21AWG	27/0.14	13.3	295.82	43.6Ω/km
ANM09.003.24.021AB	UL20886	1000V	24X21AWG	27/0.14	13.3	298.72	43.6Ω/km
ANM09.003.25.021AB	UL20886	1000V	25X21AWG	27/0.14	13.6	311.72	43.6Ω/km
ANM09.003.26.021AB	UL20886	1000V	26X21AWG	27/0.14	13.6	314.62	43.6Ω/km
ANM09.003.27.021AB	UL20886	1000V	27X21AWG	27/0.14	13.6	317.52	43.6Ω/km
ANM09.003.28.021AB	UL20886	1000V	28X21AWG	27/0.14	14.1	337.92	43.6Ω/km
ANM09.003.29.021AB	UL20886	1000V	29X21AWG	27/0.14	14.1	340.82	43.6Ω/km
ANM09.003.30.021AB	UL20886	1000V	30X21AWG	27/0.14	14.1	343.72	43.6Ω/km
ANM09.003.31.021AB	UL20886	1000V	31X21AWG	27/0.14	14.5	360.92	43.6Ω/km
ANM09.003.32.021AB	UL20886	1000V	32X21AWG	27/0.14	14.5	363.82	43.6Ω/km
ANM09.003.33.021AB	UL20886	1000V	33X21AWG	27/0.14	14.5	366.62	43.6Ω/km
ANM09.003.34.021AB	UL20886	1000V	34X21AWG	27/0.14	15	388.02	43.6Ω/km
ANM09.003.35.021AB	UL20886	1000V	35X21AWG	27/0.14	15	390.92	43.6Ω/km
ANM09.003.36.021AB	UL20886	1000V	36X21AWG	27/0.14	15	393.72	43.6Ω/km
ANM09.003.37.021AB	UL20886	1000V	37X21AWG	27/0.14	15	396.62	43.6Ω/km
ANM09.003.38.021AB	UL20886	1000V	38X21AWG	27/0.14	15.6	422.52	43.6Ω/km
ANM09.003.39.021AB	UL20886	1000V	39X21AWG	27/0.14	15.6	425.32	43.6Ω/km
ANM09.003.40.021AB	UL20886	1000V	40X21AWG	27/0.14	15.6	428.22	43.6Ω/km
ANM09.003.41.021AB	UL20886	1000V	41X21AWG	27/0.14	16.7	475.72	43.6Ω/km
ANM09.003.42.021AB	UL20886	1000V	42X21AWG	27/0.14	16.7	478.52	43.6Ω/km
ANM09.003.43.021AB	UL20886	1000V	43X21AWG	27/0.14	16.7	481.42	43.6Ω/km
ANM09.003.44.021AB	UL20886	1000V	44X21AWG	27/0.14	16.7	484.22	43.6Ω/km
ANM09.003.45.021AB	UL20886	1000V	45X21AWG	27/0.14	17	499.82	43.6Ω/km
ANM09.003.46.021AB	UL20886	1000V	46X21AWG	27/0.14	17	502.62	43.6Ω/km
ANM09.003.47.021AB	UL20886	1000V	47X21AWG	27/0.14	17	505.42	43.6Ω/km
ANM09.003.48.021AB	UL20886	1000V	48X21AWG	27/0.14	17	508.42	43.6Ω/km
ANM09.003.49.021AB	UL20886	1000V	49X21AWG	27/0.14	17.5	532.82	43.6Ω/km
ANM09.003.50.021AB	UL20886	1000V	50X21AWG	27/0.14	17.5	535.62	43.6Ω/km
ANM09.003.51.021AB	UL20886	1000V	51X21AWG	27/0.14	17.5	538.52	43.6Ω/km
ANM09.003.52.021AB	UL20886	1000V	52X21AWG	27/0.14	17.5	541.42	43.6Ω/km
ANM09.003.53.021AB	UL20886	1000V	53X21AWG	27/0.14	17.9	562.02	43.6Ω/km
ANM09.003.54.021AB	UL20886	1000V	54X21AWG	27/0.14	17.9	564.82	43.6Ω/km
ANM09.003.55.021AB	UL20886	1000V	55X21AWG	27/0.14	17.9	567.62	43.6Ω/km
ANM09.003.56.021AB	UL20886	1000V	56X21AWG	27/0.14	17.9	570.52	43.6Ω/km
ANM09.003.57.021AB	UL20886	1000V	57X21AWG	27/0.14	18.4	596.12	43.6Ω/km
ANM09.003.58.021AB	UL20886	1000V	58X21AWG	27/0.14	18.4	598.92	43.6Ω/km
ANM09.003.59.021AB	UL20886	1000V	59X21AWG	27/0.14	18.4	601.82	43.6Ω/km
ANM09.003.60.021AB	UL20886	1000V	60X21AWG	27/0.14	18.4	604.72	43.6Ω/km



ANM09.003.61.021AB	UL20886	1000V	61X21AWG	27/0.14	18.4	607.42	43.6Ω/km
ANM09.003.62.021AB	UL20886	1000V	62X21AWG	27/0.14	19	638.42	43.6Ω/km
ANM09.003.63.021AB	UL20886	1000V	63X21AWG	27/0.14	19	641.32	43.6Ω/km
ANM09.003.64.021AB	UL20886	1000V	64X21AWG	27/0.14	19	644.12	43.6Ω/km
ANM09.003.65.021AB	UL20886	1000V	65X21AWG	27/0.14	19	647.02	43.6Ω/km
ANM09.003.02.020AB	UL20886	1000V	2X20AWG	34/0.14	6.6	66.42	34.6Ω/km
ANM09.003.03.020AB	UL20886	1000V	3X20AWG	34/0.14	6.9	75.42	34.6Ω/km
ANM09.003.04.020AB	UL20886	1000V	4X20AWG	34/0.14	7.4	88.52	34.6Ω/km
ANM09.003.05.020AB	UL20886	1000V	5X20AWG	34/0.14	7.9	102.02	34.6Ω/km
ANM09.003.06.020AB	UL20886	1000V	6X20AWG	34/0.14	8.4	116.32	34.6Ω/km
ANM09.003.07.020AB	UL20886	1000V	7X20AWG	34/0.14	8.4	119.82	34.6Ω/km
ANM09.003.08.020AB	UL20886	1000V	8X20AWG	34/0.14	9	137.12	34.6Ω/km
ANM09.003.09.020AB	UL20886	1000V	9X20AWG	34/0.14	9.7	157.62	34.6Ω/km
ANM09.003.10.020AB	UL20886	1000V	10X20AWG	34/0.14	10.2	174.02	34.6Ω/km
ANM09.003.11.020AB	UL20886	1000V	11X20AWG	34/0.14	10.5	185.52	34.6Ω/km
ANM09.003.12.020AB	UL20886	1000V	12X20AWG	34/0.14	10.5	189.12	34.6Ω/km
ANM09.003.13.020AB	UL20886	1000V	13X20AWG	34/0.14	11	206.52	34.6Ω/km
ANM09.003.14.020AB	UL20886	1000V	14X20AWG	34/0.14	11	210.22	34.6Ω/km
ANM09.003.15.020AB	UL20886	1000V	15X20AWG	34/0.14	11.5	228.12	34.6Ω/km
ANM09.003.16.020AB	UL20886	1000V	16X20AWG	34/0.14	11.5	231.82	34.6Ω/km
ANM09.003.17.020AB	UL20886	1000V	17X20AWG	34/0.14	12	250.42	34.6Ω/km
ANM09.003.18.020AB	UL20886	1000V	18X20AWG	34/0.14	12	254.02	34.6Ω/km
ANM09.003.19.020AB	UL20886	1000V	19X20AWG	34/0.14	12	257.72	34.6Ω/km
ANM09.003.20.020AB	UL20886	1000V	20X20AWG	34/0.14	12.3	270.62	34.6Ω/km
ANM09.003.21.020AB	UL20886	1000V	21X20AWG	34/0.14	12.6	283.72	34.6Ω/km
ANM09.003.22.020AB	UL20886	1000V	22X20AWG	34/0.14	13.4	313.62	34.6Ω/km
ANM09.003.23.020AB	UL20886	1000V	23X20AWG	34/0.14	13.9	334.52	34.6Ω/km
ANM09.003.24.020AB	UL20886	1000V	24X20AWG	34/0.14	13.9	338.12	34.6Ω/km
ANM09.003.25.020AB	UL20886	1000V	25X20AWG	34/0.14	14.2	352.52	34.6Ω/km
ANM09.003.26.020AB	UL20886	1000V	26X20AWG	34/0.14	14.2	356.02	34.6Ω/km
ANM09.003.27.020AB	UL20886	1000V	27X20AWG	34/0.14	14.2	359.62	34.6Ω/km
ANM09.003.28.020AB	UL20886	1000V	28X20AWG	34/0.14	14.7	381.42	34.6Ω/km
ANM09.003.29.020AB	UL20886	1000V	29X20AWG	34/0.14	14.7	385.12	34.6Ω/km
ANM09.003.30.020AB	UL20886	1000V	30X20AWG	34/0.14	14.7	388.72	34.6Ω/km
ANM09.003.31.020AB	UL20886	1000V	31X20AWG	34/0.14	15.2	411.12	34.6Ω/km
ANM09.003.32.020AB	UL20886	1000V	32X20AWG	34/0.14	15.2	414.72	34.6Ω/km
ANM09.003.33.020AB	UL20886	1000V	33X20AWG	34/0.14	15.2	418.42	34.6Ω/km
ANM09.003.34.020AB	UL20886	1000V	34X20AWG	34/0.14	15.7	441.62	34.6Ω/km
ANM09.003.35.020AB	UL20886	1000V	35X20AWG	34/0.14	15.7	445.22	34.6Ω/km
ANM09.003.36.020AB	UL20886	1000V	36X20AWG	34/0.14	15.7	448.82	34.6Ω/km
ANM09.003.37.020AB	UL20886	1000V	37X20AWG	34/0.14	15.7	452.42	34.6Ω/km
ANM09.003.38.020AB	UL20886	1000V	38X20AWG	34/0.14	16.3	480.22	34.6Ω/km



ANM09.003.39.020AB	UL20886	1000V	39X20AWG	34/0.14	16.3	483.72	34.6Ω/km
ANM09.003.40.020AB	UL20886	1000V	40X20AWG	34/0.14	16.3	487.42	34.6Ω/km
ANM09.003.41.020AB	UL20886	1000V	41X20AWG	34/0.14	17.5	541.82	34.6Ω/km
ANM09.003.42.020AB	UL20886	1000V	42X20AWG	34/0.14	17.5	545.52	34.6Ω/km
ANM09.003.43.020AB	UL20886	1000V	43X20AWG	34/0.14	17.5	549.12	34.6Ω/km
ANM09.003.44.020AB	UL20886	1000V	44X20AWG	34/0.14	17.5	552.82	34.6Ω/km
ANM09.003.45.020AB	UL20886	1000V	45X20AWG	34/0.14	17.8	569.62	34.6Ω/km
ANM09.003.46.020AB	UL20886	1000V	46X20AWG	34/0.14	17.8	573.32	34.6Ω/km
ANM09.003.47.020AB	UL20886	1000V	47X20AWG	34/0.14	17.8	576.92	34.6Ω/km
ANM09.003.48.020AB	UL20886	1000V	48X20AWG	34/0.14	17.8	580.62	34.6Ω/km
ANM09.003.49.020AB	UL20886	1000V	49X20AWG	34/0.14	18.3	606.82	34.6Ω/km
ANM09.003.50.020AB	UL20886	1000V	50X20AWG	34/0.14	18.3	610.52	34.6Ω/km
ANM09.003.51.020AB	UL20886	1000V	51X20AWG	34/0.14	18.3	614.22	34.6Ω/km
ANM09.003.52.020AB	UL20886	1000V	52X20AWG	34/0.14	18.3	617.82	34.6Ω/km
ANM09.003.53.020AB	UL20886	1000V	53X20AWG	34/0.14	18.8	644.52	34.6Ω/km
ANM09.003.54.020AB	UL20886	1000V	54X20AWG	34/0.14	18.8	648.02	34.6Ω/km
ANM09.003.55.020AB	UL20886	1000V	55X20AWG	34/0.14	18.8	651.72	34.6Ω/km
ANM09.003.56.020AB	UL20886	1000V	56X20AWG	34/0.14	18.8	655.22	34.6Ω/km
ANM09.003.57.020AB	UL20886	1000V	57X20AWG	34/0.14	19.3	682.72	34.6Ω/km
ANM09.003.58.020AB	UL20886	1000V	58X20AWG	34/0.14	19.3	686.22	34.6Ω/km
ANM09.003.59.020AB	UL20886	1000V	59X20AWG	34/0.14	19.3	689.92	34.6Ω/km
ANM09.003.60.020AB	UL20886	1000V	60X20AWG	34/0.14	19.3	693.52	34.6Ω/km
ANM09.003.61.020AB	UL20886	1000V	61X20AWG	34/0.14	19.3	697.22	34.6Ω/km
ANM09.003.62.020AB	UL20886	1000V	62X20AWG	34/0.14	21.9	829.32	34.6Ω/km
ANM09.003.63.020AB	UL20886	1000V	63X20AWG	34/0.14	21.9	832.92	34.6Ω/km
ANM09.003.64.020AB	UL20886	1000V	64X20AWG	34/0.14	21.9	836.52	34.6Ω/km
ANM09.003.65.020AB	UL20886	1000V	65X20AWG	34/0.14	21.9	840.22	34.6Ω/km
ANM09.003.02.019AB	UL20886	1000V	2X19AWG	43/0.14	6.8	72.16	27.4Ω/km
ANM09.003.03.019AB	UL20886	1000V	3X19AWG	43/0.14	7.1	82.26	27.4Ω/km
ANM09.003.04.019AB	UL20886	1000V	4X19AWG	43/0.14	7.6	96.56	27.4Ω/km
ANM09.003.05.019AB	UL20886	1000V	5X19AWG	43/0.14	8.2	113.46	27.4Ω/km
ANM09.003.06.019AB	UL20886	1000V	6X19AWG	43/0.14	8.7	129.16	27.4Ω/km
ANM09.003.07.019AB	UL20886	1000V	7X19AWG	43/0.14	8.7	133.66	27.4Ω/km
ANM09.003.08.019AB	UL20886	1000V	8X19AWG	43/0.14	9.3	152.36	27.4Ω/km
ANM09.003.09.019AB	UL20886	1000V	9X19AWG	43/0.14	10.1	176.76	27.4Ω/km
ANM09.003.10.019AB	UL20886	1000V	10X19AWG	43/0.14	10.6	194.86	27.4Ω/km
ANM09.003.11.019AB	UL20886	1000V	11X19AWG	43/0.14	10.9	207.66	27.4Ω/km
ANM09.003.12.019AB	UL20886	1000V	12X19AWG	43/0.14	10.9	212.36	27.4Ω/km
ANM09.003.13.019AB	UL20886	1000V	13X19AWG	43/0.14	11.4	230.96	27.4Ω/km
ANM09.003.14.019AB	UL20886	1000V	14X19AWG	43/0.14	11.4	235.66	27.4Ω/km
ANM09.003.15.019AB	UL20886	1000V	15X19AWG	43/0.14	12	258.16	27.4Ω/km
ANM09.003.16.019AB	UL20886	1000V	16X19AWG	43/0.14	12	262.86	27.4Ω/km



ANM09.003.17.019AB	UL20886	1000V	17X19AWG	43/0.14	12.5	283.06	27.4Ω/km
ANM09.003.18.019AB	UL20886	1000V	18X19AWG	43/0.14	12.5	287.76	27.4Ω/km
ANM09.003.19.019AB	UL20886	1000V	19X19AWG	43/0.14	12.5	292.36	27.4Ω/km
ANM09.003.20.019AB	UL20886	1000V	20X19AWG	43/0.14	12.8	306.56	27.4Ω/km
ANM09.003.21.019AB	UL20886	1000V	21X19AWG	43/0.14	13.2	324.36	27.4Ω/km
ANM09.003.22.019AB	UL20886	1000V	22X19AWG	43/0.14	14	356.46	27.4Ω/km
ANM09.003.23.019AB	UL20886	1000V	23X19AWG	43/0.14	14.5	379.06	27.4Ω/km
ANM09.003.24.019AB	UL20886	1000V	24X19AWG	43/0.14	14.5	383.76	27.4Ω/km
ANM09.003.25.019AB	UL20886	1000V	25X19AWG	43/0.14	14.8	399.46	27.4Ω/km
ANM09.003.26.019AB	UL20886	1000V	26X19AWG	43/0.14	14.8	404.16	27.4Ω/km
ANM09.003.27.019AB	UL20886	1000V	27X19AWG	43/0.14	14.8	408.66	27.4Ω/km
ANM09.003.28.019AB	UL20886	1000V	28X19AWG	43/0.14	15.3	432.26	27.4Ω/km
ANM09.003.29.019AB	UL20886	1000V	29X19AWG	43/0.14	15.3	436.86	27.4Ω/km
ANM09.003.30.019AB	UL20886	1000V	30X19AWG	43/0.14	15.3	441.46	27.4Ω/km
ANM09.003.31.019AB	UL20886	1000V	31X19AWG	43/0.14	15.9	469.66	27.4Ω/km
ANM09.003.32.019AB	UL20886	1000V	32X19AWG	43/0.14	15.9	474.26	27.4Ω/km
ANM09.003.33.019AB	UL20886	1000V	33X19AWG	43/0.14	15.9	478.86	27.4Ω/km
ANM09.003.34.019AB	UL20886	1000V	34X19AWG	43/0.14	16.4	503.86	27.4Ω/km
ANM09.003.35.019AB	UL20886	1000V	35X19AWG	43/0.14	16.4	508.36	27.4Ω/km
ANM09.003.36.019AB	UL20886	1000V	36X19AWG	43/0.14	16.4	513.16	27.4Ω/km
ANM09.003.37.019AB	UL20886	1000V	37X19AWG	43/0.14	16.4	517.66	27.4Ω/km
ANM09.003.38.019AB	UL20886	1000V	38X19AWG	43/0.14	17	547.46	27.4Ω/km
ANM09.003.39.019AB	UL20886	1000V	39X19AWG	43/0.14	17	551.96	27.4Ω/km
ANM09.003.40.019AB	UL20886	1000V	40X19AWG	43/0.14	17	556.76	27.4Ω/km
ANM09.003.41.019AB	UL20886	1000V	41X19AWG	43/0.14	18.3	618.76	27.4Ω/km
ANM09.003.42.019AB	UL20886	1000V	42X19AWG	43/0.14	18.3	623.36	27.4Ω/km
ANM09.003.43.019AB	UL20886	1000V	43X19AWG	43/0.14	18.3	628.06	27.4Ω/km
ANM09.003.44.019AB	UL20886	1000V	44X19AWG	43/0.14	18.3	632.66	27.4Ω/km
ANM09.003.45.019AB	UL20886	1000V	45X19AWG	43/0.14	18.6	651.06	27.4Ω/km
ANM09.003.46.019AB	UL20886	1000V	46X19AWG	43/0.14	18.6	655.66	27.4Ω/km
ANM09.003.47.019AB	UL20886	1000V	47X19AWG	43/0.14	18.6	660.26	27.4Ω/km
ANM09.003.48.019AB	UL20886	1000V	48X19AWG	43/0.14	18.6	664.96	27.4Ω/km
ANM09.003.49.019AB	UL20886	1000V	49X19AWG	43/0.14	19.1	693.06	27.4Ω/km
ANM09.003.50.019AB	UL20886	1000V	50X19AWG	43/0.14	19.1	697.76	27.4Ω/km
ANM09.003.51.019AB	UL20886	1000V	51X19AWG	43/0.14	19.1	702.26	27.4Ω/km
ANM09.003.52.019AB	UL20886	1000V	52X19AWG	43/0.14	19.1	707.06	27.4Ω/km
ANM09.003.53.019AB	UL20886	1000V	53X19AWG	43/0.14	21.7	838.86	27.4Ω/km
ANM09.003.54.019AB	UL20886	1000V	54X19AWG	43/0.14	21.7	843.36	27.4Ω/km
ANM09.003.55.019AB	UL20886	1000V	55X19AWG	43/0.14	21.7	848.16	27.4Ω/km
ANM09.003.56.019AB	UL20886	1000V	56X19AWG	43/0.14	21.7	852.66	27.4Ω/km
ANM09.003.57.019AB	UL20886	1000V	57X19AWG	43/0.14	22.2	884.56	27.4Ω/km
ANM09.003.58.019AB	UL20886	1000V	58X19AWG	43/0.14	22.2	889.06	27.4Ω/km



ANM09.003.59.019AB	UL20886	1000V	59X19AWG	43/0.14	22.2	893.76	27.4Ω/km
ANM09.003.60.019AB	UL20886	1000V	60X19AWG	43/0.14	22.2	898.36	27.4Ω/km
ANM09.003.61.019AB	UL20886	1000V	61X19AWG	43/0.14	22.2	902.96	27.4Ω/km
ANM09.003.62.019AB	UL20886	1000V	62X19AWG	43/0.14	22.8	941.16	27.4Ω/km
ANM09.003.63.019AB	UL20886	1000V	63X19AWG	43/0.14	22.8	945.86	27.4Ω/km
ANM09.003.64.019AB	UL20886	1000V	64X19AWG	43/0.14	22.8	950.46	27.4Ω/km
ANM09.003.65.019AB	UL20886	1000V	65X19AWG	43/0.14	22.8	955.06	27.4Ω/km
ANM09.003.02.018AB	UL20886	1000V	2X18AWG	29/0.19	7	78.53	21.8Ω/km
ANM09.003.03.018AB	UL20886	1000V	3X18AWG	29/0.19	7.4	92.03	21.8Ω/km
ANM09.003.04.018AB	UL20886	1000V	4X18AWG	29/0.19	7.9	108.13	21.8Ω/km
ANM09.003.05.018AB	UL20886	1000V	5X18AWG	29/0.19	8.4	124.63	21.8Ω/km
ANM09.003.06.018AB	UL20886	1000V	6X18AWG	29/0.19	9	144.03	21.8Ω/km
ANM09.003.07.018AB	UL20886	1000V	7X18AWG	29/0.19	9	150.13	21.8Ω/km
ANM09.003.08.018AB	UL20886	1000V	8X18AWG	29/0.19	9.6	170.43	21.8Ω/km
ANM09.003.09.018AB	UL20886	1000V	9X18AWG	29/0.19	10.4	196.93	21.8Ω/km
ANM09.003.10.018AB	UL20886	1000V	10X18AWG	29/0.19	11	219.33	21.8Ω/km
ANM09.003.11.018AB	UL20886	1000V	11X18AWG	29/0.19	11.4	236.63	21.8Ω/km
ANM09.003.12.018AB	UL20886	1000V	12X18AWG	29/0.19	11.4	242.43	21.8Ω/km
ANM09.003.13.018AB	UL20886	1000V	13X18AWG	29/0.19	11.9	263.43	21.8Ω/km
ANM09.003.14.018AB	UL20886	1000V	14X18AWG	29/0.19	11.9	269.33	21.8Ω/km
ANM09.003.15.018AB	UL20886	1000V	15X18AWG	29/0.19	12.4	290.63	21.8Ω/km
ANM09.003.16.018AB	UL20886	1000V	16X18AWG	29/0.19	12.4	296.73	21.8Ω/km
ANM09.003.17.018AB	UL20886	1000V	17X18AWG	29/0.19	13	321.83	21.8Ω/km
ANM09.003.18.018AB	UL20886	1000V	18X18AWG	29/0.19	13	327.83	21.8Ω/km
ANM09.003.19.018AB	UL20886	1000V	19X18AWG	29/0.19	13	333.93	21.8Ω/km
ANM09.003.20.018AB	UL20886	1000V	20X18AWG	29/0.19	13.5	356.63	21.8Ω/km
ANM09.003.21.018AB	UL20886	1000V	21X18AWG	29/0.19	13.7	369.43	21.8Ω/km
ANM09.003.22.018AB	UL20886	1000V	22X18AWG	29/0.19	14.5	404.03	21.8Ω/km
ANM09.003.23.018AB	UL20886	1000V	23X18AWG	29/0.19	15.1	432.23	21.8Ω/km
ANM09.003.24.018AB	UL20886	1000V	24X18AWG	29/0.19	15.1	438.13	21.8Ω/km
ANM09.003.25.018AB	UL20886	1000V	25X18AWG	29/0.19	15.5	459.63	21.8Ω/km
ANM09.003.26.018AB	UL20886	1000V	26X18AWG	29/0.19	15.5	465.43	21.8Ω/km
ANM09.003.27.018AB	UL20886	1000V	27X18AWG	29/0.19	15.5	471.43	21.8Ω/km
ANM09.003.28.018AB	UL20886	1000V	28X18AWG	29/0.19	16	497.13	21.8Ω/km
ANM09.003.29.018AB	UL20886	1000V	29X18AWG	29/0.19	16	503.23	21.8Ω/km
ANM09.003.30.018AB	UL20886	1000V	30X18AWG	29/0.19	16	509.23	21.8Ω/km
ANM09.003.31.018AB	UL20886	1000V	31X18AWG	29/0.19	16.5	535.33	21.8Ω/km
ANM09.003.32.018AB	UL20886	1000V	32X18AWG	29/0.19	16.5	541.33	21.8Ω/km
ANM09.003.33.018AB	UL20886	1000V	33X18AWG	29/0.19	16.5	547.33	21.8Ω/km
ANM09.003.34.018AB	UL20886	1000V	34X18AWG	29/0.19	17.1	578.53	21.8Ω/km
ANM09.003.35.018AB	UL20886	1000V	35X18AWG	29/0.19	17.1	584.63	21.8Ω/km
ANM09.003.36.018AB	UL20886	1000V	36X18AWG	29/0.19	17.1	590.53	21.8Ω/km



ANM09.003.37.018AB	UL20886	1000V	37X18AWG	29/0.19	17.1	596.43	21.8Ω/km
ANM09.003.38.018AB	UL20886	1000V	38X18AWG	29/0.19	17.7	628.63	21.8Ω/km
ANM09.003.39.018AB	UL20886	1000V	39X18AWG	29/0.19	17.7	634.63	21.8Ω/km
ANM09.003.40.018AB	UL20886	1000V	40X18AWG	29/0.19	17.7	640.53	21.8Ω/km
ANM09.003.41.018AB	UL20886	1000V	41X18AWG	29/0.19	19.1	710.83	21.8Ω/km
ANM09.003.42.018AB	UL20886	1000V	42X18AWG	29/0.19	19.1	716.73	21.8Ω/km
ANM09.003.43.018AB	UL20886	1000V	43X18AWG	29/0.19	19.1	722.73	21.8Ω/km
ANM09.003.44.018AB	UL20886	1000V	44X18AWG	29/0.19	19.1	728.73	21.8Ω/km
ANM09.003.45.018AB	UL20886	1000V	45X18AWG	29/0.19	21.5	851.03	21.8Ω/km
ANM09.003.46.018AB	UL20886	1000V	46X18AWG	29/0.19	21.5	856.93	21.8Ω/km
ANM09.003.47.018AB	UL20886	1000V	47X18AWG	29/0.19	21.5	863.03	21.8Ω/km
ANM09.003.48.018AB	UL20886	1000V	48X18AWG	29/0.19	21.5	868.83	21.8Ω/km
ANM09.003.49.018AB	UL20886	1000V	49X18AWG	29/0.19	22	901.83	21.8Ω/km
ANM09.003.50.018AB	UL20886	1000V	50X18AWG	29/0.19	22	907.93	21.8Ω/km
ANM09.003.51.018AB	UL20886	1000V	51X18AWG	29/0.19	22	913.73	21.8Ω/km
ANM09.003.52.018AB	UL20886	1000V	52X18AWG	29/0.19	22	919.73	21.8Ω/km
ANM09.003.53.018AB	UL20886	1000V	53X18AWG	29/0.19	22.5	953.33	21.8Ω/km
ANM09.003.54.018AB	UL20886	1000V	54X18AWG	29/0.19	22.5	959.23	21.8Ω/km
ANM09.003.55.018AB	UL20886	1000V	55X18AWG	29/0.19	22.5	965.23	21.8Ω/km
ANM09.003.56.018AB	UL20886	1000V	56X18AWG	29/0.19	22.5	971.03	21.8Ω/km
ANM09.003.57.018AB	UL20886	1000V	57X18AWG	29/0.19	23.1	1011.03	21.8Ω/km
ANM09.003.58.018AB	UL20886	1000V	58X18AWG	29/0.19	23.1	1017.03	21.8Ω/km
ANM09.003.59.018AB	UL20886	1000V	59X18AWG	29/0.19	23.1	1022.93	21.8Ω/km
ANM09.003.60.018AB	UL20886	1000V	60X18AWG	29/0.19	23.1	1028.93	21.8Ω/km
ANM09.003.61.018AB	UL20886	1000V	61X18AWG	29/0.19	23.1	1034.93	21.8Ω/km
ANM09.003.62.018AB	UL20886	1000V	62X18AWG	29/0.19	23.7	1075.53	21.8Ω/km
ANM09.003.63.018AB	UL20886	1000V	63X18AWG	29/0.19	23.7	1081.63	21.8Ω/km
ANM09.003.64.018AB	UL20886	1000V	64X18AWG	29/0.19	23.7	1087.63	21.8Ω/km
ANM09.003.65.018AB	UL20886	1000V	65X18AWG	29/0.19	23.7	1093.43	21.8Ω/km
ANM09.003.02.017AB	UL20886	1000V	2X17AWG	37/0.19	7.4	89.24	17.3Ω/km
ANM09.003.03.017AB	UL20886	1000V	3X17AWG	37/0.19	7.8	104.54	17.3Ω/km
ANM09.003.04.017AB	UL20886	1000V	4X17AWG	37/0.19	8.4	124.54	17.3Ω/km
ANM09.003.05.017AB	UL20886	1000V	5X17AWG	37/0.19	9	145.44	17.3Ω/km
ANM09.003.06.017AB	UL20886	1000V	6X17AWG	37/0.19	9.6	167.14	17.3Ω/km
ANM09.003.07.017AB	UL20886	1000V	7X17AWG	37/0.19	9.6	174.44	17.3Ω/km
ANM09.003.08.017AB	UL20886	1000V	8X17AWG	37/0.19	10.3	199.74	17.3Ω/km
ANM09.003.09.017AB	UL20886	1000V	9X17AWG	37/0.19	11.2	231.84	17.3Ω/km
ANM09.003.10.017AB	UL20886	1000V	10X17AWG	37/0.19	11.8	256.94	17.3Ω/km
ANM09.003.11.017AB	UL20886	1000V	11X17AWG	37/0.19	12.2	276.44	17.3Ω/km
ANM09.003.12.017AB	UL20886	1000V	12X17AWG	37/0.19	12.2	283.84	17.3Ω/km
ANM09.003.13.017AB	UL20886	1000V	13X17AWG	37/0.19	12.8	310.14	17.3Ω/km
ANM09.003.14.017AB	UL20886	1000V	14X17AWG	37/0.19	12.8	317.44	17.3Ω/km



ANM09.003.15.017AB	UL20886	1000V	15X17AWG	37/0.19	13.5	348.14	17.3Ω/km
ANM09.003.16.017AB	UL20886	1000V	16X17AWG	37/0.19	13.5	355.54	17.3Ω/km
ANM09.003.17.017AB	UL20886	1000V	17X17AWG	37/0.19	14.1	383.84	17.3Ω/km
ANM09.003.18.017AB	UL20886	1000V	18X17AWG	37/0.19	14.1	391.24	17.3Ω/km
ANM09.003.19.017AB	UL20886	1000V	19X17AWG	37/0.19	14.1	398.74	17.3Ω/km
ANM09.003.20.017AB	UL20886	1000V	20X17AWG	37/0.19	14.5	420.44	17.3Ω/km
ANM09.003.21.017AB	UL20886	1000V	21X17AWG	37/0.19	14.8	438.94	17.3Ω/km
ANM09.003.22.017AB	UL20886	1000V	22X17AWG	37/0.19	15.7	480.74	17.3Ω/km
ANM09.003.23.017AB	UL20886	1000V	23X17AWG	37/0.19	16.3	512.14	17.3Ω/km
ANM09.003.24.017AB	UL20886	1000V	24X17AWG	37/0.19	16.3	519.54	17.3Ω/km
ANM09.003.25.017AB	UL20886	1000V	25X17AWG	37/0.19	16.7	543.44	17.3Ω/km
ANM09.003.26.017AB	UL20886	1000V	26X17AWG	37/0.19	16.7	550.74	17.3Ω/km
ANM09.003.27.017AB	UL20886	1000V	27X17AWG	37/0.19	16.7	558.24	17.3Ω/km
ANM09.003.28.017AB	UL20886	1000V	28X17AWG	37/0.19	17.3	591.24	17.3Ω/km
ANM09.003.29.017AB	UL20886	1000V	29X17AWG	37/0.19	17.3	598.64	17.3Ω/km
ANM09.003.30.017AB	UL20886	1000V	30X17AWG	37/0.19	17.3	605.94	17.3Ω/km
ANM09.003.31.017AB	UL20886	1000V	31X17AWG	37/0.19	17.9	639.74	17.3Ω/km
ANM09.003.32.017AB	UL20886	1000V	32X17AWG	37/0.19	17.9	647.04	17.3Ω/km
ANM09.003.33.017AB	UL20886	1000V	33X17AWG	37/0.19	17.9	654.34	17.3Ω/km
ANM09.003.34.017AB	UL20886	1000V	34X17AWG	37/0.19	18.5	689.04	17.3Ω/km
ANM09.003.35.017AB	UL20886	1000V	35X17AWG	37/0.19	18.5	696.44	17.3Ω/km
ANM09.003.36.017AB	UL20886	1000V	36X17AWG	37/0.19	18.5	703.84	17.3Ω/km
ANM09.003.37.017AB	UL20886	1000V	37X17AWG	37/0.19	18.5	711.34	17.3Ω/km
ANM09.003.38.017AB	UL20886	1000V	38X17AWG	37/0.19	19.2	751.64	17.3Ω/km
ANM09.003.39.017AB	UL20886	1000V	39X17AWG	37/0.19	19.2	759.04	17.3Ω/km
ANM09.003.40.017AB	UL20886	1000V	40X17AWG	37/0.19	19.2	766.34	17.3Ω/km
ANM09.003.41.017AB	UL20886	1000V	41X17AWG	37/0.19	22.7	951.04	17.3Ω/km
ANM09.003.42.017AB	UL20886	1000V	42X17AWG	37/0.19	22.7	958.34	17.3Ω/km
ANM09.003.43.017AB	UL20886	1000V	43X17AWG	37/0.19	22.7	965.74	17.3Ω/km
ANM09.003.44.017AB	UL20886	1000V	44X17AWG	37/0.19	22.7	973.04	17.3Ω/km
ANM09.003.45.017AB	UL20886	1000V	45X17AWG	37/0.19	23.1	1003.24	17.3Ω/km
ANM09.003.46.017AB	UL20886	1000V	46X17AWG	37/0.19	23.1	1010.64	17.3Ω/km
ANM09.003.47.017AB	UL20886	1000V	47X17AWG	37/0.19	23.1	1018.04	17.3Ω/km
ANM09.003.48.017AB	UL20886	1000V	48X17AWG	37/0.19	23.1	1025.34	17.3Ω/km
ANM09.003.49.017AB	UL20886	1000V	49X17AWG	37/0.19	23.7	1067.54	17.3Ω/km
ANM09.003.50.017AB	UL20886	1000V	50X17AWG	37/0.19	23.7	1074.84	17.3Ω/km
ANM09.003.51.017AB	UL20886	1000V	51X17AWG	37/0.19	23.7	1082.14	17.3Ω/km
ANM09.003.52.017AB	UL20886	1000V	52X17AWG	37/0.19	23.7	1089.54	17.3Ω/km
ANM09.003.53.017AB	UL20886	1000V	53X17AWG	37/0.19	24.3	1132.64	17.3Ω/km
ANM09.003.54.017AB	UL20886	1000V	54X17AWG	37/0.19	24.3	1139.94	17.3Ω/km
ANM09.003.55.017AB	UL20886	1000V	55X17AWG	37/0.19	24.3	1147.44	17.3Ω/km
ANM09.003.56.017AB	UL20886	1000V	56X17AWG	37/0.19	24.3	1154.74	17.3Ω/km



ANM09.003.57.017AB	UL20886	1000V	57X17AWG	37/0.19	24.9	1198.64	17.3Ω/km
ANM09.003.58.017AB	UL20886	1000V	58X17AWG	37/0.19	24.9	1206.04	17.3Ω/km
ANM09.003.59.017AB	UL20886	1000V	59X17AWG	37/0.19	24.9	1213.34	17.3Ω/km
ANM09.003.60.017AB	UL20886	1000V	60X17AWG	37/0.19	24.9	1220.74	17.3Ω/km
ANM09.003.61.017AB	UL20886	1000V	61X17AWG	37/0.19	24.9	1228.04	17.3Ω/km
ANM09.003.62.017AB	UL20886	1000V	62X17AWG	37/0.19	25.6	1279.24	17.3Ω/km
ANM09.003.63.017AB	UL20886	1000V	63X17AWG	37/0.19	25.6	1286.54	17.3Ω/km
ANM09.003.64.017AB	UL20886	1000V	64X17AWG	37/0.19	25.6	1294.04	17.3Ω/km
ANM09.003.65.017AB	UL20886	1000V	65X17AWG	37/0.19	25.6	1301.34	17.3Ω/km
ANM09.003.02.016AB	UL20886	1000V	2X16AWG	27/0.25	8	105.81	13.7Ω/km
ANM09.003.03.016AB	UL20886	1000V	3X16AWG	27/0.25	8.4	123.91	13.7Ω/km
ANM09.003.04.016AB	UL20886	1000V	4X16AWG	27/0.25	9.1	149.31	13.7Ω/km
ANM09.003.05.016AB	UL20886	1000V	5X16AWG	27/0.25	9.8	175.71	13.7Ω/km
ANM09.003.06.016AB	UL20886	1000V	6X16AWG	27/0.25	10.5	203.61	13.7Ω/km
ANM09.003.07.016AB	UL20886	1000V	7X16AWG	27/0.25	10.5	213.11	13.7Ω/km
ANM09.003.08.016AB	UL20886	1000V	8X16AWG	27/0.25	11.3	245.11	13.7Ω/km
ANM09.003.09.016AB	UL20886	1000V	9X16AWG	27/0.25	12.3	284.71	13.7Ω/km
ANM09.003.10.016AB	UL20886	1000V	10X16AWG	27/0.25	13	316.41	13.7Ω/km
ANM09.003.11.016AB	UL20886	1000V	11X16AWG	27/0.25	13.5	342.91	13.7Ω/km
ANM09.003.12.016AB	UL20886	1000V	12X16AWG	27/0.25	13.5	352.41	13.7Ω/km
ANM09.003.13.016AB	UL20886	1000V	13X16AWG	27/0.25	14.2	386.41	13.7Ω/km
ANM09.003.14.016AB	UL20886	1000V	14X16AWG	27/0.25	14.2	396.01	13.7Ω/km
ANM09.003.15.016AB	UL20886	1000V	15X16AWG	27/0.25	14.9	431.01	13.7Ω/km
ANM09.003.16.016AB	UL20886	1000V	16X16AWG	27/0.25	14.9	440.71	13.7Ω/km
ANM09.003.17.016AB	UL20886	1000V	17X16AWG	27/0.25	15.6	477.01	13.7Ω/km
ANM09.003.18.016AB	UL20886	1000V	18X16AWG	27/0.25	15.6	486.51	13.7Ω/km
ANM09.003.19.016AB	UL20886	1000V	19X16AWG	27/0.25	15.6	496.21	13.7Ω/km
ANM09.003.20.016AB	UL20886	1000V	20X16AWG	27/0.25	16	521.61	13.7Ω/km
ANM09.003.21.016AB	UL20886	1000V	21X16AWG	27/0.25	16.4	547.41	13.7Ω/km
ANM09.003.22.016AB	UL20886	1000V	22X16AWG	27/0.25	17.4	599.21	13.7Ω/km
ANM09.003.23.016AB	UL20886	1000V	23X16AWG	27/0.25	18.1	639.81	13.7Ω/km
ANM09.003.24.016AB	UL20886	1000V	24X16AWG	27/0.25	18.1	649.51	13.7Ω/km
ANM09.003.25.016AB	UL20886	1000V	25X16AWG	27/0.25	18.5	677.31	13.7Ω/km
ANM09.003.26.016AB	UL20886	1000V	26X16AWG	27/0.25	18.5	686.81	13.7Ω/km
ANM09.003.27.016AB	UL20886	1000V	27X16AWG	27/0.25	18.5	696.41	13.7Ω/km
ANM09.003.28.016AB	UL20886	1000V	28X16AWG	27/0.25	19.2	738.91	13.7Ω/km
ANM09.003.29.016AB	UL20886	1000V	29X16AWG	27/0.25	19.2	748.31	13.7Ω/km
ANM09.003.30.016AB	UL20886	1000V	30X16AWG	27/0.25	19.2	758.01	13.7Ω/km
ANM09.003.31.016AB	UL20886	1000V	31X16AWG	27/0.25	21.9	900.71	13.7Ω/km
ANM09.003.32.016AB	UL20886	1000V	32X16AWG	27/0.25	21.9	910.21	13.7Ω/km
ANM09.003.33.016AB	UL20886	1000V	33X16AWG	27/0.25	21.9	919.81	13.7Ω/km
ANM09.003.34.016AB	UL20886	1000V	34X16AWG	27/0.25	22.6	967.91	13.7Ω/km



ANM09.003.35.016AB	UL20886	1000V	35X16AWG	27/0.25	22.6	977.51	13.7Ω/km
ANM09.003.36.016AB	UL20886	1000V	36X16AWG	27/0.25	22.6	987.01	13.7Ω/km
ANM09.003.37.016AB	UL20886	1000V	37X16AWG	27/0.25	22.6	996.51	13.7Ω/km
ANM09.003.38.016AB	UL20886	1000V	38X16AWG	27/0.25	23.4	1051.61	13.7Ω/km
ANM09.003.39.016AB	UL20886	1000V	39X16AWG	27/0.25	23.4	1061.11	13.7Ω/km
ANM09.003.40.016AB	UL20886	1000V	40X16AWG	27/0.25	23.4	1070.71	13.7Ω/km
ANM09.003.41.016AB	UL20886	1000V	41X16AWG	27/0.25	25.1	1182.31	13.7Ω/km
ANM09.003.42.016AB	UL20886	1000V	42X16AWG	27/0.25	25.1	1191.81	13.7Ω/km
ANM09.003.43.016AB	UL20886	1000V	43X16AWG	27/0.25	25.1	1201.41	13.7Ω/km
ANM09.003.44.016AB	UL20886	1000V	44X16AWG	27/0.25	25.1	1210.91	13.7Ω/km
ANM09.003.45.016AB	UL20886	1000V	45X16AWG	27/0.25	25.5	1245.41	13.7Ω/km
ANM09.003.46.016AB	UL20886	1000V	46X16AWG	27/0.25	25.5	1255.01	13.7Ω/km
ANM09.003.47.016AB	UL20886	1000V	47X16AWG	27/0.25	25.5	1264.51	13.7Ω/km
ANM09.003.48.016AB	UL20886	1000V	48X16AWG	27/0.25	25.5	1274.21	13.7Ω/km
ANM09.003.49.016AB	UL20886	1000V	49X16AWG	27/0.25	26.2	1328.31	13.7Ω/km
ANM09.003.50.016AB	UL20886	1000V	50X16AWG	27/0.25	26.2	1337.91	13.7Ω/km
ANM09.003.51.016AB	UL20886	1000V	51X16AWG	27/0.25	26.2	1347.41	13.7Ω/km
ANM09.003.52.016AB	UL20886	1000V	52X16AWG	27/0.25	26.2	1357.01	13.7Ω/km
ANM09.003.53.016AB	UL20886	1000V	53X16AWG	27/0.25	26.9	1412.41	13.7Ω/km
ANM09.003.54.016AB	UL20886	1000V	54X16AWG	27/0.25	26.9	1422.01	13.7Ω/km
ANM09.003.55.016AB	UL20886	1000V	55X16AWG	27/0.25	26.9	1431.51	13.7Ω/km
ANM09.003.56.016AB	UL20886	1000V	56X16AWG	27/0.25	26.9	1441.11	13.7Ω/km
ANM09.003.57.016AB	UL20886	1000V	57X16AWG	27/0.25	27.6	1497.71	13.7Ω/km
ANM09.003.58.016AB	UL20886	1000V	58X16AWG	27/0.25	27.6	1507.21	13.7Ω/km
ANM09.003.59.016AB	UL20886	1000V	59X16AWG	27/0.25	27.6	1516.81	13.7Ω/km
ANM09.003.60.016AB	UL20886	1000V	60X16AWG	27/0.25	27.6	1526.31	13.7Ω/km
ANM09.003.61.016AB	UL20886	1000V	61X16AWG	27/0.25	27.6	1535.81	13.7Ω/km
ANM09.003.62.016AB	UL20886	1000V	62X16AWG	27/0.25	28.4	1600.71	13.7Ω/km
ANM09.003.63.016AB	UL20886	1000V	63X16AWG	27/0.25	28.4	1610.21	13.7Ω/km
ANM09.003.64.016AB	UL20886	1000V	64X16AWG	27/0.25	28.4	1619.81	13.7Ω/km
ANM09.003.65.016AB	UL20886	1000V	65X16AWG	27/0.25	28.4	1629.31	13.7Ω/km
ANM09.003.02.015AB	UL20886	1000V	2X15AWG	34/0.25	8.4	119.55	10.9Ω/km
ANM09.003.03.015AB	UL20886	1000V	3X15AWG	34/0.25	8.9	142.65	10.9Ω/km
ANM09.003.04.015AB	UL20886	1000V	4X15AWG	34/0.25	9.6	171.35	10.9Ω/km
ANM09.003.05.015AB	UL20886	1000V	5X15AWG	34/0.25	10.3	201.25	10.9Ω/km
ANM09.003.06.015AB	UL20886	1000V	6X15AWG	34/0.25	11.1	235.05	10.9Ω/km
ANM09.003.07.015AB	UL20886	1000V	7X15AWG	34/0.25	11.1	247.05	10.9Ω/km
ANM09.003.08.015AB	UL20886	1000V	8X15AWG	34/0.25	12	285.45	10.9Ω/km
ANM09.003.09.015AB	UL20886	1000V	9X15AWG	34/0.25	13	329.05	10.9Ω/km
ANM09.003.10.015AB	UL20886	1000V	10X15AWG	34/0.25	13.9	371.75	10.9Ω/km
ANM09.003.11.015AB	UL20886	1000V	11X15AWG	34/0.25	14.4	401.55	10.9Ω/km
ANM09.003.12.015AB	UL20886	1000V	12X15AWG	34/0.25	14.4	413.45	10.9Ω/km



ANM09.003.13.015AB	UL20886	1000V	13X15AWG	34/0.25	15.1	451.45	10.9Ω/km
ANM09.003.14.015AB	UL20886	1000V	14X15AWG	34/0.25	15.1	463.45	10.9Ω/km
ANM09.003.15.015AB	UL20886	1000V	15X15AWG	34/0.25	15.8	502.55	10.9Ω/km
ANM09.003.16.015AB	UL20886	1000V	16X15AWG	34/0.25	15.8	514.55	10.9Ω/km
ANM09.003.17.015AB	UL20886	1000V	17X15AWG	34/0.25	16.6	559.05	10.9Ω/km
ANM09.003.18.015AB	UL20886	1000V	18X15AWG	34/0.25	16.6	571.05	10.9Ω/km
ANM09.003.19.015AB	UL20886	1000V	19X15AWG	34/0.25	16.6	583.05	10.9Ω/km
ANM09.003.20.015AB	UL20886	1000V	20X15AWG	34/0.25	17.1	616.05	10.9Ω/km
ANM09.003.21.015AB	UL20886	1000V	21X15AWG	34/0.25	17.5	645.25	10.9Ω/km
ANM09.003.22.015AB	UL20886	1000V	22X15AWG	34/0.25	18.5	702.35	10.9Ω/km
ANM09.003.23.015AB	UL20886	1000V	23X15AWG	34/0.25	19.3	751.95	10.9Ω/km
ANM09.003.24.015AB	UL20886	1000V	24X15AWG	34/0.25	19.3	763.85	10.9Ω/km
ANM09.003.25.015AB	UL20886	1000V	25X15AWG	34/0.25	21.8	898.85	10.9Ω/km
ANM09.003.26.015AB	UL20886	1000V	26X15AWG	34/0.25	21.8	910.75	10.9Ω/km
ANM09.003.27.015AB	UL20886	1000V	27X15AWG	34/0.25	21.8	922.75	10.9Ω/km
ANM09.003.28.015AB	UL20886	1000V	28X15AWG	34/0.25	22.5	973.25	10.9Ω/km
ANM09.003.29.015AB	UL20886	1000V	29X15AWG	34/0.25	22.5	985.25	10.9Ω/km
ANM09.003.30.015AB	UL20886	1000V	30X15AWG	34/0.25	22.5	997.15	10.9Ω/km
ANM09.003.31.015AB	UL20886	1000V	31X15AWG	34/0.25	23.2	1048.75	10.9Ω/km
ANM09.003.32.015AB	UL20886	1000V	32X15AWG	34/0.25	23.2	1060.75	10.9Ω/km
ANM09.003.33.015AB	UL20886	1000V	33X15AWG	34/0.25	23.2	1072.65	10.9Ω/km
ANM09.003.34.015AB	UL20886	1000V	34X15AWG	34/0.25	24	1131.45	10.9Ω/km
ANM09.003.35.015AB	UL20886	1000V	35X15AWG	34/0.25	24	1143.45	10.9Ω/km
ANM09.003.36.015AB	UL20886	1000V	36X15AWG	34/0.25	24	1155.45	10.9Ω/km
ANM09.003.37.015AB	UL20886	1000V	37X15AWG	34/0.25	24	1167.45	10.9Ω/km
ANM09.003.38.015AB	UL20886	1000V	38X15AWG	34/0.25	24.9	1233.75	10.9Ω/km
ANM09.003.39.015AB	UL20886	1000V	39X15AWG	34/0.25	24.9	1245.65	10.9Ω/km
ANM09.003.40.015AB	UL20886	1000V	40X15AWG	34/0.25	24.9	1257.65	10.9Ω/km
ANM09.003.41.015AB	UL20886	1000V	41X15AWG	34/0.25	26.7	1384.45	10.9Ω/km
ANM09.003.42.015AB	UL20886	1000V	42X15AWG	34/0.25	26.7	1396.35	10.9Ω/km
ANM09.003.43.015AB	UL20886	1000V	43X15AWG	34/0.25	26.7	1408.35	10.9Ω/km
ANM09.003.44.015AB	UL20886	1000V	44X15AWG	34/0.25	26.7	1420.35	10.9Ω/km
ANM09.003.45.015AB	UL20886	1000V	45X15AWG	34/0.25	27.2	1465.65	10.9Ω/km
ANM09.003.46.015AB	UL20886	1000V	46X15AWG	34/0.25	27.2	1477.55	10.9Ω/km
ANM09.003.47.015AB	UL20886	1000V	47X15AWG	34/0.25	27.2	1489.55	10.9Ω/km
ANM09.003.48.015AB	UL20886	1000V	48X15AWG	34/0.25	27.2	1501.45	10.9Ω/km
ANM09.003.49.015AB	UL20886	1000V	49X15AWG	34/0.25	27.9	1561.05	10.9Ω/km
ANM09.003.50.015AB	UL20886	1000V	50X15AWG	34/0.25	27.9	1573.05	10.9Ω/km
ANM09.003.51.015AB	UL20886	1000V	51X15AWG	34/0.25	27.9	1584.95	10.9Ω/km
ANM09.003.52.015AB	UL20886	1000V	52X15AWG	34/0.25	27.9	1596.95	10.9Ω/km
ANM09.003.53.015AB	UL20886	1000V	53X15AWG	34/0.25	28.6	1657.65	10.9Ω/km
ANM09.003.54.015AB	UL20886	1000V	54X15AWG	34/0.25	28.6	1669.65	10.9Ω/km



ANM09.003.55.015AB	UL20886	1000V	55X15AWG	34/0.25	28.6	1681.65	10.9Ω/km
ANM09.003.56.015AB	UL20886	1000V	56X15AWG	34/0.25	28.6	1693.65	10.9Ω/km
ANM09.003.57.015AB	UL20886	1000V	57X15AWG	34/0.25	29.4	1762.65	10.9Ω/km
ANM09.003.58.015AB	UL20886	1000V	58X15AWG	34/0.25	29.4	1774.65	10.9Ω/km
ANM09.003.59.015AB	UL20886	1000V	59X15AWG	34/0.25	29.4	1786.55	10.9Ω/km
ANM09.003.60.015AB	UL20886	1000V	60X15AWG	34/0.25	29.4	1798.55	10.9Ω/km
ANM09.003.61.015AB	UL20886	1000V	61X15AWG	34/0.25	29.4	1810.45	10.9Ω/km
ANM09.003.62.015AB	UL20886	1000V	62X15AWG	34/0.25	32.1	2057.25	10.9Ω/km
ANM09.003.63.015AB	UL20886	1000V	63X15AWG	34/0.25	32.1	2069.25	10.9Ω/km
ANM09.003.64.015AB	UL20886	1000V	64X15AWG	34/0.25	32.1	2081.25	10.9Ω/km
ANM09.003.65.015AB	UL20886	1000V	65X15AWG	34/0.25	32.1	2093.15	10.9Ω/km
ANM09.003.02.014AB	UL20886	1000V	2X14AWG	43/0.25	8.8	135.28	8.62Ω/km
ANM09.003.03.014AB	UL20886	1000V	3X14AWG	43/0.25	9.3	162.08	8.62Ω/km
ANM09.003.04.014AB	UL20886	1000V	4X14AWG	43/0.25	10.1	197.08	8.62Ω/km
ANM09.003.05.014AB	UL20886	1000V	5X14AWG	43/0.25	10.9	233.88	8.62Ω/km
ANM09.003.06.014AB	UL20886	1000V	6X14AWG	43/0.25	11.7	271.98	8.62Ω/km
ANM09.003.07.014AB	UL20886	1000V	7X14AWG	43/0.25	11.7	287.08	8.62Ω/km
ANM09.003.08.014AB	UL20886	1000V	8X14AWG	43/0.25	12.6	329.98	8.62Ω/km
ANM09.003.09.014AB	UL20886	1000V	9X14AWG	43/0.25	13.9	388.78	8.62Ω/km
ANM09.003.10.014AB	UL20886	1000V	10X14AWG	43/0.25	14.7	432.78	8.62Ω/km
ANM09.003.11.014AB	UL20886	1000V	11X14AWG	43/0.25	15.2	466.68	8.62Ω/km
ANM09.003.12.014AB	UL20886	1000V	12X14AWG	43/0.25	15.2	481.88	8.62Ω/km
ANM09.003.13.014AB	UL20886	1000V	13X14AWG	43/0.25	16	528.48	8.62Ω/km
ANM09.003.14.014AB	UL20886	1000V	14X14AWG	43/0.25	16	543.58	8.62Ω/km
ANM09.003.15.014AB	UL20886	1000V	15X14AWG	43/0.25	16.8	591.48	8.62Ω/km
ANM09.003.16.014AB	UL20886	1000V	16X14AWG	43/0.25	16.8	606.68	8.62Ω/km
ANM09.003.17.014AB	UL20886	1000V	17X14AWG	43/0.25	17.6	656.38	8.62Ω/km
ANM09.003.18.014AB	UL20886	1000V	18X14AWG	43/0.25	17.6	671.58	8.62Ω/km
ANM09.003.19.014AB	UL20886	1000V	19X14AWG	43/0.25	17.6	686.68	8.62Ω/km
ANM09.003.20.014AB	UL20886	1000V	20X14AWG	43/0.25	18.1	723.98	8.62Ω/km
ANM09.003.21.014AB	UL20886	1000V	21X14AWG	43/0.25	18.5	757.48	8.62Ω/km
ANM09.003.22.014AB	UL20886	1000V	22X14AWG	43/0.25	21.7	927.88	8.62Ω/km
ANM09.003.23.014AB	UL20886	1000V	23X14AWG	43/0.25	22.5	986.88	8.62Ω/km
ANM09.003.24.014AB	UL20886	1000V	24X14AWG	43/0.25	22.5	1002.08	8.62Ω/km
ANM09.003.25.014AB	UL20886	1000V	25X14AWG	43/0.25	23	1045.38	8.62Ω/km
ANM09.003.26.014AB	UL20886	1000V	26X14AWG	43/0.25	23	1060.48	8.62Ω/km
ANM09.003.27.014AB	UL20886	1000V	27X14AWG	43/0.25	23	1075.58	8.62Ω/km
ANM09.003.28.014AB	UL20886	1000V	28X14AWG	43/0.25	23.8	1137.18	8.62Ω/km
ANM09.003.29.014AB	UL20886	1000V	29X14AWG	43/0.25	23.8	1152.28	8.62Ω/km
ANM09.003.30.014AB	UL20886	1000V	30X14AWG	43/0.25	23.8	1167.38	8.62Ω/km
ANM09.003.31.014AB	UL20886	1000V	31X14AWG	43/0.25	24.6	1230.58	8.62Ω/km
ANM09.003.32.014AB	UL20886	1000V	32X14AWG	43/0.25	24.6	1245.68	8.62Ω/km



ANM09.003.33.014AB	UL20886	1000V	33X14AWG	43/0.25	24.6	1260.88	8.62 Ω/km
ANM09.003.34.014AB	UL20886	1000V	34X14AWG	43/0.25	25.4	1325.38	8.62 Ω/km
ANM09.003.35.014AB	UL20886	1000V	35X14AWG	43/0.25	25.4	1340.48	8.62 Ω/km
ANM09.003.36.014AB	UL20886	1000V	36X14AWG	43/0.25	25.4	1355.68	8.62 Ω/km
ANM09.003.37.014AB	UL20886	1000V	37X14AWG	43/0.25	25.4	1370.88	8.62 Ω/km
ANM09.003.38.014AB	UL20886	1000V	38X14AWG	43/0.25	26.3	1443.48	8.62 Ω/km
ANM09.003.39.014AB	UL20886	1000V	39X14AWG	43/0.25	26.3	1458.58	8.62 Ω/km
ANM09.003.40.014AB	UL20886	1000V	40X14AWG	43/0.25	26.3	1473.88	8.62 Ω/km
ANM09.003.41.014AB	UL20886	1000V	41X14AWG	43/0.25	28.3	1623.78	8.62 Ω/km
ANM09.003.42.014AB	UL20886	1000V	42X14AWG	43/0.25	28.3	1638.88	8.62 Ω/km
ANM09.003.43.014AB	UL20886	1000V	43X14AWG	43/0.25	28.3	1653.98	8.62 Ω/km
ANM09.003.44.014AB	UL20886	1000V	44X14AWG	43/0.25	28.3	1669.08	8.62 Ω/km
ANM09.003.45.014AB	UL20886	1000V	45X14AWG	43/0.25	28.8	1719.58	8.62 Ω/km
ANM09.003.46.014AB	UL20886	1000V	46X14AWG	43/0.25	28.8	1734.68	8.62 Ω/km
ANM09.003.47.014AB	UL20886	1000V	47X14AWG	43/0.25	28.8	1749.68	8.62 Ω/km
ANM09.003.48.014AB	UL20886	1000V	48X14AWG	43/0.25	28.8	1764.88	8.62 Ω/km
ANM09.003.49.014AB	UL20886	1000V	49X14AWG	43/0.25	29.6	1837.58	8.62 Ω/km
ANM09.003.50.014AB	UL20886	1000V	50X14AWG	43/0.25	29.6	1852.68	8.62 Ω/km
ANM09.003.51.014AB	UL20886	1000V	51X14AWG	43/0.25	29.6	1867.88	8.62 Ω/km
ANM09.003.52.014AB	UL20886	1000V	52X14AWG	43/0.25	29.6	1882.98	8.62 Ω/km
ANM09.003.02.013AB	UL20886	1000V	2X13AWG	54/0.25	9.4	157.33	6.82 Ω/km
ANM09.003.03.013AB	UL20886	1000V	3X13AWG	54/0.25	9.9	188.53	6.82 Ω/km
ANM09.003.04.013AB	UL20886	1000V	4X13AWG	54/0.25	10.8	231.13	6.82 Ω/km
ANM09.003.05.013AB	UL20886	1000V	5X13AWG	54/0.25	11.7	275.73	6.82 Ω/km
ANM09.003.06.013AB	UL20886	1000V	6X13AWG	54/0.25	12.6	322.43	6.82 Ω/km
ANM09.003.07.013AB	UL20886	1000V	7X13AWG	54/0.25	12.6	341.23	6.82 Ω/km
ANM09.003.08.013AB	UL20886	1000V	8X13AWG	54/0.25	13.7	396.63	6.82 Ω/km
ANM09.003.09.013AB	UL20886	1000V	9X13AWG	54/0.25	15	462.63	6.82 Ω/km
ANM09.003.10.013AB	UL20886	1000V	10X13AWG	54/0.25	15.9	516.43	6.82 Ω/km
ANM09.003.11.013AB	UL20886	1000V	11X13AWG	54/0.25	16.4	555.53	6.82 Ω/km
ANM09.003.12.013AB	UL20886	1000V	12X13AWG	54/0.25	16.4	574.33	6.82 Ω/km
ANM09.003.13.013AB	UL20886	1000V	13X13AWG	54/0.25	17.3	631.13	6.82 Ω/km
ANM09.003.14.013AB	UL20886	1000V	14X13AWG	54/0.25	17.3	650.03	6.82 Ω/km
ANM09.003.15.013AB	UL20886	1000V	15X13AWG	54/0.25	18.2	708.73	6.82 Ω/km
ANM09.003.16.013AB	UL20886	1000V	16X13AWG	54/0.25	18.2	727.53	6.82 Ω/km
ANM09.003.17.013AB	UL20886	1000V	17X13AWG	54/0.25	19.1	788.33	6.82 Ω/km
ANM09.003.18.013AB	UL20886	1000V	18X13AWG	54/0.25	19.1	807.23	6.82 Ω/km
ANM09.003.19.013AB	UL20886	1000V	19X13AWG	54/0.25	19.1	826.03	6.82 Ω/km
ANM09.003.20.013AB	UL20886	1000V	20X13AWG	54/0.25	21.6	966.53	6.82 Ω/km
ANM09.003.21.013AB	UL20886	1000V	21X13AWG	54/0.25	22.1	1012.63	6.82 Ω/km
ANM09.003.22.013AB	UL20886	1000V	22X13AWG	54/0.25	23.4	1104.63	6.82 Ω/km
ANM09.003.23.013AB	UL20886	1000V	23X13AWG	54/0.25	24.3	1176.63	6.82 Ω/km



ANM09.003.24.013AB	UL20886	1000V	24X13AWG	54/0.25	24.3	1195.33	6.82 Ω/km
ANM09.003.25.013AB	UL20886	1000V	25X13AWG	54/0.25	24.8	1244.53	6.82 Ω/km
ANM09.003.26.013AB	UL20886	1000V	26X13AWG	54/0.25	24.8	1263.33	6.82 Ω/km
ANM09.003.27.013AB	UL20886	1000V	27X13AWG	54/0.25	24.8	1282.23	6.82 Ω/km
ANM09.003.28.013AB	UL20886	1000V	28X13AWG	54/0.25	25.7	1357.33	6.82 Ω/km
ANM09.003.29.013AB	UL20886	1000V	29X13AWG	54/0.25	25.7	1376.13	6.82 Ω/km
ANM09.003.30.013AB	UL20886	1000V	30X13AWG	54/0.25	25.7	1394.93	6.82 Ω/km
ANM09.003.31.013AB	UL20886	1000V	31X13AWG	54/0.25	26.6	1471.93	6.82 Ω/km
ANM09.003.32.013AB	UL20886	1000V	32X13AWG	54/0.25	26.6	1490.73	6.82 Ω/km
ANM09.003.33.013AB	UL20886	1000V	33X13AWG	54/0.25	26.6	1509.53	6.82 Ω/km
ANM09.003.34.013AB	UL20886	1000V	34X13AWG	54/0.25	27.5	1588.43	6.82 Ω/km
ANM09.003.35.013AB	UL20886	1000V	35X13AWG	54/0.25	27.5	1607.23	6.82 Ω/km
ANM09.003.36.013AB	UL20886	1000V	36X13AWG	54/0.25	27.5	1626.13	6.82 Ω/km
ANM09.003.37.013AB	UL20886	1000V	37X13AWG	54/0.25	27.5	1644.93	6.82 Ω/km
ANM09.003.38.013AB	UL20886	1000V	38X13AWG	54/0.25	28.5	1733.03	6.82 Ω/km
ANM09.003.39.013AB	UL20886	1000V	39X13AWG	54/0.25	28.5	1751.83	6.82 Ω/km
ANM09.003.40.013AB	UL20886	1000V	40X13AWG	54/0.25	28.5	1770.63	6.82 Ω/km
ANM09.003.41.013AB	UL20886	1000V	41X13AWG	54/0.25	32.5	2120.73	6.82 Ω/km
ANM09.003.42.013AB	UL20886	1000V	42X13AWG	54/0.25	32.5	2139.53	6.82 Ω/km
ANM09.003.43.013AB	UL20886	1000V	43X13AWG	54/0.25	32.5	2158.33	6.82 Ω/km
ANM09.003.44.013AB	UL20886	1000V	44X13AWG	54/0.25	32.5	2177.23	6.82 Ω/km
ANM09.003.45.013AB	UL20886	1000V	45X13AWG	54/0.25	33	2237.13	6.82 Ω/km
ANM09.003.46.013AB	UL20886	1000V	46X13AWG	54/0.25	33	2255.93	6.82 Ω/km
ANM09.003.47.013AB	UL20886	1000V	47X13AWG	54/0.25	33	2274.63	6.82 Ω/km
ANM09.003.48.013AB	UL20886	1000V	48X13AWG	54/0.25	33	2293.43	6.82 Ω/km
ANM09.003.49.013AB	UL20886	1000V	49X13AWG	54/0.25	33.9	2387.53	6.82 Ω/km
ANM09.003.50.013AB	UL20886	1000V	50X13AWG	54/0.25	33.9	2406.33	6.82 Ω/km
ANM09.003.51.013AB	UL20886	1000V	51X13AWG	54/0.25	33.9	2425.13	6.82 Ω/km
ANM09.003.52.013AB	UL20886	1000V	52X13AWG	54/0.25	33.9	2443.93	6.82 Ω/km
ANM09.003.02.012AB	UL20886	1000V	2X12AWG	68/0.25	10.2	188.61	5.43 Ω/km
ANM09.003.03.012AB	UL20886	1000V	3X12AWG	68/0.25	10.8	228.71	5.43 Ω/km
ANM09.003.04.012AB	UL20886	1000V	4X12AWG	68/0.25	11.7	278.81	5.43 Ω/km
ANM09.003.05.012AB	UL20886	1000V	5X12AWG	68/0.25	12.8	337.01	5.43 Ω/km
ANM09.003.06.012AB	UL20886	1000V	6X12AWG	68/0.25	13.9	398.21	5.43 Ω/km
ANM09.003.07.012AB	UL20886	1000V	7X12AWG	68/0.25	13.9	422.21	5.43 Ω/km
ANM09.003.08.012AB	UL20886	1000V	8X12AWG	68/0.25	15	486.61	5.43 Ω/km
ANM09.003.09.012AB	UL20886	1000V	9X12AWG	68/0.25	16.5	569.91	5.43 Ω/km
ANM09.003.10.012AB	UL20886	1000V	10X12AWG	68/0.25	17.5	636.61	5.43 Ω/km
ANM09.003.11.012AB	UL20886	1000V	11X12AWG	68/0.25	18.1	687.41	5.43 Ω/km
ANM09.003.12.012AB	UL20886	1000V	12X12AWG	68/0.25	18.1	711.51	5.43 Ω/km
ANM09.003.13.012AB	UL20886	1000V	13X12AWG	68/0.25	19	777.31	5.43 Ω/km
ANM09.003.14.012AB	UL20886	1000V	14X12AWG	68/0.25	19	801.31	5.43 Ω/km



ANM09.003.15.012AB	UL20886	1000V	15X12AWG	68/0.25	22.1	979.11	5.43 Ω/km
ANM09.003.16.012AB	UL20886	1000V	16X12AWG	68/0.25	22.1	1003.21	5.43 Ω/km
ANM09.003.17.012AB	UL20886	1000V	17X12AWG	68/0.25	23.1	1083.21	5.43 Ω/km
ANM09.003.18.012AB	UL20886	1000V	18X12AWG	68/0.25	23.1	1107.21	5.43 Ω/km
ANM09.003.19.012AB	UL20886	1000V	19X12AWG	68/0.25	23.1	1131.51	5.43 Ω/km
ANM09.003.20.012AB	UL20886	1000V	20X12AWG	68/0.25	23.7	1190.31	5.43 Ω/km
ANM09.003.21.012AB	UL20886	1000V	21X12AWG	68/0.25	24.2	1244.01	5.43 Ω/km
ANM09.003.22.012AB	UL20886	1000V	22X12AWG	68/0.25	25.7	1360.71	5.43 Ω/km
ANM09.003.23.012AB	UL20886	1000V	23X12AWG	68/0.25	26.7	1449.61	5.43 Ω/km
ANM09.003.24.012AB	UL20886	1000V	24X12AWG	68/0.25	26.7	1473.61	5.43 Ω/km
ANM09.003.25.012AB	UL20886	1000V	25X12AWG	68/0.25	27.3	1537.71	5.43 Ω/km
ANM09.003.26.012AB	UL20886	1000V	26X12AWG	68/0.25	27.3	1561.81	5.43 Ω/km
ANM09.003.27.012AB	UL20886	1000V	27X12AWG	68/0.25	27.3	1585.91	5.43 Ω/km
ANM09.003.28.012AB	UL20886	1000V	28X12AWG	68/0.25	28.2	1671.51	5.43 Ω/km
ANM09.003.29.012AB	UL20886	1000V	29X12AWG	68/0.25	28.2	1695.51	5.43 Ω/km
ANM09.003.30.012AB	UL20886	1000V	30X12AWG	68/0.25	28.2	1719.71	5.43 Ω/km
ANM09.003.31.012AB	UL20886	1000V	31X12AWG	68/0.25	29.3	1821.91	5.43 Ω/km
ANM09.003.32.012AB	UL20886	1000V	32X12AWG	68/0.25	29.3	1846.01	5.43 Ω/km
ANM09.003.33.012AB	UL20886	1000V	33X12AWG	68/0.25	29.3	1870.11	5.43 Ω/km
ANM09.003.34.012AB	UL20886	1000V	34X12AWG	68/0.25	32.1	2136.21	5.43 Ω/km
ANM09.003.35.012AB	UL20886	1000V	35X12AWG	68/0.25	32.1	2160.21	5.43 Ω/km
ANM09.003.36.012AB	UL20886	1000V	36X12AWG	68/0.25	32.1	2184.21	5.43 Ω/km
ANM09.003.37.012AB	UL20886	1000V	37X12AWG	68/0.25	32.1	2208.41	5.43 Ω/km
ANM09.003.02.011AB	UL20886	1000V	2X11AWG	85/0.25	11	222.37	4.30 Ω/km
ANM09.003.03.011AB	UL20886	1000V	3X11AWG	85/0.25	11.7	272.17	4.30 Ω/km
ANM09.003.04.011AB	UL20886	1000V	4X11AWG	85/0.25	12.7	332.87	4.30 Ω/km
ANM09.003.05.011AB	UL20886	1000V	5X11AWG	85/0.25	13.9	402.87	4.30 Ω/km
ANM09.003.06.011AB	UL20886	1000V	6X11AWG	85/0.25	15.1	476.37	4.30 Ω/km
ANM09.003.07.011AB	UL20886	1000V	7X11AWG	85/0.25	15.1	506.07	4.30 Ω/km
ANM09.003.08.011AB	UL20886	1000V	8X11AWG	85/0.25	16.3	583.17	4.30 Ω/km
ANM09.003.09.011AB	UL20886	1000V	9X11AWG	85/0.25	17.9	681.27	4.30 Ω/km
ANM09.003.10.011AB	UL20886	1000V	10X11AWG	85/0.25	19.1	766.37	4.30 Ω/km
ANM09.003.11.011AB	UL20886	1000V	11X11AWG	85/0.25	21.8	928.57	4.30 Ω/km
ANM09.003.12.011AB	UL20886	1000V	12X11AWG	85/0.25	21.8	958.17	4.30 Ω/km
ANM09.003.13.011AB	UL20886	1000V	13X11AWG	85/0.25	22.8	1043.37	4.30 Ω/km
ANM09.003.14.011AB	UL20886	1000V	14X11AWG	85/0.25	22.8	1072.97	4.30 Ω/km
ANM09.003.15.011AB	UL20886	1000V	15X11AWG	85/0.25	23.9	1166.07	4.30 Ω/km
ANM09.003.16.011AB	UL20886	1000V	16X11AWG	85/0.25	23.9	1195.87	4.30 Ω/km
ANM09.003.17.011AB	UL20886	1000V	17X11AWG	85/0.25	25.1	1298.17	4.30 Ω/km
ANM09.003.18.011AB	UL20886	1000V	18X11AWG	85/0.25	25.1	1327.87	4.30 Ω/km
ANM09.003.19.011AB	UL20886	1000V	19X11AWG	85/0.25	25.1	1357.57	4.30 Ω/km
ANM09.003.20.011AB	UL20886	1000V	20X11AWG	85/0.25	25.8	1431.17	4.30 Ω/km



ANM09.003.21.011AB	UL20886	1000V	21X11AWG	85/0.25	26.3	1493.17	4.30 Ω/km
ANM09.003.22.011AB	UL20886	1000V	22X11AWG	85/0.25	27.9	1629.87	4.30 Ω/km
ANM09.003.23.011AB	UL20886	1000V	23X11AWG	85/0.25	29.1	1743.87	4.30 Ω/km
ANM09.003.24.011AB	UL20886	1000V	24X11AWG	85/0.25	29.1	1773.47	4.30 Ω/km
ANM09.003.25.011AB	UL20886	1000V	25X11AWG	85/0.25	31.2	1955.17	4.30 Ω/km
ANM09.003.26.011AB	UL20886	1000V	26X11AWG	85/0.25	31.2	1984.77	4.30 Ω/km
ANM09.003.27.011AB	UL20886	1000V	27X11AWG	85/0.25	31.2	2014.47	4.30 Ω/km
ANM09.003.28.011AB	UL20886	1000V	28X11AWG	85/0.25	32.6	2189.07	4.30 Ω/km
ANM09.003.29.011AB	UL20886	1000V	29X11AWG	85/0.25	32.6	2218.67	4.30 Ω/km
ANM09.003.30.011AB	UL20886	1000V	30X11AWG	85/0.25	32.6	2248.27	4.30 Ω/km
ANM09.003.31.011AB	UL20886	1000V	31X11AWG	85/0.25	33.7	2369.17	4.30 Ω/km
ANM09.003.32.011AB	UL20886	1000V	32X11AWG	85/0.25	33.7	2398.77	4.30 Ω/km
ANM09.003.33.011AB	UL20886	1000V	33X11AWG	85/0.25	33.7	2428.47	4.30 Ω/km
ANM09.003.34.011AB	UL20886	1000V	34X11AWG	85/0.25	34.9	2560.77	4.30 Ω/km
ANM09.003.35.011AB	UL20886	1000V	35X11AWG	85/0.25	34.9	2590.37	4.30 Ω/km
ANM09.003.36.011AB	UL20886	1000V	36X11AWG	85/0.25	34.9	2620.17	4.30 Ω/km
ANM09.003.37.011AB	UL20886	1000V	37X11AWG	85/0.25	34.9	2649.67	4.30 Ω/km
ANM09.003.02.010AB	UL20886	1000V	2X10AWG	108/0.25	12.2	270.37	3.409 Ω/km
ANM09.003.03.010AB	UL20886	1000V	3X10AWG	108/0.25	13	331.27	3.409 Ω/km
ANM09.003.04.010AB	UL20886	1000V	4X10AWG	108/0.25	14.3	411.57	3.409 Ω/km
ANM09.003.05.010AB	UL20886	1000V	5X10AWG	108/0.25	15.6	495.97	3.409 Ω/km
ANM09.003.06.010AB	UL20886	1000V	6X10AWG	108/0.25	16.9	584.47	3.409 Ω/km
ANM09.003.07.010AB	UL20886	1000V	7X10AWG	108/0.25	16.9	619.87	3.409 Ω/km
ANM09.003.08.010AB	UL20886	1000V	8X10AWG	108/0.25	18.3	716.97	3.409 Ω/km
ANM09.003.09.010AB	UL20886	1000V	9X10AWG	108/0.25	22.2	943.97	3.409 Ω/km
ANM09.003.10.010AB	UL20886	1000V	10X10AWG	108/0.25	23.5	1053.27	3.409 Ω/km
ANM09.003.11.010AB	UL20886	1000V	11X10AWG	108/0.25	24.3	1135.77	3.409 Ω/km
ANM09.003.12.010AB	UL20886	1000V	12X10AWG	108/0.25	24.3	1171.17	3.409 Ω/km
ANM09.003.13.010AB	UL20886	1000V	13X10AWG	108/0.25	25.5	1280.67	3.409 Ω/km
ANM09.003.14.010AB	UL20886	1000V	14X10AWG	108/0.25	25.5	1315.97	3.409 Ω/km
ANM09.003.15.010AB	UL20886	1000V	15X10AWG	108/0.25	26.8	1435.37	3.409 Ω/km
ANM09.003.16.010AB	UL20886	1000V	16X10AWG	108/0.25	26.8	1470.87	3.409 Ω/km
ANM09.003.17.010AB	UL20886	1000V	17X10AWG	108/0.25	28.1	1594.37	3.409 Ω/km
ANM09.003.18.010AB	UL20886	1000V	18X10AWG	108/0.25	28.1	1629.77	3.409 Ω/km
ANM09.003.19.010AB	UL20886	1000V	19X10AWG	108/0.25	28.1	1665.27	3.409 Ω/km
ANM09.003.20.010AB	UL20886	1000V	20X10AWG	108/0.25	28.9	1756.87	3.409 Ω/km
ANM09.003.21.010AB	UL20886	1000V	21X10AWG	108/0.25	29.5	1835.47	3.409 Ω/km
ANM09.003.22.010AB	UL20886	1000V	22X10AWG	108/0.25	33.2	2188.27	3.409 Ω/km
ANM09.003.23.010AB	UL20886	1000V	23X10AWG	108/0.25	34.5	2333.57	3.409 Ω/km
ANM09.003.24.010AB	UL20886	1000V	24X10AWG	108/0.25	34.5	2368.87	3.409 Ω/km
ANM09.003.25.010AB	UL20886	1000V	25X10AWG	108/0.25	35.3	2474.07	3.409 Ω/km
ANM09.003.26.010AB	UL20886	1000V	26X10AWG	108/0.25	35.3	2509.47	3.409 Ω/km



ANM09.003.27.010AB	UL20886	1000V	27X10AWG	108/0.25	35.3	2544.77	3.409 Ω /km
ANM09.003.28.010AB	UL20886	1000V	28X10AWG	108/0.25	36.5	2687.67	3.409 Ω /km
ANM09.003.29.010AB	UL20886	1000V	29X10AWG	108/0.25	36.5	2723.07	3.409 Ω /km
ANM09.003.30.010AB	UL20886	1000V	30X10AWG	108/0.25	36.5	2758.47	3.409 Ω /km
ANM09.003.31.010AB	UL20886	1000V	31X10AWG	108/0.25	38.1	2942.57	3.409 Ω /km
ANM09.003.32.010AB	UL20886	1000V	32X10AWG	108/0.25	38.1	2977.97	3.409 Ω /km
ANM09.003.33.010AB	UL20886	1000V	33X10AWG	108/0.25	38.1	3013.37	3.409 Ω /km
ANM09.003.34.010AB	UL20886	1000V	34X10AWG	108/0.25	39.4	3173.87	3.409 Ω /km
ANM09.003.35.010AB	UL20886	1000V	35X10AWG	108/0.25	39.4	3209.37	3.409 Ω /km
ANM09.003.36.010AB	UL20886	1000V	36X10AWG	108/0.25	39.4	3244.77	3.409 Ω /km
ANM09.003.37.010AB	UL20886	1000V	37X10AWG	108/0.25	39.4	3280.07	3.409 Ω /km
ANM09.003.02.009AB	UL20886	1000V	2X9AWG	136/0.25	13.7	341.44	2.705 Ω /km
ANM09.003.03.009AB	UL20886	1000V	3X9AWG	136/0.25	14.6	419.14	2.705 Ω /km
ANM09.003.04.009AB	UL20886	1000V	4X9AWG	136/0.25	15.9	514.74	2.705 Ω /km
ANM09.003.05.009AB	UL20886	1000V	5X9AWG	136/0.25	17.5	627.24	2.705 Ω /km
ANM09.003.06.009AB	UL20886	1000V	6X9AWG	136/0.25	19	741.44	2.705 Ω /km
ANM09.003.07.009AB	UL20886	1000V	7X9AWG	136/0.25	19	786.94	2.705 Ω /km
ANM09.003.02.008AB	UL20886	1000V	2X8AWG	171/0.25	14.5	396.77	2.144 Ω /km
ANM09.003.03.008AB	UL20886	1000V	3X8AWG	171/0.25	15.4	488.97	2.144 Ω /km
ANM09.003.04.008AB	UL20886	1000V	4X8AWG	171/0.25	16.9	607.87	2.144 Ω /km
ANM09.003.05.008AB	UL20886	1000V	5X8AWG	171/0.25	18.5	736.97	2.144 Ω /km
ANM09.003.06.008AB	UL20886	1000V	6X8AWG	171/0.25	22.2	977.77	2.144 Ω /km
ANM09.003.07.008AB	UL20886	1000V	7X8AWG	171/0.25	22.2	1035.87	2.144 Ω /km
ANM09.003.02.007AB	UL20886	1000V	2X7AWG	84/0.4	15.3	461.75	1.700 Ω /km
ANM09.003.03.007AB	UL20886	1000V	3X7AWG	84/0.4	16.3	576.05	1.700 Ω /km
ANM09.003.04.007AB	UL20886	1000V	4X7AWG	84/0.4	17.9	719.25	1.700 Ω /km
ANM09.003.05.007AB	UL20886	1000V	5X7AWG	84/0.4	21.6	971.05	1.700 Ω /km
ANM09.003.06.007AB	UL20886	1000V	6X7AWG	84/0.4	23.4	1146.15	1.700 Ω /km
ANM09.003.07.007AB	UL20886	1000V	7X7AWG	84/0.4	23.4	1220.85	1.700 Ω /km
ANM09.003.02.006AB	UL20886	1000V	2X6AWG	106/0.4	16.7	556.1	1.348 Ω /km
ANM09.003.03.006AB	UL20886	1000V	3X6AWG	106/0.4	17.8	696	1.348 Ω /km
ANM09.003.04.006AB	UL20886	1000V	4X6AWG	106/0.4	21.6	969.8	1.348 Ω /km
ANM09.003.05.006AB	UL20886	1000V	5X6AWG	106/0.4	23.5	1168.6	1.348 Ω /km
ANM09.003.06.006AB	UL20886	1000V	6X6AWG	106/0.4	25.5	1382	1.348 Ω /km
ANM09.003.07.006AB	UL20886	1000V	7X6AWG	106/0.4	25.5	1474.3	1.348 Ω /km
ANM09.003.02.005AB	UL20886	1000V	2X5AWG	134/0.4	17.9	661.07	1.070 Ω /km
ANM09.003.03.005AB	UL20886	1000V	3X5AWG	134/0.4	19.1	833.47	1.070 Ω /km
ANM09.003.04.005AB	UL20886	1000V	4X5AWG	134/0.4	23	1149.67	1.070 Ω /km
ANM09.003.05.005AB	UL20886	1000V	5X5AWG	134/0.4	25.1	1391.67	1.070 Ω /km
ANM09.003.06.005AB	UL20886	1000V	6X5AWG	134/0.4	27.3	1651.17	1.070 Ω /km
ANM09.003.07.005AB	UL20886	1000V	7X5AWG	134/0.4	27.3	1768.07	1.070 Ω /km
ANM09.003.02.004AB	UL20886	1000V	2X4AWG	169/0.4	22.5	953.05	0.8481 Ω /km



ANM09.003.03.004AB	UL20886	1000V	3X4AWG	169/0.4	23.9	1181.05	0.8481 Ω/km
ANM09.003.04.004AB	UL20886	1000V	4X4AWG	169/0.4	26.2	1471.35	0.8481 Ω/km
ANM09.003.05.004AB	UL20886	1000V	5X4AWG	169/0.4	28.6	1781.25	0.8481 Ω/km
ANM09.003.06.004AB	UL20886	1000V	6X4AWG	169/0.4	33	2294.05	0.8481 Ω/km
ANM09.003.07.004AB	UL20886	1000V	7X4AWG	169/0.4	33	2441.75	0.8481 Ω/km
ANM09.003.02.003AB	UL20886	1000V	2X3AWG	213/0.4	24.1	1128.27	0.6727 Ω/km
ANM09.003.03.003AB	UL20886	1000V	3X3AWG	213/0.4	25.6	1406.77	0.6727 Ω/km
ANM09.003.04.003AB	UL20886	1000V	4X3AWG	213/0.4	28.1	1758.67	0.6727 Ω/km
ANM09.003.05.003AB	UL20886	1000V	5X3AWG	213/0.4	32.6	2312.37	0.6727 Ω/km
ANM09.003.06.003AB	UL20886	1000V	6X3AWG	213/0.4	35.4	2736.37	0.6727 Ω/km
ANM09.003.07.003AB	UL20886	1000V	7X3AWG	213/0.4	35.4	2922.67	0.6727 Ω/km
ANM09.003.02.002AB	UL20886	1000V	2X2AWG	268/0.4	25.9	1343.72	0.5335 Ω/km
ANM09.003.03.002AB	UL20886	1000V	3X2AWG	268/0.4	27.6	1690.82	0.5335 Ω/km
ANM09.003.04.002AB	UL20886	1000V	4X2AWG	268/0.4	32.1	2287.02	0.5335 Ω/km
ANM09.003.05.002AB	UL20886	1000V	5X2AWG	268/0.4	35	2764.92	0.5335 Ω/km
ANM09.003.06.002AB	UL20886	1000V	6X2AWG	268/0.4	38.4	3310.52	0.5335 Ω/km
ANM09.003.07.002AB	UL20886	1000V	7X2AWG	268/0.4	38.4	3545.32	0.5335 Ω/km
ANM09.003.02.001AB	UL20886	1000V	2X1AWG	338/0.4	28.5	1654.71	0.4230 Ω/km
ANM09.003.03.001AB	UL20886	1000V	3X1AWG	338/0.4	32.2	2260.31	0.4230 Ω/km
ANM09.003.04.001AB	UL20886	1000V	4X1AWG	338/0.4	35.2	2811.41	0.4230 Ω/km
ANM09.003.05.001AB	UL20886	1000V	5X1AWG	338/0.4	38.8	3441.81	0.4230 Ω/km
ANM09.003.06.001AB	UL20886	1000V	6X1AWG	338/0.4	42.5	4152.01	0.4230 Ω/km
ANM09.003.07.001AB	UL20886	1000V	7X1AWG	338/0.4	42.5	4450.61	0.4230 Ω/km
ANM09.003.02.1/OAB	UL20886	1000V	2X1/OAWG	426/0.4	32.9	2177.19	0.3354 Ω/km
ANM09.003.03.1/OAB	UL20886	1000V	3X1/OAWG	426/0.4	35	2727.49	0.3354 Ω/km
ANM09.003.04.1/OAB	UL20886	1000V	4X1/OAWG	426/0.4	38.6	3429.79	0.3354 Ω/km
ANM09.003.05.1/OAB	UL20886	1000V	5X1/OAWG	426/0.4	42.5	4232.99	0.3354 Ω/km
ANM09.003.06.1/OAB	UL20886	1000V	6X1/OAWG	426/0.4	47.8	5195.29	0.3354 Ω/km
ANM09.003.07.1/OAB	UL20886	1000V	7X1/OAWG	426/0.4	47.8	5567.59	0.3354 Ω/km
ANM09.003.02.2/OAB	UL20886	1000V	2X2/OAWG	537/0.4	35.5	2606.33	0.2660 Ω/km
ANM09.003.03.2/OAB	UL20886	1000V	3X2/OAWG	537/0.4	38.1	3313.63	0.2660 Ω/km
ANM09.003.04.2/OAB	UL20886	1000V	4X2/OAWG	537/0.4	42	4208.13	0.2660 Ω/km
ANM09.003.05.2/OAB	UL20886	1000V	5X2/OAWG	537/0.4	47.5	5284.33	0.2660 Ω/km
ANM09.003.06.2/OAB	UL20886	1000V	6X2/OAWG	537/0.4	51.7	6272.33	0.2660 Ω/km
ANM09.003.07.2/OAB	UL20886	1000V	7X2/OAWG	537/0.4	51.7	6741.13	0.2660 Ω/km
ANM09.003.02.3/OAB	UL20886	1000V	2X3/OAWG	677/0.4	38.4	3144.51	0.2110 Ω/km
ANM09.003.03.3/OAB	UL20886	1000V	3X3/OAWG	677/0.4	40.9	3986.61	0.2110 Ω/km
ANM09.003.04.3/OAB	UL20886	1000V	4X3/OAWG	677/0.4	46.5	5223.01	0.2110 Ω/km
ANM09.003.05.3/OAB	UL20886	1000V	5X3/OAWG	677/0.4	51	6365.91	0.2110 Ω/km
ANM09.003.06.3/OAB	UL20886	1000V	6X3/OAWG	677/0.4	55.6	7571.41	0.2110 Ω/km
ANM09.003.07.3/OAB	UL20886	1000V	7X3/OAWG	677/0.4	55.6	8166.91	0.2110 Ω/km
ANM09.003.02.4/OAB	UL20886	1000V	2X4/OAWG	854/0.4	41.6	3796.2	0.1673 Ω/km



ANM09.003.03.4/0AB	UL20886	1000V	3X4/0AWG	854/0.4	45.9	5047.4	0.1673 Ω /km
ANM09.003.04.4/0AB	UL20886	1000V	4X4/0AWG	854/0.4	50.4	6339.2	0.1673 Ω /km
ANM09.003.05.4/0AB	UL20886	1000V	5X4/0AWG	854/0.4	55.3	7735.1	0.1673 Ω /km
ANM09.003.06.4/0AB	UL20886	1000V	6X4/0AWG	854/0.4	60.4	9218.7	0.1673 Ω /km
ANM09.003.07.4/0AB	UL20886	1000V	7X4/0AWG	854/0.4	60.4	9970.1	0.1673 Ω /km
ANM09.003.02.250kV	UL20886	1000V	2X250kcmil	1007/0.4	47.4	4751.3	0.1416 Ω /km
ANM09.003.03.250kV	UL20886	1000V	3X250kcmil	1007/0.4	50.4	5998.7	0.1416 Ω /km
ANM09.003.04.250kV	UL20886	1000V	4X250kcmil	1007/0.4	55.4	7538.4	0.1416 Ω /km
ANM09.003.05.250kV	UL20886	1000V	5X250kcmil	1007/0.4	61	9228.9	0.1416 Ω /km
ANM09.003.02.300kV	UL20886	1000V	2X300kcmil	1184/0.4	49.6	5425.1	0.1180 Ω /km
ANM09.003.03.300kV	UL20886	1000V	3X300kcmil	1184/0.4	52.8	6906.2	0.1180 Ω /km
ANM09.003.04.300kV	UL20886	1000V	4X300kcmil	1184/0.4	58.1	8709.4	0.1180 Ω /km
ANM09.003.05.300kV	UL20886	1000V	5X300kcmil	1184/0.4	63.9	10659.5	0.1180 Ω /km
ANM09.003.02.350kV	UL20886	1000V	2X350kcmil	1406/0.4	52.6	6172.7	0.1011 Ω /km
ANM09.003.03.350kV	UL20886	1000V	3X350kcmil	1406/0.4	56	7875.2	0.1011 Ω /km
ANM09.003.04.350kV	UL20886	1000V	4X350kcmil	1406/0.4	61.7	9951.1	0.1011 Ω /km
ANM09.003.05.350kV	UL20886	1000V	5X350kcmil	1406/0.4	68	12205.8	0.1011 Ω /km
ANM09.003.02.400kV	UL20886	1000V	2X400kcmil	1628/0.4	55.6	6951.2	0.08851 Ω /km
ANM09.003.03.400kV	UL20886	1000V	3X400kcmil	1628/0.4	59.3	8896.9	0.08851 Ω /km
ANM09.003.04.400kV	UL20886	1000V	4X400kcmil	1628/0.4	65.3	11241	0.08851 Ω /km
ANM09.003.05.400kV	UL20886	1000V	5X400kcmil	1628/0.4	74.4	14212.3	0.08851 Ω /km
ANM09.003.02.450kV	UL20886	1000V	2X450kcmil	1830/0.4	58	7665.2	0.07867 Ω /km
ANM09.003.03.450kV	UL20886	1000V	3X450kcmil	1830/0.4	61.8	9823.1	0.07867 Ω /km
ANM09.003.04.450kV	UL20886	1000V	4X450kcmil	1830/0.4	68.2	12445.9	0.07867 Ω /km
ANM09.003.05.450kV	UL20886	1000V	5X450kcmil	1830/0.4	77.7	15732.3	0.07867 Ω /km
ANM09.003.02.500kV	UL20886	1000V	2X500kcmil	2013/0.4	60	8348.4	0.07080 Ω /km
ANM09.003.03.500kV	UL20886	1000V	3X500kcmil	2013/0.4	64	10738.9	0.07080 Ω /km
ANM09.003.04.500kV	UL20886	1000V	4X500kcmil	2013/0.4	73	14021.6	0.07080 Ω /km
ANM09.003.05.500kV	UL20886	1000V	5X500kcmil	2013/0.4	80.4	17196.7	0.07080 Ω /km
ANM09.003.03.01.013AB	UL20886	1000V	3X13AWG+1X15AWG	54/0.25	10.4	212.55	6.82 Ω /km
ANM09.003.03.01.012AB	UL20886	1000V	3X12AWG+1X14AWG	68/0.25	11.3	256.88	5.43 Ω /km
ANM09.003.03.01.011AB	UL20886	1000V	3X11AWG+1X14AWG	85/0.25	12	294.28	4.30 Ω /km
ANM09.003.03.01.010AB	UL20886	1000V	3X10AWG+1X13AWG	108/0.25	13.4	361.03	3.409 Ω /km
ANM09.003.03.01.009AB	UL20886	1000V	3X9AWG+1X12AWG	136/0.25	14.9	450.91	2.705 Ω /km
ANM09.003.03.01.008AB	UL20886	1000V	3X8AWG+1X11AWG	171/0.25	15.9	533.97	2.144 Ω /km
ANM09.003.03.01.007AB	UL20886	1000V	3X7AWG+1X10AWG	84/0.4	17	635.47	1.700 Ω /km
ANM09.003.03.01.006AB	UL20886	1000V	3X6AWG+1X9AWG	106/0.4	18.6	771.24	1.348 Ω /km
ANM09.003.03.01.005AB	UL20886	1000V	3X5AWG+1X8AWG	134/0.4	22	1026.67	1.070 Ω /km
ANM09.003.03.01.004AB	UL20886	1000V	3X4AWG+1X7AWG	169/0.4	24.6	1287.25	0.8481 Ω /km
ANM09.003.03.01.003AB	UL20886	1000V	3X3AWG+1X6AWG	213/0.4	26.5	1543.5	0.6727 Ω /km
ANM09.003.03.01.002AB	UL20886	1000V	3X2AWG+1X5AWG	268/0.4	28.5	1853.37	0.5335 Ω /km
ANM09.003.03.01.001AB	UL20886	1000V	3X1AWG+1X4AWG	338/0.4	33.4	2485.05	0.4230 Ω /km



ANM09.003.03.01.1/OAB	UL20886	1000V	3X1/OAWG+1X3AWG	426/0.4	36.2	2993.47	0.3354 Ω /km
ANM09.003.03.01.2/OAB	UL20886	1000V	3X2/OAWG+1X2AWG	537/0.4	39.4	3639.82	0.2660 Ω /km
ANM09.003.03.01.3/OAB	UL20886	1000V	3X3/OAWG+1X1AWG	677/0.4	42.8	4478.31	0.2110 Ω /km
ANM09.003.03.01.4/OAB	UL20886	1000V	3X4/OAWG+1X1/OAWG	854/0.4	47.9	5600.19	0.1673 Ω /km
ANM09.003.03.01.250kB	UL20886	1000V	3X250kcmil+1X2/OAWG	1007/0.4	52.5	6676.93	0.1416 Ω /km
ANM09.003.03.01.300kB	UL20886	1000V	3X300kcmil+1X3/OAWG	1184/0.4	55.3	7770.71	0.1180 Ω /km
ANM09.003.03.01.350kB	UL20886	1000V	3X350kcmil+1X4/OAWG	1406/0.4	59	8985.1	0.1011 Ω /km
ANM09.003.03.01.400kB	UL20886	1000V	3X400kcmil+1X250kcmil	1628/0.4	62.9	10247.9	0.08851 Ω /km
ANM09.003.03.01.450kB	UL20886	1000V	3X450kcmil+1X300kcmil	1830/0.4	65.8	11452	0.07867 Ω /km
ANM09.003.03.01.500kB	UL20886	1000V	3X500kcmil+1X350kcmil	2013/0.4	68.5	12644.1	0.07080 Ω /km
ANM09.003.03.02.013AB	UL20886	1000V	3X13AWG+2X15AWG	54/0.25	11.1	243.75	6.82 Ω /km
ANM09.003.03.02.012AB	UL20886	1000V	3X12AWG+2X14AWG	68/0.25	12	292.78	5.43 Ω /km
ANM09.003.03.02.011AB	UL20886	1000V	3X11AWG+2X14AWG	85/0.25	12.6	328.18	4.30 Ω /km
ANM09.003.03.02.010AB	UL20886	1000V	3X10AWG+2X13AWG	108/0.25	14	400.53	3.409 Ω /km
ANM09.003.03.02.009AB	UL20886	1000V	3X9AWG+2X12AWG	136/0.25	15.6	502.01	2.705 Ω /km
ANM09.003.03.02.008AB	UL20886	1000V	3X8AWG+2X11AWG	171/0.25	16.7	596.27	2.144 Ω /km
ANM09.003.03.02.007AB	UL20886	1000V	3X7AWG+2X10AWG	84/0.4	18	714.77	1.700 Ω /km
ANM09.003.03.02.006AB	UL20886	1000V	3X6AWG+2X9AWG	106/0.4	21.8	973.04	1.348 Ω /km
ANM09.003.03.02.005AB	UL20886	1000V	3X5AWG+2X8AWG	134/0.4	23.2	1152.07	1.070 Ω /km
ANM09.003.03.02.004AB	UL20886	1000V	3X4AWG+2X7AWG	169/0.4	25.8	1436.55	0.8481 Ω /km
ANM09.003.03.02.003AB	UL20886	1000V	3X3AWG+2X6AWG	213/0.4	27.8	1723.1	0.6727 Ω /km
ANM09.003.03.02.002AB	UL20886	1000V	3X2AWG+2X5AWG	268/0.4	31.7	2237.37	0.5335 Ω /km
ANM09.003.03.02.001AB	UL20886	1000V	3X1AWG+2X4AWG	338/0.4	35.3	2795.55	0.4230 Ω /km
ANM09.003.03.02.1/OAB	UL20886	1000V	3X1/OAWG+2X3AWG	426/0.4	38.5	3393.57	0.3354 Ω /km
ANM09.003.03.02.2/OAB	UL20886	1000V	3X2/OAWG+2X2AWG	537/0.4	41.6	4096.02	0.2660 Ω /km
ANM09.003.03.02.3/OAB	UL20886	1000V	3X3/OAWG+2X1AWG	677/0.4	46.7	5205.21	0.2110 Ω /km
ANM09.003.03.02.4/OAB	UL20886	1000V	3X4/OAWG+2X1/OAWG	854/0.4	50.7	6316.49	0.1673 Ω /km
ANM09.003.03.02.250kB	UL20886	1000V	3X250kcmil+2X2/OAWG	1007/0.4	55.5	7548.63	0.1416 Ω /km
ANM09.003.03.02.300kB	UL20886	1000V	3X300kcmil+2X3/OAWG	1184/0.4	58.7	8847.71	0.1180 Ω /km
ANM09.003.03.02.350kB	UL20886	1000V	3X350kcmil+2X4/OAWG	1406/0.4	62.9	10325.7	0.1011 Ω /km
ANM09.003.03.02.400kB	UL20886	1000V	3X400kcmil+2X250kcmil	1628/0.4	67.6	11888.5	0.08851 Ω /km
ANM09.003.03.02.450kB	UL20886	1000V	3X450kcmil+2X300kcmil	1830/0.4	73.1	13760.7	0.07867 Ω /km
ANM09.003.03.02.500kB	UL20886	1000V	3X500kcmil+2X350kcmil	2013/0.4	76.3	15264.3	0.07080 Ω /km
ANM09.003.01.01.013AB	UL20886	1000V	4X13AWG+1X15AWG	54/0.25	11.4	259.05	6.82 Ω /km
ANM09.003.01.01.012AB	UL20886	1000V	4X12AWG+1X14AWG	68/0.25	12.3	310.98	5.43 Ω /km
ANM09.003.01.01.011AB	UL20886	1000V	4X11AWG+1X14AWG	85/0.25	13.3	365.58	4.30 Ω /km
ANM09.003.01.01.010AB	UL20886	1000V	4X10AWG+1X13AWG	108/0.25	14.8	446.23	3.409 Ω /km
ANM09.003.01.01.009AB	UL20886	1000V	4X9AWG+1X12AWG	136/0.25	16.5	559.81	2.705 Ω /km
ANM09.003.01.01.008AB	UL20886	1000V	4X8AWG+1X11AWG	171/0.25	17.6	663.57	2.144 Ω /km
ANM09.003.01.01.007AB	UL20886	1000V	4X7AWG+1X10AWG	84/0.4	18.8	790.67	1.700 Ω /km
ANM09.003.01.01.006AB	UL20886	1000V	4X6AWG+1X9AWG	106/0.4	22.7	1069.34	1.348 Ω /km
ANM09.003.01.01.005AB	UL20886	1000V	4X5AWG+1X8AWG	134/0.4	24.2	1269.57	1.070 Ω /km



ANM09.003.01.01.001AB	UL20886	1000V	4X4AWG+1X7AWG	169/0.4	27.2	1601.25	0.8481 Ω/km
ANM09.003.01.01.003AB	UL20886	1000V	4X3AWG+1X6AWG	213/0.4	29.3	1922.6	0.6727 Ω/km
ANM09.003.01.01.002AB	UL20886	1000V	4X2AWG+1X5AWG	268/0.4	33.4	2493.57	0.5335 Ω/km
ANM09.003.01.01.001AB	UL20886	1000V	4X1AWG+1X4AWG	338/0.4	36.9	3090.65	0.4230 Ω/km
ANM09.003.01.01.1/OAB	UL20886	1000V	4X1/OAWG+1X3AWG	426/0.4	40.4	3766.17	0.3354 Ω/km
ANM09.003.01.01.2/OAB	UL20886	1000V	4X2/OAWG+1X2AWG	537/0.4	43.9	4613.62	0.2660 Ω/km
ANM09.003.01.01.3/OAB	UL20886	1000V	4X3/OAWG+1X1AWG	677/0.4	48.8	5752.41	0.2110 Ω/km
ANM09.003.01.01.4/OAB	UL20886	1000V	4X4/OAWG+1X1/OAWG	854/0.4	53	6992.59	0.1673 Ω/km
ANM09.003.01.01.250kB	UL20886	1000V	4X250kcmil+1X2/OAWG	1007/0.4	58.2	8342.83	0.1416 Ω/km
ANM09.003.01.01.300kB	UL20886	1000V	4X300kcmil+1X3/OAWG	1184/0.4	61.3	9711.91	0.1180 Ω/km
ANM09.003.01.01.350kB	UL20886	1000V	4X350kcmil+1X4/OAWG	1406/0.4	65.4	11215	0.1011 Ω/km
ANM09.003.01.01.400kB	UL20886	1000V	4X400kcmil+1X250kcmil	1628/0.4	69.8	12798.5	0.08851 Ω/km
ANM09.003.01.01.450kB	UL20886	1000V	4X450kcmil+1X300kcmil	1830/0.4	75.4	14702.1	0.07867 Ω/km
ANM09.003.01.01.500kB	UL20886	1000V	4X500kcmil+1X350kcmil	2013/0.4	78.3	16177.8	0.07080 Ω/km
ANM09.003.03.03.013AB	UL20886	1000V	3X13AWG+3X18AWG	54/0.25	10.1	222.23	6.82 Ω/km
ANM09.003.03.03.012AB	UL20886	1000V	3X12AWG+3X17AWG	68/0.25	11	268.24	5.43 Ω/km
ANM09.003.03.03.011AB	UL20886	1000V	3X11AWG+3X16AWG	85/0.25	12.1	325.61	4.30 Ω/km
ANM09.003.03.03.010AB	UL20886	1000V	3X10AWG+3X15AWG	108/0.25	13.2	390.25	3.409 Ω/km
ANM09.003.03.03.009AB	UL20886	1000V	3X9AWG+3X14AWG	136/0.25	14.5	478.68	2.705 Ω/km
ANM09.003.03.03.008AB	UL20886	1000V	3X8AWG+3X13AWG	171/0.25	15.5	567.43	2.144 Ω/km
ANM09.003.03.03.007AB	UL20886	1000V	3X7AWG+3X12AWG	84/0.4	16.7	683.51	1.700 Ω/km
ANM09.003.03.03.006AB	UL20886	1000V	3X6AWG+3X11AWG	106/0.4	18.4	831.77	1.348 Ω/km
ANM09.003.03.03.005AB	UL20886	1000V	3X5AWG+3X10AWG	134/0.4	22.2	1114.37	1.070 Ω/km
ANM09.003.03.03.004AB	UL20886	1000V	3X4AWG+3X9AWG	169/0.4	25.1	1413.04	0.8481 Ω/km
ANM09.003.03.03.003AB	UL20886	1000V	3X3AWG+3X8AWG	213/0.4	26.9	1687.17	0.6727 Ω/km
ANM09.003.03.03.002AB	UL20886	1000V	3X2AWG+3X7AWG	268/0.4	28.7	2010.75	0.5335 Ω/km
ANM09.003.03.03.001AB	UL20886	1000V	3X1AWG+3X6AWG	338/0.4	33.1	2658.9	0.4230 Ω/km
ANM09.003.03.03.1/OAB	UL20886	1000V	3X1/OAWG+3X5AWG	426/0.4	35.8	3196.97	0.3354 Ω/km
ANM09.003.03.03.2/OAB	UL20886	1000V	3X2/OAWG+3X4AWG	537/0.4	39.8	3996.35	0.2660 Ω/km
ANM09.003.03.03.3/OAB	UL20886	1000V	3X3/OAWG+3X3AWG	677/0.4	42.9	4886.47	0.2110 Ω/km
ANM09.003.03.03.4/OAB	UL20886	1000V	3X4/OAWG+3X2AWG	854/0.4	48	6091.82	0.1673 Ω/km
ANM09.003.03.03.250kB	UL20886	1000V	3X250kcmil+3X1AWG	1007/0.4	53	7331.31	0.1416 Ω/km
ANM09.003.03.03.300kB	UL20886	1000V	3X300kcmil+3X1/OAWG	1184/0.4	56.7	8656.19	0.1180 Ω/km
ANM09.003.03.03.350kB	UL20886	1000V	3X350kcmil+3X1/OAWG	1406/0.4	58.7	9461.79	0.1011 Ω/km
ANM09.003.03.03.400kB	UL20886	1000V	3X400kcmil+3X2/OAWG	1628/0.4	62.9	10938.23	0.08851 Ω/km
ANM09.003.03.03.450kB	UL20886	1000V	3X450kcmil+3X3/OAWG	1830/0.4	66.7	12486.31	0.07867 Ω/km
ANM09.003.03.03.500kB	UL20886	1000V	3X500kcmil+3X3/OAWG	2013/0.4	68.1	13273.21	0.07080 Ω/km
物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
芯线 XLPE 材质							
ANM12.002.02.022AB	UL20886	1000V	2X22AWG	22/0.14	7.8	86.13	55.4 Ω/km
ANM12.002.03.022AB	UL20886	1000V	3X22AWG	22/0.14	8.2	96.33	55.4 Ω/km



ANM12.002.04.022AB	UL20886	1000V	4X22AWG	22/0.14	8.8	111.93	55.4 Ω/km
ANM12.002.05.022AB	UL20886	1000V	5X22AWG	22/0.14	9.5	130.53	55.4 Ω/km
ANM12.002.06.022AB	UL20886	1000V	6X22AWG	22/0.14	10.2	150.43	55.4 Ω/km
ANM12.002.07.022AB	UL20886	1000V	7X22AWG	22/0.14	10.2	152.53	55.4 Ω/km
ANM12.002.08.022AB	UL20886	1000V	8X22AWG	22/0.14	11	176.43	55.4 Ω/km
ANM12.002.09.022AB	UL20886	1000V	9X22AWG	22/0.14	11.9	204.83	55.4 Ω/km
ANM12.002.10.022AB	UL20886	1000V	10X22AWG	22/0.14	12.6	228.73	55.4 Ω/km
ANM12.002.11.022AB	UL20886	1000V	11X22AWG	22/0.14	13	243.93	55.4 Ω/km
ANM12.002.12.022AB	UL20886	1000V	12X22AWG	22/0.14	13	245.93	55.4 Ω/km
ANM12.002.13.022AB	UL20886	1000V	13X22AWG	22/0.14	13.7	271.83	55.4 Ω/km
ANM12.002.14.022AB	UL20886	1000V	14X22AWG	22/0.14	13.7	273.83	55.4 Ω/km
ANM12.002.15.022AB	UL20886	1000V	15X22AWG	22/0.14	14.4	300.93	55.4 Ω/km
ANM12.002.16.022AB	UL20886	1000V	16X22AWG	22/0.14	14.4	303.13	55.4 Ω/km
ANM12.002.17.022AB	UL20886	1000V	17X22AWG	22/0.14	15.1	331.23	55.4 Ω/km
ANM12.002.18.022AB	UL20886	1000V	18X22AWG	22/0.14	15.1	333.43	55.4 Ω/km
ANM12.002.19.022AB	UL20886	1000V	19X22AWG	22/0.14	15.1	335.63	55.4 Ω/km
ANM12.002.20.022AB	UL20886	1000V	20X22AWG	22/0.14	15.5	353.13	55.4 Ω/km
ANM12.002.21.022AB	UL20886	1000V	21X22AWG	22/0.14	15.9	371.03	55.4 Ω/km
ANM12.002.22.022AB	UL20886	1000V	22X22AWG	22/0.14	16.8	410.13	55.4 Ω/km
ANM12.002.23.022AB	UL20886	1000V	23X22AWG	22/0.14	17.5	442.43	55.4 Ω/km
ANM12.002.24.022AB	UL20886	1000V	24X22AWG	22/0.14	17.5	444.53	55.4 Ω/km
ANM12.002.25.022AB	UL20886	1000V	25X22AWG	22/0.14	17.9	464.53	55.4 Ω/km
ANM12.002.26.022AB	UL20886	1000V	26X22AWG	22/0.14	17.9	466.53	55.4 Ω/km
ANM12.002.27.022AB	UL20886	1000V	27X22AWG	22/0.14	17.9	468.73	55.4 Ω/km
ANM12.002.28.022AB	UL20886	1000V	28X22AWG	22/0.14	18.5	498.13	55.4 Ω/km
ANM12.002.29.022AB	UL20886	1000V	29X22AWG	22/0.14	18.5	500.33	55.4 Ω/km
ANM12.002.30.022AB	UL20886	1000V	30X22AWG	22/0.14	18.5	502.53	55.4 Ω/km
ANM12.002.31.022AB	UL20886	1000V	31X22AWG	22/0.14	19.2	537.63	55.4 Ω/km
ANM12.002.32.022AB	UL20886	1000V	32X22AWG	22/0.14	19.2	539.83	55.4 Ω/km
ANM12.002.33.022AB	UL20886	1000V	33X22AWG	22/0.14	19.2	542.03	55.4 Ω/km
ANM12.002.34.022AB	UL20886	1000V	34X22AWG	22/0.14	21.9	677.33	55.4 Ω/km
ANM12.002.35.022AB	UL20886	1000V	35X22AWG	22/0.14	21.9	679.43	55.4 Ω/km
ANM12.002.36.022AB	UL20886	1000V	36X22AWG	22/0.14	21.9	681.63	55.4 Ω/km
ANM12.002.37.022AB	UL20886	1000V	37X22AWG	22/0.14	21.9	683.73	55.4 Ω/km
ANM12.002.38.022AB	UL20886	1000V	38X22AWG	22/0.14	22.7	730.13	55.4 Ω/km
ANM12.002.39.022AB	UL20886	1000V	39X22AWG	22/0.14	22.7	732.23	55.4 Ω/km
ANM12.002.40.022AB	UL20886	1000V	40X22AWG	22/0.14	22.7	734.33	55.4 Ω/km
ANM12.002.41.022AB	UL20886	1000V	41X22AWG	22/0.14	24.3	829.73	55.4 Ω/km
ANM12.002.42.022AB	UL20886	1000V	42X22AWG	22/0.14	24.3	831.83	55.4 Ω/km
ANM12.002.43.022AB	UL20886	1000V	43X22AWG	22/0.14	24.3	834.03	55.4 Ω/km
ANM12.002.44.022AB	UL20886	1000V	44X22AWG	22/0.14	24.3	836.13	55.4 Ω/km
ANM12.002.45.022AB	UL20886	1000V	45X22AWG	22/0.14	24.7	862.63	55.4 Ω/km



ANM12.002.46.022AB	UL20886	1000V	46X22AWG	22/0.14	24.7	864.93	55.4 Ω/km
ANM12.002.47.022AB	UL20886	1000V	47X22AWG	22/0.14	24.7	867.03	55.4 Ω/km
ANM12.002.48.022AB	UL20886	1000V	48X22AWG	22/0.14	24.7	869.13	55.4 Ω/km
ANM12.002.49.022AB	UL20886	1000V	49X22AWG	22/0.14	25.3	908.33	55.4 Ω/km
ANM12.002.50.022AB	UL20886	1000V	50X22AWG	22/0.14	25.3	910.53	55.4 Ω/km
ANM12.002.51.022AB	UL20886	1000V	51X22AWG	22/0.14	25.3	912.53	55.4 Ω/km
ANM12.002.52.022AB	UL20886	1000V	52X22AWG	22/0.14	25.3	914.83	55.4 Ω/km
ANM12.002.53.022AB	UL20886	1000V	53X22AWG	22/0.14	26	961.33	55.4 Ω/km
ANM12.002.54.022AB	UL20886	1000V	54X22AWG	22/0.14	26	963.43	55.4 Ω/km
ANM12.002.55.022AB	UL20886	1000V	55X22AWG	22/0.14	26	965.73	55.4 Ω/km
ANM12.002.56.022AB	UL20886	1000V	56X22AWG	22/0.14	26	967.73	55.4 Ω/km
ANM12.002.57.022AB	UL20886	1000V	57X22AWG	22/0.14	26.7	1015.53	55.4 Ω/km
ANM12.002.58.022AB	UL20886	1000V	58X22AWG	22/0.14	26.7	1017.73	55.4 Ω/km
ANM12.002.59.022AB	UL20886	1000V	59X22AWG	22/0.14	26.7	1019.83	55.4 Ω/km
ANM12.002.60.022AB	UL20886	1000V	60X22AWG	22/0.14	26.7	1021.93	55.4 Ω/km
ANM12.002.61.022AB	UL20886	1000V	61X22AWG	22/0.14	26.7	1024.23	55.4 Ω/km
ANM12.002.62.022AB	UL20886	1000V	62X22AWG	22/0.14	27.5	1079.83	55.4 Ω/km
ANM12.002.63.022AB	UL20886	1000V	63X22AWG	22/0.14	27.5	1081.93	55.4 Ω/km
ANM12.002.64.022AB	UL20886	1000V	64X22AWG	22/0.14	27.5	1084.03	55.4 Ω/km
ANM12.002.65.022AB	UL20886	1000V	65X22AWG	22/0.14	27.5	1086.23	55.4 Ω/km
ANM12.002.02.021AB	UL20886	1000V	2X21AWG	27/0.14	8	91.32	43.6 Ω/km
ANM12.002.03.021AB	UL20886	1000V	3X21AWG	27/0.14	8.4	102.72	43.6 Ω/km
ANM12.002.04.021AB	UL20886	1000V	4X21AWG	27/0.14	9.1	121.32	43.6 Ω/km
ANM12.002.05.021AB	UL20886	1000V	5X21AWG	27/0.14	9.8	141.12	43.6 Ω/km
ANM12.002.06.021AB	UL20886	1000V	6X21AWG	27/0.14	10.5	162.12	43.6 Ω/km
ANM12.002.07.021AB	UL20886	1000V	7X21AWG	27/0.14	10.5	164.92	43.6 Ω/km
ANM12.002.08.021AB	UL20886	1000V	8X21AWG	27/0.14	11.3	190.02	43.6 Ω/km
ANM12.002.09.021AB	UL20886	1000V	9X21AWG	27/0.14	12.3	222.82	43.6 Ω/km
ANM12.002.10.021AB	UL20886	1000V	10X21AWG	27/0.14	13	247.92	43.6 Ω/km
ANM12.002.11.021AB	UL20886	1000V	11X21AWG	27/0.14	13.5	267.52	43.6 Ω/km
ANM12.002.12.021AB	UL20886	1000V	12X21AWG	27/0.14	13.5	270.32	43.6 Ω/km
ANM12.002.13.021AB	UL20886	1000V	13X21AWG	27/0.14	14.2	297.62	43.6 Ω/km
ANM12.002.14.021AB	UL20886	1000V	14X21AWG	27/0.14	14.2	300.42	43.6 Ω/km
ANM12.002.15.021AB	UL20886	1000V	15X21AWG	27/0.14	14.9	328.72	43.6 Ω/km
ANM12.002.16.021AB	UL20886	1000V	16X21AWG	27/0.14	14.9	331.42	43.6 Ω/km
ANM12.002.17.021AB	UL20886	1000V	17X21AWG	27/0.14	15.6	361.12	43.6 Ω/km
ANM12.002.18.021AB	UL20886	1000V	18X21AWG	27/0.14	15.6	363.82	43.6 Ω/km
ANM12.002.19.021AB	UL20886	1000V	19X21AWG	27/0.14	15.6	366.72	43.6 Ω/km
ANM12.002.20.021AB	UL20886	1000V	20X21AWG	27/0.14	16	385.42	43.6 Ω/km
ANM12.002.21.021AB	UL20886	1000V	21X21AWG	27/0.14	16.4	404.52	43.6 Ω/km
ANM12.002.22.021AB	UL20886	1000V	22X21AWG	27/0.14	17.4	449.52	43.6 Ω/km
ANM12.002.23.021AB	UL20886	1000V	23X21AWG	27/0.14	18.1	483.22	43.6 Ω/km



ANM12.002.24.021AB	UL20886	1000V	24X21AWG	27/0.14	18.1	486.12	43.6Ω/km
ANM12.002.25.021AB	UL20886	1000V	25X21AWG	27/0.14	18.5	507.22	43.6Ω/km
ANM12.002.26.021AB	UL20886	1000V	26X21AWG	27/0.14	18.5	510.02	43.6Ω/km
ANM12.002.27.021AB	UL20886	1000V	27X21AWG	27/0.14	18.5	512.82	43.6Ω/km
ANM12.002.28.021AB	UL20886	1000V	28X21AWG	27/0.14	19.2	548.62	43.6Ω/km
ANM12.002.29.021AB	UL20886	1000V	29X21AWG	27/0.14	19.2	551.32	43.6Ω/km
ANM12.002.30.021AB	UL20886	1000V	30X21AWG	27/0.14	19.2	554.12	43.6Ω/km
ANM12.002.31.021AB	UL20886	1000V	31X21AWG	27/0.14	21.9	690.02	43.6Ω/km
ANM12.002.32.021AB	UL20886	1000V	32X21AWG	27/0.14	21.9	692.72	43.6Ω/km
ANM12.002.33.021AB	UL20886	1000V	33X21AWG	27/0.14	21.9	695.62	43.6Ω/km
ANM12.002.34.021AB	UL20886	1000V	34X21AWG	27/0.14	22.6	737.02	43.6Ω/km
ANM12.002.35.021AB	UL20886	1000V	35X21AWG	27/0.14	22.6	739.82	43.6Ω/km
ANM12.002.36.021AB	UL20886	1000V	36X21AWG	27/0.14	22.6	742.52	43.6Ω/km
ANM12.002.37.021AB	UL20886	1000V	37X21AWG	27/0.14	22.6	745.32	43.6Ω/km
ANM12.002.38.021AB	UL20886	1000V	38X21AWG	27/0.14	23.4	793.52	43.6Ω/km
ANM12.002.39.021AB	UL20886	1000V	39X21AWG	27/0.14	23.4	796.32	43.6Ω/km
ANM12.002.40.021AB	UL20886	1000V	40X21AWG	27/0.14	23.4	799.12	43.6Ω/km
ANM12.002.41.021AB	UL20886	1000V	41X21AWG	27/0.14	25.1	903.92	43.6Ω/km
ANM12.002.42.021AB	UL20886	1000V	42X21AWG	27/0.14	25.1	906.82	43.6Ω/km
ANM12.002.43.021AB	UL20886	1000V	43X21AWG	27/0.14	25.1	909.52	43.6Ω/km
ANM12.002.44.021AB	UL20886	1000V	44X21AWG	27/0.14	25.1	912.32	43.6Ω/km
ANM12.002.45.021AB	UL20886	1000V	45X21AWG	27/0.14	25.5	940.12	43.6Ω/km
ANM12.002.46.021AB	UL20886	1000V	46X21AWG	27/0.14	25.5	942.82	43.6Ω/km
ANM12.002.47.021AB	UL20886	1000V	47X21AWG	27/0.14	25.5	945.62	43.6Ω/km
ANM12.002.48.021AB	UL20886	1000V	48X21AWG	27/0.14	25.5	948.42	43.6Ω/km
ANM12.002.49.021AB	UL20886	1000V	49X21AWG	27/0.14	26.2	995.92	43.6Ω/km
ANM12.002.50.021AB	UL20886	1000V	50X21AWG	27/0.14	26.2	998.72	43.6Ω/km
ANM12.002.51.021AB	UL20886	1000V	51X21AWG	27/0.14	26.2	1001.42	43.6Ω/km
ANM12.002.52.021AB	UL20886	1000V	52X21AWG	27/0.14	26.2	1004.32	43.6Ω/km
ANM12.002.53.021AB	UL20886	1000V	53X21AWG	27/0.14	26.9	1052.92	43.6Ω/km
ANM12.002.54.021AB	UL20886	1000V	54X21AWG	27/0.14	26.9	1055.72	43.6Ω/km
ANM12.002.55.021AB	UL20886	1000V	55X21AWG	27/0.14	26.9	1058.42	43.6Ω/km
ANM12.002.56.021AB	UL20886	1000V	56X21AWG	27/0.14	26.9	1061.32	43.6Ω/km
ANM12.002.57.021AB	UL20886	1000V	57X21AWG	27/0.14	27.6	1111.12	43.6Ω/km
ANM12.002.58.021AB	UL20886	1000V	58X21AWG	27/0.14	27.6	1113.92	43.6Ω/km
ANM12.002.59.021AB	UL20886	1000V	59X21AWG	27/0.14	27.6	1116.72	43.6Ω/km
ANM12.002.60.021AB	UL20886	1000V	60X21AWG	27/0.14	27.6	1119.42	43.6Ω/km
ANM12.002.61.021AB	UL20886	1000V	61X21AWG	27/0.14	27.6	1122.22	43.6Ω/km
ANM12.002.62.021AB	UL20886	1000V	62X21AWG	27/0.14	28.4	1180.22	43.6Ω/km
ANM12.002.63.021AB	UL20886	1000V	63X21AWG	27/0.14	28.4	1183.12	43.6Ω/km
ANM12.002.64.021AB	UL20886	1000V	64X21AWG	27/0.14	28.4	1185.82	43.6Ω/km
ANM12.002.65.021AB	UL20886	1000V	65X21AWG	27/0.14	28.4	1188.52	43.6Ω/km



ANM12.002.02.020AB	UL20886	1000V	2X20AWG	34/0.14	8.2	97.22	34.6Ω/km
ANM12.002.03.020AB	UL20886	1000V	3X20AWG	34/0.14	8.7	111.72	34.6Ω/km
ANM12.002.04.020AB	UL20886	1000V	4X20AWG	34/0.14	9.3	129.22	34.6Ω/km
ANM12.002.05.020AB	UL20886	1000V	5X20AWG	34/0.14	10.1	152.72	34.6Ω/km
ANM12.002.06.020AB	UL20886	1000V	6X20AWG	34/0.14	10.8	175.02	34.6Ω/km
ANM12.002.07.020AB	UL20886	1000V	7X20AWG	34/0.14	10.8	178.52	34.6Ω/km
ANM12.002.08.020AB	UL20886	1000V	8X20AWG	34/0.14	11.6	205.02	34.6Ω/km
ANM12.002.09.020AB	UL20886	1000V	9X20AWG	34/0.14	12.7	242.42	34.6Ω/km
ANM12.002.10.020AB	UL20886	1000V	10X20AWG	34/0.14	13.5	272.62	34.6Ω/km
ANM12.002.11.020AB	UL20886	1000V	11X20AWG	34/0.14	14	293.42	34.6Ω/km
ANM12.002.12.020AB	UL20886	1000V	12X20AWG	34/0.14	14	297.02	34.6Ω/km
ANM12.002.13.020AB	UL20886	1000V	13X20AWG	34/0.14	14.6	322.22	34.6Ω/km
ANM12.002.14.020AB	UL20886	1000V	14X20AWG	34/0.14	14.6	325.82	34.6Ω/km
ANM12.002.15.020AB	UL20886	1000V	15X20AWG	34/0.14	15.4	359.52	34.6Ω/km
ANM12.002.16.020AB	UL20886	1000V	16X20AWG	34/0.14	15.4	363.12	34.6Ω/km
ANM12.002.17.020AB	UL20886	1000V	17X20AWG	34/0.14	16.1	394.32	34.6Ω/km
ANM12.002.18.020AB	UL20886	1000V	18X20AWG	34/0.14	16.1	397.82	34.6Ω/km
ANM12.002.19.020AB	UL20886	1000V	19X20AWG	34/0.14	16.1	401.52	34.6Ω/km
ANM12.002.20.020AB	UL20886	1000V	20X20AWG	34/0.14	16.6	425.52	34.6Ω/km
ANM12.002.21.020AB	UL20886	1000V	21X20AWG	34/0.14	16.9	441.62	34.6Ω/km
ANM12.002.22.020AB	UL20886	1000V	22X20AWG	34/0.14	18	493.22	34.6Ω/km
ANM12.002.23.020AB	UL20886	1000V	23X20AWG	34/0.14	18.7	528.92	34.6Ω/km
ANM12.002.24.020AB	UL20886	1000V	24X20AWG	34/0.14	18.7	532.42	34.6Ω/km
ANM12.002.25.020AB	UL20886	1000V	25X20AWG	34/0.14	19.2	559.72	34.6Ω/km
ANM12.002.26.020AB	UL20886	1000V	26X20AWG	34/0.14	19.2	563.22	34.6Ω/km
ANM12.002.27.020AB	UL20886	1000V	27X20AWG	34/0.14	19.2	566.62	34.6Ω/km
ANM12.002.28.020AB	UL20886	1000V	28X20AWG	34/0.14	21.8	697.92	34.6Ω/km
ANM12.002.29.020AB	UL20886	1000V	29X20AWG	34/0.14	21.8	701.42	34.6Ω/km
ANM12.002.30.020AB	UL20886	1000V	30X20AWG	34/0.14	21.8	704.92	34.6Ω/km
ANM12.002.31.020AB	UL20886	1000V	31X20AWG	34/0.14	22.6	752.62	34.6Ω/km
ANM12.002.32.020AB	UL20886	1000V	32X20AWG	34/0.14	22.6	756.22	34.6Ω/km
ANM12.002.33.020AB	UL20886	1000V	33X20AWG	34/0.14	22.6	759.82	34.6Ω/km
ANM12.002.34.020AB	UL20886	1000V	34X20AWG	34/0.14	23.3	803.12	34.6Ω/km
ANM12.002.35.020AB	UL20886	1000V	35X20AWG	34/0.14	23.3	806.62	34.6Ω/km
ANM12.002.36.020AB	UL20886	1000V	36X20AWG	34/0.14	23.3	810.22	34.6Ω/km
ANM12.002.37.020AB	UL20886	1000V	37X20AWG	34/0.14	23.3	813.82	34.6Ω/km
ANM12.002.38.020AB	UL20886	1000V	38X20AWG	34/0.14	24.1	864.22	34.6Ω/km
ANM12.002.39.020AB	UL20886	1000V	39X20AWG	34/0.14	24.1	867.72	34.6Ω/km
ANM12.002.40.020AB	UL20886	1000V	40X20AWG	34/0.14	24.1	871.22	34.6Ω/km
ANM12.002.41.020AB	UL20886	1000V	41X20AWG	34/0.14	25.9	986.22	34.6Ω/km
ANM12.002.42.020AB	UL20886	1000V	42X20AWG	34/0.14	25.9	989.72	34.6Ω/km
ANM12.002.43.020AB	UL20886	1000V	43X20AWG	34/0.14	25.9	993.32	34.6Ω/km



ANM12.002.44.020AB	UL20886	1000V	44X20AWG	34/0.14	25.9	996.82	34.6Ω/km
ANM12.002.45.020AB	UL20886	1000V	45X20AWG	34/0.14	26.4	1032.62	34.6Ω/km
ANM12.002.46.020AB	UL20886	1000V	46X20AWG	34/0.14	26.4	1036.32	34.6Ω/km
ANM12.002.47.020AB	UL20886	1000V	47X20AWG	34/0.14	26.4	1039.82	34.6Ω/km
ANM12.002.48.020AB	UL20886	1000V	48X20AWG	34/0.14	26.4	1043.32	34.6Ω/km
ANM12.002.49.020AB	UL20886	1000V	49X20AWG	34/0.14	27	1086.42	34.6Ω/km
ANM12.002.50.020AB	UL20886	1000V	50X20AWG	34/0.14	27	1090.02	34.6Ω/km
ANM12.002.51.020AB	UL20886	1000V	51X20AWG	34/0.14	27	1093.62	34.6Ω/km
ANM12.002.52.020AB	UL20886	1000V	52X20AWG	34/0.14	27	1097.12	34.6Ω/km
ANM12.002.53.020AB	UL20886	1000V	53X20AWG	34/0.14	27.8	1154.72	34.6Ω/km
ANM12.002.54.020AB	UL20886	1000V	54X20AWG	34/0.14	27.8	1158.22	34.6Ω/km
ANM12.002.55.020AB	UL20886	1000V	55X20AWG	34/0.14	27.8	1161.82	34.6Ω/km
ANM12.002.56.020AB	UL20886	1000V	56X20AWG	34/0.14	27.8	1165.32	34.6Ω/km
ANM12.002.57.020AB	UL20886	1000V	57X20AWG	34/0.14	28.5	1217.52	34.6Ω/km
ANM12.002.58.020AB	UL20886	1000V	58X20AWG	34/0.14	28.5	1221.02	34.6Ω/km
ANM12.002.59.020AB	UL20886	1000V	59X20AWG	34/0.14	28.5	1224.62	34.6Ω/km
ANM12.002.60.020AB	UL20886	1000V	60X20AWG	34/0.14	28.5	1228.12	34.6Ω/km
ANM12.002.61.020AB	UL20886	1000V	61X20AWG	34/0.14	28.5	1231.72	34.6Ω/km
ANM12.002.62.020AB	UL20886	1000V	62X20AWG	34/0.14	29.3	1292.22	34.6Ω/km
ANM12.002.63.020AB	UL20886	1000V	63X20AWG	34/0.14	29.3	1295.82	34.6Ω/km
ANM12.002.64.020AB	UL20886	1000V	64X20AWG	34/0.14	29.3	1299.42	34.6Ω/km
ANM12.002.65.020AB	UL20886	1000V	65X20AWG	34/0.14	29.3	1302.92	34.6Ω/km
ANM12.002.02.019AB	UL20886	1000V	2X19AWG	43/0.14	8.4	103.76	27.4Ω/km
ANM12.002.03.019AB	UL20886	1000V	3X19AWG	43/0.14	8.9	119.46	27.4Ω/km
ANM12.002.04.019AB	UL20886	1000V	4X19AWG	43/0.14	9.6	140.76	27.4Ω/km
ANM12.002.05.019AB	UL20886	1000V	5X19AWG	43/0.14	10.3	163.16	27.4Ω/km
ANM12.002.06.019AB	UL20886	1000V	6X19AWG	43/0.14	11.1	189.66	27.4Ω/km
ANM12.002.07.019AB	UL20886	1000V	7X19AWG	43/0.14	11.1	194.16	27.4Ω/km
ANM12.002.08.019AB	UL20886	1000V	8X19AWG	43/0.14	12	225.16	27.4Ω/km
ANM12.002.09.019AB	UL20886	1000V	9X19AWG	43/0.14	13	261.26	27.4Ω/km
ANM12.002.10.019AB	UL20886	1000V	10X19AWG	43/0.14	13.9	296.56	27.4Ω/km
ANM12.002.11.019AB	UL20886	1000V	11X19AWG	43/0.14	14.4	318.86	27.4Ω/km
ANM12.002.12.019AB	UL20886	1000V	12X19AWG	43/0.14	14.4	323.46	27.4Ω/km
ANM12.002.13.019AB	UL20886	1000V	13X19AWG	43/0.14	15.1	353.96	27.4Ω/km
ANM12.002.14.019AB	UL20886	1000V	14X19AWG	43/0.14	15.1	358.56	27.4Ω/km
ANM12.002.15.019AB	UL20886	1000V	15X19AWG	43/0.14	15.8	390.26	27.4Ω/km
ANM12.002.16.019AB	UL20886	1000V	16X19AWG	43/0.14	15.8	394.86	27.4Ω/km
ANM12.002.17.019AB	UL20886	1000V	17X19AWG	43/0.14	16.6	431.86	27.4Ω/km
ANM12.002.18.019AB	UL20886	1000V	18X19AWG	43/0.14	16.6	436.46	27.4Ω/km
ANM12.002.19.019AB	UL20886	1000V	19X19AWG	43/0.14	16.6	440.96	27.4Ω/km
ANM12.002.20.019AB	UL20886	1000V	20X19AWG	43/0.14	17.1	466.56	27.4Ω/km
ANM12.002.21.019AB	UL20886	1000V	21X19AWG	43/0.14	17.5	488.36	27.4Ω/km



ANM12.002.22.019AB	UL20886	1000V	22X19AWG	43/0.14	18.5	538.06	27.4Ω/km
ANM12.002.23.019AB	UL20886	1000V	23X19AWG	43/0.14	19.3	580.16	27.4Ω/km
ANM12.002.24.019AB	UL20886	1000V	24X19AWG	43/0.14	19.3	584.76	27.4Ω/km
ANM12.002.25.019AB	UL20886	1000V	25X19AWG	43/0.14	21.8	712.26	27.4Ω/km
ANM12.002.26.019AB	UL20886	1000V	26X19AWG	43/0.14	21.8	716.76	27.4Ω/km
ANM12.002.27.019AB	UL20886	1000V	27X19AWG	43/0.14	21.8	721.26	27.4Ω/km
ANM12.002.28.019AB	UL20886	1000V	28X19AWG	43/0.14	22.5	764.36	27.4Ω/km
ANM12.002.29.019AB	UL20886	1000V	29X19AWG	43/0.14	22.5	768.86	27.4Ω/km
ANM12.002.30.019AB	UL20886	1000V	30X19AWG	43/0.14	22.5	773.46	27.4Ω/km
ANM12.002.31.019AB	UL20886	1000V	31X19AWG	43/0.14	23.2	817.56	27.4Ω/km
ANM12.002.32.019AB	UL20886	1000V	32X19AWG	43/0.14	23.2	822.16	27.4Ω/km
ANM12.002.33.019AB	UL20886	1000V	33X19AWG	43/0.14	23.2	826.66	27.4Ω/km
ANM12.002.34.019AB	UL20886	1000V	34X19AWG	43/0.14	24	878.06	27.4Ω/km
ANM12.002.35.019AB	UL20886	1000V	35X19AWG	43/0.14	24	882.56	27.4Ω/km
ANM12.002.36.019AB	UL20886	1000V	36X19AWG	43/0.14	24	887.16	27.4Ω/km
ANM12.002.37.019AB	UL20886	1000V	37X19AWG	43/0.14	24	891.66	27.4Ω/km
ANM12.002.38.019AB	UL20886	1000V	38X19AWG	43/0.14	24.9	950.56	27.4Ω/km
ANM12.002.39.019AB	UL20886	1000V	39X19AWG	43/0.14	24.9	955.06	27.4Ω/km
ANM12.002.40.019AB	UL20886	1000V	40X19AWG	43/0.14	24.9	959.66	27.4Ω/km
ANM12.002.41.019AB	UL20886	1000V	41X19AWG	43/0.14	26.7	1078.96	27.4Ω/km
ANM12.002.42.019AB	UL20886	1000V	42X19AWG	43/0.14	26.7	1083.56	27.4Ω/km
ANM12.002.43.019AB	UL20886	1000V	43X19AWG	43/0.14	26.7	1088.06	27.4Ω/km
ANM12.002.44.019AB	UL20886	1000V	44X19AWG	43/0.14	26.7	1092.66	27.4Ω/km
ANM12.002.45.019AB	UL20886	1000V	45X19AWG	43/0.14	27.2	1130.46	27.4Ω/km
ANM12.002.46.019AB	UL20886	1000V	46X19AWG	43/0.14	27.2	1134.96	27.4Ω/km
ANM12.002.47.019AB	UL20886	1000V	47X19AWG	43/0.14	27.2	1139.46	27.4Ω/km
ANM12.002.48.019AB	UL20886	1000V	48X19AWG	43/0.14	27.2	1144.06	27.4Ω/km
ANM12.002.49.019AB	UL20886	1000V	49X19AWG	43/0.14	27.9	1196.16	27.4Ω/km
ANM12.002.50.019AB	UL20886	1000V	50X19AWG	43/0.14	27.9	1200.76	27.4Ω/km
ANM12.002.51.019AB	UL20886	1000V	51X19AWG	43/0.14	27.9	1205.26	27.4Ω/km
ANM12.002.52.019AB	UL20886	1000V	52X19AWG	43/0.14	27.9	1209.86	27.4Ω/km
ANM12.002.53.019AB	UL20886	1000V	53X19AWG	43/0.14	28.6	1263.16	27.4Ω/km
ANM12.002.54.019AB	UL20886	1000V	54X19AWG	43/0.14	28.6	1267.66	27.4Ω/km
ANM12.002.55.019AB	UL20886	1000V	55X19AWG	43/0.14	28.6	1272.26	27.4Ω/km
ANM12.002.56.019AB	UL20886	1000V	56X19AWG	43/0.14	28.6	1276.76	27.4Ω/km
ANM12.002.57.019AB	UL20886	1000V	57X19AWG	43/0.14	29.4	1338.46	27.4Ω/km
ANM12.002.58.019AB	UL20886	1000V	58X19AWG	43/0.14	29.4	1342.96	27.4Ω/km
ANM12.002.59.019AB	UL20886	1000V	59X19AWG	43/0.14	29.4	1347.56	27.4Ω/km
ANM12.002.60.019AB	UL20886	1000V	60X19AWG	43/0.14	29.4	1352.06	27.4Ω/km
ANM12.002.61.019AB	UL20886	1000V	61X19AWG	43/0.14	29.4	1356.56	27.4Ω/km
ANM12.002.62.019AB	UL20886	1000V	62X19AWG	43/0.14	32.1	1595.96	27.4Ω/km
ANM12.002.63.019AB	UL20886	1000V	63X19AWG	43/0.14	32.1	1600.46	27.4Ω/km



ANM12.002.64.019AB	UL20886	1000V	64X19AWG	43/0.14	32.1	1604.96	27.4Ω/km
ANM12.002.65.019AB	UL20886	1000V	65X19AWG	43/0.14	32.1	1609.56	27.4Ω/km
ANM12.002.02.018AB	UL20886	1000V	2X18AWG	29/0.19	8.6	111.03	21.8Ω/km
ANM12.002.03.018AB	UL20886	1000V	3X18AWG	29/0.19	9.1	128.23	21.8Ω/km
ANM12.002.04.018AB	UL20886	1000V	4X18AWG	29/0.19	9.8	151.13	21.8Ω/km
ANM12.002.05.018AB	UL20886	1000V	5X18AWG	29/0.19	10.6	178.03	21.8Ω/km
ANM12.002.06.018AB	UL20886	1000V	6X18AWG	29/0.19	11.4	206.13	21.8Ω/km
ANM12.002.07.018AB	UL20886	1000V	7X18AWG	29/0.19	11.4	212.03	21.8Ω/km
ANM12.002.08.018AB	UL20886	1000V	8X18AWG	29/0.19	12.3	245.23	21.8Ω/km
ANM12.002.09.018AB	UL20886	1000V	9X18AWG	29/0.19	13.5	290.23	21.8Ω/km
ANM12.002.10.018AB	UL20886	1000V	10X18AWG	29/0.19	14.3	324.23	21.8Ω/km
ANM12.002.11.018AB	UL20886	1000V	11X18AWG	29/0.19	14.8	348.43	21.8Ω/km
ANM12.002.12.018AB	UL20886	1000V	12X18AWG	29/0.19	14.8	354.23	21.8Ω/km
ANM12.002.13.018AB	UL20886	1000V	13X18AWG	29/0.19	15.5	386.83	21.8Ω/km
ANM12.002.14.018AB	UL20886	1000V	14X18AWG	29/0.19	15.5	392.63	21.8Ω/km
ANM12.002.15.018AB	UL20886	1000V	15X18AWG	29/0.19	16.3	430.43	21.8Ω/km
ANM12.002.16.018AB	UL20886	1000V	16X18AWG	29/0.19	16.3	436.33	21.8Ω/km
ANM12.002.17.018AB	UL20886	1000V	17X18AWG	29/0.19	17.1	475.63	21.8Ω/km
ANM12.002.18.018AB	UL20886	1000V	18X18AWG	29/0.19	17.1	481.53	21.8Ω/km
ANM12.002.19.018AB	UL20886	1000V	19X18AWG	29/0.19	17.1	487.43	21.8Ω/km
ANM12.002.20.018AB	UL20886	1000V	20X18AWG	29/0.19	17.6	515.03	21.8Ω/km
ANM12.002.21.018AB	UL20886	1000V	21X18AWG	29/0.19	18	538.73	21.8Ω/km
ANM12.002.22.018AB	UL20886	1000V	22X18AWG	29/0.19	19.1	595.53	21.8Ω/km
ANM12.002.23.018AB	UL20886	1000V	23X18AWG	29/0.19	21.9	739.33	21.8Ω/km
ANM12.002.24.018AB	UL20886	1000V	24X18AWG	29/0.19	21.9	745.23	21.8Ω/km
ANM12.002.25.018AB	UL20886	1000V	25X18AWG	29/0.19	22.4	778.53	21.8Ω/km
ANM12.002.26.018AB	UL20886	1000V	26X18AWG	29/0.19	22.4	784.33	21.8Ω/km
ANM12.002.27.018AB	UL20886	1000V	27X18AWG	29/0.19	22.4	790.23	21.8Ω/km
ANM12.002.28.018AB	UL20886	1000V	28X18AWG	29/0.19	23.1	835.53	21.8Ω/km
ANM12.002.29.018AB	UL20886	1000V	29X18AWG	29/0.19	23.1	841.43	21.8Ω/km
ANM12.002.30.018AB	UL20886	1000V	30X18AWG	29/0.19	23.1	847.33	21.8Ω/km
ANM12.002.31.018AB	UL20886	1000V	31X18AWG	29/0.19	23.9	899.63	21.8Ω/km
ANM12.002.32.018AB	UL20886	1000V	32X18AWG	29/0.19	23.9	905.63	21.8Ω/km
ANM12.002.33.018AB	UL20886	1000V	33X18AWG	29/0.19	23.9	911.53	21.8Ω/km
ANM12.002.34.018AB	UL20886	1000V	34X18AWG	29/0.19	24.7	965.53	21.8Ω/km
ANM12.002.35.018AB	UL20886	1000V	35X18AWG	29/0.19	24.7	971.43	21.8Ω/km
ANM12.002.36.018AB	UL20886	1000V	36X18AWG	29/0.19	24.7	977.33	21.8Ω/km
ANM12.002.37.018AB	UL20886	1000V	37X18AWG	29/0.19	24.7	983.13	21.8Ω/km
ANM12.002.38.018AB	UL20886	1000V	38X18AWG	29/0.19	25.6	1044.93	21.8Ω/km
ANM12.002.39.018AB	UL20886	1000V	39X18AWG	29/0.19	25.6	1050.83	21.8Ω/km
ANM12.002.40.018AB	UL20886	1000V	40X18AWG	29/0.19	25.6	1056.63	21.8Ω/km
ANM12.002.41.018AB	UL20886	1000V	41X18AWG	29/0.19	27.5	1187.03	21.8Ω/km



ANM12.002.42.018AB	UL20886	1000V	42X18AWG	29/0.19	27.5	1192.83	21.8Ω/km
ANM12.002.43.018AB	UL20886	1000V	43X18AWG	29/0.19	27.5	1198.73	21.8Ω/km
ANM12.002.44.018AB	UL20886	1000V	44X18AWG	29/0.19	27.5	1204.73	21.8Ω/km
ANM12.002.45.018AB	UL20886	1000V	45X18AWG	29/0.19	28	1244.83	21.8Ω/km
ANM12.002.46.018AB	UL20886	1000V	46X18AWG	29/0.19	28	1250.73	21.8Ω/km
ANM12.002.47.018AB	UL20886	1000V	47X18AWG	29/0.19	28	1256.63	21.8Ω/km
ANM12.002.48.018AB	UL20886	1000V	48X18AWG	29/0.19	28	1262.43	21.8Ω/km
ANM12.002.49.018AB	UL20886	1000V	49X18AWG	29/0.19	28.7	1317.23	21.8Ω/km
ANM12.002.50.018AB	UL20886	1000V	50X18AWG	29/0.19	28.7	1323.13	21.8Ω/km
ANM12.002.51.018AB	UL20886	1000V	51X18AWG	29/0.19	28.7	1328.83	21.8Ω/km
ANM12.002.52.018AB	UL20886	1000V	52X18AWG	29/0.19	28.7	1334.73	21.8Ω/km
ANM12.002.53.018AB	UL20886	1000V	53X18AWG	29/0.19	29.5	1398.23	21.8Ω/km
ANM12.002.54.018AB	UL20886	1000V	54X18AWG	29/0.19	29.5	1404.03	21.8Ω/km
ANM12.002.55.018AB	UL20886	1000V	55X18AWG	29/0.19	29.5	1409.93	21.8Ω/km
ANM12.002.56.018AB	UL20886	1000V	56X18AWG	29/0.19	29.5	1415.63	21.8Ω/km
ANM12.002.57.018AB	UL20886	1000V	57X18AWG	29/0.19	32.1	1649.03	21.8Ω/km
ANM12.002.58.018AB	UL20886	1000V	58X18AWG	29/0.19	32.1	1654.93	21.8Ω/km
ANM12.002.59.018AB	UL20886	1000V	59X18AWG	29/0.19	32.1	1660.83	21.8Ω/km
ANM12.002.60.018AB	UL20886	1000V	60X18AWG	29/0.19	32.1	1666.73	21.8Ω/km
ANM12.002.61.018AB	UL20886	1000V	61X18AWG	29/0.19	32.1	1672.53	21.8Ω/km
ANM12.002.62.018AB	UL20886	1000V	62X18AWG	29/0.19	33	1751.63	21.8Ω/km
ANM12.002.63.018AB	UL20886	1000V	63X18AWG	29/0.19	33	1757.53	21.8Ω/km
ANM12.002.64.018AB	UL20886	1000V	64X18AWG	29/0.19	33	1763.43	21.8Ω/km
ANM12.002.65.018AB	UL20886	1000V	65X18AWG	29/0.19	33	1769.33	21.8Ω/km
ANM12.002.02.017AB	UL20886	1000V	2X17AWG	37/0.19	9	123.14	17.3Ω/km
ANM12.002.03.017AB	UL20886	1000V	3X17AWG	37/0.19	9.5	142.34	17.3Ω/km
ANM12.002.04.017AB	UL20886	1000V	4X17AWG	37/0.19	10.3	169.84	17.3Ω/km
ANM12.002.05.017AB	UL20886	1000V	5X17AWG	37/0.19	11.1	198.94	17.3Ω/km
ANM12.002.06.017AB	UL20886	1000V	6X17AWG	37/0.19	12	232.74	17.3Ω/km
ANM12.002.07.017AB	UL20886	1000V	7X17AWG	37/0.19	12	239.94	17.3Ω/km
ANM12.002.08.017AB	UL20886	1000V	8X17AWG	37/0.19	12.9	275.74	17.3Ω/km
ANM12.002.09.017AB	UL20886	1000V	9X17AWG	37/0.19	14.2	327.64	17.3Ω/km
ANM12.002.10.017AB	UL20886	1000V	10X17AWG	37/0.19	15.1	368.04	17.3Ω/km
ANM12.002.11.017AB	UL20886	1000V	11X17AWG	37/0.19	15.6	394.64	17.3Ω/km
ANM12.002.12.017AB	UL20886	1000V	12X17AWG	37/0.19	15.6	401.84	17.3Ω/km
ANM12.002.13.017AB	UL20886	1000V	13X17AWG	37/0.19	16.4	441.24	17.3Ω/km
ANM12.002.14.017AB	UL20886	1000V	14X17AWG	37/0.19	16.4	448.64	17.3Ω/km
ANM12.002.15.017AB	UL20886	1000V	15X17AWG	37/0.19	17.2	489.44	17.3Ω/km
ANM12.002.16.017AB	UL20886	1000V	16X17AWG	37/0.19	17.2	496.74	17.3Ω/km
ANM12.002.17.017AB	UL20886	1000V	17X17AWG	37/0.19	18.1	543.64	17.3Ω/km
ANM12.002.18.017AB	UL20886	1000V	18X17AWG	37/0.19	18.1	550.94	17.3Ω/km
ANM12.002.19.017AB	UL20886	1000V	19X17AWG	37/0.19	18.1	558.34	17.3Ω/km



ANM12.002.20.017AB	UL20886	1000V	20X17AWG	37/0.19	18.6	588.54	17.3Ω/km
ANM12.002.21.017AB	UL20886	1000V	21X17AWG	37/0.19	19	614.54	17.3Ω/km
ANM12.002.22.017AB	UL20886	1000V	22X17AWG	37/0.19	22.2	780.94	17.3Ω/km
ANM12.002.23.017AB	UL20886	1000V	23X17AWG	37/0.19	23.1	838.64	17.3Ω/km
ANM12.002.24.017AB	UL20886	1000V	24X17AWG	37/0.19	23.1	845.94	17.3Ω/km
ANM12.002.25.017AB	UL20886	1000V	25X17AWG	37/0.19	23.6	882.14	17.3Ω/km
ANM12.002.26.017AB	UL20886	1000V	26X17AWG	37/0.19	23.6	889.34	17.3Ω/km
ANM12.002.27.017AB	UL20886	1000V	27X17AWG	37/0.19	23.6	896.74	17.3Ω/km
ANM12.002.28.017AB	UL20886	1000V	28X17AWG	37/0.19	24.4	951.54	17.3Ω/km
ANM12.002.29.017AB	UL20886	1000V	29X17AWG	37/0.19	24.4	958.84	17.3Ω/km
ANM12.002.30.017AB	UL20886	1000V	30X17AWG	37/0.19	24.4	966.04	17.3Ω/km
ANM12.002.31.017AB	UL20886	1000V	31X17AWG	37/0.19	25.2	1022.34	17.3Ω/km
ANM12.002.32.017AB	UL20886	1000V	32X17AWG	37/0.19	25.2	1029.74	17.3Ω/km
ANM12.002.33.017AB	UL20886	1000V	33X17AWG	37/0.19	25.2	1036.94	17.3Ω/km
ANM12.002.34.017AB	UL20886	1000V	34X17AWG	37/0.19	26.1	1101.14	17.3Ω/km
ANM12.002.35.017AB	UL20886	1000V	35X17AWG	37/0.19	26.1	1108.44	17.3Ω/km
ANM12.002.36.017AB	UL20886	1000V	36X17AWG	37/0.19	26.1	1115.74	17.3Ω/km
ANM12.002.37.017AB	UL20886	1000V	37X17AWG	37/0.19	26.1	1123.04	17.3Ω/km
ANM12.002.38.017AB	UL20886	1000V	38X17AWG	37/0.19	27	1189.44	17.3Ω/km
ANM12.002.39.017AB	UL20886	1000V	39X17AWG	37/0.19	27	1196.64	17.3Ω/km
ANM12.002.40.017AB	UL20886	1000V	40X17AWG	37/0.19	27	1203.94	17.3Ω/km
ANM12.002.41.017AB	UL20886	1000V	41X17AWG	37/0.19	29.1	1356.44	17.3Ω/km
ANM12.002.42.017AB	UL20886	1000V	42X17AWG	37/0.19	29.1	1363.74	17.3Ω/km
ANM12.002.43.017AB	UL20886	1000V	43X17AWG	37/0.19	29.1	1371.04	17.3Ω/km
ANM12.002.44.017AB	UL20886	1000V	44X17AWG	37/0.19	29.1	1378.24	17.3Ω/km
ANM12.002.45.017AB	UL20886	1000V	45X17AWG	37/0.19	29.6	1421.84	17.3Ω/km
ANM12.002.46.017AB	UL20886	1000V	46X17AWG	37/0.19	29.6	1429.04	17.3Ω/km
ANM12.002.47.017AB	UL20886	1000V	47X17AWG	37/0.19	29.6	1436.24	17.3Ω/km
ANM12.002.48.017AB	UL20886	1000V	48X17AWG	37/0.19	29.6	1443.54	17.3Ω/km
ANM12.002.49.017AB	UL20886	1000V	49X17AWG	37/0.19	32.2	1679.14	17.3Ω/km
ANM12.002.50.017AB	UL20886	1000V	50X17AWG	37/0.19	32.2	1686.44	17.3Ω/km
ANM12.002.51.017AB	UL20886	1000V	51X17AWG	37/0.19	32.2	1693.74	17.3Ω/km
ANM12.002.52.017AB	UL20886	1000V	52X17AWG	37/0.19	32.2	1700.94	17.3Ω/km
ANM12.002.53.017AB	UL20886	1000V	53X17AWG	37/0.19	33	1773.54	17.3Ω/km
ANM12.002.54.017AB	UL20886	1000V	54X17AWG	37/0.19	33	1780.74	17.3Ω/km
ANM12.002.55.017AB	UL20886	1000V	55X17AWG	37/0.19	33	1787.94	17.3Ω/km
ANM12.002.56.017AB	UL20886	1000V	56X17AWG	37/0.19	33	1795.24	17.3Ω/km
ANM12.002.57.017AB	UL20886	1000V	57X17AWG	37/0.19	33.9	1877.74	17.3Ω/km
ANM12.002.58.017AB	UL20886	1000V	58X17AWG	37/0.19	33.9	1885.04	17.3Ω/km
ANM12.002.59.017AB	UL20886	1000V	59X17AWG	37/0.19	33.9	1892.24	17.3Ω/km
ANM12.002.60.017AB	UL20886	1000V	60X17AWG	37/0.19	33.9	1899.54	17.3Ω/km
ANM12.002.61.017AB	UL20886	1000V	61X17AWG	37/0.19	33.9	1906.84	17.3Ω/km



ANM12.002.62.017AB	UL20886	1000V	62X17AWG	37/0.19	34.8	1991.24	17.3Ω/km
ANM12.002.63.017AB	UL20886	1000V	63X17AWG	37/0.19	34.8	1998.44	17.3Ω/km
ANM12.002.64.017AB	UL20886	1000V	64X17AWG	37/0.19	34.8	2005.74	17.3Ω/km
ANM12.002.65.017AB	UL20886	1000V	65X17AWG	37/0.19	34.8	2012.94	17.3Ω/km
ANM12.002.02.016AB	UL20886	1000V	2X16AWG	27/0.25	9.2	132.41	13.7Ω/km
ANM12.002.03.016AB	UL20886	1000V	3X16AWG	27/0.25	9.7	154.11	13.7Ω/km
ANM12.002.04.016AB	UL20886	1000V	4X16AWG	27/0.25	10.5	184.21	13.7Ω/km
ANM12.002.05.016AB	UL20886	1000V	5X16AWG	27/0.25	11.4	218.71	13.7Ω/km
ANM12.002.06.016AB	UL20886	1000V	6X16AWG	27/0.25	12.3	255.61	13.7Ω/km
ANM12.002.07.016AB	UL20886	1000V	7X16AWG	27/0.25	12.3	265.01	13.7Ω/km
ANM12.002.08.016AB	UL20886	1000V	8X16AWG	27/0.25	13.4	310.21	13.7Ω/km
ANM12.002.09.016AB	UL20886	1000V	9X16AWG	27/0.25	14.6	362.11	13.7Ω/km
ANM12.002.10.016AB	UL20886	1000V	10X16AWG	27/0.25	15.5	405.51	13.7Ω/km
ANM12.002.11.016AB	UL20886	1000V	11X16AWG	27/0.25	16	434.81	13.7Ω/km
ANM12.002.12.016AB	UL20886	1000V	12X16AWG	27/0.25	16	444.41	13.7Ω/km
ANM12.002.13.016AB	UL20886	1000V	13X16AWG	27/0.25	16.8	486.61	13.7Ω/km
ANM12.002.14.016AB	UL20886	1000V	14X16AWG	27/0.25	16.8	496.11	13.7Ω/km
ANM12.002.15.016AB	UL20886	1000V	15X16AWG	27/0.25	17.7	544.41	13.7Ω/km
ANM12.002.16.016AB	UL20886	1000V	16X16AWG	27/0.25	17.7	553.91	13.7Ω/km
ANM12.002.17.016AB	UL20886	1000V	17X16AWG	27/0.25	18.6	604.11	13.7Ω/km
ANM12.002.18.016AB	UL20886	1000V	18X16AWG	27/0.25	18.6	613.71	13.7Ω/km
ANM12.002.19.016AB	UL20886	1000V	19X16AWG	27/0.25	18.6	623.11	13.7Ω/km
ANM12.002.20.016AB	UL20886	1000V	20X16AWG	27/0.25	19.1	656.01	13.7Ω/km
ANM12.002.21.016AB	UL20886	1000V	21X16AWG	27/0.25	21.6	787.21	13.7Ω/km
ANM12.002.22.016AB	UL20886	1000V	22X16AWG	27/0.25	22.8	862.81	13.7Ω/km
ANM12.002.23.016AB	UL20886	1000V	23X16AWG	27/0.25	23.7	924.11	13.7Ω/km
ANM12.002.24.016AB	UL20886	1000V	24X16AWG	27/0.25	23.7	933.61	13.7Ω/km
ANM12.002.25.016AB	UL20886	1000V	25X16AWG	27/0.25	24.2	972.71	13.7Ω/km
ANM12.002.26.016AB	UL20886	1000V	26X16AWG	27/0.25	24.2	982.21	13.7Ω/km
ANM12.002.27.016AB	UL20886	1000V	27X16AWG	27/0.25	24.2	991.51	13.7Ω/km
ANM12.002.28.016AB	UL20886	1000V	28X16AWG	27/0.25	25	1049.71	13.7Ω/km
ANM12.002.29.016AB	UL20886	1000V	29X16AWG	27/0.25	25	1059.11	13.7Ω/km
ANM12.002.30.016AB	UL20886	1000V	30X16AWG	27/0.25	25	1068.71	13.7Ω/km
ANM12.002.31.016AB	UL20886	1000V	31X16AWG	27/0.25	25.9	1134.81	13.7Ω/km
ANM12.002.32.016AB	UL20886	1000V	32X16AWG	27/0.25	25.9	1144.21	13.7Ω/km
ANM12.002.33.016AB	UL20886	1000V	33X16AWG	27/0.25	25.9	1153.71	13.7Ω/km
ANM12.002.34.016AB	UL20886	1000V	34X16AWG	27/0.25	26.8	1221.61	13.7Ω/km
ANM12.002.35.016AB	UL20886	1000V	35X16AWG	27/0.25	26.8	1231.01	13.7Ω/km
ANM12.002.36.016AB	UL20886	1000V	36X16AWG	27/0.25	26.8	1240.61	13.7Ω/km
ANM12.002.37.016AB	UL20886	1000V	37X16AWG	27/0.25	26.8	1250.01	13.7Ω/km
ANM12.002.38.016AB	UL20886	1000V	38X16AWG	27/0.25	27.8	1327.01	13.7Ω/km
ANM12.002.39.016AB	UL20886	1000V	39X16AWG	27/0.25	27.8	1336.41	13.7Ω/km



ANM12.002.40.016AB	UL20886	1000V	40X16AWG	27/0.25	27.8	1345.81	13.7Ω/km
ANM12.002.41.016AB	UL20886	1000V	41X16AWG	27/0.25	31.7	1671.01	13.7Ω/km
ANM12.002.42.016AB	UL20886	1000V	42X16AWG	27/0.25	31.7	1680.51	13.7Ω/km
ANM12.002.43.016AB	UL20886	1000V	43X16AWG	27/0.25	31.7	1689.91	13.7Ω/km
ANM12.002.44.016AB	UL20886	1000V	44X16AWG	27/0.25	31.7	1699.31	13.7Ω/km
ANM12.002.45.016AB	UL20886	1000V	45X16AWG	27/0.25	32.2	1748.91	13.7Ω/km
ANM12.002.46.016AB	UL20886	1000V	46X16AWG	27/0.25	32.2	1758.21	13.7Ω/km
ANM12.002.47.016AB	UL20886	1000V	47X16AWG	27/0.25	32.2	1767.81	13.7Ω/km
ANM12.002.48.016AB	UL20886	1000V	48X16AWG	27/0.25	32.2	1777.31	13.7Ω/km
ANM12.002.49.016AB	UL20886	1000V	49X16AWG	27/0.25	33	1851.91	13.7Ω/km
ANM12.002.50.016AB	UL20886	1000V	50X16AWG	27/0.25	33	1861.41	13.7Ω/km
ANM12.002.51.016AB	UL20886	1000V	51X16AWG	27/0.25	33	1870.71	13.7Ω/km
ANM12.002.52.016AB	UL20886	1000V	52X16AWG	27/0.25	33	1880.21	13.7Ω/km
ANM12.002.53.016AB	UL20886	1000V	53X16AWG	27/0.25	33.9	1965.01	13.7Ω/km
ANM12.002.54.016AB	UL20886	1000V	54X16AWG	27/0.25	33.9	1974.41	13.7Ω/km
ANM12.002.55.016AB	UL20886	1000V	55X16AWG	27/0.25	33.9	1983.91	13.7Ω/km
ANM12.002.56.016AB	UL20886	1000V	56X16AWG	27/0.25	33.9	1993.31	13.7Ω/km
ANM12.002.57.016AB	UL20886	1000V	57X16AWG	27/0.25	34.8	2079.91	13.7Ω/km
ANM12.002.58.016AB	UL20886	1000V	58X16AWG	27/0.25	34.8	2089.21	13.7Ω/km
ANM12.002.59.016AB	UL20886	1000V	59X16AWG	27/0.25	34.8	2098.81	13.7Ω/km
ANM12.002.60.016AB	UL20886	1000V	60X16AWG	27/0.25	34.8	2108.31	13.7Ω/km
ANM12.002.61.016AB	UL20886	1000V	61X16AWG	27/0.25	34.8	2117.71	13.7Ω/km
ANM12.002.62.016AB	UL20886	1000V	62X16AWG	27/0.25	35.8	2215.21	13.7Ω/km
ANM12.002.63.016AB	UL20886	1000V	63X16AWG	27/0.25	35.8	2224.61	13.7Ω/km
ANM12.002.64.016AB	UL20886	1000V	64X16AWG	27/0.25	35.8	2234.01	13.7Ω/km
ANM12.002.65.016AB	UL20886	1000V	65X16AWG	27/0.25	35.8	2243.61	13.7Ω/km
ANM12.002.02.015AB	UL20886	1000V	2X15AWG	34/0.25	9.6	147.25	10.9Ω/km
ANM12.002.03.015AB	UL20886	1000V	3X15AWG	34/0.25	10.2	174.45	10.9Ω/km
ANM12.002.04.015AB	UL20886	1000V	4X15AWG	34/0.25	11	208.05	10.9Ω/km
ANM12.002.05.015AB	UL20886	1000V	5X15AWG	34/0.25	12	249.15	10.9Ω/km
ANM12.002.06.015AB	UL20886	1000V	6X15AWG	34/0.25	12.9	289.45	10.9Ω/km
ANM12.002.07.015AB	UL20886	1000V	7X15AWG	34/0.25	12.9	301.35	10.9Ω/km
ANM12.002.08.015AB	UL20886	1000V	8X15AWG	34/0.25	14	350.65	10.9Ω/km
ANM12.002.09.015AB	UL20886	1000V	9X15AWG	34/0.25	15.4	414.25	10.9Ω/km
ANM12.002.10.015AB	UL20886	1000V	10X15AWG	34/0.25	16.3	462.05	10.9Ω/km
ANM12.002.11.015AB	UL20886	1000V	11X15AWG	34/0.25	16.9	498.95	10.9Ω/km
ANM12.002.12.015AB	UL20886	1000V	12X15AWG	34/0.25	16.9	510.85	10.9Ω/km
ANM12.002.13.015AB	UL20886	1000V	13X15AWG	34/0.25	17.7	557.25	10.9Ω/km
ANM12.002.14.015AB	UL20886	1000V	14X15AWG	34/0.25	17.7	569.25	10.9Ω/km
ANM12.002.15.015AB	UL20886	1000V	15X15AWG	34/0.25	18.7	626.55	10.9Ω/km
ANM12.002.16.015AB	UL20886	1000V	16X15AWG	34/0.25	18.7	638.45	10.9Ω/km
ANM12.002.17.015AB	UL20886	1000V	17X15AWG	34/0.25	21.6	790.85	10.9Ω/km



ANM12.002.18.015AB	UL20886	1000V	18X15AWG	34/0.25	21.6	802.65	10.9Ω/km
ANM12.002.19.015AB	UL20886	1000V	19X15AWG	34/0.25	21.6	814.65	10.9Ω/km
ANM12.002.20.015AB	UL20886	1000V	20X15AWG	34/0.25	22.2	859.15	10.9Ω/km
ANM12.002.21.015AB	UL20886	1000V	21X15AWG	34/0.25	22.6	893.25	10.9Ω/km
ANM12.002.22.015AB	UL20886	1000V	22X15AWG	34/0.25	24	986.05	10.9Ω/km
ANM12.002.23.015AB	UL20886	1000V	23X15AWG	34/0.25	24.9	1052.35	10.9Ω/km
ANM12.002.24.015AB	UL20886	1000V	24X15AWG	34/0.25	24.9	1064.15	10.9Ω/km
ANM12.002.25.015AB	UL20886	1000V	25X15AWG	34/0.25	25.5	1113.35	10.9Ω/km
ANM12.002.26.015AB	UL20886	1000V	26X15AWG	34/0.25	25.5	1125.35	10.9Ω/km
ANM12.002.27.015AB	UL20886	1000V	27X15AWG	34/0.25	25.5	1137.15	10.9Ω/km
ANM12.002.28.015AB	UL20886	1000V	28X15AWG	34/0.25	26.3	1200.25	10.9Ω/km
ANM12.002.29.015AB	UL20886	1000V	29X15AWG	34/0.25	26.3	1212.15	10.9Ω/km
ANM12.002.30.015AB	UL20886	1000V	30X15AWG	34/0.25	26.3	1223.95	10.9Ω/km
ANM12.002.31.015AB	UL20886	1000V	31X15AWG	34/0.25	27.3	1302.05	10.9Ω/km
ANM12.002.32.015AB	UL20886	1000V	32X15AWG	34/0.25	27.3	1314.05	10.9Ω/km
ANM12.002.33.015AB	UL20886	1000V	33X15AWG	34/0.25	27.3	1325.75	10.9Ω/km
ANM12.002.34.015AB	UL20886	1000V	34X15AWG	34/0.25	28.2	1399.25	10.9Ω/km
ANM12.002.35.015AB	UL20886	1000V	35X15AWG	34/0.25	28.2	1411.15	10.9Ω/km
ANM12.002.36.015AB	UL20886	1000V	36X15AWG	34/0.25	28.2	1423.05	10.9Ω/km
ANM12.002.37.015AB	UL20886	1000V	37X15AWG	34/0.25	28.2	1434.85	10.9Ω/km
ANM12.002.38.015AB	UL20886	1000V	38X15AWG	34/0.25	29.2	1517.65	10.9Ω/km
ANM12.002.39.015AB	UL20886	1000V	39X15AWG	34/0.25	29.2	1529.55	10.9Ω/km
ANM12.002.40.015AB	UL20886	1000V	40X15AWG	34/0.25	29.2	1541.45	10.9Ω/km
ANM12.002.41.015AB	UL20886	1000V	41X15AWG	34/0.25	33.3	1900.55	10.9Ω/km
ANM12.002.42.015AB	UL20886	1000V	42X15AWG	34/0.25	33.3	1912.35	10.9Ω/km
ANM12.002.43.015AB	UL20886	1000V	43X15AWG	34/0.25	33.3	1924.25	10.9Ω/km
ANM12.002.44.015AB	UL20886	1000V	44X15AWG	34/0.25	33.3	1936.25	10.9Ω/km
ANM12.002.45.015AB	UL20886	1000V	45X15AWG	34/0.25	33.9	1998.45	10.9Ω/km
ANM12.002.46.015AB	UL20886	1000V	46X15AWG	34/0.25	33.9	2010.35	10.9Ω/km
ANM12.002.47.015AB	UL20886	1000V	47X15AWG	34/0.25	33.9	2022.25	10.9Ω/km
ANM12.002.48.015AB	UL20886	1000V	48X15AWG	34/0.25	33.9	2034.15	10.9Ω/km
ANM12.002.49.015AB	UL20886	1000V	49X15AWG	34/0.25	34.7	2114.35	10.9Ω/km
ANM12.002.50.015AB	UL20886	1000V	50X15AWG	34/0.25	34.7	2126.25	10.9Ω/km
ANM12.002.51.015AB	UL20886	1000V	51X15AWG	34/0.25	34.7	2138.05	10.9Ω/km
ANM12.002.52.015AB	UL20886	1000V	52X15AWG	34/0.25	34.7	2150.05	10.9Ω/km
ANM12.002.53.015AB	UL20886	1000V	53X15AWG	34/0.25	35.7	2249.65	10.9Ω/km
ANM12.002.54.015AB	UL20886	1000V	54X15AWG	34/0.25	35.7	2261.45	10.9Ω/km
ANM12.002.55.015AB	UL20886	1000V	55X15AWG	34/0.25	35.7	2273.35	10.9Ω/km
ANM12.002.56.015AB	UL20886	1000V	56X15AWG	34/0.25	35.7	2285.35	10.9Ω/km
ANM12.002.57.015AB	UL20886	1000V	57X15AWG	34/0.25	36.6	2378.05	10.9Ω/km
ANM12.002.58.015AB	UL20886	1000V	58X15AWG	34/0.25	36.6	2390.05	10.9Ω/km
ANM12.002.59.015AB	UL20886	1000V	59X15AWG	34/0.25	36.6	2401.85	10.9Ω/km



ANM12.002.60.015AB	UL20886	1000V	60X15AWG	34/0.25	36.6	2413.75	10.9Ω/km
ANM12.002.61.015AB	UL20886	1000V	61X15AWG	34/0.25	36.6	2425.55	10.9Ω/km
ANM12.002.62.015AB	UL20886	1000V	62X15AWG	34/0.25	37.9	2558.15	10.9Ω/km
ANM12.002.63.015AB	UL20886	1000V	63X15AWG	34/0.25	37.9	2570.05	10.9Ω/km
ANM12.002.64.015AB	UL20886	1000V	64X15AWG	34/0.25	37.9	2581.95	10.9Ω/km
ANM12.002.65.015AB	UL20886	1000V	65X15AWG	34/0.25	37.9	2593.65	10.9Ω/km
ANM12.002.02.014AB	UL20886	1000V	2X14AWG	43/0.25	10	164.08	8.62Ω/km
ANM12.002.03.014AB	UL20886	1000V	3X14AWG	43/0.25	10.6	194.98	8.62Ω/km
ANM12.002.04.014AB	UL20886	1000V	4X14AWG	43/0.25	11.5	235.38	8.62Ω/km
ANM12.002.05.014AB	UL20886	1000V	5X14AWG	43/0.25	12.5	281.08	8.62Ω/km
ANM12.002.06.014AB	UL20886	1000V	6X14AWG	43/0.25	13.6	332.28	8.62Ω/km
ANM12.002.07.014AB	UL20886	1000V	7X14AWG	43/0.25	13.6	347.38	8.62Ω/km
ANM12.002.08.014AB	UL20886	1000V	8X14AWG	43/0.25	14.7	401.68	8.62Ω/km
ANM12.002.09.014AB	UL20886	1000V	9X14AWG	43/0.25	16.1	471.08	8.62Ω/km
ANM12.002.10.014AB	UL20886	1000V	10X14AWG	43/0.25	17.1	527.68	8.62Ω/km
ANM12.002.11.014AB	UL20886	1000V	11X14AWG	43/0.25	17.7	568.88	8.62Ω/km
ANM12.002.12.014AB	UL20886	1000V	12X14AWG	43/0.25	17.7	583.88	8.62Ω/km
ANM12.002.13.014AB	UL20886	1000V	13X14AWG	43/0.25	18.6	639.78	8.62Ω/km
ANM12.002.14.014AB	UL20886	1000V	14X14AWG	43/0.25	18.6	654.88	8.62Ω/km
ANM12.002.15.014AB	UL20886	1000V	15X14AWG	43/0.25	21.6	815.08	8.62Ω/km
ANM12.002.16.014AB	UL20886	1000V	16X14AWG	43/0.25	21.6	830.18	8.62Ω/km
ANM12.002.17.014AB	UL20886	1000V	17X14AWG	43/0.25	22.6	900.08	8.62Ω/km
ANM12.002.18.014AB	UL20886	1000V	18X14AWG	43/0.25	22.6	915.18	8.62Ω/km
ANM12.002.19.014AB	UL20886	1000V	19X14AWG	43/0.25	22.6	930.28	8.62Ω/km
ANM12.002.20.014AB	UL20886	1000V	20X14AWG	43/0.25	23.2	979.18	8.62Ω/km
ANM12.002.21.014AB	UL20886	1000V	21X14AWG	43/0.25	23.7	1023.28	8.62Ω/km
ANM12.002.22.014AB	UL20886	1000V	22X14AWG	43/0.25	25.1	1122.88	8.62Ω/km
ANM12.002.23.014AB	UL20886	1000V	23X14AWG	43/0.25	26.1	1201.18	8.62Ω/km
ANM12.002.24.014AB	UL20886	1000V	24X14AWG	43/0.25	26.1	1216.18	8.62Ω/km
ANM12.002.25.014AB	UL20886	1000V	25X14AWG	43/0.25	26.7	1270.48	8.62Ω/km
ANM12.002.26.014AB	UL20886	1000V	26X14AWG	43/0.25	26.7	1285.48	8.62Ω/km
ANM12.002.27.014AB	UL20886	1000V	27X14AWG	43/0.25	26.7	1300.58	8.62Ω/km
ANM12.002.28.014AB	UL20886	1000V	28X14AWG	43/0.25	27.6	1375.98	8.62Ω/km
ANM12.002.29.014AB	UL20886	1000V	29X14AWG	43/0.25	27.6	1390.98	8.62Ω/km
ANM12.002.30.014AB	UL20886	1000V	30X14AWG	43/0.25	27.6	1405.98	8.62Ω/km
ANM12.002.31.014AB	UL20886	1000V	31X14AWG	43/0.25	28.6	1490.58	8.62Ω/km
ANM12.002.32.014AB	UL20886	1000V	32X14AWG	43/0.25	28.6	1505.48	8.62Ω/km
ANM12.002.33.014AB	UL20886	1000V	33X14AWG	43/0.25	28.6	1520.48	8.62Ω/km
ANM12.002.34.014AB	UL20886	1000V	34X14AWG	43/0.25	29.6	1607.28	8.62Ω/km
ANM12.002.35.014AB	UL20886	1000V	35X14AWG	43/0.25	29.6	1622.28	8.62Ω/km
ANM12.002.36.014AB	UL20886	1000V	36X14AWG	43/0.25	29.6	1637.38	8.62Ω/km
ANM12.002.37.014AB	UL20886	1000V	37X14AWG	43/0.25	29.6	1652.38	8.62Ω/km



ANM12.002.38.014AB	UL20886	1000V	38X14AWG	43/0.25	32.5	1919.98	8.62Ω/km
ANM12.002.39.014AB	UL20886	1000V	39X14AWG	43/0.25	32.5	1934.98	8.62Ω/km
ANM12.002.40.014AB	UL20886	1000V	40X14AWG	43/0.25	32.5	1950.08	8.62Ω/km
ANM12.002.41.014AB	UL20886	1000V	41X14AWG	43/0.25	34.9	2167.18	8.62Ω/km
ANM12.002.42.014AB	UL20886	1000V	42X14AWG	43/0.25	34.9	2182.08	8.62Ω/km
ANM12.002.43.014AB	UL20886	1000V	43X14AWG	43/0.25	34.9	2197.18	8.62Ω/km
ANM12.002.44.014AB	UL20886	1000V	44X14AWG	43/0.25	34.9	2212.18	8.62Ω/km
ANM12.002.45.014AB	UL20886	1000V	45X14AWG	43/0.25	35.5	2279.98	8.62Ω/km
ANM12.002.46.014AB	UL20886	1000V	46X14AWG	43/0.25	35.5	2295.08	8.62Ω/km
ANM12.002.47.014AB	UL20886	1000V	47X14AWG	43/0.25	35.5	2310.08	8.62Ω/km
ANM12.002.48.014AB	UL20886	1000V	48X14AWG	43/0.25	35.5	2325.08	8.62Ω/km
ANM12.002.49.014AB	UL20886	1000V	49X14AWG	43/0.25	36.4	2420.88	8.62Ω/km
ANM12.002.50.014AB	UL20886	1000V	50X14AWG	43/0.25	36.4	2435.88	8.62Ω/km
ANM12.002.51.014AB	UL20886	1000V	51X14AWG	43/0.25	36.4	2450.88	8.62Ω/km
ANM12.002.52.014AB	UL20886	1000V	52X14AWG	43/0.25	36.4	2465.98	8.62Ω/km
ANM12.002.02.013AB	UL20886	1000V	2X13AWG	54/0.25	10.6	187.93	6.82Ω/km
ANM12.002.03.013AB	UL20886	1000V	3X13AWG	54/0.25	11.2	223.33	6.82Ω/km
ANM12.002.04.013AB	UL20886	1000V	4X13AWG	54/0.25	12.2	271.83	6.82Ω/km
ANM12.002.05.013AB	UL20886	1000V	5X13AWG	54/0.25	13.4	329.43	6.82Ω/km
ANM12.002.06.013AB	UL20886	1000V	6X13AWG	54/0.25	14.5	386.93	6.82Ω/km
ANM12.002.07.013AB	UL20886	1000V	7X13AWG	54/0.25	14.5	405.63	6.82Ω/km
ANM12.002.08.013AB	UL20886	1000V	8X13AWG	54/0.25	15.7	469.93	6.82Ω/km
ANM12.002.09.013AB	UL20886	1000V	9X13AWG	54/0.25	17.2	550.63	6.82Ω/km
ANM12.002.10.013AB	UL20886	1000V	10X13AWG	54/0.25	18.3	618.33	6.82Ω/km
ANM12.002.11.013AB	UL20886	1000V	11X13AWG	54/0.25	18.9	664.73	6.82Ω/km
ANM12.002.12.013AB	UL20886	1000V	12X13AWG	54/0.25	18.9	683.53	6.82Ω/km
ANM12.002.13.013AB	UL20886	1000V	13X13AWG	54/0.25	21.9	849.73	6.82Ω/km
ANM12.002.14.013AB	UL20886	1000V	14X13AWG	54/0.25	21.9	868.33	6.82Ω/km
ANM12.002.15.013AB	UL20886	1000V	15X13AWG	54/0.25	23	948.23	6.82Ω/km
ANM12.002.16.013AB	UL20886	1000V	16X13AWG	54/0.25	23	966.93	6.82Ω/km
ANM12.002.17.013AB	UL20886	1000V	17X13AWG	54/0.25	24.1	1049.83	6.82Ω/km
ANM12.002.18.013AB	UL20886	1000V	18X13AWG	54/0.25	24.1	1068.63	6.82Ω/km
ANM12.002.19.013AB	UL20886	1000V	19X13AWG	54/0.25	24.1	1087.33	6.82Ω/km
ANM12.002.20.013AB	UL20886	1000V	20X13AWG	54/0.25	24.7	1142.43	6.82Ω/km
ANM12.002.21.013AB	UL20886	1000V	21X13AWG	54/0.25	25.3	1198.13	6.82Ω/km
ANM12.002.22.013AB	UL20886	1000V	22X13AWG	54/0.25	26.8	1313.33	6.82Ω/km
ANM12.002.23.013AB	UL20886	1000V	23X13AWG	54/0.25	27.9	1406.53	6.82Ω/km
ANM12.002.24.013AB	UL20886	1000V	24X13AWG	54/0.25	27.9	1425.13	6.82Ω/km
ANM12.002.25.013AB	UL20886	1000V	25X13AWG	54/0.25	28.5	1485.63	6.82Ω/km
ANM12.002.26.013AB	UL20886	1000V	26X13AWG	54/0.25	28.5	1504.33	6.82Ω/km
ANM12.002.27.013AB	UL20886	1000V	27X13AWG	54/0.25	28.5	1523.13	6.82Ω/km
ANM12.002.28.013AB	UL20886	1000V	28X13AWG	54/0.25	29.5	1613.33	6.82Ω/km



ANM12.002.29.013AB	UL20886	1000V	29X13AWG	54/0.25	29.5	1632.13	6.82Ω/km
ANM12.002.30.013AB	UL20886	1000V	30X13AWG	54/0.25	29.5	1650.83	6.82Ω/km
ANM12.002.31.013AB	UL20886	1000V	31X13AWG	54/0.25	32.4	1921.13	6.82Ω/km
ANM12.002.32.013AB	UL20886	1000V	32X13AWG	54/0.25	32.4	1939.93	6.82Ω/km
ANM12.002.33.013AB	UL20886	1000V	33X13AWG	54/0.25	32.4	1958.63	6.82Ω/km
ANM12.002.34.013AB	UL20886	1000V	34X13AWG	54/0.25	33.5	2067.83	6.82Ω/km
ANM12.002.35.013AB	UL20886	1000V	35X13AWG	54/0.25	33.5	2086.63	6.82Ω/km
ANM12.002.36.013AB	UL20886	1000V	36X13AWG	54/0.25	33.5	2105.43	6.82Ω/km
ANM12.002.37.013AB	UL20886	1000V	37X13AWG	54/0.25	33.5	2124.03	6.82Ω/km
ANM12.002.38.013AB	UL20886	1000V	38X13AWG	54/0.25	34.7	2244.93	6.82Ω/km
ANM12.002.39.013AB	UL20886	1000V	39X13AWG	54/0.25	34.7	2263.63	6.82Ω/km
ANM12.002.40.013AB	UL20886	1000V	40X13AWG	54/0.25	34.7	2282.43	6.82Ω/km
ANM12.002.41.013AB	UL20886	1000V	41X13AWG	54/0.25	37.6	2562.33	6.82Ω/km
ANM12.002.42.013AB	UL20886	1000V	42X13AWG	54/0.25	37.6	2581.03	6.82Ω/km
ANM12.002.43.013AB	UL20886	1000V	43X13AWG	54/0.25	37.6	2599.83	6.82Ω/km
ANM12.002.44.013AB	UL20886	1000V	44X13AWG	54/0.25	37.6	2618.53	6.82Ω/km
ANM12.002.45.013AB	UL20886	1000V	45X13AWG	54/0.25	38.2	2693.83	6.82Ω/km
ANM12.002.46.013AB	UL20886	1000V	46X13AWG	54/0.25	38.2	2712.53	6.82Ω/km
ANM12.002.47.013AB	UL20886	1000V	47X13AWG	54/0.25	38.2	2731.13	6.82Ω/km
ANM12.002.48.013AB	UL20886	1000V	48X13AWG	54/0.25	38.2	2749.93	6.82Ω/km
ANM12.002.49.013AB	UL20886	1000V	49X13AWG	54/0.25	39.2	2865.03	6.82Ω/km
ANM12.002.50.013AB	UL20886	1000V	50X13AWG	54/0.25	39.2	2883.73	6.82Ω/km
ANM12.002.51.013AB	UL20886	1000V	51X13AWG	54/0.25	39.2	2902.33	6.82Ω/km
ANM12.002.52.013AB	UL20886	1000V	52X13AWG	54/0.25	39.2	2921.13	6.82Ω/km
ANM12.002.02.012AB	UL20886	1000V	2X12AWG	68/0.25	11	210.21	5.43Ω/km
ANM12.002.03.012AB	UL20886	1000V	3X12AWG	68/0.25	11.7	254.31	5.43Ω/km
ANM12.002.04.012AB	UL20886	1000V	4X12AWG	68/0.25	12.7	309.51	5.43Ω/km
ANM12.002.05.012AB	UL20886	1000V	5X12AWG	68/0.25	13.9	373.81	5.43Ω/km
ANM12.002.06.012AB	UL20886	1000V	6X12AWG	68/0.25	15.1	441.61	5.43Ω/km
ANM12.002.07.012AB	UL20886	1000V	7X12AWG	68/0.25	15.1	465.61	5.43Ω/km
ANM12.002.08.012AB	UL20886	1000V	8X12AWG	68/0.25	16.3	537.11	5.43Ω/km
ANM12.002.09.012AB	UL20886	1000V	9X12AWG	68/0.25	17.9	629.61	5.43Ω/km
ANM12.002.10.012AB	UL20886	1000V	10X12AWG	68/0.25	19.1	709.01	5.43Ω/km
ANM12.002.11.012AB	UL20886	1000V	11X12AWG	68/0.25	21.8	865.51	5.43Ω/km
ANM12.002.12.012AB	UL20886	1000V	12X12AWG	68/0.25	21.8	889.61	5.43Ω/km
ANM12.002.13.012AB	UL20886	1000V	13X12AWG	68/0.25	22.8	969.01	5.43Ω/km
ANM12.002.14.012AB	UL20886	1000V	14X12AWG	68/0.25	22.8	992.91	5.43Ω/km
ANM12.002.15.012AB	UL20886	1000V	15X12AWG	68/0.25	23.9	1080.51	5.43Ω/km
ANM12.002.16.012AB	UL20886	1000V	16X12AWG	68/0.25	23.9	1104.61	5.43Ω/km
ANM12.002.17.012AB	UL20886	1000V	17X12AWG	68/0.25	25.1	1201.31	5.43Ω/km
ANM12.002.18.012AB	UL20886	1000V	18X12AWG	68/0.25	25.1	1225.31	5.43Ω/km
ANM12.002.19.012AB	UL20886	1000V	19X12AWG	68/0.25	25.1	1249.41	5.43Ω/km



ANM12.002.20.012AB	UL20886	1000V	20X12AWG	68/0.25	25.8	1317.41	5.43 Ω/km
ANM12.002.21.012AB	UL20886	1000V	21X12AWG	68/0.25	26.3	1373.61	5.43 Ω/km
ANM12.002.22.012AB	UL20886	1000V	22X12AWG	68/0.25	27.9	1504.71	5.43 Ω/km
ANM12.002.23.012AB	UL20886	1000V	23X12AWG	68/0.25	29.1	1613.11	5.43 Ω/km
ANM12.002.24.012AB	UL20886	1000V	24X12AWG	68/0.25	29.1	1637.01	5.43 Ω/km
ANM12.002.25.012AB	UL20886	1000V	25X12AWG	68/0.25	31.2	1813.11	5.43 Ω/km
ANM12.002.26.012AB	UL20886	1000V	26X12AWG	68/0.25	31.2	1837.01	5.43 Ω/km
ANM12.002.27.012AB	UL20886	1000V	27X12AWG	68/0.25	31.2	1861.11	5.43 Ω/km
ANM12.002.28.012AB	UL20886	1000V	28X12AWG	68/0.25	32.6	2029.91	5.43 Ω/km
ANM12.002.29.012AB	UL20886	1000V	29X12AWG	68/0.25	32.6	2054.01	5.43 Ω/km
ANM12.002.30.012AB	UL20886	1000V	30X12AWG	68/0.25	32.6	2077.91	5.43 Ω/km
ANM12.002.31.012AB	UL20886	1000V	31X12AWG	68/0.25	33.7	2193.11	5.43 Ω/km
ANM12.002.32.012AB	UL20886	1000V	32X12AWG	68/0.25	33.7	2217.11	5.43 Ω/km
ANM12.002.33.012AB	UL20886	1000V	33X12AWG	68/0.25	33.7	2241.11	5.43 Ω/km
ANM12.002.34.012AB	UL20886	1000V	34X12AWG	68/0.25	34.9	2367.91	5.43 Ω/km
ANM12.002.35.012AB	UL20886	1000V	35X12AWG	68/0.25	34.9	2391.81	5.43 Ω/km
ANM12.002.36.012AB	UL20886	1000V	36X12AWG	68/0.25	34.9	2415.91	5.43 Ω/km
ANM12.002.37.012AB	UL20886	1000V	37X12AWG	68/0.25	34.9	2439.81	5.43 Ω/km
ANM12.002.02.011AB	UL20886	1000V	2X11AWG	85/0.25	11.8	245.37	4.30 Ω/km
ANM12.002.03.011AB	UL20886	1000V	3X11AWG	85/0.25	12.5	296.67	4.30 Ω/km
ANM12.002.04.011AB	UL20886	1000V	4X11AWG	85/0.25	13.8	369.37	4.30 Ω/km
ANM12.002.05.011AB	UL20886	1000V	5X11AWG	85/0.25	15	442.57	4.30 Ω/km
ANM12.002.06.011AB	UL20886	1000V	6X11AWG	85/0.25	16.3	523.27	4.30 Ω/km
ANM12.002.07.011AB	UL20886	1000V	7X11AWG	85/0.25	16.3	552.87	4.30 Ω/km
ANM12.002.08.011AB	UL20886	1000V	8X11AWG	85/0.25	17.7	642.07	4.30 Ω/km
ANM12.002.09.011AB	UL20886	1000V	9X11AWG	85/0.25	19.4	750.37	4.30 Ω/km
ANM12.002.10.011AB	UL20886	1000V	10X11AWG	85/0.25	22.7	947.67	4.30 Ω/km
ANM12.002.11.011AB	UL20886	1000V	11X11AWG	85/0.25	23.4	1017.27	4.30 Ω/km
ANM12.002.12.011AB	UL20886	1000V	12X11AWG	85/0.25	23.4	1046.87	4.30 Ω/km
ANM12.002.13.011AB	UL20886	1000V	13X11AWG	85/0.25	24.6	1147.77	4.30 Ω/km
ANM12.002.14.011AB	UL20886	1000V	14X11AWG	85/0.25	24.6	1177.37	4.30 Ω/km
ANM12.002.15.011AB	UL20886	1000V	15X11AWG	85/0.25	25.8	1281.67	4.30 Ω/km
ANM12.002.16.011AB	UL20886	1000V	16X11AWG	85/0.25	25.8	1311.37	4.30 Ω/km
ANM12.002.17.011AB	UL20886	1000V	17X11AWG	85/0.25	27.1	1425.87	4.30 Ω/km
ANM12.002.18.011AB	UL20886	1000V	18X11AWG	85/0.25	27.1	1455.37	4.30 Ω/km
ANM12.002.19.011AB	UL20886	1000V	19X11AWG	85/0.25	27.1	1484.97	4.30 Ω/km
ANM12.002.20.011AB	UL20886	1000V	20X11AWG	85/0.25	27.8	1561.97	4.30 Ω/km
ANM12.002.21.011AB	UL20886	1000V	21X11AWG	85/0.25	28.5	1640.27	4.30 Ω/km
ANM12.002.22.011AB	UL20886	1000V	22X11AWG	85/0.25	32	1960.77	4.30 Ω/km
ANM12.002.23.011AB	UL20886	1000V	23X11AWG	85/0.25	33.3	2096.47	4.30 Ω/km
ANM12.002.24.011AB	UL20886	1000V	24X11AWG	85/0.25	33.3	2125.97	4.30 Ω/km
ANM12.002.25.011AB	UL20886	1000V	25X11AWG	85/0.25	34	2214.47	4.30 Ω/km



ANM12.002.26.011AB	UL20886	1000V	26X11AWG	85/0.25	34	2244.07	4.30 Ω/km
ANM12.002.27.011AB	UL20886	1000V	27X11AWG	85/0.25	34	2273.57	4.30 Ω/km
ANM12.002.28.011AB	UL20886	1000V	28X11AWG	85/0.25	35.2	2406.77	4.30 Ω/km
ANM12.002.29.011AB	UL20886	1000V	29X11AWG	85/0.25	35.2	2436.27	4.30 Ω/km
ANM12.002.30.011AB	UL20886	1000V	30X11AWG	85/0.25	35.2	2465.87	4.30 Ω/km
ANM12.002.31.011AB	UL20886	1000V	31X11AWG	85/0.25	36.4	2602.57	4.30 Ω/km
ANM12.002.32.011AB	UL20886	1000V	32X11AWG	85/0.25	36.4	2632.17	4.30 Ω/km
ANM12.002.33.011AB	UL20886	1000V	33X11AWG	85/0.25	36.4	2661.77	4.30 Ω/km
ANM12.002.34.011AB	UL20886	1000V	34X11AWG	85/0.25	38	2839.47	4.30 Ω/km
ANM12.002.35.011AB	UL20886	1000V	35X11AWG	85/0.25	38	2869.07	4.30 Ω/km
ANM12.002.36.011AB	UL20886	1000V	36X11AWG	85/0.25	38	2898.67	4.30 Ω/km
ANM12.002.37.011AB	UL20886	1000V	37X11AWG	85/0.25	38	2928.27	4.30 Ω/km
ANM12.002.02.010AB	UL20886	1000V	2X10AWG	108/0.25	13	295.67	3.409 Ω/km
ANM12.002.03.010AB	UL20886	1000V	3X10AWG	108/0.25	13.9	361.67	3.409 Ω/km
ANM12.002.04.010AB	UL20886	1000V	4X10AWG	108/0.25	15.2	444.67	3.409 Ω/km
ANM12.002.05.010AB	UL20886	1000V	5X10AWG	108/0.25	16.6	535.87	3.409 Ω/km
ANM12.002.06.010AB	UL20886	1000V	6X10AWG	108/0.25	18.1	636.37	3.409 Ω/km
ANM12.002.07.010AB	UL20886	1000V	7X10AWG	108/0.25	18.1	671.67	3.409 Ω/km
ANM12.002.08.010AB	UL20886	1000V	8X10AWG	108/0.25	21.6	875.17	3.409 Ω/km
ANM12.002.09.010AB	UL20886	1000V	9X10AWG	108/0.25	23.6	1022.57	3.409 Ω/km
ANM12.002.10.010AB	UL20886	1000V	10X10AWG	108/0.25	25.1	1148.37	3.409 Ω/km
ANM12.002.11.010AB	UL20886	1000V	11X10AWG	108/0.25	25.9	1234.07	3.409 Ω/km
ANM12.002.12.010AB	UL20886	1000V	12X10AWG	108/0.25	25.9	1269.47	3.409 Ω/km
ANM12.002.13.010AB	UL20886	1000V	13X10AWG	108/0.25	27.2	1390.07	3.409 Ω/km
ANM12.002.14.010AB	UL20886	1000V	14X10AWG	108/0.25	27.2	1425.37	3.409 Ω/km
ANM12.002.15.010AB	UL20886	1000V	15X10AWG	108/0.25	28.6	1557.07	3.409 Ω/km
ANM12.002.16.010AB	UL20886	1000V	16X10AWG	108/0.25	28.6	1592.47	3.409 Ω/km
ANM12.002.17.010AB	UL20886	1000V	17X10AWG	108/0.25	31.9	1903.77	3.409 Ω/km
ANM12.002.18.010AB	UL20886	1000V	18X10AWG	108/0.25	31.9	1939.07	3.409 Ω/km
ANM12.002.19.010AB	UL20886	1000V	19X10AWG	108/0.25	31.9	1974.37	3.409 Ω/km
ANM12.002.20.010AB	UL20886	1000V	20X10AWG	108/0.25	32.7	2074.27	3.409 Ω/km
ANM12.002.21.010AB	UL20886	1000V	21X10AWG	108/0.25	33.4	2167.37	3.409 Ω/km
ANM12.002.22.010AB	UL20886	1000V	22X10AWG	108/0.25	35.4	2374.47	3.409 Ω/km
ANM12.002.23.010AB	UL20886	1000V	23X10AWG	108/0.25	36.9	2544.97	3.409 Ω/km
ANM12.002.24.010AB	UL20886	1000V	24X10AWG	108/0.25	36.9	2580.27	3.409 Ω/km
ANM12.002.25.010AB	UL20886	1000V	25X10AWG	108/0.25	38	2718.17	3.409 Ω/km
ANM12.002.26.010AB	UL20886	1000V	26X10AWG	108/0.25	38	2753.47	3.409 Ω/km
ANM12.002.27.010AB	UL20886	1000V	27X10AWG	108/0.25	38	2788.77	3.409 Ω/km
ANM12.002.28.010AB	UL20886	1000V	28X10AWG	108/0.25	39.3	2949.07	3.409 Ω/km
ANM12.002.29.010AB	UL20886	1000V	29X10AWG	108/0.25	39.3	2984.37	3.409 Ω/km
ANM12.002.30.010AB	UL20886	1000V	30X10AWG	108/0.25	39.3	3019.57	3.409 Ω/km
ANM12.002.31.010AB	UL20886	1000V	31X10AWG	108/0.25	40.7	3194.17	3.409 Ω/km



ANM12.002.32.010AB	UL20886	1000V	32X10AWG	108/0.25	40.7	3229.47	3.409 Ω /km
ANM12.002.33.010AB	UL20886	1000V	33X10AWG	108/0.25	40.7	3264.67	3.409 Ω /km
ANM12.002.34.010AB	UL20886	1000V	34X10AWG	108/0.25	42.4	3513.37	3.409 Ω /km
ANM12.002.35.010AB	UL20886	1000V	35X10AWG	108/0.25	42.4	3548.67	3.409 Ω /km
ANM12.002.36.010AB	UL20886	1000V	36X10AWG	108/0.25	42.4	3583.97	3.409 Ω /km
ANM12.002.37.010AB	UL20886	1000V	37X10AWG	108/0.25	42.4	3619.17	3.409 Ω /km
ANM12.002.02.009AB	UL20886	1000V	2X9AWG	136/0.25	13.7	341.44	2.705 Ω /km
ANM12.002.03.009AB	UL20886	1000V	3X9AWG	136/0.25	14.6	419.14	2.705 Ω /km
ANM12.002.04.009AB	UL20886	1000V	4X9AWG	136/0.25	15.9	514.74	2.705 Ω /km
ANM12.002.05.009AB	UL20886	1000V	5X9AWG	136/0.25	17.5	627.24	2.705 Ω /km
ANM12.002.06.009AB	UL20886	1000V	6X9AWG	136/0.25	19	741.44	2.705 Ω /km
ANM12.002.07.009AB	UL20886	1000V	7X9AWG	136/0.25	19	786.94	2.705 Ω /km
ANM12.002.02.008AB	UL20886	1000V	2X8AWG	171/0.25	16.1	457.87	2.144 Ω /km
ANM12.002.03.008AB	UL20886	1000V	3X8AWG	171/0.25	17.2	561.67	2.144 Ω /km
ANM12.002.04.008AB	UL20886	1000V	4X8AWG	171/0.25	18.8	691.77	2.144 Ω /km
ANM12.002.05.008AB	UL20886	1000V	5X8AWG	171/0.25	22.7	946.07	2.144 Ω /km
ANM12.002.06.008AB	UL20886	1000V	6X8AWG	171/0.25	24.6	1115.37	2.144 Ω /km
ANM12.002.07.008AB	UL20886	1000V	7X8AWG	171/0.25	24.6	1173.37	2.144 Ω /km
ANM12.002.02.007AB	UL20886	1000V	2X7AWG	84/0.4	16.9	525.95	1.700 Ω /km
ANM12.002.03.007AB	UL20886	1000V	3X7AWG	84/0.4	18	648.35	1.700 Ω /km
ANM12.002.04.007AB	UL20886	1000V	4X7AWG	84/0.4	21.8	906.25	1.700 Ω /km
ANM12.002.05.007AB	UL20886	1000V	5X7AWG	84/0.4	23.8	1093.65	1.700 Ω /km
ANM12.002.06.007AB	UL20886	1000V	6X7AWG	84/0.4	25.8	1290.65	1.700 Ω /km
ANM12.002.07.007AB	UL20886	1000V	7X7AWG	84/0.4	25.8	1365.15	1.700 Ω /km
ANM12.002.02.006AB	UL20886	1000V	2X6AWG	106/0.4	18.3	625.7	1.348 Ω /km
ANM12.002.03.006AB	UL20886	1000V	3X6AWG	106/0.4	21.5	871.4	1.348 Ω /km
ANM12.002.04.006AB	UL20886	1000V	4X6AWG	106/0.4	23.5	1075.1	1.348 Ω /km
ANM12.002.05.006AB	UL20886	1000V	5X6AWG	106/0.4	25.7	1301	1.348 Ω /km
ANM12.002.06.006AB	UL20886	1000V	6X6AWG	106/0.4	27.9	1538.7	1.348 Ω /km
ANM12.002.07.006AB	UL20886	1000V	7X6AWG	106/0.4	27.9	1630.6	1.348 Ω /km
ANM12.002.02.005AB	UL20886	1000V	2X5AWG	134/0.4	21.5	832.17	1.070 Ω /km
ANM12.002.03.005AB	UL20886	1000V	3X5AWG	134/0.4	22.8	1020.37	1.070 Ω /km
ANM12.002.04.005AB	UL20886	1000V	4X5AWG	134/0.4	24.9	1261.07	1.070 Ω /km
ANM12.002.05.005AB	UL20886	1000V	5X5AWG	134/0.4	27.3	1532.57	1.070 Ω /km
ANM12.002.06.005AB	UL20886	1000V	6X5AWG	134/0.4	31.1	1918.87	1.070 Ω /km
ANM12.002.07.005AB	UL20886	1000V	7X5AWG	134/0.4	31.1	2035.57	1.070 Ω /km
ANM12.002.02.004AB	UL20886	1000V	2X4AWG	169/0.4	22.9	975.35	0.8481 Ω /km
ANM12.002.03.004AB	UL20886	1000V	3X4AWG	169/0.4	24.3	1204.75	0.8481 Ω /km
ANM12.002.04.004AB	UL20886	1000V	4X4AWG	169/0.4	26.6	1496.95	0.8481 Ω /km
ANM12.002.05.004AB	UL20886	1000V	5X4AWG	169/0.4	29.2	1823.55	0.8481 Ω /km
ANM12.002.06.004AB	UL20886	1000V	6X4AWG	169/0.4	33.6	2343.45	0.8481 Ω /km
ANM12.002.07.004AB	UL20886	1000V	7X4AWG	169/0.4	33.6	2490.95	0.8481 Ω /km



ANM12.002.02.003AB	UL20886	1000V	2X3AWG	213/0.4	24.5	1152.07	0.6727 Ω/km
ANM12.002.03.003AB	UL20886	1000V	3X3AWG	213/0.4	26	1431.87	0.6727 Ω/km
ANM12.002.04.003AB	UL20886	1000V	4X3AWG	213/0.4	28.6	1793.37	0.6727 Ω/km
ANM12.002.05.003AB	UL20886	1000V	5X3AWG	213/0.4	33.1	2353.07	0.6727 Ω/km
ANM12.002.06.003AB	UL20886	1000V	6X3AWG	213/0.4	36	2789.17	0.6727 Ω/km
ANM12.002.07.003AB	UL20886	1000V	7X3AWG	213/0.4	36	2975.27	0.6727 Ω/km
ANM12.002.02.002AB	UL20886	1000V	2X2AWG	268/0.4	26.3	1369.22	0.5335 Ω/km
ANM12.002.03.002AB	UL20886	1000V	3X2AWG	268/0.4	28	1718.12	0.5335 Ω/km
ANM12.002.04.002AB	UL20886	1000V	4X2AWG	268/0.4	32.5	2318.82	0.5335 Ω/km
ANM12.002.05.002AB	UL20886	1000V	5X2AWG	268/0.4	35.6	2817.12	0.5335 Ω/km
ANM12.002.06.002AB	UL20886	1000V	6X2AWG	268/0.4	39	3367.62	0.5335 Ω/km
ANM12.002.07.002AB	UL20886	1000V	7X2AWG	268/0.4	39	3602.22	0.5335 Ω/km
ANM12.002.02.001AB	UL20886	1000V	2X1AWG	338/0.4	28.9	1682.61	0.4230 Ω/km
ANM12.002.03.001AB	UL20886	1000V	3X1AWG	338/0.4	32.6	2292.31	0.4230 Ω/km
ANM12.002.04.001AB	UL20886	1000V	4X1AWG	338/0.4	35.7	2855.11	0.4230 Ω/km
ANM12.002.05.001AB	UL20886	1000V	5X1AWG	338/0.4	39.4	3499.51	0.4230 Ω/km
ANM12.002.06.001AB	UL20886	1000V	6X1AWG	338/0.4	43.1	4215.61	0.4230 Ω/km
ANM12.002.07.001AB	UL20886	1000V	7X1AWG	338/0.4	43.1	4514.11	0.4230 Ω/km
ANM12.002.02.1/OAB	UL20886	1000V	2X1/OAWG	426/0.4	33.3	2209.99	0.3354 Ω/km
ANM12.002.03.1/OAB	UL20886	1000V	3X1/OAWG	426/0.4	35.4	2762.19	0.3354 Ω/km
ANM12.002.04.1/OAB	UL20886	1000V	4X1/OAWG	426/0.4	39.1	3477.49	0.3354 Ω/km
ANM12.002.05.1/OAB	UL20886	1000V	5X1/OAWG	426/0.4	43.1	4296.79	0.3354 Ω/km
ANM12.002.06.1/OAB	UL20886	1000V	6X1/OAWG	426/0.4	48.4	5266.49	0.3354 Ω/km
ANM12.002.07.1/OAB	UL20886	1000V	7X1/OAWG	426/0.4	48.4	5638.69	0.3354 Ω/km
ANM12.002.02.2/OAB	UL20886	1000V	2X2/OAWG	537/0.4	35.9	2641.53	0.2660 Ω/km
ANM12.002.03.2/OAB	UL20886	1000V	3X2/OAWG	537/0.4	38.5	3351.33	0.2660 Ω/km
ANM12.002.04.2/OAB	UL20886	1000V	4X2/OAWG	537/0.4	42.5	4260.53	0.2660 Ω/km
ANM12.002.05.2/OAB	UL20886	1000V	5X2/OAWG	537/0.4	48	5343.13	0.2660 Ω/km
ANM12.002.06.2/OAB	UL20886	1000V	6X2/OAWG	537/0.4	52.3	6349.13	0.2660 Ω/km
ANM12.002.07.2/OAB	UL20886	1000V	7X2/OAWG	537/0.4	52.3	6817.83	0.2660 Ω/km
ANM12.002.02.3/OAB	UL20886	1000V	2X3/OAWG	677/0.4	38.8	3182.61	0.2110 Ω/km
ANM12.002.03.3/OAB	UL20886	1000V	3X3/OAWG	677/0.4	41.3	4027.01	0.2110 Ω/km
ANM12.002.04.3/OAB	UL20886	1000V	4X3/OAWG	677/0.4	47	5280.71	0.2110 Ω/km
ANM12.002.05.3/OAB	UL20886	1000V	5X3/OAWG	677/0.4	51.5	6428.81	0.2110 Ω/km
ANM12.002.06.3/OAB	UL20886	1000V	6X3/OAWG	677/0.4	56.2	7653.61	0.2110 Ω/km
ANM12.002.07.3/OAB	UL20886	1000V	7X3/OAWG	677/0.4	56.2	8249.11	0.2110 Ω/km
ANM12.002.02.4/OAB	UL20886	1000V	2X4/OAWG	854/0.4	42.2	3896.1	0.1673 Ω/km
ANM12.002.03.4/OAB	UL20886	1000V	3X4/OAWG	854/0.4	46.3	5092.9	0.1673 Ω/km
ANM12.002.04.4/OAB	UL20886	1000V	4X4/OAWG	854/0.4	50.9	6401.7	0.1673 Ω/km
ANM12.002.05.4/OAB	UL20886	1000V	5X4/OAWG	854/0.4	55.8	7803.3	0.1673 Ω/km
ANM12.002.06.4/OAB	UL20886	1000V	6X4/OAWG	854/0.4	61	9307.9	0.1673 Ω/km
ANM12.002.07.4/OAB	UL20886	1000V	7X4/OAWG	854/0.4	61	10059.1	0.1673 Ω/km



ANM12.002.02.250kB	UL20886	1000V	2X250kcmil	1007/0.4	47.8	4798.3	0.1416 Ω/km
ANM12.002.03.250kB	UL20886	1000V	3X250kcmil	1007/0.4	50.9	6061.2	0.1416 Ω/km
ANM12.002.04.250kB	UL20886	1000V	4X250kcmil	1007/0.4	55.9	7606.8	0.1416 Ω/km
ANM12.002.05.250kB	UL20886	1000V	5X250kcmil	1007/0.4	61.5	9303.8	0.1416 Ω/km
ANM12.002.02.300kB	UL20886	1000V	2X300kcmil	1184/0.4	50	5474.2	0.1180 Ω/km
ANM12.002.03.300kB	UL20886	1000V	3X300kcmil	1184/0.4	53.2	6958.3	0.1180 Ω/km
ANM12.002.04.300kB	UL20886	1000V	4X300kcmil	1184/0.4	58.6	8780.9	0.1180 Ω/km
ANM12.002.05.300kB	UL20886	1000V	5X300kcmil	1184/0.4	64.5	10753.8	0.1180 Ω/km
ANM12.002.02.350kB	UL20886	1000V	2X350kcmil	1406/0.4	53	6224.8	0.1011 Ω/km
ANM12.002.03.350kB	UL20886	1000V	3X350kcmil	1406/0.4	56.5	7944.5	0.1011 Ω/km
ANM12.002.04.350kB	UL20886	1000V	4X350kcmil	1406/0.4	62.2	10026.8	0.1011 Ω/km
ANM12.002.05.350kB	UL20886	1000V	5X350kcmil	1406/0.4	68.5	12289.1	0.1011 Ω/km
ANM12.002.02.400kB	UL20886	1000V	2X400kcmil	1628/0.4	56	7006.1	0.08851 Ω/km
ANM12.002.03.400kB	UL20886	1000V	3X400kcmil	1628/0.4	59.7	8955.2	0.08851 Ω/km
ANM12.002.04.400kB	UL20886	1000V	4X400kcmil	1628/0.4	65.8	11321.2	0.08851 Ω/km
ANM12.002.05.400kB	UL20886	1000V	5X400kcmil	1628/0.4	75	14321.6	0.08851 Ω/km
ANM12.002.02.450kB	UL20886	1000V	2X450kcmil	1830/0.4	58.4	7722.6	0.07867 Ω/km
ANM12.002.03.450kB	UL20886	1000V	3X450kcmil	1830/0.4	62.3	9899.2	0.07867 Ω/km
ANM12.002.04.450kB	UL20886	1000V	4X450kcmil	1830/0.4	68.7	12529.6	0.07867 Ω/km
ANM12.002.05.450kB	UL20886	1000V	5X450kcmil	1830/0.4	78.2	15827.1	0.07867 Ω/km
ANM12.002.02.500kB	UL20886	1000V	2X500kcmil	2013/0.4	60.4	8407.6	0.07080 Ω/km
ANM12.002.03.500kB	UL20886	1000V	3X500kcmil	2013/0.4	64.4	10801.7	0.07080 Ω/km
ANM12.002.04.500kB	UL20886	1000V	4X500kcmil	2013/0.4	73.5	14111	0.07080 Ω/km
ANM12.002.05.500kB	UL20886	1000V	5X500kcmil	2013/0.4	80.9	17294.8	0.07080 Ω/km
ANM12.002.03.01.013AB	UL20886	1000V	3X13AWG+1X15AWG	54/0.25	11.9	254.75	6.82 Ω/km
ANM12.002.03.01.012AB	UL20886	1000V	3X12AWG+1X14AWG	68/0.25	12.4	289.68	5.43 Ω/km
ANM12.002.03.01.011AB	UL20886	1000V	3X11AWG+1X14AWG	85/0.25	13.2	332.38	4.30 Ω/km
ANM12.002.03.01.010AB	UL20886	1000V	3X10AWG+1X13AWG	108/0.25	14.5	399.33	3.409 Ω/km
ANM12.002.03.01.009AB	UL20886	1000V	3X9AWG+1X12AWG	136/0.25	15.1	458.51	2.705 Ω/km
ANM12.002.03.01.008AB	UL20886	1000V	3X8AWG+1X11AWG	171/0.25	17.6	604.67	2.144 Ω/km
ANM12.002.03.01.007AB	UL20886	1000V	3X7AWG+1X10AWG	84/0.4	18.6	705.87	1.700 Ω/km
ANM12.002.03.01.006AB	UL20886	1000V	3X6AWG+1X9AWG	106/0.4	22.1	942.94	1.348 Ω/km
ANM12.002.03.01.005AB	UL20886	1000V	3X5AWG+1X8AWG	134/0.4	23.9	1133.57	1.070 Ω/km
ANM12.002.03.01.004AB	UL20886	1000V	3X4AWG+1X7AWG	169/0.4	25.4	1336.15	0.8481 Ω/km
ANM12.002.03.01.003AB	UL20886	1000V	3X3AWG+1X6AWG	213/0.4	27.3	1596.1	0.6727 Ω/km
ANM12.002.03.01.002AB	UL20886	1000V	3X2AWG+1X5AWG	268/0.4	29.3	1909.77	0.5335 Ω/km
ANM12.002.03.01.001AB	UL20886	1000V	3X1AWG+1X4AWG	338/0.4	33.9	2526.65	0.4230 Ω/km
ANM12.002.03.01.1/0AB	UL20886	1000V	3X1/0AWG+1X3AWG	426/0.4	36.7	3038.27	0.3354 Ω/km
ANM12.002.03.01.2/0AB	UL20886	1000V	3X2/0AWG+1X2AWG	537/0.4	39.9	3688.52	0.2660 Ω/km
ANM12.002.03.01.3/0AB	UL20886	1000V	3X3/0AWG+1X1AWG	677/0.4	43.3	4531.61	0.2110 Ω/km
ANM12.002.03.01.4/0AB	UL20886	1000V	3X4/0AWG+1X1/0AWG	854/0.4	48.4	5659.59	0.1673 Ω/km
ANM12.002.03.01.250kB	UL20886	1000V	3X250kcmil+1X2/0AWG	1007/0.4	53	6741.83	0.1416 Ω/km



ANM12.002.03.01.300kV	UL20886	1000V	3X300kcmil+1X3/OAWG	1184/0.4	55.7	7825.11	0.1180 Ω/km
ANM12.002.03.01.350kV	UL20886	1000V	3X350kcmil+1X4/OAWG	1406/0.4	59.4	9043	0.1011 Ω/km
ANM12.002.03.01.400kV	UL20886	1000V	3X400kcmil+1X250kcmil	1628/0.4	63.4	10325	0.08851 Ω/km
ANM12.002.03.01.450kV	UL20886	1000V	3X450kcmil+1X300kcmil	1830/0.4	66.3	11532.8	0.07867 Ω/km
ANM12.002.03.01.500kV	UL20886	1000V	3X500kcmil+1X350kcmil	2013/0.4	69	12728	0.07080 Ω/km
ANM12.002.03.02.013AB	UL20886	1000V	3X13AWG+2X15AWG	54/0.25	12.7	291.65	6.82 Ω/km
ANM12.002.03.02.012AB	UL20886	1000V	3X12AWG+2X14AWG	68/0.25	13.4	337.48	5.43 Ω/km
ANM12.002.03.02.011AB	UL20886	1000V	3X11AWG+2X14AWG	85/0.25	14	374.78	4.30 Ω/km
ANM12.002.03.02.010AB	UL20886	1000V	3X10AWG+2X13AWG	108/0.25	15.3	448.03	3.409 Ω/km
ANM12.002.03.02.009AB	UL20886	1000V	3X9AWG+2X12AWG	136/0.25	16	517.91	2.705 Ω/km
ANM12.002.03.02.008AB	UL20886	1000V	3X8AWG+2X11AWG	171/0.25	18.4	670.07	2.144 Ω/km
ANM12.002.03.02.007AB	UL20886	1000V	3X7AWG+2X10AWG	84/0.4	21.7	891.87	1.700 Ω/km
ANM12.002.03.02.006AB	UL20886	1000V	3X6AWG+2X9AWG	106/0.4	23.1	1044.54	1.348 Ω/km
ANM12.002.03.02.005AB	UL20886	1000V	3X5AWG+2X8AWG	134/0.4	25.4	1282.97	1.070 Ω/km
ANM12.002.03.02.004AB	UL20886	1000V	3X4AWG+2X7AWG	169/0.4	27	1514.15	0.8481 Ω/km
ANM12.002.03.02.003AB	UL20886	1000V	3X3AWG+2X6AWG	213/0.4	29	1806.3	0.6727 Ω/km
ANM12.002.03.02.002AB	UL20886	1000V	3X2AWG+2X5AWG	268/0.4	32.9	2333.47	0.5335 Ω/km
ANM12.002.03.02.001AB	UL20886	1000V	3X1AWG+2X4AWG	338/0.4	35.8	2839.35	0.4230 Ω/km
ANM12.002.03.02.1/OAB	UL20886	1000V	3X1/OAWG+2X3AWG	426/0.4	39.1	3450.87	0.3354 Ω/km
ANM12.002.03.02.2/OAB	UL20886	1000V	3X2/OAWG+2X2AWG	537/0.4	42.3	4206.12	0.2660 Ω/km
ANM12.002.03.02.3/OAB	UL20886	1000V	3X3/OAWG+2X1AWG	677/0.4	47.2	5263.11	0.2110 Ω/km
ANM12.002.03.02.4/OAB	UL20886	1000V	3X4/OAWG+2X1/OAWG	854/0.4	51.2	6379.19	0.1673 Ω/km
ANM12.002.03.02.250kV	UL20886	1000V	3X250kcmil+2X2/OAWG	1007/0.4	56.1	7630.93	0.1416 Ω/km
ANM12.002.03.02.300kV	UL20886	1000V	3X300kcmil+2X3/OAWG	1184/0.4	59.2	8919.81	0.1180 Ω/km
ANM12.002.03.02.350kV	UL20886	1000V	3X350kcmil+2X4/OAWG	1406/0.4	63.4	10402.9	0.1011 Ω/km
ANM12.002.03.02.400kV	UL20886	1000V	3X400kcmil+2X250kcmil	1628/0.4	68.1	11971.3	0.08851 Ω/km
ANM12.002.03.02.450kV	UL20886	1000V	3X450kcmil+2X300kcmil	1830/0.4	73.6	13850	0.07867 Ω/km
ANM12.002.03.02.500kV	UL20886	1000V	3X500kcmil+2X350kcmil	2013/0.4	76.9	15376.3	0.07080 Ω/km
ANM12.002.01.01.013AB	UL20886	1000V	4X13AWG+1X15AWG	54/0.25	13	308.25	6.82 Ω/km
ANM12.002.01.01.012AB	UL20886	1000V	4X12AWG+1X14AWG	68/0.25	13.6	353.18	5.43 Ω/km
ANM12.002.01.01.011AB	UL20886	1000V	4X11AWG+1X14AWG	85/0.25	14.5	407.38	4.30 Ω/km
ANM12.002.01.01.010AB	UL20886	1000V	4X10AWG+1X13AWG	108/0.25	16	492.23	3.409 Ω/km
ANM12.002.01.01.009AB	UL20886	1000V	4X9AWG+1X12AWG	136/0.25	16.7	568.11	2.705 Ω/km
ANM12.002.01.01.008AB	UL20886	1000V	4X8AWG+1X11AWG	171/0.25	21.5	847.57	2.144 Ω/km
ANM12.002.01.01.007AB	UL20886	1000V	4X7AWG+1X10AWG	84/0.4	22.7	985.87	1.700 Ω/km
ANM12.002.01.01.006AB	UL20886	1000V	4X6AWG+1X9AWG	106/0.4	24.4	1167.34	1.348 Ω/km
ANM12.002.01.01.005AB	UL20886	1000V	4X5AWG+1X8AWG	134/0.4	26.3	1399.27	1.070 Ω/km
ANM12.002.01.01.001AB	UL20886	1000V	4X4AWG+1X7AWG	169/0.4	28.1	1662.15	0.8481 Ω/km
ANM12.002.01.01.003AB	UL20886	1000V	4X3AWG+1X6AWG	213/0.4	32	2155.9	0.6727 Ω/km
ANM12.002.01.01.002AB	UL20886	1000V	4X2AWG+1X5AWG	268/0.4	34.2	2560.37	0.5335 Ω/km
ANM12.002.01.01.001AB	UL20886	1000V	4X1AWG+1X4AWG	338/0.4	37.7	3164.35	0.4230 Ω/km
ANM12.002.01.01.1/OAB	UL20886	1000V	4X1/OAWG+1X3AWG	426/0.4	41	3826.07	0.3354 Ω/km



ANM12.002.01.01.2/0AB	UL20886	1000V	4X2/0AWG+1X2AWG	537/0.4	45.8	4817.72	0.2660 Ω /km
ANM12.002.01.01.3/0AB	UL20886	1000V	4X3/0AWG+1X1AWG	677/0.4	49.4	5825.21	0.2110 Ω /km
ANM12.002.01.01.4/0AB	UL20886	1000V	4X4/0AWG+1X1/0AWG	854/0.4	53.5	7057.99	0.1673 Ω /km
ANM12.002.01.01.250kB	UL20886	1000V	4X250kcmil+1X2/0AWG	1007/0.4	58.8	8428.93	0.1416 Ω /km
ANM12.002.01.01.300kB	UL20886	1000V	4X300kcmil+1X3/0AWG	1184/0.4	61.8	9787.21	0.1180 Ω /km
ANM12.002.01.01.350kB	UL20886	1000V	4X350kcmil+1X4/0AWG	1406/0.4	65.9	11295.1	0.1011 Ω /km
ANM12.002.01.01.400kB	UL20886	1000V	4X400kcmil+1X250kcmil	1628/0.4	70.3	12883.8	0.08851 Ω /km
ANM12.002.01.01.450kB	UL20886	1000V	4X450kcmil+1X300kcmil	1830/0.4	75.9	14794.2	0.07867 Ω /km
ANM12.002.01.01.500kB	UL20886	1000V	4X500kcmil+1X350kcmil	2013/0.4	78.9	16292.7	0.07080 Ω /km
ANM12.002.03.03.013AB	UL20886	1000V	3X13AWG+3X18AWG	54/0.25	12.9	291.23	6.82 Ω /km
ANM12.002.03.03.012AB	UL20886	1000V	3X12AWG+3X17AWG	68/0.25	13.6	334.84	5.43 Ω /km
ANM12.002.03.03.011AB	UL20886	1000V	3X11AWG+3X16AWG	85/0.25	14.3	383.01	4.30 Ω /km
ANM12.002.03.03.010AB	UL20886	1000V	3X10AWG+3X15AWG	108/0.25	15.5	452.85	3.409 Ω /km
ANM12.002.03.03.009AB	UL20886	1000V	3X9AWG+3X14AWG	136/0.25	16.2	521.78	2.705 Ω /km
ANM12.002.03.03.008AB	UL20886	1000V	3X8AWG+3X13AWG	171/0.25	18.3	661.13	2.144 Ω /km
ANM12.002.03.03.007AB	UL20886	1000V	3X7AWG+3X12AWG	84/0.4	19.2	768.81	1.700 Ω /km
ANM12.002.03.03.006AB	UL20886	1000V	3X6AWG+3X11AWG	106/0.4	22.8	1022.47	1.348 Ω /km
ANM12.002.03.03.005AB	UL20886	1000V	3X5AWG+3X10AWG	134/0.4	24.6	1220.47	1.070 Ω /km
ANM12.002.03.03.004AB	UL20886	1000V	3X4AWG+3X9AWG	169/0.4	26.1	1439.24	0.8481 Ω /km
ANM12.002.03.03.003AB	UL20886	1000V	3X3AWG+3X8AWG	213/0.4	29.2	1805.57	0.6727 Ω /km
ANM12.002.03.03.002AB	UL20886	1000V	3X2AWG+3X7AWG	268/0.4	32.9	2316.85	0.5335 Ω /km
ANM12.002.03.03.001AB	UL20886	1000V	3X1AWG+3X6AWG	338/0.4	35.8	2812.5	0.4230 Ω /km
ANM12.002.03.03.1/0AB	UL20886	1000V	3X1/0AWG+3X5AWG	426/0.4	38.9	3399.27	0.3354 Ω /km
ANM12.002.03.03.2/0AB	UL20886	1000V	3X2/0AWG+3X4AWG	537/0.4	42	4134.95	0.2660 Ω /km
ANM12.002.03.03.3/0AB	UL20886	1000V	3X3/0AWG+3X3AWG	677/0.4	46.5	5126.77	0.2110 Ω /km
ANM12.002.03.03.4/0AB	UL20886	1000V	3X4/0AWG+3X2AWG	854/0.4	50.2	6192.82	0.1673 Ω /km
ANM12.002.03.03.250kB	UL20886	1000V	3X250kcmil+3X1AWG	1007/0.4	55.2	7439.41	0.1416 Ω /km
ANM12.002.03.03.300kB	UL20886	1000V	3X300kcmil+3X1/0AWG	1184/0.4	58.9	8769.69	0.1180 Ω /km
ANM12.002.03.03.350kB	UL20886	1000V	3X350kcmil+3X1/0AWG	1406/0.4	60.9	9578.19	0.1011 Ω /km
ANM12.002.03.03.400kB	UL20886	1000V	3X400kcmil+3X2/0AWG	1628/0.4	65.1	11060.53	0.08851 Ω /km
ANM12.002.03.03.450kB	UL20886	1000V	3X450kcmil+3X3/0AWG	1830/0.4	68.9	12614.11	0.07867 Ω /km
ANM12.002.03.03.500kB	UL20886	1000V	3X500kcmil+3X3/0AWG	2013/0.4	70.3	13403.01	0.07080 Ω /km