



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω /km
芯线 PVC 材质							
ANM10.011.02.022AB	UL21316	1000V	2X22AWG	22/0.14	6.4	57.83	55.4 Ω /km
ANM10.011.03.022AB	UL21316	1000V	3X22AWG	22/0.14	6.7	65.13	55.4 Ω /km
ANM10.011.04.022AB	UL21316	1000V	4X22AWG	22/0.14	7.1	74.43	55.4 Ω /km
ANM10.011.05.022AB	UL21316	1000V	5X22AWG	22/0.14	7.6	86.03	55.4 Ω /km
ANM10.011.06.022AB	UL21316	1000V	6X22AWG	22/0.14	8	96.23	55.4 Ω /km
ANM10.011.07.022AB	UL21316	1000V	7X22AWG	22/0.14	8	98.43	55.4 Ω /km
ANM10.011.08.022AB	UL21316	1000V	8X22AWG	22/0.14	8.5	111.23	55.4 Ω /km
ANM10.011.09.022AB	UL21316	1000V	9X22AWG	22/0.14	9.2	129.13	55.4 Ω /km
ANM10.011.10.022AB	UL21316	1000V	10X22AWG	22/0.14	9.6	140.83	55.4 Ω /km
ANM10.011.11.022AB	UL21316	1000V	11X22AWG	22/0.14	9.9	150.53	55.4 Ω /km
ANM10.011.12.022AB	UL21316	1000V	12X22AWG	22/0.14	9.9	152.63	55.4 Ω /km
ANM10.011.13.022AB	UL21316	1000V	13X22AWG	22/0.14	10.3	165.13	55.4 Ω /km
ANM10.011.14.022AB	UL21316	1000V	14X22AWG	22/0.14	10.3	167.33	55.4 Ω /km
ANM10.011.15.022AB	UL21316	1000V	15X22AWG	22/0.14	10.8	182.83	55.4 Ω /km
ANM10.011.16.022AB	UL21316	1000V	16X22AWG	22/0.14	10.8	185.03	55.4 Ω /km
ANM10.011.17.022AB	UL21316	1000V	17X22AWG	22/0.14	11.2	198.23	55.4 Ω /km
ANM10.011.18.022AB	UL21316	1000V	18X22AWG	22/0.14	11.2	200.53	55.4 Ω /km
ANM10.011.19.022AB	UL21316	1000V	19X22AWG	22/0.14	11.2	202.73	55.4 Ω /km
ANM10.011.20.022AB	UL21316	1000V	20X22AWG	22/0.14	11.5	213.53	55.4 Ω /km
ANM10.011.21.022AB	UL21316	1000V	21X22AWG	22/0.14	11.7	221.53	55.4 Ω /km
ANM10.011.22.022AB	UL21316	1000V	22X22AWG	22/0.14	12.4	244.93	55.4 Ω /km
ANM10.011.23.022AB	UL21316	1000V	23X22AWG	22/0.14	12.8	259.83	55.4 Ω /km
ANM10.011.24.022AB	UL21316	1000V	24X22AWG	22/0.14	12.8	261.93	55.4 Ω /km
ANM10.011.25.022AB	UL21316	1000V	25X22AWG	22/0.14	13.1	273.93	55.4 Ω /km
ANM10.011.26.022AB	UL21316	1000V	26X22AWG	22/0.14	13.1	276.13	55.4 Ω /km
ANM10.011.27.022AB	UL21316	1000V	27X22AWG	22/0.14	13.1	278.33	55.4 Ω /km
ANM10.011.28.022AB	UL21316	1000V	28X22AWG	22/0.14	13.5	293.83	55.4 Ω /km
ANM10.011.29.022AB	UL21316	1000V	29X22AWG	22/0.14	13.5	296.13	55.4 Ω /km
ANM10.011.30.022AB	UL21316	1000V	30X22AWG	22/0.14	13.5	298.33	55.4 Ω /km
ANM10.011.31.022AB	UL21316	1000V	31X22AWG	22/0.14	14	317.63	55.4 Ω /km
ANM10.011.32.022AB	UL21316	1000V	32X22AWG	22/0.14	14	319.93	55.4 Ω /km
ANM10.011.33.022AB	UL21316	1000V	33X22AWG	22/0.14	14	322.13	55.4 Ω /km
ANM10.011.34.022AB	UL21316	1000V	34X22AWG	22/0.14	14.4	338.63	55.4 Ω /km
ANM10.011.35.022AB	UL21316	1000V	35X22AWG	22/0.14	14.4	340.73	55.4 Ω /km
ANM10.011.36.022AB	UL21316	1000V	36X22AWG	22/0.14	14.4	343.03	55.4 Ω /km
ANM10.011.37.022AB	UL21316	1000V	37X22AWG	22/0.14	14.4	345.23	55.4 Ω /km
ANM10.011.38.022AB	UL21316	1000V	38X22AWG	22/0.14	14.9	365.73	55.4 Ω /km
ANM10.011.39.022AB	UL21316	1000V	39X22AWG	22/0.14	14.9	367.93	55.4 Ω /km
ANM10.011.40.022AB	UL21316	1000V	40X22AWG	22/0.14	14.9	370.13	55.4 Ω /km



ANM10.011.41.022AB	UL21316	1000V	41X22AWG	22/0.14	16	414.63	55.4Ω/km
ANM10.011.42.022AB	UL21316	1000V	42X22AWG	22/0.14	16	416.83	55.4Ω/km
ANM10.011.43.022AB	UL21316	1000V	43X22AWG	22/0.14	16	419.03	55.4Ω/km
ANM10.011.44.022AB	UL21316	1000V	44X22AWG	22/0.14	16	421.23	55.4Ω/km
ANM10.011.45.022AB	UL21316	1000V	45X22AWG	22/0.14	16.3	435.63	55.4Ω/km
ANM10.011.46.022AB	UL21316	1000V	46X22AWG	22/0.14	16.3	437.93	55.4Ω/km
ANM10.011.47.022AB	UL21316	1000V	47X22AWG	22/0.14	16.3	440.03	55.4Ω/km
ANM10.011.48.022AB	UL21316	1000V	48X22AWG	22/0.14	16.3	442.33	55.4Ω/km
ANM10.011.49.022AB	UL21316	1000V	49X22AWG	22/0.14	16.7	460.83	55.4Ω/km
ANM10.011.50.022AB	UL21316	1000V	50X22AWG	22/0.14	16.7	463.13	55.4Ω/km
ANM10.011.51.022AB	UL21316	1000V	51X22AWG	22/0.14	16.7	465.23	55.4Ω/km
ANM10.011.52.022AB	UL21316	1000V	52X22AWG	22/0.14	16.7	467.63	55.4Ω/km
ANM10.011.53.022AB	UL21316	1000V	53X22AWG	22/0.14	17.2	490.83	55.4Ω/km
ANM10.011.54.022AB	UL21316	1000V	54X22AWG	22/0.14	17.2	492.93	55.4Ω/km
ANM10.011.55.022AB	UL21316	1000V	55X22AWG	22/0.14	17.2	495.23	55.4Ω/km
ANM10.011.56.022AB	UL21316	1000V	56X22AWG	22/0.14	17.2	497.43	55.4Ω/km
ANM10.011.57.022AB	UL21316	1000V	57X22AWG	22/0.14	17.6	517.03	55.4Ω/km
ANM10.011.58.022AB	UL21316	1000V	58X22AWG	22/0.14	17.6	519.13	55.4Ω/km
ANM10.011.59.022AB	UL21316	1000V	59X22AWG	22/0.14	17.6	521.43	55.4Ω/km
ANM10.011.60.022AB	UL21316	1000V	60X22AWG	22/0.14	17.6	523.63	55.4Ω/km
ANM10.011.61.022AB	UL21316	1000V	61X22AWG	22/0.14	17.6	525.93	55.4Ω/km
ANM10.011.62.022AB	UL21316	1000V	62X22AWG	22/0.14	18.1	550.23	55.4Ω/km
ANM10.011.63.022AB	UL21316	1000V	63X22AWG	22/0.14	18.1	552.43	55.4Ω/km
ANM10.011.64.022AB	UL21316	1000V	64X22AWG	22/0.14	18.1	554.73	55.4Ω/km
ANM10.011.65.022AB	UL21316	1000V	65X22AWG	22/0.14	18.1	556.93	55.4Ω/km
ANM10.011.02.021AB	UL21316	1000V	2X21AWG	27/0.14	6.6	62.42	43.6Ω/km
ANM10.011.03.021AB	UL21316	1000V	3X21AWG	27/0.14	6.9	70.62	43.6Ω/km
ANM10.011.04.021AB	UL21316	1000V	4X21AWG	27/0.14	7.4	82.62	43.6Ω/km
ANM10.011.05.021AB	UL21316	1000V	5X21AWG	27/0.14	7.8	93.22	43.6Ω/km
ANM10.011.06.021AB	UL21316	1000V	6X21AWG	27/0.14	8.3	106.32	43.6Ω/km
ANM10.011.07.021AB	UL21316	1000V	7X21AWG	27/0.14	8.3	109.22	43.6Ω/km
ANM10.011.08.021AB	UL21316	1000V	8X21AWG	27/0.14	8.9	125.02	43.6Ω/km
ANM10.011.09.021AB	UL21316	1000V	9X21AWG	27/0.14	9.5	141.82	43.6Ω/km
ANM10.011.10.021AB	UL21316	1000V	10X21AWG	27/0.14	10	157.02	43.6Ω/km
ANM10.011.11.021AB	UL21316	1000V	11X21AWG	27/0.14	10.3	167.52	43.6Ω/km
ANM10.011.12.021AB	UL21316	1000V	12X21AWG	27/0.14	10.3	170.42	43.6Ω/km
ANM10.011.13.021AB	UL21316	1000V	13X21AWG	27/0.14	10.8	186.52	43.6Ω/km
ANM10.011.14.021AB	UL21316	1000V	14X21AWG	27/0.14	10.8	189.32	43.6Ω/km
ANM10.011.15.021AB	UL21316	1000V	15X21AWG	27/0.14	11.2	203.22	43.6Ω/km
ANM10.011.16.021AB	UL21316	1000V	16X21AWG	27/0.14	11.2	206.02	43.6Ω/km
ANM10.011.17.021AB	UL21316	1000V	17X21AWG	27/0.14	11.7	223.22	43.6Ω/km
ANM10.011.18.021AB	UL21316	1000V	18X21AWG	27/0.14	11.7	226.12	43.6Ω/km



ANM10.011.19.021AB	UL21316	1000V	19X21AWG	27/0.14	11.7	229.02	43.6Ω/km
ANM10.011.20.021AB	UL21316	1000V	20X21AWG	27/0.14	12	240.72	43.6Ω/km
ANM10.011.21.021AB	UL21316	1000V	21X21AWG	27/0.14	12.3	252.82	43.6Ω/km
ANM10.011.22.021AB	UL21316	1000V	22X21AWG	27/0.14	12.9	274.52	43.6Ω/km
ANM10.011.23.021AB	UL21316	1000V	23X21AWG	27/0.14	13.4	293.72	43.6Ω/km
ANM10.011.24.021AB	UL21316	1000V	24X21AWG	27/0.14	13.4	296.62	43.6Ω/km
ANM10.011.25.021AB	UL21316	1000V	25X21AWG	27/0.14	13.7	309.42	43.6Ω/km
ANM10.011.26.021AB	UL21316	1000V	26X21AWG	27/0.14	13.7	312.32	43.6Ω/km
ANM10.011.27.021AB	UL21316	1000V	27X21AWG	27/0.14	13.7	315.22	43.6Ω/km
ANM10.011.28.021AB	UL21316	1000V	28X21AWG	27/0.14	14.2	335.52	43.6Ω/km
ANM10.011.29.021AB	UL21316	1000V	29X21AWG	27/0.14	14.2	338.42	43.6Ω/km
ANM10.011.30.021AB	UL21316	1000V	30X21AWG	27/0.14	14.2	341.32	43.6Ω/km
ANM10.011.31.021AB	UL21316	1000V	31X21AWG	27/0.14	14.6	358.22	43.6Ω/km
ANM10.011.32.021AB	UL21316	1000V	32X21AWG	27/0.14	14.6	361.12	43.6Ω/km
ANM10.011.33.021AB	UL21316	1000V	33X21AWG	27/0.14	14.6	364.02	43.6Ω/km
ANM10.011.34.021AB	UL21316	1000V	34X21AWG	27/0.14	15.1	385.42	43.6Ω/km
ANM10.011.35.021AB	UL21316	1000V	35X21AWG	27/0.14	15.1	388.32	43.6Ω/km
ANM10.011.36.021AB	UL21316	1000V	36X21AWG	27/0.14	15.1	391.12	43.6Ω/km
ANM10.011.37.021AB	UL21316	1000V	37X21AWG	27/0.14	15.1	394.02	43.6Ω/km
ANM10.011.38.021AB	UL21316	1000V	38X21AWG	27/0.14	15.7	419.82	43.6Ω/km
ANM10.011.39.021AB	UL21316	1000V	39X21AWG	27/0.14	15.7	422.62	43.6Ω/km
ANM10.011.40.021AB	UL21316	1000V	40X21AWG	27/0.14	15.7	425.52	43.6Ω/km
ANM10.011.41.021AB	UL21316	1000V	41X21AWG	27/0.14	16.8	472.72	43.6Ω/km
ANM10.011.42.021AB	UL21316	1000V	42X21AWG	27/0.14	16.8	475.52	43.6Ω/km
ANM10.011.43.021AB	UL21316	1000V	43X21AWG	27/0.14	16.8	478.42	43.6Ω/km
ANM10.011.44.021AB	UL21316	1000V	44X21AWG	27/0.14	16.8	481.22	43.6Ω/km
ANM10.011.45.021AB	UL21316	1000V	45X21AWG	27/0.14	17.1	496.72	43.6Ω/km
ANM10.011.46.021AB	UL21316	1000V	46X21AWG	27/0.14	17.1	499.52	43.6Ω/km
ANM10.011.47.021AB	UL21316	1000V	47X21AWG	27/0.14	17.1	502.32	43.6Ω/km
ANM10.011.48.021AB	UL21316	1000V	48X21AWG	27/0.14	17.1	505.22	43.6Ω/km
ANM10.011.49.021AB	UL21316	1000V	49X21AWG	27/0.14	17.6	529.62	43.6Ω/km
ANM10.011.50.021AB	UL21316	1000V	50X21AWG	27/0.14	17.6	532.42	43.6Ω/km
ANM10.011.51.021AB	UL21316	1000V	51X21AWG	27/0.14	17.6	535.32	43.6Ω/km
ANM10.011.52.021AB	UL21316	1000V	52X21AWG	27/0.14	17.6	538.22	43.6Ω/km
ANM10.011.53.021AB	UL21316	1000V	53X21AWG	27/0.14	18	558.72	43.6Ω/km
ANM10.011.54.021AB	UL21316	1000V	54X21AWG	27/0.14	18	561.52	43.6Ω/km
ANM10.011.55.021AB	UL21316	1000V	55X21AWG	27/0.14	18	564.32	43.6Ω/km
ANM10.011.56.021AB	UL21316	1000V	56X21AWG	27/0.14	18	567.22	43.6Ω/km
ANM10.011.57.021AB	UL21316	1000V	57X21AWG	27/0.14	18.5	592.72	43.6Ω/km
ANM10.011.58.021AB	UL21316	1000V	58X21AWG	27/0.14	18.5	595.52	43.6Ω/km
ANM10.011.59.021AB	UL21316	1000V	59X21AWG	27/0.14	18.5	598.42	43.6Ω/km
ANM10.011.60.021AB	UL21316	1000V	60X21AWG	27/0.14	18.5	601.32	43.6Ω/km



ANM10.011.61.021AB	UL21316	1000V	61X21AWG	27/0.14	18.5	604.02	43.6Ω/km
ANM10.011.62.021AB	UL21316	1000V	62X21AWG	27/0.14	19.1	634.72	43.6Ω/km
ANM10.011.63.021AB	UL21316	1000V	63X21AWG	27/0.14	19.1	637.72	43.6Ω/km
ANM10.011.64.021AB	UL21316	1000V	64X21AWG	27/0.14	19.1	640.52	43.6Ω/km
ANM10.011.65.021AB	UL21316	1000V	65X21AWG	27/0.14	19.1	643.42	43.6Ω/km
ANM10.011.02.020AB	UL21316	1000V	2X20AWG	34/0.14	6.8	67.62	34.6Ω/km
ANM10.011.03.020AB	UL21316	1000V	3X20AWG	34/0.14	7.1	76.52	34.6Ω/km
ANM10.011.04.020AB	UL21316	1000V	4X20AWG	34/0.14	7.6	89.62	34.6Ω/km
ANM10.011.05.020AB	UL21316	1000V	5X20AWG	34/0.14	8.1	103.22	34.6Ω/km
ANM10.011.06.020AB	UL21316	1000V	6X20AWG	34/0.14	8.6	117.42	34.6Ω/km
ANM10.011.07.020AB	UL21316	1000V	7X20AWG	34/0.14	8.6	120.92	34.6Ω/km
ANM10.011.08.020AB	UL21316	1000V	8X20AWG	34/0.14	9.2	138.22	34.6Ω/km
ANM10.011.09.020AB	UL21316	1000V	9X20AWG	34/0.14	9.9	158.72	34.6Ω/km
ANM10.011.10.020AB	UL21316	1000V	10X20AWG	34/0.14	10.4	175.22	34.6Ω/km
ANM10.011.11.020AB	UL21316	1000V	11X20AWG	34/0.14	10.7	186.72	34.6Ω/km
ANM10.011.12.020AB	UL21316	1000V	12X20AWG	34/0.14	10.7	190.32	34.6Ω/km
ANM10.011.13.020AB	UL21316	1000V	13X20AWG	34/0.14	11.2	207.62	34.6Ω/km
ANM10.011.14.020AB	UL21316	1000V	14X20AWG	34/0.14	11.2	211.32	34.6Ω/km
ANM10.011.15.020AB	UL21316	1000V	15X20AWG	34/0.14	11.7	229.22	34.6Ω/km
ANM10.011.16.020AB	UL21316	1000V	16X20AWG	34/0.14	11.7	232.92	34.6Ω/km
ANM10.011.17.020AB	UL21316	1000V	17X20AWG	34/0.14	12.2	251.62	34.6Ω/km
ANM10.011.18.020AB	UL21316	1000V	18X20AWG	34/0.14	12.2	255.22	34.6Ω/km
ANM10.011.19.020AB	UL21316	1000V	19X20AWG	34/0.14	12.2	258.92	34.6Ω/km
ANM10.011.20.020AB	UL21316	1000V	20X20AWG	34/0.14	12.5	271.72	34.6Ω/km
ANM10.011.21.020AB	UL21316	1000V	21X20AWG	34/0.14	12.8	284.82	34.6Ω/km
ANM10.011.22.020AB	UL21316	1000V	22X20AWG	34/0.14	13.5	311.42	34.6Ω/km
ANM10.011.23.020AB	UL21316	1000V	23X20AWG	34/0.14	14	332.22	34.6Ω/km
ANM10.011.24.020AB	UL21316	1000V	24X20AWG	34/0.14	14	335.72	34.6Ω/km
ANM10.011.25.020AB	UL21316	1000V	25X20AWG	34/0.14	14.3	350.02	34.6Ω/km
ANM10.011.26.020AB	UL21316	1000V	26X20AWG	34/0.14	14.3	353.62	34.6Ω/km
ANM10.011.27.020AB	UL21316	1000V	27X20AWG	34/0.14	14.3	357.22	34.6Ω/km
ANM10.011.28.020AB	UL21316	1000V	28X20AWG	34/0.14	14.8	378.92	34.6Ω/km
ANM10.011.29.020AB	UL21316	1000V	29X20AWG	34/0.14	14.8	382.62	34.6Ω/km
ANM10.011.30.020AB	UL21316	1000V	30X20AWG	34/0.14	14.8	386.22	34.6Ω/km
ANM10.011.31.020AB	UL21316	1000V	31X20AWG	34/0.14	15.3	408.52	34.6Ω/km
ANM10.011.32.020AB	UL21316	1000V	32X20AWG	34/0.14	15.3	412.02	34.6Ω/km
ANM10.011.33.020AB	UL21316	1000V	33X20AWG	34/0.14	15.3	415.72	34.6Ω/km
ANM10.011.34.020AB	UL21316	1000V	34X20AWG	34/0.14	15.8	438.82	34.6Ω/km
ANM10.011.35.020AB	UL21316	1000V	35X20AWG	34/0.14	15.8	442.42	34.6Ω/km
ANM10.011.36.020AB	UL21316	1000V	36X20AWG	34/0.14	15.8	446.02	34.6Ω/km
ANM10.011.37.020AB	UL21316	1000V	37X20AWG	34/0.14	15.8	449.62	34.6Ω/km
ANM10.011.38.020AB	UL21316	1000V	38X20AWG	34/0.14	16.4	477.32	34.6Ω/km



ANM10.011.39.020AB	UL21316	1000V	39X20AWG	34/0.14	16.4	480.92	34.6Ω/km
ANM10.011.40.020AB	UL21316	1000V	40X20AWG	34/0.14	16.4	484.62	34.6Ω/km
ANM10.011.41.020AB	UL21316	1000V	41X20AWG	34/0.14	17.6	538.62	34.6Ω/km
ANM10.011.42.020AB	UL21316	1000V	42X20AWG	34/0.14	17.6	542.32	34.6Ω/km
ANM10.011.43.020AB	UL21316	1000V	43X20AWG	34/0.14	17.6	545.92	34.6Ω/km
ANM10.011.44.020AB	UL21316	1000V	44X20AWG	34/0.14	17.6	549.52	34.6Ω/km
ANM10.011.45.020AB	UL21316	1000V	45X20AWG	34/0.14	17.9	566.32	34.6Ω/km
ANM10.011.46.020AB	UL21316	1000V	46X20AWG	34/0.14	17.9	570.02	34.6Ω/km
ANM10.011.47.020AB	UL21316	1000V	47X20AWG	34/0.14	17.9	573.62	34.6Ω/km
ANM10.011.48.020AB	UL21316	1000V	48X20AWG	34/0.14	17.9	577.32	34.6Ω/km
ANM10.011.49.020AB	UL21316	1000V	49X20AWG	34/0.14	18.4	603.32	34.6Ω/km
ANM10.011.50.020AB	UL21316	1000V	50X20AWG	34/0.14	18.4	607.02	34.6Ω/km
ANM10.011.51.020AB	UL21316	1000V	51X20AWG	34/0.14	18.4	610.62	34.6Ω/km
ANM10.011.52.020AB	UL21316	1000V	52X20AWG	34/0.14	18.4	614.22	34.6Ω/km
ANM10.011.53.020AB	UL21316	1000V	53X20AWG	34/0.14	18.9	641.02	34.6Ω/km
ANM10.011.54.020AB	UL21316	1000V	54X20AWG	34/0.14	18.9	644.52	34.6Ω/km
ANM10.011.55.020AB	UL21316	1000V	55X20AWG	34/0.14	18.9	648.22	34.6Ω/km
ANM10.011.56.020AB	UL21316	1000V	56X20AWG	34/0.14	18.9	651.82	34.6Ω/km
ANM10.011.57.020AB	UL21316	1000V	57X20AWG	34/0.14	19.4	679.12	34.6Ω/km
ANM10.011.58.020AB	UL21316	1000V	58X20AWG	34/0.14	19.4	682.72	34.6Ω/km
ANM10.011.59.020AB	UL21316	1000V	59X20AWG	34/0.14	19.4	686.42	34.6Ω/km
ANM10.011.60.020AB	UL21316	1000V	60X20AWG	34/0.14	19.4	689.92	34.6Ω/km
ANM10.011.61.020AB	UL21316	1000V	61X20AWG	34/0.14	19.4	693.62	34.6Ω/km
ANM10.011.62.020AB	UL21316	1000V	62X20AWG	34/0.14	21	774.92	34.6Ω/km
ANM10.011.63.020AB	UL21316	1000V	63X20AWG	34/0.14	21	778.62	34.6Ω/km
ANM10.011.64.020AB	UL21316	1000V	64X20AWG	34/0.14	21	782.22	34.6Ω/km
ANM10.011.65.020AB	UL21316	1000V	65X20AWG	34/0.14	21	785.92	34.6Ω/km
ANM10.011.02.019AB	UL21316	1000V	2X19AWG	43/0.14	7	73.26	27.4Ω/km
ANM10.011.03.019AB	UL21316	1000V	3X19AWG	43/0.14	7.3	83.36	27.4Ω/km
ANM10.011.04.019AB	UL21316	1000V	4X19AWG	43/0.14	7.8	97.76	27.4Ω/km
ANM10.011.05.019AB	UL21316	1000V	5X19AWG	43/0.14	8.4	114.66	27.4Ω/km
ANM10.011.06.019AB	UL21316	1000V	6X19AWG	43/0.14	8.9	130.26	27.4Ω/km
ANM10.011.07.019AB	UL21316	1000V	7X19AWG	43/0.14	8.9	134.76	27.4Ω/km
ANM10.011.08.019AB	UL21316	1000V	8X19AWG	43/0.14	9.5	153.46	27.4Ω/km
ANM10.011.09.019AB	UL21316	1000V	9X19AWG	43/0.14	10.3	177.96	27.4Ω/km
ANM10.011.10.019AB	UL21316	1000V	10X19AWG	43/0.14	10.8	195.96	27.4Ω/km
ANM10.011.11.019AB	UL21316	1000V	11X19AWG	43/0.14	11.1	208.76	27.4Ω/km
ANM10.011.12.019AB	UL21316	1000V	12X19AWG	43/0.14	11.1	213.46	27.4Ω/km
ANM10.011.13.019AB	UL21316	1000V	13X19AWG	43/0.14	11.6	232.16	27.4Ω/km
ANM10.011.14.019AB	UL21316	1000V	14X19AWG	43/0.14	11.6	236.86	27.4Ω/km
ANM10.011.15.019AB	UL21316	1000V	15X19AWG	43/0.14	12.2	259.36	27.4Ω/km
ANM10.011.16.019AB	UL21316	1000V	16X19AWG	43/0.14	12.2	264.06	27.4Ω/km



ANM10.011.17.019AB	UL21316	1000V	17X19AWG	43/0.14	12.7	284.16	27.4Ω/km
ANM10.011.18.019AB	UL21316	1000V	18X19AWG	43/0.14	12.7	288.86	27.4Ω/km
ANM10.011.19.019AB	UL21316	1000V	19X19AWG	43/0.14	12.7	293.46	27.4Ω/km
ANM10.011.20.019AB	UL21316	1000V	20X19AWG	43/0.14	13	307.66	27.4Ω/km
ANM10.011.21.019AB	UL21316	1000V	21X19AWG	43/0.14	13.3	322.06	27.4Ω/km
ANM10.011.22.019AB	UL21316	1000V	22X19AWG	43/0.14	14.1	354.16	27.4Ω/km
ANM10.011.23.019AB	UL21316	1000V	23X19AWG	43/0.14	14.6	376.46	27.4Ω/km
ANM10.011.24.019AB	UL21316	1000V	24X19AWG	43/0.14	14.6	381.16	27.4Ω/km
ANM10.011.25.019AB	UL21316	1000V	25X19AWG	43/0.14	14.9	396.76	27.4Ω/km
ANM10.011.26.019AB	UL21316	1000V	26X19AWG	43/0.14	14.9	401.46	27.4Ω/km
ANM10.011.27.019AB	UL21316	1000V	27X19AWG	43/0.14	14.9	405.96	27.4Ω/km
ANM10.011.28.019AB	UL21316	1000V	28X19AWG	43/0.14	15.4	429.56	27.4Ω/km
ANM10.011.29.019AB	UL21316	1000V	29X19AWG	43/0.14	15.4	434.16	27.4Ω/km
ANM10.011.30.019AB	UL21316	1000V	30X19AWG	43/0.14	15.4	438.76	27.4Ω/km
ANM10.011.31.019AB	UL21316	1000V	31X19AWG	43/0.14	16	466.76	27.4Ω/km
ANM10.011.32.019AB	UL21316	1000V	32X19AWG	43/0.14	16	471.36	27.4Ω/km
ANM10.011.33.019AB	UL21316	1000V	33X19AWG	43/0.14	16	476.06	27.4Ω/km
ANM10.011.34.019AB	UL21316	1000V	34X19AWG	43/0.14	16.5	500.76	27.4Ω/km
ANM10.011.35.019AB	UL21316	1000V	35X19AWG	43/0.14	16.5	505.36	27.4Ω/km
ANM10.011.36.019AB	UL21316	1000V	36X19AWG	43/0.14	16.5	510.06	27.4Ω/km
ANM10.011.37.019AB	UL21316	1000V	37X19AWG	43/0.14	16.5	514.56	27.4Ω/km
ANM10.011.38.019AB	UL21316	1000V	38X19AWG	43/0.14	17.1	544.36	27.4Ω/km
ANM10.011.39.019AB	UL21316	1000V	39X19AWG	43/0.14	17.1	548.86	27.4Ω/km
ANM10.011.40.019AB	UL21316	1000V	40X19AWG	43/0.14	17.1	553.66	27.4Ω/km
ANM10.011.41.019AB	UL21316	1000V	41X19AWG	43/0.14	18.4	615.26	27.4Ω/km
ANM10.011.42.019AB	UL21316	1000V	42X19AWG	43/0.14	18.4	619.86	27.4Ω/km
ANM10.011.43.019AB	UL21316	1000V	43X19AWG	43/0.14	18.4	624.46	27.4Ω/km
ANM10.011.44.019AB	UL21316	1000V	44X19AWG	43/0.14	18.4	629.16	27.4Ω/km
ANM10.011.45.019AB	UL21316	1000V	45X19AWG	43/0.14	18.7	647.56	27.4Ω/km
ANM10.011.46.019AB	UL21316	1000V	46X19AWG	43/0.14	18.7	652.16	27.4Ω/km
ANM10.011.47.019AB	UL21316	1000V	47X19AWG	43/0.14	18.7	656.76	27.4Ω/km
ANM10.011.48.019AB	UL21316	1000V	48X19AWG	43/0.14	18.7	661.46	27.4Ω/km
ANM10.011.49.019AB	UL21316	1000V	49X19AWG	43/0.14	19.2	689.46	27.4Ω/km
ANM10.011.50.019AB	UL21316	1000V	50X19AWG	43/0.14	19.2	694.26	27.4Ω/km
ANM10.011.51.019AB	UL21316	1000V	51X19AWG	43/0.14	19.2	698.76	27.4Ω/km
ANM10.011.52.019AB	UL21316	1000V	52X19AWG	43/0.14	19.2	703.46	27.4Ω/km
ANM10.011.53.019AB	UL21316	1000V	53X19AWG	43/0.14	20.8	785.06	27.4Ω/km
ANM10.011.54.019AB	UL21316	1000V	54X19AWG	43/0.14	20.8	789.56	27.4Ω/km
ANM10.011.55.019AB	UL21316	1000V	55X19AWG	43/0.14	20.8	794.36	27.4Ω/km
ANM10.011.56.019AB	UL21316	1000V	56X19AWG	43/0.14	20.8	798.86	27.4Ω/km
ANM10.011.57.019AB	UL21316	1000V	57X19AWG	43/0.14	21.3	829.56	27.4Ω/km
ANM10.011.58.019AB	UL21316	1000V	58X19AWG	43/0.14	21.3	834.06	27.4Ω/km



ANM10.011.59.019AB	UL21316	1000V	59X19AWG	43/0.14	21.3	838.76	27.4Ω/km
ANM10.011.60.019AB	UL21316	1000V	60X19AWG	43/0.14	21.3	843.36	27.4Ω/km
ANM10.011.61.019AB	UL21316	1000V	61X19AWG	43/0.14	21.3	847.96	27.4Ω/km
ANM10.011.62.019AB	UL21316	1000V	62X19AWG	43/0.14	21.9	884.46	27.4Ω/km
ANM10.011.63.019AB	UL21316	1000V	63X19AWG	43/0.14	21.9	889.06	27.4Ω/km
ANM10.011.64.019AB	UL21316	1000V	64X19AWG	43/0.14	21.9	893.66	27.4Ω/km
ANM10.011.65.019AB	UL21316	1000V	65X19AWG	43/0.14	21.9	898.36	27.4Ω/km
ANM10.011.02.018AB	UL21316	1000V	2X18AWG	29/0.19	7.2	79.73	21.8Ω/km
ANM10.011.03.018AB	UL21316	1000V	3X18AWG	29/0.19	7.6	93.13	21.8Ω/km
ANM10.011.04.018AB	UL21316	1000V	4X18AWG	29/0.19	8.1	109.33	21.8Ω/km
ANM10.011.05.018AB	UL21316	1000V	5X18AWG	29/0.19	8.6	125.73	21.8Ω/km
ANM10.011.06.018AB	UL21316	1000V	6X18AWG	29/0.19	9.2	145.13	21.8Ω/km
ANM10.011.07.018AB	UL21316	1000V	7X18AWG	29/0.19	9.2	151.23	21.8Ω/km
ANM10.011.08.018AB	UL21316	1000V	8X18AWG	29/0.19	9.8	171.53	21.8Ω/km
ANM10.011.09.018AB	UL21316	1000V	9X18AWG	29/0.19	10.6	198.03	21.8Ω/km
ANM10.011.10.018AB	UL21316	1000V	10X18AWG	29/0.19	11.2	220.43	21.8Ω/km
ANM10.011.11.018AB	UL21316	1000V	11X18AWG	29/0.19	11.6	237.83	21.8Ω/km
ANM10.011.12.018AB	UL21316	1000V	12X18AWG	29/0.19	11.6	243.63	21.8Ω/km
ANM10.011.13.018AB	UL21316	1000V	13X18AWG	29/0.19	12.1	264.53	21.8Ω/km
ANM10.011.14.018AB	UL21316	1000V	14X18AWG	29/0.19	12.1	270.43	21.8Ω/km
ANM10.011.15.018AB	UL21316	1000V	15X18AWG	29/0.19	12.6	291.83	21.8Ω/km
ANM10.011.16.018AB	UL21316	1000V	16X18AWG	29/0.19	12.6	297.93	21.8Ω/km
ANM10.011.17.018AB	UL21316	1000V	17X18AWG	29/0.19	13.2	323.03	21.8Ω/km
ANM10.011.18.018AB	UL21316	1000V	18X18AWG	29/0.19	13.2	329.03	21.8Ω/km
ANM10.011.19.018AB	UL21316	1000V	19X18AWG	29/0.19	13.2	335.13	21.8Ω/km
ANM10.011.20.018AB	UL21316	1000V	20X18AWG	29/0.19	13.6	354.33	21.8Ω/km
ANM10.011.21.018AB	UL21316	1000V	21X18AWG	29/0.19	13.8	367.13	21.8Ω/km
ANM10.011.22.018AB	UL21316	1000V	22X18AWG	29/0.19	14.6	401.43	21.8Ω/km
ANM10.011.23.018AB	UL21316	1000V	23X18AWG	29/0.19	15.2	429.53	21.8Ω/km
ANM10.011.24.018AB	UL21316	1000V	24X18AWG	29/0.19	15.2	435.53	21.8Ω/km
ANM10.011.25.018AB	UL21316	1000V	25X18AWG	29/0.19	15.6	456.83	21.8Ω/km
ANM10.011.26.018AB	UL21316	1000V	26X18AWG	29/0.19	15.6	462.73	21.8Ω/km
ANM10.011.27.018AB	UL21316	1000V	27X18AWG	29/0.19	15.6	468.63	21.8Ω/km
ANM10.011.28.018AB	UL21316	1000V	28X18AWG	29/0.19	16.1	494.23	21.8Ω/km
ANM10.011.29.018AB	UL21316	1000V	29X18AWG	29/0.19	16.1	500.33	21.8Ω/km
ANM10.011.30.018AB	UL21316	1000V	30X18AWG	29/0.19	16.1	506.33	21.8Ω/km
ANM10.011.31.018AB	UL21316	1000V	31X18AWG	29/0.19	16.6	532.43	21.8Ω/km
ANM10.011.32.018AB	UL21316	1000V	32X18AWG	29/0.19	16.6	538.43	21.8Ω/km
ANM10.011.33.018AB	UL21316	1000V	33X18AWG	29/0.19	16.6	544.43	21.8Ω/km
ANM10.011.34.018AB	UL21316	1000V	34X18AWG	29/0.19	17.2	575.33	21.8Ω/km
ANM10.011.35.018AB	UL21316	1000V	35X18AWG	29/0.19	17.2	581.43	21.8Ω/km
ANM10.011.36.018AB	UL21316	1000V	36X18AWG	29/0.19	17.2	587.43	21.8Ω/km



ANM10.011.37.018AB	UL21316	1000V	37X18AWG	29/0.19	17.2	593.23	21.8Ω/km
ANM10.011.38.018AB	UL21316	1000V	38X18AWG	29/0.19	17.8	625.33	21.8Ω/km
ANM10.011.39.018AB	UL21316	1000V	39X18AWG	29/0.19	17.8	631.33	21.8Ω/km
ANM10.011.40.018AB	UL21316	1000V	40X18AWG	29/0.19	17.8	637.23	21.8Ω/km
ANM10.011.41.018AB	UL21316	1000V	41X18AWG	29/0.19	19.2	707.33	21.8Ω/km
ANM10.011.42.018AB	UL21316	1000V	42X18AWG	29/0.19	19.2	713.23	21.8Ω/km
ANM10.011.43.018AB	UL21316	1000V	43X18AWG	29/0.19	19.2	719.13	21.8Ω/km
ANM10.011.44.018AB	UL21316	1000V	44X18AWG	29/0.19	19.2	725.23	21.8Ω/km
ANM10.011.45.018AB	UL21316	1000V	45X18AWG	29/0.19	20.6	797.83	21.8Ω/km
ANM10.011.46.018AB	UL21316	1000V	46X18AWG	29/0.19	20.6	803.83	21.8Ω/km
ANM10.011.47.018AB	UL21316	1000V	47X18AWG	29/0.19	20.6	809.93	21.8Ω/km
ANM10.011.48.018AB	UL21316	1000V	48X18AWG	29/0.19	20.6	815.73	21.8Ω/km
ANM10.011.49.018AB	UL21316	1000V	49X18AWG	29/0.19	21.1	847.43	21.8Ω/km
ANM10.011.50.018AB	UL21316	1000V	50X18AWG	29/0.19	21.1	853.43	21.8Ω/km
ANM10.011.51.018AB	UL21316	1000V	51X18AWG	29/0.19	21.1	859.33	21.8Ω/km
ANM10.011.52.018AB	UL21316	1000V	52X18AWG	29/0.19	21.1	865.23	21.8Ω/km
ANM10.011.53.018AB	UL21316	1000V	53X18AWG	29/0.19	21.6	897.43	21.8Ω/km
ANM10.011.54.018AB	UL21316	1000V	54X18AWG	29/0.19	21.6	903.43	21.8Ω/km
ANM10.011.55.018AB	UL21316	1000V	55X18AWG	29/0.19	21.6	909.33	21.8Ω/km
ANM10.011.56.018AB	UL21316	1000V	56X18AWG	29/0.19	21.6	915.23	21.8Ω/km
ANM10.011.57.018AB	UL21316	1000V	57X18AWG	29/0.19	22.2	953.73	21.8Ω/km
ANM10.011.58.018AB	UL21316	1000V	58X18AWG	29/0.19	22.2	959.73	21.8Ω/km
ANM10.011.59.018AB	UL21316	1000V	59X18AWG	29/0.19	22.2	965.53	21.8Ω/km
ANM10.011.60.018AB	UL21316	1000V	60X18AWG	29/0.19	22.2	971.63	21.8Ω/km
ANM10.011.61.018AB	UL21316	1000V	61X18AWG	29/0.19	22.2	977.63	21.8Ω/km
ANM10.011.62.018AB	UL21316	1000V	62X18AWG	29/0.19	22.8	1016.63	21.8Ω/km
ANM10.011.63.018AB	UL21316	1000V	63X18AWG	29/0.19	22.8	1022.63	21.8Ω/km
ANM10.011.64.018AB	UL21316	1000V	64X18AWG	29/0.19	22.8	1028.63	21.8Ω/km
ANM10.011.65.018AB	UL21316	1000V	65X18AWG	29/0.19	22.8	1034.53	21.8Ω/km
ANM10.011.02.017AB	UL21316	1000V	2X17AWG	37/0.19	7.6	90.34	17.3Ω/km
ANM10.011.03.017AB	UL21316	1000V	3X17AWG	37/0.19	8	105.64	17.3Ω/km
ANM10.011.04.017AB	UL21316	1000V	4X17AWG	37/0.19	8.6	125.64	17.3Ω/km
ANM10.011.05.017AB	UL21316	1000V	5X17AWG	37/0.19	9.2	146.54	17.3Ω/km
ANM10.011.06.017AB	UL21316	1000V	6X17AWG	37/0.19	9.8	168.24	17.3Ω/km
ANM10.011.07.017AB	UL21316	1000V	7X17AWG	37/0.19	9.8	175.54	17.3Ω/km
ANM10.011.08.017AB	UL21316	1000V	8X17AWG	37/0.19	10.5	200.84	17.3Ω/km
ANM10.011.09.017AB	UL21316	1000V	9X17AWG	37/0.19	11.4	232.94	17.3Ω/km
ANM10.011.10.017AB	UL21316	1000V	10X17AWG	37/0.19	12	258.04	17.3Ω/km
ANM10.011.11.017AB	UL21316	1000V	11X17AWG	37/0.19	12.4	277.54	17.3Ω/km
ANM10.011.12.017AB	UL21316	1000V	12X17AWG	37/0.19	12.4	284.94	17.3Ω/km
ANM10.011.13.017AB	UL21316	1000V	13X17AWG	37/0.19	13	311.24	17.3Ω/km
ANM10.011.14.017AB	UL21316	1000V	14X17AWG	37/0.19	13	318.54	17.3Ω/km



ANM10.011.15.017AB	UL21316	1000V	15X17AWG	37/0.19	13.6	345.84	17.3Ω/km
ANM10.011.16.017AB	UL21316	1000V	16X17AWG	37/0.19	13.6	353.24	17.3Ω/km
ANM10.011.17.017AB	UL21316	1000V	17X17AWG	37/0.19	14.2	381.44	17.3Ω/km
ANM10.011.18.017AB	UL21316	1000V	18X17AWG	37/0.19	14.2	388.84	17.3Ω/km
ANM10.011.19.017AB	UL21316	1000V	19X17AWG	37/0.19	14.2	396.24	17.3Ω/km
ANM10.011.20.017AB	UL21316	1000V	20X17AWG	37/0.19	14.6	417.84	17.3Ω/km
ANM10.011.21.017AB	UL21316	1000V	21X17AWG	37/0.19	14.9	436.24	17.3Ω/km
ANM10.011.22.017AB	UL21316	1000V	22X17AWG	37/0.19	15.8	477.94	17.3Ω/km
ANM10.011.23.017AB	UL21316	1000V	23X17AWG	37/0.19	16.4	509.34	17.3Ω/km
ANM10.011.24.017AB	UL21316	1000V	24X17AWG	37/0.19	16.4	516.64	17.3Ω/km
ANM10.011.25.017AB	UL21316	1000V	25X17AWG	37/0.19	16.8	540.34	17.3Ω/km
ANM10.011.26.017AB	UL21316	1000V	26X17AWG	37/0.19	16.8	547.74	17.3Ω/km
ANM10.011.27.017AB	UL21316	1000V	27X17AWG	37/0.19	16.8	555.14	17.3Ω/km
ANM10.011.28.017AB	UL21316	1000V	28X17AWG	37/0.19	17.4	587.94	17.3Ω/km
ANM10.011.29.017AB	UL21316	1000V	29X17AWG	37/0.19	17.4	595.34	17.3Ω/km
ANM10.011.30.017AB	UL21316	1000V	30X17AWG	37/0.19	17.4	602.64	17.3Ω/km
ANM10.011.31.017AB	UL21316	1000V	31X17AWG	37/0.19	18	636.44	17.3Ω/km
ANM10.011.32.017AB	UL21316	1000V	32X17AWG	37/0.19	18	643.84	17.3Ω/km
ANM10.011.33.017AB	UL21316	1000V	33X17AWG	37/0.19	18	651.14	17.3Ω/km
ANM10.011.34.017AB	UL21316	1000V	34X17AWG	37/0.19	18.6	685.64	17.3Ω/km
ANM10.011.35.017AB	UL21316	1000V	35X17AWG	37/0.19	18.6	692.94	17.3Ω/km
ANM10.011.36.017AB	UL21316	1000V	36X17AWG	37/0.19	18.6	700.44	17.3Ω/km
ANM10.011.37.017AB	UL21316	1000V	37X17AWG	37/0.19	18.6	707.84	17.3Ω/km
ANM10.011.38.017AB	UL21316	1000V	38X17AWG	37/0.19	19.3	747.94	17.3Ω/km
ANM10.011.39.017AB	UL21316	1000V	39X17AWG	37/0.19	19.3	755.24	17.3Ω/km
ANM10.011.40.017AB	UL21316	1000V	40X17AWG	37/0.19	19.3	762.54	17.3Ω/km
ANM10.011.41.017AB	UL21316	1000V	41X17AWG	37/0.19	21.8	894.74	17.3Ω/km
ANM10.011.42.017AB	UL21316	1000V	42X17AWG	37/0.19	21.8	902.04	17.3Ω/km
ANM10.011.43.017AB	UL21316	1000V	43X17AWG	37/0.19	21.8	909.34	17.3Ω/km
ANM10.011.44.017AB	UL21316	1000V	44X17AWG	37/0.19	21.8	916.74	17.3Ω/km
ANM10.011.45.017AB	UL21316	1000V	45X17AWG	37/0.19	22.2	945.94	17.3Ω/km
ANM10.011.46.017AB	UL21316	1000V	46X17AWG	37/0.19	22.2	953.34	17.3Ω/km
ANM10.011.47.017AB	UL21316	1000V	47X17AWG	37/0.19	22.2	960.64	17.3Ω/km
ANM10.011.48.017AB	UL21316	1000V	48X17AWG	37/0.19	22.2	968.04	17.3Ω/km
ANM10.011.49.017AB	UL21316	1000V	49X17AWG	37/0.19	22.8	1008.54	17.3Ω/km
ANM10.011.50.017AB	UL21316	1000V	50X17AWG	37/0.19	22.8	1015.84	17.3Ω/km
ANM10.011.51.017AB	UL21316	1000V	51X17AWG	37/0.19	22.8	1023.24	17.3Ω/km
ANM10.011.52.017AB	UL21316	1000V	52X17AWG	37/0.19	22.8	1030.54	17.3Ω/km
ANM10.011.53.017AB	UL21316	1000V	53X17AWG	37/0.19	23.4	1072.14	17.3Ω/km
ANM10.011.54.017AB	UL21316	1000V	54X17AWG	37/0.19	23.4	1079.44	17.3Ω/km
ANM10.011.55.017AB	UL21316	1000V	55X17AWG	37/0.19	23.4	1086.94	17.3Ω/km
ANM10.011.56.017AB	UL21316	1000V	56X17AWG	37/0.19	23.4	1094.24	17.3Ω/km



ANM10.011.57.017AB	UL21316	1000V	57X17AWG	37/0.19	24	1136.54	17.3Ω/km
ANM10.011.58.017AB	UL21316	1000V	58X17AWG	37/0.19	24	1143.84	17.3Ω/km
ANM10.011.59.017AB	UL21316	1000V	59X17AWG	37/0.19	24	1151.24	17.3Ω/km
ANM10.011.60.017AB	UL21316	1000V	60X17AWG	37/0.19	24	1158.54	17.3Ω/km
ANM10.011.61.017AB	UL21316	1000V	61X17AWG	37/0.19	24	1165.94	17.3Ω/km
ANM10.011.62.017AB	UL21316	1000V	62X17AWG	37/0.19	24.7	1215.34	17.3Ω/km
ANM10.011.63.017AB	UL21316	1000V	63X17AWG	37/0.19	24.7	1222.64	17.3Ω/km
ANM10.011.64.017AB	UL21316	1000V	64X17AWG	37/0.19	24.7	1230.14	17.3Ω/km
ANM10.011.65.017AB	UL21316	1000V	65X17AWG	37/0.19	24.7	1237.44	17.3Ω/km
ANM10.011.02.016AB	UL21316	1000V	2X16AWG	27/0.25	8.2	106.91	13.7Ω/km
ANM10.011.03.016AB	UL21316	1000V	3X16AWG	27/0.25	8.6	125.01	13.7Ω/km
ANM10.011.04.016AB	UL21316	1000V	4X16AWG	27/0.25	9.3	150.41	13.7Ω/km
ANM10.011.05.016AB	UL21316	1000V	5X16AWG	27/0.25	10	176.91	13.7Ω/km
ANM10.011.06.016AB	UL21316	1000V	6X16AWG	27/0.25	10.7	204.81	13.7Ω/km
ANM10.011.07.016AB	UL21316	1000V	7X16AWG	27/0.25	10.7	214.31	13.7Ω/km
ANM10.011.08.016AB	UL21316	1000V	8X16AWG	27/0.25	11.5	246.21	13.7Ω/km
ANM10.011.09.016AB	UL21316	1000V	9X16AWG	27/0.25	12.5	285.81	13.7Ω/km
ANM10.011.10.016AB	UL21316	1000V	10X16AWG	27/0.25	13.2	317.61	13.7Ω/km
ANM10.011.11.016AB	UL21316	1000V	11X16AWG	27/0.25	13.6	340.61	13.7Ω/km
ANM10.011.12.016AB	UL21316	1000V	12X16AWG	27/0.25	13.6	350.11	13.7Ω/km
ANM10.011.13.016AB	UL21316	1000V	13X16AWG	27/0.25	14.3	383.91	13.7Ω/km
ANM10.011.14.016AB	UL21316	1000V	14X16AWG	27/0.25	14.3	393.61	13.7Ω/km
ANM10.011.15.016AB	UL21316	1000V	15X16AWG	27/0.25	15	428.51	13.7Ω/km
ANM10.011.16.016AB	UL21316	1000V	16X16AWG	27/0.25	15	438.21	13.7Ω/km
ANM10.011.17.016AB	UL21316	1000V	17X16AWG	27/0.25	15.7	474.31	13.7Ω/km
ANM10.011.18.016AB	UL21316	1000V	18X16AWG	27/0.25	15.7	483.91	13.7Ω/km
ANM10.011.19.016AB	UL21316	1000V	19X16AWG	27/0.25	15.7	493.51	13.7Ω/km
ANM10.011.20.016AB	UL21316	1000V	20X16AWG	27/0.25	16.1	518.71	13.7Ω/km
ANM10.011.21.016AB	UL21316	1000V	21X16AWG	27/0.25	16.5	544.31	13.7Ω/km
ANM10.011.22.016AB	UL21316	1000V	22X16AWG	27/0.25	17.5	596.01	13.7Ω/km
ANM10.011.23.016AB	UL21316	1000V	23X16AWG	27/0.25	18.2	636.51	13.7Ω/km
ANM10.011.24.016AB	UL21316	1000V	24X16AWG	27/0.25	18.2	646.21	13.7Ω/km
ANM10.011.25.016AB	UL21316	1000V	25X16AWG	27/0.25	18.6	673.81	13.7Ω/km
ANM10.011.26.016AB	UL21316	1000V	26X16AWG	27/0.25	18.6	683.41	13.7Ω/km
ANM10.011.27.016AB	UL21316	1000V	27X16AWG	27/0.25	18.6	692.91	13.7Ω/km
ANM10.011.28.016AB	UL21316	1000V	28X16AWG	27/0.25	19.3	735.11	13.7Ω/km
ANM10.011.29.016AB	UL21316	1000V	29X16AWG	27/0.25	19.3	744.61	13.7Ω/km
ANM10.011.30.016AB	UL21316	1000V	30X16AWG	27/0.25	19.3	754.21	13.7Ω/km
ANM10.011.31.016AB	UL21316	1000V	31X16AWG	27/0.25	21	846.41	13.7Ω/km
ANM10.011.32.016AB	UL21316	1000V	32X16AWG	27/0.25	21	855.91	13.7Ω/km
ANM10.011.33.016AB	UL21316	1000V	33X16AWG	27/0.25	21	865.41	13.7Ω/km
ANM10.011.34.016AB	UL21316	1000V	34X16AWG	27/0.25	21.7	911.71	13.7Ω/km



ANM10.011.35.016AB	UL21316	1000V	35X16AWG	27/0.25	21.7	921.31	13.7 Ω/km
ANM10.011.36.016AB	UL21316	1000V	36X16AWG	27/0.25	21.7	930.81	13.7 Ω/km
ANM10.011.37.016AB	UL21316	1000V	37X16AWG	27/0.25	21.7	940.31	13.7 Ω/km
ANM10.011.38.016AB	UL21316	1000V	38X16AWG	27/0.25	22.5	993.51	13.7 Ω/km
ANM10.011.39.016AB	UL21316	1000V	39X16AWG	27/0.25	22.5	1003.01	13.7 Ω/km
ANM10.011.40.016AB	UL21316	1000V	40X16AWG	27/0.25	22.5	1012.61	13.7 Ω/km
ANM10.011.41.016AB	UL21316	1000V	41X16AWG	27/0.25	24.2	1119.71	13.7 Ω/km
ANM10.011.42.016AB	UL21316	1000V	42X16AWG	27/0.25	24.2	1129.21	13.7 Ω/km
ANM10.011.43.016AB	UL21316	1000V	43X16AWG	27/0.25	24.2	1138.81	13.7 Ω/km
ANM10.011.44.016AB	UL21316	1000V	44X16AWG	27/0.25	24.2	1148.31	13.7 Ω/km
ANM10.011.45.016AB	UL21316	1000V	45X16AWG	27/0.25	24.6	1181.71	13.7 Ω/km
ANM10.011.46.016AB	UL21316	1000V	46X16AWG	27/0.25	24.6	1191.31	13.7 Ω/km
ANM10.011.47.016AB	UL21316	1000V	47X16AWG	27/0.25	24.6	1200.81	13.7 Ω/km
ANM10.011.48.016AB	UL21316	1000V	48X16AWG	27/0.25	24.6	1210.51	13.7 Ω/km
ANM10.011.49.016AB	UL21316	1000V	49X16AWG	27/0.25	25.3	1262.81	13.7 Ω/km
ANM10.011.50.016AB	UL21316	1000V	50X16AWG	27/0.25	25.3	1272.31	13.7 Ω/km
ANM10.011.51.016AB	UL21316	1000V	51X16AWG	27/0.25	25.3	1281.91	13.7 Ω/km
ANM10.011.52.016AB	UL21316	1000V	52X16AWG	27/0.25	25.3	1291.41	13.7 Ω/km
ANM10.011.53.016AB	UL21316	1000V	53X16AWG	27/0.25	26	1345.11	13.7 Ω/km
ANM10.011.54.016AB	UL21316	1000V	54X16AWG	27/0.25	26	1354.61	13.7 Ω/km
ANM10.011.55.016AB	UL21316	1000V	55X16AWG	27/0.25	26	1364.21	13.7 Ω/km
ANM10.011.56.016AB	UL21316	1000V	56X16AWG	27/0.25	26	1373.71	13.7 Ω/km
ANM10.011.57.016AB	UL21316	1000V	57X16AWG	27/0.25	26.7	1428.51	13.7 Ω/km
ANM10.011.58.016AB	UL21316	1000V	58X16AWG	27/0.25	26.7	1438.01	13.7 Ω/km
ANM10.011.59.016AB	UL21316	1000V	59X16AWG	27/0.25	26.7	1447.61	13.7 Ω/km
ANM10.011.60.016AB	UL21316	1000V	60X16AWG	27/0.25	26.7	1457.11	13.7 Ω/km
ANM10.011.61.016AB	UL21316	1000V	61X16AWG	27/0.25	26.7	1466.61	13.7 Ω/km
ANM10.011.62.016AB	UL21316	1000V	62X16AWG	27/0.25	27.5	1529.41	13.7 Ω/km
ANM10.011.63.016AB	UL21316	1000V	63X16AWG	27/0.25	27.5	1538.91	13.7 Ω/km
ANM10.011.64.016AB	UL21316	1000V	64X16AWG	27/0.25	27.5	1548.51	13.7 Ω/km
ANM10.011.65.016AB	UL21316	1000V	65X16AWG	27/0.25	27.5	1558.01	13.7 Ω/km
ANM10.011.02.015AB	UL21316	1000V	2X15AWG	34/0.25	8.6	120.65	10.9 Ω/km
ANM10.011.03.015AB	UL21316	1000V	3X15AWG	34/0.25	9.1	143.85	10.9 Ω/km
ANM10.011.04.015AB	UL21316	1000V	4X15AWG	34/0.25	9.8	172.45	10.9 Ω/km
ANM10.011.05.015AB	UL21316	1000V	5X15AWG	34/0.25	10.5	202.35	10.9 Ω/km
ANM10.011.06.015AB	UL21316	1000V	6X15AWG	34/0.25	11.3	236.25	10.9 Ω/km
ANM10.011.07.015AB	UL21316	1000V	7X15AWG	34/0.25	11.3	248.25	10.9 Ω/km
ANM10.011.08.015AB	UL21316	1000V	8X15AWG	34/0.25	12.2	286.65	10.9 Ω/km
ANM10.011.09.015AB	UL21316	1000V	9X15AWG	34/0.25	13.2	330.25	10.9 Ω/km
ANM10.011.10.015AB	UL21316	1000V	10X15AWG	34/0.25	14	369.35	10.9 Ω/km
ANM10.011.11.015AB	UL21316	1000V	11X15AWG	34/0.25	14.5	399.15	10.9 Ω/km
ANM10.011.12.015AB	UL21316	1000V	12X15AWG	34/0.25	14.5	411.05	10.9 Ω/km



ANM10.011.13.015AB	UL21316	1000V	13X15AWG	34/0.25	15.2	448.75	10.9Ω/km
ANM10.011.14.015AB	UL21316	1000V	14X15AWG	34/0.25	15.2	460.75	10.9Ω/km
ANM10.011.15.015AB	UL21316	1000V	15X15AWG	34/0.25	15.9	499.75	10.9Ω/km
ANM10.011.16.015AB	UL21316	1000V	16X15AWG	34/0.25	15.9	511.65	10.9Ω/km
ANM10.011.17.015AB	UL21316	1000V	17X15AWG	34/0.25	16.7	556.05	10.9Ω/km
ANM10.011.18.015AB	UL21316	1000V	18X15AWG	34/0.25	16.7	568.05	10.9Ω/km
ANM10.011.19.015AB	UL21316	1000V	19X15AWG	34/0.25	16.7	579.95	10.9Ω/km
ANM10.011.20.015AB	UL21316	1000V	20X15AWG	34/0.25	17.2	612.95	10.9Ω/km
ANM10.011.21.015AB	UL21316	1000V	21X15AWG	34/0.25	17.6	642.05	10.9Ω/km
ANM10.011.22.015AB	UL21316	1000V	22X15AWG	34/0.25	18.6	698.85	10.9Ω/km
ANM10.011.23.015AB	UL21316	1000V	23X15AWG	34/0.25	19.4	748.45	10.9Ω/km
ANM10.011.24.015AB	UL21316	1000V	24X15AWG	34/0.25	19.4	760.25	10.9Ω/km
ANM10.011.25.015AB	UL21316	1000V	25X15AWG	34/0.25	20.9	844.95	10.9Ω/km
ANM10.011.26.015AB	UL21316	1000V	26X15AWG	34/0.25	20.9	856.85	10.9Ω/km
ANM10.011.27.015AB	UL21316	1000V	27X15AWG	34/0.25	20.9	868.85	10.9Ω/km
ANM10.011.28.015AB	UL21316	1000V	28X15AWG	34/0.25	21.6	917.35	10.9Ω/km
ANM10.011.29.015AB	UL21316	1000V	29X15AWG	34/0.25	21.6	929.35	10.9Ω/km
ANM10.011.30.015AB	UL21316	1000V	30X15AWG	34/0.25	21.6	941.25	10.9Ω/km
ANM10.011.31.015AB	UL21316	1000V	31X15AWG	34/0.25	22.3	991.15	10.9Ω/km
ANM10.011.32.015AB	UL21316	1000V	32X15AWG	34/0.25	22.3	1003.05	10.9Ω/km
ANM10.011.33.015AB	UL21316	1000V	33X15AWG	34/0.25	22.3	1014.95	10.9Ω/km
ANM10.011.34.015AB	UL21316	1000V	34X15AWG	34/0.25	23.1	1071.65	10.9Ω/km
ANM10.011.35.015AB	UL21316	1000V	35X15AWG	34/0.25	23.1	1083.65	10.9Ω/km
ANM10.011.36.015AB	UL21316	1000V	36X15AWG	34/0.25	23.1	1095.65	10.9Ω/km
ANM10.011.37.015AB	UL21316	1000V	37X15AWG	34/0.25	23.1	1107.65	10.9Ω/km
ANM10.011.38.015AB	UL21316	1000V	38X15AWG	34/0.25	24	1171.65	10.9Ω/km
ANM10.011.39.015AB	UL21316	1000V	39X15AWG	34/0.25	24	1183.55	10.9Ω/km
ANM10.011.40.015AB	UL21316	1000V	40X15AWG	34/0.25	24	1195.55	10.9Ω/km
ANM10.011.41.015AB	UL21316	1000V	41X15AWG	34/0.25	25.8	1317.55	10.9Ω/km
ANM10.011.42.015AB	UL21316	1000V	42X15AWG	34/0.25	25.8	1329.45	10.9Ω/km
ANM10.011.43.015AB	UL21316	1000V	43X15AWG	34/0.25	25.8	1341.45	10.9Ω/km
ANM10.011.44.015AB	UL21316	1000V	44X15AWG	34/0.25	25.8	1353.45	10.9Ω/km
ANM10.011.45.015AB	UL21316	1000V	45X15AWG	34/0.25	26.3	1397.45	10.9Ω/km
ANM10.011.46.015AB	UL21316	1000V	46X15AWG	34/0.25	26.3	1409.45	10.9Ω/km
ANM10.011.47.015AB	UL21316	1000V	47X15AWG	34/0.25	26.3	1421.45	10.9Ω/km
ANM10.011.48.015AB	UL21316	1000V	48X15AWG	34/0.25	26.3	1433.35	10.9Ω/km
ANM10.011.49.015AB	UL21316	1000V	49X15AWG	34/0.25	27	1491.05	10.9Ω/km
ANM10.011.50.015AB	UL21316	1000V	50X15AWG	34/0.25	27	1503.05	10.9Ω/km
ANM10.011.51.015AB	UL21316	1000V	51X15AWG	34/0.25	27	1514.95	10.9Ω/km
ANM10.011.52.015AB	UL21316	1000V	52X15AWG	34/0.25	27	1526.95	10.9Ω/km
ANM10.011.53.015AB	UL21316	1000V	53X15AWG	34/0.25	27.7	1585.85	10.9Ω/km
ANM10.011.54.015AB	UL21316	1000V	54X15AWG	34/0.25	27.7	1597.85	10.9Ω/km



ANM10.011.55.015AB	UL21316	1000V	55X15AWG	34/0.25	27.7	1609.85	10.9Ω/km
ANM10.011.56.015AB	UL21316	1000V	56X15AWG	34/0.25	27.7	1621.85	10.9Ω/km
ANM10.011.57.015AB	UL21316	1000V	57X15AWG	34/0.25	29.5	1757.65	10.9Ω/km
ANM10.011.58.015AB	UL21316	1000V	58X15AWG	34/0.25	29.5	1769.65	10.9Ω/km
ANM10.011.59.015AB	UL21316	1000V	59X15AWG	34/0.25	29.5	1781.45	10.9Ω/km
ANM10.011.60.015AB	UL21316	1000V	60X15AWG	34/0.25	29.5	1793.45	10.9Ω/km
ANM10.011.61.015AB	UL21316	1000V	61X15AWG	34/0.25	29.5	1805.45	10.9Ω/km
ANM10.011.62.015AB	UL21316	1000V	62X15AWG	34/0.25	30.8	1947.45	10.9Ω/km
ANM10.011.63.015AB	UL21316	1000V	63X15AWG	34/0.25	30.8	1959.55	10.9Ω/km
ANM10.011.64.015AB	UL21316	1000V	64X15AWG	34/0.25	30.8	1971.55	10.9Ω/km
ANM10.011.65.015AB	UL21316	1000V	65X15AWG	34/0.25	30.8	1983.45	10.9Ω/km
ANM10.011.02.014AB	UL21316	1000V	2X14AWG	43/0.25	9	136.38	8.62Ω/km
ANM10.011.03.014AB	UL21316	1000V	3X14AWG	43/0.25	9.5	163.18	8.62Ω/km
ANM10.011.04.014AB	UL21316	1000V	4X14AWG	43/0.25	10.3	198.28	8.62Ω/km
ANM10.011.05.014AB	UL21316	1000V	5X14AWG	43/0.25	11.1	234.98	8.62Ω/km
ANM10.011.06.014AB	UL21316	1000V	6X14AWG	43/0.25	11.9	273.18	8.62Ω/km
ANM10.011.07.014AB	UL21316	1000V	7X14AWG	43/0.25	11.9	288.28	8.62Ω/km
ANM10.011.08.014AB	UL21316	1000V	8X14AWG	43/0.25	12.8	331.08	8.62Ω/km
ANM10.011.09.014AB	UL21316	1000V	9X14AWG	43/0.25	14	386.48	8.62Ω/km
ANM10.011.10.014AB	UL21316	1000V	10X14AWG	43/0.25	14.8	430.28	8.62Ω/km
ANM10.011.11.014AB	UL21316	1000V	11X14AWG	43/0.25	15.3	463.98	8.62Ω/km
ANM10.011.12.014AB	UL21316	1000V	12X14AWG	43/0.25	15.3	479.18	8.62Ω/km
ANM10.011.13.014AB	UL21316	1000V	13X14AWG	43/0.25	16.1	525.58	8.62Ω/km
ANM10.011.14.014AB	UL21316	1000V	14X14AWG	43/0.25	16.1	540.68	8.62Ω/km
ANM10.011.15.014AB	UL21316	1000V	15X14AWG	43/0.25	16.9	588.48	8.62Ω/km
ANM10.011.16.014AB	UL21316	1000V	16X14AWG	43/0.25	16.9	603.58	8.62Ω/km
ANM10.011.17.014AB	UL21316	1000V	17X14AWG	43/0.25	17.7	653.08	8.62Ω/km
ANM10.011.18.014AB	UL21316	1000V	18X14AWG	43/0.25	17.7	668.28	8.62Ω/km
ANM10.011.19.014AB	UL21316	1000V	19X14AWG	43/0.25	17.7	683.38	8.62Ω/km
ANM10.011.20.014AB	UL21316	1000V	20X14AWG	43/0.25	18.2	720.78	8.62Ω/km
ANM10.011.21.014AB	UL21316	1000V	21X14AWG	43/0.25	18.6	753.98	8.62Ω/km
ANM10.011.22.014AB	UL21316	1000V	22X14AWG	43/0.25	20.8	874.08	8.62Ω/km
ANM10.011.23.014AB	UL21316	1000V	23X14AWG	43/0.25	21.6	931.08	8.62Ω/km
ANM10.011.24.014AB	UL21316	1000V	24X14AWG	43/0.25	21.6	946.18	8.62Ω/km
ANM10.011.25.014AB	UL21316	1000V	25X14AWG	43/0.25	22.1	988.18	8.62Ω/km
ANM10.011.26.014AB	UL21316	1000V	26X14AWG	43/0.25	22.1	1003.28	8.62Ω/km
ANM10.011.27.014AB	UL21316	1000V	27X14AWG	43/0.25	22.1	1018.48	8.62Ω/km
ANM10.011.28.014AB	UL21316	1000V	28X14AWG	43/0.25	22.9	1077.98	8.62Ω/km
ANM10.011.29.014AB	UL21316	1000V	29X14AWG	43/0.25	22.9	1093.08	8.62Ω/km
ANM10.011.30.014AB	UL21316	1000V	30X14AWG	43/0.25	22.9	1108.18	8.62Ω/km
ANM10.011.31.014AB	UL21316	1000V	31X14AWG	43/0.25	23.7	1169.18	8.62Ω/km
ANM10.011.32.014AB	UL21316	1000V	32X14AWG	43/0.25	23.7	1184.28	8.62Ω/km



ANM10.011.33.014AB	UL21316	1000V	33X14AWG	43/0.25	23.7	1199.48	8.62 Ω/km
ANM10.011.34.014AB	UL21316	1000V	34X14AWG	43/0.25	24.5	1261.98	8.62 Ω/km
ANM10.011.35.014AB	UL21316	1000V	35X14AWG	43/0.25	24.5	1277.08	8.62 Ω/km
ANM10.011.36.014AB	UL21316	1000V	36X14AWG	43/0.25	24.5	1292.38	8.62 Ω/km
ANM10.011.37.014AB	UL21316	1000V	37X14AWG	43/0.25	24.5	1307.48	8.62 Ω/km
ANM10.011.38.014AB	UL21316	1000V	38X14AWG	43/0.25	25.4	1377.68	8.62 Ω/km
ANM10.011.39.014AB	UL21316	1000V	39X14AWG	43/0.25	25.4	1392.88	8.62 Ω/km
ANM10.011.40.014AB	UL21316	1000V	40X14AWG	43/0.25	25.4	1408.08	8.62 Ω/km
ANM10.011.41.014AB	UL21316	1000V	41X14AWG	43/0.25	27.4	1552.68	8.62 Ω/km
ANM10.011.42.014AB	UL21316	1000V	42X14AWG	43/0.25	27.4	1567.78	8.62 Ω/km
ANM10.011.43.014AB	UL21316	1000V	43X14AWG	43/0.25	27.4	1582.88	8.62 Ω/km
ANM10.011.44.014AB	UL21316	1000V	44X14AWG	43/0.25	27.4	1598.08	8.62 Ω/km
ANM10.011.45.014AB	UL21316	1000V	45X14AWG	43/0.25	27.9	1647.28	8.62 Ω/km
ANM10.011.46.014AB	UL21316	1000V	46X14AWG	43/0.25	27.9	1662.38	8.62 Ω/km
ANM10.011.47.014AB	UL21316	1000V	47X14AWG	43/0.25	27.9	1677.48	8.62 Ω/km
ANM10.011.48.014AB	UL21316	1000V	48X14AWG	43/0.25	27.9	1692.58	8.62 Ω/km
ANM10.011.49.014AB	UL21316	1000V	49X14AWG	43/0.25	29.7	1832.48	8.62 Ω/km
ANM10.011.50.014AB	UL21316	1000V	50X14AWG	43/0.25	29.7	1847.68	8.62 Ω/km
ANM10.011.51.014AB	UL21316	1000V	51X14AWG	43/0.25	29.7	1862.78	8.62 Ω/km
ANM10.011.52.014AB	UL21316	1000V	52X14AWG	43/0.25	29.7	1877.88	8.62 Ω/km
ANM10.011.02.013AB	UL21316	1000V	2X13AWG	54/0.25	9.6	158.43	6.82 Ω/km
ANM10.011.03.013AB	UL21316	1000V	3X13AWG	54/0.25	10.1	189.63	6.82 Ω/km
ANM10.011.04.013AB	UL21316	1000V	4X13AWG	54/0.25	11	232.33	6.82 Ω/km
ANM10.011.05.013AB	UL21316	1000V	5X13AWG	54/0.25	11.9	276.93	6.82 Ω/km
ANM10.011.06.013AB	UL21316	1000V	6X13AWG	54/0.25	12.8	323.53	6.82 Ω/km
ANM10.011.07.013AB	UL21316	1000V	7X13AWG	54/0.25	12.8	342.33	6.82 Ω/km
ANM10.011.08.013AB	UL21316	1000V	8X13AWG	54/0.25	13.8	394.33	6.82 Ω/km
ANM10.011.09.013AB	UL21316	1000V	9X13AWG	54/0.25	15.1	460.03	6.82 Ω/km
ANM10.011.10.013AB	UL21316	1000V	10X13AWG	54/0.25	16	513.53	6.82 Ω/km
ANM10.011.11.013AB	UL21316	1000V	11X13AWG	54/0.25	16.5	552.43	6.82 Ω/km
ANM10.011.12.013AB	UL21316	1000V	12X13AWG	54/0.25	16.5	571.33	6.82 Ω/km
ANM10.011.13.013AB	UL21316	1000V	13X13AWG	54/0.25	17.4	627.83	6.82 Ω/km
ANM10.011.14.013AB	UL21316	1000V	14X13AWG	54/0.25	17.4	646.73	6.82 Ω/km
ANM10.011.15.013AB	UL21316	1000V	15X13AWG	54/0.25	18.3	705.33	6.82 Ω/km
ANM10.011.16.013AB	UL21316	1000V	16X13AWG	54/0.25	18.3	724.13	6.82 Ω/km
ANM10.011.17.013AB	UL21316	1000V	17X13AWG	54/0.25	19.2	784.73	6.82 Ω/km
ANM10.011.18.013AB	UL21316	1000V	18X13AWG	54/0.25	19.2	803.63	6.82 Ω/km
ANM10.011.19.013AB	UL21316	1000V	19X13AWG	54/0.25	19.2	822.53	6.82 Ω/km
ANM10.011.20.013AB	UL21316	1000V	20X13AWG	54/0.25	20.7	913.13	6.82 Ω/km
ANM10.011.21.013AB	UL21316	1000V	21X13AWG	54/0.25	21.2	957.73	6.82 Ω/km
ANM10.011.22.013AB	UL21316	1000V	22X13AWG	54/0.25	22.5	1046.53	6.82 Ω/km
ANM10.011.23.013AB	UL21316	1000V	23X13AWG	54/0.25	23.4	1116.13	6.82 Ω/km



ANM10.011.24.013AB	UL21316	1000V	24X13AWG	54/0.25	23.4	1134.83	6.82 Ω/km
ANM10.011.25.013AB	UL21316	1000V	25X13AWG	54/0.25	23.9	1182.73	6.82 Ω/km
ANM10.011.26.013AB	UL21316	1000V	26X13AWG	54/0.25	23.9	1201.53	6.82 Ω/km
ANM10.011.27.013AB	UL21316	1000V	27X13AWG	54/0.25	23.9	1220.43	6.82 Ω/km
ANM10.011.28.013AB	UL21316	1000V	28X13AWG	54/0.25	24.8	1293.13	6.82 Ω/km
ANM10.011.29.013AB	UL21316	1000V	29X13AWG	54/0.25	24.8	1312.03	6.82 Ω/km
ANM10.011.30.013AB	UL21316	1000V	30X13AWG	54/0.25	24.8	1330.83	6.82 Ω/km
ANM10.011.31.013AB	UL21316	1000V	31X13AWG	54/0.25	25.7	1405.43	6.82 Ω/km
ANM10.011.32.013AB	UL21316	1000V	32X13AWG	54/0.25	25.7	1424.23	6.82 Ω/km
ANM10.011.33.013AB	UL21316	1000V	33X13AWG	54/0.25	25.7	1443.03	6.82 Ω/km
ANM10.011.34.013AB	UL21316	1000V	34X13AWG	54/0.25	26.6	1519.63	6.82 Ω/km
ANM10.011.35.013AB	UL21316	1000V	35X13AWG	54/0.25	26.6	1538.43	6.82 Ω/km
ANM10.011.36.013AB	UL21316	1000V	36X13AWG	54/0.25	26.6	1557.33	6.82 Ω/km
ANM10.011.37.013AB	UL21316	1000V	37X13AWG	54/0.25	26.6	1576.23	6.82 Ω/km
ANM10.011.38.013AB	UL21316	1000V	38X13AWG	54/0.25	27.6	1661.53	6.82 Ω/km
ANM10.011.39.013AB	UL21316	1000V	39X13AWG	54/0.25	27.6	1680.33	6.82 Ω/km
ANM10.011.40.013AB	UL21316	1000V	40X13AWG	54/0.25	27.6	1699.13	6.82 Ω/km
ANM10.011.41.013AB	UL21316	1000V	41X13AWG	54/0.25	31.2	2009.63	6.82 Ω/km
ANM10.011.42.013AB	UL21316	1000V	42X13AWG	54/0.25	31.2	2028.53	6.82 Ω/km
ANM10.011.43.013AB	UL21316	1000V	43X13AWG	54/0.25	31.2	2047.33	6.82 Ω/km
ANM10.011.44.013AB	UL21316	1000V	44X13AWG	54/0.25	31.2	2066.23	6.82 Ω/km
ANM10.011.45.013AB	UL21316	1000V	45X13AWG	54/0.25	31.7	2124.13	6.82 Ω/km
ANM10.011.46.013AB	UL21316	1000V	46X13AWG	54/0.25	31.7	2142.93	6.82 Ω/km
ANM10.011.47.013AB	UL21316	1000V	47X13AWG	54/0.25	31.7	2161.63	6.82 Ω/km
ANM10.011.48.013AB	UL21316	1000V	48X13AWG	54/0.25	31.7	2180.53	6.82 Ω/km
ANM10.011.49.013AB	UL21316	1000V	49X13AWG	54/0.25	32.6	2271.33	6.82 Ω/km
ANM10.011.50.013AB	UL21316	1000V	50X13AWG	54/0.25	32.6	2290.13	6.82 Ω/km
ANM10.011.51.013AB	UL21316	1000V	51X13AWG	54/0.25	32.6	2308.93	6.82 Ω/km
ANM10.011.52.013AB	UL21316	1000V	52X13AWG	54/0.25	32.6	2327.83	6.82 Ω/km
ANM10.011.02.012AB	UL21316	1000V	2X12AWG	68/0.25	10.4	189.81	5.43 Ω/km
ANM10.011.03.012AB	UL21316	1000V	3X12AWG	68/0.25	11	229.91	5.43 Ω/km
ANM10.011.04.012AB	UL21316	1000V	4X12AWG	68/0.25	11.9	280.01	5.43 Ω/km
ANM10.011.05.012AB	UL21316	1000V	5X12AWG	68/0.25	13	338.11	5.43 Ω/km
ANM10.011.06.012AB	UL21316	1000V	6X12AWG	68/0.25	14	395.81	5.43 Ω/km
ANM10.011.07.012AB	UL21316	1000V	7X12AWG	68/0.25	14	419.91	5.43 Ω/km
ANM10.011.08.012AB	UL21316	1000V	8X12AWG	68/0.25	15.1	483.91	5.43 Ω/km
ANM10.011.09.012AB	UL21316	1000V	9X12AWG	68/0.25	16.6	567.01	5.43 Ω/km
ANM10.011.10.012AB	UL21316	1000V	10X12AWG	68/0.25	17.6	633.31	5.43 Ω/km
ANM10.011.11.012AB	UL21316	1000V	11X12AWG	68/0.25	18.2	684.11	5.43 Ω/km
ANM10.011.12.012AB	UL21316	1000V	12X12AWG	68/0.25	18.2	708.21	5.43 Ω/km
ANM10.011.13.012AB	UL21316	1000V	13X12AWG	68/0.25	19.1	773.71	5.43 Ω/km
ANM10.011.14.012AB	UL21316	1000V	14X12AWG	68/0.25	19.1	797.71	5.43 Ω/km



ANM10.011.15.012AB	UL21316	1000V	15X12AWG	68/0.25	21.2	924.21	5.43 Ω/km
ANM10.011.16.012AB	UL21316	1000V	16X12AWG	68/0.25	21.2	948.41	5.43 Ω/km
ANM10.011.17.012AB	UL21316	1000V	17X12AWG	68/0.25	22.2	1025.91	5.43 Ω/km
ANM10.011.18.012AB	UL21316	1000V	18X12AWG	68/0.25	22.2	1049.91	5.43 Ω/km
ANM10.011.19.012AB	UL21316	1000V	19X12AWG	68/0.25	22.2	1074.21	5.43 Ω/km
ANM10.011.20.012AB	UL21316	1000V	20X12AWG	68/0.25	22.8	1131.31	5.43 Ω/km
ANM10.011.21.012AB	UL21316	1000V	21X12AWG	68/0.25	23.3	1183.71	5.43 Ω/km
ANM10.011.22.012AB	UL21316	1000V	22X12AWG	68/0.25	24.8	1296.61	5.43 Ω/km
ANM10.011.23.012AB	UL21316	1000V	23X12AWG	68/0.25	25.8	1382.71	5.43 Ω/km
ANM10.011.24.012AB	UL21316	1000V	24X12AWG	68/0.25	25.8	1406.81	5.43 Ω/km
ANM10.011.25.012AB	UL21316	1000V	25X12AWG	68/0.25	26.4	1469.41	5.43 Ω/km
ANM10.011.26.012AB	UL21316	1000V	26X12AWG	68/0.25	26.4	1493.51	5.43 Ω/km
ANM10.011.27.012AB	UL21316	1000V	27X12AWG	68/0.25	26.4	1517.61	5.43 Ω/km
ANM10.011.28.012AB	UL21316	1000V	28X12AWG	68/0.25	27.3	1600.91	5.43 Ω/km
ANM10.011.29.012AB	UL21316	1000V	29X12AWG	68/0.25	27.3	1624.91	5.43 Ω/km
ANM10.011.30.012AB	UL21316	1000V	30X12AWG	68/0.25	27.3	1649.01	5.43 Ω/km
ANM10.011.31.012AB	UL21316	1000V	31X12AWG	68/0.25	28.4	1748.31	5.43 Ω/km
ANM10.011.32.012AB	UL21316	1000V	32X12AWG	68/0.25	28.4	1772.31	5.43 Ω/km
ANM10.011.33.012AB	UL21316	1000V	33X12AWG	68/0.25	28.4	1796.51	5.43 Ω/km
ANM10.011.34.012AB	UL21316	1000V	34X12AWG	68/0.25	30.8	2026.41	5.43 Ω/km
ANM10.011.35.012AB	UL21316	1000V	35X12AWG	68/0.25	30.8	2050.41	5.43 Ω/km
ANM10.011.36.012AB	UL21316	1000V	36X12AWG	68/0.25	30.8	2074.51	5.43 Ω/km
ANM10.011.37.012AB	UL21316	1000V	37X12AWG	68/0.25	30.8	2098.61	5.43 Ω/km
ANM10.011.02.011AB	UL21316	1000V	2X11AWG	85/0.25	11.2	223.47	4.30 Ω/km
ANM10.011.03.011AB	UL21316	1000V	3X11AWG	85/0.25	11.9	273.37	4.30 Ω/km
ANM10.011.04.011AB	UL21316	1000V	4X11AWG	85/0.25	12.9	334.07	4.30 Ω/km
ANM10.011.05.011AB	UL21316	1000V	5X11AWG	85/0.25	14	400.47	4.30 Ω/km
ANM10.011.06.011AB	UL21316	1000V	6X11AWG	85/0.25	15.2	473.77	4.30 Ω/km
ANM10.011.07.011AB	UL21316	1000V	7X11AWG	85/0.25	15.2	503.37	4.30 Ω/km
ANM10.011.08.011AB	UL21316	1000V	8X11AWG	85/0.25	16.4	580.27	4.30 Ω/km
ANM10.011.09.011AB	UL21316	1000V	9X11AWG	85/0.25	18	677.97	4.30 Ω/km
ANM10.011.10.011AB	UL21316	1000V	10X11AWG	85/0.25	19.2	762.87	4.30 Ω/km
ANM10.011.11.011AB	UL21316	1000V	11X11AWG	85/0.25	20.9	874.67	4.30 Ω/km
ANM10.011.12.011AB	UL21316	1000V	12X11AWG	85/0.25	20.9	904.27	4.30 Ω/km
ANM10.011.13.011AB	UL21316	1000V	13X11AWG	85/0.25	21.9	986.57	4.30 Ω/km
ANM10.011.14.011AB	UL21316	1000V	14X11AWG	85/0.25	21.9	1016.27	4.30 Ω/km
ANM10.011.15.011AB	UL21316	1000V	15X11AWG	85/0.25	23	1106.57	4.30 Ω/km
ANM10.011.16.011AB	UL21316	1000V	16X11AWG	85/0.25	23	1136.27	4.30 Ω/km
ANM10.011.17.011AB	UL21316	1000V	17X11AWG	85/0.25	24.2	1235.57	4.30 Ω/km
ANM10.011.18.011AB	UL21316	1000V	18X11AWG	85/0.25	24.2	1265.27	4.30 Ω/km
ANM10.011.19.011AB	UL21316	1000V	19X11AWG	85/0.25	24.2	1294.97	4.30 Ω/km
ANM10.011.20.011AB	UL21316	1000V	20X11AWG	85/0.25	24.9	1366.67	4.30 Ω/km



ANM10.011.21.011AB	UL21316	1000V	21X11AWG	85/0.25	25.4	1427.37	4.30 Ω/km
ANM10.011.22.011AB	UL21316	1000V	22X11AWG	85/0.25	27	1559.87	4.30 Ω/km
ANM10.011.23.011AB	UL21316	1000V	23X11AWG	85/0.25	28.2	1670.87	4.30 Ω/km
ANM10.011.24.011AB	UL21316	1000V	24X11AWG	85/0.25	28.2	1700.47	4.30 Ω/km
ANM10.011.25.011AB	UL21316	1000V	25X11AWG	85/0.25	29.9	1848.87	4.30 Ω/km
ANM10.011.26.011AB	UL21316	1000V	26X11AWG	85/0.25	29.9	1878.47	4.30 Ω/km
ANM10.011.27.011AB	UL21316	1000V	27X11AWG	85/0.25	29.9	1908.17	4.30 Ω/km
ANM10.011.28.011AB	UL21316	1000V	28X11AWG	85/0.25	31.3	2077.47	4.30 Ω/km
ANM10.011.29.011AB	UL21316	1000V	29X11AWG	85/0.25	31.3	2107.07	4.30 Ω/km
ANM10.011.30.011AB	UL21316	1000V	30X11AWG	85/0.25	31.3	2136.67	4.30 Ω/km
ANM10.011.31.011AB	UL21316	1000V	31X11AWG	85/0.25	32.4	2253.77	4.30 Ω/km
ANM10.011.32.011AB	UL21316	1000V	32X11AWG	85/0.25	32.4	2283.27	4.30 Ω/km
ANM10.011.33.011AB	UL21316	1000V	33X11AWG	85/0.25	32.4	2313.07	4.30 Ω/km
ANM10.011.34.011AB	UL21316	1000V	34X11AWG	85/0.25	33.6	2441.07	4.30 Ω/km
ANM10.011.35.011AB	UL21316	1000V	35X11AWG	85/0.25	33.6	2470.77	4.30 Ω/km
ANM10.011.36.011AB	UL21316	1000V	36X11AWG	85/0.25	33.6	2500.47	4.30 Ω/km
ANM10.011.37.011AB	UL21316	1000V	37X11AWG	85/0.25	33.6	2530.07	4.30 Ω/km
ANM10.011.02.010AB	UL21316	1000V	2X10AWG	108/0.25	12.4	271.47	3.409 Ω/km
ANM10.011.03.010AB	UL21316	1000V	3X10AWG	108/0.25	13.2	332.47	3.409 Ω/km
ANM10.011.04.010AB	UL21316	1000V	4X10AWG	108/0.25	14.4	409.17	3.409 Ω/km
ANM10.011.05.010AB	UL21316	1000V	5X10AWG	108/0.25	15.7	493.27	3.409 Ω/km
ANM10.011.06.010AB	UL21316	1000V	6X10AWG	108/0.25	17	581.37	3.409 Ω/km
ANM10.011.07.010AB	UL21316	1000V	7X10AWG	108/0.25	17	616.77	3.409 Ω/km
ANM10.011.08.010AB	UL21316	1000V	8X10AWG	108/0.25	18.4	713.47	3.409 Ω/km
ANM10.011.09.010AB	UL21316	1000V	9X10AWG	108/0.25	21.3	888.97	3.409 Ω/km
ANM10.011.10.010AB	UL21316	1000V	10X10AWG	108/0.25	22.6	994.77	3.409 Ω/km
ANM10.011.11.010AB	UL21316	1000V	11X10AWG	108/0.25	23.4	1075.27	3.409 Ω/km
ANM10.011.12.010AB	UL21316	1000V	12X10AWG	108/0.25	23.4	1110.67	3.409 Ω/km
ANM10.011.13.010AB	UL21316	1000V	13X10AWG	108/0.25	24.6	1216.97	3.409 Ω/km
ANM10.011.14.010AB	UL21316	1000V	14X10AWG	108/0.25	24.6	1252.27	3.409 Ω/km
ANM10.011.15.010AB	UL21316	1000V	15X10AWG	108/0.25	25.9	1368.37	3.409 Ω/km
ANM10.011.16.010AB	UL21316	1000V	16X10AWG	108/0.25	25.9	1403.97	3.409 Ω/km
ANM10.011.17.010AB	UL21316	1000V	17X10AWG	108/0.25	27.2	1523.87	3.409 Ω/km
ANM10.011.18.010AB	UL21316	1000V	18X10AWG	108/0.25	27.2	1559.27	3.409 Ω/km
ANM10.011.19.010AB	UL21316	1000V	19X10AWG	108/0.25	27.2	1594.77	3.409 Ω/km
ANM10.011.20.010AB	UL21316	1000V	20X10AWG	108/0.25	28	1684.47	3.409 Ω/km
ANM10.011.21.010AB	UL21316	1000V	21X10AWG	108/0.25	29.6	1830.17	3.409 Ω/km
ANM10.011.22.010AB	UL21316	1000V	22X10AWG	108/0.25	31.9	2074.67	3.409 Ω/km
ANM10.011.23.010AB	UL21316	1000V	23X10AWG	108/0.25	33.2	2215.27	3.409 Ω/km
ANM10.011.24.010AB	UL21316	1000V	24X10AWG	108/0.25	33.2	2250.57	3.409 Ω/km
ANM10.011.25.010AB	UL21316	1000V	25X10AWG	108/0.25	34	2352.97	3.409 Ω/km
ANM10.011.26.010AB	UL21316	1000V	26X10AWG	108/0.25	34	2388.37	3.409 Ω/km



ANM10.011.27.010AB	UL21316	1000V	27X10AWG	108/0.25	34	2423.67	3.409 Ω/km
ANM10.011.28.010AB	UL21316	1000V	28X10AWG	108/0.25	35.2	2562.27	3.409 Ω/km
ANM10.011.29.010AB	UL21316	1000V	29X10AWG	108/0.25	35.2	2597.67	3.409 Ω/km
ANM10.011.30.010AB	UL21316	1000V	30X10AWG	108/0.25	35.2	2633.07	3.409 Ω/km
ANM10.011.31.010AB	UL21316	1000V	31X10AWG	108/0.25	36.5	2784.07	3.409 Ω/km
ANM10.011.32.010AB	UL21316	1000V	32X10AWG	108/0.25	36.5	2819.47	3.409 Ω/km
ANM10.011.33.010AB	UL21316	1000V	33X10AWG	108/0.25	36.5	2854.87	3.409 Ω/km
ANM10.011.34.010AB	UL21316	1000V	34X10AWG	108/0.25	37.8	3009.97	3.409 Ω/km
ANM10.011.35.010AB	UL21316	1000V	35X10AWG	108/0.25	37.8	3045.47	3.409 Ω/km
ANM10.011.36.010AB	UL21316	1000V	36X10AWG	108/0.25	37.8	3080.87	3.409 Ω/km
ANM10.011.37.010AB	UL21316	1000V	37X10AWG	108/0.25	37.8	3116.17	3.409 Ω/km
ANM10.011.02.009AB	UL21316	1000V	2X9AWG	136/0.25	13.8	339.24	2.705 Ω/km
ANM10.011.03.009AB	UL21316	1000V	3X9AWG	136/0.25	14.7	416.64	2.705 Ω/km
ANM10.011.04.009AB	UL21316	1000V	4X9AWG	136/0.25	16	511.94	2.705 Ω/km
ANM10.011.05.009AB	UL21316	1000V	5X9AWG	136/0.25	17.6	624.04	2.705 Ω/km
ANM10.011.06.009AB	UL21316	1000V	6X9AWG	136/0.25	19.1	737.84	2.705 Ω/km
ANM10.011.07.009AB	UL21316	1000V	7X9AWG	136/0.25	19.1	783.34	2.705 Ω/km
ANM10.011.02.008AB	UL21316	1000V	2X8AWG	171/0.25	14.6	394.17	2.144 Ω/km
ANM10.011.03.008AB	UL21316	1000V	3X8AWG	171/0.25	15.5	486.17	2.144 Ω/km
ANM10.011.04.008AB	UL21316	1000V	4X8AWG	171/0.25	17	604.77	2.144 Ω/km
ANM10.011.05.008AB	UL21316	1000V	5X8AWG	171/0.25	18.6	733.47	2.144 Ω/km
ANM10.011.06.008AB	UL21316	1000V	6X8AWG	171/0.25	21.3	922.77	2.144 Ω/km
ANM10.011.07.008AB	UL21316	1000V	7X8AWG	171/0.25	21.3	980.87	2.144 Ω/km
ANM10.011.02.007AB	UL21316	1000V	2X7AWG	84/0.4	15.4	459.05	1.700 Ω/km
ANM10.011.03.007AB	UL21316	1000V	3X7AWG	84/0.4	16.4	573.15	1.700 Ω/km
ANM10.011.04.007AB	UL21316	1000V	4X7AWG	84/0.4	18	716.05	1.700 Ω/km
ANM10.011.05.007AB	UL21316	1000V	5X7AWG	84/0.4	20.7	917.55	1.700 Ω/km
ANM10.011.06.007AB	UL21316	1000V	6X7AWG	84/0.4	22.5	1088.05	1.700 Ω/km
ANM10.011.07.007AB	UL21316	1000V	7X7AWG	84/0.4	22.5	1162.75	1.700 Ω/km
ANM10.011.02.006AB	UL21316	1000V	2X6AWG	106/0.4	16.8	553	1.348 Ω/km
ANM10.011.03.006AB	UL21316	1000V	3X6AWG	106/0.4	17.9	692.7	1.348 Ω/km
ANM10.011.04.006AB	UL21316	1000V	4X6AWG	106/0.4	20.7	916.4	1.348 Ω/km
ANM10.011.05.006AB	UL21316	1000V	5X6AWG	106/0.4	22.6	1110.1	1.348 Ω/km
ANM10.011.06.006AB	UL21316	1000V	6X6AWG	106/0.4	24.6	1318.4	1.348 Ω/km
ANM10.011.07.006AB	UL21316	1000V	7X6AWG	106/0.4	24.6	1410.6	1.348 Ω/km
ANM10.011.02.005AB	UL21316	1000V	2X5AWG	134/0.4	18	657.77	1.070 Ω/km
ANM10.011.03.005AB	UL21316	1000V	3X5AWG	134/0.4	19.2	829.97	1.070 Ω/km
ANM10.011.04.005AB	UL21316	1000V	4X5AWG	134/0.4	22.1	1092.47	1.070 Ω/km
ANM10.011.05.005AB	UL21316	1000V	5X5AWG	134/0.4	24.2	1329.07	1.070 Ω/km
ANM10.011.06.005AB	UL21316	1000V	6X5AWG	134/0.4	26.4	1582.77	1.070 Ω/km
ANM10.011.07.005AB	UL21316	1000V	7X5AWG	134/0.4	26.4	1699.77	1.070 Ω/km
ANM10.011.02.004AB	UL21316	1000V	2X4AWG	169/0.4	21.6	897.15	0.8481 Ω/km



ANM10.011.03.004AB	UL21316	1000V	3X4AWG	169/0.4	23	1121.55	0.8481 Ω/km
ANM10.011.04.004AB	UL21316	1000V	4X4AWG	169/0.4	25.3	1405.75	0.8481 Ω/km
ANM10.011.05.004AB	UL21316	1000V	5X4AWG	169/0.4	27.7	1709.45	0.8481 Ω/km
ANM10.011.06.004AB	UL21316	1000V	6X4AWG	169/0.4	31.7	2181.15	0.8481 Ω/km
ANM10.011.07.004AB	UL21316	1000V	7X4AWG	169/0.4	31.7	2328.75	0.8481 Ω/km
ANM10.011.02.003AB	UL21316	1000V	2X3AWG	213/0.4	23.2	1068.27	0.6727 Ω/km
ANM10.011.03.003AB	UL21316	1000V	3X3AWG	213/0.4	24.7	1342.77	0.6727 Ω/km
ANM10.011.04.003AB	UL21316	1000V	4X3AWG	213/0.4	27.2	1688.17	0.6727 Ω/km
ANM10.011.05.003AB	UL21316	1000V	5X3AWG	213/0.4	31.3	2200.77	0.6727 Ω/km
ANM10.011.06.003AB	UL21316	1000V	6X3AWG	213/0.4	34.1	2614.87	0.6727 Ω/km
ANM10.011.07.003AB	UL21316	1000V	7X3AWG	213/0.4	34.1	2801.07	0.6727 Ω/km
ANM10.011.02.002AB	UL21316	1000V	2X2AWG	268/0.4	25	1279.02	0.5335 Ω/km
ANM10.011.03.002AB	UL21316	1000V	3X2AWG	268/0.4	26.7	1621.62	0.5335 Ω/km
ANM10.011.04.002AB	UL21316	1000V	4X2AWG	268/0.4	30.8	2177.22	0.5335 Ω/km
ANM10.011.05.002AB	UL21316	1000V	5X2AWG	268/0.4	33.7	2644.82	0.5335 Ω/km
ANM10.011.06.002AB	UL21316	1000V	6X2AWG	268/0.4	36.8	3151.02	0.5335 Ω/km
ANM10.011.07.002AB	UL21316	1000V	7X2AWG	268/0.4	36.8	3385.72	0.5335 Ω/km
ANM10.011.02.001AB	UL21316	1000V	2X1AWG	338/0.4	27.6	1583.21	0.4230 Ω/km
ANM10.011.03.001AB	UL21316	1000V	3X1AWG	338/0.4	30.9	2150.21	0.4230 Ω/km
ANM10.011.04.001AB	UL21316	1000V	4X1AWG	338/0.4	33.9	2690.61	0.4230 Ω/km
ANM10.011.05.001AB	UL21316	1000V	5X1AWG	338/0.4	37.2	3280.31	0.4230 Ω/km
ANM10.011.06.001AB	UL21316	1000V	6X1AWG	338/0.4	40.9	3974.41	0.4230 Ω/km
ANM10.011.07.001AB	UL21316	1000V	7X1AWG	338/0.4	40.9	4272.91	0.4230 Ω/km
ANM10.011.02.1/OAB	UL21316	1000V	2X1/OAWG	426/0.4	31.6	2064.69	0.3354 Ω/km
ANM10.011.03.1/OAB	UL21316	1000V	3X1/OAWG	426/0.4	33.7	2607.39	0.3354 Ω/km
ANM10.011.04.1/OAB	UL21316	1000V	4X1/OAWG	426/0.4	37	3269.29	0.3354 Ω/km
ANM10.011.05.1/OAB	UL21316	1000V	5X1/OAWG	426/0.4	40.9	4055.39	0.3354 Ω/km
ANM10.011.06.1/OAB	UL21316	1000V	6X1/OAWG	426/0.4	46.2	4995.69	0.3354 Ω/km
ANM10.011.07.1/OAB	UL21316	1000V	7X1/OAWG	426/0.4	46.2	5367.99	0.3354 Ω/km
ANM10.011.02.2/OAB	UL21316	1000V	2X2/OAWG	537/0.4	34.2	2484.53	0.2660 Ω/km
ANM10.011.03.2/OAB	UL21316	1000V	3X2/OAWG	537/0.4	36.5	3155.13	0.2660 Ω/km
ANM10.011.04.2/OAB	UL21316	1000V	4X2/OAWG	537/0.4	40.2	3975.63	0.2660 Ω/km
ANM10.011.05.2/OAB	UL21316	1000V	5X2/OAWG	537/0.4	45.9	5085.83	0.2660 Ω/km
ANM10.011.06.2/OAB	UL21316	1000V	6X2/OAWG	537/0.4	50.1	6056.03	0.2660 Ω/km
ANM10.011.07.2/OAB	UL21316	1000V	7X2/OAWG	537/0.4	50.1	6524.83	0.2660 Ω/km
ANM10.011.02.3/OAB	UL21316	1000V	2X3/OAWG	677/0.4	36.8	2984.91	0.2110 Ω/km
ANM10.011.03.3/OAB	UL21316	1000V	3X3/OAWG	677/0.4	39.3	3816.31	0.2110 Ω/km
ANM10.011.04.3/OAB	UL21316	1000V	4X3/OAWG	677/0.4	44.9	5028.91	0.2110 Ω/km
ANM10.011.05.3/OAB	UL21316	1000V	5X3/OAWG	677/0.4	49.4	6152.41	0.2110 Ω/km
ANM10.011.06.3/OAB	UL21316	1000V	6X3/OAWG	677/0.4	54	7338.31	0.2110 Ω/km
ANM10.011.07.3/OAB	UL21316	1000V	7X3/OAWG	677/0.4	54	7933.81	0.2110 Ω/km
ANM10.011.02.4/OAB	UL21316	1000V	2X4/OAWG	854/0.4	40	3622.9	0.1673 Ω/km



ANM10.011.03.4/0AB	UL21316	1000V	3X4/0AWG	854/0.4	44.3	4855.9	0.1673 Ω/km
ANM10.011.04.4/0AB	UL21316	1000V	4X4/0AWG	854/0.4	48.8	6128.5	0.1673 Ω/km
ANM10.011.05.4/0AB	UL21316	1000V	5X4/0AWG	854/0.4	53.7	7503.4	0.1673 Ω/km
ANM10.011.06.4/0AB	UL21316	1000V	6X4/0AWG	854/0.4	58.8	8965.1	0.1673 Ω/km
ANM10.011.07.4/0AB	UL21316	1000V	7X4/0AWG	854/0.4	58.8	9716.5	0.1673 Ω/km
ANM10.011.02.250kV	UL21316	1000V	2X250Kcmil	1007/0.4	45.8	4553.2	0.1416 Ω/km
ANM10.011.03.250kV	UL21316	1000V	3X250Kcmil	1007/0.4	48.8	5788	0.1416 Ω/km
ANM10.011.04.250kV	UL21316	1000V	4X250Kcmil	1007/0.4	53.8	7306.2	0.1416 Ω/km
ANM10.011.05.250kV	UL21316	1000V	5X250Kcmil	1007/0.4	59.4	8972.8	0.1416 Ω/km
ANM10.011.02.300kV	UL21316	1000V	2X300Kcmil	1184/0.4	48	5217.7	0.1180 Ω/km
ANM10.011.03.300kV	UL21316	1000V	3X300Kcmil	1184/0.4	51.2	6685.1	0.1180 Ω/km
ANM10.011.04.300kV	UL21316	1000V	4X300Kcmil	1184/0.4	56.5	8465.8	0.1180 Ω/km
ANM10.011.05.300kV	UL21316	1000V	5X300Kcmil	1184/0.4	62.3	10390.9	0.1180 Ω/km
ANM10.011.02.350kV	UL21316	1000V	2X350Kcmil	1406/0.4	51	5952.6	0.1011 Ω/km
ANM10.011.03.350kV	UL21316	1000V	3X350Kcmil	1406/0.4	54.4	7640.6	0.1011 Ω/km
ANM10.011.04.350kV	UL21316	1000V	4X350Kcmil	1406/0.4	60.1	9691.9	0.1011 Ω/km
ANM10.011.02.400kV	UL21316	1000V	2X400Kcmil	1628/0.4	54	6718.1	0.08851 Ω/km
ANM10.011.03.400kV	UL21316	1000V	3X400Kcmil	1628/0.4	57.7	8648.1	0.08851 Ω/km
ANM10.011.02.450kV	UL21316	1000V	2X450Kcmil	1830/0.4	56.4	7421.9	0.07867 Ω/km
ANM10.011.03.450kV	UL21316	1000V	3X450Kcmil	1830/0.4	60.2	9563.4	0.07867 Ω/km
ANM10.011.03.01.013AB	UL21316	1000V	3X13AWG+1X15AWG	54/0.25	10.4	212.55	6.82 Ω/km
ANM10.011.03.01.012AB	UL21316	1000V	3X12AWG+1X14AWG	68/0.25	11.3	256.88	5.43 Ω/km
ANM10.011.03.01.011AB	UL21316	1000V	3X11AWG+1X14AWG	85/0.25	12	294.28	4.30 Ω/km
ANM10.011.03.01.010AB	UL21316	1000V	3X10AWG+1X13AWG	108/0.25	13.4	361.03	3.409 Ω/km
ANM10.011.03.01.009AB	UL21316	1000V	3X9AWG+1X12AWG	136/0.25	14.9	450.91	2.705 Ω/km
ANM10.011.03.01.008AB	UL21316	1000V	3X8AWG+1X11AWG	171/0.25	15.9	533.97	2.144 Ω/km
ANM10.011.03.01.007AB	UL21316	1000V	3X7AWG+1X10AWG	84/0.4	17	635.47	1.700 Ω/km
ANM10.011.03.01.006AB	UL21316	1000V	3X6AWG+1X9AWG	106/0.4	18.6	771.24	1.348 Ω/km
ANM10.011.03.01.005AB	UL21316	1000V	3X5AWG+1X8AWG	134/0.4	21	975.77	1.070 Ω/km
ANM10.011.03.01.004AB	UL21316	1000V	3X4AWG+1X7AWG	169/0.4	23.6	1230.15	0.8481 Ω/km
ANM10.011.03.01.003AB	UL21316	1000V	3X3AWG+1X6AWG	213/0.4	25.5	1481.9	0.6727 Ω/km
ANM10.011.03.01.002AB	UL21316	1000V	3X2AWG+1X5AWG	268/0.4	27.5	1786.97	0.5335 Ω/km
ANM10.011.03.01.001AB	UL21316	1000V	3X1AWG+1X4AWG	338/0.4	32	2376.55	0.4230 Ω/km
ANM10.011.03.01.1/0AB	UL21316	1000V	3X1/0AWG+1X3AWG	426/0.4	34.8	2875.67	0.3354 Ω/km
ANM10.011.03.01.2/0AB	UL21316	1000V	3X2/0AWG+1X2AWG	537/0.4	38	3511.52	0.2660 Ω/km
ANM10.011.03.01.3/0AB	UL21316	1000V	3X3/0AWG+1X1AWG	677/0.4	41.4	4338.71	0.2110 Ω/km
ANM10.011.03.01.4/0AB	UL21316	1000V	3X4/0AWG+1X1/0AWG	854/0.4	46.5	5443.69	0.1673 Ω/km
ANM10.011.03.01.250kV	UL21316	1000V	3X250kcmil+1X2/0AWG	1007/0.4	51.1	6505.23	0.1416 Ω/km
ANM10.011.03.01.300kV	UL21316	1000V	3X300kcmil+1X3/0AWG	1184/0.4	53.9	7589.61	0.1180 Ω/km
ANM10.011.03.01.350kV	UL21316	1000V	3X350kcmil+1X4/0AWG	1406/0.4	57.6	8791.8	0.1011 Ω/km
ANM10.011.03.01.400kV	UL21316	1000V	3X400kcmil+1X250kcmil	1628/0.4	61.5	10041.6	0.08851 Ω/km
ANM10.011.03.01.450kV	UL21316	1000V	3X450kcmil+1X300kcmil	1830/0.4	64.4	11236.1	0.07867 Ω/km



ANM10.011.03.01.500kB	UL21316	1000V	3X500kcmil+1X350kcmil	2013/0.4	67.1	12419.3	0.07080 Ω /km
ANM10.011.03.02.013AB	UL21316	1000V	3X13AWG+2X15AWG	54/0.25	11.1	243.75	6.82 Ω /km
ANM10.011.03.02.012AB	UL21316	1000V	3X12AWG+2X14AWG	68/0.25	12	292.78	5.43 Ω /km
ANM10.011.03.02.011AB	UL21316	1000V	3X11AWG+2X14AWG	85/0.25	12.6	328.18	4.30 Ω /km
ANM10.011.03.02.010AB	UL21316	1000V	3X10AWG+2X13AWG	108/0.25	14	400.53	3.409 Ω /km
ANM10.011.03.02.009AB	UL21316	1000V	3X9AWG+2X12AWG	136/0.25	15.6	502.01	2.705 Ω /km
ANM10.011.03.02.008AB	UL21316	1000V	3X8AWG+2X11AWG	171/0.25	16.7	596.27	2.144 Ω /km
ANM10.011.03.02.007AB	UL21316	1000V	3X7AWG+2X10AWG	84/0.4	18	714.77	1.700 Ω /km
ANM10.011.03.02.006AB	UL21316	1000V	3X6AWG+2X9AWG	106/0.4	20.8	922.64	1.348 Ω /km
ANM10.011.03.02.005AB	UL21316	1000V	3X5AWG+2X8AWG	134/0.4	22.2	1098.37	1.070 Ω /km
ANM10.011.03.02.004AB	UL21316	1000V	3X4AWG+2X7AWG	169/0.4	24.8	1376.65	0.8481 Ω /km
ANM10.011.03.02.003AB	UL21316	1000V	3X3AWG+2X6AWG	213/0.4	26.8	1658.4	0.6727 Ω /km
ANM10.011.03.02.002AB	UL21316	1000V	3X2AWG+2X5AWG	268/0.4	30.3	2134.57	0.5335 Ω /km
ANM10.011.03.02.001AB	UL21316	1000V	3X1AWG+2X4AWG	338/0.4	33.9	2680.75	0.4230 Ω /km
ANM10.011.03.02.1/OAB	UL21316	1000V	3X1/OAWG+2X3AWG	426/0.4	37.1	3268.17	0.3354 Ω /km
ANM10.011.03.02.2/OAB	UL21316	1000V	3X2/OAWG+2X2AWG	537/0.4	40.2	3960.42	0.2660 Ω /km
ANM10.011.03.02.3/OAB	UL21316	1000V	3X3/OAWG+2X1AWG	677/0.4	45.3	5052.71	0.2110 Ω /km
ANM10.011.03.02.4/OAB	UL21316	1000V	3X4/OAWG+2X1/OAWG	854/0.4	49.3	6150.69	0.1673 Ω /km
ANM10.011.03.02.250kB	UL21316	1000V	3X250kcmil+2X2/OAWG	1007/0.4	54.1	7366.93	0.1416 Ω /km
ANM10.011.03.02.300kB	UL21316	1000V	3X300kcmil+2X3/OAWG	1184/0.4	57.3	8655.31	0.1180 Ω /km
ANM10.011.03.02.350kB	UL21316	1000V	3X350kcmil+2X4/OAWG	1406/0.4	61.5	10119.4	0.1011 Ω /km
ANM10.011.03.02.400kB	UL21316	1000V	3X400kcmil+2X250kcmil	1628/0.4	66.2	11666.6	0.08851 Ω /km
ANM10.011.03.02.450kB	UL21316	1000V	3X450kcmil+2X300kcmil	1830/0.4	63.5	12207.5	0.07867 Ω /km
ANM10.011.03.02.500kB	UL21316	1000V	3X500kcmil+2X350kcmil	2013/0.4	66.7	13638.3	0.07080 Ω /km
ANM10.011.01.01.013AB	UL21316	1000V	4X13AWG+1X15AWG	54/0.25	11.4	259.05	6.82 Ω /km
ANM10.011.01.01.012AB	UL21316	1000V	4X12AWG+1X14AWG	68/0.25	12.3	310.98	5.43 Ω /km
ANM10.011.01.01.011AB	UL21316	1000V	4X11AWG+1X14AWG	85/0.25	13.3	365.58	4.30 Ω /km
ANM10.011.01.01.010AB	UL21316	1000V	4X10AWG+1X13AWG	108/0.25	14.8	446.23	3.409 Ω /km
ANM10.011.01.01.009AB	UL21316	1000V	4X9AWG+1X12AWG	136/0.25	16.5	559.81	2.705 Ω /km
ANM10.011.01.01.008AB	UL21316	1000V	4X8AWG+1X11AWG	171/0.25	17.6	663.57	2.144 Ω /km
ANM10.011.01.01.007AB	UL21316	1000V	4X7AWG+1X10AWG	84/0.4	18.8	790.67	1.700 Ω /km
ANM10.011.01.01.006AB	UL21316	1000V	4X6AWG+1X9AWG	106/0.4	21.7	1016.74	1.348 Ω /km
ANM10.011.01.01.005AB	UL21316	1000V	4X5AWG+1X8AWG	134/0.4	23.2	1213.47	1.070 Ω /km
ANM10.011.01.01.001AB	UL21316	1000V	4X4AWG+1X7AWG	169/0.4	26.2	1538.05	0.8481 Ω /km
ANM10.011.01.01.003AB	UL21316	1000V	4X3AWG+1X6AWG	213/0.4	28.3	1854.4	0.6727 Ω /km
ANM10.011.01.01.002AB	UL21316	1000V	4X2AWG+1X5AWG	268/0.4	32	2385.07	0.5335 Ω /km
ANM10.011.01.01.001AB	UL21316	1000V	4X1AWG+1X4AWG	338/0.4	35.5	2970.55	0.4230 Ω /km
ANM10.011.01.01.1/OAB	UL21316	1000V	4X1/OAWG+1X3AWG	426/0.4	39	3634.47	0.3354 Ω /km
ANM10.011.01.01.2/OAB	UL21316	1000V	4X2/OAWG+1X2AWG	537/0.4	43.9	4613.62	0.2660 Ω /km
ANM10.011.01.01.3/OAB	UL21316	1000V	4X3/OAWG+1X1AWG	677/0.4	47.4	5592.91	0.2110 Ω /km
ANM10.011.01.01.4/OAB	UL21316	1000V	4X4/OAWG+1X1/OAWG	854/0.4	51.6	6819.09	0.1673 Ω /km
ANM10.011.01.01.250kB	UL21316	1000V	4X250kcmil+1X2/OAWG	1007/0.4	56.8	8152.13	0.1416 Ω /km



ANM10.011.01.01.300kV	UL21316	1000V	4X300kcmil+1X3/0AWG	1184/0.4	59.9	9511.01	0.1180 Ω/km
ANM10.011.01.01.350kV	UL21316	1000V	4X350kcmil+1X4/0AWG	1406/0.4	64	11000.4	0.1011 Ω/km
ANM10.011.01.01.400kV	UL21316	1000V	4X400kcmil+1X250kcmil	1628/0.4	68.4	12569.3	0.08851 Ω/km
ANM10.011.01.01.450kV	UL21316	1000V	4X450kcmil+1X300kcmil	1830/0.4	65.8	13096.6	0.07867 Ω/km
ANM10.011.01.01.500kV	UL21316	1000V	4X500kcmil+1X350kcmil	2013/0.4	68.7	14506.3	0.07080 Ω/km
ANM10.011.03.03.013AB	UL21316	1000V	3X13AWG+3X18AWG	54/0.25	10.7	225.73	6.82 Ω/km
ANM10.011.03.03.012AB	UL21316	1000V	3X12AWG+3X17AWG	68/0.25	11.6	271.64	5.43 Ω/km
ANM10.011.03.03.011AB	UL21316	1000V	3X11AWG+3X16AWG	85/0.25	12.7	329.01	4.30 Ω/km
ANM10.011.03.03.010AB	UL21316	1000V	3X10AWG+3X15AWG	108/0.25	13.9	394.15	3.409 Ω/km
ANM10.011.03.03.009AB	UL21316	1000V	3X9AWG+3X14AWG	136/0.25	15.2	482.58	2.705 Ω/km
ANM10.011.03.03.008AB	UL21316	1000V	3X8AWG+3X13AWG	171/0.25	16.2	571.43	2.144 Ω/km
ANM10.011.03.03.007AB	UL21316	1000V	3X7AWG+3X12AWG	84/0.4	17.4	687.41	1.700 Ω/km
ANM10.011.03.03.006AB	UL21316	1000V	3X6AWG+3X11AWG	106/0.4	19.1	835.77	1.348 Ω/km
ANM10.011.03.03.005AB	UL21316	1000V	3X5AWG+3X10AWG	134/0.4	21.9	1068.57	1.070 Ω/km
ANM10.011.03.03.004AB	UL21316	1000V	3X4AWG+3X9AWG	169/0.4	24.8	1360.44	0.8481 Ω/km
ANM10.011.03.03.003AB	UL21316	1000V	3X3AWG+3X8AWG	213/0.4	26.6	1630.27	0.6727 Ω/km
ANM10.011.03.03.002AB	UL21316	1000V	3X2AWG+3X7AWG	268/0.4	28.4	1949.65	0.5335 Ω/km
ANM10.011.03.03.001AB	UL21316	1000V	3X1AWG+3X6AWG	338/0.4	32.8	2562.9	0.4230 Ω/km
ANM10.011.03.03.1/0AB	UL21316	1000V	3X1/0AWG+3X5AWG	426/0.4	35.5	3091.97	0.3354 Ω/km
ANM10.011.03.03.2/0AB	UL21316	1000V	3X2/0AWG+3X4AWG	537/0.4	39.8	3881.25	0.2660 Ω/km
ANM10.011.03.03.3/0AB	UL21316	1000V	3X3/0AWG+3X3AWG	677/0.4	44.5	4908.47	0.2110 Ω/km
ANM10.011.03.03.4/0AB	UL21316	1000V	3X4/0AWG+3X2AWG	854/0.4	48.2	5956.92	0.1673 Ω/km
ANM10.011.03.03.250kV	UL21316	1000V	3X250kcmil+3X1AWG	1007/0.4	53.2	7179.81	0.1416 Ω/km
ANM10.011.03.03.300kV	UL21316	1000V	3X300kcmil+3X1/0AWG	1184/0.4	56.9	8492.39	0.1180 Ω/km
ANM10.011.03.03.350kV	UL21316	1000V	3X350kcmil+3X1/0AWG	1406/0.4	58.9	9291.39	0.1011 Ω/km
ANM10.011.03.03.400kV	UL21316	1000V	3X400kcmil+3X2/0AWG	1628/0.4	63.1	10753.93	0.08851 Ω/km
ANM10.011.03.03.450kV	UL21316	1000V	3X450kcmil+3X3/0AWG	1830/0.4	66.9	12289.41	0.07867 Ω/km
ANM10.011.03.03.500kV	UL21316	1000V	3X500kcmil+3X3/0AWG	2013/0.4	68.3	13071.71	0.07080 Ω/km
物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
芯线 XLPE 材质							
ANM10.014.02.022AB	UL21316	1000V	2X22AWG	22/0.14	8	87.23	55.4 Ω/km
ANM10.014.03.022AB	UL21316	1000V	3X22AWG	22/0.14	8.4	97.53	55.4 Ω/km
ANM10.014.04.022AB	UL21316	1000V	4X22AWG	22/0.14	9	113.03	55.4 Ω/km
ANM10.014.05.022AB	UL21316	1000V	5X22AWG	22/0.14	9.7	131.73	55.4 Ω/km
ANM10.014.06.022AB	UL21316	1000V	6X22AWG	22/0.14	10.4	151.63	55.4 Ω/km
ANM10.014.07.022AB	UL21316	1000V	7X22AWG	22/0.14	10.4	153.73	55.4 Ω/km
ANM10.014.08.022AB	UL21316	1000V	8X22AWG	22/0.14	11.2	177.53	55.4 Ω/km
ANM10.014.09.022AB	UL21316	1000V	9X22AWG	22/0.14	12.1	205.93	55.4 Ω/km
ANM10.014.10.022AB	UL21316	1000V	10X22AWG	22/0.14	12.8	229.83	55.4 Ω/km
ANM10.014.11.022AB	UL21316	1000V	11X22AWG	22/0.14	13.2	245.13	55.4 Ω/km
ANM10.014.12.022AB	UL21316	1000V	12X22AWG	22/0.14	13.2	247.13	55.4 Ω/km



ANM10.014.13.022AB	UL21316	1000V	13X22AWG	22/0.14	13.8	269.63	55.4Ω/km
ANM10.014.14.022AB	UL21316	1000V	14X22AWG	22/0.14	13.8	271.63	55.4Ω/km
ANM10.014.15.022AB	UL21316	1000V	15X22AWG	22/0.14	14.5	298.53	55.4Ω/km
ANM10.014.16.022AB	UL21316	1000V	16X22AWG	22/0.14	14.5	300.73	55.4Ω/km
ANM10.014.17.022AB	UL21316	1000V	17X22AWG	22/0.14	15.2	328.53	55.4Ω/km
ANM10.014.18.022AB	UL21316	1000V	18X22AWG	22/0.14	15.2	330.83	55.4Ω/km
ANM10.014.19.022AB	UL21316	1000V	19X22AWG	22/0.14	15.2	332.93	55.4Ω/km
ANM10.014.20.022AB	UL21316	1000V	20X22AWG	22/0.14	15.6	350.33	55.4Ω/km
ANM10.014.21.022AB	UL21316	1000V	21X22AWG	22/0.14	16	368.23	55.4Ω/km
ANM10.014.22.022AB	UL21316	1000V	22X22AWG	22/0.14	16.9	407.13	55.4Ω/km
ANM10.014.23.022AB	UL21316	1000V	23X22AWG	22/0.14	17.6	439.13	55.4Ω/km
ANM10.014.24.022AB	UL21316	1000V	24X22AWG	22/0.14	17.6	441.33	55.4Ω/km
ANM10.014.25.022AB	UL21316	1000V	25X22AWG	22/0.14	18	461.23	55.4Ω/km
ANM10.014.26.022AB	UL21316	1000V	26X22AWG	22/0.14	18	463.33	55.4Ω/km
ANM10.014.27.022AB	UL21316	1000V	27X22AWG	22/0.14	18	465.53	55.4Ω/km
ANM10.014.28.022AB	UL21316	1000V	28X22AWG	22/0.14	18.6	494.63	55.4Ω/km
ANM10.014.29.022AB	UL21316	1000V	29X22AWG	22/0.14	18.6	496.93	55.4Ω/km
ANM10.014.30.022AB	UL21316	1000V	30X22AWG	22/0.14	18.6	499.03	55.4Ω/km
ANM10.014.31.022AB	UL21316	1000V	31X22AWG	22/0.14	19.3	533.83	55.4Ω/km
ANM10.014.32.022AB	UL21316	1000V	32X22AWG	22/0.14	19.3	536.13	55.4Ω/km
ANM10.014.33.022AB	UL21316	1000V	33X22AWG	22/0.14	19.3	538.23	55.4Ω/km
ANM10.014.34.022AB	UL21316	1000V	34X22AWG	22/0.14	21	622.93	55.4Ω/km
ANM10.014.35.022AB	UL21316	1000V	35X22AWG	22/0.14	21	625.13	55.4Ω/km
ANM10.014.36.022AB	UL21316	1000V	36X22AWG	22/0.14	21	627.33	55.4Ω/km
ANM10.014.37.022AB	UL21316	1000V	37X22AWG	22/0.14	21	629.33	55.4Ω/km
ANM10.014.38.022AB	UL21316	1000V	38X22AWG	22/0.14	21.8	673.73	55.4Ω/km
ANM10.014.39.022AB	UL21316	1000V	39X22AWG	22/0.14	21.8	675.93	55.4Ω/km
ANM10.014.40.022AB	UL21316	1000V	40X22AWG	22/0.14	21.8	678.03	55.4Ω/km
ANM10.014.41.022AB	UL21316	1000V	41X22AWG	22/0.14	23.4	769.23	55.4Ω/km
ANM10.014.42.022AB	UL21316	1000V	42X22AWG	22/0.14	23.4	771.33	55.4Ω/km
ANM10.014.43.022AB	UL21316	1000V	43X22AWG	22/0.14	23.4	773.53	55.4Ω/km
ANM10.014.44.022AB	UL21316	1000V	44X22AWG	22/0.14	23.4	775.63	55.4Ω/km
ANM10.014.45.022AB	UL21316	1000V	45X22AWG	22/0.14	23.8	800.93	55.4Ω/km
ANM10.014.46.022AB	UL21316	1000V	46X22AWG	22/0.14	23.8	803.23	55.4Ω/km
ANM10.014.47.022AB	UL21316	1000V	47X22AWG	22/0.14	23.8	805.33	55.4Ω/km
ANM10.014.48.022AB	UL21316	1000V	48X22AWG	22/0.14	23.8	807.43	55.4Ω/km
ANM10.014.49.022AB	UL21316	1000V	49X22AWG	22/0.14	24.4	845.13	55.4Ω/km
ANM10.014.50.022AB	UL21316	1000V	50X22AWG	22/0.14	24.4	847.43	55.4Ω/km
ANM10.014.51.022AB	UL21316	1000V	51X22AWG	22/0.14	24.4	849.43	55.4Ω/km
ANM10.014.52.022AB	UL21316	1000V	52X22AWG	22/0.14	24.4	851.63	55.4Ω/km
ANM10.014.53.022AB	UL21316	1000V	53X22AWG	22/0.14	25.1	896.33	55.4Ω/km
ANM10.014.54.022AB	UL21316	1000V	54X22AWG	22/0.14	25.1	898.43	55.4Ω/km



ANM10.014.55.022AB	UL21316	1000V	55X22AWG	22/0.14	25.1	900.73	55.4Ω/km
ANM10.014.56.022AB	UL21316	1000V	56X22AWG	22/0.14	25.1	902.73	55.4Ω/km
ANM10.014.57.022AB	UL21316	1000V	57X22AWG	22/0.14	25.8	948.73	55.4Ω/km
ANM10.014.58.022AB	UL21316	1000V	58X22AWG	22/0.14	25.8	950.83	55.4Ω/km
ANM10.014.59.022AB	UL21316	1000V	59X22AWG	22/0.14	25.8	952.93	55.4Ω/km
ANM10.014.60.022AB	UL21316	1000V	60X22AWG	22/0.14	25.8	955.13	55.4Ω/km
ANM10.014.61.022AB	UL21316	1000V	61X22AWG	22/0.14	25.8	957.33	55.4Ω/km
ANM10.014.62.022AB	UL21316	1000V	62X22AWG	22/0.14	26.6	1011.03	55.4Ω/km
ANM10.014.63.022AB	UL21316	1000V	63X22AWG	22/0.14	26.6	1013.13	55.4Ω/km
ANM10.014.64.022AB	UL21316	1000V	64X22AWG	22/0.14	26.6	1015.23	55.4Ω/km
ANM10.014.65.022AB	UL21316	1000V	65X22AWG	22/0.14	26.6	1017.43	55.4Ω/km
ANM10.014.02.021AB	UL21316	1000V	2X21AWG	27/0.14	8.2	92.42	43.6Ω/km
ANM10.014.03.021AB	UL21316	1000V	3X21AWG	27/0.14	8.6	103.82	43.6Ω/km
ANM10.014.04.021AB	UL21316	1000V	4X21AWG	27/0.14	9.3	122.42	43.6Ω/km
ANM10.014.05.021AB	UL21316	1000V	5X21AWG	27/0.14	10	142.32	43.6Ω/km
ANM10.014.06.021AB	UL21316	1000V	6X21AWG	27/0.14	10.7	163.32	43.6Ω/km
ANM10.014.07.021AB	UL21316	1000V	7X21AWG	27/0.14	10.7	166.12	43.6Ω/km
ANM10.014.08.021AB	UL21316	1000V	8X21AWG	27/0.14	11.5	191.12	43.6Ω/km
ANM10.014.09.021AB	UL21316	1000V	9X21AWG	27/0.14	12.5	223.92	43.6Ω/km
ANM10.014.10.021AB	UL21316	1000V	10X21AWG	27/0.14	13.2	249.12	43.6Ω/km
ANM10.014.11.021AB	UL21316	1000V	11X21AWG	27/0.14	13.6	265.22	43.6Ω/km
ANM10.014.12.021AB	UL21316	1000V	12X21AWG	27/0.14	13.6	268.02	43.6Ω/km
ANM10.014.13.021AB	UL21316	1000V	13X21AWG	27/0.14	14.3	295.12	43.6Ω/km
ANM10.014.14.021AB	UL21316	1000V	14X21AWG	27/0.14	14.3	298.02	43.6Ω/km
ANM10.014.15.021AB	UL21316	1000V	15X21AWG	27/0.14	15	326.22	43.6Ω/km
ANM10.014.16.021AB	UL21316	1000V	16X21AWG	27/0.14	15	328.92	43.6Ω/km
ANM10.014.17.021AB	UL21316	1000V	17X21AWG	27/0.14	15.7	358.42	43.6Ω/km
ANM10.014.18.021AB	UL21316	1000V	18X21AWG	27/0.14	15.7	361.22	43.6Ω/km
ANM10.014.19.021AB	UL21316	1000V	19X21AWG	27/0.14	15.7	364.02	43.6Ω/km
ANM10.014.20.021AB	UL21316	1000V	20X21AWG	27/0.14	16.1	382.52	43.6Ω/km
ANM10.014.21.021AB	UL21316	1000V	21X21AWG	27/0.14	16.5	401.42	43.6Ω/km
ANM10.014.22.021AB	UL21316	1000V	22X21AWG	27/0.14	17.5	446.32	43.6Ω/km
ANM10.014.23.021AB	UL21316	1000V	23X21AWG	27/0.14	18.2	479.92	43.6Ω/km
ANM10.014.24.021AB	UL21316	1000V	24X21AWG	27/0.14	18.2	482.82	43.6Ω/km
ANM10.014.25.021AB	UL21316	1000V	25X21AWG	27/0.14	18.6	503.72	43.6Ω/km
ANM10.014.26.021AB	UL21316	1000V	26X21AWG	27/0.14	18.6	506.62	43.6Ω/km
ANM10.014.27.021AB	UL21316	1000V	27X21AWG	27/0.14	18.6	509.32	43.6Ω/km
ANM10.014.28.021AB	UL21316	1000V	28X21AWG	27/0.14	19.3	544.82	43.6Ω/km
ANM10.014.29.021AB	UL21316	1000V	29X21AWG	27/0.14	19.3	547.62	43.6Ω/km
ANM10.014.30.021AB	UL21316	1000V	30X21AWG	27/0.14	19.3	550.32	43.6Ω/km
ANM10.014.31.021AB	UL21316	1000V	31X21AWG	27/0.14	21	635.72	43.6Ω/km
ANM10.014.32.021AB	UL21316	1000V	32X21AWG	27/0.14	21	638.42	43.6Ω/km



ANM10.014.33.021AB	UL21316	1000V	33X21AWG	27/0.14	21	641.22	43.6Ω/km
ANM10.014.34.021AB	UL21316	1000V	34X21AWG	27/0.14	21.7	680.82	43.6Ω/km
ANM10.014.35.021AB	UL21316	1000V	35X21AWG	27/0.14	21.7	683.62	43.6Ω/km
ANM10.014.36.021AB	UL21316	1000V	36X21AWG	27/0.14	21.7	686.32	43.6Ω/km
ANM10.014.37.021AB	UL21316	1000V	37X21AWG	27/0.14	21.7	689.12	43.6Ω/km
ANM10.014.38.021AB	UL21316	1000V	38X21AWG	27/0.14	22.5	735.42	43.6Ω/km
ANM10.014.39.021AB	UL21316	1000V	39X21AWG	27/0.14	22.5	738.22	43.6Ω/km
ANM10.014.40.021AB	UL21316	1000V	40X21AWG	27/0.14	22.5	741.02	43.6Ω/km
ANM10.014.41.021AB	UL21316	1000V	41X21AWG	27/0.14	24.2	841.32	43.6Ω/km
ANM10.014.42.021AB	UL21316	1000V	42X21AWG	27/0.14	24.2	844.22	43.6Ω/km
ANM10.014.43.021AB	UL21316	1000V	43X21AWG	27/0.14	24.2	846.92	43.6Ω/km
ANM10.014.44.021AB	UL21316	1000V	44X21AWG	27/0.14	24.2	849.72	43.6Ω/km
ANM10.014.45.021AB	UL21316	1000V	45X21AWG	27/0.14	24.6	876.42	43.6Ω/km
ANM10.014.46.021AB	UL21316	1000V	46X21AWG	27/0.14	24.6	879.12	43.6Ω/km
ANM10.014.47.021AB	UL21316	1000V	47X21AWG	27/0.14	24.6	881.92	43.6Ω/km
ANM10.014.48.021AB	UL21316	1000V	48X21AWG	27/0.14	24.6	884.72	43.6Ω/km
ANM10.014.49.021AB	UL21316	1000V	49X21AWG	27/0.14	25.3	930.42	43.6Ω/km
ANM10.014.50.021AB	UL21316	1000V	50X21AWG	27/0.14	25.3	933.12	43.6Ω/km
ANM10.014.51.021AB	UL21316	1000V	51X21AWG	27/0.14	25.3	935.92	43.6Ω/km
ANM10.014.52.021AB	UL21316	1000V	52X21AWG	27/0.14	25.3	938.72	43.6Ω/km
ANM10.014.53.021AB	UL21316	1000V	53X21AWG	27/0.14	26	985.62	43.6Ω/km
ANM10.014.54.021AB	UL21316	1000V	54X21AWG	27/0.14	26	988.32	43.6Ω/km
ANM10.014.55.021AB	UL21316	1000V	55X21AWG	27/0.14	26	991.12	43.6Ω/km
ANM10.014.56.021AB	UL21316	1000V	56X21AWG	27/0.14	26	993.92	43.6Ω/km
ANM10.014.57.021AB	UL21316	1000V	57X21AWG	27/0.14	26.7	1041.92	43.6Ω/km
ANM10.014.58.021AB	UL21316	1000V	58X21AWG	27/0.14	26.7	1044.72	43.6Ω/km
ANM10.014.59.021AB	UL21316	1000V	59X21AWG	27/0.14	26.7	1047.52	43.6Ω/km
ANM10.014.60.021AB	UL21316	1000V	60X21AWG	27/0.14	26.7	1050.22	43.6Ω/km
ANM10.014.61.021AB	UL21316	1000V	61X21AWG	27/0.14	26.7	1053.02	43.6Ω/km
ANM10.014.62.021AB	UL21316	1000V	62X21AWG	27/0.14	27.5	1108.92	43.6Ω/km
ANM10.014.63.021AB	UL21316	1000V	63X21AWG	27/0.14	27.5	1111.82	43.6Ω/km
ANM10.014.64.021AB	UL21316	1000V	64X21AWG	27/0.14	27.5	1114.52	43.6Ω/km
ANM10.014.65.021AB	UL21316	1000V	65X21AWG	27/0.14	27.5	1117.22	43.6Ω/km
ANM10.014.02.020AB	UL21316	1000V	2X20AWG	34/0.14	8.4	98.42	34.6Ω/km
ANM10.014.03.020AB	UL21316	1000V	3X20AWG	34/0.14	8.9	112.82	34.6Ω/km
ANM10.014.04.020AB	UL21316	1000V	4X20AWG	34/0.14	9.5	130.32	34.6Ω/km
ANM10.014.05.020AB	UL21316	1000V	5X20AWG	34/0.14	10.3	153.92	34.6Ω/km
ANM10.014.06.020AB	UL21316	1000V	6X20AWG	34/0.14	11	176.22	34.6Ω/km
ANM10.014.07.020AB	UL21316	1000V	7X20AWG	34/0.14	11	179.72	34.6Ω/km
ANM10.014.08.020AB	UL21316	1000V	8X20AWG	34/0.14	11.8	206.12	34.6Ω/km
ANM10.014.09.020AB	UL21316	1000V	9X20AWG	34/0.14	12.9	243.62	34.6Ω/km
ANM10.014.10.020AB	UL21316	1000V	10X20AWG	34/0.14	13.6	270.32	34.6Ω/km



ANM10.014.11.020AB	UL21316	1000V	11X20AWG	34/0.14	14.1	291.12	34.6Ω/km
ANM10.014.12.020AB	UL21316	1000V	12X20AWG	34/0.14	14.1	294.72	34.6Ω/km
ANM10.014.13.020AB	UL21316	1000V	13X20AWG	34/0.14	14.7	319.62	34.6Ω/km
ANM10.014.14.020AB	UL21316	1000V	14X20AWG	34/0.14	14.7	323.32	34.6Ω/km
ANM10.014.15.020AB	UL21316	1000V	15X20AWG	34/0.14	15.5	356.82	34.6Ω/km
ANM10.014.16.020AB	UL21316	1000V	16X20AWG	34/0.14	15.5	360.32	34.6Ω/km
ANM10.014.17.020AB	UL21316	1000V	17X20AWG	34/0.14	16.2	391.42	34.6Ω/km
ANM10.014.18.020AB	UL21316	1000V	18X20AWG	34/0.14	16.2	394.92	34.6Ω/km
ANM10.014.19.020AB	UL21316	1000V	19X20AWG	34/0.14	16.2	398.52	34.6Ω/km
ANM10.014.20.020AB	UL21316	1000V	20X20AWG	34/0.14	16.7	422.42	34.6Ω/km
ANM10.014.21.020AB	UL21316	1000V	21X20AWG	34/0.14	17	438.52	34.6Ω/km
ANM10.014.22.020AB	UL21316	1000V	22X20AWG	34/0.14	18.1	489.82	34.6Ω/km
ANM10.014.23.020AB	UL21316	1000V	23X20AWG	34/0.14	18.8	525.32	34.6Ω/km
ANM10.014.24.020AB	UL21316	1000V	24X20AWG	34/0.14	18.8	528.92	34.6Ω/km
ANM10.014.25.020AB	UL21316	1000V	25X20AWG	34/0.14	19.3	555.92	34.6Ω/km
ANM10.014.26.020AB	UL21316	1000V	26X20AWG	34/0.14	19.3	559.42	34.6Ω/km
ANM10.014.27.020AB	UL21316	1000V	27X20AWG	34/0.14	19.3	562.82	34.6Ω/km
ANM10.014.28.020AB	UL21316	1000V	28X20AWG	34/0.14	20.9	644.02	34.6Ω/km
ANM10.014.29.020AB	UL21316	1000V	29X20AWG	34/0.14	20.9	647.52	34.6Ω/km
ANM10.014.30.020AB	UL21316	1000V	30X20AWG	34/0.14	20.9	651.02	34.6Ω/km
ANM10.014.31.020AB	UL21316	1000V	31X20AWG	34/0.14	21.7	696.42	34.6Ω/km
ANM10.014.32.020AB	UL21316	1000V	32X20AWG	34/0.14	21.7	700.02	34.6Ω/km
ANM10.014.33.020AB	UL21316	1000V	33X20AWG	34/0.14	21.7	703.62	34.6Ω/km
ANM10.014.34.020AB	UL21316	1000V	34X20AWG	34/0.14	22.4	745.12	34.6Ω/km
ANM10.014.35.020AB	UL21316	1000V	35X20AWG	34/0.14	22.4	748.72	34.6Ω/km
ANM10.014.36.020AB	UL21316	1000V	36X20AWG	34/0.14	22.4	752.22	34.6Ω/km
ANM10.014.37.020AB	UL21316	1000V	37X20AWG	34/0.14	22.4	755.82	34.6Ω/km
ANM10.014.38.020AB	UL21316	1000V	38X20AWG	34/0.14	23.2	804.22	34.6Ω/km
ANM10.014.39.020AB	UL21316	1000V	39X20AWG	34/0.14	23.2	807.72	34.6Ω/km
ANM10.014.40.020AB	UL21316	1000V	40X20AWG	34/0.14	23.2	811.32	34.6Ω/km
ANM10.014.41.020AB	UL21316	1000V	41X20AWG	34/0.14	25	921.52	34.6Ω/km
ANM10.014.42.020AB	UL21316	1000V	42X20AWG	34/0.14	25	925.02	34.6Ω/km
ANM10.014.43.020AB	UL21316	1000V	43X20AWG	34/0.14	25	928.62	34.6Ω/km
ANM10.014.44.020AB	UL21316	1000V	44X20AWG	34/0.14	25	932.12	34.6Ω/km
ANM10.014.45.020AB	UL21316	1000V	45X20AWG	34/0.14	25.5	966.62	34.6Ω/km
ANM10.014.46.020AB	UL21316	1000V	46X20AWG	34/0.14	25.5	970.22	34.6Ω/km
ANM10.014.47.020AB	UL21316	1000V	47X20AWG	34/0.14	25.5	973.82	34.6Ω/km
ANM10.014.48.020AB	UL21316	1000V	48X20AWG	34/0.14	25.5	977.32	34.6Ω/km
ANM10.014.49.020AB	UL21316	1000V	49X20AWG	34/0.14	26.1	1018.82	34.6Ω/km
ANM10.014.50.020AB	UL21316	1000V	50X20AWG	34/0.14	26.1	1022.52	34.6Ω/km
ANM10.014.51.020AB	UL21316	1000V	51X20AWG	34/0.14	26.1	1026.02	34.6Ω/km
ANM10.014.52.020AB	UL21316	1000V	52X20AWG	34/0.14	26.1	1029.52	34.6Ω/km



ANM10.014.53.020AB	UL21316	1000V	53X20AWG	34/0.14	26.9	1085.12	34.6Ω/km
ANM10.014.54.020AB	UL21316	1000V	54X20AWG	34/0.14	26.9	1088.52	34.6Ω/km
ANM10.014.55.020AB	UL21316	1000V	55X20AWG	34/0.14	26.9	1092.12	34.6Ω/km
ANM10.014.56.020AB	UL21316	1000V	56X20AWG	34/0.14	26.9	1095.72	34.6Ω/km
ANM10.014.57.020AB	UL21316	1000V	57X20AWG	34/0.14	27.6	1146.02	34.6Ω/km
ANM10.014.58.020AB	UL21316	1000V	58X20AWG	34/0.14	27.6	1149.52	34.6Ω/km
ANM10.014.59.020AB	UL21316	1000V	59X20AWG	34/0.14	27.6	1153.12	34.6Ω/km
ANM10.014.60.020AB	UL21316	1000V	60X20AWG	34/0.14	27.6	1156.62	34.6Ω/km
ANM10.014.61.020AB	UL21316	1000V	61X20AWG	34/0.14	27.6	1160.12	34.6Ω/km
ANM10.014.62.020AB	UL21316	1000V	62X20AWG	34/0.14	28.4	1218.62	34.6Ω/km
ANM10.014.63.020AB	UL21316	1000V	63X20AWG	34/0.14	28.4	1222.12	34.6Ω/km
ANM10.014.64.020AB	UL21316	1000V	64X20AWG	34/0.14	28.4	1225.82	34.6Ω/km
ANM10.014.65.020AB	UL21316	1000V	65X20AWG	34/0.14	28.4	1229.32	34.6Ω/km
ANM10.014.02.019AB	UL21316	1000V	2X19AWG	43/0.14	8.6	104.86	27.4Ω/km
ANM10.014.03.019AB	UL21316	1000V	3X19AWG	43/0.14	9.1	120.66	27.4Ω/km
ANM10.014.04.019AB	UL21316	1000V	4X19AWG	43/0.14	9.8	141.86	27.4Ω/km
ANM10.014.05.019AB	UL21316	1000V	5X19AWG	43/0.14	10.5	164.26	27.4Ω/km
ANM10.014.06.019AB	UL21316	1000V	6X19AWG	43/0.14	11.3	190.86	27.4Ω/km
ANM10.014.07.019AB	UL21316	1000V	7X19AWG	43/0.14	11.3	195.36	27.4Ω/km
ANM10.014.08.019AB	UL21316	1000V	8X19AWG	43/0.14	12.2	226.36	27.4Ω/km
ANM10.014.09.019AB	UL21316	1000V	9X19AWG	43/0.14	13.2	262.46	27.4Ω/km
ANM10.014.10.019AB	UL21316	1000V	10X19AWG	43/0.14	14	294.16	27.4Ω/km
ANM10.014.11.019AB	UL21316	1000V	11X19AWG	43/0.14	14.5	316.46	27.4Ω/km
ANM10.014.12.019AB	UL21316	1000V	12X19AWG	43/0.14	14.5	321.06	27.4Ω/km
ANM10.014.13.019AB	UL21316	1000V	13X19AWG	43/0.14	15.2	351.26	27.4Ω/km
ANM10.014.14.019AB	UL21316	1000V	14X19AWG	43/0.14	15.2	355.86	27.4Ω/km
ANM10.014.15.019AB	UL21316	1000V	15X19AWG	43/0.14	15.9	387.46	27.4Ω/km
ANM10.014.16.019AB	UL21316	1000V	16X19AWG	43/0.14	15.9	391.96	27.4Ω/km
ANM10.014.17.019AB	UL21316	1000V	17X19AWG	43/0.14	16.7	428.86	27.4Ω/km
ANM10.014.18.019AB	UL21316	1000V	18X19AWG	43/0.14	16.7	433.46	27.4Ω/km
ANM10.014.19.019AB	UL21316	1000V	19X19AWG	43/0.14	16.7	437.86	27.4Ω/km
ANM10.014.20.019AB	UL21316	1000V	20X19AWG	43/0.14	17.2	463.46	27.4Ω/km
ANM10.014.21.019AB	UL21316	1000V	21X19AWG	43/0.14	17.6	485.16	27.4Ω/km
ANM10.014.22.019AB	UL21316	1000V	22X19AWG	43/0.14	18.6	534.56	27.4Ω/km
ANM10.014.23.019AB	UL21316	1000V	23X19AWG	43/0.14	19.4	576.66	27.4Ω/km
ANM10.014.24.019AB	UL21316	1000V	24X19AWG	43/0.14	19.4	581.16	27.4Ω/km
ANM10.014.25.019AB	UL21316	1000V	25X19AWG	43/0.14	20.9	658.36	27.4Ω/km
ANM10.014.26.019AB	UL21316	1000V	26X19AWG	43/0.14	20.9	662.86	27.4Ω/km
ANM10.014.27.019AB	UL21316	1000V	27X19AWG	43/0.14	20.9	667.36	27.4Ω/km
ANM10.014.28.019AB	UL21316	1000V	28X19AWG	43/0.14	21.6	708.46	27.4Ω/km
ANM10.014.29.019AB	UL21316	1000V	29X19AWG	43/0.14	21.6	712.96	27.4Ω/km
ANM10.014.30.019AB	UL21316	1000V	30X19AWG	43/0.14	21.6	717.56	27.4Ω/km



ANM10.014.31.019AB	UL21316	1000V	31X19AWG	43/0.14	22.3	759.96	27.4Ω/km
ANM10.014.32.019AB	UL21316	1000V	32X19AWG	43/0.14	22.3	764.46	27.4Ω/km
ANM10.014.33.019AB	UL21316	1000V	33X19AWG	43/0.14	22.3	768.96	27.4Ω/km
ANM10.014.34.019AB	UL21316	1000V	34X19AWG	43/0.14	23.1	818.26	27.4Ω/km
ANM10.014.35.019AB	UL21316	1000V	35X19AWG	43/0.14	23.1	822.76	27.4Ω/km
ANM10.014.36.019AB	UL21316	1000V	36X19AWG	43/0.14	23.1	827.36	27.4Ω/km
ANM10.014.37.019AB	UL21316	1000V	37X19AWG	43/0.14	23.1	831.86	27.4Ω/km
ANM10.014.38.019AB	UL21316	1000V	38X19AWG	43/0.14	24	888.46	27.4Ω/km
ANM10.014.39.019AB	UL21316	1000V	39X19AWG	43/0.14	24	892.96	27.4Ω/km
ANM10.014.40.019AB	UL21316	1000V	40X19AWG	43/0.14	24	897.56	27.4Ω/km
ANM10.014.41.019AB	UL21316	1000V	41X19AWG	43/0.14	25.8	1012.06	27.4Ω/km
ANM10.014.42.019AB	UL21316	1000V	42X19AWG	43/0.14	25.8	1016.66	27.4Ω/km
ANM10.014.43.019AB	UL21316	1000V	43X19AWG	43/0.14	25.8	1021.16	27.4Ω/km
ANM10.014.44.019AB	UL21316	1000V	44X19AWG	43/0.14	25.8	1025.76	27.4Ω/km
ANM10.014.45.019AB	UL21316	1000V	45X19AWG	43/0.14	26.3	1062.26	27.4Ω/km
ANM10.014.46.019AB	UL21316	1000V	46X19AWG	43/0.14	26.3	1066.86	27.4Ω/km
ANM10.014.47.019AB	UL21316	1000V	47X19AWG	43/0.14	26.3	1071.36	27.4Ω/km
ANM10.014.48.019AB	UL21316	1000V	48X19AWG	43/0.14	26.3	1075.96	27.4Ω/km
ANM10.014.49.019AB	UL21316	1000V	49X19AWG	43/0.14	27	1126.16	27.4Ω/km
ANM10.014.50.019AB	UL21316	1000V	50X19AWG	43/0.14	27	1130.76	27.4Ω/km
ANM10.014.51.019AB	UL21316	1000V	51X19AWG	43/0.14	27	1135.26	27.4Ω/km
ANM10.014.52.019AB	UL21316	1000V	52X19AWG	43/0.14	27	1139.86	27.4Ω/km
ANM10.014.53.019AB	UL21316	1000V	53X19AWG	43/0.14	27.7	1191.36	27.4Ω/km
ANM10.014.54.019AB	UL21316	1000V	54X19AWG	43/0.14	27.7	1195.86	27.4Ω/km
ANM10.014.55.019AB	UL21316	1000V	55X19AWG	43/0.14	27.7	1200.46	27.4Ω/km
ANM10.014.56.019AB	UL21316	1000V	56X19AWG	43/0.14	27.7	1204.96	27.4Ω/km
ANM10.014.57.019AB	UL21316	1000V	57X19AWG	43/0.14	29.5	1333.46	27.4Ω/km
ANM10.014.58.019AB	UL21316	1000V	58X19AWG	43/0.14	29.5	1337.96	27.4Ω/km
ANM10.014.59.019AB	UL21316	1000V	59X19AWG	43/0.14	29.5	1342.46	27.4Ω/km
ANM10.014.60.019AB	UL21316	1000V	60X19AWG	43/0.14	29.5	1346.96	27.4Ω/km
ANM10.014.61.019AB	UL21316	1000V	61X19AWG	43/0.14	29.5	1351.56	27.4Ω/km
ANM10.014.62.019AB	UL21316	1000V	62X19AWG	43/0.14	30.8	1486.16	27.4Ω/km
ANM10.014.63.019AB	UL21316	1000V	63X19AWG	43/0.14	30.8	1490.76	27.4Ω/km
ANM10.014.64.019AB	UL21316	1000V	64X19AWG	43/0.14	30.8	1495.26	27.4Ω/km
ANM10.014.65.019AB	UL21316	1000V	65X19AWG	43/0.14	30.8	1499.86	27.4Ω/km
ANM10.014.02.018AB	UL21316	1000V	2X18AWG	29/0.19	8.8	112.23	21.8Ω/km
ANM10.014.03.018AB	UL21316	1000V	3X18AWG	29/0.19	9.3	129.33	21.8Ω/km
ANM10.014.04.018AB	UL21316	1000V	4X18AWG	29/0.19	10	152.33	21.8Ω/km
ANM10.014.05.018AB	UL21316	1000V	5X18AWG	29/0.19	10.8	179.13	21.8Ω/km
ANM10.014.06.018AB	UL21316	1000V	6X18AWG	29/0.19	11.6	207.33	21.8Ω/km
ANM10.014.07.018AB	UL21316	1000V	7X18AWG	29/0.19	11.6	213.23	21.8Ω/km
ANM10.014.08.018AB	UL21316	1000V	8X18AWG	29/0.19	12.5	246.33	21.8Ω/km



ANM10.014.09.018AB	UL21316	1000V	9X18AWG	29/0.19	13.6	287.93	21.8Ω/km
ANM10.014.10.018AB	UL21316	1000V	10X18AWG	29/0.19	14.4	321.73	21.8Ω/km
ANM10.014.11.018AB	UL21316	1000V	11X18AWG	29/0.19	14.9	345.73	21.8Ω/km
ANM10.014.12.018AB	UL21316	1000V	12X18AWG	29/0.19	14.9	351.53	21.8Ω/km
ANM10.014.13.018AB	UL21316	1000V	13X18AWG	29/0.19	15.6	384.03	21.8Ω/km
ANM10.014.14.018AB	UL21316	1000V	14X18AWG	29/0.19	15.6	389.83	21.8Ω/km
ANM10.014.15.018AB	UL21316	1000V	15X18AWG	29/0.19	16.4	427.63	21.8Ω/km
ANM10.014.16.018AB	UL21316	1000V	16X18AWG	29/0.19	16.4	433.43	21.8Ω/km
ANM10.014.17.018AB	UL21316	1000V	17X18AWG	29/0.19	17.2	472.43	21.8Ω/km
ANM10.014.18.018AB	UL21316	1000V	18X18AWG	29/0.19	17.2	478.33	21.8Ω/km
ANM10.014.19.018AB	UL21316	1000V	19X18AWG	29/0.19	17.2	484.33	21.8Ω/km
ANM10.014.20.018AB	UL21316	1000V	20X18AWG	29/0.19	17.7	511.83	21.8Ω/km
ANM10.014.21.018AB	UL21316	1000V	21X18AWG	29/0.19	18.1	535.23	21.8Ω/km
ANM10.014.22.018AB	UL21316	1000V	22X18AWG	29/0.19	19.2	592.03	21.8Ω/km
ANM10.014.23.018AB	UL21316	1000V	23X18AWG	29/0.19	21	685.03	21.8Ω/km
ANM10.014.24.018AB	UL21316	1000V	24X18AWG	29/0.19	21	690.93	21.8Ω/km
ANM10.014.25.018AB	UL21316	1000V	25X18AWG	29/0.19	21.5	723.03	21.8Ω/km
ANM10.014.26.018AB	UL21316	1000V	26X18AWG	29/0.19	21.5	728.73	21.8Ω/km
ANM10.014.27.018AB	UL21316	1000V	27X18AWG	29/0.19	21.5	734.63	21.8Ω/km
ANM10.014.28.018AB	UL21316	1000V	28X18AWG	29/0.19	22.2	778.23	21.8Ω/km
ANM10.014.29.018AB	UL21316	1000V	29X18AWG	29/0.19	22.2	784.13	21.8Ω/km
ANM10.014.30.018AB	UL21316	1000V	30X18AWG	29/0.19	22.2	790.03	21.8Ω/km
ANM10.014.31.018AB	UL21316	1000V	31X18AWG	29/0.19	23	840.13	21.8Ω/km
ANM10.014.32.018AB	UL21316	1000V	32X18AWG	29/0.19	23	846.03	21.8Ω/km
ANM10.014.33.018AB	UL21316	1000V	33X18AWG	29/0.19	23	852.03	21.8Ω/km
ANM10.014.34.018AB	UL21316	1000V	34X18AWG	29/0.19	23.8	903.83	21.8Ω/km
ANM10.014.35.018AB	UL21316	1000V	35X18AWG	29/0.19	23.8	909.73	21.8Ω/km
ANM10.014.36.018AB	UL21316	1000V	36X18AWG	29/0.19	23.8	915.63	21.8Ω/km
ANM10.014.37.018AB	UL21316	1000V	37X18AWG	29/0.19	23.8	921.43	21.8Ω/km
ANM10.014.38.018AB	UL21316	1000V	38X18AWG	29/0.19	24.7	981.03	21.8Ω/km
ANM10.014.39.018AB	UL21316	1000V	39X18AWG	29/0.19	24.7	986.93	21.8Ω/km
ANM10.014.40.018AB	UL21316	1000V	40X18AWG	29/0.19	24.7	992.73	21.8Ω/km
ANM10.014.41.018AB	UL21316	1000V	41X18AWG	29/0.19	26.6	1118.23	21.8Ω/km
ANM10.014.42.018AB	UL21316	1000V	42X18AWG	29/0.19	26.6	1124.13	21.8Ω/km
ANM10.014.43.018AB	UL21316	1000V	43X18AWG	29/0.19	26.6	1130.03	21.8Ω/km
ANM10.014.44.018AB	UL21316	1000V	44X18AWG	29/0.19	26.6	1135.93	21.8Ω/km
ANM10.014.45.018AB	UL21316	1000V	45X18AWG	29/0.19	27.1	1174.63	21.8Ω/km
ANM10.014.46.018AB	UL21316	1000V	46X18AWG	29/0.19	27.1	1180.53	21.8Ω/km
ANM10.014.47.018AB	UL21316	1000V	47X18AWG	29/0.19	27.1	1186.43	21.8Ω/km
ANM10.014.48.018AB	UL21316	1000V	48X18AWG	29/0.19	27.1	1192.23	21.8Ω/km
ANM10.014.49.018AB	UL21316	1000V	49X18AWG	29/0.19	27.8	1245.33	21.8Ω/km
ANM10.014.50.018AB	UL21316	1000V	50X18AWG	29/0.19	27.8	1251.23	21.8Ω/km



ANM10.014.51.018AB	UL21316	1000V	51X18AWG	29/0.19	27.8	1257.03	21.8Ω/km
ANM10.014.52.018AB	UL21316	1000V	52X18AWG	29/0.19	27.8	1262.93	21.8Ω/km
ANM10.014.53.018AB	UL21316	1000V	53X18AWG	29/0.19	29.6	1392.93	21.8Ω/km
ANM10.014.54.018AB	UL21316	1000V	54X18AWG	29/0.19	29.6	1398.73	21.8Ω/km
ANM10.014.55.018AB	UL21316	1000V	55X18AWG	29/0.19	29.6	1404.73	21.8Ω/km
ANM10.014.56.018AB	UL21316	1000V	56X18AWG	29/0.19	29.6	1410.43	21.8Ω/km
ANM10.014.57.018AB	UL21316	1000V	57X18AWG	29/0.19	30.8	1539.33	21.8Ω/km
ANM10.014.58.018AB	UL21316	1000V	58X18AWG	29/0.19	30.8	1545.23	21.8Ω/km
ANM10.014.59.018AB	UL21316	1000V	59X18AWG	29/0.19	30.8	1551.03	21.8Ω/km
ANM10.014.60.018AB	UL21316	1000V	60X18AWG	29/0.19	30.8	1556.93	21.8Ω/km
ANM10.014.61.018AB	UL21316	1000V	61X18AWG	29/0.19	30.8	1562.73	21.8Ω/km
ANM10.014.62.018AB	UL21316	1000V	62X18AWG	29/0.19	31.7	1638.63	21.8Ω/km
ANM10.014.63.018AB	UL21316	1000V	63X18AWG	29/0.19	31.7	1644.63	21.8Ω/km
ANM10.014.64.018AB	UL21316	1000V	64X18AWG	29/0.19	31.7	1650.53	21.8Ω/km
ANM10.014.65.018AB	UL21316	1000V	65X18AWG	29/0.19	31.7	1656.33	21.8Ω/km
ANM10.014.02.017AB	UL21316	1000V	2X17AWG	37/0.19	9.2	124.24	17.3Ω/km
ANM10.014.03.017AB	UL21316	1000V	3X17AWG	37/0.19	9.7	143.54	17.3Ω/km
ANM10.014.04.017AB	UL21316	1000V	4X17AWG	37/0.19	10.5	170.94	17.3Ω/km
ANM10.014.05.017AB	UL21316	1000V	5X17AWG	37/0.19	11.3	200.14	17.3Ω/km
ANM10.014.06.017AB	UL21316	1000V	6X17AWG	37/0.19	12.2	233.94	17.3Ω/km
ANM10.014.07.017AB	UL21316	1000V	7X17AWG	37/0.19	12.2	241.14	17.3Ω/km
ANM10.014.08.017AB	UL21316	1000V	8X17AWG	37/0.19	13.1	276.84	17.3Ω/km
ANM10.014.09.017AB	UL21316	1000V	9X17AWG	37/0.19	14.3	325.14	17.3Ω/km
ANM10.014.10.017AB	UL21316	1000V	10X17AWG	37/0.19	15.2	365.34	17.3Ω/km
ANM10.014.11.017AB	UL21316	1000V	11X17AWG	37/0.19	15.7	391.94	17.3Ω/km
ANM10.014.12.017AB	UL21316	1000V	12X17AWG	37/0.19	15.7	399.14	17.3Ω/km
ANM10.014.13.017AB	UL21316	1000V	13X17AWG	37/0.19	16.5	438.24	17.3Ω/km
ANM10.014.14.017AB	UL21316	1000V	14X17AWG	37/0.19	16.5	445.54	17.3Ω/km
ANM10.014.15.017AB	UL21316	1000V	15X17AWG	37/0.19	17.3	486.34	17.3Ω/km
ANM10.014.16.017AB	UL21316	1000V	16X17AWG	37/0.19	17.3	493.64	17.3Ω/km
ANM10.014.17.017AB	UL21316	1000V	17X17AWG	37/0.19	18.2	540.34	17.3Ω/km
ANM10.014.18.017AB	UL21316	1000V	18X17AWG	37/0.19	18.2	547.74	17.3Ω/km
ANM10.014.19.017AB	UL21316	1000V	19X17AWG	37/0.19	18.2	555.04	17.3Ω/km
ANM10.014.20.017AB	UL21316	1000V	20X17AWG	37/0.19	18.7	585.04	17.3Ω/km
ANM10.014.21.017AB	UL21316	1000V	21X17AWG	37/0.19	19.1	610.94	17.3Ω/km
ANM10.014.22.017AB	UL21316	1000V	22X17AWG	37/0.19	21.3	725.94	17.3Ω/km
ANM10.014.23.017AB	UL21316	1000V	23X17AWG	37/0.19	22.2	781.34	17.3Ω/km
ANM10.014.24.017AB	UL21316	1000V	24X17AWG	37/0.19	22.2	788.64	17.3Ω/km
ANM10.014.25.017AB	UL21316	1000V	25X17AWG	37/0.19	22.7	823.54	17.3Ω/km
ANM10.014.26.017AB	UL21316	1000V	26X17AWG	37/0.19	22.7	830.74	17.3Ω/km
ANM10.014.27.017AB	UL21316	1000V	27X17AWG	37/0.19	22.7	838.14	17.3Ω/km
ANM10.014.28.017AB	UL21316	1000V	28X17AWG	37/0.19	23.5	890.74	17.3Ω/km



ANM10.014.29.017AB	UL21316	1000V	29X17AWG	37/0.19	23.5	898.04	17.3Ω/km
ANM10.014.30.017AB	UL21316	1000V	30X17AWG	37/0.19	23.5	905.24	17.3Ω/km
ANM10.014.31.017AB	UL21316	1000V	31X17AWG	37/0.19	24.3	959.54	17.3Ω/km
ANM10.014.32.017AB	UL21316	1000V	32X17AWG	37/0.19	24.3	966.84	17.3Ω/km
ANM10.014.33.017AB	UL21316	1000V	33X17AWG	37/0.19	24.3	974.14	17.3Ω/km
ANM10.014.34.017AB	UL21316	1000V	34X17AWG	37/0.19	25.2	1035.94	17.3Ω/km
ANM10.014.35.017AB	UL21316	1000V	35X17AWG	37/0.19	25.2	1043.34	17.3Ω/km
ANM10.014.36.017AB	UL21316	1000V	36X17AWG	37/0.19	25.2	1050.64	17.3Ω/km
ANM10.014.37.017AB	UL21316	1000V	37X17AWG	37/0.19	25.2	1057.94	17.3Ω/km
ANM10.014.38.017AB	UL21316	1000V	38X17AWG	37/0.19	26.1	1121.84	17.3Ω/km
ANM10.014.39.017AB	UL21316	1000V	39X17AWG	37/0.19	26.1	1129.04	17.3Ω/km
ANM10.014.40.017AB	UL21316	1000V	40X17AWG	37/0.19	26.1	1136.44	17.3Ω/km
ANM10.014.41.017AB	UL21316	1000V	41X17AWG	37/0.19	28.2	1283.54	17.3Ω/km
ANM10.014.42.017AB	UL21316	1000V	42X17AWG	37/0.19	28.2	1290.74	17.3Ω/km
ANM10.014.43.017AB	UL21316	1000V	43X17AWG	37/0.19	28.2	1298.04	17.3Ω/km
ANM10.014.44.017AB	UL21316	1000V	44X17AWG	37/0.19	28.2	1305.24	17.3Ω/km
ANM10.014.45.017AB	UL21316	1000V	45X17AWG	37/0.19	29.7	1416.74	17.3Ω/km
ANM10.014.46.017AB	UL21316	1000V	46X17AWG	37/0.19	29.7	1423.94	17.3Ω/km
ANM10.014.47.017AB	UL21316	1000V	47X17AWG	37/0.19	29.7	1431.14	17.3Ω/km
ANM10.014.48.017AB	UL21316	1000V	48X17AWG	37/0.19	29.7	1438.54	17.3Ω/km
ANM10.014.49.017AB	UL21316	1000V	49X17AWG	37/0.19	30.9	1569.04	17.3Ω/km
ANM10.014.50.017AB	UL21316	1000V	50X17AWG	37/0.19	30.9	1576.44	17.3Ω/km
ANM10.014.51.017AB	UL21316	1000V	51X17AWG	37/0.19	30.9	1583.64	17.3Ω/km
ANM10.014.52.017AB	UL21316	1000V	52X17AWG	37/0.19	30.9	1590.84	17.3Ω/km
ANM10.014.53.017AB	UL21316	1000V	53X17AWG	37/0.19	31.7	1660.54	17.3Ω/km
ANM10.014.54.017AB	UL21316	1000V	54X17AWG	37/0.19	31.7	1667.74	17.3Ω/km
ANM10.014.55.017AB	UL21316	1000V	55X17AWG	37/0.19	31.7	1674.94	17.3Ω/km
ANM10.014.56.017AB	UL21316	1000V	56X17AWG	37/0.19	31.7	1682.34	17.3Ω/km
ANM10.014.57.017AB	UL21316	1000V	57X17AWG	37/0.19	32.6	1761.54	17.3Ω/km
ANM10.014.58.017AB	UL21316	1000V	58X17AWG	37/0.19	32.6	1768.84	17.3Ω/km
ANM10.014.59.017AB	UL21316	1000V	59X17AWG	37/0.19	32.6	1776.04	17.3Ω/km
ANM10.014.60.017AB	UL21316	1000V	60X17AWG	37/0.19	32.6	1783.34	17.3Ω/km
ANM10.014.61.017AB	UL21316	1000V	61X17AWG	37/0.19	32.6	1790.64	17.3Ω/km
ANM10.014.62.017AB	UL21316	1000V	62X17AWG	37/0.19	33.5	1871.94	17.3Ω/km
ANM10.014.63.017AB	UL21316	1000V	63X17AWG	37/0.19	33.5	1879.14	17.3Ω/km
ANM10.014.64.017AB	UL21316	1000V	64X17AWG	37/0.19	33.5	1886.44	17.3Ω/km
ANM10.014.65.017AB	UL21316	1000V	65X17AWG	37/0.19	33.5	1893.64	17.3Ω/km
ANM10.014.02.016AB	UL21316	1000V	2X16AWG	27/0.25	9.4	133.61	13.7Ω/km
ANM10.014.03.016AB	UL21316	1000V	3X16AWG	27/0.25	9.9	155.21	13.7Ω/km
ANM10.014.04.016AB	UL21316	1000V	4X16AWG	27/0.25	10.7	185.41	13.7Ω/km
ANM10.014.05.016AB	UL21316	1000V	5X16AWG	27/0.25	11.6	219.91	13.7Ω/km
ANM10.014.06.016AB	UL21316	1000V	6X16AWG	27/0.25	12.5	256.71	13.7Ω/km



ANM10.014.07.016AB	UL21316	1000V	7X16AWG	27/0.25	12.5	266.11	13.7Ω/km
ANM10.014.08.016AB	UL21316	1000V	8X16AWG	27/0.25	13.5	307.91	13.7Ω/km
ANM10.014.09.016AB	UL21316	1000V	9X16AWG	27/0.25	14.7	359.51	13.7Ω/km
ANM10.014.10.016AB	UL21316	1000V	10X16AWG	27/0.25	15.6	402.71	13.7Ω/km
ANM10.014.11.016AB	UL21316	1000V	11X16AWG	27/0.25	16.1	432.01	13.7Ω/km
ANM10.014.12.016AB	UL21316	1000V	12X16AWG	27/0.25	16.1	441.51	13.7Ω/km
ANM10.014.13.016AB	UL21316	1000V	13X16AWG	27/0.25	16.9	483.51	13.7Ω/km
ANM10.014.14.016AB	UL21316	1000V	14X16AWG	27/0.25	16.9	493.01	13.7Ω/km
ANM10.014.15.016AB	UL21316	1000V	15X16AWG	27/0.25	17.8	541.11	13.7Ω/km
ANM10.014.16.016AB	UL21316	1000V	16X16AWG	27/0.25	17.8	550.61	13.7Ω/km
ANM10.014.17.016AB	UL21316	1000V	17X16AWG	27/0.25	18.7	600.61	13.7Ω/km
ANM10.014.18.016AB	UL21316	1000V	18X16AWG	27/0.25	18.7	610.21	13.7Ω/km
ANM10.014.19.016AB	UL21316	1000V	19X16AWG	27/0.25	18.7	619.61	13.7Ω/km
ANM10.014.20.016AB	UL21316	1000V	20X16AWG	27/0.25	19.2	652.51	13.7Ω/km
ANM10.014.21.016AB	UL21316	1000V	21X16AWG	27/0.25	20.7	733.81	13.7Ω/km
ANM10.014.22.016AB	UL21316	1000V	22X16AWG	27/0.25	21.9	806.11	13.7Ω/km
ANM10.014.23.016AB	UL21316	1000V	23X16AWG	27/0.25	22.8	865.11	13.7Ω/km
ANM10.014.24.016AB	UL21316	1000V	24X16AWG	27/0.25	22.8	874.71	13.7Ω/km
ANM10.014.25.016AB	UL21316	1000V	25X16AWG	27/0.25	23.3	912.41	13.7Ω/km
ANM10.014.26.016AB	UL21316	1000V	26X16AWG	27/0.25	23.3	921.91	13.7Ω/km
ANM10.014.27.016AB	UL21316	1000V	27X16AWG	27/0.25	23.3	931.21	13.7Ω/km
ANM10.014.28.016AB	UL21316	1000V	28X16AWG	27/0.25	24.1	987.41	13.7Ω/km
ANM10.014.29.016AB	UL21316	1000V	29X16AWG	27/0.25	24.1	996.81	13.7Ω/km
ANM10.014.30.016AB	UL21316	1000V	30X16AWG	27/0.25	24.1	1006.41	13.7Ω/km
ANM10.014.31.016AB	UL21316	1000V	31X16AWG	27/0.25	25	1070.11	13.7Ω/km
ANM10.014.32.016AB	UL21316	1000V	32X16AWG	27/0.25	25	1079.51	13.7Ω/km
ANM10.014.33.016AB	UL21316	1000V	33X16AWG	27/0.25	25	1089.01	13.7Ω/km
ANM10.014.34.016AB	UL21316	1000V	34X16AWG	27/0.25	25.9	1154.61	13.7Ω/km
ANM10.014.35.016AB	UL21316	1000V	35X16AWG	27/0.25	25.9	1164.11	13.7Ω/km
ANM10.014.36.016AB	UL21316	1000V	36X16AWG	27/0.25	25.9	1173.71	13.7Ω/km
ANM10.014.37.016AB	UL21316	1000V	37X16AWG	27/0.25	25.9	1183.11	13.7Ω/km
ANM10.014.38.016AB	UL21316	1000V	38X16AWG	27/0.25	26.9	1257.31	13.7Ω/km
ANM10.014.39.016AB	UL21316	1000V	39X16AWG	27/0.25	26.9	1266.71	13.7Ω/km
ANM10.014.40.016AB	UL21316	1000V	40X16AWG	27/0.25	26.9	1276.21	13.7Ω/km
ANM10.014.41.016AB	UL21316	1000V	41X16AWG	27/0.25	30	1499.41	13.7Ω/km
ANM10.014.42.016AB	UL21316	1000V	42X16AWG	27/0.25	30	1508.91	13.7Ω/km
ANM10.014.43.016AB	UL21316	1000V	43X16AWG	27/0.25	30	1518.41	13.7Ω/km
ANM10.014.44.016AB	UL21316	1000V	44X16AWG	27/0.25	30	1527.81	13.7Ω/km
ANM10.014.45.016AB	UL21316	1000V	45X16AWG	27/0.25	30.9	1638.81	13.7Ω/km
ANM10.014.46.016AB	UL21316	1000V	46X16AWG	27/0.25	30.9	1648.21	13.7Ω/km
ANM10.014.47.016AB	UL21316	1000V	47X16AWG	27/0.25	30.9	1657.71	13.7Ω/km
ANM10.014.48.016AB	UL21316	1000V	48X16AWG	27/0.25	30.9	1667.21	13.7Ω/km



ANM10.014.49.016AB	UL21316	1000V	49X16AWG	27/0.25	31.7	1738.91	13.7 Ω/km
ANM10.014.50.016AB	UL21316	1000V	50X16AWG	27/0.25	31.7	1748.41	13.7 Ω/km
ANM10.014.51.016AB	UL21316	1000V	51X16AWG	27/0.25	31.7	1757.81	13.7 Ω/km
ANM10.014.52.016AB	UL21316	1000V	52X16AWG	27/0.25	31.7	1767.21	13.7 Ω/km
ANM10.014.53.016AB	UL21316	1000V	53X16AWG	27/0.25	32.6	1848.91	13.7 Ω/km
ANM10.014.54.016AB	UL21316	1000V	54X16AWG	27/0.25	32.6	1858.21	13.7 Ω/km
ANM10.014.55.016AB	UL21316	1000V	55X16AWG	27/0.25	32.6	1867.71	13.7 Ω/km
ANM10.014.56.016AB	UL21316	1000V	56X16AWG	27/0.25	32.6	1877.11	13.7 Ω/km
ANM10.014.57.016AB	UL21316	1000V	57X16AWG	27/0.25	33.5	1960.61	13.7 Ω/km
ANM10.014.58.016AB	UL21316	1000V	58X16AWG	27/0.25	33.5	1969.91	13.7 Ω/km
ANM10.014.59.016AB	UL21316	1000V	59X16AWG	27/0.25	33.5	1979.51	13.7 Ω/km
ANM10.014.60.016AB	UL21316	1000V	60X16AWG	27/0.25	33.5	1989.01	13.7 Ω/km
ANM10.014.61.016AB	UL21316	1000V	61X16AWG	27/0.25	33.5	1998.41	13.7 Ω/km
ANM10.014.62.016AB	UL21316	1000V	62X16AWG	27/0.25	34.5	2092.21	13.7 Ω/km
ANM10.014.63.016AB	UL21316	1000V	63X16AWG	27/0.25	34.5	2101.61	13.7 Ω/km
ANM10.014.64.016AB	UL21316	1000V	64X16AWG	27/0.25	34.5	2111.11	13.7 Ω/km
ANM10.014.65.016AB	UL21316	1000V	65X16AWG	27/0.25	34.5	2120.71	13.7 Ω/km
ANM10.014.02.015AB	UL21316	1000V	2X15AWG	34/0.25	9.8	148.35	10.9 Ω/km
ANM10.014.03.015AB	UL21316	1000V	3X15AWG	34/0.25	10.4	175.65	10.9 Ω/km
ANM10.014.04.015AB	UL21316	1000V	4X15AWG	34/0.25	11.2	209.15	10.9 Ω/km
ANM10.014.05.015AB	UL21316	1000V	5X15AWG	34/0.25	12.2	250.35	10.9 Ω/km
ANM10.014.06.015AB	UL21316	1000V	6X15AWG	34/0.25	13.1	290.55	10.9 Ω/km
ANM10.014.07.015AB	UL21316	1000V	7X15AWG	34/0.25	13.1	302.45	10.9 Ω/km
ANM10.014.08.015AB	UL21316	1000V	8X15AWG	34/0.25	14.1	348.35	10.9 Ω/km
ANM10.014.09.015AB	UL21316	1000V	9X15AWG	34/0.25	15.5	411.55	10.9 Ω/km
ANM10.014.10.015AB	UL21316	1000V	10X15AWG	34/0.25	16.4	459.15	10.9 Ω/km
ANM10.014.11.015AB	UL21316	1000V	11X15AWG	34/0.25	17	495.85	10.9 Ω/km
ANM10.014.12.015AB	UL21316	1000V	12X15AWG	34/0.25	17	507.75	10.9 Ω/km
ANM10.014.13.015AB	UL21316	1000V	13X15AWG	34/0.25	17.8	554.05	10.9 Ω/km
ANM10.014.14.015AB	UL21316	1000V	14X15AWG	34/0.25	17.8	565.95	10.9 Ω/km
ANM10.014.15.015AB	UL21316	1000V	15X15AWG	34/0.25	18.8	622.95	10.9 Ω/km
ANM10.014.16.015AB	UL21316	1000V	16X15AWG	34/0.25	18.8	634.85	10.9 Ω/km
ANM10.014.17.015AB	UL21316	1000V	17X15AWG	34/0.25	20.7	737.45	10.9 Ω/km
ANM10.014.18.015AB	UL21316	1000V	18X15AWG	34/0.25	20.7	749.25	10.9 Ω/km
ANM10.014.19.015AB	UL21316	1000V	19X15AWG	34/0.25	20.7	761.15	10.9 Ω/km
ANM10.014.20.015AB	UL21316	1000V	20X15AWG	34/0.25	21.3	804.15	10.9 Ω/km
ANM10.014.21.015AB	UL21316	1000V	21X15AWG	34/0.25	21.7	837.05	10.9 Ω/km
ANM10.014.22.015AB	UL21316	1000V	22X15AWG	34/0.25	23.1	926.15	10.9 Ω/km
ANM10.014.23.015AB	UL21316	1000V	23X15AWG	34/0.25	24	990.15	10.9 Ω/km
ANM10.014.24.015AB	UL21316	1000V	24X15AWG	34/0.25	24	1001.95	10.9 Ω/km
ANM10.014.25.015AB	UL21316	1000V	25X15AWG	34/0.25	24.6	1049.65	10.9 Ω/km
ANM10.014.26.015AB	UL21316	1000V	26X15AWG	34/0.25	24.6	1061.65	10.9 Ω/km



ANM10.014.27.015AB	UL21316	1000V	27X15AWG	34/0.25	24.6	1073.45	10.9Ω/km
ANM10.014.28.015AB	UL21316	1000V	28X15AWG	34/0.25	25.4	1134.55	10.9Ω/km
ANM10.014.29.015AB	UL21316	1000V	29X15AWG	34/0.25	25.4	1146.35	10.9Ω/km
ANM10.014.30.015AB	UL21316	1000V	30X15AWG	34/0.25	25.4	1158.15	10.9Ω/km
ANM10.014.31.015AB	UL21316	1000V	31X15AWG	34/0.25	26.4	1233.75	10.9Ω/km
ANM10.014.32.015AB	UL21316	1000V	32X15AWG	34/0.25	26.4	1245.65	10.9Ω/km
ANM10.014.33.015AB	UL21316	1000V	33X15AWG	34/0.25	26.4	1257.45	10.9Ω/km
ANM10.014.34.015AB	UL21316	1000V	34X15AWG	34/0.25	27.3	1328.55	10.9Ω/km
ANM10.014.35.015AB	UL21316	1000V	35X15AWG	34/0.25	27.3	1340.55	10.9Ω/km
ANM10.014.36.015AB	UL21316	1000V	36X15AWG	34/0.25	27.3	1352.35	10.9Ω/km
ANM10.014.37.015AB	UL21316	1000V	37X15AWG	34/0.25	27.3	1364.15	10.9Ω/km
ANM10.014.38.015AB	UL21316	1000V	38X15AWG	34/0.25	28.3	1444.25	10.9Ω/km
ANM10.014.39.015AB	UL21316	1000V	39X15AWG	34/0.25	28.3	1456.15	10.9Ω/km
ANM10.014.40.015AB	UL21316	1000V	40X15AWG	34/0.25	28.3	1468.05	10.9Ω/km
ANM10.014.41.015AB	UL21316	1000V	41X15AWG	34/0.25	32	1786.55	10.9Ω/km
ANM10.014.42.015AB	UL21316	1000V	42X15AWG	34/0.25	32	1798.35	10.9Ω/km
ANM10.014.43.015AB	UL21316	1000V	43X15AWG	34/0.25	32	1810.35	10.9Ω/km
ANM10.014.44.015AB	UL21316	1000V	44X15AWG	34/0.25	32	1822.25	10.9Ω/km
ANM10.014.45.015AB	UL21316	1000V	45X15AWG	34/0.25	32.6	1882.25	10.9Ω/km
ANM10.014.46.015AB	UL21316	1000V	46X15AWG	34/0.25	32.6	1894.15	10.9Ω/km
ANM10.014.47.015AB	UL21316	1000V	47X15AWG	34/0.25	32.6	1906.05	10.9Ω/km
ANM10.014.48.015AB	UL21316	1000V	48X15AWG	34/0.25	32.6	1917.95	10.9Ω/km
ANM10.014.49.015AB	UL21316	1000V	49X15AWG	34/0.25	33.4	1995.35	10.9Ω/km
ANM10.014.50.015AB	UL21316	1000V	50X15AWG	34/0.25	33.4	2007.25	10.9Ω/km
ANM10.014.51.015AB	UL21316	1000V	51X15AWG	34/0.25	33.4	2019.15	10.9Ω/km
ANM10.014.52.015AB	UL21316	1000V	52X15AWG	34/0.25	33.4	2031.05	10.9Ω/km
ANM10.014.53.015AB	UL21316	1000V	53X15AWG	34/0.25	34.4	2127.25	10.9Ω/km
ANM10.014.54.015AB	UL21316	1000V	54X15AWG	34/0.25	34.4	2139.05	10.9Ω/km
ANM10.014.55.015AB	UL21316	1000V	55X15AWG	34/0.25	34.4	2150.95	10.9Ω/km
ANM10.014.56.015AB	UL21316	1000V	56X15AWG	34/0.25	34.4	2162.85	10.9Ω/km
ANM10.014.57.015AB	UL21316	1000V	57X15AWG	34/0.25	35.3	2252.35	10.9Ω/km
ANM10.014.58.015AB	UL21316	1000V	58X15AWG	34/0.25	35.3	2264.25	10.9Ω/km
ANM10.014.59.015AB	UL21316	1000V	59X15AWG	34/0.25	35.3	2276.05	10.9Ω/km
ANM10.014.60.015AB	UL21316	1000V	60X15AWG	34/0.25	35.3	2288.05	10.9Ω/km
ANM10.014.61.015AB	UL21316	1000V	61X15AWG	34/0.25	35.3	2299.85	10.9Ω/km
ANM10.014.62.015AB	UL21316	1000V	62X15AWG	34/0.25	36.3	2400.65	10.9Ω/km
ANM10.014.63.015AB	UL21316	1000V	63X15AWG	34/0.25	36.3	2412.55	10.9Ω/km
ANM10.014.64.015AB	UL21316	1000V	64X15AWG	34/0.25	36.3	2424.45	10.9Ω/km
ANM10.014.65.015AB	UL21316	1000V	65X15AWG	34/0.25	36.3	2436.25	10.9Ω/km
ANM10.014.02.014AB	UL21316	1000V	2X14AWG	43/0.25	10.2	165.18	8.62Ω/km
ANM10.014.03.014AB	UL21316	1000V	3X14AWG	43/0.25	10.8	196.08	8.62Ω/km
ANM10.014.04.014AB	UL21316	1000V	4X14AWG	43/0.25	11.7	236.48	8.62Ω/km



ANM10.014.05.014AB	UL21316	1000V	5X14AWG	43/0.25	12.7	282.18	8.62 Ω/km
ANM10.014.06.014AB	UL21316	1000V	6X14AWG	43/0.25	13.7	329.98	8.62 Ω/km
ANM10.014.07.014AB	UL21316	1000V	7X14AWG	43/0.25	13.7	345.08	8.62 Ω/km
ANM10.014.08.014AB	UL21316	1000V	8X14AWG	43/0.25	14.8	399.18	8.62 Ω/km
ANM10.014.09.014AB	UL21316	1000V	9X14AWG	43/0.25	16.2	468.08	8.62 Ω/km
ANM10.014.10.014AB	UL21316	1000V	10X14AWG	43/0.25	17.2	524.58	8.62 Ω/km
ANM10.014.11.014AB	UL21316	1000V	11X14AWG	43/0.25	17.8	565.58	8.62 Ω/km
ANM10.014.12.014AB	UL21316	1000V	12X14AWG	43/0.25	17.8	580.58	8.62 Ω/km
ANM10.014.13.014AB	UL21316	1000V	13X14AWG	43/0.25	18.7	636.28	8.62 Ω/km
ANM10.014.14.014AB	UL21316	1000V	14X14AWG	43/0.25	18.7	651.38	8.62 Ω/km
ANM10.014.15.014AB	UL21316	1000V	15X14AWG	43/0.25	20.7	761.58	8.62 Ω/km
ANM10.014.16.014AB	UL21316	1000V	16X14AWG	43/0.25	20.7	776.68	8.62 Ω/km
ANM10.014.17.014AB	UL21316	1000V	17X14AWG	43/0.25	21.7	843.88	8.62 Ω/km
ANM10.014.18.014AB	UL21316	1000V	18X14AWG	43/0.25	21.7	858.98	8.62 Ω/km
ANM10.014.19.014AB	UL21316	1000V	19X14AWG	43/0.25	21.7	874.08	8.62 Ω/km
ANM10.014.20.014AB	UL21316	1000V	20X14AWG	43/0.25	22.3	921.58	8.62 Ω/km
ANM10.014.21.014AB	UL21316	1000V	21X14AWG	43/0.25	22.8	964.28	8.62 Ω/km
ANM10.014.22.014AB	UL21316	1000V	22X14AWG	43/0.25	24.2	1060.28	8.62 Ω/km
ANM10.014.23.014AB	UL21316	1000V	23X14AWG	43/0.25	25.2	1136.08	8.62 Ω/km
ANM10.014.24.014AB	UL21316	1000V	24X14AWG	43/0.25	25.2	1151.08	8.62 Ω/km
ANM10.014.25.014AB	UL21316	1000V	25X14AWG	43/0.25	25.8	1203.58	8.62 Ω/km
ANM10.014.26.014AB	UL21316	1000V	26X14AWG	43/0.25	25.8	1218.58	8.62 Ω/km
ANM10.014.27.014AB	UL21316	1000V	27X14AWG	43/0.25	25.8	1233.68	8.62 Ω/km
ANM10.014.28.014AB	UL21316	1000V	28X14AWG	43/0.25	26.7	1306.78	8.62 Ω/km
ANM10.014.29.014AB	UL21316	1000V	29X14AWG	43/0.25	26.7	1321.78	8.62 Ω/km
ANM10.014.30.014AB	UL21316	1000V	30X14AWG	43/0.25	26.7	1336.78	8.62 Ω/km
ANM10.014.31.014AB	UL21316	1000V	31X14AWG	43/0.25	27.7	1418.68	8.62 Ω/km
ANM10.014.32.014AB	UL21316	1000V	32X14AWG	43/0.25	27.7	1433.68	8.62 Ω/km
ANM10.014.33.014AB	UL21316	1000V	33X14AWG	43/0.25	27.7	1448.68	8.62 Ω/km
ANM10.014.34.014AB	UL21316	1000V	34X14AWG	43/0.25	29.7	1602.18	8.62 Ω/km
ANM10.014.35.014AB	UL21316	1000V	35X14AWG	43/0.25	29.7	1617.18	8.62 Ω/km
ANM10.014.36.014AB	UL21316	1000V	36X14AWG	43/0.25	29.7	1632.28	8.62 Ω/km
ANM10.014.37.014AB	UL21316	1000V	37X14AWG	43/0.25	29.7	1647.38	8.62 Ω/km
ANM10.014.38.014AB	UL21316	1000V	38X14AWG	43/0.25	31.2	1808.88	8.62 Ω/km
ANM10.014.39.014AB	UL21316	1000V	39X14AWG	43/0.25	31.2	1823.88	8.62 Ω/km
ANM10.014.40.014AB	UL21316	1000V	40X14AWG	43/0.25	31.2	1839.08	8.62 Ω/km
ANM10.014.41.014AB	UL21316	1000V	41X14AWG	43/0.25	33.6	2047.48	8.62 Ω/km
ANM10.014.42.014AB	UL21316	1000V	42X14AWG	43/0.25	33.6	2062.48	8.62 Ω/km
ANM10.014.43.014AB	UL21316	1000V	43X14AWG	43/0.25	33.6	2077.58	8.62 Ω/km
ANM10.014.44.014AB	UL21316	1000V	44X14AWG	43/0.25	33.6	2092.58	8.62 Ω/km
ANM10.014.45.014AB	UL21316	1000V	45X14AWG	43/0.25	34.2	2158.18	8.62 Ω/km
ANM10.014.46.014AB	UL21316	1000V	46X14AWG	43/0.25	34.2	2173.28	8.62 Ω/km



ANM10.014.47.014AB	UL21316	1000V	47X14AWG	43/0.25	34.2	2188.28	8.82Ω/km
ANM10.014.48.014AB	UL21316	1000V	48X14AWG	43/0.25	34.2	2203.28	8.82Ω/km
ANM10.014.49.014AB	UL21316	1000V	49X14AWG	43/0.25	35.1	2295.88	8.82Ω/km
ANM10.014.50.014AB	UL21316	1000V	50X14AWG	43/0.25	35.1	2310.88	8.82Ω/km
ANM10.014.51.014AB	UL21316	1000V	51X14AWG	43/0.25	35.1	2325.88	8.82Ω/km
ANM10.014.52.014AB	UL21316	1000V	52X14AWG	43/0.25	35.1	2340.98	8.82Ω/km
ANM10.014.02.013AB	UL21316	1000V	2X13AWG	54/0.25	10.8	189.03	6.82Ω/km
ANM10.014.03.013AB	UL21316	1000V	3X13AWG	54/0.25	11.4	224.43	6.82Ω/km
ANM10.014.04.013AB	UL21316	1000V	4X13AWG	54/0.25	12.4	272.93	6.82Ω/km
ANM10.014.05.013AB	UL21316	1000V	5X13AWG	54/0.25	13.5	327.23	6.82Ω/km
ANM10.014.06.013AB	UL21316	1000V	6X13AWG	54/0.25	14.6	384.33	6.82Ω/km
ANM10.014.07.013AB	UL21316	1000V	7X13AWG	54/0.25	14.6	402.93	6.82Ω/km
ANM10.014.08.013AB	UL21316	1000V	8X13AWG	54/0.25	15.8	467.13	6.82Ω/km
ANM10.014.09.013AB	UL21316	1000V	9X13AWG	54/0.25	17.3	547.53	6.82Ω/km
ANM10.014.10.013AB	UL21316	1000V	10X13AWG	54/0.25	18.4	614.73	6.82Ω/km
ANM10.014.11.013AB	UL21316	1000V	11X13AWG	54/0.25	19	661.13	6.82Ω/km
ANM10.014.12.013AB	UL21316	1000V	12X13AWG	54/0.25	19	679.83	6.82Ω/km
ANM10.014.13.013AB	UL21316	1000V	13X13AWG	54/0.25	21	795.33	6.82Ω/km
ANM10.014.14.013AB	UL21316	1000V	14X13AWG	54/0.25	21	814.03	6.82Ω/km
ANM10.014.15.013AB	UL21316	1000V	15X13AWG	54/0.25	22.1	891.03	6.82Ω/km
ANM10.014.16.013AB	UL21316	1000V	16X13AWG	54/0.25	22.1	909.83	6.82Ω/km
ANM10.014.17.013AB	UL21316	1000V	17X13AWG	54/0.25	23.2	989.83	6.82Ω/km
ANM10.014.18.013AB	UL21316	1000V	18X13AWG	54/0.25	23.2	1008.63	6.82Ω/km
ANM10.014.19.013AB	UL21316	1000V	19X13AWG	54/0.25	23.2	1027.43	6.82Ω/km
ANM10.014.20.013AB	UL21316	1000V	20X13AWG	54/0.25	23.8	1080.73	6.82Ω/km
ANM10.014.21.013AB	UL21316	1000V	21X13AWG	54/0.25	24.4	1134.93	6.82Ω/km
ANM10.014.22.013AB	UL21316	1000V	22X13AWG	54/0.25	25.9	1246.43	6.82Ω/km
ANM10.014.23.013AB	UL21316	1000V	23X13AWG	54/0.25	27	1336.53	6.82Ω/km
ANM10.014.24.013AB	UL21316	1000V	24X13AWG	54/0.25	27	1355.13	6.82Ω/km
ANM10.014.25.013AB	UL21316	1000V	25X13AWG	54/0.25	27.6	1414.13	6.82Ω/km
ANM10.014.26.013AB	UL21316	1000V	26X13AWG	54/0.25	27.6	1432.83	6.82Ω/km
ANM10.014.27.013AB	UL21316	1000V	27X13AWG	54/0.25	27.6	1451.53	6.82Ω/km
ANM10.014.28.013AB	UL21316	1000V	28X13AWG	54/0.25	29.6	1608.13	6.82Ω/km
ANM10.014.29.013AB	UL21316	1000V	29X13AWG	54/0.25	29.6	1626.83	6.82Ω/km
ANM10.014.30.013AB	UL21316	1000V	30X13AWG	54/0.25	29.6	1645.53	6.82Ω/km
ANM10.014.31.013AB	UL21316	1000V	31X13AWG	54/0.25	31.1	1810.43	6.82Ω/km
ANM10.014.32.013AB	UL21316	1000V	32X13AWG	54/0.25	31.1	1829.13	6.82Ω/km
ANM10.014.33.013AB	UL21316	1000V	33X13AWG	54/0.25	31.1	1847.93	6.82Ω/km
ANM10.014.34.013AB	UL21316	1000V	34X13AWG	54/0.25	32.2	1953.03	6.82Ω/km
ANM10.014.35.013AB	UL21316	1000V	35X13AWG	54/0.25	32.2	1971.83	6.82Ω/km
ANM10.014.36.013AB	UL21316	1000V	36X13AWG	54/0.25	32.2	1990.63	6.82Ω/km
ANM10.014.37.013AB	UL21316	1000V	37X13AWG	54/0.25	32.2	2009.33	6.82Ω/km



ANM10.014.38.013AB	UL21316	1000V	38X13AWG	54/0.25	33.4	2125.93	6.82 Ω/km
ANM10.014.39.013AB	UL21316	1000V	39X13AWG	54/0.25	33.4	2144.73	6.82 Ω/km
ANM10.014.40.013AB	UL21316	1000V	40X13AWG	54/0.25	33.4	2163.43	6.82 Ω/km
ANM10.014.41.013AB	UL21316	1000V	41X13AWG	54/0.25	36	2406.13	6.82 Ω/km
ANM10.014.42.013AB	UL21316	1000V	42X13AWG	54/0.25	36	2424.83	6.82 Ω/km
ANM10.014.43.013AB	UL21316	1000V	43X13AWG	54/0.25	36	2443.63	6.82 Ω/km
ANM10.014.44.013AB	UL21316	1000V	44X13AWG	54/0.25	36	2462.33	6.82 Ω/km
ANM10.014.45.013AB	UL21316	1000V	45X13AWG	54/0.25	36.6	2535.13	6.82 Ω/km
ANM10.014.46.013AB	UL21316	1000V	46X13AWG	54/0.25	36.6	2553.83	6.82 Ω/km
ANM10.014.47.013AB	UL21316	1000V	47X13AWG	54/0.25	36.6	2572.53	6.82 Ω/km
ANM10.014.48.013AB	UL21316	1000V	48X13AWG	54/0.25	36.6	2591.23	6.82 Ω/km
ANM10.014.49.013AB	UL21316	1000V	49X13AWG	54/0.25	37.6	2701.93	6.82 Ω/km
ANM10.014.50.013AB	UL21316	1000V	50X13AWG	54/0.25	37.6	2720.73	6.82 Ω/km
ANM10.014.51.013AB	UL21316	1000V	51X13AWG	54/0.25	37.6	2739.33	6.82 Ω/km
ANM10.014.52.013AB	UL21316	1000V	52X13AWG	54/0.25	37.6	2758.03	6.82 Ω/km
ANM10.014.02.012AB	UL21316	1000V	2X12AWG	68/0.25	11.2	211.31	5.43 Ω/km
ANM10.014.03.012AB	UL21316	1000V	3X12AWG	68/0.25	11.9	255.51	5.43 Ω/km
ANM10.014.04.012AB	UL21316	1000V	4X12AWG	68/0.25	12.9	310.71	5.43 Ω/km
ANM10.014.05.012AB	UL21316	1000V	5X12AWG	68/0.25	14	371.41	5.43 Ω/km
ANM10.014.06.012AB	UL21316	1000V	6X12AWG	68/0.25	15.2	439.01	5.43 Ω/km
ANM10.014.07.012AB	UL21316	1000V	7X12AWG	68/0.25	15.2	462.91	5.43 Ω/km
ANM10.014.08.012AB	UL21316	1000V	8X12AWG	68/0.25	16.4	534.21	5.43 Ω/km
ANM10.014.09.012AB	UL21316	1000V	9X12AWG	68/0.25	18	626.31	5.43 Ω/km
ANM10.014.10.012AB	UL21316	1000V	10X12AWG	68/0.25	19.2	705.51	5.43 Ω/km
ANM10.014.11.012AB	UL21316	1000V	11X12AWG	68/0.25	20.9	811.61	5.43 Ω/km
ANM10.014.12.012AB	UL21316	1000V	12X12AWG	68/0.25	20.9	835.71	5.43 Ω/km
ANM10.014.13.012AB	UL21316	1000V	13X12AWG	68/0.25	21.9	912.21	5.43 Ω/km
ANM10.014.14.012AB	UL21316	1000V	14X12AWG	68/0.25	21.9	936.21	5.43 Ω/km
ANM10.014.15.012AB	UL21316	1000V	15X12AWG	68/0.25	23	1021.01	5.43 Ω/km
ANM10.014.16.012AB	UL21316	1000V	16X12AWG	68/0.25	23	1045.01	5.43 Ω/km
ANM10.014.17.012AB	UL21316	1000V	17X12AWG	68/0.25	24.2	1138.71	5.43 Ω/km
ANM10.014.18.012AB	UL21316	1000V	18X12AWG	68/0.25	24.2	1162.71	5.43 Ω/km
ANM10.014.19.012AB	UL21316	1000V	19X12AWG	68/0.25	24.2	1186.81	5.43 Ω/km
ANM10.014.20.012AB	UL21316	1000V	20X12AWG	68/0.25	24.9	1252.91	5.43 Ω/km
ANM10.014.21.012AB	UL21316	1000V	21X12AWG	68/0.25	25.4	1307.81	5.43 Ω/km
ANM10.014.22.012AB	UL21316	1000V	22X12AWG	68/0.25	27	1434.71	5.43 Ω/km
ANM10.014.23.012AB	UL21316	1000V	23X12AWG	68/0.25	28.2	1540.11	5.43 Ω/km
ANM10.014.24.012AB	UL21316	1000V	24X12AWG	68/0.25	28.2	1564.01	5.43 Ω/km
ANM10.014.25.012AB	UL21316	1000V	25X12AWG	68/0.25	29.9	1706.81	5.43 Ω/km
ANM10.014.26.012AB	UL21316	1000V	26X12AWG	68/0.25	29.9	1730.71	5.43 Ω/km
ANM10.014.27.012AB	UL21316	1000V	27X12AWG	68/0.25	29.9	1754.81	5.43 Ω/km
ANM10.014.28.012AB	UL21316	1000V	28X12AWG	68/0.25	31.3	1918.31	5.43 Ω/km



ANM10.014.29.012AB	UL21316	1000V	29X12AWG	68/0.25	31.3	1942.41	5.43 Ω/km
ANM10.014.30.012AB	UL21316	1000V	30X12AWG	68/0.25	31.3	1966.31	5.43 Ω/km
ANM10.014.31.012AB	UL21316	1000V	31X12AWG	68/0.25	32.4	2077.71	5.43 Ω/km
ANM10.014.32.012AB	UL21316	1000V	32X12AWG	68/0.25	32.4	2101.61	5.43 Ω/km
ANM10.014.33.012AB	UL21316	1000V	33X12AWG	68/0.25	32.4	2125.71	5.43 Ω/km
ANM10.014.34.012AB	UL21316	1000V	34X12AWG	68/0.25	33.6	2248.21	5.43 Ω/km
ANM10.014.35.012AB	UL21316	1000V	35X12AWG	68/0.25	33.6	2272.21	5.43 Ω/km
ANM10.014.36.012AB	UL21316	1000V	36X12AWG	68/0.25	33.6	2296.21	5.43 Ω/km
ANM10.014.37.012AB	UL21316	1000V	37X12AWG	68/0.25	33.6	2320.21	5.43 Ω/km
ANM10.014.02.011AB	UL21316	1000V	2X11AWG	85/0.25	12	246.47	4.30 Ω/km
ANM10.014.03.011AB	UL21316	1000V	3X11AWG	85/0.25	12.7	297.77	4.30 Ω/km
ANM10.014.04.011AB	UL21316	1000V	4X11AWG	85/0.25	13.9	366.97	4.30 Ω/km
ANM10.014.05.011AB	UL21316	1000V	5X11AWG	85/0.25	15.1	439.97	4.30 Ω/km
ANM10.014.06.011AB	UL21316	1000V	6X11AWG	85/0.25	16.4	520.37	4.30 Ω/km
ANM10.014.07.011AB	UL21316	1000V	7X11AWG	85/0.25	16.4	549.97	4.30 Ω/km
ANM10.014.08.011AB	UL21316	1000V	8X11AWG	85/0.25	17.8	638.87	4.30 Ω/km
ANM10.014.09.011AB	UL21316	1000V	9X11AWG	85/0.25	20.5	794.07	4.30 Ω/km
ANM10.014.10.011AB	UL21316	1000V	10X11AWG	85/0.25	21.8	891.37	4.30 Ω/km
ANM10.014.11.011AB	UL21316	1000V	11X11AWG	85/0.25	22.5	959.17	4.30 Ω/km
ANM10.014.12.011AB	UL21316	1000V	12X11AWG	85/0.25	22.5	988.77	4.30 Ω/km
ANM10.014.13.011AB	UL21316	1000V	13X11AWG	85/0.25	23.7	1086.37	4.30 Ω/km
ANM10.014.14.011AB	UL21316	1000V	14X11AWG	85/0.25	23.7	1115.97	4.30 Ω/km
ANM10.014.15.011AB	UL21316	1000V	15X11AWG	85/0.25	24.9	1217.17	4.30 Ω/km
ANM10.014.16.011AB	UL21316	1000V	16X11AWG	85/0.25	24.9	1246.87	4.30 Ω/km
ANM10.014.17.011AB	UL21316	1000V	17X11AWG	85/0.25	26.2	1358.07	4.30 Ω/km
ANM10.014.18.011AB	UL21316	1000V	18X11AWG	85/0.25	26.2	1387.67	4.30 Ω/km
ANM10.014.19.011AB	UL21316	1000V	19X11AWG	85/0.25	26.2	1417.17	4.30 Ω/km
ANM10.014.20.011AB	UL21316	1000V	20X11AWG	85/0.25	26.9	1492.27	4.30 Ω/km
ANM10.014.21.011AB	UL21316	1000V	21X11AWG	85/0.25	27.6	1568.77	4.30 Ω/km
ANM10.014.22.011AB	UL21316	1000V	22X11AWG	85/0.25	30.7	1851.37	4.30 Ω/km
ANM10.014.23.011AB	UL21316	1000V	23X11AWG	85/0.25	32	1982.57	4.30 Ω/km
ANM10.014.24.011AB	UL21316	1000V	24X11AWG	85/0.25	32	2012.07	4.30 Ω/km
ANM10.014.25.011AB	UL21316	1000V	25X11AWG	85/0.25	32.7	2097.97	4.30 Ω/km
ANM10.014.26.011AB	UL21316	1000V	26X11AWG	85/0.25	32.7	2127.57	4.30 Ω/km
ANM10.014.27.011AB	UL21316	1000V	27X11AWG	85/0.25	32.7	2157.07	4.30 Ω/km
ANM10.014.28.011AB	UL21316	1000V	28X11AWG	85/0.25	33.9	2285.97	4.30 Ω/km
ANM10.014.29.011AB	UL21316	1000V	29X11AWG	85/0.25	33.9	2315.47	4.30 Ω/km
ANM10.014.30.011AB	UL21316	1000V	30X11AWG	85/0.25	33.9	2345.07	4.30 Ω/km
ANM10.014.31.011AB	UL21316	1000V	31X11AWG	85/0.25	35.1	2477.57	4.30 Ω/km
ANM10.014.32.011AB	UL21316	1000V	32X11AWG	85/0.25	35.1	2507.17	4.30 Ω/km
ANM10.014.33.011AB	UL21316	1000V	33X11AWG	85/0.25	35.1	2536.77	4.30 Ω/km
ANM10.014.34.011AB	UL21316	1000V	34X11AWG	85/0.25	36.4	2681.47	4.30 Ω/km



ANM10.014.35.011AB	UL21316	1000V	35X11AWG	85/0.25	36.4	2711.07	4.30 Ω/km
ANM10.014.36.011AB	UL21316	1000V	36X11AWG	85/0.25	36.4	2740.67	4.30 Ω/km
ANM10.014.37.011AB	UL21316	1000V	37X11AWG	85/0.25	36.4	2770.27	4.30 Ω/km
ANM10.014.02.010AB	UL21316	1000V	2X10AWG	108/0.25	13.2	296.87	3.409 Ω/km
ANM10.014.03.010AB	UL21316	1000V	3X10AWG	108/0.25	14	359.27	3.409 Ω/km
ANM10.014.04.010AB	UL21316	1000V	4X10AWG	108/0.25	15.3	441.97	3.409 Ω/km
ANM10.014.05.010AB	UL21316	1000V	5X10AWG	108/0.25	16.7	532.87	3.409 Ω/km
ANM10.014.06.010AB	UL21316	1000V	6X10AWG	108/0.25	18.2	633.07	3.409 Ω/km
ANM10.014.07.010AB	UL21316	1000V	7X10AWG	108/0.25	18.2	668.37	3.409 Ω/km
ANM10.014.08.010AB	UL21316	1000V	8X10AWG	108/0.25	20.7	821.77	3.409 Ω/km
ANM10.014.09.010AB	UL21316	1000V	9X10AWG	108/0.25	22.7	963.97	3.409 Ω/km
ANM10.014.10.010AB	UL21316	1000V	10X10AWG	108/0.25	24.2	1085.77	3.409 Ω/km
ANM10.014.11.010AB	UL21316	1000V	11X10AWG	108/0.25	25	1169.37	3.409 Ω/km
ANM10.014.12.010AB	UL21316	1000V	12X10AWG	108/0.25	25	1204.77	3.409 Ω/km
ANM10.014.13.010AB	UL21316	1000V	13X10AWG	108/0.25	26.3	1321.97	3.409 Ω/km
ANM10.014.14.010AB	UL21316	1000V	14X10AWG	108/0.25	26.3	1357.27	3.409 Ω/km
ANM10.014.15.010AB	UL21316	1000V	15X10AWG	108/0.25	27.7	1485.27	3.409 Ω/km
ANM10.014.16.010AB	UL21316	1000V	16X10AWG	108/0.25	27.7	1520.57	3.409 Ω/km
ANM10.014.17.010AB	UL21316	1000V	17X10AWG	108/0.25	30.6	1794.77	3.409 Ω/km
ANM10.014.18.010AB	UL21316	1000V	18X10AWG	108/0.25	30.6	1830.07	3.409 Ω/km
ANM10.014.19.010AB	UL21316	1000V	19X10AWG	108/0.25	30.6	1865.37	3.409 Ω/km
ANM10.014.20.010AB	UL21316	1000V	20X10AWG	108/0.25	31.4	1962.37	3.409 Ω/km
ANM10.014.21.010AB	UL21316	1000V	21X10AWG	108/0.25	32.1	2052.97	3.409 Ω/km
ANM10.014.22.010AB	UL21316	1000V	22X10AWG	108/0.25	34.1	2252.97	3.409 Ω/km
ANM10.014.23.010AB	UL21316	1000V	23X10AWG	108/0.25	35.6	2418.17	3.409 Ω/km
ANM10.014.24.010AB	UL21316	1000V	24X10AWG	108/0.25	35.6	2453.47	3.409 Ω/km
ANM10.014.25.010AB	UL21316	1000V	25X10AWG	108/0.25	36.4	2560.17	3.409 Ω/km
ANM10.014.26.010AB	UL21316	1000V	26X10AWG	108/0.25	36.4	2595.47	3.409 Ω/km
ANM10.014.27.010AB	UL21316	1000V	27X10AWG	108/0.25	36.4	2630.77	3.409 Ω/km
ANM10.014.28.010AB	UL21316	1000V	28X10AWG	108/0.25	37.7	2785.77	3.409 Ω/km
ANM10.014.29.010AB	UL21316	1000V	29X10AWG	108/0.25	37.7	2820.97	3.409 Ω/km
ANM10.014.30.010AB	UL21316	1000V	30X10AWG	108/0.25	37.7	2856.27	3.409 Ω/km
ANM10.014.31.010AB	UL21316	1000V	31X10AWG	108/0.25	39.1	3024.67	3.409 Ω/km
ANM10.014.32.010AB	UL21316	1000V	32X10AWG	108/0.25	39.1	3059.97	3.409 Ω/km
ANM10.014.33.010AB	UL21316	1000V	33X10AWG	108/0.25	39.1	3095.17	3.409 Ω/km
ANM10.014.34.010AB	UL21316	1000V	34X10AWG	108/0.25	40.8	3336.27	3.409 Ω/km
ANM10.014.35.010AB	UL21316	1000V	35X10AWG	108/0.25	40.8	3371.67	3.409 Ω/km
ANM10.014.36.010AB	UL21316	1000V	36X10AWG	108/0.25	40.8	3406.87	3.409 Ω/km
ANM10.014.37.010AB	UL21316	1000V	37X10AWG	108/0.25	40.8	3442.17	3.409 Ω/km
ANM10.014.02.009AB	UL21316	1000V	2X9AWG	136/0.25	13.8	339.24	2.705 Ω/km
ANM10.014.03.009AB	UL21316	1000V	3X9AWG	136/0.25	14.7	416.64	2.705 Ω/km
ANM10.014.04.009AB	UL21316	1000V	4X9AWG	136/0.25	16	511.94	2.705 Ω/km



ANM10.014.05.009AB	UL21316	1000V	5X9AWG	136/0.25	17.6	624.04	2.705 Ω/km
ANM10.014.06.009AB	UL21316	1000V	6X9AWG	136/0.25	19.1	737.84	2.705 Ω/km
ANM10.014.07.009AB	UL21316	1000V	7X9AWG	136/0.25	19.1	783.34	2.705 Ω/km
ANM10.014.02.008AB	UL21316	1000V	2X8AWG	171/0.25	16.2	454.97	2.144 Ω/km
ANM10.014.03.008AB	UL21316	1000V	3X8AWG	171/0.25	17.3	558.67	2.144 Ω/km
ANM10.014.04.008AB	UL21316	1000V	4X8AWG	171/0.25	18.9	688.27	2.144 Ω/km
ANM10.014.05.008AB	UL21316	1000V	5X8AWG	171/0.25	21.8	889.77	2.144 Ω/km
ANM10.014.06.008AB	UL21316	1000V	6X8AWG	171/0.25	23.7	1053.97	2.144 Ω/km
ANM10.014.07.008AB	UL21316	1000V	7X8AWG	171/0.25	23.7	1111.97	2.144 Ω/km
ANM10.014.02.007AB	UL21316	1000V	2X7AWG	84/0.4	17	522.85	1.700 Ω/km
ANM10.014.03.007AB	UL21316	1000V	3X7AWG	84/0.4	18.1	644.95	1.700 Ω/km
ANM10.014.04.007AB	UL21316	1000V	4X7AWG	84/0.4	20.9	852.35	1.700 Ω/km
ANM10.014.05.007AB	UL21316	1000V	5X7AWG	84/0.4	22.9	1034.45	1.700 Ω/km
ANM10.014.06.007AB	UL21316	1000V	6X7AWG	84/0.4	24.9	1226.25	1.700 Ω/km
ANM10.014.07.007AB	UL21316	1000V	7X7AWG	84/0.4	24.9	1300.65	1.700 Ω/km
ANM10.014.02.006AB	UL21316	1000V	2X6AWG	106/0.4	18.4	622.2	1.348 Ω/km
ANM10.014.03.006AB	UL21316	1000V	3X6AWG	106/0.4	20.6	818.3	1.348 Ω/km
ANM10.014.04.006AB	UL21316	1000V	4X6AWG	106/0.4	22.6	1016.5	1.348 Ω/km
ANM10.014.05.006AB	UL21316	1000V	5X6AWG	106/0.4	24.8	1236.8	1.348 Ω/km
ANM10.014.06.006AB	UL21316	1000V	6X6AWG	106/0.4	27	1468.7	1.348 Ω/km
ANM10.014.07.006AB	UL21316	1000V	7X6AWG	106/0.4	27	1560.7	1.348 Ω/km
ANM10.014.02.005AB	UL21316	1000V	2X5AWG	134/0.4	20.6	779.07	1.070 Ω/km
ANM10.014.03.005AB	UL21316	1000V	3X5AWG	134/0.4	21.9	963.67	1.070 Ω/km
ANM10.014.04.005AB	UL21316	1000V	4X5AWG	134/0.4	24	1198.87	1.070 Ω/km
ANM10.014.05.005AB	UL21316	1000V	5X5AWG	134/0.4	26.4	1464.27	1.070 Ω/km
ANM10.014.06.005AB	UL21316	1000V	6X5AWG	134/0.4	29.8	1812.77	1.070 Ω/km
ANM10.014.07.005AB	UL21316	1000V	7X5AWG	134/0.4	29.8	1929.47	1.070 Ω/km
ANM10.014.02.004AB	UL21316	1000V	2X4AWG	169/0.4	22	918.45	0.8481 Ω/km
ANM10.014.03.004AB	UL21316	1000V	3X4AWG	169/0.4	23.4	1144.15	0.8481 Ω/km
ANM10.014.04.004AB	UL21316	1000V	4X4AWG	169/0.4	25.7	1430.45	0.8481 Ω/km
ANM10.014.05.004AB	UL21316	1000V	5X4AWG	169/0.4	28.3	1750.15	0.8481 Ω/km
ANM10.014.06.004AB	UL21316	1000V	6X4AWG	169/0.4	32.3	2228.35	0.8481 Ω/km
ANM10.014.07.004AB	UL21316	1000V	7X4AWG	169/0.4	32.3	2375.95	0.8481 Ω/km
ANM10.014.02.003AB	UL21316	1000V	2X3AWG	213/0.4	23.6	1091.07	0.6727 Ω/km
ANM10.014.03.003AB	UL21316	1000V	3X3AWG	213/0.4	25.1	1366.87	0.6727 Ω/km
ANM10.014.04.003AB	UL21316	1000V	4X3AWG	213/0.4	27.7	1721.47	0.6727 Ω/km
ANM10.014.05.003AB	UL21316	1000V	5X3AWG	213/0.4	31.8	2239.77	0.6727 Ω/km
ANM10.014.06.003AB	UL21316	1000V	6X3AWG	213/0.4	34.7	2665.57	0.6727 Ω/km
ANM10.014.07.003AB	UL21316	1000V	7X3AWG	213/0.4	34.7	2851.67	0.6727 Ω/km
ANM10.014.02.002AB	UL21316	1000V	2X2AWG	268/0.4	25.4	1303.52	0.5335 Ω/km
ANM10.014.03.002AB	UL21316	1000V	3X2AWG	268/0.4	27.1	1647.92	0.5335 Ω/km
ANM10.014.04.002AB	UL21316	1000V	4X2AWG	268/0.4	31.2	2207.72	0.5335 Ω/km



ANM10.014.05.002AB	UL21316	1000V	5X2AWG	268/0.4	34.3	2694.92	0.5335 Ω/km
ANM10.014.06.002AB	UL21316	1000V	6X2AWG	268/0.4	37.4	3205.52	0.5335 Ω/km
ANM10.014.07.002AB	UL21316	1000V	7X2AWG	268/0.4	37.4	3440.12	0.5335 Ω/km
ANM10.014.02.001AB	UL21316	1000V	2X1AWG	338/0.4	28	1610.21	0.4230 Ω/km
ANM10.014.03.001AB	UL21316	1000V	3X1AWG	338/0.4	31.3	2180.81	0.4230 Ω/km
ANM10.014.04.001AB	UL21316	1000V	4X1AWG	338/0.4	34.4	2732.61	0.4230 Ω/km
ANM10.014.05.001AB	UL21316	1000V	5X1AWG	338/0.4	37.8	3335.61	0.4230 Ω/km
ANM10.014.06.001AB	UL21316	1000V	6X1AWG	338/0.4	41.5	4035.51	0.4230 Ω/km
ANM10.014.07.001AB	UL21316	1000V	7X1AWG	338/0.4	41.5	4333.91	0.4230 Ω/km
ANM10.014.02.1/OAB	UL21316	1000V	2X1/OAWG	426/0.4	32	2096.09	0.3354 Ω/km
ANM10.014.03.1/OAB	UL21316	1000V	3X1/OAWG	426/0.4	34.1	2640.69	0.3354 Ω/km
ANM10.014.04.1/OAB	UL21316	1000V	4X1/OAWG	426/0.4	37.5	3314.99	0.3354 Ω/km
ANM10.014.05.1/OAB	UL21316	1000V	5X1/OAWG	426/0.4	41.5	4116.69	0.3354 Ω/km
ANM10.014.06.1/OAB	UL21316	1000V	6X1/OAWG	426/0.4	46.8	5064.29	0.3354 Ω/km
ANM10.014.07.1/OAB	UL21316	1000V	7X1/OAWG	426/0.4	46.8	5436.39	0.3354 Ω/km
ANM10.014.02.2/OAB	UL21316	1000V	2X2/OAWG	537/0.4	34.6	2518.23	0.2660 Ω/km
ANM10.014.03.2/OAB	UL21316	1000V	3X2/OAWG	537/0.4	36.9	3191.23	0.2660 Ω/km
ANM10.014.04.2/OAB	UL21316	1000V	4X2/OAWG	537/0.4	40.9	4082.83	0.2660 Ω/km
ANM10.014.05.2/OAB	UL21316	1000V	5X2/OAWG	537/0.4	46.4	5142.63	0.2660 Ω/km
ANM10.014.06.2/OAB	UL21316	1000V	6X2/OAWG	537/0.4	50.7	6130.23	0.2660 Ω/km
ANM10.014.07.2/OAB	UL21316	1000V	7X2/OAWG	537/0.4	50.7	6598.93	0.2660 Ω/km
ANM10.014.02.3/OAB	UL21316	1000V	2X3/OAWG	677/0.4	37.2	3021.21	0.2110 Ω/km
ANM10.014.03.3/OAB	UL21316	1000V	3X3/OAWG	677/0.4	39.7	3854.91	0.2110 Ω/km
ANM10.014.04.3/OAB	UL21316	1000V	4X3/OAWG	677/0.4	45.4	5084.61	0.2110 Ω/km
ANM10.014.05.3/OAB	UL21316	1000V	5X3/OAWG	677/0.4	49.9	6213.31	0.2110 Ω/km
ANM10.014.06.3/OAB	UL21316	1000V	6X3/OAWG	677/0.4	54.6	7418.11	0.2110 Ω/km
ANM10.014.07.3/OAB	UL21316	1000V	7X3/OAWG	677/0.4	54.6	8013.51	0.2110 Ω/km
ANM10.014.02.4/OAB	UL21316	1000V	2X4/OAWG	854/0.4	40.4	3662.3	0.1673 Ω/km
ANM10.014.03.4/OAB	UL21316	1000V	3X4/OAWG	854/0.4	44.7	4899.6	0.1673 Ω/km
ANM10.014.04.4/OAB	UL21316	1000V	4X4/OAWG	854/0.4	49.3	6188.7	0.1673 Ω/km
ANM10.014.05.4/OAB	UL21316	1000V	5X4/OAWG	854/0.4	54.2	7569.4	0.1673 Ω/km
ANM10.014.06.4/OAB	UL21316	1000V	6X4/OAWG	854/0.4	59.4	9051.8	0.1673 Ω/km
ANM10.014.07.4/OAB	UL21316	1000V	7X4/OAWG	854/0.4	59.4	9803	0.1673 Ω/km
ANM10.014.02.250kB	UL21316	1000V	2X250Kcmil	1007/0.4	46.2	4598.7	0.1416 Ω/km
ANM10.014.03.250kB	UL21316	1000V	3X250Kcmil	1007/0.4	49.3	5848.2	0.1416 Ω/km
ANM10.014.04.250kB	UL21316	1000V	4X250Kcmil	1007/0.4	54.3	7372.4	0.1416 Ω/km
ANM10.014.05.250kB	UL21316	1000V	5X250Kcmil	1007/0.4	59.9	9045.6	0.1416 Ω/km
ANM10.014.02.300kB	UL21316	1000V	2X300Kcmil	1184/0.4	48.4	5265.3	0.1180 Ω/km
ANM10.014.03.300kB	UL21316	1000V	3X300Kcmil	1184/0.4	51.6	6735.5	0.1180 Ω/km
ANM10.014.04.300kB	UL21316	1000V	4X300Kcmil	1184/0.4	57	8535.1	0.1180 Ω/km
ANM10.014.05.300kB	UL21316	1000V	5X300Kcmil	1184/0.4	62.9	10482.6	0.1180 Ω/km
ANM10.014.02.350kB	UL21316	1000V	2X350Kcmil	1406/0.4	51.4	6002.9	0.1011 Ω/km



ANM10.014.03.350kB	UL21316	1000V	3X350Kcmil	1406/0.4	54.9	7707.6	0.1011 Ω/km
ANM10.014.04.350kB	UL21316	1000V	4X350Kcmil	1406/0.4	60.6	9765.6	0.1011 Ω/km
ANM10.014.02.400kB	UL21316	1000V	2X400Kcmil	1628/0.4	54.4	6771.4	0.08851 Ω/km
ANM10.014.03.400kB	UL21316	1000V	3X400Kcmil	1628/0.4	58.1	8704.6	0.08851 Ω/km
ANM10.014.02.450kB	UL21316	1000V	2X450Kcmil	1830/0.4	56.8	7477.5	0.07867 Ω/km
ANM10.014.03.450kB	UL21316	1000V	3X450Kcmil	1830/0.4	60.7	9637.4	0.07867 Ω/km
ANM10.014.03.01.013AB	UL21316	1000V	3X13AWG+1X15AWG	54/0.25	11.9	254.75	6.82 Ω/km
ANM10.014.03.01.012AB	UL21316	1000V	3X12AWG+1X14AWG	68/0.25	12.4	289.68	5.43 Ω/km
ANM10.014.03.01.011AB	UL21316	1000V	3X11AWG+1X14AWG	85/0.25	13.2	332.38	4.30 Ω/km
ANM10.014.03.01.010AB	UL21316	1000V	3X10AWG+1X13AWG	108/0.25	14.5	399.33	3.409 Ω/km
ANM10.014.03.01.009AB	UL21316	1000V	3X9AWG+1X12AWG	136/0.25	15.1	458.51	2.705 Ω/km
ANM10.014.03.01.008AB	UL21316	1000V	3X8AWG+1X11AWG	171/0.25	17.6	604.67	2.144 Ω/km
ANM10.014.03.01.007AB	UL21316	1000V	3X7AWG+1X10AWG	84/0.4	18.6	705.87	1.700 Ω/km
ANM10.014.03.01.006AB	UL21316	1000V	3X6AWG+1X9AWG	106/0.4	21.1	891.74	1.348 Ω/km
ANM10.014.03.01.005AB	UL21316	1000V	3X5AWG+1X8AWG	134/0.4	22.9	1078.17	1.070 Ω/km
ANM10.014.03.01.004AB	UL21316	1000V	3X4AWG+1X7AWG	169/0.4	24.4	1277.15	0.8481 Ω/km
ANM10.014.03.01.003AB	UL21316	1000V	3X3AWG+1X6AWG	213/0.4	26.3	1532.6	0.6727 Ω/km
ANM10.014.03.01.002AB	UL21316	1000V	3X2AWG+1X5AWG	268/0.4	28.3	1841.57	0.5335 Ω/km
ANM10.014.03.01.001AB	UL21316	1000V	3X1AWG+1X4AWG	338/0.4	32.5	2416.55	0.4230 Ω/km
ANM10.014.03.01.1/OAB	UL21316	1000V	3X1/OAWG+1X3AWG	426/0.4	35.3	2918.87	0.3354 Ω/km
ANM10.014.03.01.2/OAB	UL21316	1000V	3X2/OAWG+1X2AWG	537/0.4	38.5	3558.52	0.2660 Ω/km
ANM10.014.03.01.3/OAB	UL21316	1000V	3X3/OAWG+1X1AWG	677/0.4	41.9	4390.31	0.2110 Ω/km
ANM10.014.03.01.4/OAB	UL21316	1000V	3X4/OAWG+1X1/OAWG	854/0.4	47	5501.39	0.1673 Ω/km
ANM10.014.03.01.250kB	UL21316	1000V	3X250kcmil+1X2/OAWG	1007/0.4	51.6	6568.33	0.1416 Ω/km
ANM10.014.03.01.300kB	UL21316	1000V	3X300kcmil+1X3/OAWG	1184/0.4	54.3	7642.71	0.1180 Ω/km
ANM10.014.03.01.350kB	UL21316	1000V	3X350kcmil+1X4/OAWG	1406/0.4	58	8848.4	0.1011 Ω/km
ANM10.014.03.01.400kB	UL21316	1000V	3X400kcmil+1X250kcmil	1628/0.4	62	10117.1	0.08851 Ω/km
ANM10.014.03.01.450kB	UL21316	1000V	3X450kcmil+1X300kcmil	1830/0.4	64.9	11315.3	0.07867 Ω/km
ANM10.014.03.01.500kB	UL21316	1000V	3X500kcmil+1X350kcmil	2013/0.4	67.6	12501.5	0.07080 Ω/km
ANM10.014.03.02.013AB	UL21316	1000V	3X13AWG+2X15AWG	54/0.25	12.7	291.65	6.82 Ω/km
ANM10.014.03.02.012AB	UL21316	1000V	3X12AWG+2X14AWG	68/0.25	13.4	337.48	5.43 Ω/km
ANM10.014.03.02.011AB	UL21316	1000V	3X11AWG+2X14AWG	85/0.25	14	374.78	4.30 Ω/km
ANM10.014.03.02.010AB	UL21316	1000V	3X10AWG+2X13AWG	108/0.25	15.3	448.03	3.409 Ω/km
ANM10.014.03.02.009AB	UL21316	1000V	3X9AWG+2X12AWG	136/0.25	16	517.91	2.705 Ω/km
ANM10.014.03.02.008AB	UL21316	1000V	3X8AWG+2X11AWG	171/0.25	18.4	670.07	2.144 Ω/km
ANM10.014.03.02.007AB	UL21316	1000V	3X7AWG+2X10AWG	84/0.4	20.7	841.67	1.700 Ω/km
ANM10.014.03.02.006AB	UL21316	1000V	3X6AWG+2X9AWG	106/0.4	22.1	990.94	1.348 Ω/km
ANM10.014.03.02.005AB	UL21316	1000V	3X5AWG+2X8AWG	134/0.4	24.4	1223.97	1.070 Ω/km
ANM10.014.03.02.004AB	UL21316	1000V	3X4AWG+2X7AWG	169/0.4	26	1451.45	0.8481 Ω/km
ANM10.014.03.02.003AB	UL21316	1000V	3X3AWG+2X6AWG	213/0.4	28	1738.8	0.6727 Ω/km
ANM10.014.03.02.002AB	UL21316	1000V	3X2AWG+2X5AWG	268/0.4	31.5	2226.67	0.5335 Ω/km
ANM10.014.03.02.001AB	UL21316	1000V	3X1AWG+2X4AWG	338/0.4	34.4	2722.95	0.4230 Ω/km



ANM10.014.03.02.1/OAB	UL21316	1000V	3X1/OAWG+2X3AWG	426/0.4	37.7	3323.57	0.3354 Ω /km
ANM10.014.03.02.2/OAB	UL21316	1000V	3X2/OAWG+2X2AWG	537/0.4	40.9	4068.12	0.2660 Ω /km
ANM10.014.03.02.3/OAB	UL21316	1000V	3X3/OAWG+2X1AWG	677/0.4	45.8	5108.81	0.2110 Ω /km
ANM10.014.03.02.4/OAB	UL21316	1000V	3X4/OAWG+2X1/OAWG	854/0.4	49.8	6211.69	0.1673 Ω /km
ANM10.014.03.02.250kB	UL21316	1000V	3X250kcmil+2X2/OAWG	1007/0.4	54.7	7447.23	0.1416 Ω /km
ANM10.014.03.02.300kB	UL21316	1000V	3X300kcmil+2X3/OAWG	1184/0.4	57.8	8725.81	0.1180 Ω /km
ANM10.014.03.02.350kB	UL21316	1000V	3X350kcmil+2X4/OAWG	1406/0.4	62	10195	0.1011 Ω /km
ANM10.014.03.02.400kB	UL21316	1000V	3X400kcmil+2X250kcmil	1628/0.4	66.7	11747.8	0.08851 Ω /km
ANM10.014.03.02.450kB	UL21316	1000V	3X450kcmil+2X300kcmil	1830/0.4	64	12285.4	0.07867 Ω /km
ANM10.014.03.02.500kB	UL21316	1000V	3X500kcmil+2X350kcmil	2013/0.4	67.3	13736.7	0.07080 Ω /km
ANM10.014.01.01.013AB	UL21316	1000V	4X13AWG+1X15AWG	54/0.25	13	308.25	6.82 Ω /km
ANM10.014.01.01.012AB	UL21316	1000V	4X12AWG+1X14AWG	68/0.25	13.6	353.18	5.43 Ω /km
ANM10.014.01.01.011AB	UL21316	1000V	4X11AWG+1X14AWG	85/0.25	14.5	407.38	4.30 Ω /km
ANM10.014.01.01.010AB	UL21316	1000V	4X10AWG+1X13AWG	108/0.25	16	492.23	3.409 Ω /km
ANM10.014.01.01.009AB	UL21316	1000V	4X9AWG+1X12AWG	136/0.25	16.7	568.11	2.705 Ω /km
ANM10.014.01.01.008AB	UL21316	1000V	4X8AWG+1X11AWG	171/0.25	20.5	797.87	2.144 Ω /km
ANM10.014.01.01.007AB	UL21316	1000V	4X7AWG+1X10AWG	84/0.4	21.7	933.27	1.700 Ω /km
ANM10.014.01.01.006AB	UL21316	1000V	4X6AWG+1X9AWG	106/0.4	23.4	1110.74	1.348 Ω /km
ANM10.014.01.01.005AB	UL21316	1000V	4X5AWG+1X8AWG	134/0.4	25.3	1338.17	1.070 Ω /km
ANM10.014.01.01.001AB	UL21316	1000V	4X4AWG+1X7AWG	169/0.4	27.1	1596.75	0.8481 Ω /km
ANM10.014.01.01.003AB	UL21316	1000V	4X3AWG+1X6AWG	213/0.4	30.6	2052.1	0.6727 Ω /km
ANM10.014.01.01.002AB	UL21316	1000V	4X2AWG+1X5AWG	268/0.4	32.8	2449.27	0.5335 Ω /km
ANM10.014.01.01.001AB	UL21316	1000V	4X1AWG+1X4AWG	338/0.4	36.3	3041.65	0.4230 Ω /km
ANM10.014.01.01.1/OAB	UL21316	1000V	4X1/OAWG+1X3AWG	426/0.4	39.6	3692.47	0.3354 Ω /km
ANM10.014.01.01.2/OAB	UL21316	1000V	4X2/OAWG+1X2AWG	537/0.4	44.4	4668.12	0.2660 Ω /km
ANM10.014.01.01.3/OAB	UL21316	1000V	4X3/OAWG+1X1AWG	677/0.4	48	5663.71	0.2110 Ω /km
ANM10.014.01.01.4/OAB	UL21316	1000V	4X4/OAWG+1X1/OAWG	854/0.4	52.1	6882.89	0.1673 Ω /km
ANM10.014.01.01.250kB	UL21316	1000V	4X250kcmil+1X2/OAWG	1007/0.4	57.4	8236.23	0.1416 Ω /km
ANM10.014.01.01.300kB	UL21316	1000V	4X300kcmil+1X3/OAWG	1184/0.4	60.4	9584.51	0.1180 Ω /km
ANM10.014.01.01.350kB	UL21316	1000V	4X350kcmil+1X4/OAWG	1406/0.4	64.5	11078.9	0.1011 Ω /km
ANM10.014.01.01.400kB	UL21316	1000V	4X400kcmil+1X250kcmil	1628/0.4	63.1	11746.2	0.08851 Ω /km
ANM10.014.01.01.450kB	UL21316	1000V	4X450kcmil+1X300kcmil	1830/0.4	66.3	13177.3	0.07867 Ω /km
ANM10.014.01.01.500kB	UL21316	1000V	4X500kcmil+1X350kcmil	2013/0.4	69.3	14607.6	0.07080 Ω /km
ANM10.014.03.03.013AB	UL21316	1000V	3X13AWG+3X18AWG	54/0.25	12.9	291.23	6.82 Ω /km
ANM10.014.03.03.012AB	UL21316	1000V	3X12AWG+3X17AWG	68/0.25	13.6	334.84	5.43 Ω /km
ANM10.014.03.03.011AB	UL21316	1000V	3X11AWG+3X16AWG	85/0.25	14.3	383.01	4.30 Ω /km
ANM10.014.03.03.010AB	UL21316	1000V	3X10AWG+3X15AWG	108/0.25	15.5	452.85	3.409 Ω /km
ANM10.014.03.03.009AB	UL21316	1000V	3X9AWG+3X14AWG	136/0.25	16.2	521.78	2.705 Ω /km
ANM10.014.03.03.008AB	UL21316	1000V	3X8AWG+3X13AWG	171/0.25	18.3	661.13	2.144 Ω /km
ANM10.014.03.03.007AB	UL21316	1000V	3X7AWG+3X12AWG	84/0.4	19.2	768.81	1.700 Ω /km
ANM10.014.03.03.006AB	UL21316	1000V	3X6AWG+3X11AWG	106/0.4	21.8	969.57	1.348 Ω /km
ANM10.014.03.03.005AB	UL21316	1000V	3X5AWG+3X10AWG	134/0.4	23.6	1163.37	1.070 Ω /km



ANM10.014.03.03.004AB	UL21316	1000V	3X4AWG+3X9AWG	169/0.4	25.1	1378.64	0.8481 Ω /km
ANM10.014.03.03.003AB	UL21316	1000V	3X3AWG+3X8AWG	213/0.4	28.2	1737.57	0.6727 Ω /km
ANM10.014.03.03.002AB	UL21316	1000V	3X2AWG+3X7AWG	268/0.4	31.5	2210.05	0.5335 Ω /km
ANM10.014.03.03.001AB	UL21316	1000V	3X1AWG+3X6AWG	338/0.4	34.4	2696.1	0.4230 Ω /km
ANM10.014.03.03.1/OAB	UL21316	1000V	3X1/OAWG+3X5AWG	426/0.4	37.5	3272.67	0.3354 Ω /km
ANM10.014.03.03.2/OAB	UL21316	1000V	3X2/OAWG+3X4AWG	537/0.4	40.6	3998.05	0.2660 Ω /km
ANM10.014.03.03.3/OAB	UL21316	1000V	3X3/OAWG+3X3AWG	677/0.4	45.1	4974.87	0.2110 Ω /km
ANM10.014.03.03.4/OAB	UL21316	1000V	3X4/OAWG+3X2AWG	854/0.4	48.8	6028.72	0.1673 Ω /km
ANM10.014.03.03.250kB	UL21316	1000V	3X250kcmil+3X1AWG	1007/0.4	53.8	7258.71	0.1416 Ω /km
ANM10.014.03.03.300kB	UL21316	1000V	3X300kcmil+3X1/OAWG	1184/0.4	57.5	8576.69	0.1180 Ω /km
ANM10.014.03.03.350kB	UL21316	1000V	3X350kcmil+3X1/OAWG	1406/0.4	59.5	9378.59	0.1011 Ω /km
ANM10.014.03.03.400kB	UL21316	1000V	3X400kcmil+3X2/OAWG	1628/0.4	63.7	10847.03	0.08851 Ω /km
ANM10.014.03.03.450kB	UL21316	1000V	3X450kcmil+3X3/OAWG	1830/0.4	67.5	12388.01	0.07867 Ω /km
ANM10.014.03.03.500kB	UL21316	1000V	3X500kcmil+3X3/OAWG	2013/0.4	63.1	12265.41	0.07080 Ω /km