



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
ANA02.001.02.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	2X0.5	18/0.19	7.2	65.44	39.0 Ω/km
ANA02.001.03.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	3X0.5	18/0.19	7.6	76.49	39.0 Ω/km
ANA02.001.04.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	4X0.5	18/0.19	8.1	89.37	39.0 Ω/km
ANA02.001.05.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	5X0.5	18/0.19	8.7	104.34	39.0 Ω/km
ANA02.001.06.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	6X0.5	18/0.19	9.3	119.93	39.0 Ω/km
ANA02.001.07.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	7X0.5	18/0.19	9.3	125.20	39.0 Ω/km
ANA02.001.08.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	8X0.5	18/0.19	10.0	143.31	39.0 Ω/km
ANA02.001.09.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	9X0.5	18/0.19	10.9	169.54	39.0 Ω/km
ANA02.001.10.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	10X0.5	18/0.19	11.5	187.61	39.0 Ω/km
ANA02.001.11.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	11X0.5	18/0.19	11.9	201.76	39.0 Ω/km
ANA02.001.12.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	12X0.5	18/0.19	11.9	207.01	39.0 Ω/km
ANA02.001.13.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	13X0.5	18/0.19	12.4	223.77	39.0 Ω/km
ANA02.001.14.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	14X0.5	18/0.19	12.4	229.03	39.0 Ω/km
ANA02.001.15.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	15X0.5	18/0.19	13.6	268.07	39.0 Ω/km
ANA02.001.16.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	16X0.5	18/0.19	13.6	273.32	39.0 Ω/km
ANA02.001.17.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	17X0.5	18/0.19	14.3	296.04	39.0 Ω/km
ANA02.001.18.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	18X0.5	18/0.19	14.3	301.31	39.0 Ω/km
ANA02.001.19.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	19X0.5	18/0.19	14.3	306.56	39.0 Ω/km
ANA02.001.20.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	20X0.5	18/0.19	14.7	322.76	39.0 Ω/km
ANA02.001.21.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	21X0.5	18/0.19	15.0	336.41	39.0 Ω/km
ANA02.001.22.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	22X0.5	18/0.19	15.8	364.79	39.0 Ω/km
ANA02.001.23.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	23X0.5	18/0.19	16.4	388.10	39.0 Ω/km
ANA02.001.24.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	24X0.5	18/0.19	16.4	393.37	39.0 Ω/km
ANA02.001.25.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	25X0.5	18/0.19	16.8	411.02	39.0 Ω/km
ANA02.001.26.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	26X0.5	18/0.19	16.8	416.27	39.0 Ω/km
ANA02.001.27.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	27X0.5	18/0.19	16.8	421.53	39.0 Ω/km
ANA02.001.28.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	28X0.5	18/0.19	17.3	442.67	39.0 Ω/km
ANA02.001.29.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	29X0.5	18/0.19	17.3	447.92	39.0 Ω/km
ANA02.001.30.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	30X0.5	18/0.19	17.3	453.18	39.0 Ω/km
ANA02.001.31.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	31X0.5	18/0.19	17.9	478.06	39.0 Ω/km
ANA02.001.32.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	32X0.5	18/0.19	17.9	483.32	39.0 Ω/km
ANA02.001.33.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	33X0.5	18/0.19	17.9	488.58	39.0 Ω/km
ANA02.001.34.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	34X0.5	18/0.19	18.5	514.08	39.0 Ω/km
ANA02.001.35.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	35X0.5	18/0.19	18.5	519.34	39.0 Ω/km
ANA02.001.36.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	36X0.5	18/0.19	18.5	524.59	39.0 Ω/km
ANA02.001.37.000.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	37X0.5	18/0.19	18.5	529.86	39.0 Ω/km
ANA02.001.02.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	2X0.75	27/0.19	7.6	75.59	26.0 Ω/km
ANA02.001.03.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	3X0.75	27/0.19	8.0	89.09	26.0 Ω/km
ANA02.001.04.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	4X0.75	27/0.19	8.6	106.14	26.0 Ω/km



ANA02.001.05.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	5X0.75	27/0.19	9.3	125.57	26.0 Ω/km
ANA02.001.06.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	6X0.75	27/0.19	9.9	143.96	26.0 Ω/km
ANA02.001.07.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	7X0.75	27/0.19	9.9	151.41	26.0 Ω/km
ANA02.001.08.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	8X0.75	27/0.19	10.7	177.58	26.0 Ω/km
ANA02.001.09.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	9X0.75	27/0.19	11.7	206.36	26.0 Ω/km
ANA02.001.10.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	10X0.75	27/0.19	12.3	227.45	26.0 Ω/km
ANA02.001.11.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	11X0.75	27/0.19	12.7	244.31	26.0 Ω/km
ANA02.001.12.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	12X0.75	27/0.19	12.7	251.76	26.0 Ω/km
ANA02.001.13.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	13X0.75	27/0.19	14.0	295.31	26.0 Ω/km
ANA02.001.14.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	14X0.75	27/0.19	14.0	302.75	26.0 Ω/km
ANA02.001.15.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	15X0.75	27/0.19	14.7	329.14	26.0 Ω/km
ANA02.001.16.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	16X0.75	27/0.19	14.7	336.59	26.0 Ω/km
ANA02.001.17.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	17X0.75	27/0.19	15.3	360.94	26.0 Ω/km
ANA02.001.18.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	18X0.75	27/0.19	15.3	368.39	26.0 Ω/km
ANA02.001.19.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	19X0.75	27/0.19	15.3	375.82	26.0 Ω/km
ANA02.001.20.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	20X0.75	27/0.19	15.7	394.88	26.0 Ω/km
ANA02.001.21.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	21X0.75	27/0.19	16.0	411.23	26.0 Ω/km
ANA02.001.22.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	22X0.75	27/0.19	17.0	449.46	26.0 Ω/km
ANA02.001.23.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	23X0.75	27/0.19	17.6	476.21	26.0 Ω/km
ANA02.001.24.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	24X0.75	27/0.19	17.6	483.64	26.0 Ω/km
ANA02.001.25.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	25X0.75	27/0.19	18.0	504.31	26.0 Ω/km
ANA02.001.26.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	26X0.75	27/0.19	18.0	511.74	26.0 Ω/km
ANA02.001.27.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	27X0.75	27/0.19	18.0	519.18	26.0 Ω/km
ANA02.001.28.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	28X0.75	27/0.19	18.6	546.96	26.0 Ω/km
ANA02.001.29.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	29X0.75	27/0.19	18.6	554.40	26.0 Ω/km
ANA02.001.30.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	30X0.75	27/0.19	18.6	561.84	26.0 Ω/km
ANA02.001.31.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	31X0.75	27/0.19	19.3	593.80	26.0 Ω/km
ANA02.001.32.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	32X0.75	27/0.19	19.3	601.24	26.0 Ω/km
ANA02.001.33.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	33X0.75	27/0.19	19.3	608.67	26.0 Ω/km
ANA02.001.34.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	34X0.75	27/0.19	20.3	657.34	26.0 Ω/km
ANA02.001.35.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	35X0.75	27/0.19	20.3	664.77	26.0 Ω/km
ANA02.001.36.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	36X0.75	27/0.19	20.3	672.21	26.0 Ω/km
ANA02.001.37.000.75B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	37X0.75	27/0.19	20.3	679.64	26.0 Ω/km
ANA02.001.02.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	2X1	35/0.19	8.0	85.87	19.5 Ω/km
ANA02.001.03.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	3X1	35/0.19	8.4	101.75	19.5 Ω/km
ANA02.001.04.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	4X1	35/0.19	9.1	123.06	19.5 Ω/km
ANA02.001.05.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	5X1	35/0.19	9.8	145.21	19.5 Ω/km
ANA02.001.06.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	6X1	35/0.19	10.6	173.33	19.5 Ω/km
ANA02.001.07.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	7X1	35/0.19	10.6	182.88	19.5 Ω/km
ANA02.001.08.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	8X1	35/0.19	11.4	209.22	19.5 Ω/km
ANA02.001.09.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	9X1	35/0.19	12.4	241.33	19.5 Ω/km
ANA02.001.10.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	10X1	35/0.19	13.7	287.25	19.5 Ω/km



ANA02.001.11.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	11X1	35/0.19	14.2	308.97	19.5 Ω/km
ANA02.001.12.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	12X1	35/0.19	14.2	318.52	19.5 Ω/km
ANA02.001.13.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	13X1	35/0.19	14.9	347.27	19.5 Ω/km
ANA02.001.14.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	14X1	35/0.19	14.9	356.83	19.5 Ω/km
ANA02.001.15.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	15X1	35/0.19	15.6	386.41	19.5 Ω/km
ANA02.001.16.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	16X1	35/0.19	15.6	395.95	19.5 Ω/km
ANA02.001.17.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	17X1	35/0.19	16.3	426.41	19.5 Ω/km
ANA02.001.18.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	18X1	35/0.19	16.3	435.94	19.5 Ω/km
ANA02.001.19.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	19X1	35/0.19	16.3	445.49	19.5 Ω/km
ANA02.001.20.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	20X1	35/0.19	16.7	467.36	19.5 Ω/km
ANA02.001.21.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	21X1	35/0.19	17.1	489.50	19.5 Ω/km
ANA02.001.22.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	22X1	35/0.19	18.1	531.75	19.5 Ω/km
ANA02.001.23.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	23X1	35/0.19	18.8	565.21	19.5 Ω/km
ANA02.001.24.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	24X1	35/0.19	18.8	574.76	19.5 Ω/km
ANA02.001.25.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	25X1	35/0.19	19.2	598.36	19.5 Ω/km
ANA02.001.26.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	26X1	35/0.19	19.2	607.90	19.5 Ω/km
ANA02.001.27.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	27X1	35/0.19	19.2	617.45	19.5 Ω/km
ANA02.001.28.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	28X1	35/0.19	20.3	671.78	19.5 Ω/km
ANA02.001.29.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	29X1	35/0.19	20.3	681.33	19.5 Ω/km
ANA02.001.30.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	30X1	35/0.19	20.3	690.87	19.5 Ω/km
ANA02.001.31.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	31X1	35/0.19	21.3	737.43	19.5 Ω/km
ANA02.001.32.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	32X1	35/0.19	21.3	746.98	19.5 Ω/km
ANA02.001.33.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	33X1	35/0.19	21.3	756.53	19.5 Ω/km
ANA02.001.34.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	34X1	35/0.19	22.0	794.02	19.5 Ω/km
ANA02.001.35.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	35X1	35/0.19	22.0	803.57	19.5 Ω/km
ANA02.001.36.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	36X1	35/0.19	22.0	813.11	19.5 Ω/km
ANA02.001.37.001.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	37X1	35/0.19	22.0	822.66	19.5 Ω/km
ANA02.001.02.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	2X1.5	31/0.25	8.6	103.91	13.3 Ω/km
ANA02.001.03.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	3X1.5	31/0.25	9.1	126.15	13.3 Ω/km
ANA02.001.04.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	4X1.5	31/0.25	9.8	152.52	13.3 Ω/km
ANA02.001.05.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	5X1.5	31/0.25	10.7	186.90	13.3 Ω/km
ANA02.001.06.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	6X1.5	31/0.25	11.5	217.59	13.3 Ω/km
ANA02.001.07.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	7X1.5	31/0.25	11.5	231.35	13.3 Ω/km
ANA02.001.08.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	8X1.5	31/0.25	12.4	265.50	13.3 Ω/km
ANA02.001.09.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	9X1.5	31/0.25	14.2	327.81	13.3 Ω/km
ANA02.001.10.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	10X1.5	31/0.25	15.0	363.58	13.3 Ω/km
ANA02.001.11.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	11X1.5	31/0.25	15.5	391.67	13.3 Ω/km
ANA02.001.12.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	12X1.5	31/0.25	15.5	405.43	13.3 Ω/km
ANA02.001.13.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	13X1.5	31/0.25	16.2	439.95	13.3 Ω/km
ANA02.001.14.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	14X1.5	31/0.25	16.2	453.71	13.3 Ω/km
ANA02.001.15.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	15X1.5	31/0.25	17.0	492.27	13.3 Ω/km
ANA02.001.16.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	16X1.5	31/0.25	17.0	506.02	13.3 Ω/km



ANA02.001.17.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	17X1.5	31/0.25	17.8	545.66	13.3 Ω/km
ANA02.001.18.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	18X1.5	31/0.25	17.8	559.42	13.3 Ω/km
ANA02.001.19.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	19X1.5	31/0.25	17.8	573.18	13.3 Ω/km
ANA02.001.20.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	20X1.5	31/0.25	18.3	603.68	13.3 Ω/km
ANA02.001.21.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	21X1.5	31/0.25	18.7	631.15	13.3 Ω/km
ANA02.001.22.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	22X1.5	31/0.25	20.2	703.44	13.3 Ω/km
ANA02.001.23.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	23X1.5	31/0.25	21.3	757.98	13.3 Ω/km
ANA02.001.24.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	24X1.5	31/0.25	21.3	771.74	13.3 Ω/km
ANA02.001.25.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	25X1.5	31/0.25	21.8	805.38	13.3 Ω/km
ANA02.001.26.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	26X1.5	31/0.25	21.8	819.14	13.3 Ω/km
ANA02.001.27.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	27X1.5	31/0.25	21.8	832.90	13.3 Ω/km
ANA02.001.28.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	28X1.5	31/0.25	22.5	875.23	13.3 Ω/km
ANA02.001.29.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	29X1.5	31/0.25	22.5	888.99	13.3 Ω/km
ANA02.001.30.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	30X1.5	31/0.25	22.5	902.75	13.3 Ω/km
ANA02.001.31.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	31X1.5	31/0.25	23.3	950.18	13.3 Ω/km
ANA02.001.32.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	32X1.5	31/0.25	23.3	963.94	13.3 Ω/km
ANA02.001.33.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	33X1.5	31/0.25	23.3	977.70	13.3 Ω/km
ANA02.001.34.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	34X1.5	31/0.25	24.1	1026.25	13.3 Ω/km
ANA02.001.35.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	35X1.5	31/0.25	24.1	1040.02	13.3 Ω/km
ANA02.001.36.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	36X1.5	31/0.25	24.1	1053.78	13.3 Ω/km
ANA02.001.37.001.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	37X1.5	31/0.25	24.1	1067.54	13.3 Ω/km
ANA02.001.02.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	2X2.5	51/0.25	10.0	146.20	7.98 Ω/km
ANA02.001.03.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	3X2.5	51/0.25	10.7	185.53	7.98 Ω/km
ANA02.001.04.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	4X2.5	51/0.25	11.6	227.14	7.98 Ω/km
ANA02.001.05.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	5X2.5	51/0.25	12.6	272.52	7.98 Ω/km
ANA02.001.06.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	6X2.5	51/0.25	14.3	341.52	7.98 Ω/km
ANA02.001.07.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	7X2.5	51/0.25	14.3	364.01	7.98 Ω/km
ANA02.001.08.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	8X2.5	51/0.25	15.4	417.23	7.98 Ω/km
ANA02.001.09.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	9X2.5	51/0.25	16.8	481.88	7.98 Ω/km
ANA02.001.10.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	10X2.5	51/0.25	17.8	536.53	7.98 Ω/km
ANA02.001.11.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	11X2.5	51/0.25	18.4	579.15	7.98 Ω/km
ANA02.001.12.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	12X2.5	51/0.25	18.4	601.62	7.98 Ω/km
ANA02.001.13.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	13X2.5	51/0.25	19.3	655.49	7.98 Ω/km
ANA02.001.14.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	14X2.5	51/0.25	19.3	677.97	7.98 Ω/km
ANA02.001.15.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	15X2.5	51/0.25	21.0	766.96	7.98 Ω/km
ANA02.001.16.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	16X2.5	51/0.25	21.0	789.44	7.98 Ω/km
ANA02.001.17.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	17X2.5	51/0.25	22.0	851.59	7.98 Ω/km
ANA02.001.18.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	18X2.5	51/0.25	22.0	874.07	7.98 Ω/km
ANA02.001.19.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	19X2.5	51/0.25	22.0	896.55	7.98 Ω/km
ANA02.001.20.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	20X2.5	51/0.25	22.6	943.66	7.98 Ω/km
ANA02.001.21.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	21X2.5	51/0.25	23.1	987.16	7.98 Ω/km
ANA02.001.22.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	22X2.5	51/0.25	24.5	1070.74	7.98 Ω/km



ANA02.001.23.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	23X2.5	51/0.25	25.5	1138.95	7.98 Ω/km
ANA02.001.24.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	24X2.5	51/0.25	25.5	1161.42	7.98 Ω/km
ANA02.001.25.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	25X2.5	51/0.25	26.1	1212.17	7.98 Ω/km
ANA02.001.26.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	26X2.5	51/0.25	26.1	1234.64	7.98 Ω/km
ANA02.001.27.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	27X2.5	51/0.25	26.1	1257.13	7.98 Ω/km
ANA02.001.28.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	28X2.5	51/0.25	27.0	1323.16	7.98 Ω/km
ANA02.001.29.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	29X2.5	51/0.25	27.0	1345.64	7.98 Ω/km
ANA02.001.30.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	30X2.5	51/0.25	27.0	1368.12	7.98 Ω/km
ANA02.001.31.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	31X2.5	51/0.25	28.0	1440.64	7.98 Ω/km
ANA02.001.32.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	32X2.5	51/0.25	28.0	1463.12	7.98 Ω/km
ANA02.001.33.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	33X2.5	51/0.25	28.0	1485.60	7.98 Ω/km
ANA02.001.34.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	34X2.5	51/0.25	29.0	1559.85	7.98 Ω/km
ANA02.001.35.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	35X2.5	51/0.25	29.0	1582.33	7.98 Ω/km
ANA02.001.36.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	36X2.5	51/0.25	29.0	1604.80	7.98 Ω/km
ANA02.001.37.002.50B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	37X2.5	51/0.25	29.0	1627.29	7.98 Ω/km
ANA02.001.02.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	2X4	82/0.25	11.5	206.31	4.95 Ω/km
ANA02.001.03.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	3X4	82/0.25	12.2	257.71	4.95 Ω/km
ANA02.001.04.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	4X4	82/0.25	14.0	341.21	4.95 Ω/km
ANA02.001.05.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	5X4	82/0.25	15.2	409.90	4.95 Ω/km
ANA02.001.06.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	6X4	82/0.25	16.4	481.07	4.95 Ω/km
ANA02.001.07.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	7X4	82/0.25	16.4	516.70	4.95 Ω/km
ANA02.001.08.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	8X4	82/0.25	17.7	593.64	4.95 Ω/km
ANA02.001.09.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	9X4	82/0.25	19.4	687.65	4.95 Ω/km
ANA02.001.10.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	10X4	82/0.25	21.3	797.98	4.95 Ω/km
ANA02.001.11.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	11X4	82/0.25	22.0	861.58	4.95 Ω/km
ANA02.001.12.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	12X4	82/0.25	22.0	897.22	4.95 Ω/km
ANA02.001.13.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	13X4	82/0.25	23.1	978.53	4.95 Ω/km
ANA02.001.14.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	14X4	82/0.25	23.1	1014.17	4.95 Ω/km
ANA02.001.15.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	15X4	82/0.25	24.3	1101.99	4.95 Ω/km
ANA02.001.16.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	16X4	82/0.25	24.3	1137.65	4.95 Ω/km
ANA02.001.17.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	17X4	82/0.25	25.5	1227.95	4.95 Ω/km
ANA02.001.18.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	18X4	82/0.25	25.5	1263.60	4.95 Ω/km
ANA02.001.19.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	19X4	82/0.25	25.5	1299.24	4.95 Ω/km
ANA02.001.20.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	20X4	82/0.25	26.2	1367.93	4.95 Ω/km
ANA02.001.21.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	21X4	82/0.25	26.8	1432.57	4.95 Ω/km
ANA02.001.22.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	22X4	82/0.25	28.5	1553.73	4.95 Ω/km
ANA02.001.23.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	23X4	82/0.25	30.3	1696.24	4.95 Ω/km
ANA02.001.24.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	24X4	82/0.25	30.3	1731.88	4.95 Ω/km
ANA02.001.25.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	25X4	82/0.25	31.2	1821.69	4.95 Ω/km
ANA02.001.26.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	26X4	82/0.25	31.2	1857.35	4.95 Ω/km
ANA02.001.27.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	27X4	82/0.25	31.2	1892.99	4.95 Ω/km
ANA02.001.28.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	28X4	82/0.25	32.3	1992.37	4.95 Ω/km



ANA02.001.29.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	29X4	82/0.25	32.3	2028.01	4.95 Ω/km
ANA02.001.30.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	30X4	82/0.25	32.3	2063.67	4.95 Ω/km
ANA02.001.31.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	31X4	82/0.25	33.5	2171.21	4.95 Ω/km
ANA02.001.32.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	32X4	82/0.25	33.5	2206.85	4.95 Ω/km
ANA02.001.33.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	33X4	82/0.25	33.5	2242.51	4.95 Ω/km
ANA02.001.34.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	34X4	82/0.25	34.7	2352.54	4.95 Ω/km
ANA02.001.35.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	35X4	82/0.25	34.7	2388.20	4.95 Ω/km
ANA02.001.36.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	36X4	82/0.25	34.7	2423.86	4.95 Ω/km
ANA02.001.37.004.00B	AS/NZS 5000.3 CU V-90 5V-90	450/750V	37X4	82/0.25	34.7	2459.50	4.95 Ω/km