



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻Ω/km
ANO19.018.02.03.000.50B	RE-Y(St)Y-PiMF	300/300V	2x3x0.5	7/0.31	9.7	104	36.7MΩ/KM
ANO19.018.04.03.000.50B	RE-Y(St)Y-PiMF	300/300V	4x3x0.5	7/0.31	11.1	151	36.7MΩ/KM
ANO19.018.05.03.000.50B	RE-Y(St)Y-PiMF	300/300V	5x3x0.5	7/0.31	12.4	183	36.7MΩ/KM
ANO19.018.06.03.000.50B	RE-Y(St)Y-PiMF	300/300V	6x3x0.5	7/0.31	14	225	36.7MΩ/KM
ANO19.018.08.03.000.50B	RE-Y(St)Y-PiMF	300/300V	8x3x0.5	7/0.31	14.9	283	36.7MΩ/KM
ANO19.018.10.03.000.50B	RE-Y(St)Y-PiMF	300/300V	10x3x0.5	7/0.31	17	348	36.7MΩ/KM
ANO19.018.12.02.000.50B	RE-Y(St)Y-PiMF	300/300V	12x3x0.5	7/0.31	17.6	385	36.7MΩ/KM
ANO19.018.16.03.000.50B	RE-Y(St)Y-PiMF	300/300V	16x3x0.5	7/0.31	20.1	504	36.7MΩ/KM
ANO19.018.20.03.000.50B	RE-Y(St)Y-PiMF	300/300V	20x3x0.5	7/0.31	22.3	616	36.7MΩ/KM
ANO19.018.24.03.000.50B	RE-Y(St)Y-PiMF	300/300V	24x3x0.5	7/0.31	24.4	749	36.7MΩ/KM
ANO19.018.02.03.000.75B	RE-Y(St)Y-PiMF	300/300V	2x3x0.75	7/0.37	10.6	121	25MΩ/KM
ANO19.018.04.03.000.75B	RE-Y(St)Y-PiMF	300/300V	4x3x0.75	7/0.37	12.4	186	25MΩ/KM
ANO19.018.05.03.000.75B	RE-Y(St)Y-PiMF	300/300V	5x3x0.75	7/0.37	13.7	242	25MΩ/KM
ANO19.018.06.03.000.75B	RE-Y(St)Y-PiMF	300/300V	6x3x0.75	7/0.37	15.4	280	25MΩ/KM
ANO19.018.08.03.000.75B	RE-Y(St)Y-PiMF	300/300V	8x3x0.75	7/0.37	16.7	362	25MΩ/KM
ANO19.018.10.03.000.75B	RE-Y(St)Y-PiMF	300/300V	10x3x0.75	7/0.37	19	446	25MΩ/KM
ANO19.018.12.02.000.75B	RE-Y(St)Y-PiMF	300/300V	12x3x0.75	7/0.37	19.7	495	25MΩ/KM
ANO19.018.16.03.000.75B	RE-Y(St)Y-PiMF	300/300V	16x3x0.75	7/0.37	22.5	652	25MΩ/KM
ANO19.018.20.03.000.75B	RE-Y(St)Y-PiMF	300/300V	20x3x0.75	7/0.37	24.9	833	25MΩ/KM
ANO19.018.24.03.000.75B	RE-Y(St)Y-PiMF	300/300V	24x3x0.75	7/0.37	27.2	966	25MΩ/KM
ANO19.018.02.03.001.00B	RE-Y(St)Y-PiMF	300/300V	2x3x1	7/0.43	11.5	154	18.5MΩ/KM
ANO19.018.04.03.001.00B	RE-Y(St)Y-PiMF	300/300V	4x3x1	7/0.43	13.4	227	18.5MΩ/KM
ANO19.018.05.03.001.00B	RE-Y(St)Y-PiMF	300/300V	5x3x1	7/0.43	14.8	286	18.5MΩ/KM
ANO19.018.06.03.001.00B	RE-Y(St)Y-PiMF	300/300V	6x3x1	7/0.43	16.9	348	18.5MΩ/KM
ANO19.018.08.03.001.00B	RE-Y(St)Y-PiMF	300/300V	8x3x1	7/0.43	18.1	443	18.5MΩ/KM
ANO19.018.10.03.001.00B	RE-Y(St)Y-PiMF	300/300V	10x3x1	7/0.43	20.7	545	18.5MΩ/KM
ANO19.018.12.02.001.00B	RE-Y(St)Y-PiMF	300/300V	12x3x1	7/0.43	21.4	621	18.5MΩ/KM
ANO19.018.16.03.001.00B	RE-Y(St)Y-PiMF	300/300V	16x3x1	7/0.43	24.4	836	18.5MΩ/KM
ANO19.018.20.03.001.00B	RE-Y(St)Y-PiMF	300/300V	20x3x1	7/0.43	27.1	1001	18.5MΩ/KM
ANO19.018.24.03.001.00B	RE-Y(St)Y-PiMF	300/300V	24x3x1	7/0.43	29.6	1207	18.5MΩ/KM
ANO19.018.02.03.001.30B	RE-Y(St)Y-PiMF	300/300V	2x3x1,3	7/0.48	12.8	185	14.2MΩ/KM
ANO19.018.04.03.001.30B	RE-Y(St)Y-PiMF	300/300V	4x3x1,3	7/0.48	14.7	283	14.2MΩ/KM
ANO19.018.05.03.001.30B	RE-Y(St)Y-PiMF	300/300V	5x3x1,3	7/0.48	16.5	357	14.2MΩ/KM
ANO19.018.06.03.001.30B	RE-Y(St)Y-PiMF	300/300V	6x3x1,3	7/0.48	18.8	425	14.2MΩ/KM
ANO19.018.08.03.001.30B	RE-Y(St)Y-PiMF	300/300V	8x3x1,3	7/0.48	20.1	553	14.2MΩ/KM
ANO19.018.10.03.001.30B	RE-Y(St)Y-PiMF	300/300V	10x3x1,3	7/0.48	23	682	14.2MΩ/KM
ANO19.018.12.02.001.30B	RE-Y(St)Y-PiMF	300/300V	12x3x1,3	7/0.48	24	767	14.2MΩ/KM
ANO19.018.16.03.001.30B	RE-Y(St)Y-PiMF	300/300V	16x3x1,3	7/0.48	27.4	1022	14.2MΩ/KM
ANO19.018.20.03.001.30B	RE-Y(St)Y-PiMF	300/300V	20x3x1,3	7/0.48	30.4	1252	14.2MΩ/KM
ANO19.018.24.03.001.30B	RE-Y(St)Y-PiMF	300/300V	24x3x1,3	7/0.48	33.1	1511	14.2MΩ/KM



ANO19.018.02.03.001.50B	RE-Y(St)Y-PiMF	300/300V	2x3x1,5	7/0.52	13.2	207	12.3M Ω /KM
ANO19.018.04.03.001.50B	RE-Y(St)Y-PiMF	300/300V	4x3x1,5	7/0.52	15.4	314	12.3M Ω /KM
ANO19.018.05.03.001.50B	RE-Y(St)Y-PiMF	300/300V	5x3x1,5	7/0.52	17.1	396	12.3M Ω /KM
ANO19.018.06.03.001.50B	RE-Y(St)Y-PiMF	300/300V	6x3x1,5	7/0.52	19.5	482	12.3M Ω /KM
ANO19.018.08.03.001.50B	RE-Y(St)Y-PiMF	300/300V	8x3x1,5	7/0.52	21.1	617	12.3M Ω /KM
ANO19.018.10.03.001.50B	RE-Y(St)Y-PiMF	300/300V	10x3x1,5	7/0.52	24.1	765	12.3M Ω /KM
ANO19.018.12.02.001.50B	RE-Y(St)Y-PiMF	300/300V	12x3x1,5	7/0.52	24.9	867	12.3M Ω /KM
ANO19.018.16.03.001.50B	RE-Y(St)Y-PiMF	300/300V	16x3x1,5	7/0.52	28.4	1140	12.3M Ω /KM
ANO19.018.20.03.001.50B	RE-Y(St)Y-PiMF	300/300V	20x3x1,5	7/0.52	31.6	1421	12.3M Ω /KM
ANO19.018.24.03.001.50B	RE-Y(St)Y-PiMF	300/300V	24x3x1,5	7/0.52	34.4	1691	12.3M Ω /KM
ANO19.018.02.02.000.50B	RE-Y(St)Y-PiMF	300/300V	2x2x0.5	7/0.31	8.7	85	36.7M Ω /KM
ANO19.018.03.02.000.50B	RE-Y(St)Y-PiMF	300/300V	3x2x0.5	7/0.31	10.2	120	36.7M Ω /KM
ANO19.018.04.02.000.50B	RE-Y(St)Y-PiMF	300/300V	4x2x0.5	7/0.31	11.2	145	36.7M Ω /KM
ANO19.018.05.02.000.50B	RE-Y(St)Y-PiMF	300/300V	5x2x0.5	7/0.31	12.1	170	36.7M Ω /KM
ANO19.018.08.02.000.50B	RE-Y(St)Y-PiMF	300/300V	8x2x0.5	7/0.31	13.1	214	36.7M Ω /KM
ANO19.018.10.02.000.50B	RE-Y(St)Y-PiMF	300/300V	10x2x0.5	7/0.31	15.1	265	36.7M Ω /KM
ANO19.018.12.02.000.50B	RE-Y(St)Y-PiMF	300/300V	12x2x0.5	7/0.31	15.7	286	36.7M Ω /KM
ANO19.018.16.02.000.50B	RE-Y(St)Y-PiMF	300/300V	16x2x0.5	7/0.31	17.8	380	36.7M Ω /KM
ANO19.018.20.02.000.50B	RE-Y(St)Y-PiMF	300/300V	20x2x0.5	7/0.31	19.7	475	36.7M Ω /KM
ANO19.018.24.02.000.50B	RE-Y(St)Y-PiMF	300/300V	24x2x0.5	7/0.31	21.5	561	36.7M Ω /KM
ANO19.018.02.02.000.75B	RE-Y(St)Y-PiMF	300/300V	2x2x0.75	7/0.37	9.7	101	25M Ω /KM
ANO19.018.03.02.000.75B	RE-Y(St)Y-PiMF	300/300V	3x2x0.75	7/0.37	11.2	159	25M Ω /KM
ANO19.018.04.02.000.75B	RE-Y(St)Y-PiMF	300/300V	4x2x0.75	7/0.37	12.5	183	25M Ω /KM
ANO19.018.05.02.000.75B	RE-Y(St)Y-PiMF	300/300V	5x2x0.75	7/0.37	13.6	215	25M Ω /KM
ANO19.018.08.02.000.75B	RE-Y(St)Y-PiMF	300/300V	8x2x0.75	7/0.37	14.4	272	25M Ω /KM
ANO19.018.10.02.000.75B	RE-Y(St)Y-PiMF	300/300V	10x2x0.75	7/0.37	16.6	333	25M Ω /KM
ANO19.018.12.02.000.75B	RE-Y(St)Y-PiMF	300/300V	12x2x0.75	7/0.37	17.4	383	25M Ω /KM
ANO19.018.16.02.000.75B	RE-Y(St)Y-PiMF	300/300V	16x2x0.75	7/0.37	19.8	492	25M Ω /KM
ANO19.018.20.02.000.75B	RE-Y(St)Y-PiMF	300/300V	20x2x0.75	7/0.37	22	603	25M Ω /KM
ANO19.018.24.02.000.75B	RE-Y(St)Y-PiMF	300/300V	24x2x0.75	7/0.37	24	704	25M Ω /KM
ANO19.018.02.02.001.00B	RE-Y(St)Y-PiMF	300/300V	2x2x1.0	7/0.43	10.4	112	18.5M Ω /KM
ANO19.018.03.02.001.00B	RE-Y(St)Y-PiMF	300/300V	3x2x1.0	7/0.43	12.1	179	18.5M Ω /KM
ANO19.018.04.02.001.00B	RE-Y(St)Y-PiMF	300/300V	4x2x1.0	7/0.43	13.5	220	18.5M Ω /KM
ANO19.018.05.02.001.00B	RE-Y(St)Y-PiMF	300/300V	5x2x1.0	7/0.43	14.7	256	18.5M Ω /KM
ANO19.018.08.02.001.00B	RE-Y(St)Y-PiMF	300/300V	8x2x1.0	7/0.43	15.8	323	18.5M Ω /KM
ANO19.018.10.02.001.00B	RE-Y(St)Y-PiMF	300/300V	10x2x1.0	7/0.43	18	401	18.5M Ω /KM
ANO19.018.12.02.001.00B	RE-Y(St)Y-PiMF	300/300V	12x2x1.0	7/0.43	19	454	18.5M Ω /KM
ANO19.018.16.02.001.00B	RE-Y(St)Y-PiMF	300/300V	16x2x1.0	7/0.43	21.5	601	18.5M Ω /KM
ANO19.018.20.02.001.00B	RE-Y(St)Y-PiMF	300/300V	20x2x1.0	7/0.43	23.9	719	18.5M Ω /KM
ANO19.018.24.02.001.00B	RE-Y(St)Y-PiMF	300/300V	24x2x1.0	7/0.43	26.1	884	18.5M Ω /KM
ANO19.018.02.02.001.30B	RE-Y(St)Y-PiMF	300/300V	2x2x1.3	7/0.48	11.4	153	14.2M Ω /KM
ANO19.018.03.02.001.30B	RE-Y(St)Y-PiMF	300/300V	3x2x1.3	7/0.48	13.4	208	14.2M Ω /KM



AN019.018.04.02.001.30B	RE-Y(St)Y-PiMF	300/300V	4x2x1.3	7/0.48	14.8	263	14.2MΩ/KM
AN019.018.05.02.001.30B	RE-Y(St)Y-PiMF	300/300V	5x2x1.3	7/0.48	16.3	318	14.2MΩ/KM
AN019.018.08.02.001.30B	RE-Y(St)Y-PiMF	300/300V	8x2x1.3	7/0.48	17.6	406	14.2MΩ/KM
AN019.018.10.02.001.30B	RE-Y(St)Y-PiMF	300/300V	10x2x1.3	7/0.48	20	501	14.2MΩ/KM
AN019.018.12.02.001.30B	RE-Y(St)Y-PiMF	300/300V	12x2x1.3	7/0.48	21.1	552	14.2MΩ/KM
AN019.018.16.02.001.30B	RE-Y(St)Y-PiMF	300/300V	16x2x1.3	7/0.48	24.1	728	14.2MΩ/KM
AN019.018.20.02.001.30B	RE-Y(St)Y-PiMF	300/300V	20x2x1.3	7/0.48	26.8	892	14.2MΩ/KM
AN019.018.24.02.001.30B	RE-Y(St)Y-PiMF	300/300V	24x2x1.3	7/0.48	29.2	1067	14.2MΩ/KM
AN019.018.02.02.001.50B	RE-Y(St)Y-PiMF	300/300V	2x2x1.5	7/0.52	11.8	164	12.3MΩ/KM
AN019.018.03.02.001.50B	RE-Y(St)Y-PiMF	300/300V	3x2x1.5	7/0.52	13.9	235	12.3MΩ/KM
AN019.018.04.02.001.50B	RE-Y(St)Y-PiMF	300/300V	4x2x1.5	7/0.52	15.5	289	12.3MΩ/KM
AN019.018.05.02.001.50B	RE-Y(St)Y-PiMF	300/300V	5x2x1.5	7/0.52	16.9	366	12.3MΩ/KM
AN019.018.08.02.001.50B	RE-Y(St)Y-PiMF	300/300V	8x2x1.5	7/0.52	18.2	446	12.3MΩ/KM
AN019.018.10.02.001.50B	RE-Y(St)Y-PiMF	300/300V	10x2x1.5	7/0.52	21	565	12.3MΩ/KM
AN019.018.12.02.001.50B	RE-Y(St)Y-PiMF	300/300V	12x2x1.5	7/0.52	21.9	637	12.3MΩ/KM
AN019.018.16.02.001.50B	RE-Y(St)Y-PiMF	300/300V	16x2x1.5	7/0.52	25.1	828	12.3MΩ/KM
AN019.018.20.02.001.50B	RE-Y(St)Y-PiMF	300/300V	20x2x1.5	7/0.52	27.8	1024	12.3MΩ/KM
AN019.018.24.02.001.50B	RE-Y(St)Y-PiMF	300/300V	24x2x1.5	7/0.52	30.4	1219	12.3MΩ/KM