



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻Ω/km
AN019.015.02.000.50B	RE-Y(S)Y	300/500V	2X0.5	7/0.31	6.2	47	36.7MΩ/KM
AN019.015.03.000.50B	RE-Y(S)Y	300/500V	3X0.5	7/0.31	6.5	50	36.7MΩ/KM
AN019.015.04.000.50B	RE-Y(S)Y	300/500V	4X0.5	7/0.31	7	60	36.7MΩ/KM
AN019.015.05.000.50B	RE-Y(S)Y	300/500V	5X0.5	7/0.31	7.6	71	36.7MΩ/KM
AN019.015.08.000.50B	RE-Y(S)Y	300/500V	8X0.5	7/0.31	9.1	95	36.7MΩ/KM
AN019.015.10.000.50B	RE-Y(S)Y	300/500V	10X0.5	7/0.31	10.4	127	36.7MΩ/KM
AN019.015.12.000.50B	RE-Y(S)Y	300/500V	12X0.5	7/0.31	10.7	151	36.7MΩ/KM
AN019.015.14.000.50B	RE-Y(S)Y	300/500V	14X0.5	7/0.31	11.3	162	36.7MΩ/KM
AN019.015.16.000.50B	RE-Y(S)Y	300/500V	16X0.5	7/0.31	11.8	180	36.7MΩ/KM
AN019.015.20.000.50B	RE-Y(S)Y	300/500V	20X0.5	7/0.31	13.3	222	36.7MΩ/KM
AN019.015.24.000.50B	RE-Y(S)Y	300/500V	24X0.5	7/0.31	14.7	274	36.7MΩ/KM
AN019.015.27.000.50B	RE-Y(S)Y	300/500V	27X0.5	7/0.31	15	282	36.7MΩ/KM
AN019.015.30.000.50B	RE-Y(S)Y	300/500V	30X0.5	7/0.31	15.7	318	36.7MΩ/KM
AN019.015.37.000.50B	RE-Y(S)Y	300/500V	37X0.5	7/0.31	16.9	372	36.7MΩ/KM
AN019.015.40.000.50B	RE-Y(S)Y	300/500V	40X0.5	7/0.31	17.6	372	36.7MΩ/KM
AN019.015.02.000.75B	RE-Y(S)Y	300/500V	2X0.75	7/0.37	6.5	51	25MΩ/KM
AN019.015.03.000.75B	RE-Y(S)Y	300/500V	3X0.75	7/0.37	6.9	62	25MΩ/KM
AN019.015.04.000.75B	RE-Y(S)Y	300/500V	4X0.75	7/0.37	7.4	74	25MΩ/KM
AN019.015.05.000.75B	RE-Y(S)Y	300/500V	5X0.75	7/0.37	8.1	96	25MΩ/KM
AN019.015.08.000.75B	RE-Y(S)Y	300/500V	8X0.75	7/0.37	9.7	126	25MΩ/KM
AN019.015.10.000.75B	RE-Y(S)Y	300/500V	10X0.75	7/0.37	11.1	156	25MΩ/KM
AN019.015.12.000.75B	RE-Y(S)Y	300/500V	12X0.75	7/0.37	11.5	183	25MΩ/KM
AN019.015.14.000.75B	RE-Y(S)Y	300/500V	14X0.75	7/0.37	12.2	200	25MΩ/KM
AN019.015.16.000.75B	RE-Y(S)Y	300/500V	16X0.75	7/0.37	12.9	224	25MΩ/KM
AN019.015.20.000.75B	RE-Y(S)Y	300/500V	20X0.75	7/0.37	14.3	284	25MΩ/KM
AN019.015.24.000.75B	RE-Y(S)Y	300/500V	24X0.75	7/0.37	16	324	25MΩ/KM
AN019.015.27.000.75B	RE-Y(S)Y	300/500V	27X0.75	7/0.37	16.3	363	25MΩ/KM
AN019.015.30.000.75B	RE-Y(S)Y	300/500V	30X0.75	7/0.37	16.9	396	25MΩ/KM
AN019.015.37.000.75B	RE-Y(S)Y	300/500V	37X0.75	7/0.37	18.2	472	25MΩ/KM
AN019.015.40.000.75B	RE-Y(S)Y	300/500V	40X0.75	7/0.37	19.1	514	25MΩ/KM
AN019.015.02.001.00B	RE-Y(S)Y	300/500V	2X1	7/0.43	6.9	61	18.5MΩ/KM
AN019.015.03.001.00B	RE-Y(S)Y	300/500V	3X1	7/0.43	7.3	70	18.5MΩ/KM
AN019.015.04.001.00B	RE-Y(S)Y	300/500V	4X1	7/0.43	7.9	85	18.5MΩ/KM
AN019.015.05.001.00B	RE-Y(S)Y	300/500V	5X1	7/0.43	8.6	109	18.5MΩ/KM
AN019.015.08.001.00B	RE-Y(S)Y	300/500V	8X1	7/0.43	10.3	157	18.5MΩ/KM
AN019.015.10.001.00B	RE-Y(S)Y	300/500V	10X1	7/0.43	11.9	193	18.5MΩ/KM
AN019.015.12.001.00B	RE-Y(S)Y	300/500V	12X1	7/0.43	12.2	214	18.5MΩ/KM
AN019.015.14.001.00B	RE-Y(S)Y	300/500V	14X1	7/0.43	13	243	18.5MΩ/KM
AN019.015.16.001.00B	RE-Y(S)Y	300/500V	16X1	7/0.43	13.7	280	18.5MΩ/KM
AN019.015.20.001.00B	RE-Y(S)Y	300/500V	20X1	7/0.43	15.2	336	18.5MΩ/KM



AN019.015.24.001.00B	RE-Y(S)Y	300/500V	24X1	7/0.43	17	414	18.5MΩ/KM
AN019.015.27.001.00B	RE-Y(S)Y	300/500V	27X1	7/0.43	17.4	443	18.5MΩ/KM
AN019.015.30.001.00B	RE-Y(S)Y	300/500V	30X1	7/0.43	18	484	18.5MΩ/KM
AN019.015.37.001.00B	RE-Y(S)Y	300/500V	37X1	7/0.43	19.6	590	18.5MΩ/KM
AN019.015.40.001.00B	RE-Y(S)Y	300/500V	40X1	7/0.43	20.4	631	18.5MΩ/KM
AN019.015.02.001.30B	RE-Y(S)Y	300/500V	2X1.3	7/0.48	7.4	69	14.2MΩ/KM
AN019.015.03.001.30B	RE-Y(S)Y	300/500V	3X1.3	7/0.48	7.9	83	14.2MΩ/KM
AN019.015.04.001.30B	RE-Y(S)Y	300/500V	4X1.3	7/0.48	8.5	105	14.2MΩ/KM
AN019.015.05.001.30B	RE-Y(S)Y	300/500V	5X1.3	7/0.48	9.5	135	14.2MΩ/KM
AN019.015.08.001.30B	RE-Y(S)Y	300/500V	8X1.3	7/0.48	11.2	186	14.2MΩ/KM
AN019.015.10.001.30B	RE-Y(S)Y	300/500V	10X1.3	7/0.48	13.2	228	14.2MΩ/KM
AN019.015.12.001.30B	RE-Y(S)Y	300/500V	12X1.3	7/0.48	13.6	269	14.2MΩ/KM
AN019.015.14.001.30B	RE-Y(S)Y	300/500V	14X1.3	7/0.48	14.3	305	14.2MΩ/KM
AN019.015.16.001.30B	RE-Y(S)Y	300/500V	16X1.3	7/0.48	15	351	14.2MΩ/KM
AN019.015.20.001.30B	RE-Y(S)Y	300/500V	20X1.3	7/0.48	16.9	423	14.2MΩ/KM
AN019.015.24.001.30B	RE-Y(S)Y	300/500V	24X1.3	7/0.48	18.7	507	14.2MΩ/KM
AN019.015.27.001.30B	RE-Y(S)Y	300/500V	27X1.3	7/0.48	19.3	558	14.2MΩ/KM
AN019.015.30.001.30B	RE-Y(S)Y	300/500V	30X1.3	7/0.48	20	611	14.2MΩ/KM
AN019.015.37.001.30B	RE-Y(S)Y	300/500V	37X1.3	7/0.48	21.6	743	14.2MΩ/KM
AN019.015.40.001.30B	RE-Y(S)Y	300/500V	40X1.3	7/0.48	22.7	796	14.2MΩ/KM
AN019.015.02.001.50B	RE-Y(S)Y	300/500V	2X1.5	7/0.52	7.7	78	12.3MΩ/KM
AN019.015.03.001.50B	RE-Y(S)Y	300/500V	3X1.5	7/0.52	8.1	98	12.3MΩ/KM
AN019.015.04.001.50B	RE-Y(S)Y	300/500V	4X1.5	7/0.52	8.8	120	12.3MΩ/KM
AN019.015.05.001.50B	RE-Y(S)Y	300/500V	5X1.5	7/0.52	9.8	153	12.3MΩ/KM
AN019.015.08.001.50B	RE-Y(S)Y	300/500V	8X1.5	7/0.52	11.6	218	12.3MΩ/KM
AN019.015.10.001.50B	RE-Y(S)Y	300/500V	10X1.5	7/0.52	13.7	268	12.3MΩ/KM
AN019.015.12.001.50B	RE-Y(S)Y	300/500V	12X1.5	7/0.52	14.1	315	12.3MΩ/KM
AN019.015.14.001.50B	RE-Y(S)Y	300/500V	14X1.5	7/0.52	14.8	341	12.3MΩ/KM
AN019.015.16.001.50B	RE-Y(S)Y	300/500V	16X1.5	7/0.52	15.6	392	12.3MΩ/KM
AN019.015.20.001.50B	RE-Y(S)Y	300/500V	20X1.5	7/0.52	17.6	484	12.3MΩ/KM
AN019.015.24.001.50B	RE-Y(S)Y	300/500V	24X1.5	7/0.52	19.6	579	12.3MΩ/KM
AN019.015.27.001.50B	RE-Y(S)Y	300/500V	27X1.5	7/0.52	20.1	626	12.3MΩ/KM
AN019.015.30.001.50B	RE-Y(S)Y	300/500V	30X1.5	7/0.52	20.8	685	12.3MΩ/KM
AN019.015.37.001.50B	RE-Y(S)Y	300/500V	37X1.5	7/0.52	22.6	834	12.3MΩ/KM
AN019.015.40.001.50B	RE-Y(S)Y	300/500V	40X1.5	7/0.52	23.6	898	12.3MΩ/KM
AN019.015.02.002.50B	RE-Y(S)Y	300/500V	2X2.5	7/0.67	8.9	111	7.4MΩ/KM
AN019.015.03.002.50B	RE-Y(S)Y	300/500V	3X2.5	7/0.67	9.7	132	7.4MΩ/KM
AN019.015.04.002.50B	RE-Y(S)Y	300/500V	4X2.5	7/0.67	10.5	169	7.4MΩ/KM
AN019.015.05.002.50B	RE-Y(S)Y	300/500V	5X2.5	7/0.67	11.9	209	7.4MΩ/KM
AN019.015.08.002.50B	RE-Y(S)Y	300/500V	8X2.5	7/0.67	13.9	321	7.4MΩ/KM
AN019.015.10.002.50B	RE-Y(S)Y	300/500V	10X2.5	7/0.67	16.3	386	7.4MΩ/KM
AN019.015.12.002.50B	RE-Y(S)Y	300/500V	12X2.5	7/0.67	16.9	447	7.4MΩ/KM



AN019.015.14.002.50B	RE-Y(S)Y	300/500V	14X2.5	7/0.67	17.7	509	7.4MΩ/KM
AN019.015.16.002.50B	RE-Y(S)Y	300/500V	16X2.5	7/0.67	18.9	585	7.4MΩ/KM
AN019.015.20.002.50B	RE-Y(S)Y	300/500V	20X2.5	7/0.67	21.1	712	7.4MΩ/KM
AN019.015.24.002.50B	RE-Y(S)Y	300/500V	24X2.5	7/0.67	23.6	855	7.4MΩ/KM
AN019.015.27.002.50B	RE-Y(S)Y	300/500V	27X2.5	7/0.67	24.1	956	7.4MΩ/KM
AN019.015.30.002.50B	RE-Y(S)Y	300/500V	30X2.5	7/0.67	25.2	1049	7.4MΩ/KM
AN019.015.37.002.50B	RE-Y(S)Y	300/500V	37X2.5	7/0.67	27.2	1277	7.4MΩ/KM
AN019.015.40.002.50B	RE-Y(S)Y	300/500V	40X2.5	7/0.67	28.5	1370	7.4MΩ/KM