



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻Ω/km
AN019.008.02.000.50B	RE-2Y(St)Y	300/500V	2X0.5	7/0.31	6.2	45	36.7M Ω /KM
AN019.008.03.000.50B	RE-2Y(St)Y	300/500V	3X0.5	7/0.31	6.5	53	36.7M Ω /KM
AN019.008.04.000.50B	RE-2Y(St)Y	300/500V	4X0.5	7/0.31	7	60	36.7M Ω /KM
AN019.008.05.000.50B	RE-2Y(St)Y	300/500V	5X0.5	7/0.31	7.6	71	36.7M Ω /KM
AN019.008.08.000.50B	RE-2Y(St)Y	300/500V	8X0.5	7/0.31	9.1	95	36.7M Ω /KM
AN019.008.10.000.50B	RE-2Y(St)Y	300/500V	10X0.5	7/0.31	10.4	122	36.7M Ω /KM
AN019.008.12.000.50B	RE-2Y(St)Y	300/500V	12X0.5	7/0.31	10.7	145	36.7M Ω /KM
AN019.008.14.000.50B	RE-2Y(St)Y	300/500V	14X0.5	7/0.31	11.3	162	36.7M Ω /KM
AN019.008.16.000.50B	RE-2Y(St)Y	300/500V	16X0.5	7/0.31	11.8	180	36.7M Ω /KM
AN019.008.20.000.50B	RE-2Y(St)Y	300/500V	20X0.5	7/0.31	13.3	214	36.7M Ω /KM
AN019.008.24.000.50B	RE-2Y(St)Y	300/500V	24X0.5	7/0.31	14.7	258	36.7M Ω /KM
AN019.008.27.000.50B	RE-2Y(St)Y	300/500V	27X0.5	7/0.31	15	282	36.7M Ω /KM
AN019.008.30.000.50B	RE-2Y(St)Y	300/500V	30X0.5	7/0.31	15.7	308	36.7M Ω /KM
AN019.008.37.000.50B	RE-2Y(St)Y	300/500V	37X0.5	7/0.31	16.9	372	36.7M Ω /KM
AN019.008.40.000.50B	RE-2Y(St)Y	300/500V	40X0.5	7/0.31	17.6	398	36.7M Ω /KM
AN019.008.02.000.75B	RE-2Y(St)Y	300/500V	2X0.75	7/0.37	6.5	0	25M Ω /KM
AN019.008.03.000.75B	RE-2Y(St)Y	300/500V	3X0.75	7/0.37	6.9	0	25M Ω /KM
AN019.008.04.000.75B	RE-2Y(St)Y	300/500V	4X0.75	7/0.37	7.4	0	25M Ω /KM
AN019.008.05.000.75B	RE-2Y(St)Y	300/500V	5X0.75	7/0.37	8.1	0	25M Ω /KM
AN019.008.08.000.75B	RE-2Y(St)Y	300/500V	8X0.75	7/0.37	9.7	0	25M Ω /KM
AN019.008.10.000.75B	RE-2Y(St)Y	300/500V	10X0.75	7/0.37	11.1	0	25M Ω /KM
AN019.008.12.000.75B	RE-2Y(St)Y	300/500V	12X0.75	7/0.37	11.5	0	25M Ω /KM
AN019.008.14.000.75B	RE-2Y(St)Y	300/500V	14X0.75	7/0.37	12.2	0	25M Ω /KM
AN019.008.16.000.75B	RE-2Y(St)Y	300/500V	16X0.75	7/0.37	12.9	0	25M Ω /KM
AN019.008.20.000.75B	RE-2Y(St)Y	300/500V	20X0.75	7/0.37	14.3	0	25M Ω /KM
AN019.008.24.000.75B	RE-2Y(St)Y	300/500V	24X0.75	7/0.37	16	0	25M Ω /KM
AN019.008.27.000.75B	RE-2Y(St)Y	300/500V	27X0.75	7/0.37	16.3	0	25M Ω /KM
AN019.008.30.000.75B	RE-2Y(St)Y	300/500V	30X0.75	7/0.37	16.9	0	25M Ω /KM
AN019.008.37.000.75B	RE-2Y(St)Y	300/500V	37X0.75	7/0.37	18.2	0	25M Ω /KM
AN019.008.40.000.75B	RE-2Y(St)Y	300/500V	40X0.75	7/0.37	19.1	0	25M Ω /KM
AN019.008.02.001.00B	RE-2Y(St)Y	300/500V	2X1	7/0.43	6.9	58	18.5M Ω /KM
AN019.008.03.001.00B	RE-2Y(St)Y	300/500V	3X1	7/0.43	7.3	70	18.5M Ω /KM
AN019.008.04.001.00B	RE-2Y(St)Y	300/500V	4X1	7/0.43	7.9	85	18.5M Ω /KM
AN019.008.05.001.00B	RE-2Y(St)Y	300/500V	5X1	7/0.43	8.6	98	18.5M Ω /KM
AN019.008.08.001.00B	RE-2Y(St)Y	300/500V	8X1	7/0.43	10.3	136	18.5M Ω /KM
AN019.008.10.001.00B	RE-2Y(St)Y	300/500V	10X1	7/0.43	11.9	194	18.5M Ω /KM
AN019.008.12.001.00B	RE-2Y(St)Y	300/500V	12X1	7/0.43	12.2	214	18.5M Ω /KM
AN019.008.14.001.00B	RE-2Y(St)Y	300/500V	14X1	7/0.43	13	243	18.5M Ω /KM



AN019.008.16.001.00B	RE-2Y(St)Y	300/500V	16X1	7/0.43	13.7	280	18.5MΩ/KM
AN019.008.20.001.00B	RE-2Y(St)Y	300/500V	20X1	7/0.43	15.2	336	18.5MΩ/KM
AN019.008.24.001.00B	RE-2Y(St)Y	300/500V	24X1	7/0.43	17	404	18.5MΩ/KM
AN019.008.27.001.00B	RE-2Y(St)Y	300/500V	27X1	7/0.43	17.4	443	18.5MΩ/KM
AN019.008.30.001.00B	RE-2Y(St)Y	300/500V	30X1	7/0.43	18	484	18.5MΩ/KM
AN019.008.37.001.00B	RE-2Y(St)Y	300/500V	37X1	7/0.43	19.6	590	18.5MΩ/KM
AN019.008.40.001.00B	RE-2Y(St)Y	300/500V	40X1	7/0.43	20.4	632	18.5MΩ/KM
AN019.008.02.001.30B	RE-2Y(St)Y	300/500V	2X1.3	7/0.48	7.4	72	14.2MΩ/KM
AN019.008.03.001.30B	RE-2Y(St)Y	300/500V	3X1.3	7/0.48	7.9	86	14.2MΩ/KM
AN019.008.04.001.30B	RE-2Y(St)Y	300/500V	4X1.3	7/0.48	8.5	105	14.2MΩ/KM
AN019.008.05.001.30B	RE-2Y(St)Y	300/500V	5X1.3	7/0.48	9.5	135	14.2MΩ/KM
AN019.008.08.001.30B	RE-2Y(St)Y	300/500V	8X1.3	7/0.48	11.2	176	14.2MΩ/KM
AN019.008.10.001.30B	RE-2Y(St)Y	300/500V	10X1.3	7/0.48	13.2	228	14.2MΩ/KM
AN019.008.12.001.30B	RE-2Y(St)Y	300/500V	12X1.3	7/0.48	13.6	269	14.2MΩ/KM
AN019.008.14.001.30B	RE-2Y(St)Y	300/500V	14X1.3	7/0.48	14.3	305	14.2MΩ/KM
AN019.008.16.001.30B	RE-2Y(St)Y	300/500V	16X1.3	7/0.48	15	351	14.2MΩ/KM
AN019.008.20.001.30B	RE-2Y(St)Y	300/500V	20X1.3	7/0.48	16.9	423	14.2MΩ/KM
AN019.008.24.001.30B	RE-2Y(St)Y	300/500V	24X1.3	7/0.48	18.7	507	14.2MΩ/KM
AN019.008.27.001.30B	RE-2Y(St)Y	300/500V	27X1.3	7/0.48	19.3	558	14.2MΩ/KM
AN019.008.30.001.30B	RE-2Y(St)Y	300/500V	30X1.3	7/0.48	20	611	14.2MΩ/KM
AN019.008.37.001.30B	RE-2Y(St)Y	300/500V	37X1.3	7/0.48	21.6	743	14.2MΩ/KM
AN019.008.40.001.30B	RE-2Y(St)Y	300/500V	40X1.3	7/0.48	22.7	796	14.2MΩ/KM
AN019.008.02.001.50B	RE-2Y(St)Y	300/500V	2X1.5	7/0.52	7.7	78	12.3MΩ/KM
AN019.008.03.001.50B	RE-2Y(St)Y	300/500V	3X1.5	7/0.52	8.1	94	12.3MΩ/KM
AN019.008.04.001.50B	RE-2Y(St)Y	300/500V	4X1.5	7/0.52	8.8	116	12.3MΩ/KM
AN019.008.05.001.50B	RE-2Y(St)Y	300/500V	5X1.5	7/0.52	9.8	149	12.3MΩ/KM
AN019.008.08.001.50B	RE-2Y(St)Y	300/500V	8X1.5	7/0.52	11.6	196	12.3MΩ/KM
AN019.008.10.001.50B	RE-2Y(St)Y	300/500V	10X1.5	7/0.52	13.7	261	12.3MΩ/KM
AN019.008.12.001.50B	RE-2Y(St)Y	300/500V	12X1.5	7/0.52	14.1	300	12.3MΩ/KM
AN019.008.14.001.50B	RE-2Y(St)Y	300/500V	14X1.5	7/0.52	14.8	340	12.3MΩ/KM
AN019.008.16.001.50B	RE-2Y(St)Y	300/500V	16X1.5	7/0.52	15.6	392	12.3MΩ/KM
AN019.008.20.001.50B	RE-2Y(St)Y	300/500V	20X1.5	7/0.52	17.6	474	12.3MΩ/KM
AN019.008.24.001.50B	RE-2Y(St)Y	300/500V	24X1.5	7/0.52	19.6	567	12.3MΩ/KM
AN019.008.27.001.50B	RE-2Y(St)Y	300/500V	27X1.5	7/0.52	20.1	625	12.3MΩ/KM
AN019.008.30.001.50B	RE-2Y(St)Y	300/500V	30X1.5	7/0.52	20.8	685	12.3MΩ/KM
AN019.008.37.001.50B	RE-2Y(St)Y	300/500V	37X1.5	7/0.52	22.6	834	12.3MΩ/KM
AN019.008.40.001.50B	RE-2Y(St)Y	300/500V	40X1.5	7/0.52	23.6	898	12.3MΩ/KM
AN019.008.02.002.50B	RE-2Y(St)Y	300/500V	2X2.5	7/0.67	8.9	113	7.4MΩ/KM
AN019.008.03.002.50B	RE-2Y(St)Y	300/500V	3X2.5	7/0.67	9.7	145	7.4MΩ/KM
AN019.008.04.002.50B	RE-2Y(St)Y	300/500V	4X2.5	7/0.67	10.5	178	7.4MΩ/KM



AN019.008.05.002.50B	RE-2Y(St)Y	300/500V	5X2.5	7/0.67	11.9	285	7.4MΩ/KM
AN019.008.08.002.50B	RE-2Y(St)Y	300/500V	8X2.5	7/0.67	13.9	376	7.4MΩ/KM
AN019.008.10.002.50B	RE-2Y(St)Y	300/500V	10X2.5	7/0.67	16.3	426	7.4MΩ/KM
AN019.008.12.002.50B	RE-2Y(St)Y	300/500V	12X2.5	7/0.67	16.9	537	7.4MΩ/KM
AN019.008.14.002.50B	RE-2Y(St)Y	300/500V	14X2.5	7/0.67	17.7	609	7.4MΩ/KM
AN019.008.16.002.50B	RE-2Y(St)Y	300/500V	16X2.5	7/0.67	18.9	711	7.4MΩ/KM
AN019.008.20.002.50B	RE-2Y(St)Y	300/500V	20X2.5	7/0.67	21.1	826	7.4MΩ/KM
AN019.008.24.002.50B	RE-2Y(St)Y	300/500V	24X2.5	7/0.67	23.6	930	7.4MΩ/KM
AN019.008.27.002.50B	RE-2Y(St)Y	300/500V	27X2.5	7/0.67	24.1	1040	7.4MΩ/KM
AN019.008.30.002.50B	RE-2Y(St)Y	300/500V	30X2.5	7/0.67	25.2	1142	7.4MΩ/KM
AN019.008.37.002.50B	RE-2Y(St)Y	300/500V	37X2.5	7/0.67	27.2	1392	7.4MΩ/KM
AN019.008.40.002.50B	RE-2Y(St)Y	300/500V	40X2.5	7/0.67	28.5	1494	7.4MΩ/KM