



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻Ω/km
ANO19.023.01.03.000.50B	RE-2X(St)HSAWAH	300/300V	1x3x0.50	7/0.31	9.8	200	36.7M Ω/KM
ANO19.023.01.03.000.75B	RE-2X(St)HSAWAH	300/300V	1x3x0.75	7/0.37	10.5	220	25M Ω/KM
ANO19.023.01.03.001.00B	RE-2X(St)HSAWAH	300/300V	1x3x1.0	7/0.43	11	244	18.5M Ω/KM
ANO19.023.01.03.001.30B	RE-2X(St)HSAWAH	300/300V	1x3x1.3	7/0.48	11.6	268	14.2M Ω/KM
ANO19.023.01.03.001.50B	RE-2X(St)HSAWAH	300/300V	1x3x1.5	7/0.52	11.9	293	12.3M Ω/KM
ANO19.023.02.03.000.50B	RE-2X(St)HSAWAH	300/300V	2x3x0.5	7/0.31	13	326	36.7M Ω/KM
ANO19.023.04.03.000.50B	RE-2X(St)HSAWAH	300/300V	4x3x0.5	7/0.31	14.4	386	36.7M Ω/KM
ANO19.023.05.03.000.50B	RE-2X(St)HSAWAH	300/300V	5x3x0.5	7/0.31	15.4	454	36.7M Ω/KM
ANO19.023.06.03.000.50B	RE-2X(St)HSAWAH	300/300V	6x3x0.5	7/0.31	16.7	513	36.7M Ω/KM
ANO19.023.08.03.000.50B	RE-2X(St)HSAWAH	300/300V	8x3x0.5	7/0.31	17.9	570	36.7M Ω/KM
ANO19.023.10.03.000.50B	RE-2X(St)HSAWAH	300/300V	10x3x0.5	7/0.31	19.5	658	36.7M Ω/KM
ANO19.023.12.02.000.50B	RE-2X(St)HSAWAH	300/300V	12x3x0.5	7/0.31	20	844	36.7M Ω/KM
ANO19.023.16.03.000.50B	RE-2X(St)HSAWAH	300/300V	16x3x0.5	7/0.31	22.4	1001	36.7M Ω/KM
ANO19.023.20.03.000.50B	RE-2X(St)HSAWAH	300/300V	20x3x0.5	7/0.31	24.8	1177	36.7M Ω/KM
ANO19.023.24.03.000.50B	RE-2X(St)HSAWAH	300/300V	24x3x0.5	7/0.31	26.8	1327	36.7M Ω/KM
ANO19.023.02.03.000.75B	RE-2X(St)HSAWAH	300/300V	2x3x0.75	7/0.37	13.9	369	25M Ω/KM
ANO19.023.04.03.000.75B	RE-2X(St)HSAWAH	300/300V	4x3x0.75	7/0.37	15.5	462	25M Ω/KM
ANO19.023.05.03.000.75B	RE-2X(St)HSAWAH	300/300V	5x3x0.75	7/0.37	16.6	526	25M Ω/KM
ANO19.023.06.03.000.75B	RE-2X(St)HSAWAH	300/300V	6x3x0.75	7/0.37	18.5	614	25M Ω/KM
ANO19.023.08.03.000.75B	RE-2X(St)HSAWAH	300/300V	8x3x0.75	7/0.37	19.5	697	25M Ω/KM
ANO19.023.10.03.000.75B	RE-2X(St)HSAWAH	300/300V	10x3x0.75	7/0.37	21.5	918	25M Ω/KM
ANO19.023.12.02.000.75B	RE-2X(St)HSAWAH	300/300V	12x3x0.75	7/0.37	22.3	1027	25M Ω/KM
ANO19.023.16.03.000.75B	RE-2X(St)HSAWAH	300/300V	16x3x0.75	7/0.37	25.4	1237	25M Ω/KM
ANO19.023.20.03.000.75B	RE-2X(St)HSAWAH	300/300V	20x3x0.75	7/0.37	27.6	1443	25M Ω/KM
ANO19.023.24.03.000.75B	RE-2X(St)HSAWAH	300/300V	24x3x0.75	7/0.37	29.6	1628	25M Ω/KM
ANO19.023.02.03.001.00B	RE-2X(St)HSAWAH	300/300V	2x3x1	7/0.43	15	403	18.5M Ω/KM
ANO19.023.04.03.001.00B	RE-2X(St)HSAWAH	300/300V	4x3x1	7/0.43	16.5	528	18.5M Ω/KM
ANO19.023.05.03.001.00B	RE-2X(St)HSAWAH	300/300V	5x3x1	7/0.43	18	619	18.5M Ω/KM
ANO19.023.06.03.001.00B	RE-2X(St)HSAWAH	300/300V	6x3x1	7/0.43	19.8	829	18.5M Ω/KM
ANO19.023.08.03.001.00B	RE-2X(St)HSAWAH	300/300V	8x3x1	7/0.43	20.9	945	18.5M Ω/KM
ANO19.023.10.03.001.00B	RE-2X(St)HSAWAH	300/300V	10x3x1	7/0.43	24.1	1074	18.5M Ω/KM
ANO19.023.12.02.001.00B	RE-2X(St)HSAWAH	300/300V	12x3x1	7/0.43	24.7	1212	18.5M Ω/KM
ANO19.023.16.03.001.00B	RE-2X(St)HSAWAH	300/300V	16x3x1	7/0.43	27.6	1478	18.5M Ω/KM
ANO19.023.20.03.001.00B	RE-2X(St)HSAWAH	300/300V	20x3x1	7/0.43	30	1736	18.5M Ω/KM
ANO19.023.24.03.001.00B	RE-2X(St)HSAWAH	300/300V	24x3x1	7/0.43	32.2	2197	18.5M Ω/KM
ANO19.023.02.03.001.30B	RE-2X(St)HSAWAH	300/300V	2x3x1,3	7/0.48	16.1	488	14.2M Ω/KM
ANO19.023.04.03.001.30B	RE-2X(St)HSAWAH	300/500V	4x3x1,3	7/0.48	18.2	620	14.2M Ω/KM
ANO19.023.05.03.001.30B	RE-2X(St)HSAWAH	300/300V	5x3x1,3	7/0.48	19.6	720	14.2M Ω/KM
ANO19.023.06.03.001.30B	RE-2X(St)HSAWAH	300/300V	6x3x1,3	7/0.48	21.7	952	14.2M Ω/KM



ANO19.023.08.03.001.30B	RE-2X(St)HSWAH	300/300V	8x3x1,3	7/0.48	23.8	1076	14.2MΩ/KM
ANO19.023.10.03.001.30B	RE-2X(St)HSWAH	300/300V	10x3x1,3	7/0.48	26.6	1320	14.2MΩ/KM
ANO19.023.12.02.001.30B	RE-2X(St)HSWAH	300/300V	12x3x1,3	7/0.48	27.3	1454	14.2MΩ/KM
ANO19.023.16.03.001.30B	RE-2X(St)HSWAH	300/300V	16x3x1,3	7/0.48	30.5	1785	14.2MΩ/KM
ANO19.023.20.03.001.30B	RE-2X(St)HSWAH	300/300V	20x3x1,3	7/0.48	33.2	2323	14.2MΩ/KM
ANO19.023.24.03.001.30B	RE-2X(St)HSWAH	300/300V	24x3x1,3	7/0.48	36.6	2633	14.2MΩ/KM
ANO19.023.02.03.001.50B	RE-2X(St)HSWAH	300/300V	2x3x1,5	7/0.52	16.5	491	12.3MΩ/KM
ANO19.023.04.03.001.50B	RE-2X(St)HSWAH	300/300V	4x3x1,5	7/0.52	18.8	673	12.3MΩ/KM
ANO19.023.05.03.001.50B	RE-2X(St)HSWAH	300/300V	5x3x1,5	7/0.52	20.2	894	12.3MΩ/KM
ANO19.023.06.03.001.50B	RE-2X(St)HSWAH	300/300V	6x3x1,5	7/0.52	22.6	1021	12.3MΩ/KM
ANO19.023.08.03.001.50B	RE-2X(St)HSWAH	300/300V	8x3x1,5	7/0.52	24.8	1208	12.3MΩ/KM
ANO19.023.10.03.001.50B	RE-2X(St)HSWAH	300/300V	10x3x1,5	7/0.52	27.5	1433	12.3MΩ/KM
ANO19.023.12.02.001.50B	RE-2X(St)HSWAH	300/300V	12x3x1,5	7/0.52	28.4	1565	12.3MΩ/KM
ANO19.023.16.03.001.50B	RE-2X(St)HSWAH	300/300V	16x3x1,5	7/0.52	31.8	2157	12.3MΩ/KM
ANO19.023.20.03.001.50B	RE-2X(St)HSWAH	300/300V	20x3x1,5	7/0.52	34.9	2510	12.3MΩ/KM
ANO19.023.24.03.001.50B	RE-2X(St)HSWAH	300/300V	24x3x1,5	7/0.52	38.3	2873	12.3MΩ/KM
ANO19.023.01.02.000.50B	RE-2X(St)HSWAH	300/300V	1x2x0.50	7/0.31	9.6	179	36.7MΩ/KM
ANO19.023.01.02.000.75B	RE-2X(St)HSWAH	300/300V	1x2x0.75	7/0.37	10	199	25MΩ/KM
ANO19.023.01.02.001.00B	RE-2X(St)HSWAH	300/300V	1x2x1.0	7/0.43	10.7	220	18.5MΩ/KM
ANO19.023.01.02.001.30B	RE-2X(St)HSWAH	300/300V	1x2x1.3	7/0.48	11.2	241	14.2MΩ/KM
ANO19.023.01.02.001.50B	RE-2X(St)HSWAH	300/300V	1x2x1.5	7/0.52	11.5	259	12.3MΩ/KM
ANO19.023.02.02.000.50B	RE-2X(St)HSWAH	300/300V	2x2x0.5	7/0.31	12	269	36.7MΩ/KM
ANO19.023.03.02.000.50B	RE-2X(St)HSWAH	300/300V	3x2x0.5	7/0.31	13.4	325	36.7MΩ/KM
ANO19.023.04.02.000.50B	RE-2X(St)HSWAH	300/300V	4x2x0.5	7/0.31	14.4	375	36.7MΩ/KM
ANO19.023.05.02.000.50B	RE-2X(St)HSWAH	300/300V	5x2x0.5	7/0.31	15.2	423	36.7MΩ/KM
ANO19.023.08.02.000.50B	RE-2X(St)HSWAH	300/300V	8x2x0.5	7/0.31	15.9	473	36.7MΩ/KM
ANO19.023.10.02.000.50B	RE-2X(St)HSWAH	300/300V	10x2x0.5	7/0.31	17.7	521	36.7MΩ/KM
ANO19.023.12.02.000.50B	RE-2X(St)HSWAH	300/300V	12x2x0.5	7/0.31	18.3	592	36.7MΩ/KM
ANO19.023.16.02.000.50B	RE-2X(St)HSWAH	300/300V	16x2x0.5	7/0.31	20	823	36.7MΩ/KM
ANO19.023.20.02.000.50B	RE-2X(St)HSWAH	300/300V	20x2x0.5	7/0.31	21.9	920	36.7MΩ/KM
ANO19.023.24.02.000.50B	RE-2X(St)HSWAH	300/300V	24x2x0.5	7/0.31	24	1028	36.7MΩ/KM
ANO19.023.02.02.000.75B	RE-2X(St)HSWAH	300/300V	2x2x0.75	7/0.37	13.1	308	25MΩ/KM
ANO19.023.03.02.000.75B	RE-2X(St)HSWAH	300/300V	3x2x0.75	7/0.37	14.6	371	25MΩ/KM
ANO19.023.04.02.000.75B	RE-2X(St)HSWAH	300/300V	4x2x0.75	7/0.37	15.5	436	25MΩ/KM
ANO19.023.05.02.000.75B	RE-2X(St)HSWAH	300/300V	5x2x0.75	7/0.37	16.4	495	25MΩ/KM
ANO19.023.08.02.000.75B	RE-2X(St)HSWAH	300/300V	8x2x0.75	7/0.37	17.6	533	25MΩ/KM
ANO19.023.10.02.000.75B	RE-2X(St)HSWAH	300/300V	10x2x0.75	7/0.37	19.3	637	25MΩ/KM
ANO19.023.12.02.000.75B	RE-2X(St)HSWAH	300/300V	12x2x0.75	7/0.37	19.9	825	25MΩ/KM
ANO19.023.16.02.000.75B	RE-2X(St)HSWAH	300/300V	16x2x0.75	7/0.37	22.3	965	25MΩ/KM
ANO19.023.20.02.000.75B	RE-2X(St)HSWAH	300/300V	20x2x0.75	7/0.37	24.9	1116	25MΩ/KM
ANO19.023.24.02.000.75B	RE-2X(St)HSWAH	300/300V	24x2x0.75	7/0.37	26.7	1257	25MΩ/KM
ANO19.023.02.02.001.00B	RE-2X(St)HSWAH	300/300V	2x2x1.0	7/0.43	13.8	336	18.5MΩ/KM



ANO19.023.03.02.001.00B	RE-2X(St)HSAWAH	300/300V	3x2x1.0	7/0.43	15.5	436	18.5MΩ/KM
ANO19.023.04.02.001.00B	RE-2X(St)HSAWAH	300/300V	4x2x1.0	7/0.43	16.5	494	18.5MΩ/KM
ANO19.023.05.02.001.00B	RE-2X(St)HSAWAH	300/300V	5x2x1.0	7/0.43	17.6	550	18.5MΩ/KM
ANO19.023.08.02.001.00B	RE-2X(St)HSAWAH	300/300V	8x2x1.0	7/0.43	18.8	633	18.5MΩ/KM
ANO19.023.10.02.001.00B	RE-2X(St)HSAWAH	300/300V	10x2x1.0	7/0.43	20.7	859	18.5MΩ/KM
ANO19.023.12.02.001.00B	RE-2X(St)HSAWAH	300/300V	12x2x1.0	7/0.43	21.6	972	18.5MΩ/KM
ANO19.023.16.02.001.00B	RE-2X(St)HSAWAH	300/300V	16x2x1.0	7/0.43	24.7	1171	18.5MΩ/KM
ANO19.023.20.02.001.00B	RE-2X(St)HSAWAH	300/300V	20x2x1.0	7/0.43	27	1316	18.5MΩ/KM
ANO19.023.24.02.001.00B	RE-2X(St)HSAWAH	300/300V	24x2x1.0	7/0.43	29	1520	18.5MΩ/KM
ANO19.023.02.02.001.30B	RE-2X(St)HSAWAH	300/300V	2x2x1.3	7/0.48	15	382	14.2MΩ/KM
ANO19.023.03.02.001.30B	RE-2X(St)HSAWAH	300/300V	3x2x1.3	7/0.48	16.6	510	14.2MΩ/KM
ANO19.023.04.02.001.30B	RE-2X(St)HSAWAH	300/300V	4x2x1.3	7/0.48	18.2	595	14.2MΩ/KM
ANO19.023.05.02.001.30B	RE-2X(St)HSAWAH	300/300V	5x2x1.3	7/0.48	19.4	657	14.2MΩ/KM
ANO19.023.08.02.001.30B	RE-2X(St)HSAWAH	300/300V	8x2x1.3	7/0.48	20.5	869	14.2MΩ/KM
ANO19.023.10.02.001.30B	RE-2X(St)HSAWAH	300/300V	10x2x1.3	7/0.48	23.6	1011	14.2MΩ/KM
ANO19.023.12.02.001.30B	RE-2X(St)HSAWAH	300/300V	12x2x1.3	7/0.48	24.6	1110	14.2MΩ/KM
ANO19.023.16.02.001.30B	RE-2X(St)HSAWAH	300/300V	16x2x1.3	7/0.48	27.3	1361	14.2MΩ/KM
ANO19.023.20.02.001.30B	RE-2X(St)HSAWAH	300/300V	20x2x1.3	7/0.48	29.9	1599	14.2MΩ/KM
ANO19.023.24.02.001.30B	RE-2X(St)HSAWAH	300/300V	24x2x1.3	7/0.48	32	1960	14.2MΩ/KM
ANO19.023.02.02.001.50B	RE-2X(St)HSAWAH	300/300V	2x2x1.5	7/0.52	15.4	419	12.3MΩ/KM
ANO19.023.03.02.001.50B	RE-2X(St)HSAWAH	300/300V	3x2x1.5	7/0.52	17.5	544	12.3MΩ/KM
ANO19.023.04.02.001.50B	RE-2X(St)HSAWAH	300/300V	4x2x1.5	7/0.52	18.8	627	12.3MΩ/KM
ANO19.023.05.02.001.50B	RE-2X(St)HSAWAH	300/300V	5x2x1.5	7/0.52	20	833	12.3MΩ/KM
ANO19.023.08.02.001.50B	RE-2X(St)HSAWAH	300/300V	8x2x1.5	7/0.52	21.4	943	12.3MΩ/KM
ANO19.023.10.02.001.50B	RE-2X(St)HSAWAH	300/300V	10x2x1.5	7/0.52	24.5	1095	12.3MΩ/KM
ANO19.023.12.02.001.50B	RE-2X(St)HSAWAH	300/300V	12x2x1.5	7/0.52	25.6	1197	12.3MΩ/KM
ANO19.023.16.02.001.50B	RE-2X(St)HSAWAH	300/300V	16x2x1.5	7/0.52	28.4	1511	12.3MΩ/KM
ANO19.023.20.02.001.50B	RE-2X(St)HSAWAH	300/300V	20x2x1.5	7/0.52	31.1	1968	12.3MΩ/KM
ANO19.023.24.02.001.50B	RE-2X(St)HSAWAH	300/300V	24x2x1.5	7/0.52	33.2	2247	12.3MΩ/KM