



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻Ω/km
UL2517&UL1569 (PVC)							
ANM04.004.02.028AB	UL2517	300V	2X2X28AWG	11/0.1	7.3	73.89	223 Ω/km
ANM04.004.03.028AB	UL2517	300V	3X2X28AWG	11/0.1	7.6	80.89	223 Ω/km
ANM04.004.04.028AB	UL2517	300V	4X2X28AWG	11/0.1	8.1	92.29	223 Ω/km
ANM04.004.05.028AB	UL2517	300V	5X2X28AWG	11/0.1	8.8	108.79	223 Ω/km
ANM04.004.06.028AB	UL2517	300V	6X2X28AWG	11/0.1	9.4	123.99	223 Ω/km
ANM04.004.07.028AB	UL2517	300V	7X2X28AWG	11/0.1	9.4	125.19	223 Ω/km
ANM04.004.08.028AB	UL2517	300V	8X2X28AWG	11/0.1	10	141.19	223 Ω/km
ANM04.004.09.028AB	UL2517	300V	9X2X28AWG	11/0.1	10.9	166.49	223 Ω/km
ANM04.004.10.028AB	UL2517	300V	10X2X28AWG	11/0.1	11.5	184.69	223 Ω/km
ANM04.004.11.028AB	UL2517	300V	11X2X28AWG	11/0.1	11.8	194.69	223 Ω/km
ANM04.004.12.028AB	UL2517	300V	12X2X28AWG	11/0.1	11.8	195.89	223 Ω/km
ANM04.004.13.028AB	UL2517	300V	13X2X28AWG	11/0.1	12.4	215.39	223 Ω/km
ANM04.004.14.028AB	UL2517	300V	14X2X28AWG	11/0.1	12.4	216.59	223 Ω/km
ANM04.004.15.028AB	UL2517	300V	15X2X28AWG	11/0.1	13	236.89	223 Ω/km
ANM04.004.16.028AB	UL2517	300V	16X2X28AWG	11/0.1	13	238.09	223 Ω/km
ANM04.004.17.028AB	UL2517	300V	17X2X28AWG	11/0.1	13.7	262.79	223 Ω/km
ANM04.004.18.028AB	UL2517	300V	18X2X28AWG	11/0.1	13.7	264.09	223 Ω/km
ANM04.004.19.028AB	UL2517	300V	19X2X28AWG	11/0.1	13.7	265.19	223 Ω/km
ANM04.004.20.028AB	UL2517	300V	20X2X28AWG	11/0.1	14	276.79	223 Ω/km
ANM04.004.21.028AB	UL2517	300V	21X2X28AWG	11/0.1	14.3	288.69	223 Ω/km
ANM04.004.22.028AB	UL2517	300V	22X2X28AWG	11/0.1	15.2	323.19	223 Ω/km
ANM04.004.23.028AB	UL2517	300V	23X2X28AWG	11/0.1	15.8	347.69	223 Ω/km
ANM04.004.24.028AB	UL2517	300V	24X2X28AWG	11/0.1	15.8	348.99	223 Ω/km
ANM04.004.25.028AB	UL2517	300V	25X2X28AWG	11/0.1	16.2	366.19	223 Ω/km
ANM04.004.26.028AB	UL2517	300V	26X2X28AWG	11/0.1	16.2	367.39	223 Ω/km
ANM04.004.27.028AB	UL2517	300V	27X2X28AWG	11/0.1	16.2	368.49	223 Ω/km
ANM04.004.28.028AB	UL2517	300V	28X2X28AWG	11/0.1	16.7	390.19	223 Ω/km
ANM04.004.29.028AB	UL2517	300V	29X2X28AWG	11/0.1	16.7	391.29	223 Ω/km
ANM04.004.30.028AB	UL2517	300V	30X2X28AWG	11/0.1	16.7	392.49	223 Ω/km
ANM04.004.31.028AB	UL2517	300V	31X2X28AWG	11/0.1	17.3	419.29	223 Ω/km
ANM04.004.32.028AB	UL2517	300V	32X2X28AWG	11/0.1	17.3	420.39	223 Ω/km
ANM04.004.33.028AB	UL2517	300V	33X2X28AWG	11/0.1	17.3	421.49	223 Ω/km
ANM04.004.34.028AB	UL2517	300V	34X2X28AWG	11/0.1	17.9	448.99	223 Ω/km
ANM04.004.35.028AB	UL2517	300V	35X2X28AWG	11/0.1	17.9	450.09	223 Ω/km
ANM04.004.36.028AB	UL2517	300V	36X2X28AWG	11/0.1	17.9	451.29	223 Ω/km
ANM04.004.37.028AB	UL2517	300V	37X2X28AWG	11/0.1	17.9	452.39	223 Ω/km
ANM04.004.38.028AB	UL2517	300V	38X2X28AWG	11/0.1	18.6	485.49	223 Ω/km
ANM04.004.39.028AB	UL2517	300V	39X2X28AWG	11/0.1	18.6	486.59	223 Ω/km
ANM04.004.40.028AB	UL2517	300V	40X2X28AWG	11/0.1	18.6	487.79	223 Ω/km
ANM04.004.41.028AB	UL2517	300V	41X2X28AWG	11/0.1	21	604.89	223 Ω/km



ANM04.004.42.028AB	UL2517	300V	42X2X28AWG	11/0.1	21	606.09	223 Ω/km
ANM04.004.43.028AB	UL2517	300V	43X2X28AWG	11/0.1	21	607.19	223 Ω/km
ANM04.004.44.028AB	UL2517	300V	44X2X28AWG	11/0.1	21	608.29	223 Ω/km
ANM04.004.45.028AB	UL2517	300V	45X2X28AWG	11/0.1	21.4	630.49	223 Ω/km
ANM04.004.46.028AB	UL2517	300V	46X2X28AWG	11/0.1	21.4	631.59	223 Ω/km
ANM04.004.47.028AB	UL2517	300V	47X2X28AWG	11/0.1	21.4	632.69	223 Ω/km
ANM04.004.48.028AB	UL2517	300V	48X2X28AWG	11/0.1	21.4	633.89	223 Ω/km
ANM04.004.49.028AB	UL2517	300V	49X2X28AWG	11/0.1	21.9	661.89	223 Ω/km
ANM04.004.50.028AB	UL2517	300V	50X2X28AWG	11/0.1	21.9	663.09	223 Ω/km
ANM04.004.51.028AB	UL2517	300V	51X2X28AWG	11/0.1	21.9	664.19	223 Ω/km
ANM04.004.52.028AB	UL2517	300V	52X2X28AWG	11/0.1	21.9	665.39	223 Ω/km
ANM04.004.53.028AB	UL2517	300V	53X2X28AWG	11/0.1	22.5	699.79	223 Ω/km
ANM04.004.54.028AB	UL2517	300V	54X2X28AWG	11/0.1	22.5	700.89	223 Ω/km
ANM04.004.55.028AB	UL2517	300V	55X2X28AWG	11/0.1	22.5	701.99	223 Ω/km
ANM04.004.56.028AB	UL2517	300V	56X2X28AWG	11/0.1	22.5	703.09	223 Ω/km
ANM04.004.57.028AB	UL2517	300V	57X2X28AWG	11/0.1	23.2	743.89	223 Ω/km
ANM04.004.58.028AB	UL2517	300V	58X2X28AWG	11/0.1	23.2	744.99	223 Ω/km
ANM04.004.59.028AB	UL2517	300V	59X2X28AWG	11/0.1	23.2	746.19	223 Ω/km
ANM04.004.60.028AB	UL2517	300V	60X2X28AWG	11/0.1	23.2	747.39	223 Ω/km
ANM04.004.61.028AB	UL2517	300V	61X2X28AWG	11/0.1	23.2	748.49	223 Ω/km
ANM04.004.62.028AB	UL2517	300V	62X2X28AWG	11/0.1	23.8	784.49	223 Ω/km
ANM04.004.63.028AB	UL2517	300V	63X2X28AWG	11/0.1	23.8	785.59	223 Ω/km
ANM04.004.64.028AB	UL2517	300V	64X2X28AWG	11/0.1	23.8	786.69	223 Ω/km
ANM04.004.65.028AB	UL2517	300V	65X2X28AWG	11/0.1	23.8	787.89	223 Ω/km
ANM04.004.02.027AB	UL2517	300V	2X2X27AWG	7/0.14	7.6	79.91	175 Ω/km
ANM04.004.03.027AB	UL2517	300V	3X2X27AWG	7/0.14	8	89.31	175 Ω/km
ANM04.004.04.027AB	UL2517	300V	4X2X27AWG	7/0.14	8.6	103.51	175 Ω/km
ANM04.004.05.027AB	UL2517	300V	5X2X27AWG	7/0.14	9.2	118.61	175 Ω/km
ANM04.004.06.027AB	UL2517	300V	6X2X27AWG	7/0.14	9.9	137.01	175 Ω/km
ANM04.004.07.027AB	UL2517	300V	7X2X27AWG	7/0.14	9.9	138.21	175 Ω/km
ANM04.004.08.027AB	UL2517	300V	8X2X27AWG	7/0.14	10.6	157.81	175 Ω/km
ANM04.004.09.027AB	UL2517	300V	9X2X27AWG	7/0.14	11.5	184.51	175 Ω/km
ANM04.004.10.027AB	UL2517	300V	10X2X27AWG	7/0.14	12.2	206.91	175 Ω/km
ANM04.004.11.027AB	UL2517	300V	11X2X27AWG	7/0.14	12.6	220.71	175 Ω/km
ANM04.004.12.027AB	UL2517	300V	12X2X27AWG	7/0.14	12.6	222.01	175 Ω/km
ANM04.004.13.027AB	UL2517	300V	13X2X27AWG	7/0.14	13.3	246.21	175 Ω/km
ANM04.004.14.027AB	UL2517	300V	14X2X27AWG	7/0.14	13.3	247.41	175 Ω/km
ANM04.004.15.027AB	UL2517	300V	15X2X27AWG	7/0.14	13.9	269.31	175 Ω/km
ANM04.004.16.027AB	UL2517	300V	16X2X27AWG	7/0.14	13.9	270.51	175 Ω/km
ANM04.004.17.027AB	UL2517	300V	17X2X27AWG	7/0.14	14.6	297.01	175 Ω/km
ANM04.004.18.027AB	UL2517	300V	18X2X27AWG	7/0.14	14.6	298.21	175 Ω/km
ANM04.004.19.027AB	UL2517	300V	19X2X27AWG	7/0.14	14.6	299.51	175 Ω/km



ANM04.004.20.027AB	UL2517	300V	20X2X27AWG	7/0.14	15	315.61	175 Ω/km
ANM04.004.21.027AB	UL2517	300V	21X2X27AWG	7/0.14	15.3	328.41	175 Ω/km
ANM04.004.22.027AB	UL2517	300V	22X2X27AWG	7/0.14	16.2	365.21	175 Ω/km
ANM04.004.23.027AB	UL2517	300V	23X2X27AWG	7/0.14	16.9	395.51	175 Ω/km
ANM04.004.24.027AB	UL2517	300V	24X2X27AWG	7/0.14	16.9	396.71	175 Ω/km
ANM04.004.25.027AB	UL2517	300V	25X2X27AWG	7/0.14	17.2	410.81	175 Ω/km
ANM04.004.26.027AB	UL2517	300V	26X2X27AWG	7/0.14	17.2	412.01	175 Ω/km
ANM04.004.27.027AB	UL2517	300V	27X2X27AWG	7/0.14	17.2	413.21	175 Ω/km
ANM04.004.28.027AB	UL2517	300V	28X2X27AWG	7/0.14	17.8	440.81	175 Ω/km
ANM04.004.29.027AB	UL2517	300V	29X2X27AWG	7/0.14	17.8	442.11	175 Ω/km
ANM04.004.30.027AB	UL2517	300V	30X2X27AWG	7/0.14	17.8	443.31	175 Ω/km
ANM04.004.31.027AB	UL2517	300V	31X2X27AWG	7/0.14	18.5	476.41	175 Ω/km
ANM04.004.32.027AB	UL2517	300V	32X2X27AWG	7/0.14	18.5	477.61	175 Ω/km
ANM04.004.33.027AB	UL2517	300V	33X2X27AWG	7/0.14	18.5	478.91	175 Ω/km
ANM04.004.34.027AB	UL2517	300V	34X2X27AWG	7/0.14	19.2	513.11	175 Ω/km
ANM04.004.35.027AB	UL2517	300V	35X2X27AWG	7/0.14	19.2	514.31	175 Ω/km
ANM04.004.36.027AB	UL2517	300V	36X2X27AWG	7/0.14	19.2	515.51	175 Ω/km
ANM04.004.37.027AB	UL2517	300V	37X2X27AWG	7/0.14	19.2	516.91	175 Ω/km
ANM04.004.38.027AB	UL2517	300V	38X2X27AWG	7/0.14	20.9	600.61	175 Ω/km
ANM04.004.39.027AB	UL2517	300V	39X2X27AWG	7/0.14	20.9	601.81	175 Ω/km
ANM04.004.40.027AB	UL2517	300V	40X2X27AWG	7/0.14	20.9	603.01	175 Ω/km
ANM04.004.41.027AB	UL2517	300V	41X2X27AWG	7/0.14	22.5	690.61	175 Ω/km
ANM04.004.42.027AB	UL2517	300V	42X2X27AWG	7/0.14	22.5	691.81	175 Ω/km
ANM04.004.43.027AB	UL2517	300V	43X2X27AWG	7/0.14	22.5	693.01	175 Ω/km
ANM04.004.44.027AB	UL2517	300V	44X2X27AWG	7/0.14	22.5	694.21	175 Ω/km
ANM04.004.45.027AB	UL2517	300V	45X2X27AWG	7/0.14	22.8	712.31	175 Ω/km
ANM04.004.46.027AB	UL2517	300V	46X2X27AWG	7/0.14	22.8	713.61	175 Ω/km
ANM04.004.47.027AB	UL2517	300V	47X2X27AWG	7/0.14	22.8	714.81	175 Ω/km
ANM04.004.48.027AB	UL2517	300V	48X2X27AWG	7/0.14	22.8	716.11	175 Ω/km
ANM04.004.49.027AB	UL2517	300V	49X2X27AWG	7/0.14	23.4	751.81	175 Ω/km
ANM04.004.50.027AB	UL2517	300V	50X2X27AWG	7/0.14	23.4	753.01	175 Ω/km
ANM04.004.51.027AB	UL2517	300V	51X2X27AWG	7/0.14	23.4	754.21	175 Ω/km
ANM04.004.52.027AB	UL2517	300V	52X2X27AWG	7/0.14	23.4	755.41	175 Ω/km
ANM04.004.53.027AB	UL2517	300V	53X2X27AWG	7/0.14	24.1	798.01	175 Ω/km
ANM04.004.54.027AB	UL2517	300V	54X2X27AWG	7/0.14	24.1	799.21	175 Ω/km
ANM04.004.55.027AB	UL2517	300V	55X2X27AWG	7/0.14	24.1	800.51	175 Ω/km
ANM04.004.56.027AB	UL2517	300V	56X2X27AWG	7/0.14	24.1	801.71	175 Ω/km
ANM04.004.57.027AB	UL2517	300V	57X2X27AWG	7/0.14	24.7	839.21	175 Ω/km
ANM04.004.58.027AB	UL2517	300V	58X2X27AWG	7/0.14	24.7	840.51	175 Ω/km
ANM04.004.59.027AB	UL2517	300V	59X2X27AWG	7/0.14	24.7	841.71	175 Ω/km
ANM04.004.60.027AB	UL2517	300V	60X2X27AWG	7/0.14	24.7	842.91	175 Ω/km
ANM04.004.61.027AB	UL2517	300V	61X2X27AWG	7/0.14	24.7	844.11	175 Ω/km



ANM04.004.62.027AB	UL2517	300V	62X2X27AWG	7/0.14	25.4	888.81	175 Ω/km
ANM04.004.63.027AB	UL2517	300V	63X2X27AWG	7/0.14	25.4	890.01	175 Ω/km
ANM04.004.64.027AB	UL2517	300V	64X2X27AWG	7/0.14	25.4	891.31	175 Ω/km
ANM04.004.65.027AB	UL2517	300V	65X2X27AWG	7/0.14	25.4	892.51	175 Ω/km
ANM04.004.02.026AB	UL2517	300V	2X2X26AWG	9/0.14	7.6	80.93	140 Ω/km
ANM04.004.03.026AB	UL2517	300V	3X2X26AWG	9/0.14	8	90.83	140 Ω/km
ANM04.004.04.026AB	UL2517	300V	4X2X26AWG	9/0.14	8.6	105.53	140 Ω/km
ANM04.004.05.026AB	UL2517	300V	5X2X26AWG	9/0.14	9.2	121.03	140 Ω/km
ANM04.004.06.026AB	UL2517	300V	6X2X26AWG	9/0.14	9.9	139.93	140 Ω/km
ANM04.004.07.026AB	UL2517	300V	7X2X26AWG	9/0.14	9.9	141.73	140 Ω/km
ANM04.004.08.026AB	UL2517	300V	8X2X26AWG	9/0.14	10.6	161.83	140 Ω/km
ANM04.004.09.026AB	UL2517	300V	9X2X26AWG	9/0.14	11.5	188.93	140 Ω/km
ANM04.004.10.026AB	UL2517	300V	10X2X26AWG	9/0.14	12.2	211.83	140 Ω/km
ANM04.004.11.026AB	UL2517	300V	11X2X26AWG	9/0.14	12.6	226.13	140 Ω/km
ANM04.004.12.026AB	UL2517	300V	12X2X26AWG	9/0.14	12.6	227.93	140 Ω/km
ANM04.004.13.026AB	UL2517	300V	13X2X26AWG	9/0.14	13.3	252.53	140 Ω/km
ANM04.004.14.026AB	UL2517	300V	14X2X26AWG	9/0.14	13.3	254.33	140 Ω/km
ANM04.004.15.026AB	UL2517	300V	15X2X26AWG	9/0.14	13.9	276.73	140 Ω/km
ANM04.004.16.026AB	UL2517	300V	16X2X26AWG	9/0.14	13.9	278.43	140 Ω/km
ANM04.004.17.026AB	UL2517	300V	17X2X26AWG	9/0.14	14.6	305.33	140 Ω/km
ANM04.004.18.026AB	UL2517	300V	18X2X26AWG	9/0.14	14.6	307.03	140 Ω/km
ANM04.004.19.026AB	UL2517	300V	19X2X26AWG	9/0.14	14.6	308.83	140 Ω/km
ANM04.004.20.026AB	UL2517	300V	20X2X26AWG	9/0.14	15	325.53	140 Ω/km
ANM04.004.21.026AB	UL2517	300V	21X2X26AWG	9/0.14	15.3	338.73	140 Ω/km
ANM04.004.22.026AB	UL2517	300V	22X2X26AWG	9/0.14	16.2	376.03	140 Ω/km
ANM04.004.23.026AB	UL2517	300V	23X2X26AWG	9/0.14	16.9	406.83	140 Ω/km
ANM04.004.24.026AB	UL2517	300V	24X2X26AWG	9/0.14	16.9	408.53	140 Ω/km
ANM04.004.25.026AB	UL2517	300V	25X2X26AWG	9/0.14	17.2	423.03	140 Ω/km
ANM04.004.26.026AB	UL2517	300V	26X2X26AWG	9/0.14	17.2	424.73	140 Ω/km
ANM04.004.27.026AB	UL2517	300V	27X2X26AWG	9/0.14	17.2	426.53	140 Ω/km
ANM04.004.28.026AB	UL2517	300V	28X2X26AWG	9/0.14	17.8	454.63	140 Ω/km
ANM04.004.29.026AB	UL2517	300V	29X2X26AWG	9/0.14	17.8	456.33	140 Ω/km
ANM04.004.30.026AB	UL2517	300V	30X2X26AWG	9/0.14	17.8	458.03	140 Ω/km
ANM04.004.31.026AB	UL2517	300V	31X2X26AWG	9/0.14	18.5	491.63	140 Ω/km
ANM04.004.32.026AB	UL2517	300V	32X2X26AWG	9/0.14	18.5	493.33	140 Ω/km
ANM04.004.33.026AB	UL2517	300V	33X2X26AWG	9/0.14	18.5	495.03	140 Ω/km
ANM04.004.34.026AB	UL2517	300V	34X2X26AWG	9/0.14	19.2	529.83	140 Ω/km
ANM04.004.35.026AB	UL2517	300V	35X2X26AWG	9/0.14	19.2	531.53	140 Ω/km
ANM04.004.36.026AB	UL2517	300V	36X2X26AWG	9/0.14	19.2	533.23	140 Ω/km
ANM04.004.37.026AB	UL2517	300V	37X2X26AWG	9/0.14	19.2	535.03	140 Ω/km
ANM04.004.38.026AB	UL2517	300V	38X2X26AWG	9/0.14	20.9	619.23	140 Ω/km
ANM04.004.39.026AB	UL2517	300V	39X2X26AWG	9/0.14	20.9	620.93	140 Ω/km



ANM04.004.40.026AB	UL2517	300V	40X2X26AWG	9/0.14	20.9	622.73	140 Ω/km
ANM04.004.41.026AB	UL2517	300V	41X2X26AWG	9/0.14	22.5	710.73	140 Ω/km
ANM04.004.42.026AB	UL2517	300V	42X2X26AWG	9/0.14	22.5	712.43	140 Ω/km
ANM04.004.43.026AB	UL2517	300V	43X2X26AWG	9/0.14	22.5	714.13	140 Ω/km
ANM04.004.44.026AB	UL2517	300V	44X2X26AWG	9/0.14	22.5	715.83	140 Ω/km
ANM04.004.45.026AB	UL2517	300V	45X2X26AWG	9/0.14	22.8	734.33	140 Ω/km
ANM04.004.46.026AB	UL2517	300V	46X2X26AWG	9/0.14	22.8	736.13	140 Ω/km
ANM04.004.47.026AB	UL2517	300V	47X2X26AWG	9/0.14	22.8	737.93	140 Ω/km
ANM04.004.48.026AB	UL2517	300V	48X2X26AWG	9/0.14	22.8	739.73	140 Ω/km
ANM04.004.49.026AB	UL2517	300V	49X2X26AWG	9/0.14	23.4	775.83	140 Ω/km
ANM04.004.50.026AB	UL2517	300V	50X2X26AWG	9/0.14	23.4	777.53	140 Ω/km
ANM04.004.51.026AB	UL2517	300V	51X2X26AWG	9/0.14	23.4	779.23	140 Ω/km
ANM04.004.52.026AB	UL2517	300V	52X2X26AWG	9/0.14	23.4	780.93	140 Ω/km
ANM04.004.53.026AB	UL2517	300V	53X2X26AWG	9/0.14	24.1	824.03	140 Ω/km
ANM04.004.54.026AB	UL2517	300V	54X2X26AWG	9/0.14	24.1	825.73	140 Ω/km
ANM04.004.55.026AB	UL2517	300V	55X2X26AWG	9/0.14	24.1	827.53	140 Ω/km
ANM04.004.56.026AB	UL2517	300V	56X2X26AWG	9/0.14	24.1	829.23	140 Ω/km
ANM04.004.57.026AB	UL2517	300V	57X2X26AWG	9/0.14	24.7	867.23	140 Ω/km
ANM04.004.58.026AB	UL2517	300V	58X2X26AWG	9/0.14	24.7	868.93	140 Ω/km
ANM04.004.59.026AB	UL2517	300V	59X2X26AWG	9/0.14	24.7	870.63	140 Ω/km
ANM04.004.60.026AB	UL2517	300V	60X2X26AWG	9/0.14	24.7	872.43	140 Ω/km
ANM04.004.61.026AB	UL2517	300V	61X2X26AWG	9/0.14	24.7	874.13	140 Ω/km
ANM04.004.62.026AB	UL2517	300V	62X2X26AWG	9/0.14	25.4	919.23	140 Ω/km
ANM04.004.63.026AB	UL2517	300V	63X2X26AWG	9/0.14	25.4	920.93	140 Ω/km
ANM04.004.64.026AB	UL2517	300V	64X2X26AWG	9/0.14	25.4	922.73	140 Ω/km
ANM04.004.65.026AB	UL2517	300V	65X2X26AWG	9/0.14	25.4	924.43	140 Ω/km
ANM04.004.02.025AB	UL2517	300V	2X2X25AWG	11/0.14	8	89.87	111 Ω/km
ANM04.004.03.025AB	UL2517	300V	3X2X25AWG	11/0.14	8.4	100.47	111 Ω/km
ANM04.004.04.025AB	UL2517	300V	4X2X25AWG	11/0.14	9	116.17	111 Ω/km
ANM04.004.05.025AB	UL2517	300V	5X2X25AWG	11/0.14	9.7	135.07	111 Ω/km
ANM04.004.06.025AB	UL2517	300V	6X2X25AWG	11/0.14	10.4	155.37	111 Ω/km
ANM04.004.07.025AB	UL2517	300V	7X2X25AWG	11/0.14	10.4	157.37	111 Ω/km
ANM04.004.08.025AB	UL2517	300V	8X2X25AWG	11/0.14	11.2	181.57	111 Ω/km
ANM04.004.09.025AB	UL2517	300V	9X2X25AWG	11/0.14	12.2	213.57	111 Ω/km
ANM04.004.10.025AB	UL2517	300V	10X2X25AWG	11/0.14	12.9	237.87	111 Ω/km
ANM04.004.11.025AB	UL2517	300V	11X2X25AWG	11/0.14	13.4	256.57	111 Ω/km
ANM04.004.12.025AB	UL2517	300V	12X2X25AWG	11/0.14	13.4	258.67	111 Ω/km
ANM04.004.13.025AB	UL2517	300V	13X2X25AWG	11/0.14	14	281.47	111 Ω/km
ANM04.004.14.025AB	UL2517	300V	14X2X25AWG	11/0.14	14	283.57	111 Ω/km
ANM04.004.15.025AB	UL2517	300V	15X2X25AWG	11/0.14	14.7	311.07	111 Ω/km
ANM04.004.16.025AB	UL2517	300V	16X2X25AWG	11/0.14	14.7	313.27	111 Ω/km
ANM04.004.17.025AB	UL2517	300V	17X2X25AWG	11/0.14	15.5	345.67	111 Ω/km



ANM04.004.18.025AB	UL2517	300V	18X2X25AWG	11/0.14	15.5	347.87	111 Ω/km
ANM04.004.19.025AB	UL2517	300V	19X2X25AWG	11/0.14	15.5	349.87	111 Ω/km
ANM04.004.20.025AB	UL2517	300V	20X2X25AWG	11/0.14	15.9	367.87	111 Ω/km
ANM04.004.21.025AB	UL2517	300V	21X2X25AWG	11/0.14	16.2	381.97	111 Ω/km
ANM04.004.22.025AB	UL2517	300V	22X2X25AWG	11/0.14	17.2	425.87	111 Ω/km
ANM04.004.23.025AB	UL2517	300V	23X2X25AWG	11/0.14	17.9	458.87	111 Ω/km
ANM04.004.24.025AB	UL2517	300V	24X2X25AWG	11/0.14	17.9	460.87	111 Ω/km
ANM04.004.25.025AB	UL2517	300V	25X2X25AWG	11/0.14	18.3	481.27	111 Ω/km
ANM04.004.26.025AB	UL2517	300V	26X2X25AWG	11/0.14	18.3	483.37	111 Ω/km
ANM04.004.27.025AB	UL2517	300V	27X2X25AWG	11/0.14	18.3	485.47	111 Ω/km
ANM04.004.28.025AB	UL2517	300V	28X2X25AWG	11/0.14	19	520.07	111 Ω/km
ANM04.004.29.025AB	UL2517	300V	29X2X25AWG	11/0.14	19	522.27	111 Ω/km
ANM04.004.30.025AB	UL2517	300V	30X2X25AWG	11/0.14	19	524.27	111 Ω/km
ANM04.004.31.025AB	UL2517	300V	31X2X25AWG	11/0.14	20.7	608.07	111 Ω/km
ANM04.004.32.025AB	UL2517	300V	32X2X25AWG	11/0.14	20.7	610.27	111 Ω/km
ANM04.004.33.025AB	UL2517	300V	33X2X25AWG	11/0.14	20.7	612.27	111 Ω/km
ANM04.004.34.025AB	UL2517	300V	34X2X25AWG	11/0.14	21.4	650.97	111 Ω/km
ANM04.004.35.025AB	UL2517	300V	35X2X25AWG	11/0.14	21.4	653.07	111 Ω/km
ANM04.004.36.025AB	UL2517	300V	36X2X25AWG	11/0.14	21.4	655.17	111 Ω/km
ANM04.004.37.025AB	UL2517	300V	37X2X25AWG	11/0.14	21.4	657.27	111 Ω/km
ANM04.004.38.025AB	UL2517	300V	38X2X25AWG	11/0.14	22.1	697.17	111 Ω/km
ANM04.004.39.025AB	UL2517	300V	39X2X25AWG	11/0.14	22.1	699.37	111 Ω/km
ANM04.004.40.025AB	UL2517	300V	40X2X25AWG	11/0.14	22.1	701.47	111 Ω/km
ANM04.004.41.025AB	UL2517	300V	41X2X25AWG	11/0.14	23.9	806.27	111 Ω/km
ANM04.004.42.025AB	UL2517	300V	42X2X25AWG	11/0.14	23.9	808.37	111 Ω/km
ANM04.004.43.025AB	UL2517	300V	43X2X25AWG	11/0.14	23.9	810.47	111 Ω/km
ANM04.004.44.025AB	UL2517	300V	44X2X25AWG	11/0.14	23.9	812.57	111 Ω/km
ANM04.004.45.025AB	UL2517	300V	45X2X25AWG	11/0.14	24.3	838.67	111 Ω/km
ANM04.004.46.025AB	UL2517	300V	46X2X25AWG	11/0.14	24.3	840.77	111 Ω/km
ANM04.004.47.025AB	UL2517	300V	47X2X25AWG	11/0.14	24.3	842.87	111 Ω/km
ANM04.004.48.025AB	UL2517	300V	48X2X25AWG	11/0.14	24.3	845.07	111 Ω/km
ANM04.004.49.025AB	UL2517	300V	49X2X25AWG	11/0.14	24.9	883.57	111 Ω/km
ANM04.004.50.025AB	UL2517	300V	50X2X25AWG	11/0.14	24.9	885.77	111 Ω/km
ANM04.004.51.025AB	UL2517	300V	51X2X25AWG	11/0.14	24.9	887.67	111 Ω/km
ANM04.004.52.025AB	UL2517	300V	52X2X25AWG	11/0.14	24.9	889.87	111 Ω/km
ANM04.004.53.025AB	UL2517	300V	53X2X25AWG	11/0.14	25.6	935.77	111 Ω/km
ANM04.004.54.025AB	UL2517	300V	54X2X25AWG	11/0.14	25.6	937.77	111 Ω/km
ANM04.004.55.025AB	UL2517	300V	55X2X25AWG	11/0.14	25.6	939.97	111 Ω/km
ANM04.004.56.025AB	UL2517	300V	56X2X25AWG	11/0.14	25.6	941.97	111 Ω/km
ANM04.004.57.025AB	UL2517	300V	57X2X25AWG	11/0.14	26.3	989.17	111 Ω/km
ANM04.004.58.025AB	UL2517	300V	58X2X25AWG	11/0.14	26.3	991.27	111 Ω/km
ANM04.004.59.025AB	UL2517	300V	59X2X25AWG	11/0.14	26.3	993.37	111 Ω/km



ANM04.004.60.025AB	UL2517	300V	60X2X25AWG	11/0.14	26.3	995.47	111 Ω/km
ANM04.004.61.025AB	UL2517	300V	61X2X25AWG	11/0.14	26.3	997.47	111 Ω/km
ANM04.004.62.025AB	UL2517	300V	62X2X25AWG	11/0.14	27.1	1052.47	111 Ω/km
ANM04.004.63.025AB	UL2517	300V	63X2X25AWG	11/0.14	27.1	1054.57	111 Ω/km
ANM04.004.64.025AB	UL2517	300V	64X2X25AWG	11/0.14	27.1	1056.67	111 Ω/km
ANM04.004.65.025AB	UL2517	300V	65X2X25AWG	11/0.14	27.1	1058.77	111 Ω/km
ANM04.004.02.024AB	UL2517	300V	2X2X24AWG	14/0.14	8	91.51	87.6 Ω/km
ANM04.004.03.024AB	UL2517	300V	3X2X24AWG	14/0.14	8.4	103.01	87.6 Ω/km
ANM04.004.04.024AB	UL2517	300V	4X2X24AWG	14/0.14	9	119.41	87.6 Ω/km
ANM04.004.05.024AB	UL2517	300V	5X2X24AWG	14/0.14	9.7	139.21	87.6 Ω/km
ANM04.004.06.024AB	UL2517	300V	6X2X24AWG	14/0.14	10.4	160.31	87.6 Ω/km
ANM04.004.07.024AB	UL2517	300V	7X2X24AWG	14/0.14	10.4	163.11	87.6 Ω/km
ANM04.004.08.024AB	UL2517	300V	8X2X24AWG	14/0.14	11.2	188.11	87.6 Ω/km
ANM04.004.09.024AB	UL2517	300V	9X2X24AWG	14/0.14	12.2	220.91	87.6 Ω/km
ANM04.004.10.024AB	UL2517	300V	10X2X24AWG	14/0.14	12.9	246.01	87.6 Ω/km
ANM04.004.11.024AB	UL2517	300V	11X2X24AWG	14/0.14	13.4	265.51	87.6 Ω/km
ANM04.004.12.024AB	UL2517	300V	12X2X24AWG	14/0.14	13.4	268.51	87.6 Ω/km
ANM04.004.13.024AB	UL2517	300V	13X2X24AWG	14/0.14	14	292.01	87.6 Ω/km
ANM04.004.14.024AB	UL2517	300V	14X2X24AWG	14/0.14	14	295.01	87.6 Ω/km
ANM04.004.15.024AB	UL2517	300V	15X2X24AWG	14/0.14	14.7	323.31	87.6 Ω/km
ANM04.004.16.024AB	UL2517	300V	16X2X24AWG	14/0.14	14.7	326.21	87.6 Ω/km
ANM04.004.17.024AB	UL2517	300V	17X2X24AWG	14/0.14	15.5	359.51	87.6 Ω/km
ANM04.004.18.024AB	UL2517	300V	18X2X24AWG	14/0.14	15.5	362.51	87.6 Ω/km
ANM04.004.19.024AB	UL2517	300V	19X2X24AWG	14/0.14	15.5	365.31	87.6 Ω/km
ANM04.004.20.024AB	UL2517	300V	20X2X24AWG	14/0.14	15.9	384.11	87.6 Ω/km
ANM04.004.21.024AB	UL2517	300V	21X2X24AWG	14/0.14	16.2	399.11	87.6 Ω/km
ANM04.004.22.024AB	UL2517	300V	22X2X24AWG	14/0.14	17.2	443.71	87.6 Ω/km
ANM04.004.23.024AB	UL2517	300V	23X2X24AWG	14/0.14	17.9	477.51	87.6 Ω/km
ANM04.004.24.024AB	UL2517	300V	24X2X24AWG	14/0.14	17.9	480.41	87.6 Ω/km
ANM04.004.25.024AB	UL2517	300V	25X2X24AWG	14/0.14	18.3	501.51	87.6 Ω/km
ANM04.004.26.024AB	UL2517	300V	26X2X24AWG	14/0.14	18.3	504.51	87.6 Ω/km
ANM04.004.27.024AB	UL2517	300V	27X2X24AWG	14/0.14	18.3	507.41	87.6 Ω/km
ANM04.004.28.024AB	UL2517	300V	28X2X24AWG	14/0.14	19	542.91	87.6 Ω/km
ANM04.004.29.024AB	UL2517	300V	29X2X24AWG	14/0.14	19	545.81	87.6 Ω/km
ANM04.004.30.024AB	UL2517	300V	30X2X24AWG	14/0.14	19	548.71	87.6 Ω/km
ANM04.004.31.024AB	UL2517	300V	31X2X24AWG	14/0.14	20.7	633.31	87.6 Ω/km
ANM04.004.32.024AB	UL2517	300V	32X2X24AWG	14/0.14	20.7	636.21	87.6 Ω/km
ANM04.004.33.024AB	UL2517	300V	33X2X24AWG	14/0.14	20.7	639.11	87.6 Ω/km
ANM04.004.34.024AB	UL2517	300V	34X2X24AWG	14/0.14	21.4	678.61	87.6 Ω/km
ANM04.004.35.024AB	UL2517	300V	35X2X24AWG	14/0.14	21.4	681.51	87.6 Ω/km
ANM04.004.36.024AB	UL2517	300V	36X2X24AWG	14/0.14	21.4	684.41	87.6 Ω/km
ANM04.004.37.024AB	UL2517	300V	37X2X24AWG	14/0.14	21.4	687.41	87.6 Ω/km



ANM04.004.38.024AB	UL2517	300V	38X2X24AWG	14/0.14	22.1	728.01	87.6 Ω /km
ANM04.004.39.024AB	UL2517	300V	39X2X24AWG	14/0.14	22.1	731.01	87.6 Ω /km
ANM04.004.40.024AB	UL2517	300V	40X2X24AWG	14/0.14	22.1	734.01	87.6 Ω /km
ANM04.004.41.024AB	UL2517	300V	41X2X24AWG	14/0.14	23.9	839.51	87.6 Ω /km
ANM04.004.42.024AB	UL2517	300V	42X2X24AWG	14/0.14	23.9	842.51	87.6 Ω /km
ANM04.004.43.024AB	UL2517	300V	43X2X24AWG	14/0.14	23.9	845.41	87.6 Ω /km
ANM04.004.44.024AB	UL2517	300V	44X2X24AWG	14/0.14	23.9	848.31	87.6 Ω /km
ANM04.004.45.024AB	UL2517	300V	45X2X24AWG	14/0.14	24.3	875.21	87.6 Ω /km
ANM04.004.46.024AB	UL2517	300V	46X2X24AWG	14/0.14	24.3	878.11	87.6 Ω /km
ANM04.004.47.024AB	UL2517	300V	47X2X24AWG	14/0.14	24.3	881.01	87.6 Ω /km
ANM04.004.48.024AB	UL2517	300V	48X2X24AWG	14/0.14	24.3	884.01	87.6 Ω /km
ANM04.004.49.024AB	UL2517	300V	49X2X24AWG	14/0.14	24.9	923.41	87.6 Ω /km
ANM04.004.50.024AB	UL2517	300V	50X2X24AWG	14/0.14	24.9	926.31	87.6 Ω /km
ANM04.004.51.024AB	UL2517	300V	51X2X24AWG	14/0.14	24.9	929.11	87.6 Ω /km
ANM04.004.52.024AB	UL2517	300V	52X2X24AWG	14/0.14	24.9	932.11	87.6 Ω /km
ANM04.004.53.024AB	UL2517	300V	53X2X24AWG	14/0.14	25.6	978.81	87.6 Ω /km
ANM04.004.54.024AB	UL2517	300V	54X2X24AWG	14/0.14	25.6	981.61	87.6 Ω /km
ANM04.004.55.024AB	UL2517	300V	55X2X24AWG	14/0.14	25.6	984.61	87.6 Ω /km
ANM04.004.56.024AB	UL2517	300V	56X2X24AWG	14/0.14	25.6	987.51	87.6 Ω /km
ANM04.004.57.024AB	UL2517	300V	57X2X24AWG	14/0.14	26.3	1035.41	87.6 Ω /km
ANM04.004.58.024AB	UL2517	300V	58X2X24AWG	14/0.14	26.3	1038.41	87.6 Ω /km
ANM04.004.59.024AB	UL2517	300V	59X2X24AWG	14/0.14	26.3	1041.31	87.6 Ω /km
ANM04.004.60.024AB	UL2517	300V	60X2X24AWG	14/0.14	26.3	1044.21	87.6 Ω /km
ANM04.004.61.024AB	UL2517	300V	61X2X24AWG	14/0.14	26.3	1047.01	87.6 Ω /km
ANM04.004.62.024AB	UL2517	300V	62X2X24AWG	14/0.14	27.1	1102.81	87.6 Ω /km
ANM04.004.63.024AB	UL2517	300V	63X2X24AWG	14/0.14	27.1	1105.71	87.6 Ω /km
ANM04.004.64.024AB	UL2517	300V	64X2X24AWG	14/0.14	27.1	1108.61	87.6 Ω /km
ANM04.004.65.024AB	UL2517	300V	65X2X24AWG	14/0.14	27.1	1111.61	87.6 Ω /km
ANM04.004.02.023AB	UL2517	300V	2X2X23AWG	17/0.14	8.3	99.36	69.2 Ω /km
ANM04.004.03.023AB	UL2517	300V	3X2X23AWG	17/0.14	8.7	111.76	69.2 Ω /km
ANM04.004.04.023AB	UL2517	300V	4X2X23AWG	17/0.14	9.4	131.76	69.2 Ω /km
ANM04.004.05.023AB	UL2517	300V	5X2X23AWG	17/0.14	10.2	155.56	69.2 Ω /km
ANM04.004.06.023AB	UL2517	300V	6X2X23AWG	17/0.14	11	180.86	69.2 Ω /km
ANM04.004.07.023AB	UL2517	300V	7X2X23AWG	17/0.14	11	184.46	69.2 Ω /km
ANM04.004.08.023AB	UL2517	300V	8X2X23AWG	17/0.14	11.8	211.26	69.2 Ω /km
ANM04.004.09.023AB	UL2517	300V	9X2X23AWG	17/0.14	12.8	246.06	69.2 Ω /km
ANM04.004.10.023AB	UL2517	300V	10X2X23AWG	17/0.14	13.7	279.76	69.2 Ω /km
ANM04.004.11.023AB	UL2517	300V	11X2X23AWG	17/0.14	14.1	297.56	69.2 Ω /km
ANM04.004.12.023AB	UL2517	300V	12X2X23AWG	17/0.14	14.1	301.26	69.2 Ω /km
ANM04.004.13.023AB	UL2517	300V	13X2X23AWG	17/0.14	14.8	330.36	69.2 Ω /km
ANM04.004.14.023AB	UL2517	300V	14X2X23AWG	17/0.14	14.8	333.96	69.2 Ω /km
ANM04.004.15.023AB	UL2517	300V	15X2X23AWG	17/0.14	15.6	368.16	69.2 Ω /km





ANM04.004.16.023AB	UL2517	300V	16X2X23AWG	17/0.14	15.6	371.66	69.2Ω/km
ANM04.004.17.023AB	UL2517	300V	17X2X23AWG	17/0.14	16.3	403.36	69.2Ω/km
ANM04.004.18.023AB	UL2517	300V	18X2X23AWG	17/0.14	16.3	406.96	69.2Ω/km
ANM04.004.19.023AB	UL2517	300V	19X2X23AWG	17/0.14	16.3	410.66	69.2Ω/km
ANM04.004.20.023AB	UL2517	300V	20X2X23AWG	17/0.14	16.8	434.96	69.2Ω/km
ANM04.004.21.023AB	UL2517	300V	21X2X23AWG	17/0.14	17.1	451.36	69.2Ω/km
ANM04.004.22.023AB	UL2517	300V	22X2X23AWG	17/0.14	18.2	503.66	69.2Ω/km
ANM04.004.23.023AB	UL2517	300V	23X2X23AWG	17/0.14	19	544.26	69.2Ω/km
ANM04.004.24.023AB	UL2517	300V	24X2X23AWG	17/0.14	19	547.86	69.2Ω/km
ANM04.004.25.023AB	UL2517	300V	25X2X23AWG	17/0.14	19.4	570.76	69.2Ω/km
ANM04.004.26.023AB	UL2517	300V	26X2X23AWG	17/0.14	19.4	574.26	69.2Ω/km
ANM04.004.27.023AB	UL2517	300V	27X2X23AWG	17/0.14	19.4	577.96	69.2Ω/km
ANM04.004.28.023AB	UL2517	300V	28X2X23AWG	17/0.14	21.1	664.86	69.2Ω/km
ANM04.004.29.023AB	UL2517	300V	29X2X23AWG	17/0.14	21.1	668.56	69.2Ω/km
ANM04.004.30.023AB	UL2517	300V	30X2X23AWG	17/0.14	21.1	672.16	69.2Ω/km
ANM04.004.31.023AB	UL2517	300V	31X2X23AWG	17/0.14	21.8	712.96	69.2Ω/km
ANM04.004.32.023AB	UL2517	300V	32X2X23AWG	17/0.14	21.8	716.66	69.2Ω/km
ANM04.004.33.023AB	UL2517	300V	33X2X23AWG	17/0.14	21.8	720.16	69.2Ω/km
ANM04.004.34.023AB	UL2517	300V	34X2X23AWG	17/0.14	22.6	767.96	69.2Ω/km
ANM04.004.35.023AB	UL2517	300V	35X2X23AWG	17/0.14	22.6	771.56	69.2Ω/km
ANM04.004.36.023AB	UL2517	300V	36X2X23AWG	17/0.14	22.6	775.16	69.2Ω/km
ANM04.004.37.023AB	UL2517	300V	37X2X23AWG	17/0.14	22.6	778.86	69.2Ω/km
ANM04.004.38.023AB	UL2517	300V	38X2X23AWG	17/0.14	23.4	828.06	69.2Ω/km
ANM04.004.39.023AB	UL2517	300V	39X2X23AWG	17/0.14	23.4	831.56	69.2Ω/km
ANM04.004.40.023AB	UL2517	300V	40X2X23AWG	17/0.14	23.4	835.26	69.2Ω/km
ANM04.004.41.023AB	UL2517	300V	41X2X23AWG	17/0.14	25.3	953.56	69.2Ω/km
ANM04.004.42.023AB	UL2517	300V	42X2X23AWG	17/0.14	25.3	957.16	69.2Ω/km
ANM04.004.43.023AB	UL2517	300V	43X2X23AWG	17/0.14	25.3	960.76	69.2Ω/km
ANM04.004.44.023AB	UL2517	300V	44X2X23AWG	17/0.14	25.3	964.46	69.2Ω/km
ANM04.004.45.023AB	UL2517	300V	45X2X23AWG	17/0.14	25.7	993.26	69.2Ω/km
ANM04.004.46.023AB	UL2517	300V	46X2X23AWG	17/0.14	25.7	996.76	69.2Ω/km
ANM04.004.47.023AB	UL2517	300V	47X2X23AWG	17/0.14	25.7	1000.36	69.2Ω/km
ANM04.004.48.023AB	UL2517	300V	48X2X23AWG	17/0.14	25.7	1004.06	69.2Ω/km
ANM04.004.49.023AB	UL2517	300V	49X2X23AWG	17/0.14	26.4	1052.76	69.2Ω/km
ANM04.004.50.023AB	UL2517	300V	50X2X23AWG	17/0.14	26.4	1056.46	69.2Ω/km
ANM04.004.51.023AB	UL2517	300V	51X2X23AWG	17/0.14	26.4	1060.06	69.2Ω/km
ANM04.004.52.023AB	UL2517	300V	52X2X23AWG	17/0.14	26.4	1063.66	69.2Ω/km
ANM04.004.53.023AB	UL2517	300V	53X2X23AWG	17/0.14	27.1	1113.56	69.2Ω/km
ANM04.004.54.023AB	UL2517	300V	54X2X23AWG	17/0.14	27.1	1117.16	69.2Ω/km
ANM04.004.55.023AB	UL2517	300V	55X2X23AWG	17/0.14	27.1	1120.66	69.2Ω/km
ANM04.004.56.023AB	UL2517	300V	56X2X23AWG	17/0.14	27.1	1124.36	69.2Ω/km
ANM04.004.57.023AB	UL2517	300V	57X2X23AWG	17/0.14	27.9	1182.36	69.2Ω/km



ANM04.004.58.023AB	UL2517	300V	58X2X23AWG	17/0.14	27.9	1186.06	69.2 Ω /km
ANM04.004.59.023AB	UL2517	300V	59X2X23AWG	17/0.14	27.9	1189.56	69.2 Ω /km
ANM04.004.60.023AB	UL2517	300V	60X2X23AWG	17/0.14	27.9	1193.26	69.2 Ω /km
ANM04.004.61.023AB	UL2517	300V	61X2X23AWG	17/0.14	27.9	1196.76	69.2 Ω /km
ANM04.004.62.023AB	UL2517	300V	62X2X23AWG	17/0.14	29.7	1325.46	69.2 Ω /km
ANM04.004.63.023AB	UL2517	300V	63X2X23AWG	17/0.14	29.7	1329.16	69.2 Ω /km
ANM04.004.64.023AB	UL2517	300V	64X2X23AWG	17/0.14	29.7	1332.76	69.2 Ω /km
ANM04.004.65.023AB	UL2517	300V	65X2X23AWG	17/0.14	29.7	1336.36	69.2 Ω /km
ANM04.004.02.022AB	UL2517	300V	2X2X22AWG	22/0.14	8.7	109.93	55.4 Ω /km
ANM04.004.03.022AB	UL2517	300V	3X2X22AWG	22/0.14	9.1	123.63	55.4 Ω /km
ANM04.004.04.022AB	UL2517	300V	4X2X22AWG	22/0.14	9.8	144.93	55.4 Ω /km
ANM04.004.05.022AB	UL2517	300V	5X2X22AWG	22/0.14	10.7	173.23	55.4 Ω /km
ANM04.004.06.022AB	UL2517	300V	6X2X22AWG	22/0.14	11.5	200.23	55.4 Ω /km
ANM04.004.07.022AB	UL2517	300V	7X2X22AWG	22/0.14	11.5	204.73	55.4 Ω /km
ANM04.004.08.022AB	UL2517	300V	8X2X22AWG	22/0.14	12.3	233.63	55.4 Ω /km
ANM04.004.09.022AB	UL2517	300V	9X2X22AWG	22/0.14	13.6	280.63	55.4 Ω /km
ANM04.004.10.022AB	UL2517	300V	10X2X22AWG	22/0.14	14.4	313.33	55.4 Ω /km
ANM04.004.11.022AB	UL2517	300V	11X2X22AWG	22/0.14	14.9	336.23	55.4 Ω /km
ANM04.004.12.022AB	UL2517	300V	12X2X22AWG	22/0.14	14.9	340.63	55.4 Ω /km
ANM04.004.13.022AB	UL2517	300V	13X2X22AWG	22/0.14	15.6	372.03	55.4 Ω /km
ANM04.004.14.022AB	UL2517	300V	14X2X22AWG	22/0.14	15.6	376.43	55.4 Ω /km
ANM04.004.15.022AB	UL2517	300V	15X2X22AWG	22/0.14	16.4	413.23	55.4 Ω /km
ANM04.004.16.022AB	UL2517	300V	16X2X22AWG	22/0.14	16.4	417.73	55.4 Ω /km
ANM04.004.17.022AB	UL2517	300V	17X2X22AWG	22/0.14	17.2	455.83	55.4 Ω /km
ANM04.004.18.022AB	UL2517	300V	18X2X22AWG	22/0.14	17.2	460.23	55.4 Ω /km
ANM04.004.19.022AB	UL2517	300V	19X2X22AWG	22/0.14	17.2	464.73	55.4 Ω /km
ANM04.004.20.022AB	UL2517	300V	20X2X22AWG	22/0.14	17.7	491.03	55.4 Ω /km
ANM04.004.21.022AB	UL2517	300V	21X2X22AWG	22/0.14	18.1	513.33	55.4 Ω /km
ANM04.004.22.022AB	UL2517	300V	22X2X22AWG	22/0.14	19.2	569.13	55.4 Ω /km
ANM04.004.23.022AB	UL2517	300V	23X2X22AWG	22/0.14	21	661.33	55.4 Ω /km
ANM04.004.24.022AB	UL2517	300V	24X2X22AWG	22/0.14	21	665.73	55.4 Ω /km
ANM04.004.25.022AB	UL2517	300V	25X2X22AWG	22/0.14	21.5	696.73	55.4 Ω /km
ANM04.004.26.022AB	UL2517	300V	26X2X22AWG	22/0.14	21.5	701.13	55.4 Ω /km
ANM04.004.27.022AB	UL2517	300V	27X2X22AWG	22/0.14	21.5	705.53	55.4 Ω /km
ANM04.004.28.022AB	UL2517	300V	28X2X22AWG	22/0.14	22.2	748.03	55.4 Ω /km
ANM04.004.29.022AB	UL2517	300V	29X2X22AWG	22/0.14	22.2	752.53	55.4 Ω /km
ANM04.004.30.022AB	UL2517	300V	30X2X22AWG	22/0.14	22.2	757.03	55.4 Ω /km
ANM04.004.31.022AB	UL2517	300V	31X2X22AWG	22/0.14	23	806.43	55.4 Ω /km
ANM04.004.32.022AB	UL2517	300V	32X2X22AWG	22/0.14	23	810.93	55.4 Ω /km
ANM04.004.33.022AB	UL2517	300V	33X2X22AWG	22/0.14	23	815.33	55.4 Ω /km
ANM04.004.34.022AB	UL2517	300V	34X2X22AWG	22/0.14	23.9	872.13	55.4 Ω /km
ANM04.004.35.022AB	UL2517	300V	35X2X22AWG	22/0.14	23.9	876.53	55.4 Ω /km



ANM04.004.36.022AB	UL2517	300V	36X2X22AWG	22/0.14	23.9	881.03	55.4Ω/km
ANM04.004.37.022AB	UL2517	300V	37X2X22AWG	22/0.14	23.9	885.43	55.4Ω/km
ANM04.004.38.022AB	UL2517	300V	38X2X22AWG	22/0.14	24.7	938.23	55.4Ω/km
ANM04.004.39.022AB	UL2517	300V	39X2X22AWG	22/0.14	24.7	942.63	55.4Ω/km
ANM04.004.40.022AB	UL2517	300V	40X2X22AWG	22/0.14	24.7	947.13	55.4Ω/km
ANM04.004.41.022AB	UL2517	300V	41X2X22AWG	22/0.14	26.7	1078.73	55.4Ω/km
ANM04.004.42.022AB	UL2517	300V	42X2X22AWG	22/0.14	26.7	1083.23	55.4Ω/km
ANM04.004.43.022AB	UL2517	300V	43X2X22AWG	22/0.14	26.7	1087.63	55.4Ω/km
ANM04.004.44.022AB	UL2517	300V	44X2X22AWG	22/0.14	26.7	1092.23	55.4Ω/km
ANM04.004.45.022AB	UL2517	300V	45X2X22AWG	22/0.14	27.1	1123.13	55.4Ω/km
ANM04.004.46.022AB	UL2517	300V	46X2X22AWG	22/0.14	27.1	1127.73	55.4Ω/km
ANM04.004.47.022AB	UL2517	300V	47X2X22AWG	22/0.14	27.1	1132.13	55.4Ω/km
ANM04.004.48.022AB	UL2517	300V	48X2X22AWG	22/0.14	27.1	1136.63	55.4Ω/km
ANM04.004.49.022AB	UL2517	300V	49X2X22AWG	22/0.14	27.8	1188.63	55.4Ω/km
ANM04.004.50.022AB	UL2517	300V	50X2X22AWG	22/0.14	27.8	1193.13	55.4Ω/km
ANM04.004.51.022AB	UL2517	300V	51X2X22AWG	22/0.14	27.8	1197.53	55.4Ω/km
ANM04.004.52.022AB	UL2517	300V	52X2X22AWG	22/0.14	27.8	1201.93	55.4Ω/km
ANM04.004.53.022AB	UL2517	300V	53X2X22AWG	22/0.14	29.7	1338.43	55.4Ω/km
ANM04.004.54.022AB	UL2517	300V	54X2X22AWG	22/0.14	29.7	1342.93	55.4Ω/km
ANM04.004.55.022AB	UL2517	300V	55X2X22AWG	22/0.14	29.7	1347.43	55.4Ω/km
ANM04.004.56.022AB	UL2517	300V	56X2X22AWG	22/0.14	29.7	1351.83	55.4Ω/km
ANM04.004.57.022AB	UL2517	300V	57X2X22AWG	22/0.14	30.9	1480.53	55.4Ω/km
ANM04.004.58.022AB	UL2517	300V	58X2X22AWG	22/0.14	30.9	1484.93	55.4Ω/km
ANM04.004.59.022AB	UL2517	300V	59X2X22AWG	22/0.14	30.9	1489.53	55.4Ω/km
ANM04.004.60.022AB	UL2517	300V	60X2X22AWG	22/0.14	30.9	1493.93	55.4Ω/km
ANM04.004.61.022AB	UL2517	300V	61X2X22AWG	22/0.14	30.9	1498.53	55.4Ω/km
ANM04.004.62.022AB	UL2517	300V	62X2X22AWG	22/0.14	31.7	1565.63	55.4Ω/km
ANM04.004.63.022AB	UL2517	300V	63X2X22AWG	22/0.14	31.7	1570.13	55.4Ω/km
ANM04.004.64.022AB	UL2517	300V	64X2X22AWG	22/0.14	31.7	1574.53	55.4Ω/km
ANM04.004.65.022AB	UL2517	300V	65X2X22AWG	22/0.14	31.7	1579.03	55.4Ω/km
ANM04.004.02.021AB	UL2517	300V	2X2X21AWG	27/0.14	9	119.42	43.6Ω/km
ANM04.004.03.021AB	UL2517	300V	3X2X21AWG	27/0.14	9.5	137.02	43.6Ω/km
ANM04.004.04.021AB	UL2517	300V	4X2X21AWG	27/0.14	10.3	163.02	43.6Ω/km
ANM04.004.05.021AB	UL2517	300V	5X2X21AWG	27/0.14	11.1	190.62	43.6Ω/km
ANM04.004.06.021AB	UL2517	300V	6X2X21AWG	27/0.14	12	222.82	43.6Ω/km
ANM04.004.07.021AB	UL2517	300V	7X2X21AWG	27/0.14	12	228.52	43.6Ω/km
ANM04.004.08.021AB	UL2517	300V	8X2X21AWG	27/0.14	12.9	262.72	43.6Ω/km
ANM04.004.09.021AB	UL2517	300V	9X2X21AWG	27/0.14	14.2	312.92	43.6Ω/km
ANM04.004.10.021AB	UL2517	300V	10X2X21AWG	27/0.14	15.1	351.82	43.6Ω/km
ANM04.004.11.021AB	UL2517	300V	11X2X21AWG	27/0.14	15.6	376.82	43.6Ω/km
ANM04.004.12.021AB	UL2517	300V	12X2X21AWG	27/0.14	15.6	382.52	43.6Ω/km
ANM04.004.13.021AB	UL2517	300V	13X2X21AWG	27/0.14	16.4	420.52	43.6Ω/km



ANM04.004.14.021AB	UL2517	300V	14X2X21AWG	27/0.14	16.4	426.22	43.6 Ω /km
ANM04.004.15.021AB	UL2517	300V	15X2X21AWG	27/0.14	17.2	465.62	43.6 Ω /km
ANM04.004.16.021AB	UL2517	300V	16X2X21AWG	27/0.14	17.2	471.22	43.6 Ω /km
ANM04.004.17.021AB	UL2517	300V	17X2X21AWG	27/0.14	18.1	516.62	43.6 Ω /km
ANM04.004.18.021AB	UL2517	300V	18X2X21AWG	27/0.14	18.1	522.32	43.6 Ω /km
ANM04.004.19.021AB	UL2517	300V	19X2X21AWG	27/0.14	18.1	528.12	43.6 Ω /km
ANM04.004.20.021AB	UL2517	300V	20X2X21AWG	27/0.14	18.6	556.82	43.6 Ω /km
ANM04.004.21.021AB	UL2517	300V	21X2X21AWG	27/0.14	19	581.32	43.6 Ω /km
ANM04.004.22.021AB	UL2517	300V	22X2X21AWG	27/0.14	21.2	694.62	43.6 Ω /km
ANM04.004.23.021AB	UL2517	300V	23X2X21AWG	27/0.14	22.1	748.72	43.6 Ω /km
ANM04.004.24.021AB	UL2517	300V	24X2X21AWG	27/0.14	22.1	754.42	43.6 Ω /km
ANM04.004.25.021AB	UL2517	300V	25X2X21AWG	27/0.14	22.6	788.02	43.6 Ω /km
ANM04.004.26.021AB	UL2517	300V	26X2X21AWG	27/0.14	22.6	793.82	43.6 Ω /km
ANM04.004.27.021AB	UL2517	300V	27X2X21AWG	27/0.14	22.6	799.42	43.6 Ω /km
ANM04.004.28.021AB	UL2517	300V	28X2X21AWG	27/0.14	23.3	844.92	43.6 Ω /km
ANM04.004.29.021AB	UL2517	300V	29X2X21AWG	27/0.14	23.3	850.62	43.6 Ω /km
ANM04.004.30.021AB	UL2517	300V	30X2X21AWG	27/0.14	23.3	856.42	43.6 Ω /km
ANM04.004.31.021AB	UL2517	300V	31X2X21AWG	27/0.14	24.2	915.12	43.6 Ω /km
ANM04.004.32.021AB	UL2517	300V	32X2X21AWG	27/0.14	24.2	920.82	43.6 Ω /km
ANM04.004.33.021AB	UL2517	300V	33X2X21AWG	27/0.14	24.2	926.52	43.6 Ω /km
ANM04.004.34.021AB	UL2517	300V	34X2X21AWG	27/0.14	25.1	987.22	43.6 Ω /km
ANM04.004.35.021AB	UL2517	300V	35X2X21AWG	27/0.14	25.1	992.82	43.6 Ω /km
ANM04.004.36.021AB	UL2517	300V	36X2X21AWG	27/0.14	25.1	998.52	43.6 Ω /km
ANM04.004.37.021AB	UL2517	300V	37X2X21AWG	27/0.14	25.1	1004.32	43.6 Ω /km
ANM04.004.38.021AB	UL2517	300V	38X2X21AWG	27/0.14	26	1067.02	43.6 Ω /km
ANM04.004.39.021AB	UL2517	300V	39X2X21AWG	27/0.14	26	1072.72	43.6 Ω /km
ANM04.004.40.021AB	UL2517	300V	40X2X21AWG	27/0.14	26	1078.42	43.6 Ω /km
ANM04.004.41.021AB	UL2517	300V	41X2X21AWG	27/0.14	28.1	1224.52	43.6 Ω /km
ANM04.004.42.021AB	UL2517	300V	42X2X21AWG	27/0.14	28.1	1230.12	43.6 Ω /km
ANM04.004.43.021AB	UL2517	300V	43X2X21AWG	27/0.14	28.1	1235.82	43.6 Ω /km
ANM04.004.44.021AB	UL2517	300V	44X2X21AWG	27/0.14	28.1	1241.62	43.6 Ω /km
ANM04.004.45.021AB	UL2517	300V	45X2X21AWG	27/0.14	29.6	1351.32	43.6 Ω /km
ANM04.004.46.021AB	UL2517	300V	46X2X21AWG	27/0.14	29.6	1356.92	43.6 Ω /km
ANM04.004.47.021AB	UL2517	300V	47X2X21AWG	27/0.14	29.6	1362.62	43.6 Ω /km
ANM04.004.48.021AB	UL2517	300V	48X2X21AWG	27/0.14	29.6	1368.32	43.6 Ω /km
ANM04.004.49.021AB	UL2517	300V	49X2X21AWG	27/0.14	30.7	1490.32	43.6 Ω /km
ANM04.004.50.021AB	UL2517	300V	50X2X21AWG	27/0.14	30.7	1495.92	43.6 Ω /km
ANM04.004.51.021AB	UL2517	300V	51X2X21AWG	27/0.14	30.7	1501.62	43.6 Ω /km
ANM04.004.52.021AB	UL2517	300V	52X2X21AWG	27/0.14	30.7	1507.42	43.6 Ω /km
ANM04.004.53.021AB	UL2517	300V	53X2X21AWG	27/0.14	31.6	1583.42	43.6 Ω /km
ANM04.004.54.021AB	UL2517	300V	54X2X21AWG	27/0.14	31.6	1589.02	43.6 Ω /km
ANM04.004.55.021AB	UL2517	300V	55X2X21AWG	27/0.14	31.6	1594.72	43.6 Ω /km



ANM04.004.56.021AB	UL2517	300V	56X2X21AWG	27/0.14	31.6	1600.52	43.6 Ω /km
ANM04.004.57.021AB	UL2517	300V	57X2X21AWG	27/0.14	32.5	1678.42	43.6 Ω /km
ANM04.004.58.021AB	UL2517	300V	58X2X21AWG	27/0.14	32.5	1684.12	43.6 Ω /km
ANM04.004.59.021AB	UL2517	300V	59X2X21AWG	27/0.14	32.5	1689.82	43.6 Ω /km
ANM04.004.60.021AB	UL2517	300V	60X2X21AWG	27/0.14	32.5	1695.62	43.6 Ω /km
ANM04.004.61.021AB	UL2517	300V	61X2X21AWG	27/0.14	32.5	1701.22	43.6 Ω /km
ANM04.004.62.021AB	UL2517	300V	62X2X21AWG	27/0.14	33.4	1781.12	43.6 Ω /km
ANM04.004.63.021AB	UL2517	300V	63X2X21AWG	27/0.14	33.4	1786.92	43.6 Ω /km
ANM04.004.64.021AB	UL2517	300V	64X2X21AWG	27/0.14	33.4	1792.62	43.6 Ω /km
ANM04.004.65.021AB	UL2517	300V	65X2X21AWG	27/0.14	33.4	1798.22	43.6 Ω /km
ANM04.004.02.020AB	UL2517	300V	2X2X20AWG	34/0.14	9.4	132.12	34.6 Ω /km
ANM04.004.03.020AB	UL2517	300V	3X2X20AWG	34/0.14	9.9	151.72	34.6 Ω /km
ANM04.004.04.020AB	UL2517	300V	4X2X20AWG	34/0.14	10.7	180.12	34.6 Ω /km
ANM04.004.05.020AB	UL2517	300V	5X2X20AWG	34/0.14	11.6	213.02	34.6 Ω /km
ANM04.004.06.020AB	UL2517	300V	6X2X20AWG	34/0.14	12.6	251.02	34.6 Ω /km
ANM04.004.07.020AB	UL2517	300V	7X2X20AWG	34/0.14	12.6	258.22	34.6 Ω /km
ANM04.004.08.020AB	UL2517	300V	8X2X20AWG	34/0.14	13.6	298.62	34.6 Ω /km
ANM04.004.09.020AB	UL2517	300V	9X2X20AWG	34/0.14	14.9	352.62	34.6 Ω /km
ANM04.004.10.020AB	UL2517	300V	10X2X20AWG	34/0.14	15.8	394.72	34.6 Ω /km
ANM04.004.11.020AB	UL2517	300V	11X2X20AWG	34/0.14	16.3	422.12	34.6 Ω /km
ANM04.004.12.020AB	UL2517	300V	12X2X20AWG	34/0.14	16.3	429.32	34.6 Ω /km
ANM04.004.13.020AB	UL2517	300V	13X2X20AWG	34/0.14	17.1	470.12	34.6 Ω /km
ANM04.004.14.020AB	UL2517	300V	14X2X20AWG	34/0.14	17.1	477.32	34.6 Ω /km
ANM04.004.15.020AB	UL2517	300V	15X2X20AWG	34/0.14	18.1	528.52	34.6 Ω /km
ANM04.004.16.020AB	UL2517	300V	16X2X20AWG	34/0.14	18.1	535.82	34.6 Ω /km
ANM04.004.17.020AB	UL2517	300V	17X2X20AWG	34/0.14	19	584.92	34.6 Ω /km
ANM04.004.18.020AB	UL2517	300V	18X2X20AWG	34/0.14	19	592.22	34.6 Ω /km
ANM04.004.19.020AB	UL2517	300V	19X2X20AWG	34/0.14	19	599.52	34.6 Ω /km
ANM04.004.20.020AB	UL2517	300V	20X2X20AWG	34/0.14	20.5	678.12	34.6 Ω /km
ANM04.004.21.020AB	UL2517	300V	21X2X20AWG	34/0.14	20.9	706.02	34.6 Ω /km
ANM04.004.22.020AB	UL2517	300V	22X2X20AWG	34/0.14	22.2	782.92	34.6 Ω /km
ANM04.004.23.020AB	UL2517	300V	23X2X20AWG	34/0.14	23.2	846.52	34.6 Ω /km
ANM04.004.24.020AB	UL2517	300V	24X2X20AWG	34/0.14	23.2	853.82	34.6 Ω /km
ANM04.004.25.020AB	UL2517	300V	25X2X20AWG	34/0.14	23.7	890.12	34.6 Ω /km
ANM04.004.26.020AB	UL2517	300V	26X2X20AWG	34/0.14	23.7	897.42	34.6 Ω /km
ANM04.004.27.020AB	UL2517	300V	27X2X20AWG	34/0.14	23.7	904.52	34.6 Ω /km
ANM04.004.28.020AB	UL2517	300V	28X2X20AWG	34/0.14	24.5	959.62	34.6 Ω /km
ANM04.004.29.020AB	UL2517	300V	29X2X20AWG	34/0.14	24.5	966.82	34.6 Ω /km
ANM04.004.30.020AB	UL2517	300V	30X2X20AWG	34/0.14	24.5	974.12	34.6 Ω /km
ANM04.004.31.020AB	UL2517	300V	31X2X20AWG	34/0.14	25.4	1036.92	34.6 Ω /km
ANM04.004.32.020AB	UL2517	300V	32X2X20AWG	34/0.14	25.4	1044.22	34.6 Ω /km
ANM04.004.33.020AB	UL2517	300V	33X2X20AWG	34/0.14	25.4	1051.42	34.6 Ω /km



ANM04.004.34.020AB	UL2517	300V	34X2X20AWG	34/0.14	26.3	1116.42	34.6Ω/km
ANM04.004.35.020AB	UL2517	300V	35X2X20AWG	34/0.14	26.3	1123.62	34.6Ω/km
ANM04.004.36.020AB	UL2517	300V	36X2X20AWG	34/0.14	26.3	1130.92	34.6Ω/km
ANM04.004.37.020AB	UL2517	300V	37X2X20AWG	34/0.14	26.3	1138.22	34.6Ω/km
ANM04.004.38.020AB	UL2517	300V	38X2X20AWG	34/0.14	27.3	1211.72	34.6Ω/km
ANM04.004.39.020AB	UL2517	300V	39X2X20AWG	34/0.14	27.3	1218.92	34.6Ω/km
ANM04.004.40.020AB	UL2517	300V	40X2X20AWG	34/0.14	27.3	1226.12	34.6Ω/km
ANM04.004.41.020AB	UL2517	300V	41X2X20AWG	34/0.14	30.9	1523.72	34.6Ω/km
ANM04.004.42.020AB	UL2517	300V	42X2X20AWG	34/0.14	30.9	1530.92	34.6Ω/km
ANM04.004.43.020AB	UL2517	300V	43X2X20AWG	34/0.14	30.9	1538.22	34.6Ω/km
ANM04.004.44.020AB	UL2517	300V	44X2X20AWG	34/0.14	30.9	1545.52	34.6Ω/km
ANM04.004.45.020AB	UL2517	300V	45X2X20AWG	34/0.14	31.4	1591.72	34.6Ω/km
ANM04.004.46.020AB	UL2517	300V	46X2X20AWG	34/0.14	31.4	1599.02	34.6Ω/km
ANM04.004.47.020AB	UL2517	300V	47X2X20AWG	34/0.14	31.4	1606.22	34.6Ω/km
ANM04.004.48.020AB	UL2517	300V	48X2X20AWG	34/0.14	31.4	1613.52	34.6Ω/km
ANM04.004.49.020AB	UL2517	300V	49X2X20AWG	34/0.14	32.2	1684.42	34.6Ω/km
ANM04.004.50.020AB	UL2517	300V	50X2X20AWG	34/0.14	32.2	1691.82	34.6Ω/km
ANM04.004.51.020AB	UL2517	300V	51X2X20AWG	34/0.14	32.2	1699.12	34.6Ω/km
ANM04.004.52.020AB	UL2517	300V	52X2X20AWG	34/0.14	32.2	1706.32	34.6Ω/km
ANM04.004.53.020AB	UL2517	300V	53X2X20AWG	34/0.14	33.1	1787.22	34.6Ω/km
ANM04.004.54.020AB	UL2517	300V	54X2X20AWG	34/0.14	33.1	1794.32	34.6Ω/km
ANM04.004.55.020AB	UL2517	300V	55X2X20AWG	34/0.14	33.1	1801.62	34.6Ω/km
ANM04.004.56.020AB	UL2517	300V	56X2X20AWG	34/0.14	33.1	1808.82	34.6Ω/km
ANM04.004.57.020AB	UL2517	300V	57X2X20AWG	34/0.14	34.1	1900.12	34.6Ω/km
ANM04.004.58.020AB	UL2517	300V	58X2X20AWG	34/0.14	34.1	1907.42	34.6Ω/km
ANM04.004.59.020AB	UL2517	300V	59X2X20AWG	34/0.14	34.1	1914.62	34.6Ω/km
ANM04.004.60.020AB	UL2517	300V	60X2X20AWG	34/0.14	34.1	1921.92	34.6Ω/km
ANM04.004.61.020AB	UL2517	300V	61X2X20AWG	34/0.14	34.1	1929.22	34.6Ω/km
ANM04.004.62.020AB	UL2517	300V	62X2X20AWG	34/0.14	35	2014.12	34.6Ω/km
ANM04.004.63.020AB	UL2517	300V	63X2X20AWG	34/0.14	35	2021.42	34.6Ω/km
ANM04.004.64.020AB	UL2517	300V	64X2X20AWG	34/0.14	35	2028.62	34.6Ω/km
ANM04.004.65.020AB	UL2517	300V	65X2X20AWG	34/0.14	35	2035.92	34.6Ω/km
ANM04.004.02.019AB	UL2517	300V	2X2X19AWG	43/0.14	9.7	143.66	27.4Ω/km
ANM04.004.03.019AB	UL2517	300V	3X2X19AWG	43/0.14	10.3	168.26	27.4Ω/km
ANM04.004.04.019AB	UL2517	300V	4X2X19AWG	43/0.14	11.1	199.36	27.4Ω/km
ANM04.004.05.019AB	UL2517	300V	5X2X19AWG	43/0.14	12.1	238.16	27.4Ω/km
ANM04.004.06.019AB	UL2517	300V	6X2X19AWG	43/0.14	13.2	282.86	27.4Ω/km
ANM04.004.07.019AB	UL2517	300V	7X2X19AWG	43/0.14	13.2	291.96	27.4Ω/km
ANM04.004.08.019AB	UL2517	300V	8X2X19AWG	43/0.14	14.2	335.86	27.4Ω/km
ANM04.004.09.019AB	UL2517	300V	9X2X19AWG	43/0.14	15.5	393.66	27.4Ω/km
ANM04.004.10.019AB	UL2517	300V	10X2X19AWG	43/0.14	16.5	443.06	27.4Ω/km
ANM04.004.11.019AB	UL2517	300V	11X2X19AWG	43/0.14	17.1	477.66	27.4Ω/km



ANM04.004.12.019AB	UL2517	300V	12X2X19AWG	43/0.14	17.1	486.96	27.4Ω/km
ANM04.004.13.019AB	UL2517	300V	13X2X19AWG	43/0.14	17.9	531.26	27.4Ω/km
ANM04.004.14.019AB	UL2517	300V	14X2X19AWG	43/0.14	17.9	540.46	27.4Ω/km
ANM04.004.15.019AB	UL2517	300V	15X2X19AWG	43/0.14	18.9	595.76	27.4Ω/km
ANM04.004.16.019AB	UL2517	300V	16X2X19AWG	43/0.14	18.9	604.96	27.4Ω/km
ANM04.004.17.019AB	UL2517	300V	17X2X19AWG	43/0.14	20.9	711.06	27.4Ω/km
ANM04.004.18.019AB	UL2517	300V	18X2X19AWG	43/0.14	20.9	720.26	27.4Ω/km
ANM04.004.19.019AB	UL2517	300V	19X2X19AWG	43/0.14	20.9	729.56	27.4Ω/km
ANM04.004.20.019AB	UL2517	300V	20X2X19AWG	43/0.14	21.4	765.06	27.4Ω/km
ANM04.004.21.019AB	UL2517	300V	21X2X19AWG	43/0.14	21.9	801.06	27.4Ω/km
ANM04.004.22.019AB	UL2517	300V	22X2X19AWG	43/0.14	23.2	883.16	27.4Ω/km
ANM04.004.23.019AB	UL2517	300V	23X2X19AWG	43/0.14	24.2	951.16	27.4Ω/km
ANM04.004.24.019AB	UL2517	300V	24X2X19AWG	43/0.14	24.2	960.46	27.4Ω/km
ANM04.004.25.019AB	UL2517	300V	25X2X19AWG	43/0.14	24.7	1000.06	27.4Ω/km
ANM04.004.26.019AB	UL2517	300V	26X2X19AWG	43/0.14	24.7	1009.26	27.4Ω/km
ANM04.004.27.019AB	UL2517	300V	27X2X19AWG	43/0.14	24.7	1018.46	27.4Ω/km
ANM04.004.28.019AB	UL2517	300V	28X2X19AWG	43/0.14	25.6	1083.66	27.4Ω/km
ANM04.004.29.019AB	UL2517	300V	29X2X19AWG	43/0.14	25.6	1092.96	27.4Ω/km
ANM04.004.30.019AB	UL2517	300V	30X2X19AWG	43/0.14	25.6	1102.26	27.4Ω/km
ANM04.004.31.019AB	UL2517	300V	31X2X19AWG	43/0.14	26.6	1176.16	27.4Ω/km
ANM04.004.32.019AB	UL2517	300V	32X2X19AWG	43/0.14	26.6	1185.46	27.4Ω/km
ANM04.004.33.019AB	UL2517	300V	33X2X19AWG	43/0.14	26.6	1194.66	27.4Ω/km
ANM04.004.34.019AB	UL2517	300V	34X2X19AWG	43/0.14	27.6	1270.86	27.4Ω/km
ANM04.004.35.019AB	UL2517	300V	35X2X19AWG	43/0.14	27.6	1280.06	27.4Ω/km
ANM04.004.36.019AB	UL2517	300V	36X2X19AWG	43/0.14	27.6	1289.36	27.4Ω/km
ANM04.004.37.019AB	UL2517	300V	37X2X19AWG	43/0.14	27.6	1298.66	27.4Ω/km
ANM04.004.38.019AB	UL2517	300V	38X2X19AWG	43/0.14	29.6	1446.16	27.4Ω/km
ANM04.004.39.019AB	UL2517	300V	39X2X19AWG	43/0.14	29.6	1455.46	27.4Ω/km
ANM04.004.40.019AB	UL2517	300V	40X2X19AWG	43/0.14	29.6	1464.66	27.4Ω/km
ANM04.004.41.019AB	UL2517	300V	41X2X19AWG	43/0.14	32.3	1716.36	27.4Ω/km
ANM04.004.42.019AB	UL2517	300V	42X2X19AWG	43/0.14	32.3	1725.66	27.4Ω/km
ANM04.004.43.019AB	UL2517	300V	43X2X19AWG	43/0.14	32.3	1734.86	27.4Ω/km
ANM04.004.44.019AB	UL2517	300V	44X2X19AWG	43/0.14	32.3	1744.16	27.4Ω/km
ANM04.004.45.019AB	UL2517	300V	45X2X19AWG	43/0.14	32.8	1794.06	27.4Ω/km
ANM04.004.46.019AB	UL2517	300V	46X2X19AWG	43/0.14	32.8	1803.36	27.4Ω/km
ANM04.004.47.019AB	UL2517	300V	47X2X19AWG	43/0.14	32.8	1812.56	27.4Ω/km
ANM04.004.48.019AB	UL2517	300V	48X2X19AWG	43/0.14	32.8	1821.76	27.4Ω/km
ANM04.004.49.019AB	UL2517	300V	49X2X19AWG	43/0.14	33.7	1905.96	27.4Ω/km
ANM04.004.50.019AB	UL2517	300V	50X2X19AWG	43/0.14	33.7	1915.16	27.4Ω/km
ANM04.004.51.019AB	UL2517	300V	51X2X19AWG	43/0.14	33.7	1924.46	27.4Ω/km
ANM04.004.52.019AB	UL2517	300V	52X2X19AWG	43/0.14	33.7	1933.86	27.4Ω/km
ANM04.004.53.019AB	UL2517	300V	53X2X19AWG	43/0.14	34.7	2028.56	27.4Ω/km



ANM04.004.54.019AB	UL2517	300V	54X2X19AWG	43/0.14	34.7	2037.76	27.4Ω/km
ANM04.004.55.019AB	UL2517	300V	55X2X19AWG	43/0.14	34.7	2046.96	27.4Ω/km
ANM04.004.56.019AB	UL2517	300V	56X2X19AWG	43/0.14	34.7	2056.26	27.4Ω/km
ANM04.004.57.019AB	UL2517	300V	57X2X19AWG	43/0.14	35.9	2171.26	27.4Ω/km
ANM04.004.58.019AB	UL2517	300V	58X2X19AWG	43/0.14	35.9	2180.56	27.4Ω/km
ANM04.004.59.019AB	UL2517	300V	59X2X19AWG	43/0.14	35.9	2189.86	27.4Ω/km
ANM04.004.60.019AB	UL2517	300V	60X2X19AWG	43/0.14	35.9	2199.06	27.4Ω/km
ANM04.004.61.019AB	UL2517	300V	61X2X19AWG	43/0.14	35.9	2208.26	27.4Ω/km
ANM04.004.62.019AB	UL2517	300V	62X2X19AWG	43/0.14	37	2317.46	27.4Ω/km
ANM04.004.63.019AB	UL2517	300V	63X2X19AWG	43/0.14	37	2326.76	27.4Ω/km
ANM04.004.64.019AB	UL2517	300V	64X2X19AWG	43/0.14	37	2336.06	27.4Ω/km
ANM04.004.65.019AB	UL2517	300V	65X2X19AWG	43/0.14	37	2345.26	27.4Ω/km
ANM04.004.02.018AB	UL2517	300V	2X2X18AWG	29/0.19	10.1	159.23	21.8Ω/km
ANM04.004.03.018AB	UL2517	300V	3X2X18AWG	29/0.19	10.6	184.33	21.8Ω/km
ANM04.004.04.018AB	UL2517	300V	4X2X18AWG	29/0.19	11.5	221.73	21.8Ω/km
ANM04.004.05.018AB	UL2517	300V	5X2X18AWG	29/0.19	12.6	267.33	21.8Ω/km
ANM04.004.06.018AB	UL2517	300V	6X2X18AWG	29/0.19	13.7	315.73	21.8Ω/km
ANM04.004.07.018AB	UL2517	300V	7X2X18AWG	29/0.19	13.7	327.63	21.8Ω/km
ANM04.004.08.018AB	UL2517	300V	8X2X18AWG	29/0.19	14.8	379.33	21.8Ω/km
ANM04.004.09.018AB	UL2517	300V	9X2X18AWG	29/0.19	16.2	445.63	21.8Ω/km
ANM04.004.10.018AB	UL2517	300V	10X2X18AWG	29/0.19	17.2	499.43	21.8Ω/km
ANM04.004.11.018AB	UL2517	300V	11X2X18AWG	29/0.19	17.8	537.83	21.8Ω/km
ANM04.004.12.018AB	UL2517	300V	12X2X18AWG	29/0.19	17.8	549.63	21.8Ω/km
ANM04.004.13.018AB	UL2517	300V	13X2X18AWG	29/0.19	18.7	602.53	21.8Ω/km
ANM04.004.14.018AB	UL2517	300V	14X2X18AWG	29/0.19	18.7	614.43	21.8Ω/km
ANM04.004.15.018AB	UL2517	300V	15X2X18AWG	29/0.19	20.7	722.33	21.8Ω/km
ANM04.004.16.018AB	UL2517	300V	16X2X18AWG	29/0.19	20.7	734.23	21.8Ω/km
ANM04.004.17.018AB	UL2517	300V	17X2X18AWG	29/0.19	21.7	798.63	21.8Ω/km
ANM04.004.18.018AB	UL2517	300V	18X2X18AWG	29/0.19	21.7	810.63	21.8Ω/km
ANM04.004.19.018AB	UL2517	300V	19X2X18AWG	29/0.19	21.7	822.53	21.8Ω/km
ANM04.004.20.018AB	UL2517	300V	20X2X18AWG	29/0.19	22.3	867.33	21.8Ω/km
ANM04.004.21.018AB	UL2517	300V	21X2X18AWG	29/0.19	22.8	907.13	21.8Ω/km
ANM04.004.22.018AB	UL2517	300V	22X2X18AWG	29/0.19	24.2	1000.73	21.8Ω/km
ANM04.004.23.018AB	UL2517	300V	23X2X18AWG	29/0.19	25.3	1080.03	21.8Ω/km
ANM04.004.24.018AB	UL2517	300V	24X2X18AWG	29/0.19	25.3	1091.93	21.8Ω/km
ANM04.004.25.018AB	UL2517	300V	25X2X18AWG	29/0.19	25.8	1135.53	21.8Ω/km
ANM04.004.26.018AB	UL2517	300V	26X2X18AWG	29/0.19	25.8	1147.33	21.8Ω/km
ANM04.004.27.018AB	UL2517	300V	27X2X18AWG	29/0.19	25.8	1159.23	21.8Ω/km
ANM04.004.28.018AB	UL2517	300V	28X2X18AWG	29/0.19	26.7	1229.63	21.8Ω/km
ANM04.004.29.018AB	UL2517	300V	29X2X18AWG	29/0.19	26.7	1241.63	21.8Ω/km
ANM04.004.30.018AB	UL2517	300V	30X2X18AWG	29/0.19	26.7	1253.53	21.8Ω/km
ANM04.004.31.018AB	UL2517	300V	31X2X18AWG	29/0.19	27.7	1332.53	21.8Ω/km





ANM04.004.32.018AB	UL2517	300V	32X2X18AWG	29/0.19	27.7	1344.53	21.8 Ω /km
ANM04.004.33.018AB	UL2517	300V	33X2X18AWG	29/0.19	27.7	1356.43	21.8 Ω /km
ANM04.004.34.018AB	UL2517	300V	34X2X18AWG	29/0.19	29.8	1514.43	21.8 Ω /km
ANM04.004.35.018AB	UL2517	300V	35X2X18AWG	29/0.19	29.8	1526.33	21.8 Ω /km
ANM04.004.36.018AB	UL2517	300V	36X2X18AWG	29/0.19	29.8	1538.43	21.8 Ω /km
ANM04.004.37.018AB	UL2517	300V	37X2X18AWG	29/0.19	29.8	1550.23	21.8 Ω /km
ANM04.004.38.018AB	UL2517	300V	38X2X18AWG	29/0.19	31.2	1702.43	21.8 Ω /km
ANM04.004.39.018AB	UL2517	300V	39X2X18AWG	29/0.19	31.2	1714.33	21.8 Ω /km
ANM04.004.40.018AB	UL2517	300V	40X2X18AWG	29/0.19	31.2	1726.23	21.8 Ω /km
ANM04.004.41.018AB	UL2517	300V	41X2X18AWG	29/0.19	33.7	1941.33	21.8 Ω /km
ANM04.004.42.018AB	UL2517	300V	42X2X18AWG	29/0.19	33.7	1953.13	21.8 Ω /km
ANM04.004.43.018AB	UL2517	300V	43X2X18AWG	29/0.19	33.7	1965.13	21.8 Ω /km
ANM04.004.44.018AB	UL2517	300V	44X2X18AWG	29/0.19	33.7	1977.03	21.8 Ω /km
ANM04.004.45.018AB	UL2517	300V	45X2X18AWG	29/0.19	34.3	2039.83	21.8 Ω /km
ANM04.004.46.018AB	UL2517	300V	46X2X18AWG	29/0.19	34.3	2051.83	21.8 Ω /km
ANM04.004.47.018AB	UL2517	300V	47X2X18AWG	29/0.19	34.3	2063.73	21.8 Ω /km
ANM04.004.48.018AB	UL2517	300V	48X2X18AWG	29/0.19	34.3	2075.53	21.8 Ω /km
ANM04.004.49.018AB	UL2517	300V	49X2X18AWG	29/0.19	35.2	2165.63	21.8 Ω /km
ANM04.004.50.018AB	UL2517	300V	50X2X18AWG	29/0.19	35.2	2177.63	21.8 Ω /km
ANM04.004.51.018AB	UL2517	300V	51X2X18AWG	29/0.19	35.2	2189.43	21.8 Ω /km
ANM04.004.52.018AB	UL2517	300V	52X2X18AWG	29/0.19	35.2	2201.43	21.8 Ω /km
ANM04.004.53.018AB	UL2517	300V	53X2X18AWG	29/0.19	36.5	2329.63	21.8 Ω /km
ANM04.004.54.018AB	UL2517	300V	54X2X18AWG	29/0.19	36.5	2341.53	21.8 Ω /km
ANM04.004.55.018AB	UL2517	300V	55X2X18AWG	29/0.19	36.5	2353.43	21.8 Ω /km
ANM04.004.56.018AB	UL2517	300V	56X2X18AWG	29/0.19	36.5	2365.23	21.8 Ω /km
ANM04.004.57.018AB	UL2517	300V	57X2X18AWG	29/0.19	37.5	2469.63	21.8 Ω /km
ANM04.004.58.018AB	UL2517	300V	58X2X18AWG	29/0.19	37.5	2481.53	21.8 Ω /km
ANM04.004.59.018AB	UL2517	300V	59X2X18AWG	29/0.19	37.5	2493.33	21.8 Ω /km
ANM04.004.60.018AB	UL2517	300V	60X2X18AWG	29/0.19	37.5	2505.43	21.8 Ω /km
ANM04.004.61.018AB	UL2517	300V	61X2X18AWG	29/0.19	37.5	2517.33	21.8 Ω /km
ANM04.004.62.018AB	UL2517	300V	62X2X18AWG	29/0.19	38.6	2633.23	21.8 Ω /km
ANM04.004.63.018AB	UL2517	300V	63X2X18AWG	29/0.19	38.6	2645.13	21.8 Ω /km
ANM04.004.64.018AB	UL2517	300V	64X2X18AWG	29/0.19	38.6	2657.13	21.8 Ω /km
ANM04.004.65.018AB	UL2517	300V	65X2X18AWG	29/0.19	38.6	2669.03	21.8 Ω /km
ANM04.004.02.017AB	UL2517	300V	2X2X17AWG	37/0.19	10.8	183.74	17.3 Ω /km
ANM04.004.03.017AB	UL2517	300V	3X2X17AWG	37/0.19	11.4	215.44	17.3 Ω /km
ANM04.004.04.017AB	UL2517	300V	4X2X17AWG	37/0.19	12.4	260.44	17.3 Ω /km
ANM04.004.05.017AB	UL2517	300V	5X2X17AWG	37/0.19	13.6	314.84	17.3 Ω /km
ANM04.004.06.017AB	UL2517	300V	6X2X17AWG	37/0.19	14.8	372.64	17.3 Ω /km
ANM04.004.07.017AB	UL2517	300V	7X2X17AWG	37/0.19	14.8	387.34	17.3 Ω /km
ANM04.004.08.017AB	UL2517	300V	8X2X17AWG	37/0.19	15.9	444.44	17.3 Ω /km
ANM04.004.09.017AB	UL2517	300V	9X2X17AWG	37/0.19	17.5	526.14	17.3 Ω /km



ANM04.004.10.017AB	UL2517	300V	10X2X17AWG	37/0.19	18.6	590.64	17.3 Ω/km
ANM04.004.11.017AB	UL2517	300V	11X2X17AWG	37/0.19	19.3	638.44	17.3 Ω/km
ANM04.004.12.017AB	UL2517	300V	12X2X17AWG	37/0.19	19.3	653.04	17.3 Ω/km
ANM04.004.13.017AB	UL2517	300V	13X2X17AWG	37/0.19	21.2	761.14	17.3 Ω/km
ANM04.004.14.017AB	UL2517	300V	14X2X17AWG	37/0.19	21.2	776.04	17.3 Ω/km
ANM04.004.15.017AB	UL2517	300V	15X2X17AWG	37/0.19	22.4	855.84	17.3 Ω/km
ANM04.004.16.017AB	UL2517	300V	16X2X17AWG	37/0.19	22.4	870.54	17.3 Ω/km
ANM04.004.17.017AB	UL2517	300V	17X2X17AWG	37/0.19	23.5	947.74	17.3 Ω/km
ANM04.004.18.017AB	UL2517	300V	18X2X17AWG	37/0.19	23.5	962.54	17.3 Ω/km
ANM04.004.19.017AB	UL2517	300V	19X2X17AWG	37/0.19	23.5	977.34	17.3 Ω/km
ANM04.004.20.017AB	UL2517	300V	20X2X17AWG	37/0.19	24.1	1027.54	17.3 Ω/km
ANM04.004.21.017AB	UL2517	300V	21X2X17AWG	37/0.19	24.7	1078.44	17.3 Ω/km
ANM04.004.22.017AB	UL2517	300V	22X2X17AWG	37/0.19	26.2	1187.74	17.3 Ω/km
ANM04.004.23.017AB	UL2517	300V	23X2X17AWG	37/0.19	27.4	1282.04	17.3 Ω/km
ANM04.004.24.017AB	UL2517	300V	24X2X17AWG	37/0.19	27.4	1296.74	17.3 Ω/km
ANM04.004.25.017AB	UL2517	300V	25X2X17AWG	37/0.19	28	1352.54	17.3 Ω/km
ANM04.004.26.017AB	UL2517	300V	26X2X17AWG	37/0.19	28	1367.24	17.3 Ω/km
ANM04.004.27.017AB	UL2517	300V	27X2X17AWG	37/0.19	28	1382.04	17.3 Ω/km
ANM04.004.28.017AB	UL2517	300V	28X2X17AWG	37/0.19	30.4	1600.74	17.3 Ω/km
ANM04.004.29.017AB	UL2517	300V	29X2X17AWG	37/0.19	30.4	1615.44	17.3 Ω/km
ANM04.004.30.017AB	UL2517	300V	30X2X17AWG	37/0.19	30.4	1630.14	17.3 Ω/km
ANM04.004.31.017AB	UL2517	300V	31X2X17AWG	37/0.19	31.5	1730.24	17.3 Ω/km
ANM04.004.32.017AB	UL2517	300V	32X2X17AWG	37/0.19	31.5	1745.04	17.3 Ω/km
ANM04.004.33.017AB	UL2517	300V	33X2X17AWG	37/0.19	31.5	1759.74	17.3 Ω/km
ANM04.004.34.017AB	UL2517	300V	34X2X17AWG	37/0.19	32.7	1870.84	17.3 Ω/km
ANM04.004.35.017AB	UL2517	300V	35X2X17AWG	37/0.19	32.7	1885.54	17.3 Ω/km
ANM04.004.36.017AB	UL2517	300V	36X2X17AWG	37/0.19	32.7	1900.34	17.3 Ω/km
ANM04.004.37.017AB	UL2517	300V	37X2X17AWG	37/0.19	32.7	1915.04	17.3 Ω/km
ANM04.004.38.017AB	UL2517	300V	38X2X17AWG	37/0.19	33.8	2021.34	17.3 Ω/km
ANM04.004.39.017AB	UL2517	300V	39X2X17AWG	37/0.19	33.8	2036.04	17.3 Ω/km
ANM04.004.40.017AB	UL2517	300V	40X2X17AWG	37/0.19	33.8	2050.84	17.3 Ω/km
ANM04.004.41.017AB	UL2517	300V	41X2X17AWG	37/0.19	36.8	2329.94	17.3 Ω/km
ANM04.004.42.017AB	UL2517	300V	42X2X17AWG	37/0.19	36.8	2344.64	17.3 Ω/km
ANM04.004.43.017AB	UL2517	300V	43X2X17AWG	37/0.19	36.8	2359.34	17.3 Ω/km
ANM04.004.44.017AB	UL2517	300V	44X2X17AWG	37/0.19	36.8	2374.04	17.3 Ω/km
ANM04.004.45.017AB	UL2517	300V	45X2X17AWG	37/0.19	37.4	2444.34	17.3 Ω/km
ANM04.004.46.017AB	UL2517	300V	46X2X17AWG	37/0.19	37.4	2459.14	17.3 Ω/km
ANM04.004.47.017AB	UL2517	300V	47X2X17AWG	37/0.19	37.4	2473.74	17.3 Ω/km
ANM04.004.48.017AB	UL2517	300V	48X2X17AWG	37/0.19	37.4	2488.44	17.3 Ω/km
ANM04.004.49.017AB	UL2517	300V	49X2X17AWG	37/0.19	38.4	2597.54	17.3 Ω/km
ANM04.004.50.017AB	UL2517	300V	50X2X17AWG	37/0.19	38.4	2612.34	17.3 Ω/km
ANM04.004.51.017AB	UL2517	300V	51X2X17AWG	37/0.19	38.4	2627.04	17.3 Ω/km



ANM04.004.52.017AB	UL2517	300V	52X2X17AWG	37/0.19	38.4	2641.74	17.3 Ω /km
ANM04.004.53.017AB	UL2517	300V	53X2X17AWG	37/0.19	39.6	2773.14	17.3 Ω /km
ANM04.004.54.017AB	UL2517	300V	54X2X17AWG	37/0.19	39.6	2787.84	17.3 Ω /km
ANM04.004.55.017AB	UL2517	300V	55X2X17AWG	37/0.19	39.6	2802.64	17.3 Ω /km
ANM04.004.56.017AB	UL2517	300V	56X2X17AWG	37/0.19	39.6	2817.34	17.3 Ω /km
ANM04.004.57.017AB	UL2517	300V	57X2X17AWG	37/0.19	40.9	2999.94	17.3 Ω /km
ANM04.004.58.017AB	UL2517	300V	58X2X17AWG	37/0.19	40.9	3014.74	17.3 Ω /km
ANM04.004.59.017AB	UL2517	300V	59X2X17AWG	37/0.19	40.9	3029.54	17.3 Ω /km
ANM04.004.60.017AB	UL2517	300V	60X2X17AWG	37/0.19	40.9	3044.24	17.3 Ω /km
ANM04.004.61.017AB	UL2517	300V	61X2X17AWG	37/0.19	40.9	3058.84	17.3 Ω /km
ANM04.004.62.017AB	UL2517	300V	62X2X17AWG	37/0.19	42.1	3198.64	17.3 Ω /km
ANM04.004.63.017AB	UL2517	300V	63X2X17AWG	37/0.19	42.1	3213.34	17.3 Ω /km
ANM04.004.64.017AB	UL2517	300V	64X2X17AWG	37/0.19	42.1	3228.14	17.3 Ω /km
ANM04.004.65.017AB	UL2517	300V	65X2X17AWG	37/0.19	42.1	3242.84	17.3 Ω /km
ANM04.004.02.016AB	UL2517	300V	2X2X16AWG	27/0.25	11.8	221.61	13.7 Ω /km
ANM04.004.03.016AB	UL2517	300V	3X2X16AWG	27/0.25	12.5	262.31	13.7 Ω /km
ANM04.004.04.016AB	UL2517	300V	4X2X16AWG	27/0.25	13.8	324.61	13.7 Ω /km
ANM04.004.05.016AB	UL2517	300V	5X2X16AWG	27/0.25	15	387.21	13.7 Ω /km
ANM04.004.06.016AB	UL2517	300V	6X2X16AWG	27/0.25	16.3	457.51	13.7 Ω /km
ANM04.004.07.016AB	UL2517	300V	7X2X16AWG	27/0.25	16.3	476.61	13.7 Ω /km
ANM04.004.08.016AB	UL2517	300V	8X2X16AWG	27/0.25	17.7	555.31	13.7 Ω /km
ANM04.004.09.016AB	UL2517	300V	9X2X16AWG	27/0.25	19.4	653.11	13.7 Ω /km
ANM04.004.10.016AB	UL2517	300V	10X2X16AWG	27/0.25	21.7	787.31	13.7 Ω /km
ANM04.004.11.016AB	UL2517	300V	11X2X16AWG	27/0.25	22.4	844.81	13.7 Ω /km
ANM04.004.12.016AB	UL2517	300V	12X2X16AWG	27/0.25	22.4	864.01	13.7 Ω /km
ANM04.004.13.016AB	UL2517	300V	13X2X16AWG	27/0.25	23.6	951.41	13.7 Ω /km
ANM04.004.14.016AB	UL2517	300V	14X2X16AWG	27/0.25	23.6	970.51	13.7 Ω /km
ANM04.004.15.016AB	UL2517	300V	15X2X16AWG	27/0.25	24.8	1061.61	13.7 Ω /km
ANM04.004.16.016AB	UL2517	300V	16X2X16AWG	27/0.25	24.8	1080.61	13.7 Ω /km
ANM04.004.17.016AB	UL2517	300V	17X2X16AWG	27/0.25	26.1	1181.51	13.7 Ω /km
ANM04.004.18.016AB	UL2517	300V	18X2X16AWG	27/0.25	26.1	1200.71	13.7 Ω /km
ANM04.004.19.016AB	UL2517	300V	19X2X16AWG	27/0.25	26.1	1219.81	13.7 Ω /km
ANM04.004.20.016AB	UL2517	300V	20X2X16AWG	27/0.25	26.8	1284.61	13.7 Ω /km
ANM04.004.21.016AB	UL2517	300V	21X2X16AWG	27/0.25	27.5	1350.51	13.7 Ω /km
ANM04.004.22.016AB	UL2517	300V	22X2X16AWG	27/0.25	30.6	1623.31	13.7 Ω /km
ANM04.004.23.016AB	UL2517	300V	23X2X16AWG	27/0.25	31.9	1744.11	13.7 Ω /km
ANM04.004.24.016AB	UL2517	300V	24X2X16AWG	27/0.25	31.9	1763.21	13.7 Ω /km
ANM04.004.25.016AB	UL2517	300V	25X2X16AWG	27/0.25	32.6	1838.81	13.7 Ω /km
ANM04.004.26.016AB	UL2517	300V	26X2X16AWG	27/0.25	32.6	1857.91	13.7 Ω /km
ANM04.004.27.016AB	UL2517	300V	27X2X16AWG	27/0.25	32.6	1877.01	13.7 Ω /km
ANM04.004.28.016AB	UL2517	300V	28X2X16AWG	27/0.25	33.8	1995.71	13.7 Ω /km
ANM04.004.29.016AB	UL2517	300V	29X2X16AWG	27/0.25	33.8	2014.61	13.7 Ω /km



ANM04.004.30.016AB	UL2517	300V	30X2X16AWG	27/0.25	33.8	2033.81	13.7 Ω /km
ANM04.004.31.016AB	UL2517	300V	31X2X16AWG	27/0.25	35	2156.11	13.7 Ω /km
ANM04.004.32.016AB	UL2517	300V	32X2X16AWG	27/0.25	35	2175.11	13.7 Ω /km
ANM04.004.33.016AB	UL2517	300V	33X2X16AWG	27/0.25	35	2194.11	13.7 Ω /km
ANM04.004.34.016AB	UL2517	300V	34X2X16AWG	27/0.25	36.6	2356.11	13.7 Ω /km
ANM04.004.35.016AB	UL2517	300V	35X2X16AWG	27/0.25	36.6	2375.21	13.7 Ω /km
ANM04.004.36.016AB	UL2517	300V	36X2X16AWG	27/0.25	36.6	2394.41	13.7 Ω /km
ANM04.004.37.016AB	UL2517	300V	37X2X16AWG	27/0.25	36.6	2413.41	13.7 Ω /km
ANM04.004.38.016AB	UL2517	300V	38X2X16AWG	27/0.25	38	2562.61	13.7 Ω /km
ANM04.004.39.016AB	UL2517	300V	39X2X16AWG	27/0.25	38	2581.71	13.7 Ω /km
ANM04.004.40.016AB	UL2517	300V	40X2X16AWG	27/0.25	38	2600.71	13.7 Ω /km
ANM04.004.41.016AB	UL2517	300V	41X2X16AWG	27/0.25	41.2	2973.11	13.7 Ω /km
ANM04.004.42.016AB	UL2517	300V	42X2X16AWG	27/0.25	41.2	2992.21	13.7 Ω /km
ANM04.004.43.016AB	UL2517	300V	43X2X16AWG	27/0.25	41.2	3011.31	13.7 Ω /km
ANM04.004.44.016AB	UL2517	300V	44X2X16AWG	27/0.25	41.2	3030.41	13.7 Ω /km
ANM04.004.45.016AB	UL2517	300V	45X2X16AWG	27/0.25	41.9	3122.41	13.7 Ω /km
ANM04.004.46.016AB	UL2517	300V	46X2X16AWG	27/0.25	41.9	3141.51	13.7 Ω /km
ANM04.004.47.016AB	UL2517	300V	47X2X16AWG	27/0.25	41.9	3160.61	13.7 Ω /km
ANM04.004.48.016AB	UL2517	300V	48X2X16AWG	27/0.25	41.9	3179.71	13.7 Ω /km
ANM04.004.49.016AB	UL2517	300V	49X2X16AWG	27/0.25	44.5	3471.91	13.7 Ω /km
ANM04.004.50.016AB	UL2517	300V	50X2X16AWG	27/0.25	44.5	3491.01	13.7 Ω /km
ANM04.004.51.016AB	UL2517	300V	51X2X16AWG	27/0.25	44.5	3510.11	13.7 Ω /km
ANM04.004.52.016AB	UL2517	300V	52X2X16AWG	27/0.25	44.5	3529.11	13.7 Ω /km
ANM04.004.53.016AB	UL2517	300V	53X2X16AWG	27/0.25	45.7	3683.61	13.7 Ω /km
ANM04.004.54.016AB	UL2517	300V	54X2X16AWG	27/0.25	45.7	3702.71	13.7 Ω /km
ANM04.004.55.016AB	UL2517	300V	55X2X16AWG	27/0.25	45.7	3721.81	13.7 Ω /km
ANM04.004.56.016AB	UL2517	300V	56X2X16AWG	27/0.25	45.7	3740.81	13.7 Ω /km
ANM04.004.57.016AB	UL2517	300V	57X2X16AWG	27/0.25	47	3910.41	13.7 Ω /km
ANM04.004.58.016AB	UL2517	300V	58X2X16AWG	27/0.25	47	3929.51	13.7 Ω /km
ANM04.004.59.016AB	UL2517	300V	59X2X16AWG	27/0.25	47	3948.71	13.7 Ω /km
ANM04.004.60.016AB	UL2517	300V	60X2X16AWG	27/0.25	47	3967.71	13.7 Ω /km
ANM04.004.61.016AB	UL2517	300V	61X2X16AWG	27/0.25	47	3986.71	13.7 Ω /km
ANM04.004.62.016AB	UL2517	300V	62X2X16AWG	27/0.25	48.4	4172.61	13.7 Ω /km
ANM04.004.63.016AB	UL2517	300V	63X2X16AWG	27/0.25	48.4	4191.71	13.7 Ω /km
ANM04.004.64.016AB	UL2517	300V	64X2X16AWG	27/0.25	48.4	4210.81	13.7 Ω /km
ANM04.004.65.016AB	UL2517	300V	65X2X16AWG	27/0.25	48.4	4229.91	13.7 Ω /km
ANM04.004.02.015AB	UL2517	300V	2X2X15AWG	34/0.25	12.6	256.35	10.9 Ω /km
ANM04.004.03.015AB	UL2517	300V	3X2X15AWG	34/0.25	13.4	306.55	10.9 Ω /km
ANM04.004.04.015AB	UL2517	300V	4X2X15AWG	34/0.25	14.6	372.95	10.9 Ω /km
ANM04.004.05.015AB	UL2517	300V	5X2X15AWG	34/0.25	16	450.85	10.9 Ω /km
ANM04.004.06.015AB	UL2517	300V	6X2X15AWG	34/0.25	17.4	533.25	10.9 Ω /km
ANM04.004.07.015AB	UL2517	300V	7X2X15AWG	34/0.25	17.4	557.15	10.9 Ω /km



ANM04.004.08.015AB	UL2517	300V	8X2X15AWG	34/0.25	18.8	644.45	10.9Ω/km
ANM04.004.09.015AB	UL2517	300V	9X2X15AWG	34/0.25	21.8	817.65	10.9Ω/km
ANM04.004.10.015AB	UL2517	300V	10X2X15AWG	34/0.25	23.2	919.85	10.9Ω/km
ANM04.004.11.015AB	UL2517	300V	11X2X15AWG	34/0.25	23.9	984.55	10.9Ω/km
ANM04.004.12.015AB	UL2517	300V	12X2X15AWG	34/0.25	23.9	1008.45	10.9Ω/km
ANM04.004.13.015AB	UL2517	300V	13X2X15AWG	34/0.25	25.1	1105.15	10.9Ω/km
ANM04.004.14.015AB	UL2517	300V	14X2X15AWG	34/0.25	25.1	1129.15	10.9Ω/km
ANM04.004.15.015AB	UL2517	300V	15X2X15AWG	34/0.25	26.5	1242.45	10.9Ω/km
ANM04.004.16.015AB	UL2517	300V	16X2X15AWG	34/0.25	26.5	1266.35	10.9Ω/km
ANM04.004.17.015AB	UL2517	300V	17X2X15AWG	34/0.25	27.9	1384.45	10.9Ω/km
ANM04.004.18.015AB	UL2517	300V	18X2X15AWG	34/0.25	27.9	1408.35	10.9Ω/km
ANM04.004.19.015AB	UL2517	300V	19X2X15AWG	34/0.25	27.9	1432.35	10.9Ω/km
ANM04.004.20.015AB	UL2517	300V	20X2X15AWG	34/0.25	29.7	1581.35	10.9Ω/km
ANM04.004.21.015AB	UL2517	300V	21X2X15AWG	34/0.25	30.7	1713.95	10.9Ω/km
ANM04.004.22.015AB	UL2517	300V	22X2X15AWG	34/0.25	32.7	1896.65	10.9Ω/km
ANM04.004.23.015AB	UL2517	300V	23X2X15AWG	34/0.25	34.1	2037.65	10.9Ω/km
ANM04.004.24.015AB	UL2517	300V	24X2X15AWG	34/0.25	34.1	2061.45	10.9Ω/km
ANM04.004.25.015AB	UL2517	300V	25X2X15AWG	34/0.25	34.8	2145.65	10.9Ω/km
ANM04.004.26.015AB	UL2517	300V	26X2X15AWG	34/0.25	34.8	2169.55	10.9Ω/km
ANM04.004.27.015AB	UL2517	300V	27X2X15AWG	34/0.25	34.8	2193.45	10.9Ω/km
ANM04.004.28.015AB	UL2517	300V	28X2X15AWG	34/0.25	36.3	2350.55	10.9Ω/km
ANM04.004.29.015AB	UL2517	300V	29X2X15AWG	34/0.25	36.3	2374.45	10.9Ω/km
ANM04.004.30.015AB	UL2517	300V	30X2X15AWG	34/0.25	36.3	2398.35	10.9Ω/km
ANM04.004.31.015AB	UL2517	300V	31X2X15AWG	34/0.25	37.7	2551.25	10.9Ω/km
ANM04.004.32.015AB	UL2517	300V	32X2X15AWG	34/0.25	37.7	2575.35	10.9Ω/km
ANM04.004.33.015AB	UL2517	300V	33X2X15AWG	34/0.25	37.7	2599.25	10.9Ω/km
ANM04.004.34.015AB	UL2517	300V	34X2X15AWG	34/0.25	39.1	2756.95	10.9Ω/km
ANM04.004.35.015AB	UL2517	300V	35X2X15AWG	34/0.25	39.1	2780.85	10.9Ω/km
ANM04.004.36.015AB	UL2517	300V	36X2X15AWG	34/0.25	39.1	2804.85	10.9Ω/km
ANM04.004.37.015AB	UL2517	300V	37X2X15AWG	34/0.25	39.1	2828.75	10.9Ω/km
ANM04.004.38.015AB	UL2517	300V	38X2X15AWG	34/0.25	40.7	3049.05	10.9Ω/km
ANM04.004.39.015AB	UL2517	300V	39X2X15AWG	34/0.25	40.7	3072.95	10.9Ω/km
ANM04.004.40.015AB	UL2517	300V	40X2X15AWG	34/0.25	40.7	3096.85	10.9Ω/km
ANM04.004.41.015AB	UL2517	300V	41X2X15AWG	34/0.25	45.5	3630.95	10.9Ω/km
ANM04.004.42.015AB	UL2517	300V	42X2X15AWG	34/0.25	45.5	3654.85	10.9Ω/km
ANM04.004.43.015AB	UL2517	300V	43X2X15AWG	34/0.25	45.5	3678.65	10.9Ω/km
ANM04.004.44.015AB	UL2517	300V	44X2X15AWG	34/0.25	45.5	3702.65	10.9Ω/km
ANM04.004.45.015AB	UL2517	300V	45X2X15AWG	34/0.25	46.2	3806.85	10.9Ω/km
ANM04.004.46.015AB	UL2517	300V	46X2X15AWG	34/0.25	46.2	3830.75	10.9Ω/km
ANM04.004.47.015AB	UL2517	300V	47X2X15AWG	34/0.25	46.2	3854.65	10.9Ω/km
ANM04.004.48.015AB	UL2517	300V	48X2X15AWG	34/0.25	46.2	3878.55	10.9Ω/km
ANM04.004.49.015AB	UL2517	300V	49X2X15AWG	34/0.25	47.4	4042.85	10.9Ω/km



ANM04.004.50.015AB	UL2517	300V	50X2X15AWG	34/0.25	47.4	4066.75	10.9Ω/km
ANM04.004.51.015AB	UL2517	300V	51X2X15AWG	34/0.25	47.4	4090.65	10.9Ω/km
ANM04.004.52.015AB	UL2517	300V	52X2X15AWG	34/0.25	47.4	4114.55	10.9Ω/km
ANM04.004.53.015AB	UL2517	300V	53X2X15AWG	34/0.25	48.8	4306.65	10.9Ω/km
ANM04.004.54.015AB	UL2517	300V	54X2X15AWG	34/0.25	48.8	4330.65	10.9Ω/km
ANM04.004.55.015AB	UL2517	300V	55X2X15AWG	34/0.25	48.8	4354.45	10.9Ω/km
ANM04.004.56.015AB	UL2517	300V	56X2X15AWG	34/0.25	48.8	4378.45	10.9Ω/km
ANM04.004.57.015AB	UL2517	300V	57X2X15AWG	34/0.25	50.2	4575.15	10.9Ω/km
ANM04.004.58.015AB	UL2517	300V	58X2X15AWG	34/0.25	50.2	4599.05	10.9Ω/km
ANM04.004.59.015AB	UL2517	300V	59X2X15AWG	34/0.25	50.2	4622.95	10.9Ω/km
ANM04.004.60.015AB	UL2517	300V	60X2X15AWG	34/0.25	50.2	4646.95	10.9Ω/km
ANM04.004.61.015AB	UL2517	300V	61X2X15AWG	34/0.25	50.2	4670.75	10.9Ω/km
ANM04.004.62.015AB	UL2517	300V	62X2X15AWG	34/0.25	51.6	4872.15	10.9Ω/km
ANM04.004.63.015AB	UL2517	300V	63X2X15AWG	34/0.25	51.6	4896.25	10.9Ω/km
ANM04.004.64.015AB	UL2517	300V	64X2X15AWG	34/0.25	51.6	4920.15	10.9Ω/km
ANM04.004.65.015AB	UL2517	300V	65X2X15AWG	34/0.25	51.6	4943.95	10.9Ω/km
ANM04.004.02.014AB	UL2517	300V	2X2X14AWG	43/0.25	13.4	295.88	8.62Ω/km
ANM04.004.03.014AB	UL2517	300V	3X2X14AWG	43/0.25	14.2	354.08	8.62Ω/km
ANM04.004.04.014AB	UL2517	300V	4X2X14AWG	43/0.25	15.5	432.88	8.62Ω/km
ANM04.004.05.014AB	UL2517	300V	5X2X14AWG	43/0.25	17	524.38	8.62Ω/km
ANM04.004.06.014AB	UL2517	300V	6X2X14AWG	43/0.25	18.5	621.28	8.62Ω/km
ANM04.004.07.014AB	UL2517	300V	7X2X14AWG	43/0.25	18.5	651.58	8.62Ω/km
ANM04.004.08.014AB	UL2517	300V	8X2X14AWG	43/0.25	21	802.38	8.62Ω/km
ANM04.004.09.014AB	UL2517	300V	9X2X14AWG	43/0.25	23.1	947.78	8.62Ω/km
ANM04.004.10.014AB	UL2517	300V	10X2X14AWG	43/0.25	24.6	1066.78	8.62Ω/km
ANM04.004.11.014AB	UL2517	300V	11X2X14AWG	43/0.25	25.4	1146.38	8.62Ω/km
ANM04.004.12.014AB	UL2517	300V	12X2X14AWG	43/0.25	25.4	1176.68	8.62Ω/km
ANM04.004.13.014AB	UL2517	300V	13X2X14AWG	43/0.25	26.7	1290.88	8.62Ω/km
ANM04.004.14.014AB	UL2517	300V	14X2X14AWG	43/0.25	26.7	1321.08	8.62Ω/km
ANM04.004.15.014AB	UL2517	300V	15X2X14AWG	43/0.25	28.2	1453.08	8.62Ω/km
ANM04.004.16.014AB	UL2517	300V	16X2X14AWG	43/0.25	28.2	1483.38	8.62Ω/km
ANM04.004.17.014AB	UL2517	300V	17X2X14AWG	43/0.25	31.1	1757.68	8.62Ω/km
ANM04.004.18.014AB	UL2517	300V	18X2X14AWG	43/0.25	31.1	1787.98	8.62Ω/km
ANM04.004.19.014AB	UL2517	300V	19X2X14AWG	43/0.25	31.1	1818.28	8.62Ω/km
ANM04.004.20.014AB	UL2517	300V	20X2X14AWG	43/0.25	31.9	1911.68	8.62Ω/km
ANM04.004.21.014AB	UL2517	300V	21X2X14AWG	43/0.25	32.6	1998.48	8.62Ω/km
ANM04.004.22.014AB	UL2517	300V	22X2X14AWG	43/0.25	34.7	2205.38	8.62Ω/km
ANM04.004.23.014AB	UL2517	300V	23X2X14AWG	43/0.25	36.5	2395.58	8.62Ω/km
ANM04.004.24.014AB	UL2517	300V	24X2X14AWG	43/0.25	36.5	2425.68	8.62Ω/km
ANM04.004.25.014AB	UL2517	300V	25X2X14AWG	43/0.25	37.3	2529.68	8.62Ω/km
ANM04.004.26.014AB	UL2517	300V	26X2X14AWG	43/0.25	37.3	2559.98	8.62Ω/km
ANM04.004.27.014AB	UL2517	300V	27X2X14AWG	43/0.25	37.3	2590.28	8.62Ω/km



ANM04.004.28.014AB	UL2517	300V	28X2X14AWG	43/0.25	38.6	2743.28	8.62 Ω /km
ANM04.004.29.014AB	UL2517	300V	29X2X14AWG	43/0.25	38.6	2773.68	8.62 Ω /km
ANM04.004.30.014AB	UL2517	300V	30X2X14AWG	43/0.25	38.6	2803.88	8.62 Ω /km
ANM04.004.31.014AB	UL2517	300V	31X2X14AWG	43/0.25	40.1	2981.08	8.62 Ω /km
ANM04.004.32.014AB	UL2517	300V	32X2X14AWG	43/0.25	40.1	3011.28	8.62 Ω /km
ANM04.004.33.014AB	UL2517	300V	33X2X14AWG	43/0.25	40.1	3041.58	8.62 Ω /km
ANM04.004.34.014AB	UL2517	300V	34X2X14AWG	43/0.25	41.8	3283.68	8.62 Ω /km
ANM04.004.35.014AB	UL2517	300V	35X2X14AWG	43/0.25	41.8	3313.98	8.62 Ω /km
ANM04.004.36.014AB	UL2517	300V	36X2X14AWG	43/0.25	41.8	3344.28	8.62 Ω /km
ANM04.004.37.014AB	UL2517	300V	37X2X14AWG	43/0.25	41.8	3374.48	8.62 Ω /km
ANM04.004.38.014AB	UL2517	300V	38X2X14AWG	43/0.25	44.7	3710.68	8.62 Ω /km
ANM04.004.39.014AB	UL2517	300V	39X2X14AWG	43/0.25	44.7	3740.98	8.62 Ω /km
ANM04.004.40.014AB	UL2517	300V	40X2X14AWG	43/0.25	44.7	3771.28	8.62 Ω /km
ANM04.004.41.014AB	UL2517	300V	41X2X14AWG	43/0.25	48.3	4219.78	8.62 Ω /km
ANM04.004.42.014AB	UL2517	300V	42X2X14AWG	43/0.25	48.3	4250.18	8.62 Ω /km
ANM04.004.43.014AB	UL2517	300V	43X2X14AWG	43/0.25	48.3	4280.38	8.62 Ω /km
ANM04.004.44.014AB	UL2517	300V	44X2X14AWG	43/0.25	48.3	4310.58	8.62 Ω /km
ANM04.004.45.014AB	UL2517	300V	45X2X14AWG	43/0.25	49.1	4438.08	8.62 Ω /km
ANM04.004.46.014AB	UL2517	300V	46X2X14AWG	43/0.25	49.1	4468.38	8.62 Ω /km
ANM04.004.47.014AB	UL2517	300V	47X2X14AWG	43/0.25	49.1	4498.68	8.62 Ω /km
ANM04.004.48.014AB	UL2517	300V	48X2X14AWG	43/0.25	49.1	4528.88	8.62 Ω /km
ANM04.004.49.014AB	UL2517	300V	49X2X14AWG	43/0.25	50.4	4720.48	8.62 Ω /km
ANM04.004.50.014AB	UL2517	300V	50X2X14AWG	43/0.25	50.4	4750.78	8.62 Ω /km
ANM04.004.51.014AB	UL2517	300V	51X2X14AWG	43/0.25	50.4	4780.98	8.62 Ω /km
ANM04.004.52.014AB	UL2517	300V	52X2X14AWG	43/0.25	50.4	4811.28	8.62 Ω /km
ANM04.004.02.013AB	UL2517	300V	2X2X13AWG	54/0.25	14.4	346.23	6.82 Ω /km
ANM04.004.03.013AB	UL2517	300V	3X2X13AWG	54/0.25	15.3	417.53	6.82 Ω /km
ANM04.004.04.013AB	UL2517	300V	4X2X13AWG	54/0.25	16.7	511.43	6.82 Ω /km
ANM04.004.05.013AB	UL2517	300V	5X2X13AWG	54/0.25	18.4	623.73	6.82 Ω /km
ANM04.004.06.013AB	UL2517	300V	6X2X13AWG	54/0.25	21	786.63	6.82 Ω /km
ANM04.004.07.013AB	UL2517	300V	7X2X13AWG	54/0.25	21	824.33	6.82 Ω /km
ANM04.004.08.013AB	UL2517	300V	8X2X13AWG	54/0.25	22.7	954.23	6.82 Ω /km
ANM04.004.09.013AB	UL2517	300V	9X2X13AWG	54/0.25	25	1127.93	6.82 Ω /km
ANM04.004.10.013AB	UL2517	300V	10X2X13AWG	54/0.25	26.7	1274.33	6.82 Ω /km
ANM04.004.11.013AB	UL2517	300V	11X2X13AWG	54/0.25	27.6	1372.33	6.82 Ω /km
ANM04.004.12.013AB	UL2517	300V	12X2X13AWG	54/0.25	27.6	1409.83	6.82 Ω /km
ANM04.004.13.013AB	UL2517	300V	13X2X13AWG	54/0.25	30.4	1678.93	6.82 Ω /km
ANM04.004.14.013AB	UL2517	300V	14X2X13AWG	54/0.25	30.4	1716.63	6.82 Ω /km
ANM04.004.15.013AB	UL2517	300V	15X2X13AWG	54/0.25	32	1879.33	6.82 Ω /km
ANM04.004.16.013AB	UL2517	300V	16X2X13AWG	54/0.25	32	1916.93	6.82 Ω /km
ANM04.004.17.013AB	UL2517	300V	17X2X13AWG	54/0.25	33.7	2094.43	6.82 Ω /km
ANM04.004.18.013AB	UL2517	300V	18X2X13AWG	54/0.25	33.7	2132.13	6.82 Ω /km



ANM04.004.19.013AB	UL2517	300V	19X2X13AWG	54/0.25	33.7	2169.73	6.82 Ω /km
ANM04.004.20.013AB	UL2517	300V	20X2X13AWG	54/0.25	34.6	2284.13	6.82 Ω /km
ANM04.004.21.013AB	UL2517	300V	21X2X13AWG	54/0.25	35.4	2391.73	6.82 Ω /km
ANM04.004.22.013AB	UL2517	300V	22X2X13AWG	54/0.25	38	2667.33	6.82 Ω /km
ANM04.004.23.013AB	UL2517	300V	23X2X13AWG	54/0.25	39.6	2859.53	6.82 Ω /km
ANM04.004.24.013AB	UL2517	300V	24X2X13AWG	54/0.25	39.6	2897.03	6.82 Ω /km
ANM04.004.25.013AB	UL2517	300V	25X2X13AWG	54/0.25	40.7	3082.03	6.82 Ω /km
ANM04.004.26.013AB	UL2517	300V	26X2X13AWG	54/0.25	40.7	3119.73	6.82 Ω /km
ANM04.004.27.013AB	UL2517	300V	27X2X13AWG	54/0.25	40.7	3157.43	6.82 Ω /km
ANM04.004.28.013AB	UL2517	300V	28X2X13AWG	54/0.25	42.2	3351.13	6.82 Ω /km
ANM04.004.29.013AB	UL2517	300V	29X2X13AWG	54/0.25	42.2	3388.83	6.82 Ω /km
ANM04.004.30.013AB	UL2517	300V	30X2X13AWG	54/0.25	42.2	3426.43	6.82 Ω /km
ANM04.004.31.013AB	UL2517	300V	31X2X13AWG	54/0.25	45.2	3784.23	6.82 Ω /km
ANM04.004.32.013AB	UL2517	300V	32X2X13AWG	54/0.25	45.2	3821.83	6.82 Ω /km
ANM04.004.33.013AB	UL2517	300V	33X2X13AWG	54/0.25	45.2	3859.43	6.82 Ω /km
ANM04.004.34.013AB	UL2517	300V	34X2X13AWG	54/0.25	46.9	4092.83	6.82 Ω /km
ANM04.004.35.013AB	UL2517	300V	35X2X13AWG	54/0.25	46.9	4130.33	6.82 Ω /km
ANM04.004.36.013AB	UL2517	300V	36X2X13AWG	54/0.25	46.9	4168.03	6.82 Ω /km
ANM04.004.37.013AB	UL2517	300V	37X2X13AWG	54/0.25	46.9	4205.63	6.82 Ω /km
ANM04.004.38.013AB	UL2517	300V	38X2X13AWG	54/0.25	48.6	4445.93	6.82 Ω /km
ANM04.004.39.013AB	UL2517	300V	39X2X13AWG	54/0.25	48.6	4483.53	6.82 Ω /km
ANM04.004.40.013AB	UL2517	300V	40X2X13AWG	54/0.25	48.6	4521.23	6.82 Ω /km
ANM04.004.41.013AB	UL2517	300V	41X2X13AWG	54/0.25	52.5	5050.33	6.82 Ω /km
ANM04.004.42.013AB	UL2517	300V	42X2X13AWG	54/0.25	52.5	5087.93	6.82 Ω /km
ANM04.004.43.013AB	UL2517	300V	43X2X13AWG	54/0.25	52.5	5125.63	6.82 Ω /km
ANM04.004.44.013AB	UL2517	300V	44X2X13AWG	54/0.25	52.5	5163.33	6.82 Ω /km
ANM04.004.45.013AB	UL2517	300V	45X2X13AWG	54/0.25	53.4	5319.53	6.82 Ω /km
ANM04.004.46.013AB	UL2517	300V	46X2X13AWG	54/0.25	53.4	5357.13	6.82 Ω /km
ANM04.004.47.013AB	UL2517	300V	47X2X13AWG	54/0.25	53.4	5394.73	6.82 Ω /km
ANM04.004.48.013AB	UL2517	300V	48X2X13AWG	54/0.25	53.4	5432.33	6.82 Ω /km
ANM04.004.49.013AB	UL2517	300V	49X2X13AWG	54/0.25	54.8	5658.43	6.82 Ω /km
ANM04.004.50.013AB	UL2517	300V	50X2X13AWG	54/0.25	54.8	5696.03	6.82 Ω /km
ANM04.004.51.013AB	UL2517	300V	51X2X13AWG	54/0.25	54.8	5733.73	6.82 Ω /km
ANM04.004.52.013AB	UL2517	300V	52X2X13AWG	54/0.25	54.8	5771.33	6.82 Ω /km
ANM04.004.02.012AB	UL2517	300V	2X2X12AWG	68/0.25	15.8	421.31	5.43 Ω /km
ANM04.004.03.012AB	UL2517	300V	3X2X12AWG	68/0.25	16.8	510.21	5.43 Ω /km
ANM04.004.04.012AB	UL2517	300V	4X2X12AWG	68/0.25	18.4	628.91	5.43 Ω /km
ANM04.004.05.012AB	UL2517	300V	5X2X12AWG	68/0.25	21.3	818.01	5.43 Ω /km
ANM04.004.06.012AB	UL2517	300V	6X2X12AWG	68/0.25	23.2	971.31	5.43 Ω /km
ANM04.004.07.012AB	UL2517	300V	7X2X12AWG	68/0.25	23.2	1019.31	5.43 Ω /km
ANM04.004.08.012AB	UL2517	300V	8X2X12AWG	68/0.25	25.1	1181.21	5.43 Ω /km
ANM04.004.09.012AB	UL2517	300V	9X2X12AWG	68/0.25	27.6	1392.21	5.43 Ω /km





ANM04.004.10.012AB	UL2517	300V	10X2X12AWG	68/0.25	30.9	1710.41	5.43 Ω /km
ANM04.004.11.012AB	UL2517	300V	11X2X12AWG	68/0.25	31.9	1837.11	5.43 Ω /km
ANM04.004.12.012AB	UL2517	300V	12X2X12AWG	68/0.25	31.9	1885.31	5.43 Ω /km
ANM04.004.13.012AB	UL2517	300V	13X2X12AWG	68/0.25	33.5	2064.41	5.43 Ω /km
ANM04.004.14.012AB	UL2517	300V	14X2X12AWG	68/0.25	33.5	2112.51	5.43 Ω /km
ANM04.004.15.012AB	UL2517	300V	15X2X12AWG	68/0.25	35.4	2324.21	5.43 Ω /km
ANM04.004.16.012AB	UL2517	300V	16X2X12AWG	68/0.25	35.4	2372.41	5.43 Ω /km
ANM04.004.17.012AB	UL2517	300V	17X2X12AWG	68/0.25	37.5	2611.61	5.43 Ω /km
ANM04.004.18.012AB	UL2517	300V	18X2X12AWG	68/0.25	37.5	2659.61	5.43 Ω /km
ANM04.004.19.012AB	UL2517	300V	19X2X12AWG	68/0.25	37.5	2707.91	5.43 Ω /km
ANM04.004.20.012AB	UL2517	300V	20X2X12AWG	68/0.25	38.5	2850.61	5.43 Ω /km
ANM04.004.21.012AB	UL2517	300V	21X2X12AWG	68/0.25	39.4	2986.01	5.43 Ω /km
ANM04.004.22.012AB	UL2517	300V	22X2X12AWG	68/0.25	42.2	3357.31	5.43 Ω /km
ANM04.004.23.012AB	UL2517	300V	23X2X12AWG	68/0.25	45.5	3759.51	5.43 Ω /km
ANM04.004.24.012AB	UL2517	300V	24X2X12AWG	68/0.25	45.5	3807.61	5.43 Ω /km
ANM04.004.25.012AB	UL2517	300V	25X2X12AWG	68/0.25	46.5	3970.91	5.43 Ω /km
ANM04.004.26.012AB	UL2517	300V	26X2X12AWG	68/0.25	46.5	4019.01	5.43 Ω /km
ANM04.004.27.012AB	UL2517	300V	27X2X12AWG	68/0.25	46.5	4067.21	5.43 Ω /km
ANM04.004.28.012AB	UL2517	300V	28X2X12AWG	68/0.25	48.1	4304.21	5.43 Ω /km
ANM04.004.29.012AB	UL2517	300V	29X2X12AWG	68/0.25	48.1	4352.31	5.43 Ω /km
ANM04.004.30.012AB	UL2517	300V	30X2X12AWG	68/0.25	48.1	4400.51	5.43 Ω /km
ANM04.004.31.012AB	UL2517	300V	31X2X12AWG	68/0.25	49.9	4668.91	5.43 Ω /km
ANM04.004.32.012AB	UL2517	300V	32X2X12AWG	68/0.25	49.9	4716.91	5.43 Ω /km
ANM04.004.33.012AB	UL2517	300V	33X2X12AWG	68/0.25	49.9	4765.21	5.43 Ω /km
ANM04.004.34.012AB	UL2517	300V	34X2X12AWG	68/0.25	51.8	5054.11	5.43 Ω /km
ANM04.004.35.012AB	UL2517	300V	35X2X12AWG	68/0.25	51.8	5102.21	5.43 Ω /km
ANM04.004.36.012AB	UL2517	300V	36X2X12AWG	68/0.25	51.8	5150.41	5.43 Ω /km
ANM04.004.37.012AB	UL2517	300V	37X2X12AWG	68/0.25	51.8	5198.51	5.43 Ω /km
ANM04.004.02.011AB	UL2517	300V	2X2X11AWG	85/0.25	17.2	502.17	4.30 Ω /km
ANM04.004.03.011AB	UL2517	300V	3X2X11AWG	85/0.25	18.3	610.47	4.30 Ω /km
ANM04.004.04.011AB	UL2517	300V	4X2X11AWG	85/0.25	21.1	804.87	4.30 Ω /km
ANM04.004.05.011AB	UL2517	300V	5X2X11AWG	85/0.25	23.2	979.57	4.30 Ω /km
ANM04.004.06.011AB	UL2517	300V	6X2X11AWG	85/0.25	25.3	1165.07	4.30 Ω /km
ANM04.004.07.011AB	UL2517	300V	7X2X11AWG	85/0.25	25.3	1224.47	4.30 Ω /km
ANM04.004.08.011AB	UL2517	300V	8X2X11AWG	85/0.25	27.4	1420.67	4.30 Ω /km
ANM04.004.09.011AB	UL2517	300V	9X2X11AWG	85/0.25	31.6	1818.27	4.30 Ω /km
ANM04.004.10.011AB	UL2517	300V	10X2X11AWG	85/0.25	33.7	2048.97	4.30 Ω /km
ANM04.004.11.011AB	UL2517	300V	11X2X11AWG	85/0.25	34.8	2202.47	4.30 Ω /km
ANM04.004.12.011AB	UL2517	300V	12X2X11AWG	85/0.25	34.8	2261.77	4.30 Ω /km
ANM04.004.13.011AB	UL2517	300V	13X2X11AWG	85/0.25	36.9	2508.87	4.30 Ω /km
ANM04.004.14.011AB	UL2517	300V	14X2X11AWG	85/0.25	36.9	2568.27	4.30 Ω /km
ANM04.004.15.011AB	UL2517	300V	15X2X11AWG	85/0.25	39	2826.07	4.30 Ω /km



ANM04.004.16.011AB	UL2517	300V	16X2X11AWG	85/0.25	39	2885.37	4.30 Ω /km
ANM04.004.17.011AB	UL2517	300V	17X2X11AWG	85/0.25	41.2	3202.07	4.30 Ω /km
ANM04.004.18.011AB	UL2517	300V	18X2X11AWG	85/0.25	41.2	3261.47	4.30 Ω /km
ANM04.004.19.011AB	UL2517	300V	19X2X11AWG	85/0.25	41.2	3320.77	4.30 Ω /km
ANM04.004.20.011AB	UL2517	300V	20X2X11AWG	85/0.25	42.4	3505.87	4.30 Ω /km
ANM04.004.21.011AB	UL2517	300V	21X2X11AWG	85/0.25	44.8	3819.07	4.30 Ω /km
ANM04.004.22.011AB	UL2517	300V	22X2X11AWG	85/0.25	47.6	4201.77	4.30 Ω /km
ANM04.004.23.011AB	UL2517	300V	23X2X11AWG	85/0.25	49.7	4515.97	4.30 Ω /km
ANM04.004.24.011AB	UL2517	300V	24X2X11AWG	85/0.25	49.7	4575.17	4.30 Ω /km
ANM04.004.25.011AB	UL2517	300V	25X2X11AWG	85/0.25	50.8	4772.37	4.30 Ω /km
ANM04.004.26.011AB	UL2517	300V	26X2X11AWG	85/0.25	50.8	4831.67	4.30 Ω /km
ANM04.004.27.011AB	UL2517	300V	27X2X11AWG	85/0.25	50.8	4890.97	4.30 Ω /km
ANM04.004.28.011AB	UL2517	300V	28X2X11AWG	85/0.25	52.6	5182.17	4.30 Ω /km
ANM04.004.29.011AB	UL2517	300V	29X2X11AWG	85/0.25	52.6	5241.37	4.30 Ω /km
ANM04.004.30.011AB	UL2517	300V	30X2X11AWG	85/0.25	52.6	5300.57	4.30 Ω /km
ANM04.004.31.011AB	UL2517	300V	31X2X11AWG	85/0.25	54.6	5626.67	4.30 Ω /km
ANM04.004.32.011AB	UL2517	300V	32X2X11AWG	85/0.25	54.6	5685.97	4.30 Ω /km
ANM04.004.33.011AB	UL2517	300V	33X2X11AWG	85/0.25	54.6	5745.27	4.30 Ω /km
ANM04.004.34.011AB	UL2517	300V	34X2X11AWG	85/0.25	56.7	6095.07	4.30 Ω /km
ANM04.004.35.011AB	UL2517	300V	35X2X11AWG	85/0.25	56.7	6154.37	4.30 Ω /km
ANM04.004.36.011AB	UL2517	300V	36X2X11AWG	85/0.25	56.7	6213.67	4.30 Ω /km
ANM04.004.37.011AB	UL2517	300V	37X2X11AWG	85/0.25	56.7	6272.97	4.30 Ω /km
ANM04.004.02.010AB	UL2517	300V	2X2X10AWG	108/0.25	19.3	622.17	3.409 Ω /km
ANM04.004.03.010AB	UL2517	300V	3X2X10AWG	108/0.25	21.6	807.67	3.409 Ω /km
ANM04.004.04.010AB	UL2517	300V	4X2X10AWG	108/0.25	23.7	996.57	3.409 Ω /km
ANM04.004.05.010AB	UL2517	300V	5X2X10AWG	108/0.25	26	1209.07	3.409 Ω /km
ANM04.004.06.010AB	UL2517	300V	6X2X10AWG	108/0.25	28.4	1441.07	3.409 Ω /km
ANM04.004.07.010AB	UL2517	300V	7X2X10AWG	108/0.25	28.4	1511.87	3.409 Ω /km
ANM04.004.08.010AB	UL2517	300V	8X2X10AWG	108/0.25	32.3	1908.17	3.409 Ω /km
ANM04.004.09.010AB	UL2517	300V	9X2X10AWG	108/0.25	35.5	2249.97	3.409 Ω /km
ANM04.004.10.010AB	UL2517	300V	10X2X10AWG	108/0.25	38.2	2568.97	3.409 Ω /km
ANM04.004.11.010AB	UL2517	300V	11X2X10AWG	108/0.25	39.5	2765.47	3.409 Ω /km
ANM04.004.12.010AB	UL2517	300V	12X2X10AWG	108/0.25	39.5	2836.17	3.409 Ω /km
ANM04.004.13.010AB	UL2517	300V	13X2X10AWG	108/0.25	41.8	3178.37	3.409 Ω /km
ANM04.004.14.010AB	UL2517	300V	14X2X10AWG	108/0.25	41.8	3249.17	3.409 Ω /km
ANM04.004.15.010AB	UL2517	300V	15X2X10AWG	108/0.25	45.5	3716.07	3.409 Ω /km
ANM04.004.16.010AB	UL2517	300V	16X2X10AWG	108/0.25	45.5	3786.87	3.409 Ω /km
ANM04.004.17.010AB	UL2517	300V	17X2X10AWG	108/0.25	47.9	4137.67	3.409 Ω /km
ANM04.004.18.010AB	UL2517	300V	18X2X10AWG	108/0.25	47.9	4208.57	3.409 Ω /km
ANM04.004.19.010AB	UL2517	300V	19X2X10AWG	108/0.25	47.9	4279.37	3.409 Ω /km
ANM04.004.20.010AB	UL2517	300V	20X2X10AWG	108/0.25	49.2	4507.77	3.409 Ω /km
ANM04.004.21.010AB	UL2517	300V	21X2X10AWG	108/0.25	50.4	4727.57	3.409 Ω /km



ANM04.004.22.010AB	UL2517	300V	22X2X10AWG	108/0.25	53.6	5212.77	3.409 Ω/km
ANM04.004.23.010AB	UL2517	300V	23X2X10AWG	108/0.25	56	5610.67	3.409 Ω/km
ANM04.004.24.010AB	UL2517	300V	24X2X10AWG	108/0.25	56	5681.47	3.409 Ω/km
ANM04.004.25.010AB	UL2517	300V	25X2X10AWG	108/0.25	57.3	5935.37	3.409 Ω/km
ANM04.004.26.010AB	UL2517	300V	26X2X10AWG	108/0.25	57.3	6006.07	3.409 Ω/km
ANM04.004.27.010AB	UL2517	300V	27X2X10AWG	108/0.25	57.3	6076.87	3.409 Ω/km
ANM04.004.28.010AB	UL2517	300V	28X2X10AWG	108/0.25	59.4	6452.07	3.409 Ω/km
ANM04.004.29.010AB	UL2517	300V	29X2X10AWG	108/0.25	59.4	6522.77	3.409 Ω/km
ANM04.004.30.010AB	UL2517	300V	30X2X10AWG	108/0.25	59.4	6593.67	3.409 Ω/km
ANM04.004.31.010AB	UL2517	300V	31X2X10AWG	108/0.25	61.7	7009.87	3.409 Ω/km
ANM04.004.32.010AB	UL2517	300V	32X2X10AWG	108/0.25	61.7	7080.57	3.409 Ω/km
ANM04.004.33.010AB	UL2517	300V	33X2X10AWG	108/0.25	61.7	7151.47	3.409 Ω/km
ANM04.004.34.010AB	UL2517	300V	34X2X10AWG	108/0.25	64.1	7596.27	3.409 Ω/km
ANM04.004.35.010AB	UL2517	300V	35X2X10AWG	108/0.25	64.1	7667.17	3.409 Ω/km
ANM04.004.36.010AB	UL2517	300V	36X2X10AWG	108/0.25	64.1	7737.97	3.409 Ω/km
ANM04.004.37.010AB	UL2517	300V	37X2X10AWG	108/0.25	64.1	7808.67	3.409 Ω/km
ANM04.004.02.009AB	UL2517	300V	2X2X9AWG	136/0.25	22.8	845.34	2.705 Ω/km
ANM04.004.03.009AB	UL2517	300V	3X2X9AWG	136/0.25	24.3	1024.24	2.705 Ω/km
ANM04.004.04.009AB	UL2517	300V	4X2X9AWG	136/0.25	26.7	1266.94	2.705 Ω/km
ANM04.004.05.009AB	UL2517	300V	5X2X9AWG	136/0.25	30.8	1680.74	2.705 Ω/km
ANM04.004.06.009AB	UL2517	300V	6X2X9AWG	136/0.25	33.5	1989.24	2.705 Ω/km
ANM04.004.07.009AB	UL2517	300V	7X2X9AWG	136/0.25	33.5	2080.54	2.705 Ω/km
ANM04.004.08.009AB	UL2517	300V	8X2X9AWG	136/0.25	36.6	2443.24	2.705 Ω/km
ANM04.004.09.009AB	UL2517	300V	9X2X9AWG	136/0.25	40.6	2956.34	2.705 Ω/km
ANM04.004.10.009AB	UL2517	300V	10X2X9AWG	136/0.25	44.8	3488.94	2.705 Ω/km
ANM04.004.11.009AB	UL2517	300V	11X2X9AWG	136/0.25	46.2	3739.44	2.705 Ω/km
ANM04.004.12.009AB	UL2517	300V	12X2X9AWG	136/0.25	46.2	3830.64	2.705 Ω/km
ANM04.004.13.009AB	UL2517	300V	13X2X9AWG	136/0.25	48.6	4206.04	2.705 Ω/km
ANM04.004.14.009AB	UL2517	300V	14X2X9AWG	136/0.25	48.6	4297.34	2.705 Ω/km
ANM04.004.15.009AB	UL2517	300V	15X2X9AWG	136/0.25	51.3	4724.94	2.705 Ω/km
ANM04.004.16.009AB	UL2517	300V	16X2X9AWG	136/0.25	51.3	4816.24	2.705 Ω/km
ANM04.004.17.009AB	UL2517	300V	17X2X9AWG	136/0.25	54.1	5274.74	2.705 Ω/km
ANM04.004.18.009AB	UL2517	300V	18X2X9AWG	136/0.25	54.1	5366.04	2.705 Ω/km
ANM04.004.19.009AB	UL2517	300V	19X2X9AWG	136/0.25	54.1	5457.24	2.705 Ω/km
ANM04.004.20.009AB	UL2517	300V	20X2X9AWG	136/0.25	55.6	5753.24	2.705 Ω/km
ANM04.004.21.009AB	UL2517	300V	21X2X9AWG	136/0.25	56.9	6026.14	2.705 Ω/km
ANM04.004.22.009AB	UL2517	300V	22X2X9AWG	136/0.25	60.7	6672.14	2.705 Ω/km
ANM04.004.23.009AB	UL2517	300V	23X2X9AWG	136/0.25	63.4	7178.64	2.705 Ω/km
ANM04.004.24.009AB	UL2517	300V	24X2X9AWG	136/0.25	63.4	7269.94	2.705 Ω/km
ANM04.004.25.009AB	UL2517	300V	25X2X9AWG	136/0.25	64.9	7599.54	2.705 Ω/km
ANM04.004.26.009AB	UL2517	300V	26X2X9AWG	136/0.25	64.9	7690.84	2.705 Ω/km
ANM04.004.27.009AB	UL2517	300V	27X2X9AWG	136/0.25	64.9	7782.04	2.705 Ω/km



上海埃因电线电缆有限公司  
Shanghai Aein Wire & Cable Co., Ltd.

ANM04.004.28.009AB	UL2517	300V	28X2X9AWG	136/0.25	67.3	8265.94	2.705 Ω/km
ANM04.004.29.009AB	UL2517	300V	29X2X9AWG	136/0.25	67.3	8357.14	2.705 Ω/km
ANM04.004.30.009AB	UL2517	300V	30X2X9AWG	136/0.25	67.3	8448.64	2.705 Ω/km

