



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻Ω/km
芯线 PVC 材质							
ANM05.001.02.028AB	UL2464	300V	2X28AWG	11/0.1	5	31.29	223 Ω/km
ANM05.001.03.028AB	UL2464	300V	3X28AWG	11/0.1	5.2	34.19	223 Ω/km
ANM05.001.04.028AB	UL2464	300V	4X28AWG	11/0.1	5.5	38.69	223 Ω/km
ANM05.001.05.028AB	UL2464	300V	5X28AWG	11/0.1	5.9	44.69	223 Ω/km
ANM05.001.06.028AB	UL2464	300V	6X28AWG	11/0.1	6.2	49.69	223 Ω/km
ANM05.001.07.028AB	UL2464	300V	7X28AWG	11/0.1	6.2	50.19	223 Ω/km
ANM05.001.08.028AB	UL2464	300V	8X28AWG	11/0.1	6.6	56.89	223 Ω/km
ANM05.001.09.028AB	UL2464	300V	9X28AWG	11/0.1	7.1	65.69	223 Ω/km
ANM05.001.10.028AB	UL2464	300V	10X28AWG	11/0.1	7.4	71.49	223 Ω/km
ANM05.001.11.028AB	UL2464	300V	11X28AWG	11/0.1	7.6	75.59	223 Ω/km
ANM05.001.12.028AB	UL2464	300V	12X28AWG	11/0.1	7.6	76.29	223 Ω/km
ANM05.001.13.028AB	UL2464	300V	13X28AWG	11/0.1	7.9	82.29	223 Ω/km
ANM05.001.14.028AB	UL2464	300V	14X28AWG	11/0.1	7.9	82.99	223 Ω/km
ANM05.001.15.028AB	UL2464	300V	15X28AWG	11/0.1	8.3	91.19	223 Ω/km
ANM05.001.16.028AB	UL2464	300V	16X28AWG	11/0.1	8.3	91.89	223 Ω/km
ANM05.001.17.028AB	UL2464	300V	17X28AWG	11/0.1	8.6	98.39	223 Ω/km
ANM05.001.18.028AB	UL2464	300V	18X28AWG	11/0.1	8.6	99.09	223 Ω/km
ANM05.001.19.028AB	UL2464	300V	19X28AWG	11/0.1	8.6	99.69	223 Ω/km
ANM05.001.20.028AB	UL2464	300V	20X28AWG	11/0.1	8.8	104.49	223 Ω/km
ANM05.001.21.028AB	UL2464	300V	21X28AWG	11/0.1	9	109.29	223 Ω/km
ANM05.001.22.028AB	UL2464	300V	22X28AWG	11/0.1	9.5	120.89	223 Ω/km
ANM05.001.23.028AB	UL2464	300V	23X28AWG	11/0.1	9.8	128.39	223 Ω/km
ANM05.001.24.028AB	UL2464	300V	24X28AWG	11/0.1	9.8	129.09	223 Ω/km
ANM05.001.25.028AB	UL2464	300V	25X28AWG	11/0.1	10	134.49	223 Ω/km
ANM05.001.26.028AB	UL2464	300V	26X28AWG	11/0.1	10	134.99	223 Ω/km
ANM05.001.27.028AB	UL2464	300V	27X28AWG	11/0.1	10	135.59	223 Ω/km
ANM05.001.28.028AB	UL2464	300V	28X28AWG	11/0.1	10.3	143.49	223 Ω/km
ANM05.001.29.028AB	UL2464	300V	29X28AWG	11/0.1	10.3	143.99	223 Ω/km
ANM05.001.30.028AB	UL2464	300V	30X28AWG	11/0.1	10.3	144.59	223 Ω/km
ANM05.001.31.028AB	UL2464	300V	31X28AWG	11/0.1	10.7	155.39	223 Ω/km
ANM05.001.32.028AB	UL2464	300V	32X28AWG	11/0.1	10.7	155.79	223 Ω/km
ANM05.001.33.028AB	UL2464	300V	33X28AWG	11/0.1	10.7	156.49	223 Ω/km
ANM05.001.34.028AB	UL2464	300V	34X28AWG	11/0.1	11	164.79	223 Ω/km
ANM05.001.35.028AB	UL2464	300V	35X28AWG	11/0.1	11	165.39	223 Ω/km
ANM05.001.36.028AB	UL2464	300V	36X28AWG	11/0.1	11	165.99	223 Ω/km
ANM05.001.37.028AB	UL2464	300V	37X28AWG	11/0.1	11	166.59	223 Ω/km
ANM05.001.38.028AB	UL2464	300V	38X28AWG	11/0.1	11.4	177.79	223 Ω/km
ANM05.001.39.028AB	UL2464	300V	39X28AWG	11/0.1	11.4	178.39	223 Ω/km
ANM05.001.40.028AB	UL2464	300V	40X28AWG	11/0.1	11.4	178.99	223 Ω/km
ANM05.001.41.028AB	UL2464	300V	41X28AWG	11/0.1	12.2	202.29	223 Ω/km



ANM05.001.42.028AB	UL2464	300V	42X28AWG	11/0.1	12.2	202.89	223 Ω /km
ANM05.001.43.028AB	UL2464	300V	43X28AWG	11/0.1	12.2	203.49	223 Ω /km
ANM05.001.44.028AB	UL2464	300V	44X28AWG	11/0.1	12.2	203.99	223 Ω /km
ANM05.001.45.028AB	UL2464	300V	45X28AWG	11/0.1	12.4	210.49	223 Ω /km
ANM05.001.46.028AB	UL2464	300V	46X28AWG	11/0.1	12.4	210.99	223 Ω /km
ANM05.001.47.028AB	UL2464	300V	47X28AWG	11/0.1	12.4	211.59	223 Ω /km
ANM05.001.48.028AB	UL2464	300V	48X28AWG	11/0.1	12.4	212.19	223 Ω /km
ANM05.001.49.028AB	UL2464	300V	49X28AWG	11/0.1	12.8	224.89	223 Ω /km
ANM05.001.50.028AB	UL2464	300V	50X28AWG	11/0.1	12.8	225.59	223 Ω /km
ANM05.001.51.028AB	UL2464	300V	51X28AWG	11/0.1	12.8	225.99	223 Ω /km
ANM05.001.52.028AB	UL2464	300V	52X28AWG	11/0.1	12.8	226.69	223 Ω /km
ANM05.001.53.028AB	UL2464	300V	53X28AWG	11/0.1	13.2	239.79	223 Ω /km
ANM05.001.54.028AB	UL2464	300V	54X28AWG	11/0.1	13.2	240.39	223 Ω /km
ANM05.001.55.028AB	UL2464	300V	55X28AWG	11/0.1	13.2	240.89	223 Ω /km
ANM05.001.56.028AB	UL2464	300V	56X28AWG	11/0.1	13.2	241.49	223 Ω /km
ANM05.001.57.028AB	UL2464	300V	57X28AWG	11/0.1	13.5	251.69	223 Ω /km
ANM05.001.58.028AB	UL2464	300V	58X28AWG	11/0.1	13.5	252.29	223 Ω /km
ANM05.001.59.028AB	UL2464	300V	59X28AWG	11/0.1	13.5	252.79	223 Ω /km
ANM05.001.60.028AB	UL2464	300V	60X28AWG	11/0.1	13.5	253.49	223 Ω /km
ANM05.001.61.028AB	UL2464	300V	61X28AWG	11/0.1	13.5	253.89	223 Ω /km
ANM05.001.62.028AB	UL2464	300V	62X28AWG	11/0.1	13.9	267.69	223 Ω /km
ANM05.001.63.028AB	UL2464	300V	63X28AWG	11/0.1	13.9	268.19	223 Ω /km
ANM05.001.64.028AB	UL2464	300V	64X28AWG	11/0.1	13.9	268.79	223 Ω /km
ANM05.001.65.028AB	UL2464	300V	65X28AWG	11/0.1	13.9	269.39	223 Ω /km
ANM05.001.02.027AB	UL2464	300V	2X27AWG	7/0.14	5.2	33.81	175 Ω /km
ANM05.001.03.027AB	UL2464	300V	3X27AWG	7/0.14	5.5	38.21	175 Ω /km
ANM05.001.04.027AB	UL2464	300V	4X27AWG	7/0.14	5.8	43.01	175 Ω /km
ANM05.001.05.027AB	UL2464	300V	5X27AWG	7/0.14	6.2	49.41	175 Ω /km
ANM05.001.06.027AB	UL2464	300V	6X27AWG	7/0.14	6.5	54.51	175 Ω /km
ANM05.001.07.027AB	UL2464	300V	7X27AWG	7/0.14	6.5	55.21	175 Ω /km
ANM05.001.08.027AB	UL2464	300V	8X27AWG	7/0.14	6.9	62.21	175 Ω /km
ANM05.001.09.027AB	UL2464	300V	9X27AWG	7/0.14	7.5	73.21	175 Ω /km
ANM05.001.10.027AB	UL2464	300V	10X27AWG	7/0.14	7.8	79.41	175 Ω /km
ANM05.001.11.027AB	UL2464	300V	11X27AWG	7/0.14	8.1	85.71	175 Ω /km
ANM05.001.12.027AB	UL2464	300V	12X27AWG	7/0.14	8.1	86.31	175 Ω /km
ANM05.001.13.027AB	UL2464	300V	13X27AWG	7/0.14	8.4	92.91	175 Ω /km
ANM05.001.14.027AB	UL2464	300V	14X27AWG	7/0.14	8.4	93.51	175 Ω /km
ANM05.001.15.027AB	UL2464	300V	15X27AWG	7/0.14	8.8	102.41	175 Ω /km
ANM05.001.16.027AB	UL2464	300V	16X27AWG	7/0.14	8.8	103.01	175 Ω /km
ANM05.001.17.027AB	UL2464	300V	17X27AWG	7/0.14	9.1	110.11	175 Ω /km
ANM05.001.18.027AB	UL2464	300V	18X27AWG	7/0.14	9.1	110.81	175 Ω /km
ANM05.001.19.027AB	UL2464	300V	19X27AWG	7/0.14	9.1	111.41	175 Ω /km



ANM05.001.20.027AB	UL2464	300V	20X27AWG	7/0.14	9.4	118.71	175 Ω /km
ANM05.001.21.027AB	UL2464	300V	21X27AWG	7/0.14	9.5	121.61	175 Ω /km
ANM05.001.22.027AB	UL2464	300V	22X27AWG	7/0.14	10.1	136.31	175 Ω /km
ANM05.001.23.027AB	UL2464	300V	23X27AWG	7/0.14	10.4	144.41	175 Ω /km
ANM05.001.24.027AB	UL2464	300V	24X27AWG	7/0.14	10.4	145.01	175 Ω /km
ANM05.001.25.027AB	UL2464	300V	25X27AWG	7/0.14	10.7	153.31	175 Ω /km
ANM05.001.26.027AB	UL2464	300V	26X27AWG	7/0.14	10.7	153.91	175 Ω /km
ANM05.001.27.027AB	UL2464	300V	27X27AWG	7/0.14	10.7	154.51	175 Ω /km
ANM05.001.28.027AB	UL2464	300V	28X27AWG	7/0.14	11	163.01	175 Ω /km
ANM05.001.29.027AB	UL2464	300V	29X27AWG	7/0.14	11	163.61	175 Ω /km
ANM05.001.30.027AB	UL2464	300V	30X27AWG	7/0.14	11	164.21	175 Ω /km
ANM05.001.31.027AB	UL2464	300V	31X27AWG	7/0.14	11.4	175.61	175 Ω /km
ANM05.001.32.027AB	UL2464	300V	32X27AWG	7/0.14	11.4	176.11	175 Ω /km
ANM05.001.33.027AB	UL2464	300V	33X27AWG	7/0.14	11.4	176.81	175 Ω /km
ANM05.001.34.027AB	UL2464	300V	34X27AWG	7/0.14	11.7	185.81	175 Ω /km
ANM05.001.35.027AB	UL2464	300V	35X27AWG	7/0.14	11.7	186.31	175 Ω /km
ANM05.001.36.027AB	UL2464	300V	36X27AWG	7/0.14	11.7	187.01	175 Ω /km
ANM05.001.37.027AB	UL2464	300V	37X27AWG	7/0.14	11.7	187.71	175 Ω /km
ANM05.001.38.027AB	UL2464	300V	38X27AWG	7/0.14	12.1	199.81	175 Ω /km
ANM05.001.39.027AB	UL2464	300V	39X27AWG	7/0.14	12.1	200.41	175 Ω /km
ANM05.001.40.027AB	UL2464	300V	40X27AWG	7/0.14	12.1	201.01	175 Ω /km
ANM05.001.41.027AB	UL2464	300V	41X27AWG	7/0.14	13.1	232.01	175 Ω /km
ANM05.001.42.027AB	UL2464	300V	42X27AWG	7/0.14	13.1	232.71	175 Ω /km
ANM05.001.43.027AB	UL2464	300V	43X27AWG	7/0.14	13.1	233.21	175 Ω /km
ANM05.001.44.027AB	UL2464	300V	44X27AWG	7/0.14	13.1	233.91	175 Ω /km
ANM05.001.45.027AB	UL2464	300V	45X27AWG	7/0.14	13.4	244.11	175 Ω /km
ANM05.001.46.027AB	UL2464	300V	46X27AWG	7/0.14	13.4	244.71	175 Ω /km
ANM05.001.47.027AB	UL2464	300V	47X27AWG	7/0.14	13.4	245.31	175 Ω /km
ANM05.001.48.027AB	UL2464	300V	48X27AWG	7/0.14	13.4	245.91	175 Ω /km
ANM05.001.49.027AB	UL2464	300V	49X27AWG	7/0.14	13.7	256.31	175 Ω /km
ANM05.001.50.027AB	UL2464	300V	50X27AWG	7/0.14	13.7	257.01	175 Ω /km
ANM05.001.51.027AB	UL2464	300V	51X27AWG	7/0.14	13.7	257.51	175 Ω /km
ANM05.001.52.027AB	UL2464	300V	52X27AWG	7/0.14	13.7	258.21	175 Ω /km
ANM05.001.53.027AB	UL2464	300V	53X27AWG	7/0.14	14.1	272.31	175 Ω /km
ANM05.001.54.027AB	UL2464	300V	54X27AWG	7/0.14	14.1	272.81	175 Ω /km
ANM05.001.55.027AB	UL2464	300V	55X27AWG	7/0.14	14.1	273.61	175 Ω /km
ANM05.001.56.027AB	UL2464	300V	56X27AWG	7/0.14	14.1	274.21	175 Ω /km
ANM05.001.57.027AB	UL2464	300V	57X27AWG	7/0.14	14.4	285.11	175 Ω /km
ANM05.001.58.027AB	UL2464	300V	58X27AWG	7/0.14	14.4	285.81	175 Ω /km
ANM05.001.59.027AB	UL2464	300V	59X27AWG	7/0.14	14.4	286.31	175 Ω /km
ANM05.001.60.027AB	UL2464	300V	60X27AWG	7/0.14	14.4	287.01	175 Ω /km
ANM05.001.61.027AB	UL2464	300V	61X27AWG	7/0.14	14.4	287.51	175 Ω /km



ANM05.001.62.027AB	UL2464	300V	62X27AWG	7/0.14	14.8	302.31	175 Ω/km
ANM05.001.63.027AB	UL2464	300V	63X27AWG	7/0.14	14.8	302.91	175 Ω/km
ANM05.001.64.027AB	UL2464	300V	64X27AWG	7/0.14	14.8	303.51	175 Ω/km
ANM05.001.65.027AB	UL2464	300V	65X27AWG	7/0.14	14.8	304.21	175 Ω/km
ANM05.001.02.026AB	UL2464	300V	2X26AWG	9/0.14	5.2	34.33	140 Ω/km
ANM05.001.03.026AB	UL2464	300V	3X26AWG	9/0.14	5.5	39.03	140 Ω/km
ANM05.001.04.026AB	UL2464	300V	4X26AWG	9/0.14	5.8	44.03	140 Ω/km
ANM05.001.05.026AB	UL2464	300V	5X26AWG	9/0.14	6.2	50.63	140 Ω/km
ANM05.001.06.026AB	UL2464	300V	6X26AWG	9/0.14	6.5	56.03	140 Ω/km
ANM05.001.07.026AB	UL2464	300V	7X26AWG	9/0.14	6.5	56.93	140 Ω/km
ANM05.001.08.026AB	UL2464	300V	8X26AWG	9/0.14	6.9	64.23	140 Ω/km
ANM05.001.09.026AB	UL2464	300V	9X26AWG	9/0.14	7.5	75.43	140 Ω/km
ANM05.001.10.026AB	UL2464	300V	10X26AWG	9/0.14	7.8	81.83	140 Ω/km
ANM05.001.11.026AB	UL2464	300V	11X26AWG	9/0.14	8.1	88.43	140 Ω/km
ANM05.001.12.026AB	UL2464	300V	12X26AWG	9/0.14	8.1	89.23	140 Ω/km
ANM05.001.13.026AB	UL2464	300V	13X26AWG	9/0.14	8.4	96.03	140 Ω/km
ANM05.001.14.026AB	UL2464	300V	14X26AWG	9/0.14	8.4	97.03	140 Ω/km
ANM05.001.15.026AB	UL2464	300V	15X26AWG	9/0.14	8.8	106.13	140 Ω/km
ANM05.001.16.026AB	UL2464	300V	16X26AWG	9/0.14	8.8	107.03	140 Ω/km
ANM05.001.17.026AB	UL2464	300V	17X26AWG	9/0.14	9.1	114.33	140 Ω/km
ANM05.001.18.026AB	UL2464	300V	18X26AWG	9/0.14	9.1	115.23	140 Ω/km
ANM05.001.19.026AB	UL2464	300V	19X26AWG	9/0.14	9.1	116.13	140 Ω/km
ANM05.001.20.026AB	UL2464	300V	20X26AWG	9/0.14	9.4	123.63	140 Ω/km
ANM05.001.21.026AB	UL2464	300V	21X26AWG	9/0.14	9.5	126.73	140 Ω/km
ANM05.001.22.026AB	UL2464	300V	22X26AWG	9/0.14	10.1	141.73	140 Ω/km
ANM05.001.23.026AB	UL2464	300V	23X26AWG	9/0.14	10.4	150.03	140 Ω/km
ANM05.001.24.026AB	UL2464	300V	24X26AWG	9/0.14	10.4	150.93	140 Ω/km
ANM05.001.25.026AB	UL2464	300V	25X26AWG	9/0.14	10.7	159.43	140 Ω/km
ANM05.001.26.026AB	UL2464	300V	26X26AWG	9/0.14	10.7	160.23	140 Ω/km
ANM05.001.27.026AB	UL2464	300V	27X26AWG	9/0.14	10.7	161.23	140 Ω/km
ANM05.001.28.026AB	UL2464	300V	28X26AWG	9/0.14	11	169.93	140 Ω/km
ANM05.001.29.026AB	UL2464	300V	29X26AWG	9/0.14	11	170.73	140 Ω/km
ANM05.001.30.026AB	UL2464	300V	30X26AWG	9/0.14	11	171.63	140 Ω/km
ANM05.001.31.026AB	UL2464	300V	31X26AWG	9/0.14	11.4	183.23	140 Ω/km
ANM05.001.32.026AB	UL2464	300V	32X26AWG	9/0.14	11.4	184.03	140 Ω/km
ANM05.001.33.026AB	UL2464	300V	33X26AWG	9/0.14	11.4	184.93	140 Ω/km



ANM05.001.34.026AB	UL2464	300V	34X26AWG	9/0.14	11.7	194.13	140 Ω/km
ANM05.001.35.026AB	UL2464	300V	35X26AWG	9/0.14	11.7	194.93	140 Ω/km
ANM05.001.36.026AB	UL2464	300V	36X26AWG	9/0.14	11.7	195.83	140 Ω/km
ANM05.001.37.026AB	UL2464	300V	37X26AWG	9/0.14	11.7	196.73	140 Ω/km
ANM05.001.38.026AB	UL2464	300V	38X26AWG	9/0.14	12.1	209.13	140 Ω/km
ANM05.001.39.026AB	UL2464	300V	39X26AWG	9/0.14	12.1	209.93	140 Ω/km
ANM05.001.40.026AB	UL2464	300V	40X26AWG	9/0.14	12.1	210.93	140 Ω/km
ANM05.001.41.026AB	UL2464	300V	41X26AWG	9/0.14	13.1	242.13	140 Ω/km
ANM05.001.42.026AB	UL2464	300V	42X26AWG	9/0.14	13.1	243.03	140 Ω/km
ANM05.001.43.026AB	UL2464	300V	43X26AWG	9/0.14	13.1	243.83	140 Ω/km
ANM05.001.44.026AB	UL2464	300V	44X26AWG	9/0.14	13.1	244.73	140 Ω/km
ANM05.001.45.026AB	UL2464	300V	45X26AWG	9/0.14	13.4	255.13	140 Ω/km
ANM05.001.46.026AB	UL2464	300V	46X26AWG	9/0.14	13.4	256.03	140 Ω/km
ANM05.001.47.026AB	UL2464	300V	47X26AWG	9/0.14	13.4	256.83	140 Ω/km
ANM05.001.48.026AB	UL2464	300V	48X26AWG	9/0.14	13.4	257.73	140 Ω/km
ANM05.001.49.026AB	UL2464	300V	49X26AWG	9/0.14	13.7	268.33	140 Ω/km
ANM05.001.50.026AB	UL2464	300V	50X26AWG	9/0.14	13.7	269.23	140 Ω/km
ANM05.001.51.026AB	UL2464	300V	51X26AWG	9/0.14	13.7	270.03	140 Ω/km
ANM05.001.52.026AB	UL2464	300V	52X26AWG	9/0.14	13.7	270.93	140 Ω/km
ANM05.001.53.026AB	UL2464	300V	53X26AWG	9/0.14	14.1	285.33	140 Ω/km
ANM05.001.54.026AB	UL2464	300V	54X26AWG	9/0.14	14.1	286.13	140 Ω/km
ANM05.001.55.026AB	UL2464	300V	55X26AWG	9/0.14	14.1	287.13	140 Ω/km
ANM05.001.56.026AB	UL2464	300V	56X26AWG	9/0.14	14.1	288.03	140 Ω/km
ANM05.001.57.026AB	UL2464	300V	57X26AWG	9/0.14	14.4	299.13	140 Ω/km
ANM05.001.58.026AB	UL2464	300V	58X26AWG	9/0.14	14.4	300.03	140 Ω/km
ANM05.001.59.026AB	UL2464	300V	59X26AWG	9/0.14	14.4	300.83	140 Ω/km
ANM05.001.60.026AB	UL2464	300V	60X26AWG	9/0.14	14.4	301.73	140 Ω/km
ANM05.001.61.026AB	UL2464	300V	61X26AWG	9/0.14	14.4	302.53	140 Ω/km
ANM05.001.62.026AB	UL2464	300V	62X26AWG	9/0.14	14.8	317.53	140 Ω/km
ANM05.001.63.026AB	UL2464	300V	63X26AWG	9/0.14	14.8	318.33	140 Ω/km
ANM05.001.64.026AB	UL2464	300V	64X26AWG	9/0.14	14.8	319.23	140 Ω/km
ANM05.001.65.026AB	UL2464	300V	65X26AWG	9/0.14	14.8	320.13	140 Ω/km
ANM05.001.02.025AB	UL2464	300V	2X25AWG	11/0.14	5.4	37.17	111 Ω/km
ANM05.001.03.025AB	UL2464	300V	3X25AWG	11/0.14	5.7	42.17	111 Ω/km
ANM05.001.04.025AB	UL2464	300V	4X25AWG	11/0.14	6	47.47	111 Ω/km
ANM05.001.05.025AB	UL2464	300V	5X25AWG	11/0.14	6.4	54.47	111 Ω/km
ANM05.001.06.025AB	UL2464	300V	6X25AWG	11/0.14	6.8	61.87	111 Ω/km
ANM05.001.07.025AB	UL2464	300V	7X25AWG	11/0.14	6.8	62.97	111 Ω/km
ANM05.001.08.025AB	UL2464	300V	8X25AWG	11/0.14	7.3	72.47	111 Ω/km
ANM05.001.09.025AB	UL2464	300V	9X25AWG	11/0.14	7.8	82.67	111 Ω/km
ANM05.001.10.025AB	UL2464	300V	10X25AWG	11/0.14	8.2	91.27	111 Ω/km
ANM05.001.11.025AB	UL2464	300V	11X25AWG	11/0.14	8.5	98.57	111 Ω/km



ANM05.001.12.025AB	UL2464	300V	12X25AWG	11/0.14	8.5	99.57	111 Ω/km
ANM05.001.13.025AB	UL2464	300V	13X25AWG	11/0.14	8.8	106.87	111 Ω/km
ANM05.001.14.025AB	UL2464	300V	14X25AWG	11/0.14	8.8	107.87	111 Ω/km
ANM05.001.15.025AB	UL2464	300V	15X25AWG	11/0.14	9.2	117.57	111 Ω/km
ANM05.001.16.025AB	UL2464	300V	16X25AWG	11/0.14	9.2	118.57	111 Ω/km
ANM05.001.17.025AB	UL2464	300V	17X25AWG	11/0.14	9.6	128.77	111 Ω/km
ANM05.001.18.025AB	UL2464	300V	18X25AWG	11/0.14	9.6	129.87	111 Ω/km
ANM05.001.19.025AB	UL2464	300V	19X25AWG	11/0.14	9.6	130.87	111 Ω/km
ANM05.001.20.025AB	UL2464	300V	20X25AWG	11/0.14	9.9	138.97	111 Ω/km
ANM05.001.21.025AB	UL2464	300V	21X25AWG	11/0.14	10.1	144.67	111 Ω/km
ANM05.001.22.025AB	UL2464	300V	22X25AWG	11/0.14	10.6	158.27	111 Ω/km
ANM05.001.23.025AB	UL2464	300V	23X25AWG	11/0.14	11	169.77	111 Ω/km
ANM05.001.24.025AB	UL2464	300V	24X25AWG	11/0.14	11	170.77	111 Ω/km
ANM05.001.25.025AB	UL2464	300V	25X25AWG	11/0.14	11.3	179.97	111 Ω/km
ANM05.001.26.025AB	UL2464	300V	26X25AWG	11/0.14	11.3	180.97	111 Ω/km
ANM05.001.27.025AB	UL2464	300V	27X25AWG	11/0.14	11.3	181.97	111 Ω/km
ANM05.001.28.025AB	UL2464	300V	28X25AWG	11/0.14	11.6	191.27	111 Ω/km
ANM05.001.29.025AB	UL2464	300V	29X25AWG	11/0.14	11.6	192.47	111 Ω/km
ANM05.001.30.025AB	UL2464	300V	30X25AWG	11/0.14	11.6	193.47	111 Ω/km
ANM05.001.31.025AB	UL2464	300V	31X25AWG	11/0.14	12	205.77	111 Ω/km
ANM05.001.32.025AB	UL2464	300V	32X25AWG	11/0.14	12	206.97	111 Ω/km
ANM05.001.33.025AB	UL2464	300V	33X25AWG	11/0.14	12	207.97	111 Ω/km
ANM05.001.34.025AB	UL2464	300V	34X25AWG	11/0.14	12.4	220.77	111 Ω/km
ANM05.001.35.025AB	UL2464	300V	35X25AWG	11/0.14	12.4	221.77	111 Ω/km
ANM05.001.36.025AB	UL2464	300V	36X25AWG	11/0.14	12.4	222.97	111 Ω/km
ANM05.001.37.025AB	UL2464	300V	37X25AWG	11/0.14	12.4	223.97	111 Ω/km
ANM05.001.38.025AB	UL2464	300V	38X25AWG	11/0.14	13	243.37	111 Ω/km
ANM05.001.39.025AB	UL2464	300V	39X25AWG	11/0.14	13	244.47	111 Ω/km
ANM05.001.40.025AB	UL2464	300V	40X25AWG	11/0.14	13	245.47	111 Ω/km
ANM05.001.41.025AB	UL2464	300V	41X25AWG	11/0.14	13.9	275.57	111 Ω/km
ANM05.001.42.025AB	UL2464	300V	42X25AWG	11/0.14	13.9	276.57	111 Ω/km
ANM05.001.43.025AB	UL2464	300V	43X25AWG	11/0.14	13.9	277.77	111 Ω/km
ANM05.001.44.025AB	UL2464	300V	44X25AWG	11/0.14	13.9	278.77	111 Ω/km
ANM05.001.45.025AB	UL2464	300V	45X25AWG	11/0.14	14.2	290.07	111 Ω/km
ANM05.001.46.025AB	UL2464	300V	46X25AWG	11/0.14	14.2	291.17	111 Ω/km
ANM05.001.47.025AB	UL2464	300V	47X25AWG	11/0.14	14.2	292.17	111 Ω/km
ANM05.001.48.025AB	UL2464	300V	48X25AWG	11/0.14	14.2	293.27	111 Ω/km
ANM05.001.49.025AB	UL2464	300V	49X25AWG	11/0.14	14.5	304.67	111 Ω/km
ANM05.001.50.025AB	UL2464	300V	50X25AWG	11/0.14	14.5	305.77	111 Ω/km
ANM05.001.51.025AB	UL2464	300V	51X25AWG	11/0.14	14.5	306.77	111 Ω/km
ANM05.001.52.025AB	UL2464	300V	52X25AWG	11/0.14	14.5	307.87	111 Ω/km
ANM05.001.53.025AB	UL2464	300V	53X25AWG	11/0.14	14.9	323.07	111 Ω/km



ANM05.001.54.025AB	UL2464	300V	54X25AWG	11/0.14	14.9	324.07	111 Ω/km
ANM05.001.55.025AB	UL2464	300V	55X25AWG	11/0.14	14.9	325.17	111 Ω/km
ANM05.001.56.025AB	UL2464	300V	56X25AWG	11/0.14	14.9	326.17	111 Ω/km
ANM05.001.57.025AB	UL2464	300V	57X25AWG	11/0.14	15.3	341.87	111 Ω/km
ANM05.001.58.025AB	UL2464	300V	58X25AWG	11/0.14	15.3	342.87	111 Ω/km
ANM05.001.59.025AB	UL2464	300V	59X25AWG	11/0.14	15.3	343.97	111 Ω/km
ANM05.001.60.025AB	UL2464	300V	60X25AWG	11/0.14	15.3	344.97	111 Ω/km
ANM05.001.61.025AB	UL2464	300V	61X25AWG	11/0.14	15.3	345.97	111 Ω/km
ANM05.001.62.025AB	UL2464	300V	62X25AWG	11/0.14	15.8	365.87	111 Ω/km
ANM05.001.63.025AB	UL2464	300V	63X25AWG	11/0.14	15.8	366.87	111 Ω/km
ANM05.001.64.025AB	UL2464	300V	64X25AWG	11/0.14	15.8	367.97	111 Ω/km
ANM05.001.65.025AB	UL2464	300V	65X25AWG	11/0.14	15.8	368.97	111 Ω/km
ANM05.001.02.024AB	UL2464	300V	2X24AWG	14/0.14	5.4	38.01	87.6 Ω/km
ANM05.001.03.024AB	UL2464	300V	3X24AWG	14/0.14	5.7	43.51	87.6 Ω/km
ANM05.001.04.024AB	UL2464	300V	4X24AWG	14/0.14	6	49.11	87.6 Ω/km
ANM05.001.05.024AB	UL2464	300V	5X24AWG	14/0.14	6.4	56.51	87.6 Ω/km
ANM05.001.06.024AB	UL2464	300V	6X24AWG	14/0.14	6.8	64.41	87.6 Ω/km
ANM05.001.07.024AB	UL2464	300V	7X24AWG	14/0.14	6.8	65.91	87.6 Ω/km
ANM05.001.08.024AB	UL2464	300V	8X24AWG	14/0.14	7.3	75.71	87.6 Ω/km
ANM05.001.09.024AB	UL2464	300V	9X24AWG	14/0.14	7.8	86.41	87.6 Ω/km
ANM05.001.10.024AB	UL2464	300V	10X24AWG	14/0.14	8.2	95.41	87.6 Ω/km
ANM05.001.11.024AB	UL2464	300V	11X24AWG	14/0.14	8.5	103.01	87.6 Ω/km
ANM05.001.12.024AB	UL2464	300V	12X24AWG	14/0.14	8.5	104.51	87.6 Ω/km
ANM05.001.13.024AB	UL2464	300V	13X24AWG	14/0.14	8.8	112.21	87.6 Ω/km
ANM05.001.14.024AB	UL2464	300V	14X24AWG	14/0.14	8.8	113.61	87.6 Ω/km
ANM05.001.15.024AB	UL2464	300V	15X24AWG	14/0.14	9.2	123.71	87.6 Ω/km
ANM05.001.16.024AB	UL2464	300V	16X24AWG	14/0.14	9.2	125.11	87.6 Ω/km
ANM05.001.17.024AB	UL2464	300V	17X24AWG	14/0.14	9.6	135.71	87.6 Ω/km
ANM05.001.18.024AB	UL2464	300V	18X24AWG	14/0.14	9.6	137.21	87.6 Ω/km
ANM05.001.19.024AB	UL2464	300V	19X24AWG	14/0.14	9.6	138.61	87.6 Ω/km
ANM05.001.20.024AB	UL2464	300V	20X24AWG	14/0.14	9.9	147.11	87.6 Ω/km
ANM05.001.21.024AB	UL2464	300V	21X24AWG	14/0.14	10.1	153.31	87.6 Ω/km
ANM05.001.22.024AB	UL2464	300V	22X24AWG	14/0.14	10.6	167.21	87.6 Ω/km
ANM05.001.23.024AB	UL2464	300V	23X24AWG	14/0.14	11	179.11	87.6 Ω/km
ANM05.001.24.024AB	UL2464	300V	24X24AWG	14/0.14	11	180.61	87.6 Ω/km
ANM05.001.25.024AB	UL2464	300V	25X24AWG	14/0.14	11.3	190.11	87.6 Ω/km
ANM05.001.26.024AB	UL2464	300V	26X24AWG	14/0.14	11.3	191.51	87.6 Ω/km
ANM05.001.27.024AB	UL2464	300V	27X24AWG	14/0.14	11.3	193.01	87.6 Ω/km
ANM05.001.28.024AB	UL2464	300V	28X24AWG	14/0.14	11.6	202.71	87.6 Ω/km
ANM05.001.29.024AB	UL2464	300V	29X24AWG	14/0.14	11.6	204.21	87.6 Ω/km
ANM05.001.30.024AB	UL2464	300V	30X24AWG	14/0.14	11.6	205.71	87.6 Ω/km
ANM05.001.31.024AB	UL2464	300V	31X24AWG	14/0.14	12	218.41	87.6 Ω/km



ANM05.001.32.024AB	UL2464	300V	32X24AWG	14/0.14	12	219.91	87.6 Ω/km
ANM05.001.33.024AB	UL2464	300V	33X24AWG	14/0.14	12	221.41	87.6 Ω/km
ANM05.001.34.024AB	UL2464	300V	34X24AWG	14/0.14	12.4	234.61	87.6 Ω/km
ANM05.001.35.024AB	UL2464	300V	35X24AWG	14/0.14	12.4	236.01	87.6 Ω/km
ANM05.001.36.024AB	UL2464	300V	36X24AWG	14/0.14	12.4	237.61	87.6 Ω/km
ANM05.001.37.024AB	UL2464	300V	37X24AWG	14/0.14	12.4	239.01	87.6 Ω/km
ANM05.001.38.024AB	UL2464	300V	38X24AWG	14/0.14	13	258.81	87.6 Ω/km
ANM05.001.39.024AB	UL2464	300V	39X24AWG	14/0.14	13	260.31	87.6 Ω/km
ANM05.001.40.024AB	UL2464	300V	40X24AWG	14/0.14	13	261.71	87.6 Ω/km
ANM05.001.41.024AB	UL2464	300V	41X24AWG	14/0.14	13.9	292.21	87.6 Ω/km
ANM05.001.42.024AB	UL2464	300V	42X24AWG	14/0.14	13.9	293.71	87.6 Ω/km
ANM05.001.43.024AB	UL2464	300V	43X24AWG	14/0.14	13.9	295.21	87.6 Ω/km
ANM05.001.44.024AB	UL2464	300V	44X24AWG	14/0.14	13.9	296.61	87.6 Ω/km
ANM05.001.45.024AB	UL2464	300V	45X24AWG	14/0.14	14.2	308.41	87.6 Ω/km
ANM05.001.46.024AB	UL2464	300V	46X24AWG	14/0.14	14.2	309.81	87.6 Ω/km
ANM05.001.47.024AB	UL2464	300V	47X24AWG	14/0.14	14.2	311.21	87.6 Ω/km
ANM05.001.48.024AB	UL2464	300V	48X24AWG	14/0.14	14.2	312.81	87.6 Ω/km
ANM05.001.49.024AB	UL2464	300V	49X24AWG	14/0.14	14.5	324.61	87.6 Ω/km
ANM05.001.50.024AB	UL2464	300V	50X24AWG	14/0.14	14.5	326.01	87.6 Ω/km
ANM05.001.51.024AB	UL2464	300V	51X24AWG	14/0.14	14.5	327.51	87.6 Ω/km
ANM05.001.52.024AB	UL2464	300V	52X24AWG	14/0.14	14.5	329.01	87.6 Ω/km
ANM05.001.53.024AB	UL2464	300V	53X24AWG	14/0.14	14.9	344.61	87.6 Ω/km
ANM05.001.54.024AB	UL2464	300V	54X24AWG	14/0.14	14.9	346.01	87.6 Ω/km
ANM05.001.55.024AB	UL2464	300V	55X24AWG	14/0.14	14.9	347.51	87.6 Ω/km
ANM05.001.56.024AB	UL2464	300V	56X24AWG	14/0.14	14.9	349.01	87.6 Ω/km
ANM05.001.57.024AB	UL2464	300V	57X24AWG	14/0.14	15.3	365.01	87.6 Ω/km
ANM05.001.58.024AB	UL2464	300V	58X24AWG	14/0.14	15.3	366.41	87.6 Ω/km
ANM05.001.59.024AB	UL2464	300V	59X24AWG	14/0.14	15.3	368.01	87.6 Ω/km
ANM05.001.60.024AB	UL2464	300V	60X24AWG	14/0.14	15.3	369.41	87.6 Ω/km
ANM05.001.61.024AB	UL2464	300V	61X24AWG	14/0.14	15.3	370.71	87.6 Ω/km
ANM05.001.62.024AB	UL2464	300V	62X24AWG	14/0.14	15.8	391.11	87.6 Ω/km
ANM05.001.63.024AB	UL2464	300V	63X24AWG	14/0.14	15.8	392.51	87.6 Ω/km
ANM05.001.64.024AB	UL2464	300V	64X24AWG	14/0.14	15.8	393.91	87.6 Ω/km
ANM05.001.65.024AB	UL2464	300V	65X24AWG	14/0.14	15.8	395.41	87.6 Ω/km
ANM05.001.02.023AB	UL2464	300V	2X23AWG	17/0.14	5.6	41.46	69.2 Ω/km
ANM05.001.03.023AB	UL2464	300V	3X23AWG	17/0.14	5.9	47.46	69.2 Ω/km
ANM05.001.04.023AB	UL2464	300V	4X23AWG	17/0.14	6.3	55.06	69.2 Ω/km
ANM05.001.05.023AB	UL2464	300V	5X23AWG	17/0.14	6.7	63.16	69.2 Ω/km
ANM05.001.06.023AB	UL2464	300V	6X23AWG	17/0.14	7.1	71.56	69.2 Ω/km
ANM05.001.07.023AB	UL2464	300V	7X23AWG	17/0.14	7.1	73.36	69.2 Ω/km
ANM05.001.08.023AB	UL2464	300V	8X23AWG	17/0.14	7.6	83.96	69.2 Ω/km
ANM05.001.09.023AB	UL2464	300V	9X23AWG	17/0.14	8.2	97.06	69.2 Ω/km



ANM05.001.10.023AB	UL2464	300V	10X23AWG	17/0.14	8.6	107.06	69.2 Ω/km
ANM05.001.11.023AB	UL2464	300V	11X23AWG	17/0.14	8.9	115.16	69.2 Ω/km
ANM05.001.12.023AB	UL2464	300V	12X23AWG	17/0.14	8.9	117.06	69.2 Ω/km
ANM05.001.13.023AB	UL2464	300V	13X23AWG	17/0.14	9.3	127.56	69.2 Ω/km
ANM05.001.14.023AB	UL2464	300V	14X23AWG	17/0.14	9.3	129.36	69.2 Ω/km
ANM05.001.15.023AB	UL2464	300V	15X23AWG	17/0.14	9.7	140.36	69.2 Ω/km
ANM05.001.16.023AB	UL2464	300V	16X23AWG	17/0.14	9.7	142.16	69.2 Ω/km
ANM05.001.17.023AB	UL2464	300V	17X23AWG	17/0.14	10.1	153.46	69.2 Ω/km
ANM05.001.18.023AB	UL2464	300V	18X23AWG	17/0.14	10.1	155.26	69.2 Ω/km
ANM05.001.19.023AB	UL2464	300V	19X23AWG	17/0.14	10.1	157.16	69.2 Ω/km
ANM05.001.20.023AB	UL2464	300V	20X23AWG	17/0.14	10.4	166.26	69.2 Ω/km
ANM05.001.21.023AB	UL2464	300V	21X23AWG	17/0.14	10.6	173.16	69.2 Ω/km
ANM05.001.22.023AB	UL2464	300V	22X23AWG	17/0.14	11.2	190.66	69.2 Ω/km
ANM05.001.23.023AB	UL2464	300V	23X23AWG	17/0.14	11.6	203.46	69.2 Ω/km
ANM05.001.24.023AB	UL2464	300V	24X23AWG	17/0.14	11.6	205.36	69.2 Ω/km
ANM05.001.25.023AB	UL2464	300V	25X23AWG	17/0.14	11.9	215.66	69.2 Ω/km
ANM05.001.26.023AB	UL2464	300V	26X23AWG	17/0.14	11.9	217.46	69.2 Ω/km
ANM05.001.27.023AB	UL2464	300V	27X23AWG	17/0.14	11.9	219.16	69.2 Ω/km
ANM05.001.28.023AB	UL2464	300V	28X23AWG	17/0.14	12.3	232.76	69.2 Ω/km
ANM05.001.29.023AB	UL2464	300V	29X23AWG	17/0.14	12.3	234.56	69.2 Ω/km
ANM05.001.30.023AB	UL2464	300V	30X23AWG	17/0.14	12.3	236.46	69.2 Ω/km
ANM05.001.31.023AB	UL2464	300V	31X23AWG	17/0.14	12.8	253.26	69.2 Ω/km
ANM05.001.32.023AB	UL2464	300V	32X23AWG	17/0.14	12.8	255.06	69.2 Ω/km
ANM05.001.33.023AB	UL2464	300V	33X23AWG	17/0.14	12.8	256.86	69.2 Ω/km
ANM05.001.34.023AB	UL2464	300V	34X23AWG	17/0.14	13.2	271.16	69.2 Ω/km
ANM05.001.35.023AB	UL2464	300V	35X23AWG	17/0.14	13.2	273.06	69.2 Ω/km
ANM05.001.36.023AB	UL2464	300V	36X23AWG	17/0.14	13.2	274.86	69.2 Ω/km
ANM05.001.37.023AB	UL2464	300V	37X23AWG	17/0.14	13.2	276.66	69.2 Ω/km
ANM05.001.38.023AB	UL2464	300V	38X23AWG	17/0.14	13.7	294.66	69.2 Ω/km
ANM05.001.39.023AB	UL2464	300V	39X23AWG	17/0.14	13.7	296.36	69.2 Ω/km
ANM05.001.40.023AB	UL2464	300V	40X23AWG	17/0.14	13.7	298.16	69.2 Ω/km
ANM05.001.41.023AB	UL2464	300V	41X23AWG	17/0.14	14.7	334.26	69.2 Ω/km
ANM05.001.42.023AB	UL2464	300V	42X23AWG	17/0.14	14.7	336.06	69.2 Ω/km
ANM05.001.43.023AB	UL2464	300V	43X23AWG	17/0.14	14.7	337.86	69.2 Ω/km
ANM05.001.44.023AB	UL2464	300V	44X23AWG	17/0.14	14.7	339.76	69.2 Ω/km
ANM05.001.45.023AB	UL2464	300V	45X23AWG	17/0.14	15	352.26	69.2 Ω/km
ANM05.001.46.023AB	UL2464	300V	46X23AWG	17/0.14	15	353.96	69.2 Ω/km
ANM05.001.47.023AB	UL2464	300V	47X23AWG	17/0.14	15	355.86	69.2 Ω/km
ANM05.001.48.023AB	UL2464	300V	48X23AWG	17/0.14	15	357.56	69.2 Ω/km
ANM05.001.49.023AB	UL2464	300V	49X23AWG	17/0.14	15.4	374.16	69.2 Ω/km
ANM05.001.50.023AB	UL2464	300V	50X23AWG	17/0.14	15.4	375.96	69.2 Ω/km
ANM05.001.51.023AB	UL2464	300V	51X23AWG	17/0.14	15.4	377.86	69.2 Ω/km



ANM05.001.52.023AB	UL2464	300V	52X23AWG	17/0.14	15.4	379.46	69.2 Ω /km
ANM05.001.53.023AB	UL2464	300V	53X23AWG	17/0.14	15.8	396.46	69.2 Ω /km
ANM05.001.54.023AB	UL2464	300V	54X23AWG	17/0.14	15.8	398.26	69.2 Ω /km
ANM05.001.55.023AB	UL2464	300V	55X23AWG	17/0.14	15.8	400.06	69.2 Ω /km
ANM05.001.56.023AB	UL2464	300V	56X23AWG	17/0.14	15.8	401.86	69.2 Ω /km
ANM05.001.57.023AB	UL2464	300V	57X23AWG	17/0.14	16.2	419.06	69.2 Ω /km
ANM05.001.58.023AB	UL2464	300V	58X23AWG	17/0.14	16.2	420.86	69.2 Ω /km
ANM05.001.59.023AB	UL2464	300V	59X23AWG	17/0.14	16.2	422.56	69.2 Ω /km
ANM05.001.60.023AB	UL2464	300V	60X23AWG	17/0.14	16.2	424.46	69.2 Ω /km
ANM05.001.61.023AB	UL2464	300V	61X23AWG	17/0.14	16.2	426.26	69.2 Ω /km
ANM05.001.62.023AB	UL2464	300V	62X23AWG	17/0.14	16.7	447.96	69.2 Ω /km
ANM05.001.63.023AB	UL2464	300V	63X23AWG	17/0.14	16.7	449.76	69.2 Ω /km
ANM05.001.64.023AB	UL2464	300V	64X23AWG	17/0.14	16.7	451.56	69.2 Ω /km
ANM05.001.65.023AB	UL2464	300V	65X23AWG	17/0.14	16.7	453.36	69.2 Ω /km
ANM05.001.02.022AB	UL2464	300V	2X22AWG	22/0.14	5.8	45.13	55.4 Ω /km
ANM05.001.03.022AB	UL2464	300V	3X22AWG	22/0.14	6.1	51.63	55.4 Ω /km
ANM05.001.04.022AB	UL2464	300V	4X22AWG	22/0.14	6.5	59.93	55.4 Ω /km
ANM05.001.05.022AB	UL2464	300V	5X22AWG	22/0.14	7	70.23	55.4 Ω /km
ANM05.001.06.022AB	UL2464	300V	6X22AWG	22/0.14	7.4	79.43	55.4 Ω /km
ANM05.001.07.022AB	UL2464	300V	7X22AWG	22/0.14	7.4	81.63	55.4 Ω /km
ANM05.001.08.022AB	UL2464	300V	8X22AWG	22/0.14	7.9	93.03	55.4 Ω /km
ANM05.001.09.022AB	UL2464	300V	9X22AWG	22/0.14	8.6	109.23	55.4 Ω /km
ANM05.001.10.022AB	UL2464	300V	10X22AWG	22/0.14	9	119.93	55.4 Ω /km
ANM05.001.11.022AB	UL2464	300V	11X22AWG	22/0.14	9.3	128.83	55.4 Ω /km
ANM05.001.12.022AB	UL2464	300V	12X22AWG	22/0.14	9.3	130.93	55.4 Ω /km
ANM05.001.13.022AB	UL2464	300V	13X22AWG	22/0.14	9.7	142.43	55.4 Ω /km
ANM05.001.14.022AB	UL2464	300V	14X22AWG	22/0.14	9.7	144.63	55.4 Ω /km
ANM05.001.15.022AB	UL2464	300V	15X22AWG	22/0.14	10.2	158.83	55.4 Ω /km
ANM05.001.16.022AB	UL2464	300V	16X22AWG	22/0.14	10.2	161.03	55.4 Ω /km
ANM05.001.17.022AB	UL2464	300V	17X22AWG	22/0.14	10.6	173.23	55.4 Ω /km
ANM05.001.18.022AB	UL2464	300V	18X22AWG	22/0.14	10.6	175.53	55.4 Ω /km
ANM05.001.19.022AB	UL2464	300V	19X22AWG	22/0.14	10.6	177.73	55.4 Ω /km
ANM05.001.20.022AB	UL2464	300V	20X22AWG	22/0.14	10.9	187.73	55.4 Ω /km
ANM05.001.21.022AB	UL2464	300V	21X22AWG	22/0.14	11.1	195.23	55.4 Ω /km
ANM05.001.22.022AB	UL2464	300V	22X22AWG	22/0.14	11.8	216.83	55.4 Ω /km
ANM05.001.23.022AB	UL2464	300V	23X22AWG	22/0.14	12.2	230.73	55.4 Ω /km
ANM05.001.24.022AB	UL2464	300V	24X22AWG	22/0.14	12.2	232.83	55.4 Ω /km
ANM05.001.25.022AB	UL2464	300V	25X22AWG	22/0.14	12.5	244.03	55.4 Ω /km
ANM05.001.26.022AB	UL2464	300V	26X22AWG	22/0.14	12.5	246.23	55.4 Ω /km
ANM05.001.27.022AB	UL2464	300V	27X22AWG	22/0.14	12.5	248.43	55.4 Ω /km
ANM05.001.28.022AB	UL2464	300V	28X22AWG	22/0.14	13	266.03	55.4 Ω /km
ANM05.001.29.022AB	UL2464	300V	29X22AWG	22/0.14	13	268.33	55.4 Ω /km



ANM05.001.30.022AB	UL2464	300V	30X22AWG	22/0.14	13	270.53	55.4Ω/km
ANM05.001.31.022AB	UL2464	300V	31X22AWG	22/0.14	13.5	288.73	55.4Ω/km
ANM05.001.32.022AB	UL2464	300V	32X22AWG	22/0.14	13.5	291.03	55.4Ω/km
ANM05.001.33.022AB	UL2464	300V	33X22AWG	22/0.14	13.5	293.23	55.4Ω/km
ANM05.001.34.022AB	UL2464	300V	34X22AWG	22/0.14	13.9	308.63	55.4Ω/km
ANM05.001.35.022AB	UL2464	300V	35X22AWG	22/0.14	13.9	310.73	55.4Ω/km
ANM05.001.36.022AB	UL2464	300V	36X22AWG	22/0.14	13.9	313.03	55.4Ω/km
ANM05.001.37.022AB	UL2464	300V	37X22AWG	22/0.14	13.9	315.23	55.4Ω/km
ANM05.001.38.022AB	UL2464	300V	38X22AWG	22/0.14	14.4	334.73	55.4Ω/km
ANM05.001.39.022AB	UL2464	300V	39X22AWG	22/0.14	14.4	336.93	55.4Ω/km
ANM05.001.40.022AB	UL2464	300V	40X22AWG	22/0.14	14.4	339.13	55.4Ω/km
ANM05.001.41.022AB	UL2464	300V	41X22AWG	22/0.14	15.5	381.03	55.4Ω/km
ANM05.001.42.022AB	UL2464	300V	42X22AWG	22/0.14	15.5	383.23	55.4Ω/km
ANM05.001.43.022AB	UL2464	300V	43X22AWG	22/0.14	15.5	385.43	55.4Ω/km
ANM05.001.44.022AB	UL2464	300V	44X22AWG	22/0.14	15.5	387.63	55.4Ω/km
ANM05.001.45.022AB	UL2464	300V	45X22AWG	22/0.14	15.8	401.33	55.4Ω/km
ANM05.001.46.022AB	UL2464	300V	46X22AWG	22/0.14	15.8	403.63	55.4Ω/km
ANM05.001.47.022AB	UL2464	300V	47X22AWG	22/0.14	15.8	405.73	55.4Ω/km
ANM05.001.48.022AB	UL2464	300V	48X22AWG	22/0.14	15.8	408.03	55.4Ω/km
ANM05.001.49.022AB	UL2464	300V	49X22AWG	22/0.14	16.2	425.63	55.4Ω/km
ANM05.001.50.022AB	UL2464	300V	50X22AWG	22/0.14	16.2	427.93	55.4Ω/km
ANM05.001.51.022AB	UL2464	300V	51X22AWG	22/0.14	16.2	430.03	55.4Ω/km
ANM05.001.52.022AB	UL2464	300V	52X22AWG	22/0.14	16.2	432.33	55.4Ω/km
ANM05.001.53.022AB	UL2464	300V	53X22AWG	22/0.14	16.7	454.53	55.4Ω/km
ANM05.001.54.022AB	UL2464	300V	54X22AWG	22/0.14	16.7	456.63	55.4Ω/km
ANM05.001.55.022AB	UL2464	300V	55X22AWG	22/0.14	16.7	458.93	55.4Ω/km
ANM05.001.56.022AB	UL2464	300V	56X22AWG	22/0.14	16.7	461.13	55.4Ω/km
ANM05.001.57.022AB	UL2464	300V	57X22AWG	22/0.14	17.1	479.63	55.4Ω/km
ANM05.001.58.022AB	UL2464	300V	58X22AWG	22/0.14	17.1	481.73	55.4Ω/km
ANM05.001.59.022AB	UL2464	300V	59X22AWG	22/0.14	17.1	484.03	55.4Ω/km
ANM05.001.60.022AB	UL2464	300V	60X22AWG	22/0.14	17.1	486.23	55.4Ω/km
ANM05.001.61.022AB	UL2464	300V	61X22AWG	22/0.14	17.1	488.53	55.4Ω/km
ANM05.001.62.022AB	UL2464	300V	62X22AWG	22/0.14	17.6	511.73	55.4Ω/km
ANM05.001.63.022AB	UL2464	300V	63X22AWG	22/0.14	17.6	513.93	55.4Ω/km
ANM05.001.64.022AB	UL2464	300V	64X22AWG	22/0.14	17.6	516.23	55.4Ω/km
ANM05.001.65.022AB	UL2464	300V	65X22AWG	22/0.14	17.6	518.43	55.4Ω/km
ANM05.001.02.021AB	UL2464	300V	2X21AWG	27/0.14	6	49.22	43.6Ω/km
ANM05.001.03.021AB	UL2464	300V	3X21AWG	27/0.14	6.3	56.52	43.6Ω/km
ANM05.001.04.021AB	UL2464	300V	4X21AWG	27/0.14	6.8	67.32	43.6Ω/km
ANM05.001.05.021AB	UL2464	300V	5X21AWG	27/0.14	7.2	76.92	43.6Ω/km
ANM05.001.06.021AB	UL2464	300V	6X21AWG	27/0.14	7.7	88.72	43.6Ω/km
ANM05.001.07.021AB	UL2464	300V	7X21AWG	27/0.14	7.7	91.62	43.6Ω/km



ANM05.001.08.021AB	UL2464	300V	8X21AWG	27/0.14	8.3	105.92	43.6 Ω/km
ANM05.001.09.021AB	UL2464	300V	9X21AWG	27/0.14	8.9	121.12	43.6 Ω/km
ANM05.001.10.021AB	UL2464	300V	10X21AWG	27/0.14	9.4	135.12	43.6 Ω/km
ANM05.001.11.021AB	UL2464	300V	11X21AWG	27/0.14	9.7	144.82	43.6 Ω/km
ANM05.001.12.021AB	UL2464	300V	12X21AWG	27/0.14	9.7	147.72	43.6 Ω/km
ANM05.001.13.021AB	UL2464	300V	13X21AWG	27/0.14	10.2	162.52	43.6 Ω/km
ANM05.001.14.021AB	UL2464	300V	14X21AWG	27/0.14	10.2	165.32	43.6 Ω/km
ANM05.001.15.021AB	UL2464	300V	15X21AWG	27/0.14	10.6	178.22	43.6 Ω/km
ANM05.001.16.021AB	UL2464	300V	16X21AWG	27/0.14	10.6	181.02	43.6 Ω/km
ANM05.001.17.021AB	UL2464	300V	17X21AWG	27/0.14	11.1	196.92	43.6 Ω/km
ANM05.001.18.021AB	UL2464	300V	18X21AWG	27/0.14	11.1	199.82	43.6 Ω/km
ANM05.001.19.021AB	UL2464	300V	19X21AWG	27/0.14	11.1	202.72	43.6 Ω/km
ANM05.001.20.021AB	UL2464	300V	20X21AWG	27/0.14	11.4	213.62	43.6 Ω/km
ANM05.001.21.021AB	UL2464	300V	21X21AWG	27/0.14	11.7	224.92	43.6 Ω/km
ANM05.001.22.021AB	UL2464	300V	22X21AWG	27/0.14	12.3	245.12	43.6 Ω/km
ANM05.001.23.021AB	UL2464	300V	23X21AWG	27/0.14	12.9	266.12	43.6 Ω/km
ANM05.001.24.021AB	UL2464	300V	24X21AWG	27/0.14	12.9	269.02	43.6 Ω/km
ANM05.001.25.021AB	UL2464	300V	25X21AWG	27/0.14	13.2	281.22	43.6 Ω/km
ANM05.001.26.021AB	UL2464	300V	26X21AWG	27/0.14	13.2	284.12	43.6 Ω/km
ANM05.001.27.021AB	UL2464	300V	27X21AWG	27/0.14	13.2	287.02	43.6 Ω/km
ANM05.001.28.021AB	UL2464	300V	28X21AWG	27/0.14	13.7	306.02	43.6 Ω/km
ANM05.001.29.021AB	UL2464	300V	29X21AWG	27/0.14	13.7	308.92	43.6 Ω/km
ANM05.001.30.021AB	UL2464	300V	30X21AWG	27/0.14	13.7	311.82	43.6 Ω/km
ANM05.001.31.021AB	UL2464	300V	31X21AWG	27/0.14	14.1	328.02	43.6 Ω/km
ANM05.001.32.021AB	UL2464	300V	32X21AWG	27/0.14	14.1	330.92	43.6 Ω/km
ANM05.001.33.021AB	UL2464	300V	33X21AWG	27/0.14	14.1	333.72	43.6 Ω/km
ANM05.001.34.021AB	UL2464	300V	34X21AWG	27/0.14	14.6	353.82	43.6 Ω/km
ANM05.001.35.021AB	UL2464	300V	35X21AWG	27/0.14	14.6	356.72	43.6 Ω/km
ANM05.001.36.021AB	UL2464	300V	36X21AWG	27/0.14	14.6	359.52	43.6 Ω/km
ANM05.001.37.021AB	UL2464	300V	37X21AWG	27/0.14	14.6	362.42	43.6 Ω/km
ANM05.001.38.021AB	UL2464	300V	38X21AWG	27/0.14	15.2	386.82	43.6 Ω/km
ANM05.001.39.021AB	UL2464	300V	39X21AWG	27/0.14	15.2	389.62	43.6 Ω/km
ANM05.001.40.021AB	UL2464	300V	40X21AWG	27/0.14	15.2	392.52	43.6 Ω/km
ANM05.001.41.021AB	UL2464	300V	41X21AWG	27/0.14	16.3	437.22	43.6 Ω/km
ANM05.001.42.021AB	UL2464	300V	42X21AWG	27/0.14	16.3	440.02	43.6 Ω/km
ANM05.001.43.021AB	UL2464	300V	43X21AWG	27/0.14	16.3	442.92	43.6 Ω/km
ANM05.001.44.021AB	UL2464	300V	44X21AWG	27/0.14	16.3	445.72	43.6 Ω/km
ANM05.001.45.021AB	UL2464	300V	45X21AWG	27/0.14	16.6	460.52	43.6 Ω/km
ANM05.001.46.021AB	UL2464	300V	46X21AWG	27/0.14	16.6	463.32	43.6 Ω/km
ANM05.001.47.021AB	UL2464	300V	47X21AWG	27/0.14	16.6	466.12	43.6 Ω/km
ANM05.001.48.021AB	UL2464	300V	48X21AWG	27/0.14	16.6	469.12	43.6 Ω/km
ANM05.001.49.021AB	UL2464	300V	49X21AWG	27/0.14	17.1	492.22	43.6 Ω/km



ANM05.001.50.021AB	UL2464	300V	50X21AWG	27/0.14	17.1	495.02	43.6 Ω/km
ANM05.001.51.021AB	UL2464	300V	51X21AWG	27/0.14	17.1	497.92	43.6 Ω/km
ANM05.001.52.021AB	UL2464	300V	52X21AWG	27/0.14	17.1	500.82	43.6 Ω/km
ANM05.001.53.021AB	UL2464	300V	53X21AWG	27/0.14	17.5	520.42	43.6 Ω/km
ANM05.001.54.021AB	UL2464	300V	54X21AWG	27/0.14	17.5	523.22	43.6 Ω/km
ANM05.001.55.021AB	UL2464	300V	55X21AWG	27/0.14	17.5	526.02	43.6 Ω/km
ANM05.001.56.021AB	UL2464	300V	56X21AWG	27/0.14	17.5	528.92	43.6 Ω/km
ANM05.001.57.021AB	UL2464	300V	57X21AWG	27/0.14	18	553.32	43.6 Ω/km
ANM05.001.58.021AB	UL2464	300V	58X21AWG	27/0.14	18	556.12	43.6 Ω/km
ANM05.001.59.021AB	UL2464	300V	59X21AWG	27/0.14	18	559.02	43.6 Ω/km
ANM05.001.60.021AB	UL2464	300V	60X21AWG	27/0.14	18	561.92	43.6 Ω/km
ANM05.001.61.021AB	UL2464	300V	61X21AWG	27/0.14	18	564.62	43.6 Ω/km
ANM05.001.62.021AB	UL2464	300V	62X21AWG	27/0.14	18.6	594.02	43.6 Ω/km
ANM05.001.63.021AB	UL2464	300V	63X21AWG	27/0.14	18.6	596.92	43.6 Ω/km
ANM05.001.64.021AB	UL2464	300V	64X21AWG	27/0.14	18.6	599.72	43.6 Ω/km
ANM05.001.65.021AB	UL2464	300V	65X21AWG	27/0.14	18.6	602.62	43.6 Ω/km
ANM05.001.02.020AB	UL2464	300V	2X20AWG	34/0.14	6.2	53.92	34.6 Ω/km
ANM05.001.03.020AB	UL2464	300V	3X20AWG	34/0.14	6.5	62.02	34.6 Ω/km
ANM05.001.04.020AB	UL2464	300V	4X20AWG	34/0.14	7	73.82	34.6 Ω/km
ANM05.001.05.020AB	UL2464	300V	5X20AWG	34/0.14	7.5	86.12	34.6 Ω/km
ANM05.001.06.020AB	UL2464	300V	6X20AWG	34/0.14	8	99.12	34.6 Ω/km
ANM05.001.07.020AB	UL2464	300V	7X20AWG	34/0.14	8	102.62	34.6 Ω/km
ANM05.001.08.020AB	UL2464	300V	8X20AWG	34/0.14	8.6	118.32	34.6 Ω/km
ANM05.001.09.020AB	UL2464	300V	9X20AWG	34/0.14	9.3	137.02	34.6 Ω/km
ANM05.001.10.020AB	UL2464	300V	10X20AWG	34/0.14	9.8	152.12	34.6 Ω/km
ANM05.001.11.020AB	UL2464	300V	11X20AWG	34/0.14	10.1	162.92	34.6 Ω/km
ANM05.001.12.020AB	UL2464	300V	12X20AWG	34/0.14	10.1	166.52	34.6 Ω/km
ANM05.001.13.020AB	UL2464	300V	13X20AWG	34/0.14	10.6	182.62	34.6 Ω/km
ANM05.001.14.020AB	UL2464	300V	14X20AWG	34/0.14	10.6	186.32	34.6 Ω/km
ANM05.001.15.020AB	UL2464	300V	15X20AWG	34/0.14	11.1	202.92	34.6 Ω/km
ANM05.001.16.020AB	UL2464	300V	16X20AWG	34/0.14	11.1	206.62	34.6 Ω/km
ANM05.001.17.020AB	UL2464	300V	17X20AWG	34/0.14	11.6	224.02	34.6 Ω/km
ANM05.001.18.020AB	UL2464	300V	18X20AWG	34/0.14	11.6	227.62	34.6 Ω/km
ANM05.001.19.020AB	UL2464	300V	19X20AWG	34/0.14	11.6	231.32	34.6 Ω/km
ANM05.001.20.020AB	UL2464	300V	20X20AWG	34/0.14	11.9	243.32	34.6 Ω/km
ANM05.001.21.020AB	UL2464	300V	21X20AWG	34/0.14	12.2	255.72	34.6 Ω/km
ANM05.001.22.020AB	UL2464	300V	22X20AWG	34/0.14	13	283.52	34.6 Ω/km
ANM05.001.23.020AB	UL2464	300V	23X20AWG	34/0.14	13.5	303.22	34.6 Ω/km
ANM05.001.24.020AB	UL2464	300V	24X20AWG	34/0.14	13.5	306.82	34.6 Ω/km
ANM05.001.25.020AB	UL2464	300V	25X20AWG	34/0.14	13.8	320.42	34.6 Ω/km
ANM05.001.26.020AB	UL2464	300V	26X20AWG	34/0.14	13.8	323.92	34.6 Ω/km
ANM05.001.27.020AB	UL2464	300V	27X20AWG	34/0.14	13.8	327.52	34.6 Ω/km



ANM05.001.28.020AB	UL2464	300V	28X20AWG	34/0.14	14.3	348.02	34.6 Ω/km
ANM05.001.29.020AB	UL2464	300V	29X20AWG	34/0.14	14.3	351.72	34.6 Ω/km
ANM05.001.30.020AB	UL2464	300V	30X20AWG	34/0.14	14.3	355.32	34.6 Ω/km
ANM05.001.31.020AB	UL2464	300V	31X20AWG	34/0.14	14.8	376.52	34.6 Ω/km
ANM05.001.32.020AB	UL2464	300V	32X20AWG	34/0.14	14.8	380.12	34.6 Ω/km
ANM05.001.33.020AB	UL2464	300V	33X20AWG	34/0.14	14.8	383.82	34.6 Ω/km
ANM05.001.34.020AB	UL2464	300V	34X20AWG	34/0.14	15.3	405.62	34.6 Ω/km
ANM05.001.35.020AB	UL2464	300V	35X20AWG	34/0.14	15.3	409.22	34.6 Ω/km
ANM05.001.36.020AB	UL2464	300V	36X20AWG	34/0.14	15.3	412.82	34.6 Ω/km
ANM05.001.37.020AB	UL2464	300V	37X20AWG	34/0.14	15.3	416.42	34.6 Ω/km
ANM05.001.38.020AB	UL2464	300V	38X20AWG	34/0.14	15.9	442.72	34.6 Ω/km
ANM05.001.39.020AB	UL2464	300V	39X20AWG	34/0.14	15.9	446.22	34.6 Ω/km
ANM05.001.40.020AB	UL2464	300V	40X20AWG	34/0.14	15.9	449.92	34.6 Ω/km
ANM05.001.41.020AB	UL2464	300V	41X20AWG	34/0.14	17.1	501.22	34.6 Ω/km
ANM05.001.42.020AB	UL2464	300V	42X20AWG	34/0.14	17.1	504.92	34.6 Ω/km
ANM05.001.43.020AB	UL2464	300V	43X20AWG	34/0.14	17.1	508.52	34.6 Ω/km
ANM05.001.44.020AB	UL2464	300V	44X20AWG	34/0.14	17.1	512.22	34.6 Ω/km
ANM05.001.45.020AB	UL2464	300V	45X20AWG	34/0.14	17.4	528.22	34.6 Ω/km
ANM05.001.46.020AB	UL2464	300V	46X20AWG	34/0.14	17.4	531.92	34.6 Ω/km
ANM05.001.47.020AB	UL2464	300V	47X20AWG	34/0.14	17.4	535.52	34.6 Ω/km
ANM05.001.48.020AB	UL2464	300V	48X20AWG	34/0.14	17.4	539.22	34.6 Ω/km
ANM05.001.49.020AB	UL2464	300V	49X20AWG	34/0.14	17.9	564.12	34.6 Ω/km
ANM05.001.50.020AB	UL2464	300V	50X20AWG	34/0.14	17.9	567.82	34.6 Ω/km
ANM05.001.51.020AB	UL2464	300V	51X20AWG	34/0.14	17.9	571.52	34.6 Ω/km
ANM05.001.52.020AB	UL2464	300V	52X20AWG	34/0.14	17.9	575.12	34.6 Ω/km
ANM05.001.53.020AB	UL2464	300V	53X20AWG	34/0.14	18.4	600.62	34.6 Ω/km
ANM05.001.54.020AB	UL2464	300V	54X20AWG	34/0.14	18.4	604.12	34.6 Ω/km
ANM05.001.55.020AB	UL2464	300V	55X20AWG	34/0.14	18.4	607.82	34.6 Ω/km
ANM05.001.56.020AB	UL2464	300V	56X20AWG	34/0.14	18.4	611.32	34.6 Ω/km
ANM05.001.57.020AB	UL2464	300V	57X20AWG	34/0.14	18.9	637.62	34.6 Ω/km
ANM05.001.58.020AB	UL2464	300V	58X20AWG	34/0.14	18.9	641.12	34.6 Ω/km
ANM05.001.59.020AB	UL2464	300V	59X20AWG	34/0.14	18.9	644.82	34.6 Ω/km
ANM05.001.60.020AB	UL2464	300V	60X20AWG	34/0.14	18.9	648.42	34.6 Ω/km
ANM05.001.61.020AB	UL2464	300V	61X20AWG	34/0.14	18.9	652.12	34.6 Ω/km
ANM05.001.62.020AB	UL2464	300V	62X20AWG	34/0.14	20.5	730.92	34.6 Ω/km
ANM05.001.63.020AB	UL2464	300V	63X20AWG	34/0.14	20.5	734.52	34.6 Ω/km
ANM05.001.64.020AB	UL2464	300V	64X20AWG	34/0.14	20.5	738.12	34.6 Ω/km
ANM05.001.65.020AB	UL2464	300V	65X20AWG	34/0.14	20.5	741.82	34.6 Ω/km
ANM05.001.02.019AB	UL2464	300V	2X19AWG	43/0.14	6.4	59.06	27.4 Ω/km
ANM05.001.03.019AB	UL2464	300V	3X19AWG	43/0.14	6.7	68.36	27.4 Ω/km
ANM05.001.04.019AB	UL2464	300V	4X19AWG	43/0.14	7.2	81.46	27.4 Ω/km
ANM05.001.05.019AB	UL2464	300V	5X19AWG	43/0.14	7.8	96.86	27.4 Ω/km



ANM05.001.06.019AB	UL2464	300V	6X19AWG	43/0.14	8.3	111.16	27.4Ω/km
ANM05.001.07.019AB	UL2464	300V	7X19AWG	43/0.14	8.3	115.66	27.4Ω/km
ANM05.001.08.019AB	UL2464	300V	8X19AWG	43/0.14	8.9	132.76	27.4Ω/km
ANM05.001.09.019AB	UL2464	300V	9X19AWG	43/0.14	9.7	155.26	27.4Ω/km
ANM05.001.10.019AB	UL2464	300V	10X19AWG	43/0.14	10.2	171.96	27.4Ω/km
ANM05.001.11.019AB	UL2464	300V	11X19AWG	43/0.14	10.5	183.96	27.4Ω/km
ANM05.001.12.019AB	UL2464	300V	12X19AWG	43/0.14	10.5	188.66	27.4Ω/km
ANM05.001.13.019AB	UL2464	300V	13X19AWG	43/0.14	11	206.16	27.4Ω/km
ANM05.001.14.019AB	UL2464	300V	14X19AWG	43/0.14	11	210.86	27.4Ω/km
ANM05.001.15.019AB	UL2464	300V	15X19AWG	43/0.14	11.6	231.76	27.4Ω/km
ANM05.001.16.019AB	UL2464	300V	16X19AWG	43/0.14	11.6	236.46	27.4Ω/km
ANM05.001.17.019AB	UL2464	300V	17X19AWG	43/0.14	12.1	255.26	27.4Ω/km
ANM05.001.18.019AB	UL2464	300V	18X19AWG	43/0.14	12.1	259.96	27.4Ω/km
ANM05.001.19.019AB	UL2464	300V	19X19AWG	43/0.14	12.1	264.56	27.4Ω/km
ANM05.001.20.019AB	UL2464	300V	20X19AWG	43/0.14	12.4	278.06	27.4Ω/km
ANM05.001.21.019AB	UL2464	300V	21X19AWG	43/0.14	12.8	294.76	27.4Ω/km
ANM05.001.22.019AB	UL2464	300V	22X19AWG	43/0.14	13.6	324.86	27.4Ω/km
ANM05.001.23.019AB	UL2464	300V	23X19AWG	43/0.14	14.1	346.16	27.4Ω/km
ANM05.001.24.019AB	UL2464	300V	24X19AWG	43/0.14	14.1	350.86	27.4Ω/km
ANM05.001.25.019AB	UL2464	300V	25X19AWG	43/0.14	14.4	365.76	27.4Ω/km
ANM05.001.26.019AB	UL2464	300V	26X19AWG	43/0.14	14.4	370.46	27.4Ω/km
ANM05.001.27.019AB	UL2464	300V	27X19AWG	43/0.14	14.4	374.96	27.4Ω/km
ANM05.001.28.019AB	UL2464	300V	28X19AWG	43/0.14	14.9	397.26	27.4Ω/km
ANM05.001.29.019AB	UL2464	300V	29X19AWG	43/0.14	14.9	401.86	27.4Ω/km
ANM05.001.30.019AB	UL2464	300V	30X19AWG	43/0.14	14.9	406.46	27.4Ω/km
ANM05.001.31.019AB	UL2464	300V	31X19AWG	43/0.14	15.5	433.16	27.4Ω/km
ANM05.001.32.019AB	UL2464	300V	32X19AWG	43/0.14	15.5	437.76	27.4Ω/km
ANM05.001.33.019AB	UL2464	300V	33X19AWG	43/0.14	15.5	442.36	27.4Ω/km
ANM05.001.34.019AB	UL2464	300V	34X19AWG	43/0.14	16	466.06	27.4Ω/km
ANM05.001.35.019AB	UL2464	300V	35X19AWG	43/0.14	16	470.56	27.4Ω/km
ANM05.001.36.019AB	UL2464	300V	36X19AWG	43/0.14	16	475.36	27.4Ω/km
ANM05.001.37.019AB	UL2464	300V	37X19AWG	43/0.14	16	479.86	27.4Ω/km
ANM05.001.38.019AB	UL2464	300V	38X19AWG	43/0.14	16.6	508.16	27.4Ω/km
ANM05.001.39.019AB	UL2464	300V	39X19AWG	43/0.14	16.6	512.66	27.4Ω/km
ANM05.001.40.019AB	UL2464	300V	40X19AWG	43/0.14	16.6	517.46	27.4Ω/km
ANM05.001.41.019AB	UL2464	300V	41X19AWG	43/0.14	17.9	576.06	27.4Ω/km
ANM05.001.42.019AB	UL2464	300V	42X19AWG	43/0.14	17.9	580.66	27.4Ω/km
ANM05.001.43.019AB	UL2464	300V	43X19AWG	43/0.14	17.9	585.36	27.4Ω/km
ANM05.001.44.019AB	UL2464	300V	44X19AWG	43/0.14	17.9	589.96	27.4Ω/km
ANM05.001.45.019AB	UL2464	300V	45X19AWG	43/0.14	18.2	607.66	27.4Ω/km
ANM05.001.46.019AB	UL2464	300V	46X19AWG	43/0.14	18.2	612.26	27.4Ω/km
ANM05.001.47.019AB	UL2464	300V	47X19AWG	43/0.14	18.2	616.86	27.4Ω/km



ANM05.001.48.019AB	UL2464	300V	48X19AWG	43/0.14	18.2	621.56	27.4Ω/km
ANM05.001.49.019AB	UL2464	300V	49X19AWG	43/0.14	18.7	648.36	27.4Ω/km
ANM05.001.50.019AB	UL2464	300V	50X19AWG	43/0.14	18.7	653.06	27.4Ω/km
ANM05.001.51.019AB	UL2464	300V	51X19AWG	43/0.14	18.7	657.56	27.4Ω/km
ANM05.001.52.019AB	UL2464	300V	52X19AWG	43/0.14	18.7	662.36	27.4Ω/km
ANM05.001.53.019AB	UL2464	300V	53X19AWG	43/0.14	19.3	694.46	27.4Ω/km
ANM05.001.54.019AB	UL2464	300V	54X19AWG	43/0.14	19.3	698.96	27.4Ω/km
ANM05.001.55.019AB	UL2464	300V	55X19AWG	43/0.14	19.3	703.76	27.4Ω/km
ANM05.001.56.019AB	UL2464	300V	56X19AWG	43/0.14	19.3	708.26	27.4Ω/km
ANM05.001.57.019AB	UL2464	300V	57X19AWG	43/0.14	20.8	784.76	27.4Ω/km
ANM05.001.58.019AB	UL2464	300V	58X19AWG	43/0.14	20.8	789.26	27.4Ω/km
ANM05.001.59.019AB	UL2464	300V	59X19AWG	43/0.14	20.8	793.96	27.4Ω/km
ANM05.001.60.019AB	UL2464	300V	60X19AWG	43/0.14	20.8	798.56	27.4Ω/km
ANM05.001.61.019AB	UL2464	300V	61X19AWG	43/0.14	20.8	803.16	27.4Ω/km
ANM05.001.62.019AB	UL2464	300V	62X19AWG	43/0.14	21.4	838.26	27.4Ω/km
ANM05.001.63.019AB	UL2464	300V	63X19AWG	43/0.14	21.4	842.96	27.4Ω/km
ANM05.001.64.019AB	UL2464	300V	64X19AWG	43/0.14	21.4	847.56	27.4Ω/km
ANM05.001.65.019AB	UL2464	300V	65X19AWG	43/0.14	21.4	852.16	27.4Ω/km
ANM05.001.02.018AB	UL2464	300V	2X18AWG	29/0.19	6.6	64.93	21.8Ω/km
ANM05.001.03.018AB	UL2464	300V	3X18AWG	29/0.19	7	77.33	21.8Ω/km
ANM05.001.04.018AB	UL2464	300V	4X18AWG	29/0.19	7.5	92.23	21.8Ω/km
ANM05.001.05.018AB	UL2464	300V	5X18AWG	29/0.19	8	107.43	21.8Ω/km
ANM05.001.06.018AB	UL2464	300V	6X18AWG	29/0.19	8.6	125.23	21.8Ω/km
ANM05.001.07.018AB	UL2464	300V	7X18AWG	29/0.19	8.6	131.33	21.8Ω/km
ANM05.001.08.018AB	UL2464	300V	8X18AWG	29/0.19	9.2	150.13	21.8Ω/km
ANM05.001.09.018AB	UL2464	300V	9X18AWG	29/0.19	10	174.53	21.8Ω/km
ANM05.001.10.018AB	UL2464	300V	10X18AWG	29/0.19	10.6	195.43	21.8Ω/km
ANM05.001.11.018AB	UL2464	300V	11X18AWG	29/0.19	11	211.83	21.8Ω/km
ANM05.001.12.018AB	UL2464	300V	12X18AWG	29/0.19	11	217.63	21.8Ω/km
ANM05.001.13.018AB	UL2464	300V	13X18AWG	29/0.19	11.5	237.23	21.8Ω/km
ANM05.001.14.018AB	UL2464	300V	14X18AWG	29/0.19	11.5	243.13	21.8Ω/km
ANM05.001.15.018AB	UL2464	300V	15X18AWG	29/0.19	12	263.13	21.8Ω/km
ANM05.001.16.018AB	UL2464	300V	16X18AWG	29/0.19	12	269.23	21.8Ω/km
ANM05.001.17.018AB	UL2464	300V	17X18AWG	29/0.19	12.6	292.93	21.8Ω/km
ANM05.001.18.018AB	UL2464	300V	18X18AWG	29/0.19	12.6	298.93	21.8Ω/km
ANM05.001.19.018AB	UL2464	300V	19X18AWG	29/0.19	12.6	305.03	21.8Ω/km
ANM05.001.20.018AB	UL2464	300V	20X18AWG	29/0.19	13.1	326.33	21.8Ω/km
ANM05.001.21.018AB	UL2464	300V	21X18AWG	29/0.19	13.3	338.63	21.8Ω/km
ANM05.001.22.018AB	UL2464	300V	22X18AWG	29/0.19	14.1	371.13	21.8Ω/km
ANM05.001.23.018AB	UL2464	300V	23X18AWG	29/0.19	14.7	397.83	21.8Ω/km
ANM05.001.24.018AB	UL2464	300V	24X18AWG	29/0.19	14.7	403.73	21.8Ω/km
ANM05.001.25.018AB	UL2464	300V	25X18AWG	29/0.19	15.1	424.23	21.8Ω/km



ANM05.001.26.018AB	UL2464	300V	26X18AWG	29/0.19	15.1	430.03	21.8 Ω/km
ANM05.001.27.018AB	UL2464	300V	27X18AWG	29/0.19	15.1	436.03	21.8 Ω/km
ANM05.001.28.018AB	UL2464	300V	28X18AWG	29/0.19	15.6	460.33	21.8 Ω/km
ANM05.001.29.018AB	UL2464	300V	29X18AWG	29/0.19	15.6	466.43	21.8 Ω/km
ANM05.001.30.018AB	UL2464	300V	30X18AWG	29/0.19	15.6	472.43	21.8 Ω/km
ANM05.001.31.018AB	UL2464	300V	31X18AWG	29/0.19	16.1	497.43	21.8 Ω/km
ANM05.001.32.018AB	UL2464	300V	32X18AWG	29/0.19	16.1	503.43	21.8 Ω/km
ANM05.001.33.018AB	UL2464	300V	33X18AWG	29/0.19	16.1	509.43	21.8 Ω/km
ANM05.001.34.018AB	UL2464	300V	34X18AWG	29/0.19	16.7	539.03	21.8 Ω/km
ANM05.001.35.018AB	UL2464	300V	35X18AWG	29/0.19	16.7	545.13	21.8 Ω/km
ANM05.001.36.018AB	UL2464	300V	36X18AWG	29/0.19	16.7	551.03	21.8 Ω/km
ANM05.001.37.018AB	UL2464	300V	37X18AWG	29/0.19	16.7	556.93	21.8 Ω/km
ANM05.001.38.018AB	UL2464	300V	38X18AWG	29/0.19	17.3	587.53	21.8 Ω/km
ANM05.001.39.018AB	UL2464	300V	39X18AWG	29/0.19	17.3	593.53	21.8 Ω/km
ANM05.001.40.018AB	UL2464	300V	40X18AWG	29/0.19	17.3	599.43	21.8 Ω/km
ANM05.001.41.018AB	UL2464	300V	41X18AWG	29/0.19	18.7	666.13	21.8 Ω/km
ANM05.001.42.018AB	UL2464	300V	42X18AWG	29/0.19	18.7	672.03	21.8 Ω/km
ANM05.001.43.018AB	UL2464	300V	43X18AWG	29/0.19	18.7	678.03	21.8 Ω/km
ANM05.001.44.018AB	UL2464	300V	44X18AWG	29/0.19	18.7	684.03	21.8 Ω/km
ANM05.001.45.018AB	UL2464	300V	45X18AWG	29/0.19	19.1	708.23	21.8 Ω/km
ANM05.001.46.018AB	UL2464	300V	46X18AWG	29/0.19	19.1	714.13	21.8 Ω/km
ANM05.001.47.018AB	UL2464	300V	47X18AWG	29/0.19	19.1	720.23	21.8 Ω/km
ANM05.001.48.018AB	UL2464	300V	48X18AWG	29/0.19	19.1	726.03	21.8 Ω/km
ANM05.001.49.018AB	UL2464	300V	49X18AWG	29/0.19	20.6	803.03	21.8 Ω/km
ANM05.001.50.018AB	UL2464	300V	50X18AWG	29/0.19	20.6	809.13	21.8 Ω/km
ANM05.001.51.018AB	UL2464	300V	51X18AWG	29/0.19	20.6	814.93	21.8 Ω/km
ANM05.001.52.018AB	UL2464	300V	52X18AWG	29/0.19	20.6	820.93	21.8 Ω/km
ANM05.001.53.018AB	UL2464	300V	53X18AWG	29/0.19	21.1	852.03	21.8 Ω/km
ANM05.001.54.018AB	UL2464	300V	54X18AWG	29/0.19	21.1	857.93	21.8 Ω/km
ANM05.001.55.018AB	UL2464	300V	55X18AWG	29/0.19	21.1	863.93	21.8 Ω/km
ANM05.001.56.018AB	UL2464	300V	56X18AWG	29/0.19	21.1	869.73	21.8 Ω/km
ANM05.001.57.018AB	UL2464	300V	57X18AWG	29/0.19	21.7	906.73	21.8 Ω/km
ANM05.001.58.018AB	UL2464	300V	58X18AWG	29/0.19	21.7	912.73	21.8 Ω/km
ANM05.001.59.018AB	UL2464	300V	59X18AWG	29/0.19	21.7	918.63	21.8 Ω/km
ANM05.001.60.018AB	UL2464	300V	60X18AWG	29/0.19	21.7	924.63	21.8 Ω/km
ANM05.001.61.018AB	UL2464	300V	61X18AWG	29/0.19	21.7	930.63	21.8 Ω/km
ANM05.001.62.018AB	UL2464	300V	62X18AWG	29/0.19	22.3	968.33	21.8 Ω/km
ANM05.001.63.018AB	UL2464	300V	63X18AWG	29/0.19	22.3	974.43	21.8 Ω/km
ANM05.001.64.018AB	UL2464	300V	64X18AWG	29/0.19	22.3	980.43	21.8 Ω/km
ANM05.001.65.018AB	UL2464	300V	65X18AWG	29/0.19	22.3	986.23	21.8 Ω/km
ANM05.001.02.017AB	UL2464	300V	2X17AWG	37/0.19	7	74.54	17.3 Ω/km
ANM05.001.03.017AB	UL2464	300V	3X17AWG	37/0.19	7.4	88.84	17.3 Ω/km



ANM05.001.04.017AB	UL2464	300V	4X17AWG	37/0.19	8	107.34	17.3 Ω/km
ANM05.001.05.017AB	UL2464	300V	5X17AWG	37/0.19	8.6	126.64	17.3 Ω/km
ANM05.001.06.017AB	UL2464	300V	6X17AWG	37/0.19	9.2	146.84	17.3 Ω/km
ANM05.001.07.017AB	UL2464	300V	7X17AWG	37/0.19	9.2	154.14	17.3 Ω/km
ANM05.001.08.017AB	UL2464	300V	8X17AWG	37/0.19	9.9	177.64	17.3 Ω/km
ANM05.001.09.017AB	UL2464	300V	9X17AWG	37/0.19	10.8	207.44	17.3 Ω/km
ANM05.001.10.017AB	UL2464	300V	10X17AWG	37/0.19	11.4	230.94	17.3 Ω/km
ANM05.001.11.017AB	UL2464	300V	11X17AWG	37/0.19	11.8	249.44	17.3 Ω/km
ANM05.001.12.017AB	UL2464	300V	12X17AWG	37/0.19	11.8	256.84	17.3 Ω/km
ANM05.001.13.017AB	UL2464	300V	13X17AWG	37/0.19	12.4	281.64	17.3 Ω/km
ANM05.001.14.017AB	UL2464	300V	14X17AWG	37/0.19	12.4	288.94	17.3 Ω/km
ANM05.001.15.017AB	UL2464	300V	15X17AWG	37/0.19	13.1	317.84	17.3 Ω/km
ANM05.001.16.017AB	UL2464	300V	16X17AWG	37/0.19	13.1	325.24	17.3 Ω/km
ANM05.001.17.017AB	UL2464	300V	17X17AWG	37/0.19	13.7	351.94	17.3 Ω/km
ANM05.001.18.017AB	UL2464	300V	18X17AWG	37/0.19	13.7	359.34	17.3 Ω/km
ANM05.001.19.017AB	UL2464	300V	19X17AWG	37/0.19	13.7	366.84	17.3 Ω/km
ANM05.001.20.017AB	UL2464	300V	20X17AWG	37/0.19	14.1	387.54	17.3 Ω/km
ANM05.001.21.017AB	UL2464	300V	21X17AWG	37/0.19	14.4	405.24	17.3 Ω/km
ANM05.001.22.017AB	UL2464	300V	22X17AWG	37/0.19	15.3	444.74	17.3 Ω/km
ANM05.001.23.017AB	UL2464	300V	23X17AWG	37/0.19	15.9	474.64	17.3 Ω/km
ANM05.001.24.017AB	UL2464	300V	24X17AWG	37/0.19	15.9	482.04	17.3 Ω/km
ANM05.001.25.017AB	UL2464	300V	25X17AWG	37/0.19	16.3	504.94	17.3 Ω/km
ANM05.001.26.017AB	UL2464	300V	26X17AWG	37/0.19	16.3	512.24	17.3 Ω/km
ANM05.001.27.017AB	UL2464	300V	27X17AWG	37/0.19	16.3	519.74	17.3 Ω/km
ANM05.001.28.017AB	UL2464	300V	28X17AWG	37/0.19	16.9	551.14	17.3 Ω/km
ANM05.001.29.017AB	UL2464	300V	29X17AWG	37/0.19	16.9	558.54	17.3 Ω/km
ANM05.001.30.017AB	UL2464	300V	30X17AWG	37/0.19	16.9	565.84	17.3 Ω/km
ANM05.001.31.017AB	UL2464	300V	31X17AWG	37/0.19	17.5	598.14	17.3 Ω/km
ANM05.001.32.017AB	UL2464	300V	32X17AWG	37/0.19	17.5	605.44	17.3 Ω/km
ANM05.001.33.017AB	UL2464	300V	33X17AWG	37/0.19	17.5	612.74	17.3 Ω/km
ANM05.001.34.017AB	UL2464	300V	34X17AWG	37/0.19	18.1	645.84	17.3 Ω/km
ANM05.001.35.017AB	UL2464	300V	35X17AWG	37/0.19	18.1	653.24	17.3 Ω/km
ANM05.001.36.017AB	UL2464	300V	36X17AWG	37/0.19	18.1	660.64	17.3 Ω/km
ANM05.001.37.017AB	UL2464	300V	37X17AWG	37/0.19	18.1	668.14	17.3 Ω/km
ANM05.001.38.017AB	UL2464	300V	38X17AWG	37/0.19	18.8	706.64	17.3 Ω/km
ANM05.001.39.017AB	UL2464	300V	39X17AWG	37/0.19	18.8	714.04	17.3 Ω/km
ANM05.001.40.017AB	UL2464	300V	40X17AWG	37/0.19	18.8	721.34	17.3 Ω/km
ANM05.001.41.017AB	UL2464	300V	41X17AWG	37/0.19	21.3	848.74	17.3 Ω/km
ANM05.001.42.017AB	UL2464	300V	42X17AWG	37/0.19	21.3	856.04	17.3 Ω/km
ANM05.001.43.017AB	UL2464	300V	43X17AWG	37/0.19	21.3	863.44	17.3 Ω/km
ANM05.001.44.017AB	UL2464	300V	44X17AWG	37/0.19	21.3	870.74	17.3 Ω/km
ANM05.001.45.017AB	UL2464	300V	45X17AWG	37/0.19	21.7	898.94	17.3 Ω/km



ANM05.001.46.017AB	UL2464	300V	46X17AWG	37/0.19	21.7	906.34	17.3 Ω/km
ANM05.001.47.017AB	UL2464	300V	47X17AWG	37/0.19	21.7	913.74	17.3 Ω/km
ANM05.001.48.017AB	UL2464	300V	48X17AWG	37/0.19	21.7	921.04	17.3 Ω/km
ANM05.001.49.017AB	UL2464	300V	49X17AWG	37/0.19	22.3	960.34	17.3 Ω/km
ANM05.001.50.017AB	UL2464	300V	50X17AWG	37/0.19	22.3	967.64	17.3 Ω/km
ANM05.001.51.017AB	UL2464	300V	51X17AWG	37/0.19	22.3	974.94	17.3 Ω/km
ANM05.001.52.017AB	UL2464	300V	52X17AWG	37/0.19	22.3	982.34	17.3 Ω/km
ANM05.001.53.017AB	UL2464	300V	53X17AWG	37/0.19	22.9	1022.44	17.3 Ω/km
ANM05.001.54.017AB	UL2464	300V	54X17AWG	37/0.19	22.9	1029.74	17.3 Ω/km
ANM05.001.55.017AB	UL2464	300V	55X17AWG	37/0.19	22.9	1037.24	17.3 Ω/km
ANM05.001.56.017AB	UL2464	300V	56X17AWG	37/0.19	22.9	1044.54	17.3 Ω/km
ANM05.001.57.017AB	UL2464	300V	57X17AWG	37/0.19	23.5	1085.44	17.3 Ω/km
ANM05.001.58.017AB	UL2464	300V	58X17AWG	37/0.19	23.5	1092.84	17.3 Ω/km
ANM05.001.59.017AB	UL2464	300V	59X17AWG	37/0.19	23.5	1100.14	17.3 Ω/km
ANM05.001.60.017AB	UL2464	300V	60X17AWG	37/0.19	23.5	1107.54	17.3 Ω/km
ANM05.001.61.017AB	UL2464	300V	61X17AWG	37/0.19	23.5	1114.84	17.3 Ω/km
ANM05.001.62.017AB	UL2464	300V	62X17AWG	37/0.19	24.2	1162.64	17.3 Ω/km
ANM05.001.63.017AB	UL2464	300V	63X17AWG	37/0.19	24.2	1169.94	17.3 Ω/km
ANM05.001.64.017AB	UL2464	300V	64X17AWG	37/0.19	24.2	1177.44	17.3 Ω/km
ANM05.001.65.017AB	UL2464	300V	65X17AWG	37/0.19	24.2	1184.74	17.3 Ω/km
ANM05.001.02.016AB	UL2464	300V	2X16AWG	27/0.25	7.2	82.71	13.7 Ω/km
ANM05.001.03.016AB	UL2464	300V	3X16AWG	27/0.25	7.6	99.31	13.7 Ω/km
ANM05.001.04.016AB	UL2464	300V	4X16AWG	27/0.25	8.2	120.21	13.7 Ω/km
ANM05.001.05.016AB	UL2464	300V	5X16AWG	27/0.25	8.9	144.21	13.7 Ω/km
ANM05.001.06.016AB	UL2464	300V	6X16AWG	27/0.25	9.5	167.01	13.7 Ω/km
ANM05.001.07.016AB	UL2464	300V	7X16AWG	27/0.25	9.5	176.61	13.7 Ω/km
ANM05.001.08.016AB	UL2464	300V	8X16AWG	27/0.25	10.2	202.81	13.7 Ω/km
ANM05.001.09.016AB	UL2464	300V	9X16AWG	27/0.25	11.2	238.11	13.7 Ω/km
ANM05.001.10.016AB	UL2464	300V	10X16AWG	27/0.25	11.8	264.21	13.7 Ω/km
ANM05.001.11.016AB	UL2464	300V	11X16AWG	27/0.25	12.2	285.41	13.7 Ω/km
ANM05.001.12.016AB	UL2464	300V	12X16AWG	27/0.25	12.2	295.01	13.7 Ω/km
ANM05.001.13.016AB	UL2464	300V	13X16AWG	27/0.25	12.9	325.71	13.7 Ω/km
ANM05.001.14.016AB	UL2464	300V	14X16AWG	27/0.25	12.9	335.31	13.7 Ω/km
ANM05.001.15.016AB	UL2464	300V	15X16AWG	27/0.25	13.6	367.11	13.7 Ω/km
ANM05.001.16.016AB	UL2464	300V	16X16AWG	27/0.25	13.6	376.71	13.7 Ω/km
ANM05.001.17.016AB	UL2464	300V	17X16AWG	27/0.25	14.2	406.41	13.7 Ω/km
ANM05.001.18.016AB	UL2464	300V	18X16AWG	27/0.25	14.2	416.01	13.7 Ω/km
ANM05.001.19.016AB	UL2464	300V	19X16AWG	27/0.25	14.2	425.61	13.7 Ω/km
ANM05.001.20.016AB	UL2464	300V	20X16AWG	27/0.25	14.6	448.91	13.7 Ω/km
ANM05.001.21.016AB	UL2464	300V	21X16AWG	27/0.25	14.9	469.21	13.7 Ω/km
ANM05.001.22.016AB	UL2464	300V	22X16AWG	27/0.25	15.9	515.81	13.7 Ω/km
ANM05.001.23.016AB	UL2464	300V	23X16AWG	27/0.25	16.5	548.91	13.7 Ω/km



ANM05.001.24.016AB	UL2464	300V	24X16AWG	27/0.25	16.5	558.51	13.7 Ω/km
ANM05.001.25.016AB	UL2464	300V	25X16AWG	27/0.25	16.9	584.11	13.7 Ω/km
ANM05.001.26.016AB	UL2464	300V	26X16AWG	27/0.25	16.9	593.71	13.7 Ω/km
ANM05.001.27.016AB	UL2464	300V	27X16AWG	27/0.25	16.9	603.21	13.7 Ω/km
ANM05.001.28.016AB	UL2464	300V	28X16AWG	27/0.25	17.5	637.71	13.7 Ω/km
ANM05.001.29.016AB	UL2464	300V	29X16AWG	27/0.25	17.5	647.21	13.7 Ω/km
ANM05.001.30.016AB	UL2464	300V	30X16AWG	27/0.25	17.5	656.81	13.7 Ω/km
ANM05.001.31.016AB	UL2464	300V	31X16AWG	27/0.25	18.2	696.51	13.7 Ω/km
ANM05.001.32.016AB	UL2464	300V	32X16AWG	27/0.25	18.2	706.01	13.7 Ω/km
ANM05.001.33.016AB	UL2464	300V	33X16AWG	27/0.25	18.2	715.61	13.7 Ω/km
ANM05.001.34.016AB	UL2464	300V	34X16AWG	27/0.25	18.8	751.91	13.7 Ω/km
ANM05.001.35.016AB	UL2464	300V	35X16AWG	27/0.25	18.8	761.51	13.7 Ω/km
ANM05.001.36.016AB	UL2464	300V	36X16AWG	27/0.25	18.8	771.11	13.7 Ω/km
ANM05.001.37.016AB	UL2464	300V	37X16AWG	27/0.25	18.8	780.61	13.7 Ω/km
ANM05.001.38.016AB	UL2464	300V	38X16AWG	27/0.25	20.5	870.01	13.7 Ω/km
ANM05.001.39.016AB	UL2464	300V	39X16AWG	27/0.25	20.5	879.51	13.7 Ω/km
ANM05.001.40.016AB	UL2464	300V	40X16AWG	27/0.25	20.5	889.11	13.7 Ω/km
ANM05.001.41.016AB	UL2464	300V	41X16AWG	27/0.25	22.1	980.81	13.7 Ω/km
ANM05.001.42.016AB	UL2464	300V	42X16AWG	27/0.25	22.1	990.31	13.7 Ω/km
ANM05.001.43.016AB	UL2464	300V	43X16AWG	27/0.25	22.1	999.91	13.7 Ω/km
ANM05.001.44.016AB	UL2464	300V	44X16AWG	27/0.25	22.1	1009.41	13.7 Ω/km
ANM05.001.45.016AB	UL2464	300V	45X16AWG	27/0.25	22.5	1040.61	13.7 Ω/km
ANM05.001.46.016AB	UL2464	300V	46X16AWG	27/0.25	22.5	1050.11	13.7 Ω/km
ANM05.001.47.016AB	UL2464	300V	47X16AWG	27/0.25	22.5	1059.71	13.7 Ω/km
ANM05.001.48.016AB	UL2464	300V	48X16AWG	27/0.25	22.5	1069.31	13.7 Ω/km
ANM05.001.49.016AB	UL2464	300V	49X16AWG	27/0.25	23.1	1111.71	13.7 Ω/km
ANM05.001.50.016AB	UL2464	300V	50X16AWG	27/0.25	23.1	1121.31	13.7 Ω/km
ANM05.001.51.016AB	UL2464	300V	51X16AWG	27/0.25	23.1	1130.81	13.7 Ω/km
ANM05.001.52.016AB	UL2464	300V	52X16AWG	27/0.25	23.1	1140.41	13.7 Ω/km
ANM05.001.53.016AB	UL2464	300V	53X16AWG	27/0.25	23.8	1189.61	13.7 Ω/km
ANM05.001.54.016AB	UL2464	300V	54X16AWG	27/0.25	23.8	1199.11	13.7 Ω/km
ANM05.001.55.016AB	UL2464	300V	55X16AWG	27/0.25	23.8	1208.71	13.7 Ω/km
ANM05.001.56.016AB	UL2464	300V	56X16AWG	27/0.25	23.8	1218.21	13.7 Ω/km
ANM05.001.57.016AB	UL2464	300V	57X16AWG	27/0.25	24.4	1262.71	13.7 Ω/km
ANM05.001.58.016AB	UL2464	300V	58X16AWG	27/0.25	24.4	1272.21	13.7 Ω/km
ANM05.001.59.016AB	UL2464	300V	59X16AWG	27/0.25	24.4	1281.81	13.7 Ω/km
ANM05.001.60.016AB	UL2464	300V	60X16AWG	27/0.25	24.4	1291.41	13.7 Ω/km
ANM05.001.61.016AB	UL2464	300V	61X16AWG	27/0.25	24.4	1300.91	13.7 Ω/km
ANM05.001.62.016AB	UL2464	300V	62X16AWG	27/0.25	25.1	1352.31	13.7 Ω/km
ANM05.001.63.016AB	UL2464	300V	63X16AWG	27/0.25	25.1	1361.81	13.7 Ω/km
ANM05.001.64.016AB	UL2464	300V	64X16AWG	27/0.25	25.1	1371.41	13.7 Ω/km
ANM05.001.65.016AB	UL2464	300V	65X16AWG	27/0.25	25.1	1381.01	13.7 Ω/km



ANM05.001.02.015AB	UL2464	300V	2X15AWG	34/0.25	8	102.35	10.9Ω/km
ANM05.001.03.015AB	UL2464	300V	3X15AWG	34/0.25	8.5	124.25	10.9Ω/km
ANM05.001.04.015AB	UL2464	300V	4X15AWG	34/0.25	9.2	151.05	10.9Ω/km
ANM05.001.05.015AB	UL2464	300V	5X15AWG	34/0.25	9.9	179.15	10.9Ω/km
ANM05.001.06.015AB	UL2464	300V	6X15AWG	34/0.25	10.7	210.95	10.9Ω/km
ANM05.001.07.015AB	UL2464	300V	7X15AWG	34/0.25	10.7	222.95	10.9Ω/km
ANM05.001.08.015AB	UL2464	300V	8X15AWG	34/0.25	11.6	259.05	10.9Ω/km
ANM05.001.09.015AB	UL2464	300V	9X15AWG	34/0.25	12.6	300.15	10.9Ω/km
ANM05.001.10.015AB	UL2464	300V	10X15AWG	34/0.25	13.5	340.45	10.9Ω/km
ANM05.001.11.015AB	UL2464	300V	11X15AWG	34/0.25	14	368.95	10.9Ω/km
ANM05.001.12.015AB	UL2464	300V	12X15AWG	34/0.25	14	380.85	10.9Ω/km
ANM05.001.13.015AB	UL2464	300V	13X15AWG	34/0.25	14.7	417.05	10.9Ω/km
ANM05.001.14.015AB	UL2464	300V	14X15AWG	34/0.25	14.7	429.05	10.9Ω/km
ANM05.001.15.015AB	UL2464	300V	15X15AWG	34/0.25	15.4	466.35	10.9Ω/km
ANM05.001.16.015AB	UL2464	300V	16X15AWG	34/0.25	15.4	478.35	10.9Ω/km
ANM05.001.17.015AB	UL2464	300V	17X15AWG	34/0.25	16.2	520.75	10.9Ω/km
ANM05.001.18.015AB	UL2464	300V	18X15AWG	34/0.25	16.2	532.75	10.9Ω/km
ANM05.001.19.015AB	UL2464	300V	19X15AWG	34/0.25	16.2	544.75	10.9Ω/km
ANM05.001.20.015AB	UL2464	300V	20X15AWG	34/0.25	16.7	576.55	10.9Ω/km
ANM05.001.21.015AB	UL2464	300V	21X15AWG	34/0.25	17.1	604.65	10.9Ω/km
ANM05.001.22.015AB	UL2464	300V	22X15AWG	34/0.25	18.1	659.15	10.9Ω/km
ANM05.001.23.015AB	UL2464	300V	23X15AWG	34/0.25	18.9	706.85	10.9Ω/km
ANM05.001.24.015AB	UL2464	300V	24X15AWG	34/0.25	18.9	718.75	10.9Ω/km
ANM05.001.25.015AB	UL2464	300V	25X15AWG	34/0.25	19.4	753.85	10.9Ω/km
ANM05.001.26.015AB	UL2464	300V	26X15AWG	34/0.25	19.4	765.75	10.9Ω/km
ANM05.001.27.015AB	UL2464	300V	27X15AWG	34/0.25	19.4	777.75	10.9Ω/km
ANM05.001.28.015AB	UL2464	300V	28X15AWG	34/0.25	21.1	871.95	10.9Ω/km
ANM05.001.29.015AB	UL2464	300V	29X15AWG	34/0.25	21.1	883.95	10.9Ω/km
ANM05.001.30.015AB	UL2464	300V	30X15AWG	34/0.25	21.1	895.85	10.9Ω/km
ANM05.001.31.015AB	UL2464	300V	31X15AWG	34/0.25	21.8	943.95	10.9Ω/km
ANM05.001.32.015AB	UL2464	300V	32X15AWG	34/0.25	21.8	955.95	10.9Ω/km
ANM05.001.33.015AB	UL2464	300V	33X15AWG	34/0.25	21.8	967.85	10.9Ω/km
ANM05.001.34.015AB	UL2464	300V	34X15AWG	34/0.25	22.6	1022.65	10.9Ω/km
ANM05.001.35.015AB	UL2464	300V	35X15AWG	34/0.25	22.6	1034.65	10.9Ω/km
ANM05.001.36.015AB	UL2464	300V	36X15AWG	34/0.25	22.6	1046.65	10.9Ω/km
ANM05.001.37.015AB	UL2464	300V	37X15AWG	34/0.25	22.6	1058.65	10.9Ω/km
ANM05.001.38.015AB	UL2464	300V	38X15AWG	34/0.25	23.5	1120.55	10.9Ω/km
ANM05.001.39.015AB	UL2464	300V	39X15AWG	34/0.25	23.5	1132.45	10.9Ω/km
ANM05.001.40.015AB	UL2464	300V	40X15AWG	34/0.25	23.5	1144.45	10.9Ω/km
ANM05.001.41.015AB	UL2464	300V	41X15AWG	34/0.25	25.3	1262.35	10.9Ω/km
ANM05.001.42.015AB	UL2464	300V	42X15AWG	34/0.25	25.3	1274.25	10.9Ω/km
ANM05.001.43.015AB	UL2464	300V	43X15AWG	34/0.25	25.3	1286.25	10.9Ω/km



ANM05.001.44.015AB	UL2464	300V	44X15AWG	34/0.25	25.3	1298.25	10.9Ω/km
ANM05.001.45.015AB	UL2464	300V	45X15AWG	34/0.25	25.8	1341.05	10.9Ω/km
ANM05.001.46.015AB	UL2464	300V	46X15AWG	34/0.25	25.8	1352.95	10.9Ω/km
ANM05.001.47.015AB	UL2464	300V	47X15AWG	34/0.25	25.8	1364.95	10.9Ω/km
ANM05.001.48.015AB	UL2464	300V	48X15AWG	34/0.25	25.8	1376.85	10.9Ω/km
ANM05.001.49.015AB	UL2464	300V	49X15AWG	34/0.25	26.5	1433.05	10.9Ω/km
ANM05.001.50.015AB	UL2464	300V	50X15AWG	34/0.25	26.5	1445.05	10.9Ω/km
ANM05.001.51.015AB	UL2464	300V	51X15AWG	34/0.25	26.5	1456.95	10.9Ω/km
ANM05.001.52.015AB	UL2464	300V	52X15AWG	34/0.25	26.5	1468.95	10.9Ω/km
ANM05.001.53.015AB	UL2464	300V	53X15AWG	34/0.25	27.2	1526.15	10.9Ω/km
ANM05.001.54.015AB	UL2464	300V	54X15AWG	34/0.25	27.2	1538.15	10.9Ω/km
ANM05.001.55.015AB	UL2464	300V	55X15AWG	34/0.25	27.2	1550.15	10.9Ω/km
ANM05.001.56.015AB	UL2464	300V	56X15AWG	34/0.25	27.2	1562.15	10.9Ω/km
ANM05.001.57.015AB	UL2464	300V	57X15AWG	34/0.25	28	1627.35	10.9Ω/km
ANM05.001.58.015AB	UL2464	300V	58X15AWG	34/0.25	28	1639.35	10.9Ω/km
ANM05.001.59.015AB	UL2464	300V	59X15AWG	34/0.25	28	1651.25	10.9Ω/km
ANM05.001.60.015AB	UL2464	300V	60X15AWG	34/0.25	28	1663.25	10.9Ω/km
ANM05.001.61.015AB	UL2464	300V	61X15AWG	34/0.25	28	1675.15	10.9Ω/km
ANM05.001.62.015AB	UL2464	300V	62X15AWG	34/0.25	29.9	1818.55	10.9Ω/km
ANM05.001.63.015AB	UL2464	300V	63X15AWG	34/0.25	29.9	1830.55	10.9Ω/km
ANM05.001.64.015AB	UL2464	300V	64X15AWG	34/0.25	29.9	1842.55	10.9Ω/km
ANM05.001.65.015AB	UL2464	300V	65X15AWG	34/0.25	29.9	1854.45	10.9Ω/km
ANM05.001.02.014AB	UL2464	300V	2X14AWG	43/0.25	8.4	116.98	8.62Ω/km
ANM05.001.03.014AB	UL2464	300V	3X14AWG	43/0.25	8.9	142.48	8.62Ω/km
ANM05.001.04.014AB	UL2464	300V	4X14AWG	43/0.25	9.7	175.58	8.62Ω/km
ANM05.001.05.014AB	UL2464	300V	5X14AWG	43/0.25	10.5	210.18	8.62Ω/km
ANM05.001.06.014AB	UL2464	300V	6X14AWG	43/0.25	11.3	246.38	8.62Ω/km
ANM05.001.07.014AB	UL2464	300V	7X14AWG	43/0.25	11.3	261.48	8.62Ω/km
ANM05.001.08.014AB	UL2464	300V	8X14AWG	43/0.25	12.2	301.98	8.62Ω/km
ANM05.001.09.014AB	UL2464	300V	9X14AWG	43/0.25	13.5	357.48	8.62Ω/km
ANM05.001.10.014AB	UL2464	300V	10X14AWG	43/0.25	14.3	399.38	8.62Ω/km
ANM05.001.11.014AB	UL2464	300V	11X14AWG	43/0.25	14.8	432.08	8.62Ω/km
ANM05.001.12.014AB	UL2464	300V	12X14AWG	43/0.25	14.8	447.28	8.62Ω/km
ANM05.001.13.014AB	UL2464	300V	13X14AWG	43/0.25	15.6	491.68	8.62Ω/km
ANM05.001.14.014AB	UL2464	300V	14X14AWG	43/0.25	15.6	506.78	8.62Ω/km
ANM05.001.15.014AB	UL2464	300V	15X14AWG	43/0.25	16.4	552.78	8.62Ω/km
ANM05.001.16.014AB	UL2464	300V	16X14AWG	43/0.25	16.4	567.98	8.62Ω/km
ANM05.001.17.014AB	UL2464	300V	17X14AWG	43/0.25	17.2	615.48	8.62Ω/km
ANM05.001.18.014AB	UL2464	300V	18X14AWG	43/0.25	17.2	630.68	8.62Ω/km
ANM05.001.19.014AB	UL2464	300V	19X14AWG	43/0.25	17.2	645.78	8.62Ω/km
ANM05.001.20.014AB	UL2464	300V	20X14AWG	43/0.25	17.7	681.98	8.62Ω/km
ANM05.001.21.014AB	UL2464	300V	21X14AWG	43/0.25	18.1	714.28	8.62Ω/km



ANM05.001.22.014AB	UL2464	300V	22X14AWG	43/0.25	19.3	783.48	8.62 Ω/km
ANM05.001.23.014AB	UL2464	300V	23X14AWG	43/0.25	21.1	885.58	8.62 Ω/km
ANM05.001.24.014AB	UL2464	300V	24X14AWG	43/0.25	21.1	900.78	8.62 Ω/km
ANM05.001.25.014AB	UL2464	300V	25X14AWG	43/0.25	21.6	941.58	8.62 Ω/km
ANM05.001.26.014AB	UL2464	300V	26X14AWG	43/0.25	21.6	956.68	8.62 Ω/km
ANM05.001.27.014AB	UL2464	300V	27X14AWG	43/0.25	21.6	971.78	8.62 Ω/km
ANM05.001.28.014AB	UL2464	300V	28X14AWG	43/0.25	22.4	1029.48	8.62 Ω/km
ANM05.001.29.014AB	UL2464	300V	29X14AWG	43/0.25	22.4	1044.58	8.62 Ω/km
ANM05.001.30.014AB	UL2464	300V	30X14AWG	43/0.25	22.4	1059.68	8.62 Ω/km
ANM05.001.31.014AB	UL2464	300V	31X14AWG	43/0.25	23.2	1118.88	8.62 Ω/km
ANM05.001.32.014AB	UL2464	300V	32X14AWG	43/0.25	23.2	1133.98	8.62 Ω/km
ANM05.001.33.014AB	UL2464	300V	33X14AWG	43/0.25	23.2	1149.18	8.62 Ω/km
ANM05.001.34.014AB	UL2464	300V	34X14AWG	43/0.25	24	1209.68	8.62 Ω/km
ANM05.001.35.014AB	UL2464	300V	35X14AWG	43/0.25	24	1224.78	8.62 Ω/km
ANM05.001.36.014AB	UL2464	300V	36X14AWG	43/0.25	24	1239.98	8.62 Ω/km
ANM05.001.37.014AB	UL2464	300V	37X14AWG	43/0.25	24	1255.18	8.62 Ω/km
ANM05.001.38.014AB	UL2464	300V	38X14AWG	43/0.25	24.9	1323.38	8.62 Ω/km
ANM05.001.39.014AB	UL2464	300V	39X14AWG	43/0.25	24.9	1338.48	8.62 Ω/km
ANM05.001.40.014AB	UL2464	300V	40X14AWG	43/0.25	24.9	1353.78	8.62 Ω/km
ANM05.001.41.014AB	UL2464	300V	41X14AWG	43/0.25	26.9	1493.78	8.62 Ω/km
ANM05.001.42.014AB	UL2464	300V	42X14AWG	43/0.25	26.9	1508.88	8.62 Ω/km
ANM05.001.43.014AB	UL2464	300V	43X14AWG	43/0.25	26.9	1523.98	8.62 Ω/km
ANM05.001.44.014AB	UL2464	300V	44X14AWG	43/0.25	26.9	1539.08	8.62 Ω/km
ANM05.001.45.014AB	UL2464	300V	45X14AWG	43/0.25	27.4	1587.08	8.62 Ω/km
ANM05.001.46.014AB	UL2464	300V	46X14AWG	43/0.25	27.4	1602.18	8.62 Ω/km
ANM05.001.47.014AB	UL2464	300V	47X14AWG	43/0.25	27.4	1617.18	8.62 Ω/km
ANM05.001.48.014AB	UL2464	300V	48X14AWG	43/0.25	27.4	1632.38	8.62 Ω/km
ANM05.001.49.014AB	UL2464	300V	49X14AWG	43/0.25	28.2	1701.28	8.62 Ω/km
ANM05.001.50.014AB	UL2464	300V	50X14AWG	43/0.25	28.2	1716.38	8.62 Ω/km
ANM05.001.51.014AB	UL2464	300V	51X14AWG	43/0.25	28.2	1731.58	8.62 Ω/km
ANM05.001.52.014AB	UL2464	300V	52X14AWG	43/0.25	28.2	1746.68	8.62 Ω/km
ANM05.001.02.013AB	UL2464	300V	2X13AWG	54/0.25	9	137.53	6.82 Ω/km
ANM05.001.03.013AB	UL2464	300V	3X13AWG	54/0.25	9.5	167.43	6.82 Ω/km
ANM05.001.04.013AB	UL2464	300V	4X13AWG	54/0.25	10.4	207.83	6.82 Ω/km
ANM05.001.05.013AB	UL2464	300V	5X13AWG	54/0.25	11.3	250.13	6.82 Ω/km
ANM05.001.06.013AB	UL2464	300V	6X13AWG	54/0.25	12.2	294.43	6.82 Ω/km
ANM05.001.07.013AB	UL2464	300V	7X13AWG	54/0.25	12.2	313.23	6.82 Ω/km
ANM05.001.08.013AB	UL2464	300V	8X13AWG	54/0.25	13.3	365.83	6.82 Ω/km
ANM05.001.09.013AB	UL2464	300V	9X13AWG	54/0.25	14.6	428.43	6.82 Ω/km
ANM05.001.10.013AB	UL2464	300V	10X13AWG	54/0.25	15.5	479.93	6.82 Ω/km
ANM05.001.11.013AB	UL2464	300V	11X13AWG	54/0.25	16	517.73	6.82 Ω/km
ANM05.001.12.013AB	UL2464	300V	12X13AWG	54/0.25	16	536.53	6.82 Ω/km



ANM05.001.13.013AB	UL2464	300V	13X13AWG	54/0.25	16.9	591.03	6.82 Ω/km
ANM05.001.14.013AB	UL2464	300V	14X13AWG	54/0.25	16.9	609.93	6.82 Ω/km
ANM05.001.15.013AB	UL2464	300V	15X13AWG	54/0.25	17.8	666.33	6.82 Ω/km
ANM05.001.16.013AB	UL2464	300V	16X13AWG	54/0.25	17.8	685.13	6.82 Ω/km
ANM05.001.17.013AB	UL2464	300V	17X13AWG	54/0.25	18.7	743.63	6.82 Ω/km
ANM05.001.18.013AB	UL2464	300V	18X13AWG	54/0.25	18.7	762.53	6.82 Ω/km
ANM05.001.19.013AB	UL2464	300V	19X13AWG	54/0.25	18.7	781.33	6.82 Ω/km
ANM05.001.20.013AB	UL2464	300V	20X13AWG	54/0.25	19.2	823.03	6.82 Ω/km
ANM05.001.21.013AB	UL2464	300V	21X13AWG	54/0.25	20.7	913.23	6.82 Ω/km
ANM05.001.22.013AB	UL2464	300V	22X13AWG	54/0.25	22	998.83	6.82 Ω/km
ANM05.001.23.013AB	UL2464	300V	23X13AWG	54/0.25	22.9	1066.43	6.82 Ω/km
ANM05.001.24.013AB	UL2464	300V	24X13AWG	54/0.25	22.9	1085.13	6.82 Ω/km
ANM05.001.25.013AB	UL2464	300V	25X13AWG	54/0.25	23.4	1131.83	6.82 Ω/km
ANM05.001.26.013AB	UL2464	300V	26X13AWG	54/0.25	23.4	1150.63	6.82 Ω/km
ANM05.001.27.013AB	UL2464	300V	27X13AWG	54/0.25	23.4	1169.53	6.82 Ω/km
ANM05.001.28.013AB	UL2464	300V	28X13AWG	54/0.25	24.3	1240.23	6.82 Ω/km
ANM05.001.29.013AB	UL2464	300V	29X13AWG	54/0.25	24.3	1259.03	6.82 Ω/km
ANM05.001.30.013AB	UL2464	300V	30X13AWG	54/0.25	24.3	1277.83	6.82 Ω/km
ANM05.001.31.013AB	UL2464	300V	31X13AWG	54/0.25	25.2	1350.33	6.82 Ω/km
ANM05.001.32.013AB	UL2464	300V	32X13AWG	54/0.25	25.2	1369.13	6.82 Ω/km
ANM05.001.33.013AB	UL2464	300V	33X13AWG	54/0.25	25.2	1387.93	6.82 Ω/km
ANM05.001.34.013AB	UL2464	300V	34X13AWG	54/0.25	26.1	1462.53	6.82 Ω/km
ANM05.001.35.013AB	UL2464	300V	35X13AWG	54/0.25	26.1	1481.33	6.82 Ω/km
ANM05.001.36.013AB	UL2464	300V	36X13AWG	54/0.25	26.1	1500.23	6.82 Ω/km
ANM05.001.37.013AB	UL2464	300V	37X13AWG	54/0.25	26.1	1519.03	6.82 Ω/km
ANM05.001.38.013AB	UL2464	300V	38X13AWG	54/0.25	27.1	1602.03	6.82 Ω/km
ANM05.001.39.013AB	UL2464	300V	39X13AWG	54/0.25	27.1	1620.83	6.82 Ω/km
ANM05.001.40.013AB	UL2464	300V	40X13AWG	54/0.25	27.1	1639.63	6.82 Ω/km
ANM05.001.41.013AB	UL2464	300V	41X13AWG	54/0.25	30.3	1878.73	6.82 Ω/km
ANM05.001.42.013AB	UL2464	300V	42X13AWG	54/0.25	30.3	1897.53	6.82 Ω/km
ANM05.001.43.013AB	UL2464	300V	43X13AWG	54/0.25	30.3	1916.33	6.82 Ω/km
ANM05.001.44.013AB	UL2464	300V	44X13AWG	54/0.25	30.3	1935.23	6.82 Ω/km
ANM05.001.45.013AB	UL2464	300V	45X13AWG	54/0.25	30.8	1990.93	6.82 Ω/km
ANM05.001.46.013AB	UL2464	300V	46X13AWG	54/0.25	30.8	2009.73	6.82 Ω/km
ANM05.001.47.013AB	UL2464	300V	47X13AWG	54/0.25	30.8	2028.43	6.82 Ω/km
ANM05.001.48.013AB	UL2464	300V	48X13AWG	54/0.25	30.8	2047.23	6.82 Ω/km
ANM05.001.49.013AB	UL2464	300V	49X13AWG	54/0.25	31.7	2133.93	6.82 Ω/km
ANM05.001.50.013AB	UL2464	300V	50X13AWG	54/0.25	31.7	2152.73	6.82 Ω/km
ANM05.001.51.013AB	UL2464	300V	51X13AWG	54/0.25	31.7	2171.53	6.82 Ω/km
ANM05.001.52.013AB	UL2464	300V	52X13AWG	54/0.25	31.7	2190.33	6.82 Ω/km
ANM05.001.02.012AB	UL2464	300V	2X12AWG	68/0.25	9.8	166.71	5.43 Ω/km
ANM05.001.03.012AB	UL2464	300V	3X12AWG	68/0.25	10.4	205.41	5.43 Ω/km



ANM05.001.04.012AB	UL2464	300V	4X12AWG	68/0.25	11.3	253.21	5.43 Ω/km
ANM05.001.05.012AB	UL2464	300V	5X12AWG	68/0.25	12.4	308.51	5.43 Ω/km
ANM05.001.06.012AB	UL2464	300V	6X12AWG	68/0.25	13.5	366.91	5.43 Ω/km
ANM05.001.07.012AB	UL2464	300V	7X12AWG	68/0.25	13.5	390.91	5.43 Ω/km
ANM05.001.08.012AB	UL2464	300V	8X12AWG	68/0.25	14.6	452.41	5.43 Ω/km
ANM05.001.09.012AB	UL2464	300V	9X12AWG	68/0.25	16.1	532.01	5.43 Ω/km
ANM05.001.10.012AB	UL2464	300V	10X12AWG	68/0.25	17.1	596.01	5.43 Ω/km
ANM05.001.11.012AB	UL2464	300V	11X12AWG	68/0.25	17.7	645.41	5.43 Ω/km
ANM05.001.12.012AB	UL2464	300V	12X12AWG	68/0.25	17.7	669.51	5.43 Ω/km
ANM05.001.13.012AB	UL2464	300V	13X12AWG	68/0.25	18.6	732.91	5.43 Ω/km
ANM05.001.14.012AB	UL2464	300V	14X12AWG	68/0.25	18.6	756.91	5.43 Ω/km
ANM05.001.15.012AB	UL2464	300V	15X12AWG	68/0.25	20.7	879.71	5.43 Ω/km
ANM05.001.16.012AB	UL2464	300V	16X12AWG	68/0.25	20.7	903.81	5.43 Ω/km
ANM05.001.17.012AB	UL2464	300V	17X12AWG	68/0.25	21.7	978.91	5.43 Ω/km
ANM05.001.18.012AB	UL2464	300V	18X12AWG	68/0.25	21.7	1002.91	5.43 Ω/km
ANM05.001.19.012AB	UL2464	300V	19X12AWG	68/0.25	21.7	1027.21	5.43 Ω/km
ANM05.001.20.012AB	UL2464	300V	20X12AWG	68/0.25	22.3	1083.11	5.43 Ω/km
ANM05.001.21.012AB	UL2464	300V	21X12AWG	68/0.25	22.8	1134.31	5.43 Ω/km
ANM05.001.22.012AB	UL2464	300V	22X12AWG	68/0.25	24.3	1243.61	5.43 Ω/km
ANM05.001.23.012AB	UL2464	300V	23X12AWG	68/0.25	25.3	1327.51	5.43 Ω/km
ANM05.001.24.012AB	UL2464	300V	24X12AWG	68/0.25	25.3	1351.51	5.43 Ω/km
ANM05.001.25.012AB	UL2464	300V	25X12AWG	68/0.25	25.9	1412.71	5.43 Ω/km
ANM05.001.26.012AB	UL2464	300V	26X12AWG	68/0.25	25.9	1436.81	5.43 Ω/km
ANM05.001.27.012AB	UL2464	300V	27X12AWG	68/0.25	25.9	1460.91	5.43 Ω/km
ANM05.001.28.012AB	UL2464	300V	28X12AWG	68/0.25	26.8	1542.11	5.43 Ω/km
ANM05.001.29.012AB	UL2464	300V	29X12AWG	68/0.25	26.8	1566.11	5.43 Ω/km
ANM05.001.30.012AB	UL2464	300V	30X12AWG	68/0.25	26.8	1590.31	5.43 Ω/km
ANM05.001.31.012AB	UL2464	300V	31X12AWG	68/0.25	27.9	1687.01	5.43 Ω/km
ANM05.001.32.012AB	UL2464	300V	32X12AWG	68/0.25	27.9	1711.11	5.43 Ω/km
ANM05.001.33.012AB	UL2464	300V	33X12AWG	68/0.25	27.9	1735.21	5.43 Ω/km
ANM05.001.34.012AB	UL2464	300V	34X12AWG	68/0.25	29.9	1897.51	5.43 Ω/km
ANM05.001.35.012AB	UL2464	300V	35X12AWG	68/0.25	29.9	1921.51	5.43 Ω/km
ANM05.001.36.012AB	UL2464	300V	36X12AWG	68/0.25	29.9	1945.51	5.43 Ω/km
ANM05.001.37.012AB	UL2464	300V	37X12AWG	68/0.25	29.9	1969.71	5.43 Ω/km
ANM05.001.02.011AB	UL2464	300V	2X11AWG	85/0.25	10.6	198.47	4.30 Ω/km
ANM05.001.03.011AB	UL2464	300V	3X11AWG	85/0.25	11.3	246.57	4.30 Ω/km
ANM05.001.04.011AB	UL2464	300V	4X11AWG	85/0.25	12.3	304.67	4.30 Ω/km
ANM05.001.05.011AB	UL2464	300V	5X11AWG	85/0.25	13.5	371.57	4.30 Ω/km
ANM05.001.06.011AB	UL2464	300V	6X11AWG	85/0.25	14.7	441.97	4.30 Ω/km
ANM05.001.07.011AB	UL2464	300V	7X11AWG	85/0.25	14.7	471.67	4.30 Ω/km
ANM05.001.08.011AB	UL2464	300V	8X11AWG	85/0.25	15.9	545.67	4.30 Ω/km
ANM05.001.09.011AB	UL2464	300V	9X11AWG	85/0.25	17.5	639.67	4.30 Ω/km



ANM05.001.10.011AB	UL2464	300V	10X11AWG	85/0.25	18.7	721.67	4.30 Ω/km
ANM05.001.11.011AB	UL2464	300V	11X11AWG	85/0.25	19.4	783.57	4.30 Ω/km
ANM05.001.12.011AB	UL2464	300V	12X11AWG	85/0.25	19.4	813.17	4.30 Ω/km
ANM05.001.13.011AB	UL2464	300V	13X11AWG	85/0.25	21.4	940.47	4.30 Ω/km
ANM05.001.14.011AB	UL2464	300V	14X11AWG	85/0.25	21.4	970.07	4.30 Ω/km
ANM05.001.15.011AB	UL2464	300V	15X11AWG	85/0.25	22.5	1057.87	4.30 Ω/km
ANM05.001.16.011AB	UL2464	300V	16X11AWG	85/0.25	22.5	1087.67	4.30 Ω/km
ANM05.001.17.011AB	UL2464	300V	17X11AWG	85/0.25	23.7	1183.97	4.30 Ω/km
ANM05.001.18.011AB	UL2464	300V	18X11AWG	85/0.25	23.7	1213.67	4.30 Ω/km
ANM05.001.19.011AB	UL2464	300V	19X11AWG	85/0.25	23.7	1243.37	4.30 Ω/km
ANM05.001.20.011AB	UL2464	300V	20X11AWG	85/0.25	24.4	1313.57	4.30 Ω/km
ANM05.001.21.011AB	UL2464	300V	21X11AWG	85/0.25	24.9	1373.07	4.30 Ω/km
ANM05.001.22.011AB	UL2464	300V	22X11AWG	85/0.25	26.5	1501.87	4.30 Ω/km
ANM05.001.23.011AB	UL2464	300V	23X11AWG	85/0.25	27.7	1609.97	4.30 Ω/km
ANM05.001.24.011AB	UL2464	300V	24X11AWG	85/0.25	27.7	1639.57	4.30 Ω/km
ANM05.001.25.011AB	UL2464	300V	25X11AWG	85/0.25	28.4	1716.67	4.30 Ω/km
ANM05.001.26.011AB	UL2464	300V	26X11AWG	85/0.25	28.4	1746.27	4.30 Ω/km
ANM05.001.27.011AB	UL2464	300V	27X11AWG	85/0.25	28.4	1775.97	4.30 Ω/km
ANM05.001.28.011AB	UL2464	300V	28X11AWG	85/0.25	30.4	1946.27	4.30 Ω/km
ANM05.001.29.011AB	UL2464	300V	29X11AWG	85/0.25	30.4	1975.87	4.30 Ω/km
ANM05.001.30.011AB	UL2464	300V	30X11AWG	85/0.25	30.4	2005.47	4.30 Ω/km
ANM05.001.31.011AB	UL2464	300V	31X11AWG	85/0.25	31.5	2117.27	4.30 Ω/km
ANM05.001.32.011AB	UL2464	300V	32X11AWG	85/0.25	31.5	2146.87	4.30 Ω/km
ANM05.001.33.011AB	UL2464	300V	33X11AWG	85/0.25	31.5	2176.57	4.30 Ω/km
ANM05.001.34.011AB	UL2464	300V	34X11AWG	85/0.25	32.7	2299.07	4.30 Ω/km
ANM05.001.35.011AB	UL2464	300V	35X11AWG	85/0.25	32.7	2328.67	4.30 Ω/km
ANM05.001.36.011AB	UL2464	300V	36X11AWG	85/0.25	32.7	2358.47	4.30 Ω/km
ANM05.001.37.011AB	UL2464	300V	37X11AWG	85/0.25	32.7	2387.97	4.30 Ω/km
ANM05.001.02.010AB	UL2464	300V	2X10AWG	108/0.25	11.8	243.37	3.409 Ω/km
ANM05.001.03.010AB	UL2464	300V	3X10AWG	108/0.25	12.6	302.37	3.409 Ω/km
ANM05.001.04.010AB	UL2464	300V	4X10AWG	108/0.25	13.9	379.17	3.409 Ω/km
ANM05.001.05.010AB	UL2464	300V	5X10AWG	108/0.25	15.2	460.27	3.409 Ω/km
ANM05.001.06.010AB	UL2464	300V	6X10AWG	108/0.25	16.5	545.37	3.409 Ω/km
ANM05.001.07.010AB	UL2464	300V	7X10AWG	108/0.25	16.5	580.77	3.409 Ω/km
ANM05.001.08.010AB	UL2464	300V	8X10AWG	108/0.25	17.9	674.27	3.409 Ω/km
ANM05.001.09.010AB	UL2464	300V	9X10AWG	108/0.25	20.8	844.17	3.409 Ω/km
ANM05.001.10.010AB	UL2464	300V	10X10AWG	108/0.25	22.1	946.87	3.409 Ω/km
ANM05.001.11.010AB	UL2464	300V	11X10AWG	108/0.25	22.9	1025.57	3.409 Ω/km
ANM05.001.12.010AB	UL2464	300V	12X10AWG	108/0.25	22.9	1060.97	3.409 Ω/km
ANM05.001.13.010AB	UL2464	300V	13X10AWG	108/0.25	24.1	1164.57	3.409 Ω/km
ANM05.001.14.010AB	UL2464	300V	14X10AWG	108/0.25	24.1	1199.87	3.409 Ω/km
ANM05.001.15.010AB	UL2464	300V	15X10AWG	108/0.25	25.4	1312.87	3.409 Ω/km



ANM05.001.16.010AB	UL2464	300V	16X10AWG	108/0.25	25.4	1348.37	3.409 Ω/km
ANM05.001.17.010AB	UL2464	300V	17X10AWG	108/0.25	26.7	1465.37	3.409 Ω/km
ANM05.001.18.010AB	UL2464	300V	18X10AWG	108/0.25	26.7	1500.77	3.409 Ω/km
ANM05.001.19.010AB	UL2464	300V	19X10AWG	108/0.25	26.7	1536.27	3.409 Ω/km
ANM05.001.20.010AB	UL2464	300V	20X10AWG	108/0.25	27.5	1623.97	3.409 Ω/km
ANM05.001.21.010AB	UL2464	300V	21X10AWG	108/0.25	28.1	1699.57	3.409 Ω/km
ANM05.001.22.010AB	UL2464	300V	22X10AWG	108/0.25	31	1940.47	3.409 Ω/km
ANM05.001.23.010AB	UL2464	300V	23X10AWG	108/0.25	32.3	2075.17	3.409 Ω/km
ANM05.001.24.010AB	UL2464	300V	24X10AWG	108/0.25	32.3	2110.47	3.409 Ω/km
ANM05.001.25.010AB	UL2464	300V	25X10AWG	108/0.25	33.1	2209.07	3.409 Ω/km
ANM05.001.26.010AB	UL2464	300V	26X10AWG	108/0.25	33.1	2244.47	3.409 Ω/km
ANM05.001.27.010AB	UL2464	300V	27X10AWG	108/0.25	33.1	2279.77	3.409 Ω/km
ANM05.001.28.010AB	UL2464	300V	28X10AWG	108/0.25	34.3	2412.87	3.409 Ω/km
ANM05.001.29.010AB	UL2464	300V	29X10AWG	108/0.25	34.3	2448.27	3.409 Ω/km
ANM05.001.30.010AB	UL2464	300V	30X10AWG	108/0.25	34.3	2483.67	3.409 Ω/km
ANM05.001.31.010AB	UL2464	300V	31X10AWG	108/0.25	35.9	2654.57	3.409 Ω/km
ANM05.001.32.010AB	UL2464	300V	32X10AWG	108/0.25	35.9	2689.97	3.409 Ω/km
ANM05.001.33.010AB	UL2464	300V	33X10AWG	108/0.25	35.9	2725.37	3.409 Ω/km
ANM05.001.34.010AB	UL2464	300V	34X10AWG	108/0.25	37.2	2875.27	3.409 Ω/km
ANM05.001.35.010AB	UL2464	300V	35X10AWG	108/0.25	37.2	2910.77	3.409 Ω/km
ANM05.001.36.010AB	UL2464	300V	36X10AWG	108/0.25	37.2	2946.17	3.409 Ω/km
ANM05.001.37.010AB	UL2464	300V	37X10AWG	108/0.25	37.2	2981.47	3.409 Ω/km
ANM05.001.02.009AB	UL2464	300V	2X9AWG	136/0.25	12.4	282.94	2.705 Ω/km
ANM05.001.03.009AB	UL2464	300V	3X9AWG	136/0.25	13.3	356.44	2.705 Ω/km
ANM05.001.04.009AB	UL2464	300V	4X9AWG	136/0.25	14.6	445.94	2.705 Ω/km
ANM05.001.05.009AB	UL2464	300V	5X9AWG	136/0.25	16	543.44	2.705 Ω/km
ANM05.001.06.009AB	UL2464	300V	6X9AWG	136/0.25	17.4	645.44	2.705 Ω/km
ANM05.001.07.009AB	UL2464	300V	7X9AWG	136/0.25	17.4	691.14	2.705 Ω/km
ANM05.001.08.009AB	UL2464	300V	8X9AWG	136/0.25	18.9	802.64	2.705 Ω/km
ANM05.001.09.009AB	UL2464	300V	9X9AWG	136/0.25	21.9	995.14	2.705 Ω/km
ANM05.001.10.009AB	UL2464	300V	10X9AWG	136/0.25	23.3	1117.14	2.705 Ω/km
ANM05.001.11.009AB	UL2464	300V	11X9AWG	136/0.25	24.1	1208.74	2.705 Ω/km
ANM05.001.12.009AB	UL2464	300V	12X9AWG	136/0.25	24.1	1254.34	2.705 Ω/km
ANM05.001.13.009AB	UL2464	300V	13X9AWG	136/0.25	25.4	1377.64	2.705 Ω/km
ANM05.001.14.009AB	UL2464	300V	14X9AWG	136/0.25	25.4	1423.44	2.705 Ω/km
ANM05.001.15.009AB	UL2464	300V	15X9AWG	136/0.25	26.8	1557.34	2.705 Ω/km
ANM05.001.16.009AB	UL2464	300V	16X9AWG	136/0.25	26.8	1603.14	2.705 Ω/km
ANM05.001.17.009AB	UL2464	300V	17X9AWG	136/0.25	28.2	1741.74	2.705 Ω/km
ANM05.001.18.009AB	UL2464	300V	18X9AWG	136/0.25	28.2	1787.54	2.705 Ω/km
ANM05.001.19.009AB	UL2464	300V	19X9AWG	136/0.25	28.2	1833.24	2.705 Ω/km
ANM05.001.20.009AB	UL2464	300V	20X9AWG	136/0.25	30	2004.04	2.705 Ω/km
ANM05.001.21.009AB	UL2464	300V	21X9AWG	136/0.25	30.7	2100.94	2.705 Ω/km



ANM05.001.22.009AB	UL2464	300V	22X9AWG	136/0.25	32.7	2299.64	2.705 Ω/km
ANM05.001.23.009AB	UL2464	300V	23X9AWG	136/0.25	34.1	2458.24	2.705 Ω/km
ANM05.001.24.009AB	UL2464	300V	24X9AWG	136/0.25	34.1	2503.94	2.705 Ω/km
ANM05.001.25.009AB	UL2464	300V	25X9AWG	136/0.25	35.2	2641.64	2.705 Ω/km
ANM05.001.26.009AB	UL2464	300V	26X9AWG	136/0.25	35.2	2687.34	2.705 Ω/km
ANM05.001.27.009AB	UL2464	300V	27X9AWG	136/0.25	35.2	2733.24	2.705 Ω/km
ANM05.001.28.009AB	UL2464	300V	28X9AWG	136/0.25	36.5	2891.24	2.705 Ω/km
ANM05.001.29.009AB	UL2464	300V	29X9AWG	136/0.25	36.5	2937.04	2.705 Ω/km
ANM05.001.30.009AB	UL2464	300V	30X9AWG	136/0.25	36.5	2982.74	2.705 Ω/km
ANM05.001.31.009AB	UL2464	300V	31X9AWG	136/0.25	37.9	3154.24	2.705 Ω/km
ANM05.001.32.009AB	UL2464	300V	32X9AWG	136/0.25	37.9	3199.94	2.705 Ω/km
ANM05.001.33.009AB	UL2464	300V	33X9AWG	136/0.25	37.9	3245.64	2.705 Ω/km
ANM05.001.34.009AB	UL2464	300V	34X9AWG	136/0.25	39.3	3421.84	2.705 Ω/km
ANM05.001.35.009AB	UL2464	300V	35X9AWG	136/0.25	39.3	3467.44	2.705 Ω/km
ANM05.001.36.009AB	UL2464	300V	36X9AWG	136/0.25	39.3	3513.34	2.705 Ω/km
ANM05.001.37.009AB	UL2464	300V	37X9AWG	136/0.25	39.3	3559.14	2.705 Ω/km
物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻Ω/km
芯线 PE 材质							
ANM05.004.02.028AB	UL2464	300V	2X28AWG	11/0.1	4.2	22.49	223 Ω/km
ANM05.004.03.028AB	UL2464	300V	3X28AWG	11/0.1	4.4	25.09	223 Ω/km
ANM05.004.04.028AB	UL2464	300V	4X28AWG	11/0.1	4.6	27.89	223 Ω/km
ANM05.004.05.028AB	UL2464	300V	5X28AWG	11/0.1	4.8	30.59	223 Ω/km
ANM05.004.06.028AB	UL2464	300V	6X28AWG	11/0.1	5	33.69	223 Ω/km
ANM05.004.07.028AB	UL2464	300V	7X28AWG	11/0.1	5	34.29	223 Ω/km
ANM05.004.08.028AB	UL2464	300V	8X28AWG	11/0.1	5.3	38.49	223 Ω/km
ANM05.004.09.028AB	UL2464	300V	9X28AWG	11/0.1	5.6	43.09	223 Ω/km
ANM05.004.10.028AB	UL2464	300V	10X28AWG	11/0.1	5.8	46.29	223 Ω/km
ANM05.004.11.028AB	UL2464	300V	11X28AWG	11/0.1	6	49.69	223 Ω/km
ANM05.004.12.028AB	UL2464	300V	12X28AWG	11/0.1	6	50.29	223 Ω/km
ANM05.004.13.028AB	UL2464	300V	13X28AWG	11/0.1	6.2	53.89	223 Ω/km
ANM05.004.14.028AB	UL2464	300V	14X28AWG	11/0.1	6.2	54.49	223 Ω/km
ANM05.004.15.028AB	UL2464	300V	15X28AWG	11/0.1	6.4	57.99	223 Ω/km
ANM05.004.16.028AB	UL2464	300V	16X28AWG	11/0.1	6.4	58.59	223 Ω/km
ANM05.004.17.028AB	UL2464	300V	17X28AWG	11/0.1	6.6	62.19	223 Ω/km
ANM05.004.18.028AB	UL2464	300V	18X28AWG	11/0.1	6.6	62.89	223 Ω/km
ANM05.004.19.028AB	UL2464	300V	19X28AWG	11/0.1	6.6	63.49	223 Ω/km
ANM05.004.20.028AB	UL2464	300V	20X28AWG	11/0.1	6.8	67.29	223 Ω/km
ANM05.004.21.028AB	UL2464	300V	21X28AWG	11/0.1	6.9	69.59	223 Ω/km
ANM05.004.22.028AB	UL2464	300V	22X28AWG	11/0.1	7.2	75.19	223 Ω/km
ANM05.004.23.028AB	UL2464	300V	23X28AWG	11/0.1	7.4	79.39	223 Ω/km
ANM05.004.24.028AB	UL2464	300V	24X28AWG	11/0.1	7.4	79.99	223 Ω/km
ANM05.004.25.028AB	UL2464	300V	25X28AWG	11/0.1	7.6	84.09	223 Ω/km



ANM05.004.26.028AB	UL2464	300V	26X28AWG	11/0.1	7.6	84.69	223 Ω /km
ANM05.004.27.028AB	UL2464	300V	27X28AWG	11/0.1	7.6	85.29	223 Ω /km
ANM05.004.28.028AB	UL2464	300V	28X28AWG	11/0.1	7.8	89.59	223 Ω /km
ANM05.004.29.028AB	UL2464	300V	29X28AWG	11/0.1	7.8	90.19	223 Ω /km
ANM05.004.30.028AB	UL2464	300V	30X28AWG	11/0.1	7.8	90.79	223 Ω /km
ANM05.004.31.028AB	UL2464	300V	31X28AWG	11/0.1	8	95.19	223 Ω /km
ANM05.004.32.028AB	UL2464	300V	32X28AWG	11/0.1	8	95.69	223 Ω /km
ANM05.004.33.028AB	UL2464	300V	33X28AWG	11/0.1	8	96.29	223 Ω /km
ANM05.004.34.028AB	UL2464	300V	34X28AWG	11/0.1	8.2	100.69	223 Ω /km
ANM05.004.35.028AB	UL2464	300V	35X28AWG	11/0.1	8.2	101.29	223 Ω /km
ANM05.004.36.028AB	UL2464	300V	36X28AWG	11/0.1	8.2	101.99	223 Ω /km
ANM05.004.37.028AB	UL2464	300V	37X28AWG	11/0.1	8.2	102.49	223 Ω /km
ANM05.004.38.028AB	UL2464	300V	38X28AWG	11/0.1	8.5	109.19	223 Ω /km
ANM05.004.39.028AB	UL2464	300V	39X28AWG	11/0.1	8.5	109.79	223 Ω /km
ANM05.004.40.028AB	UL2464	300V	40X28AWG	11/0.1	8.5	110.39	223 Ω /km
ANM05.004.41.028AB	UL2464	300V	41X28AWG	11/0.1	9	121.39	223 Ω /km
ANM05.004.42.028AB	UL2464	300V	42X28AWG	11/0.1	9	121.99	223 Ω /km
ANM05.004.43.028AB	UL2464	300V	43X28AWG	11/0.1	9	122.69	223 Ω /km
ANM05.004.44.028AB	UL2464	300V	44X28AWG	11/0.1	9	123.19	223 Ω /km
ANM05.004.45.028AB	UL2464	300V	45X28AWG	11/0.1	9.2	128.19	223 Ω /km
ANM05.004.46.028AB	UL2464	300V	46X28AWG	11/0.1	9.2	128.79	223 Ω /km
ANM05.004.47.028AB	UL2464	300V	47X28AWG	11/0.1	9.2	129.39	223 Ω /km
ANM05.004.48.028AB	UL2464	300V	48X28AWG	11/0.1	9.2	129.99	223 Ω /km
ANM05.004.49.028AB	UL2464	300V	49X28AWG	11/0.1	9.4	135.09	223 Ω /km
ANM05.004.50.028AB	UL2464	300V	50X28AWG	11/0.1	9.4	135.69	223 Ω /km
ANM05.004.51.028AB	UL2464	300V	51X28AWG	11/0.1	9.4	136.19	223 Ω /km
ANM05.004.52.028AB	UL2464	300V	52X28AWG	11/0.1	9.4	136.89	223 Ω /km
ANM05.004.53.028AB	UL2464	300V	53X28AWG	11/0.1	9.6	141.99	223 Ω /km
ANM05.004.54.028AB	UL2464	300V	54X28AWG	11/0.1	9.6	142.59	223 Ω /km
ANM05.004.55.028AB	UL2464	300V	55X28AWG	11/0.1	9.6	143.19	223 Ω /km
ANM05.004.56.028AB	UL2464	300V	56X28AWG	11/0.1	9.6	143.69	223 Ω /km
ANM05.004.57.028AB	UL2464	300V	57X28AWG	11/0.1	9.8	148.99	223 Ω /km
ANM05.004.58.028AB	UL2464	300V	58X28AWG	11/0.1	9.8	149.49	223 Ω /km
ANM05.004.59.028AB	UL2464	300V	59X28AWG	11/0.1	9.8	150.09	223 Ω /km
ANM05.004.60.028AB	UL2464	300V	60X28AWG	11/0.1	9.8	150.69	223 Ω /km
ANM05.004.61.028AB	UL2464	300V	61X28AWG	11/0.1	9.8	151.29	223 Ω /km
ANM05.004.62.028AB	UL2464	300V	62X28AWG	11/0.1	10.1	159.09	223 Ω /km
ANM05.004.63.028AB	UL2464	300V	63X28AWG	11/0.1	10.1	159.59	223 Ω /km
ANM05.004.64.028AB	UL2464	300V	64X28AWG	11/0.1	10.1	160.19	223 Ω /km
ANM05.004.65.028AB	UL2464	300V	65X28AWG	11/0.1	10.1	160.79	223 Ω /km
ANM05.004.02.027AB	UL2464	300V	2X27AWG	7/0.14	4.4	24.61	175 Ω /km
ANM05.004.03.027AB	UL2464	300V	3X27AWG	7/0.14	4.6	27.41	175 Ω /km



ANM05.004.04.027AB	UL2464	300V	4X27AWG	7/0.14	4.8	30.31	175 Ω /km
ANM05.004.05.027AB	UL2464	300V	5X27AWG	7/0.14	5.1	34.61	175 Ω /km
ANM05.004.06.027AB	UL2464	300V	6X27AWG	7/0.14	5.3	37.61	175 Ω /km
ANM05.004.07.027AB	UL2464	300V	7X27AWG	7/0.14	5.3	38.41	175 Ω /km
ANM05.004.08.027AB	UL2464	300V	8X27AWG	7/0.14	5.6	42.91	175 Ω /km
ANM05.004.09.027AB	UL2464	300V	9X27AWG	7/0.14	6	49.01	175 Ω /km
ANM05.004.10.027AB	UL2464	300V	10X27AWG	7/0.14	6.2	52.71	175 Ω /km
ANM05.004.11.027AB	UL2464	300V	11X27AWG	7/0.14	6.4	56.21	175 Ω /km
ANM05.004.12.027AB	UL2464	300V	12X27AWG	7/0.14	6.4	56.91	175 Ω /km
ANM05.004.13.027AB	UL2464	300V	13X27AWG	7/0.14	6.6	60.71	175 Ω /km
ANM05.004.14.027AB	UL2464	300V	14X27AWG	7/0.14	6.6	61.31	175 Ω /km
ANM05.004.15.027AB	UL2464	300V	15X27AWG	7/0.14	6.9	66.91	175 Ω /km
ANM05.004.16.027AB	UL2464	300V	16X27AWG	7/0.14	6.9	67.61	175 Ω /km
ANM05.004.17.027AB	UL2464	300V	17X27AWG	7/0.14	7.1	71.51	175 Ω /km
ANM05.004.18.027AB	UL2464	300V	18X27AWG	7/0.14	7.1	72.21	175 Ω /km
ANM05.004.19.027AB	UL2464	300V	19X27AWG	7/0.14	7.1	72.91	175 Ω /km
ANM05.004.20.027AB	UL2464	300V	20X27AWG	7/0.14	7.3	76.91	175 Ω /km
ANM05.004.21.027AB	UL2464	300V	21X27AWG	7/0.14	7.4	79.41	175 Ω /km
ANM05.004.22.027AB	UL2464	300V	22X27AWG	7/0.14	7.8	87.31	175 Ω /km
ANM05.004.23.027AB	UL2464	300V	23X27AWG	7/0.14	8	91.71	175 Ω /km
ANM05.004.24.027AB	UL2464	300V	24X27AWG	7/0.14	8	92.41	175 Ω /km
ANM05.004.25.027AB	UL2464	300V	25X27AWG	7/0.14	8.2	96.81	175 Ω /km
ANM05.004.26.027AB	UL2464	300V	26X27AWG	7/0.14	8.2	97.61	175 Ω /km
ANM05.004.27.027AB	UL2464	300V	27X27AWG	7/0.14	8.2	98.21	175 Ω /km
ANM05.004.28.027AB	UL2464	300V	28X27AWG	7/0.14	8.4	102.91	175 Ω /km
ANM05.004.29.027AB	UL2464	300V	29X27AWG	7/0.14	8.4	103.61	175 Ω /km
ANM05.004.30.027AB	UL2464	300V	30X27AWG	7/0.14	8.4	104.11	175 Ω /km
ANM05.004.31.027AB	UL2464	300V	31X27AWG	7/0.14	8.7	111.01	175 Ω /km
ANM05.004.32.027AB	UL2464	300V	32X27AWG	7/0.14	8.7	111.61	175 Ω /km
ANM05.004.33.027AB	UL2464	300V	33X27AWG	7/0.14	8.7	112.21	175 Ω /km
ANM05.004.34.027AB	UL2464	300V	34X27AWG	7/0.14	8.9	117.11	175 Ω /km
ANM05.004.35.027AB	UL2464	300V	35X27AWG	7/0.14	8.9	117.81	175 Ω /km
ANM05.004.36.027AB	UL2464	300V	36X27AWG	7/0.14	8.9	118.41	175 Ω /km
ANM05.004.37.027AB	UL2464	300V	37X27AWG	7/0.14	8.9	119.11	175 Ω /km
ANM05.004.38.027AB	UL2464	300V	38X27AWG	7/0.14	9.2	126.21	175 Ω /km
ANM05.004.39.027AB	UL2464	300V	39X27AWG	7/0.14	9.2	126.91	175 Ω /km
ANM05.004.40.027AB	UL2464	300V	40X27AWG	7/0.14	9.2	127.51	175 Ω /km
ANM05.004.41.027AB	UL2464	300V	41X27AWG	7/0.14	9.8	141.81	175 Ω /km
ANM05.004.42.027AB	UL2464	300V	42X27AWG	7/0.14	9.8	142.51	175 Ω /km
ANM05.004.43.027AB	UL2464	300V	43X27AWG	7/0.14	9.8	143.21	175 Ω /km
ANM05.004.44.027AB	UL2464	300V	44X27AWG	7/0.14	9.8	143.81	175 Ω /km
ANM05.004.45.027AB	UL2464	300V	45X27AWG	7/0.14	10	149.31	175 Ω /km



ANM05.004.46.027AB	UL2464	300V	46X27AWG	7/0.14	10	149.91	175 Ω /km
ANM05.004.47.027AB	UL2464	300V	47X27AWG	7/0.14	10	150.61	175 Ω /km
ANM05.004.48.027AB	UL2464	300V	48X27AWG	7/0.14	10	151.21	175 Ω /km
ANM05.004.49.027AB	UL2464	300V	49X27AWG	7/0.14	10.2	156.61	175 Ω /km
ANM05.004.50.027AB	UL2464	300V	50X27AWG	7/0.14	10.2	157.41	175 Ω /km
ANM05.004.51.027AB	UL2464	300V	51X27AWG	7/0.14	10.2	158.01	175 Ω /km
ANM05.004.52.027AB	UL2464	300V	52X27AWG	7/0.14	10.2	158.61	175 Ω /km
ANM05.004.53.027AB	UL2464	300V	53X27AWG	7/0.14	10.5	166.81	175 Ω /km
ANM05.004.54.027AB	UL2464	300V	54X27AWG	7/0.14	10.5	167.41	175 Ω /km
ANM05.004.55.027AB	UL2464	300V	55X27AWG	7/0.14	10.5	168.01	175 Ω /km
ANM05.004.56.027AB	UL2464	300V	56X27AWG	7/0.14	10.5	168.61	175 Ω /km
ANM05.004.57.027AB	UL2464	300V	57X27AWG	7/0.14	10.7	174.51	175 Ω /km
ANM05.004.58.027AB	UL2464	300V	58X27AWG	7/0.14	10.7	175.21	175 Ω /km
ANM05.004.59.027AB	UL2464	300V	59X27AWG	7/0.14	10.7	175.81	175 Ω /km
ANM05.004.60.027AB	UL2464	300V	60X27AWG	7/0.14	10.7	176.41	175 Ω /km
ANM05.004.61.027AB	UL2464	300V	61X27AWG	7/0.14	10.7	177.01	175 Ω /km
ANM05.004.62.027AB	UL2464	300V	62X27AWG	7/0.14	11	185.61	175 Ω /km
ANM05.004.63.027AB	UL2464	300V	63X27AWG	7/0.14	11	186.21	175 Ω /km
ANM05.004.64.027AB	UL2464	300V	64X27AWG	7/0.14	11	186.81	175 Ω /km
ANM05.004.65.027AB	UL2464	300V	65X27AWG	7/0.14	11	187.51	175 Ω /km
ANM05.004.02.026AB	UL2464	300V	2X26AWG	9/0.14	4.4	25.13	140 Ω /km
ANM05.004.03.026AB	UL2464	300V	3X26AWG	9/0.14	4.6	28.23	140 Ω /km
ANM05.004.04.026AB	UL2464	300V	4X26AWG	9/0.14	4.8	31.33	140 Ω /km
ANM05.004.05.026AB	UL2464	300V	5X26AWG	9/0.14	5.1	35.83	140 Ω /km
ANM05.004.06.026AB	UL2464	300V	6X26AWG	9/0.14	5.3	39.13	140 Ω /km
ANM05.004.07.026AB	UL2464	300V	7X26AWG	9/0.14	5.3	40.13	140 Ω /km
ANM05.004.08.026AB	UL2464	300V	8X26AWG	9/0.14	5.6	44.93	140 Ω /km
ANM05.004.09.026AB	UL2464	300V	9X26AWG	9/0.14	6	51.23	140 Ω /km
ANM05.004.10.026AB	UL2464	300V	10X26AWG	9/0.14	6.2	55.13	140 Ω /km
ANM05.004.11.026AB	UL2464	300V	11X26AWG	9/0.14	6.4	58.93	140 Ω /km
ANM05.004.12.026AB	UL2464	300V	12X26AWG	9/0.14	6.4	59.83	140 Ω /km
ANM05.004.13.026AB	UL2464	300V	13X26AWG	9/0.14	6.6	63.83	140 Ω /km
ANM05.004.14.026AB	UL2464	300V	14X26AWG	9/0.14	6.6	64.83	140 Ω /km
ANM05.004.15.026AB	UL2464	300V	15X26AWG	9/0.14	6.9	70.63	140 Ω /km
ANM05.004.16.026AB	UL2464	300V	16X26AWG	9/0.14	6.9	71.63	140 Ω /km
ANM05.004.17.026AB	UL2464	300V	17X26AWG	9/0.14	7.1	75.73	140 Ω /km
ANM05.004.18.026AB	UL2464	300V	18X26AWG	9/0.14	7.1	76.63	140 Ω /km
ANM05.004.19.026AB	UL2464	300V	19X26AWG	9/0.14	7.1	77.63	140 Ω /km
ANM05.004.20.026AB	UL2464	300V	20X26AWG	9/0.14	7.3	81.83	140 Ω /km
ANM05.004.21.026AB	UL2464	300V	21X26AWG	9/0.14	7.4	84.53	140 Ω /km
ANM05.004.22.026AB	UL2464	300V	22X26AWG	9/0.14	7.8	92.73	140 Ω /km
ANM05.004.23.026AB	UL2464	300V	23X26AWG	9/0.14	8	97.33	140 Ω /km



ANM05.004.24.026AB	UL2464	300V	24X26AWG	9/0.14	8	98.33	140 Ω /km
ANM05.004.25.026AB	UL2464	300V	25X26AWG	9/0.14	8.2	102.93	140 Ω /km
ANM05.004.26.026AB	UL2464	300V	26X26AWG	9/0.14	8.2	103.93	140 Ω /km
ANM05.004.27.026AB	UL2464	300V	27X26AWG	9/0.14	8.2	104.93	140 Ω /km
ANM05.004.28.026AB	UL2464	300V	28X26AWG	9/0.14	8.4	109.83	140 Ω /km
ANM05.004.29.026AB	UL2464	300V	29X26AWG	9/0.14	8.4	110.73	140 Ω /km
ANM05.004.30.026AB	UL2464	300V	30X26AWG	9/0.14	8.4	111.53	140 Ω /km
ANM05.004.31.026AB	UL2464	300V	31X26AWG	9/0.14	8.7	118.63	140 Ω /km
ANM05.004.32.026AB	UL2464	300V	32X26AWG	9/0.14	8.7	119.53	140 Ω /km
ANM05.004.33.026AB	UL2464	300V	33X26AWG	9/0.14	8.7	120.33	140 Ω /km
ANM05.004.34.026AB	UL2464	300V	34X26AWG	9/0.14	8.9	125.43	140 Ω /km
ANM05.004.35.026AB	UL2464	300V	35X26AWG	9/0.14	8.9	126.43	140 Ω /km
ANM05.004.36.026AB	UL2464	300V	36X26AWG	9/0.14	8.9	127.23	140 Ω /km
ANM05.004.37.026AB	UL2464	300V	37X26AWG	9/0.14	8.9	128.13	140 Ω /km
ANM05.004.38.026AB	UL2464	300V	38X26AWG	9/0.14	9.2	135.53	140 Ω /km
ANM05.004.39.026AB	UL2464	300V	39X26AWG	9/0.14	9.2	136.43	140 Ω /km
ANM05.004.40.026AB	UL2464	300V	40X26AWG	9/0.14	9.2	137.43	140 Ω /km
ANM05.004.41.026AB	UL2464	300V	41X26AWG	9/0.14	9.8	151.93	140 Ω /km
ANM05.004.42.026AB	UL2464	300V	42X26AWG	9/0.14	9.8	152.83	140 Ω /km
ANM05.004.43.026AB	UL2464	300V	43X26AWG	9/0.14	9.8	153.83	140 Ω /km
ANM05.004.44.026AB	UL2464	300V	44X26AWG	9/0.14	9.8	154.63	140 Ω /km
ANM05.004.45.026AB	UL2464	300V	45X26AWG	9/0.14	10	160.33	140 Ω /km
ANM05.004.46.026AB	UL2464	300V	46X26AWG	9/0.14	10	161.23	140 Ω /km
ANM05.004.47.026AB	UL2464	300V	47X26AWG	9/0.14	10	162.13	140 Ω /km
ANM05.004.48.026AB	UL2464	300V	48X26AWG	9/0.14	10	163.03	140 Ω /km
ANM05.004.49.026AB	UL2464	300V	49X26AWG	9/0.14	10.2	168.63	140 Ω /km
ANM05.004.50.026AB	UL2464	300V	50X26AWG	9/0.14	10.2	169.63	140 Ω /km
ANM05.004.51.026AB	UL2464	300V	51X26AWG	9/0.14	10.2	170.53	140 Ω /km
ANM05.004.52.026AB	UL2464	300V	52X26AWG	9/0.14	10.2	171.33	140 Ω /km
ANM05.004.53.026AB	UL2464	300V	53X26AWG	9/0.14	10.5	179.83	140 Ω /km
ANM05.004.54.026AB	UL2464	300V	54X26AWG	9/0.14	10.5	180.73	140 Ω /km
ANM05.004.55.026AB	UL2464	300V	55X26AWG	9/0.14	10.5	181.53	140 Ω /km
ANM05.004.56.026AB	UL2464	300V	56X26AWG	9/0.14	10.5	182.43	140 Ω /km
ANM05.004.57.026AB	UL2464	300V	57X26AWG	9/0.14	10.7	188.53	140 Ω /km
ANM05.004.58.026AB	UL2464	300V	58X26AWG	9/0.14	10.7	189.43	140 Ω /km
ANM05.004.59.026AB	UL2464	300V	59X26AWG	9/0.14	10.7	190.33	140 Ω /km
ANM05.004.60.026AB	UL2464	300V	60X26AWG	9/0.14	10.7	191.13	140 Ω /km
ANM05.004.61.026AB	UL2464	300V	61X26AWG	9/0.14	10.7	192.03	140 Ω /km
ANM05.004.62.026AB	UL2464	300V	62X26AWG	9/0.14	11	200.83	140 Ω /km
ANM05.004.63.026AB	UL2464	300V	63X26AWG	9/0.14	11	201.63	140 Ω /km
ANM05.004.64.026AB	UL2464	300V	64X26AWG	9/0.14	11	202.53	140 Ω /km
ANM05.004.65.026AB	UL2464	300V	65X26AWG	9/0.14	11	203.43	140 Ω /km



ANM05.004.02.025AB	UL2464	300V	2X25AWG	11/0.14	4.6	27.77	111 Ω/km
ANM05.004.03.025AB	UL2464	300V	3X25AWG	11/0.14	4.8	30.97	111 Ω/km
ANM05.004.04.025AB	UL2464	300V	4X25AWG	11/0.14	5.1	35.67	111 Ω/km
ANM05.004.05.025AB	UL2464	300V	5X25AWG	11/0.14	5.3	39.27	111 Ω/km
ANM05.004.06.025AB	UL2464	300V	6X25AWG	11/0.14	5.6	44.27	111 Ω/km
ANM05.004.07.025AB	UL2464	300V	7X25AWG	11/0.14	5.6	45.37	111 Ω/km
ANM05.004.08.025AB	UL2464	300V	8X25AWG	11/0.14	5.9	50.57	111 Ω/km
ANM05.004.09.025AB	UL2464	300V	9X25AWG	11/0.14	6.3	57.47	111 Ω/km
ANM05.004.10.025AB	UL2464	300V	10X25AWG	11/0.14	6.6	63.07	111 Ω/km
ANM05.004.11.025AB	UL2464	300V	11X25AWG	11/0.14	6.8	67.57	111 Ω/km
ANM05.004.12.025AB	UL2464	300V	12X25AWG	11/0.14	6.8	68.57	111 Ω/km
ANM05.004.13.025AB	UL2464	300V	13X25AWG	11/0.14	7.1	74.57	111 Ω/km
ANM05.004.14.025AB	UL2464	300V	14X25AWG	11/0.14	7.1	75.67	111 Ω/km
ANM05.004.15.025AB	UL2464	300V	15X25AWG	11/0.14	7.3	80.17	111 Ω/km
ANM05.004.16.025AB	UL2464	300V	16X25AWG	11/0.14	7.3	81.27	111 Ω/km
ANM05.004.17.025AB	UL2464	300V	17X25AWG	11/0.14	7.6	87.67	111 Ω/km
ANM05.004.18.025AB	UL2464	300V	18X25AWG	11/0.14	7.6	88.87	111 Ω/km
ANM05.004.19.025AB	UL2464	300V	19X25AWG	11/0.14	7.6	89.97	111 Ω/km
ANM05.004.20.025AB	UL2464	300V	20X25AWG	11/0.14	7.8	94.67	111 Ω/km
ANM05.004.21.025AB	UL2464	300V	21X25AWG	11/0.14	7.9	97.57	111 Ω/km
ANM05.004.22.025AB	UL2464	300V	22X25AWG	11/0.14	8.3	106.47	111 Ω/km
ANM05.004.23.025AB	UL2464	300V	23X25AWG	11/0.14	8.6	113.67	111 Ω/km
ANM05.004.24.025AB	UL2464	300V	24X25AWG	11/0.14	8.6	114.67	111 Ω/km
ANM05.004.25.025AB	UL2464	300V	25X25AWG	11/0.14	8.8	120.17	111 Ω/km
ANM05.004.26.025AB	UL2464	300V	26X25AWG	11/0.14	8.8	121.17	111 Ω/km
ANM05.004.27.025AB	UL2464	300V	27X25AWG	11/0.14	8.8	122.17	111 Ω/km
ANM05.004.28.025AB	UL2464	300V	28X25AWG	11/0.14	9.1	129.77	111 Ω/km
ANM05.004.29.025AB	UL2464	300V	29X25AWG	11/0.14	9.1	130.87	111 Ω/km
ANM05.004.30.025AB	UL2464	300V	30X25AWG	11/0.14	9.1	131.97	111 Ω/km
ANM05.004.31.025AB	UL2464	300V	31X25AWG	11/0.14	9.3	137.27	111 Ω/km
ANM05.004.32.025AB	UL2464	300V	32X25AWG	11/0.14	9.3	138.47	111 Ω/km
ANM05.004.33.025AB	UL2464	300V	33X25AWG	11/0.14	9.3	139.57	111 Ω/km
ANM05.004.34.025AB	UL2464	300V	34X25AWG	11/0.14	9.6	147.37	111 Ω/km
ANM05.004.35.025AB	UL2464	300V	35X25AWG	11/0.14	9.6	148.47	111 Ω/km
ANM05.004.36.025AB	UL2464	300V	36X25AWG	11/0.14	9.6	149.57	111 Ω/km
ANM05.004.37.025AB	UL2464	300V	37X25AWG	11/0.14	9.6	150.67	111 Ω/km
ANM05.004.38.025AB	UL2464	300V	38X25AWG	11/0.14	9.9	158.77	111 Ω/km
ANM05.004.39.025AB	UL2464	300V	39X25AWG	11/0.14	9.9	159.87	111 Ω/km
ANM05.004.40.025AB	UL2464	300V	40X25AWG	11/0.14	9.9	160.97	111 Ω/km
ANM05.004.41.025AB	UL2464	300V	41X25AWG	11/0.14	10.6	179.27	111 Ω/km
ANM05.004.42.025AB	UL2464	300V	42X25AWG	11/0.14	10.6	180.37	111 Ω/km
ANM05.004.43.025AB	UL2464	300V	43X25AWG	11/0.14	10.6	181.47	111 Ω/km



ANM05.004.44.025AB	UL2464	300V	44X25AWG	11/0.14	10.6	182.57	111 Ω/km
ANM05.004.45.025AB	UL2464	300V	45X25AWG	11/0.14	10.8	188.77	111 Ω/km
ANM05.004.46.025AB	UL2464	300V	46X25AWG	11/0.14	10.8	189.87	111 Ω/km
ANM05.004.47.025AB	UL2464	300V	47X25AWG	11/0.14	10.8	190.87	111 Ω/km
ANM05.004.48.025AB	UL2464	300V	48X25AWG	11/0.14	10.8	191.87	111 Ω/km
ANM05.004.49.025AB	UL2464	300V	49X25AWG	11/0.14	11.1	200.87	111 Ω/km
ANM05.004.50.025AB	UL2464	300V	50X25AWG	11/0.14	11.1	202.07	111 Ω/km
ANM05.004.51.025AB	UL2464	300V	51X25AWG	11/0.14	11.1	203.07	111 Ω/km
ANM05.004.52.025AB	UL2464	300V	52X25AWG	11/0.14	11.1	204.17	111 Ω/km
ANM05.004.53.025AB	UL2464	300V	53X25AWG	11/0.14	11.3	210.77	111 Ω/km
ANM05.004.54.025AB	UL2464	300V	54X25AWG	11/0.14	11.3	211.77	111 Ω/km
ANM05.004.55.025AB	UL2464	300V	55X25AWG	11/0.14	11.3	212.77	111 Ω/km
ANM05.004.56.025AB	UL2464	300V	56X25AWG	11/0.14	11.3	213.87	111 Ω/km
ANM05.004.57.025AB	UL2464	300V	57X25AWG	11/0.14	11.6	223.37	111 Ω/km
ANM05.004.58.025AB	UL2464	300V	58X25AWG	11/0.14	11.6	224.37	111 Ω/km
ANM05.004.59.025AB	UL2464	300V	59X25AWG	11/0.14	11.6	225.47	111 Ω/km
ANM05.004.60.025AB	UL2464	300V	60X25AWG	11/0.14	11.6	226.47	111 Ω/km
ANM05.004.61.025AB	UL2464	300V	61X25AWG	11/0.14	11.6	227.57	111 Ω/km
ANM05.004.62.025AB	UL2464	300V	62X25AWG	11/0.14	11.9	237.07	111 Ω/km
ANM05.004.63.025AB	UL2464	300V	63X25AWG	11/0.14	11.9	238.17	111 Ω/km
ANM05.004.64.025AB	UL2464	300V	64X25AWG	11/0.14	11.9	239.37	111 Ω/km
ANM05.004.65.025AB	UL2464	300V	65X25AWG	11/0.14	11.9	240.37	111 Ω/km
ANM05.004.02.024AB	UL2464	300V	2X24AWG	14/0.14	4.6	28.61	87.6 Ω/km
ANM05.004.03.024AB	UL2464	300V	3X24AWG	14/0.14	4.8	32.31	87.6 Ω/km
ANM05.004.04.024AB	UL2464	300V	4X24AWG	14/0.14	5.1	37.31	87.6 Ω/km
ANM05.004.05.024AB	UL2464	300V	5X24AWG	14/0.14	5.3	41.31	87.6 Ω/km
ANM05.004.06.024AB	UL2464	300V	6X24AWG	14/0.14	5.6	46.81	87.6 Ω/km
ANM05.004.07.024AB	UL2464	300V	7X24AWG	14/0.14	5.6	48.31	87.6 Ω/km
ANM05.004.08.024AB	UL2464	300V	8X24AWG	14/0.14	5.9	53.81	87.6 Ω/km
ANM05.004.09.024AB	UL2464	300V	9X24AWG	14/0.14	6.3	61.21	87.6 Ω/km
ANM05.004.10.024AB	UL2464	300V	10X24AWG	14/0.14	6.6	67.21	87.6 Ω/km
ANM05.004.11.024AB	UL2464	300V	11X24AWG	14/0.14	6.8	72.01	87.6 Ω/km
ANM05.004.12.024AB	UL2464	300V	12X24AWG	14/0.14	6.8	73.51	87.6 Ω/km
ANM05.004.13.024AB	UL2464	300V	13X24AWG	14/0.14	7.1	79.91	87.6 Ω/km
ANM05.004.14.024AB	UL2464	300V	14X24AWG	14/0.14	7.1	81.41	87.6 Ω/km
ANM05.004.15.024AB	UL2464	300V	15X24AWG	14/0.14	7.3	86.31	87.6 Ω/km
ANM05.004.16.024AB	UL2464	300V	16X24AWG	14/0.14	7.3	87.81	87.6 Ω/km
ANM05.004.17.024AB	UL2464	300V	17X24AWG	14/0.14	7.6	94.61	87.6 Ω/km
ANM05.004.18.024AB	UL2464	300V	18X24AWG	14/0.14	7.6	96.21	87.6 Ω/km
ANM05.004.19.024AB	UL2464	300V	19X24AWG	14/0.14	7.6	97.71	87.6 Ω/km
ANM05.004.20.024AB	UL2464	300V	20X24AWG	14/0.14	7.8	102.81	87.6 Ω/km
ANM05.004.21.024AB	UL2464	300V	21X24AWG	14/0.14	7.9	106.21	87.6 Ω/km



ANM05.004.22.024AB	UL2464	300V	22X24AWG	14/0.14	8.3	115.41	87.6Ω/km
ANM05.004.23.024AB	UL2464	300V	23X24AWG	14/0.14	8.6	123.01	87.6Ω/km
ANM05.004.24.024AB	UL2464	300V	24X24AWG	14/0.14	8.6	124.51	87.6Ω/km
ANM05.004.25.024AB	UL2464	300V	25X24AWG	14/0.14	8.8	130.31	87.6Ω/km
ANM05.004.26.024AB	UL2464	300V	26X24AWG	14/0.14	8.8	131.71	87.6Ω/km
ANM05.004.27.024AB	UL2464	300V	27X24AWG	14/0.14	8.8	133.21	87.6Ω/km
ANM05.004.28.024AB	UL2464	300V	28X24AWG	14/0.14	9.1	141.21	87.6Ω/km
ANM05.004.29.024AB	UL2464	300V	29X24AWG	14/0.14	9.1	142.61	87.6Ω/km
ANM05.004.30.024AB	UL2464	300V	30X24AWG	14/0.14	9.1	144.21	87.6Ω/km
ANM05.004.31.024AB	UL2464	300V	31X24AWG	14/0.14	9.3	149.91	87.6Ω/km
ANM05.004.32.024AB	UL2464	300V	32X24AWG	14/0.14	9.3	151.41	87.6Ω/km
ANM05.004.33.024AB	UL2464	300V	33X24AWG	14/0.14	9.3	153.01	87.6Ω/km
ANM05.004.34.024AB	UL2464	300V	34X24AWG	14/0.14	9.6	161.21	87.6Ω/km
ANM05.004.35.024AB	UL2464	300V	35X24AWG	14/0.14	9.6	162.71	87.6Ω/km
ANM05.004.36.024AB	UL2464	300V	36X24AWG	14/0.14	9.6	164.21	87.6Ω/km
ANM05.004.37.024AB	UL2464	300V	37X24AWG	14/0.14	9.6	165.71	87.6Ω/km
ANM05.004.38.024AB	UL2464	300V	38X24AWG	14/0.14	9.9	174.21	87.6Ω/km
ANM05.004.39.024AB	UL2464	300V	39X24AWG	14/0.14	9.9	175.71	87.6Ω/km
ANM05.004.40.024AB	UL2464	300V	40X24AWG	14/0.14	9.9	177.21	87.6Ω/km
ANM05.004.41.024AB	UL2464	300V	41X24AWG	14/0.14	10.6	195.91	87.6Ω/km
ANM05.004.42.024AB	UL2464	300V	42X24AWG	14/0.14	10.6	197.51	87.6Ω/km
ANM05.004.43.024AB	UL2464	300V	43X24AWG	14/0.14	10.6	198.91	87.6Ω/km
ANM05.004.44.024AB	UL2464	300V	44X24AWG	14/0.14	10.6	200.41	87.6Ω/km
ANM05.004.45.024AB	UL2464	300V	45X24AWG	14/0.14	10.8	207.11	87.6Ω/km
ANM05.004.46.024AB	UL2464	300V	46X24AWG	14/0.14	10.8	208.51	87.6Ω/km
ANM05.004.47.024AB	UL2464	300V	47X24AWG	14/0.14	10.8	209.91	87.6Ω/km
ANM05.004.48.024AB	UL2464	300V	48X24AWG	14/0.14	10.8	211.41	87.6Ω/km
ANM05.004.49.024AB	UL2464	300V	49X24AWG	14/0.14	11.1	220.81	87.6Ω/km
ANM05.004.50.024AB	UL2464	300V	50X24AWG	14/0.14	11.1	222.31	87.6Ω/km
ANM05.004.51.024AB	UL2464	300V	51X24AWG	14/0.14	11.1	223.81	87.6Ω/km
ANM05.004.52.024AB	UL2464	300V	52X24AWG	14/0.14	11.1	225.31	87.6Ω/km
ANM05.004.53.024AB	UL2464	300V	53X24AWG	14/0.14	11.3	232.31	87.6Ω/km
ANM05.004.54.024AB	UL2464	300V	54X24AWG	14/0.14	11.3	233.71	87.6Ω/km
ANM05.004.55.024AB	UL2464	300V	55X24AWG	14/0.14	11.3	235.11	87.6Ω/km
ANM05.004.56.024AB	UL2464	300V	56X24AWG	14/0.14	11.3	236.71	87.6Ω/km
ANM05.004.57.024AB	UL2464	300V	57X24AWG	14/0.14	11.6	246.51	87.6Ω/km
ANM05.004.58.024AB	UL2464	300V	58X24AWG	14/0.14	11.6	247.91	87.6Ω/km
ANM05.004.59.024AB	UL2464	300V	59X24AWG	14/0.14	11.6	249.51	87.6Ω/km
ANM05.004.60.024AB	UL2464	300V	60X24AWG	14/0.14	11.6	250.91	87.6Ω/km
ANM05.004.61.024AB	UL2464	300V	61X24AWG	14/0.14	11.6	252.31	87.6Ω/km
ANM05.004.62.024AB	UL2464	300V	62X24AWG	14/0.14	11.9	262.31	87.6Ω/km
ANM05.004.63.024AB	UL2464	300V	63X24AWG	14/0.14	11.9	263.81	87.6Ω/km



ANM05.004.64.024AB	UL2464	300V	64X24AWG	14/0.14	11.9	265.31	87.6Ω/km
ANM05.004.65.024AB	UL2464	300V	65X24AWG	14/0.14	11.9	266.81	87.6Ω/km
ANM05.004.02.023AB	UL2464	300V	2X23AWG	17/0.14	5.2	36.26	69.2Ω/km
ANM05.004.03.023AB	UL2464	300V	3X23AWG	17/0.14	5.5	41.96	69.2Ω/km
ANM05.004.04.023AB	UL2464	300V	4X23AWG	17/0.14	5.8	47.86	69.2Ω/km
ANM05.004.05.023AB	UL2464	300V	5X23AWG	17/0.14	6.2	55.56	69.2Ω/km
ANM05.004.06.023AB	UL2464	300V	6X23AWG	17/0.14	6.5	61.86	69.2Ω/km
ANM05.004.07.023AB	UL2464	300V	7X23AWG	17/0.14	6.5	63.76	69.2Ω/km
ANM05.004.08.023AB	UL2464	300V	8X23AWG	17/0.14	6.9	71.96	69.2Ω/km
ANM05.004.09.023AB	UL2464	300V	9X23AWG	17/0.14	7.5	84.06	69.2Ω/km
ANM05.004.10.023AB	UL2464	300V	10X23AWG	17/0.14	7.8	91.56	69.2Ω/km
ANM05.004.11.023AB	UL2464	300V	11X23AWG	17/0.14	8.1	99.06	69.2Ω/km
ANM05.004.12.023AB	UL2464	300V	12X23AWG	17/0.14	8.1	100.86	69.2Ω/km
ANM05.004.13.023AB	UL2464	300V	13X23AWG	17/0.14	8.4	108.56	69.2Ω/km
ANM05.004.14.023AB	UL2464	300V	14X23AWG	17/0.14	8.4	110.46	69.2Ω/km
ANM05.004.15.023AB	UL2464	300V	15X23AWG	17/0.14	8.8	120.56	69.2Ω/km
ANM05.004.16.023AB	UL2464	300V	16X23AWG	17/0.14	8.8	122.36	69.2Ω/km
ANM05.004.17.023AB	UL2464	300V	17X23AWG	17/0.14	9.1	130.66	69.2Ω/km
ANM05.004.18.023AB	UL2464	300V	18X23AWG	17/0.14	9.1	132.46	69.2Ω/km
ANM05.004.19.023AB	UL2464	300V	19X23AWG	17/0.14	9.1	134.36	69.2Ω/km
ANM05.004.20.023AB	UL2464	300V	20X23AWG	17/0.14	9.4	142.76	69.2Ω/km
ANM05.004.21.023AB	UL2464	300V	21X23AWG	17/0.14	9.5	146.86	69.2Ω/km
ANM05.004.22.023AB	UL2464	300V	22X23AWG	17/0.14	10.1	162.76	69.2Ω/km
ANM05.004.23.023AB	UL2464	300V	23X23AWG	17/0.14	10.4	171.96	69.2Ω/km
ANM05.004.24.023AB	UL2464	300V	24X23AWG	17/0.14	10.4	173.96	69.2Ω/km
ANM05.004.25.023AB	UL2464	300V	25X23AWG	17/0.14	10.7	183.36	69.2Ω/km
ANM05.004.26.023AB	UL2464	300V	26X23AWG	17/0.14	10.7	185.16	69.2Ω/km
ANM05.004.27.023AB	UL2464	300V	27X23AWG	17/0.14	10.7	186.96	69.2Ω/km
ANM05.004.28.023AB	UL2464	300V	28X23AWG	17/0.14	11	196.66	69.2Ω/km
ANM05.004.29.023AB	UL2464	300V	29X23AWG	17/0.14	11	198.46	69.2Ω/km
ANM05.004.30.023AB	UL2464	300V	30X23AWG	17/0.14	11	200.36	69.2Ω/km
ANM05.004.31.023AB	UL2464	300V	31X23AWG	17/0.14	11.4	212.86	69.2Ω/km
ANM05.004.32.023AB	UL2464	300V	32X23AWG	17/0.14	11.4	214.56	69.2Ω/km
ANM05.004.33.023AB	UL2464	300V	33X23AWG	17/0.14	11.4	216.56	69.2Ω/km
ANM05.004.34.023AB	UL2464	300V	34X23AWG	17/0.14	11.7	226.66	69.2Ω/km
ANM05.004.35.023AB	UL2464	300V	35X23AWG	17/0.14	11.7	228.46	69.2Ω/km
ANM05.004.36.023AB	UL2464	300V	36X23AWG	17/0.14	11.7	230.26	69.2Ω/km
ANM05.004.37.023AB	UL2464	300V	37X23AWG	17/0.14	11.7	232.06	69.2Ω/km
ANM05.004.38.023AB	UL2464	300V	38X23AWG	17/0.14	12.1	245.46	69.2Ω/km
ANM05.004.39.023AB	UL2464	300V	39X23AWG	17/0.14	12.1	247.16	69.2Ω/km
ANM05.004.40.023AB	UL2464	300V	40X23AWG	17/0.14	12.1	249.06	69.2Ω/km
ANM05.004.41.023AB	UL2464	300V	41X23AWG	17/0.14	13.1	281.16	69.2Ω/km



ANM05.004.42.023AB	UL2464	300V	42X23AWG	17/0.14	13.1	283.06	69.2 Ω/km
ANM05.004.43.023AB	UL2464	300V	43X23AWG	17/0.14	13.1	284.86	69.2 Ω/km
ANM05.004.44.023AB	UL2464	300V	44X23AWG	17/0.14	13.1	286.76	69.2 Ω/km
ANM05.004.45.023AB	UL2464	300V	45X23AWG	17/0.14	13.4	298.06	69.2 Ω/km
ANM05.004.46.023AB	UL2464	300V	46X23AWG	17/0.14	13.4	299.86	69.2 Ω/km
ANM05.004.47.023AB	UL2464	300V	47X23AWG	17/0.14	13.4	301.66	69.2 Ω/km
ANM05.004.48.023AB	UL2464	300V	48X23AWG	17/0.14	13.4	303.56	69.2 Ω/km
ANM05.004.49.023AB	UL2464	300V	49X23AWG	17/0.14	13.7	315.16	69.2 Ω/km
ANM05.004.50.023AB	UL2464	300V	50X23AWG	17/0.14	13.7	316.96	69.2 Ω/km
ANM05.004.51.023AB	UL2464	300V	51X23AWG	17/0.14	13.7	318.76	69.2 Ω/km
ANM05.004.52.023AB	UL2464	300V	52X23AWG	17/0.14	13.7	320.66	69.2 Ω/km
ANM05.004.53.023AB	UL2464	300V	53X23AWG	17/0.14	14.1	335.96	69.2 Ω/km
ANM05.004.54.023AB	UL2464	300V	54X23AWG	17/0.14	14.1	337.66	69.2 Ω/km
ANM05.004.55.023AB	UL2464	300V	55X23AWG	17/0.14	14.1	339.46	69.2 Ω/km
ANM05.004.56.023AB	UL2464	300V	56X23AWG	17/0.14	14.1	341.36	69.2 Ω/km
ANM05.004.57.023AB	UL2464	300V	57X23AWG	17/0.14	14.4	353.46	69.2 Ω/km
ANM05.004.58.023AB	UL2464	300V	58X23AWG	17/0.14	14.4	355.36	69.2 Ω/km
ANM05.004.59.023AB	UL2464	300V	59X23AWG	17/0.14	14.4	357.06	69.2 Ω/km
ANM05.004.60.023AB	UL2464	300V	60X23AWG	17/0.14	14.4	358.96	69.2 Ω/km
ANM05.004.61.023AB	UL2464	300V	61X23AWG	17/0.14	14.4	360.66	69.2 Ω/km
ANM05.004.62.023AB	UL2464	300V	62X23AWG	17/0.14	14.8	376.66	69.2 Ω/km
ANM05.004.63.023AB	UL2464	300V	63X23AWG	17/0.14	14.8	378.46	69.2 Ω/km
ANM05.004.64.023AB	UL2464	300V	64X23AWG	17/0.14	14.8	380.26	69.2 Ω/km
ANM05.004.65.023AB	UL2464	300V	65X23AWG	17/0.14	14.8	382.16	69.2 Ω/km
ANM05.004.02.022AB	UL2464	300V	2X22AWG	22/0.14	5.4	39.83	55.4 Ω/km
ANM05.004.03.022AB	UL2464	300V	3X22AWG	22/0.14	5.7	45.93	55.4 Ω/km
ANM05.004.04.022AB	UL2464	300V	4X22AWG	22/0.14	6	52.43	55.4 Ω/km
ANM05.004.05.022AB	UL2464	300V	5X22AWG	22/0.14	6.4	60.63	55.4 Ω/km
ANM05.004.06.022AB	UL2464	300V	6X22AWG	22/0.14	6.8	69.23	55.4 Ω/km
ANM05.004.07.022AB	UL2464	300V	7X22AWG	22/0.14	6.8	71.53	55.4 Ω/km
ANM05.004.08.022AB	UL2464	300V	8X22AWG	22/0.14	7.3	82.23	55.4 Ω/km
ANM05.004.09.022AB	UL2464	300V	9X22AWG	22/0.14	7.8	93.63	55.4 Ω/km
ANM05.004.10.022AB	UL2464	300V	10X22AWG	22/0.14	8.2	103.43	55.4 Ω/km
ANM05.004.11.022AB	UL2464	300V	11X22AWG	22/0.14	8.5	111.83	55.4 Ω/km
ANM05.004.12.022AB	UL2464	300V	12X22AWG	22/0.14	8.5	114.03	55.4 Ω/km
ANM05.004.13.022AB	UL2464	300V	13X22AWG	22/0.14	8.8	122.63	55.4 Ω/km
ANM05.004.14.022AB	UL2464	300V	14X22AWG	22/0.14	8.8	124.73	55.4 Ω/km
ANM05.004.15.022AB	UL2464	300V	15X22AWG	22/0.14	9.2	135.63	55.4 Ω/km
ANM05.004.16.022AB	UL2464	300V	16X22AWG	22/0.14	9.2	137.93	55.4 Ω/km
ANM05.004.17.022AB	UL2464	300V	17X22AWG	22/0.14	9.6	149.23	55.4 Ω/km
ANM05.004.18.022AB	UL2464	300V	18X22AWG	22/0.14	9.6	151.53	55.4 Ω/km
ANM05.004.19.022AB	UL2464	300V	19X22AWG	22/0.14	9.6	153.73	55.4 Ω/km



ANM05.004.20.022AB	UL2464	300V	20X22AWG	22/0.14	9.9	163.03	55.4Ω/km
ANM05.004.21.022AB	UL2464	300V	21X22AWG	22/0.14	10.1	170.03	55.4Ω/km
ANM05.004.22.022AB	UL2464	300V	22X22AWG	22/0.14	10.6	184.73	55.4Ω/km
ANM05.004.23.022AB	UL2464	300V	23X22AWG	22/0.14	11	197.53	55.4Ω/km
ANM05.004.24.022AB	UL2464	300V	24X22AWG	22/0.14	11	199.73	55.4Ω/km
ANM05.004.25.022AB	UL2464	300V	25X22AWG	22/0.14	11.3	210.03	55.4Ω/km
ANM05.004.26.022AB	UL2464	300V	26X22AWG	22/0.14	11.3	212.23	55.4Ω/km
ANM05.004.27.022AB	UL2464	300V	27X22AWG	22/0.14	11.3	214.53	55.4Ω/km
ANM05.004.28.022AB	UL2464	300V	28X22AWG	22/0.14	11.6	224.93	55.4Ω/km
ANM05.004.29.022AB	UL2464	300V	29X22AWG	22/0.14	11.6	227.33	55.4Ω/km
ANM05.004.30.022AB	UL2464	300V	30X22AWG	22/0.14	11.6	229.53	55.4Ω/km
ANM05.004.31.022AB	UL2464	300V	31X22AWG	22/0.14	12	243.03	55.4Ω/km
ANM05.004.32.022AB	UL2464	300V	32X22AWG	22/0.14	12	245.43	55.4Ω/km
ANM05.004.33.022AB	UL2464	300V	33X22AWG	22/0.14	12	247.53	55.4Ω/km
ANM05.004.34.022AB	UL2464	300V	34X22AWG	22/0.14	12.4	261.63	55.4Ω/km
ANM05.004.35.022AB	UL2464	300V	35X22AWG	22/0.14	12.4	263.83	55.4Ω/km
ANM05.004.36.022AB	UL2464	300V	36X22AWG	22/0.14	12.4	266.13	55.4Ω/km
ANM05.004.37.022AB	UL2464	300V	37X22AWG	22/0.14	12.4	268.33	55.4Ω/km
ANM05.004.38.022AB	UL2464	300V	38X22AWG	22/0.14	13	289.03	55.4Ω/km
ANM05.004.39.022AB	UL2464	300V	39X22AWG	22/0.14	13	291.23	55.4Ω/km
ANM05.004.40.022AB	UL2464	300V	40X22AWG	22/0.14	13	293.43	55.4Ω/km
ANM05.004.41.022AB	UL2464	300V	41X22AWG	22/0.14	13.9	324.83	55.4Ω/km
ANM05.004.42.022AB	UL2464	300V	42X22AWG	22/0.14	13.9	327.03	55.4Ω/km
ANM05.004.43.022AB	UL2464	300V	43X22AWG	22/0.14	13.9	329.43	55.4Ω/km
ANM05.004.44.022AB	UL2464	300V	44X22AWG	22/0.14	13.9	331.53	55.4Ω/km
ANM05.004.45.022AB	UL2464	300V	45X22AWG	22/0.14	14.2	344.13	55.4Ω/km
ANM05.004.46.022AB	UL2464	300V	46X22AWG	22/0.14	14.2	346.43	55.4Ω/km
ANM05.004.47.022AB	UL2464	300V	47X22AWG	22/0.14	14.2	348.53	55.4Ω/km
ANM05.004.48.022AB	UL2464	300V	48X22AWG	22/0.14	14.2	350.93	55.4Ω/km
ANM05.004.49.022AB	UL2464	300V	49X22AWG	22/0.14	14.5	363.53	55.4Ω/km
ANM05.004.50.022AB	UL2464	300V	50X22AWG	22/0.14	14.5	365.73	55.4Ω/km
ANM05.004.51.022AB	UL2464	300V	51X22AWG	22/0.14	14.5	367.93	55.4Ω/km
ANM05.004.52.022AB	UL2464	300V	52X22AWG	22/0.14	14.5	370.23	55.4Ω/km
ANM05.004.53.022AB	UL2464	300V	53X22AWG	22/0.14	14.9	386.63	55.4Ω/km
ANM05.004.54.022AB	UL2464	300V	54X22AWG	22/0.14	14.9	388.83	55.4Ω/km
ANM05.004.55.022AB	UL2464	300V	55X22AWG	22/0.14	14.9	391.13	55.4Ω/km
ANM05.004.56.022AB	UL2464	300V	56X22AWG	22/0.14	14.9	393.33	55.4Ω/km
ANM05.004.57.022AB	UL2464	300V	57X22AWG	22/0.14	15.3	410.23	55.4Ω/km
ANM05.004.58.022AB	UL2464	300V	58X22AWG	22/0.14	15.3	412.33	55.4Ω/km
ANM05.004.59.022AB	UL2464	300V	59X22AWG	22/0.14	15.3	414.73	55.4Ω/km
ANM05.004.60.022AB	UL2464	300V	60X22AWG	22/0.14	15.3	416.93	55.4Ω/km
ANM05.004.61.022AB	UL2464	300V	61X22AWG	22/0.14	15.3	419.13	55.4Ω/km



ANM05.004.62.022AB	UL2464	300V	62X22AWG	22/0.14	15.8	440.33	55.4Ω/km
ANM05.004.63.022AB	UL2464	300V	63X22AWG	22/0.14	15.8	442.43	55.4Ω/km
ANM05.004.64.022AB	UL2464	300V	64X22AWG	22/0.14	15.8	444.73	55.4Ω/km
ANM05.004.65.022AB	UL2464	300V	65X22AWG	22/0.14	15.8	446.93	55.4Ω/km
ANM05.004.02.021AB	UL2464	300V	2X21AWG	27/0.14	5.6	43.82	43.6Ω/km
ANM05.004.03.021AB	UL2464	300V	3X21AWG	27/0.14	5.9	50.82	43.6Ω/km
ANM05.004.04.021AB	UL2464	300V	4X21AWG	27/0.14	6.3	59.52	43.6Ω/km
ANM05.004.05.021AB	UL2464	300V	5X21AWG	27/0.14	6.7	68.62	43.6Ω/km
ANM05.004.06.021AB	UL2464	300V	6X21AWG	27/0.14	7.1	78.12	43.6Ω/km
ANM05.004.07.021AB	UL2464	300V	7X21AWG	27/0.14	7.1	81.02	43.6Ω/km
ANM05.004.08.021AB	UL2464	300V	8X21AWG	27/0.14	7.6	92.62	43.6Ω/km
ANM05.004.09.021AB	UL2464	300V	9X21AWG	27/0.14	8.2	106.82	43.6Ω/km
ANM05.004.10.021AB	UL2464	300V	10X21AWG	27/0.14	8.6	117.82	43.6Ω/km
ANM05.004.11.021AB	UL2464	300V	11X21AWG	27/0.14	8.9	127.02	43.6Ω/km
ANM05.004.12.021AB	UL2464	300V	12X21AWG	27/0.14	8.9	129.92	43.6Ω/km
ANM05.004.13.021AB	UL2464	300V	13X21AWG	27/0.14	9.3	141.62	43.6Ω/km
ANM05.004.14.021AB	UL2464	300V	14X21AWG	27/0.14	9.3	144.42	43.6Ω/km
ANM05.004.15.021AB	UL2464	300V	15X21AWG	27/0.14	9.7	156.52	43.6Ω/km
ANM05.004.16.021AB	UL2464	300V	16X21AWG	27/0.14	9.7	159.32	43.6Ω/km
ANM05.004.17.021AB	UL2464	300V	17X21AWG	27/0.14	10.1	171.62	43.6Ω/km
ANM05.004.18.021AB	UL2464	300V	18X21AWG	27/0.14	10.1	174.52	43.6Ω/km
ANM05.004.19.021AB	UL2464	300V	19X21AWG	27/0.14	10.1	177.52	43.6Ω/km
ANM05.004.20.021AB	UL2464	300V	20X21AWG	27/0.14	10.4	187.82	43.6Ω/km
ANM05.004.21.021AB	UL2464	300V	21X21AWG	27/0.14	10.6	195.72	43.6Ω/km
ANM05.004.22.021AB	UL2464	300V	22X21AWG	27/0.14	11.2	214.32	43.6Ω/km
ANM05.004.23.021AB	UL2464	300V	23X21AWG	27/0.14	11.6	228.12	43.6Ω/km
ANM05.004.24.021AB	UL2464	300V	24X21AWG	27/0.14	11.6	231.02	43.6Ω/km
ANM05.004.25.021AB	UL2464	300V	25X21AWG	27/0.14	11.9	242.42	43.6Ω/km
ANM05.004.26.021AB	UL2464	300V	26X21AWG	27/0.14	11.9	245.32	43.6Ω/km
ANM05.004.27.021AB	UL2464	300V	27X21AWG	27/0.14	11.9	248.12	43.6Ω/km
ANM05.004.28.021AB	UL2464	300V	28X21AWG	27/0.14	12.3	262.72	43.6Ω/km
ANM05.004.29.021AB	UL2464	300V	29X21AWG	27/0.14	12.3	265.62	43.6Ω/km
ANM05.004.30.021AB	UL2464	300V	30X21AWG	27/0.14	12.3	268.52	43.6Ω/km
ANM05.004.31.021AB	UL2464	300V	31X21AWG	27/0.14	12.8	286.32	43.6Ω/km
ANM05.004.32.021AB	UL2464	300V	32X21AWG	27/0.14	12.8	289.22	43.6Ω/km
ANM05.004.33.021AB	UL2464	300V	33X21AWG	27/0.14	12.8	292.12	43.6Ω/km
ANM05.004.34.021AB	UL2464	300V	34X21AWG	27/0.14	13.2	307.52	43.6Ω/km
ANM05.004.35.021AB	UL2464	300V	35X21AWG	27/0.14	13.2	310.42	43.6Ω/km
ANM05.004.36.021AB	UL2464	300V	36X21AWG	27/0.14	13.2	313.32	43.6Ω/km
ANM05.004.37.021AB	UL2464	300V	37X21AWG	27/0.14	13.2	316.22	43.6Ω/km
ANM05.004.38.021AB	UL2464	300V	38X21AWG	27/0.14	13.7	335.22	43.6Ω/km
ANM05.004.39.021AB	UL2464	300V	39X21AWG	27/0.14	13.7	338.12	43.6Ω/km



ANM05.004.40.021AB	UL2464	300V	40X21AWG	27/0.14	13.7	340.92	43.6 Ω/km
ANM05.004.41.021AB	UL2464	300V	41X21AWG	27/0.14	14.7	378.12	43.6 Ω/km
ANM05.004.42.021AB	UL2464	300V	42X21AWG	27/0.14	14.7	380.92	43.6 Ω/km
ANM05.004.43.021AB	UL2464	300V	43X21AWG	27/0.14	14.7	383.82	43.6 Ω/km
ANM05.004.44.021AB	UL2464	300V	44X21AWG	27/0.14	14.7	386.72	43.6 Ω/km
ANM05.004.45.021AB	UL2464	300V	45X21AWG	27/0.14	15	400.32	43.6 Ω/km
ANM05.004.46.021AB	UL2464	300V	46X21AWG	27/0.14	15	403.12	43.6 Ω/km
ANM05.004.47.021AB	UL2464	300V	47X21AWG	27/0.14	15	406.02	43.6 Ω/km
ANM05.004.48.021AB	UL2464	300V	48X21AWG	27/0.14	15	408.82	43.6 Ω/km
ANM05.004.49.021AB	UL2464	300V	49X21AWG	27/0.14	15.4	426.42	43.6 Ω/km
ANM05.004.50.021AB	UL2464	300V	50X21AWG	27/0.14	15.4	429.32	43.6 Ω/km
ANM05.004.51.021AB	UL2464	300V	51X21AWG	27/0.14	15.4	432.22	43.6 Ω/km
ANM05.004.52.021AB	UL2464	300V	52X21AWG	27/0.14	15.4	435.02	43.6 Ω/km
ANM05.004.53.021AB	UL2464	300V	53X21AWG	27/0.14	15.8	453.02	43.6 Ω/km
ANM05.004.54.021AB	UL2464	300V	54X21AWG	27/0.14	15.8	455.82	43.6 Ω/km
ANM05.004.55.021AB	UL2464	300V	55X21AWG	27/0.14	15.8	458.82	43.6 Ω/km
ANM05.004.56.021AB	UL2464	300V	56X21AWG	27/0.14	15.8	461.62	43.6 Ω/km
ANM05.004.57.021AB	UL2464	300V	57X21AWG	27/0.14	16.2	479.92	43.6 Ω/km
ANM05.004.58.021AB	UL2464	300V	58X21AWG	27/0.14	16.2	482.72	43.6 Ω/km
ANM05.004.59.021AB	UL2464	300V	59X21AWG	27/0.14	16.2	485.62	43.6 Ω/km
ANM05.004.60.021AB	UL2464	300V	60X21AWG	27/0.14	16.2	488.52	43.6 Ω/km
ANM05.004.61.021AB	UL2464	300V	61X21AWG	27/0.14	16.2	491.32	43.6 Ω/km
ANM05.004.62.021AB	UL2464	300V	62X21AWG	27/0.14	16.7	514.12	43.6 Ω/km
ANM05.004.63.021AB	UL2464	300V	63X21AWG	27/0.14	16.7	516.92	43.6 Ω/km
ANM05.004.64.021AB	UL2464	300V	64X21AWG	27/0.14	16.7	519.82	43.6 Ω/km
ANM05.004.65.021AB	UL2464	300V	65X21AWG	27/0.14	16.7	522.72	43.6 Ω/km
ANM05.004.02.020AB	UL2464	300V	2X20AWG	34/0.14	6.2	53.92	34.6 Ω/km
ANM05.004.03.020AB	UL2464	300V	3X20AWG	34/0.14	6.5	62.02	34.6 Ω/km
ANM05.004.04.020AB	UL2464	300V	4X20AWG	34/0.14	7	73.82	34.6 Ω/km
ANM05.004.05.020AB	UL2464	300V	5X20AWG	34/0.14	7.5	86.12	34.6 Ω/km
ANM05.004.06.020AB	UL2464	300V	6X20AWG	34/0.14	8	99.12	34.6 Ω/km
ANM05.004.07.020AB	UL2464	300V	7X20AWG	34/0.14	8	102.62	34.6 Ω/km
ANM05.004.08.020AB	UL2464	300V	8X20AWG	34/0.14	8.6	118.32	34.6 Ω/km
ANM05.004.09.020AB	UL2464	300V	9X20AWG	34/0.14	9.3	137.02	34.6 Ω/km
ANM05.004.10.020AB	UL2464	300V	10X20AWG	34/0.14	9.8	152.12	34.6 Ω/km
ANM05.004.11.020AB	UL2464	300V	11X20AWG	34/0.14	10.1	162.92	34.6 Ω/km
ANM05.004.12.020AB	UL2464	300V	12X20AWG	34/0.14	10.1	166.52	34.6 Ω/km
ANM05.004.13.020AB	UL2464	300V	13X20AWG	34/0.14	10.6	182.62	34.6 Ω/km
ANM05.004.14.020AB	UL2464	300V	14X20AWG	34/0.14	10.6	186.32	34.6 Ω/km
ANM05.004.15.020AB	UL2464	300V	15X20AWG	34/0.14	11.1	202.92	34.6 Ω/km
ANM05.004.16.020AB	UL2464	300V	16X20AWG	34/0.14	11.1	206.62	34.6 Ω/km
ANM05.004.17.020AB	UL2464	300V	17X20AWG	34/0.14	11.6	224.02	34.6 Ω/km



ANM05.004.18.020AB	UL2464	300V	18X20AWG	34/0.14	11.6	227.62	34.6 Ω/km
ANM05.004.19.020AB	UL2464	300V	19X20AWG	34/0.14	11.6	231.32	34.6 Ω/km
ANM05.004.20.020AB	UL2464	300V	20X20AWG	34/0.14	11.9	243.32	34.6 Ω/km
ANM05.004.21.020AB	UL2464	300V	21X20AWG	34/0.14	12.2	255.72	34.6 Ω/km
ANM05.004.22.020AB	UL2464	300V	22X20AWG	34/0.14	13	283.52	34.6 Ω/km
ANM05.004.23.020AB	UL2464	300V	23X20AWG	34/0.14	13.5	303.22	34.6 Ω/km
ANM05.004.24.020AB	UL2464	300V	24X20AWG	34/0.14	13.5	306.82	34.6 Ω/km
ANM05.004.25.020AB	UL2464	300V	25X20AWG	34/0.14	13.8	320.42	34.6 Ω/km
ANM05.004.26.020AB	UL2464	300V	26X20AWG	34/0.14	13.8	323.92	34.6 Ω/km
ANM05.004.27.020AB	UL2464	300V	27X20AWG	34/0.14	13.8	327.52	34.6 Ω/km
ANM05.004.28.020AB	UL2464	300V	28X20AWG	34/0.14	14.3	348.02	34.6 Ω/km
ANM05.004.29.020AB	UL2464	300V	29X20AWG	34/0.14	14.3	351.72	34.6 Ω/km
ANM05.004.30.020AB	UL2464	300V	30X20AWG	34/0.14	14.3	355.32	34.6 Ω/km
ANM05.004.31.020AB	UL2464	300V	31X20AWG	34/0.14	14.8	376.52	34.6 Ω/km
ANM05.004.32.020AB	UL2464	300V	32X20AWG	34/0.14	14.8	380.12	34.6 Ω/km
ANM05.004.33.020AB	UL2464	300V	33X20AWG	34/0.14	14.8	383.82	34.6 Ω/km
ANM05.004.34.020AB	UL2464	300V	34X20AWG	34/0.14	15.3	405.62	34.6 Ω/km
ANM05.004.35.020AB	UL2464	300V	35X20AWG	34/0.14	15.3	409.22	34.6 Ω/km
ANM05.004.36.020AB	UL2464	300V	36X20AWG	34/0.14	15.3	412.82	34.6 Ω/km
ANM05.004.37.020AB	UL2464	300V	37X20AWG	34/0.14	15.3	416.42	34.6 Ω/km
ANM05.004.38.020AB	UL2464	300V	38X20AWG	34/0.14	15.9	442.72	34.6 Ω/km
ANM05.004.39.020AB	UL2464	300V	39X20AWG	34/0.14	15.9	446.22	34.6 Ω/km
ANM05.004.40.020AB	UL2464	300V	40X20AWG	34/0.14	15.9	449.92	34.6 Ω/km
ANM05.004.41.020AB	UL2464	300V	41X20AWG	34/0.14	17.1	501.22	34.6 Ω/km
ANM05.004.42.020AB	UL2464	300V	42X20AWG	34/0.14	17.1	504.92	34.6 Ω/km
ANM05.004.43.020AB	UL2464	300V	43X20AWG	34/0.14	17.1	508.52	34.6 Ω/km
ANM05.004.44.020AB	UL2464	300V	44X20AWG	34/0.14	17.1	512.22	34.6 Ω/km
ANM05.004.45.020AB	UL2464	300V	45X20AWG	34/0.14	17.4	528.22	34.6 Ω/km
ANM05.004.46.020AB	UL2464	300V	46X20AWG	34/0.14	17.4	531.92	34.6 Ω/km
ANM05.004.47.020AB	UL2464	300V	47X20AWG	34/0.14	17.4	535.52	34.6 Ω/km
ANM05.004.48.020AB	UL2464	300V	48X20AWG	34/0.14	17.4	539.22	34.6 Ω/km
ANM05.004.49.020AB	UL2464	300V	49X20AWG	34/0.14	17.9	564.12	34.6 Ω/km
ANM05.004.50.020AB	UL2464	300V	50X20AWG	34/0.14	17.9	567.82	34.6 Ω/km
ANM05.004.51.020AB	UL2464	300V	51X20AWG	34/0.14	17.9	571.52	34.6 Ω/km
ANM05.004.52.020AB	UL2464	300V	52X20AWG	34/0.14	17.9	575.12	34.6 Ω/km
ANM05.004.53.020AB	UL2464	300V	53X20AWG	34/0.14	18.4	600.62	34.6 Ω/km
ANM05.004.54.020AB	UL2464	300V	54X20AWG	34/0.14	18.4	604.12	34.6 Ω/km
ANM05.004.55.020AB	UL2464	300V	55X20AWG	34/0.14	18.4	607.82	34.6 Ω/km
ANM05.004.56.020AB	UL2464	300V	56X20AWG	34/0.14	18.4	611.32	34.6 Ω/km
ANM05.004.57.020AB	UL2464	300V	57X20AWG	34/0.14	18.9	637.62	34.6 Ω/km
ANM05.004.58.020AB	UL2464	300V	58X20AWG	34/0.14	18.9	641.12	34.6 Ω/km
ANM05.004.59.020AB	UL2464	300V	59X20AWG	34/0.14	18.9	644.82	34.6 Ω/km



ANM05.004.60.020AB	UL2464	300V	60X20AWG	34/0.14	18.9	648.42	34.6Ω/km
ANM05.004.61.020AB	UL2464	300V	61X20AWG	34/0.14	18.9	652.12	34.6Ω/km
ANM05.004.62.020AB	UL2464	300V	62X20AWG	34/0.14	20.5	730.92	34.6Ω/km
ANM05.004.63.020AB	UL2464	300V	63X20AWG	34/0.14	20.5	734.52	34.6Ω/km
ANM05.004.64.020AB	UL2464	300V	64X20AWG	34/0.14	20.5	738.12	34.6Ω/km
ANM05.004.65.020AB	UL2464	300V	65X20AWG	34/0.14	20.5	741.82	34.6Ω/km
ANM05.004.02.019AB	UL2464	300V	2X19AWG	43/0.14	6.4	59.06	27.4Ω/km
ANM05.004.03.019AB	UL2464	300V	3X19AWG	43/0.14	6.7	68.36	27.4Ω/km
ANM05.004.04.019AB	UL2464	300V	4X19AWG	43/0.14	7.2	81.46	27.4Ω/km
ANM05.004.05.019AB	UL2464	300V	5X19AWG	43/0.14	7.8	96.86	27.4Ω/km
ANM05.004.06.019AB	UL2464	300V	6X19AWG	43/0.14	8.3	111.16	27.4Ω/km
ANM05.004.07.019AB	UL2464	300V	7X19AWG	43/0.14	8.3	115.66	27.4Ω/km
ANM05.004.08.019AB	UL2464	300V	8X19AWG	43/0.14	8.9	132.76	27.4Ω/km
ANM05.004.09.019AB	UL2464	300V	9X19AWG	43/0.14	9.7	155.26	27.4Ω/km
ANM05.004.10.019AB	UL2464	300V	10X19AWG	43/0.14	10.2	171.96	27.4Ω/km
ANM05.004.11.019AB	UL2464	300V	11X19AWG	43/0.14	10.5	183.96	27.4Ω/km
ANM05.004.12.019AB	UL2464	300V	12X19AWG	43/0.14	10.5	188.66	27.4Ω/km
ANM05.004.13.019AB	UL2464	300V	13X19AWG	43/0.14	11	206.16	27.4Ω/km
ANM05.004.14.019AB	UL2464	300V	14X19AWG	43/0.14	11	210.86	27.4Ω/km
ANM05.004.15.019AB	UL2464	300V	15X19AWG	43/0.14	11.6	231.76	27.4Ω/km
ANM05.004.16.019AB	UL2464	300V	16X19AWG	43/0.14	11.6	236.46	27.4Ω/km
ANM05.004.17.019AB	UL2464	300V	17X19AWG	43/0.14	12.1	255.26	27.4Ω/km
ANM05.004.18.019AB	UL2464	300V	18X19AWG	43/0.14	12.1	259.96	27.4Ω/km
ANM05.004.19.019AB	UL2464	300V	19X19AWG	43/0.14	12.1	264.56	27.4Ω/km
ANM05.004.20.019AB	UL2464	300V	20X19AWG	43/0.14	12.4	278.06	27.4Ω/km
ANM05.004.21.019AB	UL2464	300V	21X19AWG	43/0.14	12.8	294.76	27.4Ω/km
ANM05.004.22.019AB	UL2464	300V	22X19AWG	43/0.14	13.6	324.86	27.4Ω/km
ANM05.004.23.019AB	UL2464	300V	23X19AWG	43/0.14	14.1	346.16	27.4Ω/km
ANM05.004.24.019AB	UL2464	300V	24X19AWG	43/0.14	14.1	350.86	27.4Ω/km
ANM05.004.25.019AB	UL2464	300V	25X19AWG	43/0.14	14.4	365.76	27.4Ω/km
ANM05.004.26.019AB	UL2464	300V	26X19AWG	43/0.14	14.4	370.46	27.4Ω/km
ANM05.004.27.019AB	UL2464	300V	27X19AWG	43/0.14	14.4	374.96	27.4Ω/km
ANM05.004.28.019AB	UL2464	300V	28X19AWG	43/0.14	14.9	397.26	27.4Ω/km
ANM05.004.29.019AB	UL2464	300V	29X19AWG	43/0.14	14.9	401.86	27.4Ω/km
ANM05.004.30.019AB	UL2464	300V	30X19AWG	43/0.14	14.9	406.46	27.4Ω/km
ANM05.004.31.019AB	UL2464	300V	31X19AWG	43/0.14	15.5	433.16	27.4Ω/km
ANM05.004.32.019AB	UL2464	300V	32X19AWG	43/0.14	15.5	437.76	27.4Ω/km
ANM05.004.33.019AB	UL2464	300V	33X19AWG	43/0.14	15.5	442.36	27.4Ω/km
ANM05.004.34.019AB	UL2464	300V	34X19AWG	43/0.14	16	466.06	27.4Ω/km
ANM05.004.35.019AB	UL2464	300V	35X19AWG	43/0.14	16	470.56	27.4Ω/km
ANM05.004.36.019AB	UL2464	300V	36X19AWG	43/0.14	16	475.36	27.4Ω/km
ANM05.004.37.019AB	UL2464	300V	37X19AWG	43/0.14	16	479.86	27.4Ω/km



ANM05.004.38.019AB	UL2464	300V	38X19AWG	43/0.14	16.6	508.16	27.4Ω/km
ANM05.004.39.019AB	UL2464	300V	39X19AWG	43/0.14	16.6	512.66	27.4Ω/km
ANM05.004.40.019AB	UL2464	300V	40X19AWG	43/0.14	16.6	517.46	27.4Ω/km
ANM05.004.41.019AB	UL2464	300V	41X19AWG	43/0.14	17.9	576.06	27.4Ω/km
ANM05.004.42.019AB	UL2464	300V	42X19AWG	43/0.14	17.9	580.66	27.4Ω/km
ANM05.004.43.019AB	UL2464	300V	43X19AWG	43/0.14	17.9	585.36	27.4Ω/km
ANM05.004.44.019AB	UL2464	300V	44X19AWG	43/0.14	17.9	589.96	27.4Ω/km
ANM05.004.45.019AB	UL2464	300V	45X19AWG	43/0.14	18.2	607.66	27.4Ω/km
ANM05.004.46.019AB	UL2464	300V	46X19AWG	43/0.14	18.2	612.26	27.4Ω/km
ANM05.004.47.019AB	UL2464	300V	47X19AWG	43/0.14	18.2	616.86	27.4Ω/km
ANM05.004.48.019AB	UL2464	300V	48X19AWG	43/0.14	18.2	621.56	27.4Ω/km
ANM05.004.49.019AB	UL2464	300V	49X19AWG	43/0.14	18.7	648.36	27.4Ω/km
ANM05.004.50.019AB	UL2464	300V	50X19AWG	43/0.14	18.7	653.06	27.4Ω/km
ANM05.004.51.019AB	UL2464	300V	51X19AWG	43/0.14	18.7	657.56	27.4Ω/km
ANM05.004.52.019AB	UL2464	300V	52X19AWG	43/0.14	18.7	662.36	27.4Ω/km
ANM05.004.53.019AB	UL2464	300V	53X19AWG	43/0.14	19.3	694.46	27.4Ω/km
ANM05.004.54.019AB	UL2464	300V	54X19AWG	43/0.14	19.3	698.96	27.4Ω/km
ANM05.004.55.019AB	UL2464	300V	55X19AWG	43/0.14	19.3	703.76	27.4Ω/km
ANM05.004.56.019AB	UL2464	300V	56X19AWG	43/0.14	19.3	708.26	27.4Ω/km
ANM05.004.57.019AB	UL2464	300V	57X19AWG	43/0.14	20.8	784.76	27.4Ω/km
ANM05.004.58.019AB	UL2464	300V	58X19AWG	43/0.14	20.8	789.26	27.4Ω/km
ANM05.004.59.019AB	UL2464	300V	59X19AWG	43/0.14	20.8	793.96	27.4Ω/km
ANM05.004.60.019AB	UL2464	300V	60X19AWG	43/0.14	20.8	798.56	27.4Ω/km
ANM05.004.61.019AB	UL2464	300V	61X19AWG	43/0.14	20.8	803.16	27.4Ω/km
ANM05.004.62.019AB	UL2464	300V	62X19AWG	43/0.14	21.4	838.26	27.4Ω/km
ANM05.004.63.019AB	UL2464	300V	63X19AWG	43/0.14	21.4	842.96	27.4Ω/km
ANM05.004.64.019AB	UL2464	300V	64X19AWG	43/0.14	21.4	847.56	27.4Ω/km
ANM05.004.65.019AB	UL2464	300V	65X19AWG	43/0.14	21.4	852.16	27.4Ω/km
ANM05.004.02.018AB	UL2464	300V	2X18AWG	29/0.19	6.6	64.93	21.8Ω/km
ANM05.004.03.018AB	UL2464	300V	3X18AWG	29/0.19	7	77.33	21.8Ω/km
ANM05.004.04.018AB	UL2464	300V	4X18AWG	29/0.19	7.5	92.23	21.8Ω/km
ANM05.004.05.018AB	UL2464	300V	5X18AWG	29/0.19	8	107.43	21.8Ω/km
ANM05.004.06.018AB	UL2464	300V	6X18AWG	29/0.19	8.6	125.23	21.8Ω/km
ANM05.004.07.018AB	UL2464	300V	7X18AWG	29/0.19	8.6	131.33	21.8Ω/km
ANM05.004.08.018AB	UL2464	300V	8X18AWG	29/0.19	9.2	150.13	21.8Ω/km
ANM05.004.09.018AB	UL2464	300V	9X18AWG	29/0.19	10	174.53	21.8Ω/km
ANM05.004.10.018AB	UL2464	300V	10X18AWG	29/0.19	10.6	195.43	21.8Ω/km
ANM05.004.11.018AB	UL2464	300V	11X18AWG	29/0.19	11	211.83	21.8Ω/km
ANM05.004.12.018AB	UL2464	300V	12X18AWG	29/0.19	11	217.63	21.8Ω/km
ANM05.004.13.018AB	UL2464	300V	13X18AWG	29/0.19	11.5	237.23	21.8Ω/km
ANM05.004.14.018AB	UL2464	300V	14X18AWG	29/0.19	11.5	243.13	21.8Ω/km
ANM05.004.15.018AB	UL2464	300V	15X18AWG	29/0.19	12	263.13	21.8Ω/km



ANM05.004.16.018AB	UL2464	300V	16X18AWG	29/0.19	12	269.23	21.8 Ω/km
ANM05.004.17.018AB	UL2464	300V	17X18AWG	29/0.19	12.6	292.93	21.8 Ω/km
ANM05.004.18.018AB	UL2464	300V	18X18AWG	29/0.19	12.6	298.93	21.8 Ω/km
ANM05.004.19.018AB	UL2464	300V	19X18AWG	29/0.19	12.6	305.03	21.8 Ω/km
ANM05.004.20.018AB	UL2464	300V	20X18AWG	29/0.19	13.1	326.33	21.8 Ω/km
ANM05.004.21.018AB	UL2464	300V	21X18AWG	29/0.19	13.3	338.63	21.8 Ω/km
ANM05.004.22.018AB	UL2464	300V	22X18AWG	29/0.19	14.1	371.13	21.8 Ω/km
ANM05.004.23.018AB	UL2464	300V	23X18AWG	29/0.19	14.7	397.83	21.8 Ω/km
ANM05.004.24.018AB	UL2464	300V	24X18AWG	29/0.19	14.7	403.73	21.8 Ω/km
ANM05.004.25.018AB	UL2464	300V	25X18AWG	29/0.19	15.1	424.23	21.8 Ω/km
ANM05.004.26.018AB	UL2464	300V	26X18AWG	29/0.19	15.1	430.03	21.8 Ω/km
ANM05.004.27.018AB	UL2464	300V	27X18AWG	29/0.19	15.1	436.03	21.8 Ω/km
ANM05.004.28.018AB	UL2464	300V	28X18AWG	29/0.19	15.6	460.33	21.8 Ω/km
ANM05.004.29.018AB	UL2464	300V	29X18AWG	29/0.19	15.6	466.43	21.8 Ω/km
ANM05.004.30.018AB	UL2464	300V	30X18AWG	29/0.19	15.6	472.43	21.8 Ω/km
ANM05.004.31.018AB	UL2464	300V	31X18AWG	29/0.19	16.1	497.43	21.8 Ω/km
ANM05.004.32.018AB	UL2464	300V	32X18AWG	29/0.19	16.1	503.43	21.8 Ω/km
ANM05.004.33.018AB	UL2464	300V	33X18AWG	29/0.19	16.1	509.43	21.8 Ω/km
ANM05.004.34.018AB	UL2464	300V	34X18AWG	29/0.19	16.7	539.03	21.8 Ω/km
ANM05.004.35.018AB	UL2464	300V	35X18AWG	29/0.19	16.7	545.13	21.8 Ω/km
ANM05.004.36.018AB	UL2464	300V	36X18AWG	29/0.19	16.7	551.03	21.8 Ω/km
ANM05.004.37.018AB	UL2464	300V	37X18AWG	29/0.19	16.7	556.93	21.8 Ω/km
ANM05.004.38.018AB	UL2464	300V	38X18AWG	29/0.19	17.3	587.53	21.8 Ω/km
ANM05.004.39.018AB	UL2464	300V	39X18AWG	29/0.19	17.3	593.53	21.8 Ω/km
ANM05.004.40.018AB	UL2464	300V	40X18AWG	29/0.19	17.3	599.43	21.8 Ω/km
ANM05.004.41.018AB	UL2464	300V	41X18AWG	29/0.19	18.7	666.13	21.8 Ω/km
ANM05.004.42.018AB	UL2464	300V	42X18AWG	29/0.19	18.7	672.03	21.8 Ω/km
ANM05.004.43.018AB	UL2464	300V	43X18AWG	29/0.19	18.7	678.03	21.8 Ω/km
ANM05.004.44.018AB	UL2464	300V	44X18AWG	29/0.19	18.7	684.03	21.8 Ω/km
ANM05.004.45.018AB	UL2464	300V	45X18AWG	29/0.19	19.1	708.23	21.8 Ω/km
ANM05.004.46.018AB	UL2464	300V	46X18AWG	29/0.19	19.1	714.13	21.8 Ω/km
ANM05.004.47.018AB	UL2464	300V	47X18AWG	29/0.19	19.1	720.23	21.8 Ω/km
ANM05.004.48.018AB	UL2464	300V	48X18AWG	29/0.19	19.1	726.03	21.8 Ω/km
ANM05.004.49.018AB	UL2464	300V	49X18AWG	29/0.19	20.6	803.03	21.8 Ω/km
ANM05.004.50.018AB	UL2464	300V	50X18AWG	29/0.19	20.6	809.13	21.8 Ω/km
ANM05.004.51.018AB	UL2464	300V	51X18AWG	29/0.19	20.6	814.93	21.8 Ω/km
ANM05.004.52.018AB	UL2464	300V	52X18AWG	29/0.19	20.6	820.93	21.8 Ω/km
ANM05.004.53.018AB	UL2464	300V	53X18AWG	29/0.19	21.1	852.03	21.8 Ω/km
ANM05.004.54.018AB	UL2464	300V	54X18AWG	29/0.19	21.1	857.93	21.8 Ω/km
ANM05.004.55.018AB	UL2464	300V	55X18AWG	29/0.19	21.1	863.93	21.8 Ω/km
ANM05.004.56.018AB	UL2464	300V	56X18AWG	29/0.19	21.1	869.73	21.8 Ω/km
ANM05.004.57.018AB	UL2464	300V	57X18AWG	29/0.19	21.7	906.73	21.8 Ω/km



ANM05.004.58.018AB	UL2464	300V	58X18AWG	29/0.19	21.7	912.73	21.8 Ω/km
ANM05.004.59.018AB	UL2464	300V	59X18AWG	29/0.19	21.7	918.63	21.8 Ω/km
ANM05.004.60.018AB	UL2464	300V	60X18AWG	29/0.19	21.7	924.63	21.8 Ω/km
ANM05.004.61.018AB	UL2464	300V	61X18AWG	29/0.19	21.7	930.63	21.8 Ω/km
ANM05.004.62.018AB	UL2464	300V	62X18AWG	29/0.19	22.3	968.33	21.8 Ω/km
ANM05.004.63.018AB	UL2464	300V	63X18AWG	29/0.19	22.3	974.43	21.8 Ω/km
ANM05.004.64.018AB	UL2464	300V	64X18AWG	29/0.19	22.3	980.43	21.8 Ω/km
ANM05.004.65.018AB	UL2464	300V	65X18AWG	29/0.19	22.3	986.23	21.8 Ω/km
ANM05.004.02.017AB	UL2464	300V	2X17AWG	37/0.19	7	74.54	17.3 Ω/km
ANM05.004.03.017AB	UL2464	300V	3X17AWG	37/0.19	7.4	88.84	17.3 Ω/km
ANM05.004.04.017AB	UL2464	300V	4X17AWG	37/0.19	8	107.34	17.3 Ω/km
ANM05.004.05.017AB	UL2464	300V	5X17AWG	37/0.19	8.6	126.64	17.3 Ω/km
ANM05.004.06.017AB	UL2464	300V	6X17AWG	37/0.19	9.2	146.84	17.3 Ω/km
ANM05.004.07.017AB	UL2464	300V	7X17AWG	37/0.19	9.2	154.14	17.3 Ω/km
ANM05.004.08.017AB	UL2464	300V	8X17AWG	37/0.19	9.9	177.64	17.3 Ω/km
ANM05.004.09.017AB	UL2464	300V	9X17AWG	37/0.19	10.8	207.44	17.3 Ω/km
ANM05.004.10.017AB	UL2464	300V	10X17AWG	37/0.19	11.4	230.94	17.3 Ω/km
ANM05.004.11.017AB	UL2464	300V	11X17AWG	37/0.19	11.8	249.44	17.3 Ω/km
ANM05.004.12.017AB	UL2464	300V	12X17AWG	37/0.19	11.8	256.84	17.3 Ω/km
ANM05.004.13.017AB	UL2464	300V	13X17AWG	37/0.19	12.4	281.64	17.3 Ω/km
ANM05.004.14.017AB	UL2464	300V	14X17AWG	37/0.19	12.4	288.94	17.3 Ω/km
ANM05.004.15.017AB	UL2464	300V	15X17AWG	37/0.19	13.1	317.84	17.3 Ω/km
ANM05.004.16.017AB	UL2464	300V	16X17AWG	37/0.19	13.1	325.24	17.3 Ω/km
ANM05.004.17.017AB	UL2464	300V	17X17AWG	37/0.19	13.7	351.94	17.3 Ω/km
ANM05.004.18.017AB	UL2464	300V	18X17AWG	37/0.19	13.7	359.34	17.3 Ω/km
ANM05.004.19.017AB	UL2464	300V	19X17AWG	37/0.19	13.7	366.84	17.3 Ω/km
ANM05.004.20.017AB	UL2464	300V	20X17AWG	37/0.19	14.1	387.54	17.3 Ω/km
ANM05.004.21.017AB	UL2464	300V	21X17AWG	37/0.19	14.4	405.24	17.3 Ω/km
ANM05.004.22.017AB	UL2464	300V	22X17AWG	37/0.19	15.3	444.74	17.3 Ω/km
ANM05.004.23.017AB	UL2464	300V	23X17AWG	37/0.19	15.9	474.64	17.3 Ω/km
ANM05.004.24.017AB	UL2464	300V	24X17AWG	37/0.19	15.9	482.04	17.3 Ω/km
ANM05.004.25.017AB	UL2464	300V	25X17AWG	37/0.19	16.3	504.94	17.3 Ω/km
ANM05.004.26.017AB	UL2464	300V	26X17AWG	37/0.19	16.3	512.24	17.3 Ω/km
ANM05.004.27.017AB	UL2464	300V	27X17AWG	37/0.19	16.3	519.74	17.3 Ω/km
ANM05.004.28.017AB	UL2464	300V	28X17AWG	37/0.19	16.9	551.14	17.3 Ω/km
ANM05.004.29.017AB	UL2464	300V	29X17AWG	37/0.19	16.9	558.54	17.3 Ω/km
ANM05.004.30.017AB	UL2464	300V	30X17AWG	37/0.19	16.9	565.84	17.3 Ω/km
ANM05.004.31.017AB	UL2464	300V	31X17AWG	37/0.19	17.5	598.14	17.3 Ω/km
ANM05.004.32.017AB	UL2464	300V	32X17AWG	37/0.19	17.5	605.44	17.3 Ω/km
ANM05.004.33.017AB	UL2464	300V	33X17AWG	37/0.19	17.5	612.74	17.3 Ω/km
ANM05.004.34.017AB	UL2464	300V	34X17AWG	37/0.19	18.1	645.84	17.3 Ω/km
ANM05.004.35.017AB	UL2464	300V	35X17AWG	37/0.19	18.1	653.24	17.3 Ω/km



ANM05.004.36.017AB	UL2464	300V	36X17AWG	37/0.19	18.1	660.64	17.3 Ω/km
ANM05.004.37.017AB	UL2464	300V	37X17AWG	37/0.19	18.1	668.14	17.3 Ω/km
ANM05.004.38.017AB	UL2464	300V	38X17AWG	37/0.19	18.8	706.64	17.3 Ω/km
ANM05.004.39.017AB	UL2464	300V	39X17AWG	37/0.19	18.8	714.04	17.3 Ω/km
ANM05.004.40.017AB	UL2464	300V	40X17AWG	37/0.19	18.8	721.34	17.3 Ω/km
ANM05.004.41.017AB	UL2464	300V	41X17AWG	37/0.19	21.3	848.74	17.3 Ω/km
ANM05.004.42.017AB	UL2464	300V	42X17AWG	37/0.19	21.3	856.04	17.3 Ω/km
ANM05.004.43.017AB	UL2464	300V	43X17AWG	37/0.19	21.3	863.44	17.3 Ω/km
ANM05.004.44.017AB	UL2464	300V	44X17AWG	37/0.19	21.3	870.74	17.3 Ω/km
ANM05.004.45.017AB	UL2464	300V	45X17AWG	37/0.19	21.7	898.94	17.3 Ω/km
ANM05.004.46.017AB	UL2464	300V	46X17AWG	37/0.19	21.7	906.34	17.3 Ω/km
ANM05.004.47.017AB	UL2464	300V	47X17AWG	37/0.19	21.7	913.74	17.3 Ω/km
ANM05.004.48.017AB	UL2464	300V	48X17AWG	37/0.19	21.7	921.04	17.3 Ω/km
ANM05.004.49.017AB	UL2464	300V	49X17AWG	37/0.19	22.3	960.34	17.3 Ω/km
ANM05.004.50.017AB	UL2464	300V	50X17AWG	37/0.19	22.3	967.64	17.3 Ω/km
ANM05.004.51.017AB	UL2464	300V	51X17AWG	37/0.19	22.3	974.94	17.3 Ω/km
ANM05.004.52.017AB	UL2464	300V	52X17AWG	37/0.19	22.3	982.34	17.3 Ω/km
ANM05.004.53.017AB	UL2464	300V	53X17AWG	37/0.19	22.9	1022.44	17.3 Ω/km
ANM05.004.54.017AB	UL2464	300V	54X17AWG	37/0.19	22.9	1029.74	17.3 Ω/km
ANM05.004.55.017AB	UL2464	300V	55X17AWG	37/0.19	22.9	1037.24	17.3 Ω/km
ANM05.004.56.017AB	UL2464	300V	56X17AWG	37/0.19	22.9	1044.54	17.3 Ω/km
ANM05.004.57.017AB	UL2464	300V	57X17AWG	37/0.19	23.5	1085.44	17.3 Ω/km
ANM05.004.58.017AB	UL2464	300V	58X17AWG	37/0.19	23.5	1092.84	17.3 Ω/km
ANM05.004.59.017AB	UL2464	300V	59X17AWG	37/0.19	23.5	1100.14	17.3 Ω/km
ANM05.004.60.017AB	UL2464	300V	60X17AWG	37/0.19	23.5	1107.54	17.3 Ω/km
ANM05.004.61.017AB	UL2464	300V	61X17AWG	37/0.19	23.5	1114.84	17.3 Ω/km
ANM05.004.62.017AB	UL2464	300V	62X17AWG	37/0.19	24.2	1162.64	17.3 Ω/km
ANM05.004.63.017AB	UL2464	300V	63X17AWG	37/0.19	24.2	1169.94	17.3 Ω/km
ANM05.004.64.017AB	UL2464	300V	64X17AWG	37/0.19	24.2	1177.44	17.3 Ω/km
ANM05.004.65.017AB	UL2464	300V	65X17AWG	37/0.19	24.2	1184.74	17.3 Ω/km
ANM05.004.02.016AB	UL2464	300V	2X16AWG	27/0.25	7.2	82.71	13.7 Ω/km
ANM05.004.03.016AB	UL2464	300V	3X16AWG	27/0.25	7.6	99.31	13.7 Ω/km
ANM05.004.04.016AB	UL2464	300V	4X16AWG	27/0.25	8.2	120.21	13.7 Ω/km
ANM05.004.05.016AB	UL2464	300V	5X16AWG	27/0.25	8.9	144.21	13.7 Ω/km
ANM05.004.06.016AB	UL2464	300V	6X16AWG	27/0.25	9.5	167.01	13.7 Ω/km
ANM05.004.07.016AB	UL2464	300V	7X16AWG	27/0.25	9.5	176.61	13.7 Ω/km
ANM05.004.08.016AB	UL2464	300V	8X16AWG	27/0.25	10.2	202.81	13.7 Ω/km
ANM05.004.09.016AB	UL2464	300V	9X16AWG	27/0.25	11.2	238.11	13.7 Ω/km
ANM05.004.10.016AB	UL2464	300V	10X16AWG	27/0.25	11.8	264.21	13.7 Ω/km
ANM05.004.11.016AB	UL2464	300V	11X16AWG	27/0.25	12.2	285.41	13.7 Ω/km
ANM05.004.12.016AB	UL2464	300V	12X16AWG	27/0.25	12.2	295.01	13.7 Ω/km
ANM05.004.13.016AB	UL2464	300V	13X16AWG	27/0.25	12.9	325.71	13.7 Ω/km



ANM05.004.14.016AB	UL2464	300V	14X16AWG	27/0.25	12.9	335.31	13.7 Ω/km
ANM05.004.15.016AB	UL2464	300V	15X16AWG	27/0.25	13.6	367.11	13.7 Ω/km
ANM05.004.16.016AB	UL2464	300V	16X16AWG	27/0.25	13.6	376.71	13.7 Ω/km
ANM05.004.17.016AB	UL2464	300V	17X16AWG	27/0.25	14.2	406.41	13.7 Ω/km
ANM05.004.18.016AB	UL2464	300V	18X16AWG	27/0.25	14.2	416.01	13.7 Ω/km
ANM05.004.19.016AB	UL2464	300V	19X16AWG	27/0.25	14.2	425.61	13.7 Ω/km
ANM05.004.20.016AB	UL2464	300V	20X16AWG	27/0.25	14.6	448.91	13.7 Ω/km
ANM05.004.21.016AB	UL2464	300V	21X16AWG	27/0.25	14.9	469.21	13.7 Ω/km
ANM05.004.22.016AB	UL2464	300V	22X16AWG	27/0.25	15.9	515.81	13.7 Ω/km
ANM05.004.23.016AB	UL2464	300V	23X16AWG	27/0.25	16.5	548.91	13.7 Ω/km
ANM05.004.24.016AB	UL2464	300V	24X16AWG	27/0.25	16.5	558.51	13.7 Ω/km
ANM05.004.25.016AB	UL2464	300V	25X16AWG	27/0.25	16.9	584.11	13.7 Ω/km
ANM05.004.26.016AB	UL2464	300V	26X16AWG	27/0.25	16.9	593.71	13.7 Ω/km
ANM05.004.27.016AB	UL2464	300V	27X16AWG	27/0.25	16.9	603.21	13.7 Ω/km
ANM05.004.28.016AB	UL2464	300V	28X16AWG	27/0.25	17.5	637.71	13.7 Ω/km
ANM05.004.29.016AB	UL2464	300V	29X16AWG	27/0.25	17.5	647.21	13.7 Ω/km
ANM05.004.30.016AB	UL2464	300V	30X16AWG	27/0.25	17.5	656.81	13.7 Ω/km
ANM05.004.31.016AB	UL2464	300V	31X16AWG	27/0.25	18.2	696.51	13.7 Ω/km
ANM05.004.32.016AB	UL2464	300V	32X16AWG	27/0.25	18.2	706.01	13.7 Ω/km
ANM05.004.33.016AB	UL2464	300V	33X16AWG	27/0.25	18.2	715.61	13.7 Ω/km
ANM05.004.34.016AB	UL2464	300V	34X16AWG	27/0.25	18.8	751.91	13.7 Ω/km
ANM05.004.35.016AB	UL2464	300V	35X16AWG	27/0.25	18.8	761.51	13.7 Ω/km
ANM05.004.36.016AB	UL2464	300V	36X16AWG	27/0.25	18.8	771.11	13.7 Ω/km
ANM05.004.37.016AB	UL2464	300V	37X16AWG	27/0.25	18.8	780.61	13.7 Ω/km
ANM05.004.38.016AB	UL2464	300V	38X16AWG	27/0.25	20.5	870.01	13.7 Ω/km
ANM05.004.39.016AB	UL2464	300V	39X16AWG	27/0.25	20.5	879.51	13.7 Ω/km
ANM05.004.40.016AB	UL2464	300V	40X16AWG	27/0.25	20.5	889.11	13.7 Ω/km
ANM05.004.41.016AB	UL2464	300V	41X16AWG	27/0.25	22.1	980.81	13.7 Ω/km
ANM05.004.42.016AB	UL2464	300V	42X16AWG	27/0.25	22.1	990.31	13.7 Ω/km
ANM05.004.43.016AB	UL2464	300V	43X16AWG	27/0.25	22.1	999.91	13.7 Ω/km
ANM05.004.44.016AB	UL2464	300V	44X16AWG	27/0.25	22.1	1009.41	13.7 Ω/km
ANM05.004.45.016AB	UL2464	300V	45X16AWG	27/0.25	22.5	1040.61	13.7 Ω/km
ANM05.004.46.016AB	UL2464	300V	46X16AWG	27/0.25	22.5	1050.11	13.7 Ω/km
ANM05.004.47.016AB	UL2464	300V	47X16AWG	27/0.25	22.5	1059.71	13.7 Ω/km
ANM05.004.48.016AB	UL2464	300V	48X16AWG	27/0.25	22.5	1069.31	13.7 Ω/km
ANM05.004.49.016AB	UL2464	300V	49X16AWG	27/0.25	23.1	1111.71	13.7 Ω/km
ANM05.004.50.016AB	UL2464	300V	50X16AWG	27/0.25	23.1	1121.31	13.7 Ω/km
ANM05.004.51.016AB	UL2464	300V	51X16AWG	27/0.25	23.1	1130.81	13.7 Ω/km
ANM05.004.52.016AB	UL2464	300V	52X16AWG	27/0.25	23.1	1140.41	13.7 Ω/km
ANM05.004.53.016AB	UL2464	300V	53X16AWG	27/0.25	23.8	1189.61	13.7 Ω/km
ANM05.004.54.016AB	UL2464	300V	54X16AWG	27/0.25	23.8	1199.11	13.7 Ω/km
ANM05.004.55.016AB	UL2464	300V	55X16AWG	27/0.25	23.8	1208.71	13.7 Ω/km



ANM05.004.56.016AB	UL2464	300V	56X16AWG	27/0.25	23.8	1218.21	13.7 Ω/km
ANM05.004.57.016AB	UL2464	300V	57X16AWG	27/0.25	24.4	1262.71	13.7 Ω/km
ANM05.004.58.016AB	UL2464	300V	58X16AWG	27/0.25	24.4	1272.21	13.7 Ω/km
ANM05.004.59.016AB	UL2464	300V	59X16AWG	27/0.25	24.4	1281.81	13.7 Ω/km
ANM05.004.60.016AB	UL2464	300V	60X16AWG	27/0.25	24.4	1291.41	13.7 Ω/km
ANM05.004.61.016AB	UL2464	300V	61X16AWG	27/0.25	24.4	1300.91	13.7 Ω/km
ANM05.004.62.016AB	UL2464	300V	62X16AWG	27/0.25	25.1	1352.31	13.7 Ω/km
ANM05.004.63.016AB	UL2464	300V	63X16AWG	27/0.25	25.1	1361.81	13.7 Ω/km
ANM05.004.64.016AB	UL2464	300V	64X16AWG	27/0.25	25.1	1371.41	13.7 Ω/km
ANM05.004.65.016AB	UL2464	300V	65X16AWG	27/0.25	25.1	1381.01	13.7 Ω/km