



物料编号	型号	额定电压	规格	导体结构	电缆近似 外径 mm	近似重量 kg/km	导体电阻 $\Omega$ /km
芯线 PVC 材质							
ANM08.001.02.022AB	UL2501	600V	2X22AWG	22/0.14	7.4	70.13	55.4 $\Omega$ /km
ANM08.001.03.022AB	UL2501	600V	3X22AWG	22/0.14	7.7	77.83	55.4 $\Omega$ /km
ANM08.001.04.022AB	UL2501	600V	4X22AWG	22/0.14	8.1	87.53	55.4 $\Omega$ /km
ANM08.001.05.022AB	UL2501	600V	5X22AWG	22/0.14	8.6	99.83	55.4 $\Omega$ /km
ANM08.001.06.022AB	UL2501	600V	6X22AWG	22/0.14	9	110.53	55.4 $\Omega$ /km
ANM08.001.07.022AB	UL2501	600V	7X22AWG	22/0.14	9	112.73	55.4 $\Omega$ /km
ANM08.001.08.022AB	UL2501	600V	8X22AWG	22/0.14	9.5	126.03	55.4 $\Omega$ /km
ANM08.001.09.022AB	UL2501	600V	9X22AWG	22/0.14	10.2	144.83	55.4 $\Omega$ /km
ANM08.001.10.022AB	UL2501	600V	10X22AWG	22/0.14	10.6	157.03	55.4 $\Omega$ /km
ANM08.001.11.022AB	UL2501	600V	11X22AWG	22/0.14	10.9	167.13	55.4 $\Omega$ /km
ANM08.001.12.022AB	UL2501	600V	12X22AWG	22/0.14	10.9	169.23	55.4 $\Omega$ /km
ANM08.001.13.022AB	UL2501	600V	13X22AWG	22/0.14	11.3	182.23	55.4 $\Omega$ /km
ANM08.001.14.022AB	UL2501	600V	14X22AWG	22/0.14	11.3	184.43	55.4 $\Omega$ /km
ANM08.001.15.022AB	UL2501	600V	15X22AWG	22/0.14	11.8	200.53	55.4 $\Omega$ /km
ANM08.001.16.022AB	UL2501	600V	16X22AWG	22/0.14	11.8	202.73	55.4 $\Omega$ /km
ANM08.001.17.022AB	UL2501	600V	17X22AWG	22/0.14	12.2	216.43	55.4 $\Omega$ /km
ANM08.001.18.022AB	UL2501	600V	18X22AWG	22/0.14	12.2	218.73	55.4 $\Omega$ /km
ANM08.001.19.022AB	UL2501	600V	19X22AWG	22/0.14	12.2	220.93	55.4 $\Omega$ /km
ANM08.001.20.022AB	UL2501	600V	20X22AWG	22/0.14	12.5	232.03	55.4 $\Omega$ /km
ANM08.001.21.022AB	UL2501	600V	21X22AWG	22/0.14	12.7	240.33	55.4 $\Omega$ /km
ANM08.001.22.022AB	UL2501	600V	22X22AWG	22/0.14	13.4	264.63	55.4 $\Omega$ /km
ANM08.001.23.022AB	UL2501	600V	23X22AWG	22/0.14	13.8	280.03	55.4 $\Omega$ /km
ANM08.001.24.022AB	UL2501	600V	24X22AWG	22/0.14	13.8	282.13	55.4 $\Omega$ /km
ANM08.001.25.022AB	UL2501	600V	25X22AWG	22/0.14	14.1	294.43	55.4 $\Omega$ /km
ANM08.001.26.022AB	UL2501	600V	26X22AWG	22/0.14	14.1	296.63	55.4 $\Omega$ /km
ANM08.001.27.022AB	UL2501	600V	27X22AWG	22/0.14	14.1	298.83	55.4 $\Omega$ /km
ANM08.001.28.022AB	UL2501	600V	28X22AWG	22/0.14	14.6	318.33	55.4 $\Omega$ /km
ANM08.001.29.022AB	UL2501	600V	29X22AWG	22/0.14	14.6	320.63	55.4 $\Omega$ /km
ANM08.001.30.022AB	UL2501	600V	30X22AWG	22/0.14	14.6	322.83	55.4 $\Omega$ /km
ANM08.001.31.022AB	UL2501	600V	31X22AWG	22/0.14	15.1	342.93	55.4 $\Omega$ /km
ANM08.001.32.022AB	UL2501	600V	32X22AWG	22/0.14	15.1	345.23	55.4 $\Omega$ /km
ANM08.001.33.022AB	UL2501	600V	33X22AWG	22/0.14	15.1	347.43	55.4 $\Omega$ /km
ANM08.001.34.022AB	UL2501	600V	34X22AWG	22/0.14	15.5	364.43	55.4 $\Omega$ /km
ANM08.001.35.022AB	UL2501	600V	35X22AWG	22/0.14	15.5	366.53	55.4 $\Omega$ /km
ANM08.001.36.022AB	UL2501	600V	36X22AWG	22/0.14	15.5	368.83	55.4 $\Omega$ /km
ANM08.001.37.022AB	UL2501	600V	37X22AWG	22/0.14	15.5	371.03	55.4 $\Omega$ /km
ANM08.001.38.022AB	UL2501	600V	38X22AWG	22/0.14	16	392.33	55.4 $\Omega$ /km
ANM08.001.39.022AB	UL2501	600V	39X22AWG	22/0.14	16	394.53	55.4 $\Omega$ /km
ANM08.001.40.022AB	UL2501	600V	40X22AWG	22/0.14	16	396.73	55.4 $\Omega$ /km



ANM08.001.41.022AB	UL2501	600V	41X22AWG	22/0.14	17.1	442.83	55.4 Ω/km
ANM08.001.42.022AB	UL2501	600V	42X22AWG	22/0.14	17.1	445.03	55.4 Ω/km
ANM08.001.43.022AB	UL2501	600V	43X22AWG	22/0.14	17.1	447.23	55.4 Ω/km
ANM08.001.44.022AB	UL2501	600V	44X22AWG	22/0.14	17.1	449.43	55.4 Ω/km
ANM08.001.45.022AB	UL2501	600V	45X22AWG	22/0.14	17.4	464.23	55.4 Ω/km
ANM08.001.46.022AB	UL2501	600V	46X22AWG	22/0.14	17.4	466.53	55.4 Ω/km
ANM08.001.47.022AB	UL2501	600V	47X22AWG	22/0.14	17.4	468.63	55.4 Ω/km
ANM08.001.48.022AB	UL2501	600V	48X22AWG	22/0.14	17.4	470.93	55.4 Ω/km
ANM08.001.49.022AB	UL2501	600V	49X22AWG	22/0.14	17.8	490.13	55.4 Ω/km
ANM08.001.50.022AB	UL2501	600V	50X22AWG	22/0.14	17.8	492.43	55.4 Ω/km
ANM08.001.51.022AB	UL2501	600V	51X22AWG	22/0.14	17.8	494.53	55.4 Ω/km
ANM08.001.52.022AB	UL2501	600V	52X22AWG	22/0.14	17.8	496.83	55.4 Ω/km
ANM08.001.53.022AB	UL2501	600V	53X22AWG	22/0.14	18.3	520.83	55.4 Ω/km
ANM08.001.54.022AB	UL2501	600V	54X22AWG	22/0.14	18.3	522.93	55.4 Ω/km
ANM08.001.55.022AB	UL2501	600V	55X22AWG	22/0.14	18.3	525.23	55.4 Ω/km
ANM08.001.56.022AB	UL2501	600V	56X22AWG	22/0.14	18.3	527.43	55.4 Ω/km
ANM08.001.57.022AB	UL2501	600V	57X22AWG	22/0.14	18.7	547.53	55.4 Ω/km
ANM08.001.58.022AB	UL2501	600V	58X22AWG	22/0.14	18.7	549.63	55.4 Ω/km
ANM08.001.59.022AB	UL2501	600V	59X22AWG	22/0.14	18.7	551.93	55.4 Ω/km
ANM08.001.60.022AB	UL2501	600V	60X22AWG	22/0.14	18.7	554.13	55.4 Ω/km
ANM08.001.61.022AB	UL2501	600V	61X22AWG	22/0.14	18.7	556.43	55.4 Ω/km
ANM08.001.62.022AB	UL2501	600V	62X22AWG	22/0.14	19.2	581.43	55.4 Ω/km
ANM08.001.63.022AB	UL2501	600V	63X22AWG	22/0.14	19.2	583.63	55.4 Ω/km
ANM08.001.64.022AB	UL2501	600V	64X22AWG	22/0.14	19.2	585.93	55.4 Ω/km
ANM08.001.65.022AB	UL2501	600V	65X22AWG	22/0.14	19.2	588.13	55.4 Ω/km
ANM08.001.02.021AB	UL2501	600V	2X21AWG	27/0.14	7.6	75.02	43.6 Ω/km
ANM08.001.03.021AB	UL2501	600V	3X21AWG	27/0.14	7.9	83.52	43.6 Ω/km
ANM08.001.04.021AB	UL2501	600V	4X21AWG	27/0.14	8.4	96.12	43.6 Ω/km
ANM08.001.05.021AB	UL2501	600V	5X21AWG	27/0.14	8.8	107.22	43.6 Ω/km
ANM08.001.06.021AB	UL2501	600V	6X21AWG	27/0.14	9.3	120.92	43.6 Ω/km
ANM08.001.07.021AB	UL2501	600V	7X21AWG	27/0.14	9.3	123.82	43.6 Ω/km
ANM08.001.08.021AB	UL2501	600V	8X21AWG	27/0.14	9.9	140.42	43.6 Ω/km
ANM08.001.09.021AB	UL2501	600V	9X21AWG	27/0.14	10.5	157.92	43.6 Ω/km
ANM08.001.10.021AB	UL2501	600V	10X21AWG	27/0.14	11	173.72	43.6 Ω/km
ANM08.001.11.021AB	UL2501	600V	11X21AWG	27/0.14	11.3	184.62	43.6 Ω/km
ANM08.001.12.021AB	UL2501	600V	12X21AWG	27/0.14	11.3	187.52	43.6 Ω/km
ANM08.001.13.021AB	UL2501	600V	13X21AWG	27/0.14	11.8	204.22	43.6 Ω/km
ANM08.001.14.021AB	UL2501	600V	14X21AWG	27/0.14	11.8	207.02	43.6 Ω/km
ANM08.001.15.021AB	UL2501	600V	15X21AWG	27/0.14	12.2	221.42	43.6 Ω/km
ANM08.001.16.021AB	UL2501	600V	16X21AWG	27/0.14	12.2	224.22	43.6 Ω/km
ANM08.001.17.021AB	UL2501	600V	17X21AWG	27/0.14	12.7	242.02	43.6 Ω/km
ANM08.001.18.021AB	UL2501	600V	18X21AWG	27/0.14	12.7	244.92	43.6 Ω/km



ANM08.001.19.021AB	UL2501	600V	19X21AWG	27/0.14	12.7	247.82	43.6 Ω/km
ANM08.001.20.021AB	UL2501	600V	20X21AWG	27/0.14	13	259.92	43.6 Ω/km
ANM08.001.21.021AB	UL2501	600V	21X21AWG	27/0.14	13.3	272.32	43.6 Ω/km
ANM08.001.22.021AB	UL2501	600V	22X21AWG	27/0.14	13.9	294.72	43.6 Ω/km
ANM08.001.23.021AB	UL2501	600V	23X21AWG	27/0.14	14.5	318.02	43.6 Ω/km
ANM08.001.24.021AB	UL2501	600V	24X21AWG	27/0.14	14.5	320.92	43.6 Ω/km
ANM08.001.25.021AB	UL2501	600V	25X21AWG	27/0.14	14.8	334.22	43.6 Ω/km
ANM08.001.26.021AB	UL2501	600V	26X21AWG	27/0.14	14.8	337.12	43.6 Ω/km
ANM08.001.27.021AB	UL2501	600V	27X21AWG	27/0.14	14.8	340.02	43.6 Ω/km
ANM08.001.28.021AB	UL2501	600V	28X21AWG	27/0.14	15.3	361.02	43.6 Ω/km
ANM08.001.29.021AB	UL2501	600V	29X21AWG	27/0.14	15.3	363.92	43.6 Ω/km
ANM08.001.30.021AB	UL2501	600V	30X21AWG	27/0.14	15.3	366.82	43.6 Ω/km
ANM08.001.31.021AB	UL2501	600V	31X21AWG	27/0.14	15.7	384.52	43.6 Ω/km
ANM08.001.32.021AB	UL2501	600V	32X21AWG	27/0.14	15.7	387.42	43.6 Ω/km
ANM08.001.33.021AB	UL2501	600V	33X21AWG	27/0.14	15.7	390.22	43.6 Ω/km
ANM08.001.34.021AB	UL2501	600V	34X21AWG	27/0.14	16.2	412.22	43.6 Ω/km
ANM08.001.35.021AB	UL2501	600V	35X21AWG	27/0.14	16.2	415.12	43.6 Ω/km
ANM08.001.36.021AB	UL2501	600V	36X21AWG	27/0.14	16.2	417.92	43.6 Ω/km
ANM08.001.37.021AB	UL2501	600V	37X21AWG	27/0.14	16.2	420.82	43.6 Ω/km
ANM08.001.38.021AB	UL2501	600V	38X21AWG	27/0.14	16.8	447.52	43.6 Ω/km
ANM08.001.39.021AB	UL2501	600V	39X21AWG	27/0.14	16.8	450.32	43.6 Ω/km
ANM08.001.40.021AB	UL2501	600V	40X21AWG	27/0.14	16.8	453.22	43.6 Ω/km
ANM08.001.41.021AB	UL2501	600V	41X21AWG	27/0.14	17.9	502.02	43.6 Ω/km
ANM08.001.42.021AB	UL2501	600V	42X21AWG	27/0.14	17.9	504.82	43.6 Ω/km
ANM08.001.43.021AB	UL2501	600V	43X21AWG	27/0.14	17.9	507.72	43.6 Ω/km
ANM08.001.44.021AB	UL2501	600V	44X21AWG	27/0.14	17.9	510.52	43.6 Ω/km
ANM08.001.45.021AB	UL2501	600V	45X21AWG	27/0.14	18.2	526.42	43.6 Ω/km
ANM08.001.46.021AB	UL2501	600V	46X21AWG	27/0.14	18.2	529.22	43.6 Ω/km
ANM08.001.47.021AB	UL2501	600V	47X21AWG	27/0.14	18.2	532.02	43.6 Ω/km
ANM08.001.48.021AB	UL2501	600V	48X21AWG	27/0.14	18.2	535.02	43.6 Ω/km
ANM08.001.49.021AB	UL2501	600V	49X21AWG	27/0.14	18.7	560.12	43.6 Ω/km
ANM08.001.50.021AB	UL2501	600V	50X21AWG	27/0.14	18.7	562.92	43.6 Ω/km
ANM08.001.51.021AB	UL2501	600V	51X21AWG	27/0.14	18.7	565.82	43.6 Ω/km
ANM08.001.52.021AB	UL2501	600V	52X21AWG	27/0.14	18.7	568.72	43.6 Ω/km
ANM08.001.53.021AB	UL2501	600V	53X21AWG	27/0.14	19.1	589.82	43.6 Ω/km
ANM08.001.54.021AB	UL2501	600V	54X21AWG	27/0.14	19.1	592.62	43.6 Ω/km
ANM08.001.55.021AB	UL2501	600V	55X21AWG	27/0.14	19.1	595.42	43.6 Ω/km
ANM08.001.56.021AB	UL2501	600V	56X21AWG	27/0.14	19.1	598.32	43.6 Ω/km
ANM08.001.57.021AB	UL2501	600V	57X21AWG	27/0.14	19.6	624.52	43.6 Ω/km
ANM08.001.58.021AB	UL2501	600V	58X21AWG	27/0.14	19.6	627.32	43.6 Ω/km
ANM08.001.59.021AB	UL2501	600V	59X21AWG	27/0.14	19.6	630.22	43.6 Ω/km
ANM08.001.60.021AB	UL2501	600V	60X21AWG	27/0.14	19.6	633.12	43.6 Ω/km



ANM08.001.61.021AB	UL2501	600V	61X21AWG	27/0.14	19.6	635.82	43.6 Ω/km
ANM08.001.62.021AB	UL2501	600V	62X21AWG	27/0.14	20.2	667.52	43.6 Ω/km
ANM08.001.63.021AB	UL2501	600V	63X21AWG	27/0.14	20.2	670.42	43.6 Ω/km
ANM08.001.64.021AB	UL2501	600V	64X21AWG	27/0.14	20.2	673.22	43.6 Ω/km
ANM08.001.65.021AB	UL2501	600V	65X21AWG	27/0.14	20.2	676.12	43.6 Ω/km
ANM08.001.02.020AB	UL2501	600V	2X20AWG	34/0.14	7.8	80.42	34.6 Ω/km
ANM08.001.03.020AB	UL2501	600V	3X20AWG	34/0.14	8.1	89.62	34.6 Ω/km
ANM08.001.04.020AB	UL2501	600V	4X20AWG	34/0.14	8.6	103.42	34.6 Ω/km
ANM08.001.05.020AB	UL2501	600V	5X20AWG	34/0.14	9.1	117.52	34.6 Ω/km
ANM08.001.06.020AB	UL2501	600V	6X20AWG	34/0.14	9.6	132.52	34.6 Ω/km
ANM08.001.07.020AB	UL2501	600V	7X20AWG	34/0.14	9.6	136.02	34.6 Ω/km
ANM08.001.08.020AB	UL2501	600V	8X20AWG	34/0.14	10.2	153.92	34.6 Ω/km
ANM08.001.09.020AB	UL2501	600V	9X20AWG	34/0.14	10.9	175.32	34.6 Ω/km
ANM08.001.10.020AB	UL2501	600V	10X20AWG	34/0.14	11.4	192.32	34.6 Ω/km
ANM08.001.11.020AB	UL2501	600V	11X20AWG	34/0.14	11.7	204.32	34.6 Ω/km
ANM08.001.12.020AB	UL2501	600V	12X20AWG	34/0.14	11.7	207.92	34.6 Ω/km
ANM08.001.13.020AB	UL2501	600V	13X20AWG	34/0.14	12.2	225.82	34.6 Ω/km
ANM08.001.14.020AB	UL2501	600V	14X20AWG	34/0.14	12.2	229.52	34.6 Ω/km
ANM08.001.15.020AB	UL2501	600V	15X20AWG	34/0.14	12.7	248.02	34.6 Ω/km
ANM08.001.16.020AB	UL2501	600V	16X20AWG	34/0.14	12.7	251.72	34.6 Ω/km
ANM08.001.17.020AB	UL2501	600V	17X20AWG	34/0.14	13.2	271.02	34.6 Ω/km
ANM08.001.18.020AB	UL2501	600V	18X20AWG	34/0.14	13.2	274.62	34.6 Ω/km
ANM08.001.19.020AB	UL2501	600V	19X20AWG	34/0.14	13.2	278.32	34.6 Ω/km
ANM08.001.20.020AB	UL2501	600V	20X20AWG	34/0.14	13.5	291.42	34.6 Ω/km
ANM08.001.21.020AB	UL2501	600V	21X20AWG	34/0.14	13.8	305.02	34.6 Ω/km
ANM08.001.22.020AB	UL2501	600V	22X20AWG	34/0.14	14.6	335.82	34.6 Ω/km
ANM08.001.23.020AB	UL2501	600V	23X20AWG	34/0.14	15.1	357.42	34.6 Ω/km
ANM08.001.24.020AB	UL2501	600V	24X20AWG	34/0.14	15.1	361.02	34.6 Ω/km
ANM08.001.25.020AB	UL2501	600V	25X20AWG	34/0.14	15.4	375.72	34.6 Ω/km
ANM08.001.26.020AB	UL2501	600V	26X20AWG	34/0.14	15.4	379.22	34.6 Ω/km
ANM08.001.27.020AB	UL2501	600V	27X20AWG	34/0.14	15.4	382.82	34.6 Ω/km
ANM08.001.28.020AB	UL2501	600V	28X20AWG	34/0.14	15.9	405.32	34.6 Ω/km
ANM08.001.29.020AB	UL2501	600V	29X20AWG	34/0.14	15.9	409.02	34.6 Ω/km
ANM08.001.30.020AB	UL2501	600V	30X20AWG	34/0.14	15.9	412.62	34.6 Ω/km
ANM08.001.31.020AB	UL2501	600V	31X20AWG	34/0.14	16.4	435.62	34.6 Ω/km
ANM08.001.32.020AB	UL2501	600V	32X20AWG	34/0.14	16.4	439.22	34.6 Ω/km
ANM08.001.33.020AB	UL2501	600V	33X20AWG	34/0.14	16.4	442.92	34.6 Ω/km
ANM08.001.34.020AB	UL2501	600V	34X20AWG	34/0.14	16.9	466.62	34.6 Ω/km
ANM08.001.35.020AB	UL2501	600V	35X20AWG	34/0.14	16.9	470.22	34.6 Ω/km
ANM08.001.36.020AB	UL2501	600V	36X20AWG	34/0.14	16.9	473.82	34.6 Ω/km
ANM08.001.37.020AB	UL2501	600V	37X20AWG	34/0.14	16.9	477.42	34.6 Ω/km
ANM08.001.38.020AB	UL2501	600V	38X20AWG	34/0.14	17.5	506.02	34.6 Ω/km



ANM08.001.39.020AB	UL2501	600V	39X20AWG	34/0.14	17.5	509.52	34.6 Ω/km
ANM08.001.40.020AB	UL2501	600V	40X20AWG	34/0.14	17.5	513.22	34.6 Ω/km
ANM08.001.41.020AB	UL2501	600V	41X20AWG	34/0.14	18.7	569.12	34.6 Ω/km
ANM08.001.42.020AB	UL2501	600V	42X20AWG	34/0.14	18.7	572.82	34.6 Ω/km
ANM08.001.43.020AB	UL2501	600V	43X20AWG	34/0.14	18.7	576.42	34.6 Ω/km
ANM08.001.44.020AB	UL2501	600V	44X20AWG	34/0.14	18.7	580.12	34.6 Ω/km
ANM08.001.45.020AB	UL2501	600V	45X20AWG	34/0.14	19	597.22	34.6 Ω/km
ANM08.001.46.020AB	UL2501	600V	46X20AWG	34/0.14	19	600.92	34.6 Ω/km
ANM08.001.47.020AB	UL2501	600V	47X20AWG	34/0.14	19	604.52	34.6 Ω/km
ANM08.001.48.020AB	UL2501	600V	48X20AWG	34/0.14	19	608.22	34.6 Ω/km
ANM08.001.49.020AB	UL2501	600V	49X20AWG	34/0.14	19.5	635.02	34.6 Ω/km
ANM08.001.50.020AB	UL2501	600V	50X20AWG	34/0.14	19.5	638.72	34.6 Ω/km
ANM08.001.51.020AB	UL2501	600V	51X20AWG	34/0.14	19.5	642.42	34.6 Ω/km
ANM08.001.52.020AB	UL2501	600V	52X20AWG	34/0.14	19.5	646.02	34.6 Ω/km
ANM08.001.53.020AB	UL2501	600V	53X20AWG	34/0.14	20	673.42	34.6 Ω/km
ANM08.001.54.020AB	UL2501	600V	54X20AWG	34/0.14	20	676.92	34.6 Ω/km
ANM08.001.55.020AB	UL2501	600V	55X20AWG	34/0.14	20	680.62	34.6 Ω/km
ANM08.001.56.020AB	UL2501	600V	56X20AWG	34/0.14	20	684.12	34.6 Ω/km
ANM08.001.57.020AB	UL2501	600V	57X20AWG	34/0.14	20.5	712.22	34.6 Ω/km
ANM08.001.58.020AB	UL2501	600V	58X20AWG	34/0.14	20.5	715.72	34.6 Ω/km
ANM08.001.59.020AB	UL2501	600V	59X20AWG	34/0.14	20.5	719.42	34.6 Ω/km
ANM08.001.60.020AB	UL2501	600V	60X20AWG	34/0.14	20.5	723.02	34.6 Ω/km
ANM08.001.61.020AB	UL2501	600V	61X20AWG	34/0.14	20.5	726.72	34.6 Ω/km
ANM08.001.62.020AB	UL2501	600V	62X20AWG	34/0.14	22.5	832.72	34.6 Ω/km
ANM08.001.63.020AB	UL2501	600V	63X20AWG	34/0.14	22.5	836.32	34.6 Ω/km
ANM08.001.64.020AB	UL2501	600V	64X20AWG	34/0.14	22.5	839.92	34.6 Ω/km
ANM08.001.65.020AB	UL2501	600V	65X20AWG	34/0.14	22.5	843.62	34.6 Ω/km
ANM08.001.02.019AB	UL2501	600V	2X19AWG	43/0.14	8	86.36	27.4 Ω/km
ANM08.001.03.019AB	UL2501	600V	3X19AWG	43/0.14	8.3	96.76	27.4 Ω/km
ANM08.001.04.019AB	UL2501	600V	4X19AWG	43/0.14	8.8	111.76	27.4 Ω/km
ANM08.001.05.019AB	UL2501	600V	5X19AWG	43/0.14	9.4	129.46	27.4 Ω/km
ANM08.001.06.019AB	UL2501	600V	6X19AWG	43/0.14	9.9	145.66	27.4 Ω/km
ANM08.001.07.019AB	UL2501	600V	7X19AWG	43/0.14	9.9	150.16	27.4 Ω/km
ANM08.001.08.019AB	UL2501	600V	8X19AWG	43/0.14	10.5	169.56	27.4 Ω/km
ANM08.001.09.019AB	UL2501	600V	9X19AWG	43/0.14	11.3	195.06	27.4 Ω/km
ANM08.001.10.019AB	UL2501	600V	10X19AWG	43/0.14	11.8	213.66	27.4 Ω/km
ANM08.001.11.019AB	UL2501	600V	11X19AWG	43/0.14	12.1	226.76	27.4 Ω/km
ANM08.001.12.019AB	UL2501	600V	12X19AWG	43/0.14	12.1	231.46	27.4 Ω/km
ANM08.001.13.019AB	UL2501	600V	13X19AWG	43/0.14	12.6	250.86	27.4 Ω/km
ANM08.001.14.019AB	UL2501	600V	14X19AWG	43/0.14	12.6	255.56	27.4 Ω/km
ANM08.001.15.019AB	UL2501	600V	15X19AWG	43/0.14	13.2	278.76	27.4 Ω/km
ANM08.001.16.019AB	UL2501	600V	16X19AWG	43/0.14	13.2	283.46	27.4 Ω/km



ANM08.001.17.019AB	UL2501	600V	17X19AWG	43/0.14	13.7	304.16	27.4 Ω/km
ANM08.001.18.019AB	UL2501	600V	18X19AWG	43/0.14	13.7	308.86	27.4 Ω/km
ANM08.001.19.019AB	UL2501	600V	19X19AWG	43/0.14	13.7	313.46	27.4 Ω/km
ANM08.001.20.019AB	UL2501	600V	20X19AWG	43/0.14	14	328.16	27.4 Ω/km
ANM08.001.21.019AB	UL2501	600V	21X19AWG	43/0.14	14.4	346.26	27.4 Ω/km
ANM08.001.22.019AB	UL2501	600V	22X19AWG	43/0.14	15.2	379.46	27.4 Ω/km
ANM08.001.23.019AB	UL2501	600V	23X19AWG	43/0.14	15.7	402.66	27.4 Ω/km
ANM08.001.24.019AB	UL2501	600V	24X19AWG	43/0.14	15.7	407.36	27.4 Ω/km
ANM08.001.25.019AB	UL2501	600V	25X19AWG	43/0.14	16	423.36	27.4 Ω/km
ANM08.001.26.019AB	UL2501	600V	26X19AWG	43/0.14	16	428.06	27.4 Ω/km
ANM08.001.27.019AB	UL2501	600V	27X19AWG	43/0.14	16	432.56	27.4 Ω/km
ANM08.001.28.019AB	UL2501	600V	28X19AWG	43/0.14	16.5	456.76	27.4 Ω/km
ANM08.001.29.019AB	UL2501	600V	29X19AWG	43/0.14	16.5	461.36	27.4 Ω/km
ANM08.001.30.019AB	UL2501	600V	30X19AWG	43/0.14	16.5	465.96	27.4 Ω/km
ANM08.001.31.019AB	UL2501	600V	31X19AWG	43/0.14	17.1	494.96	27.4 Ω/km
ANM08.001.32.019AB	UL2501	600V	32X19AWG	43/0.14	17.1	499.56	27.4 Ω/km
ANM08.001.33.019AB	UL2501	600V	33X19AWG	43/0.14	17.1	504.16	27.4 Ω/km
ANM08.001.34.019AB	UL2501	600V	34X19AWG	43/0.14	17.6	529.76	27.4 Ω/km
ANM08.001.35.019AB	UL2501	600V	35X19AWG	43/0.14	17.6	534.26	27.4 Ω/km
ANM08.001.36.019AB	UL2501	600V	36X19AWG	43/0.14	17.6	539.06	27.4 Ω/km
ANM08.001.37.019AB	UL2501	600V	37X19AWG	43/0.14	17.6	543.56	27.4 Ω/km
ANM08.001.38.019AB	UL2501	600V	38X19AWG	43/0.14	18.2	574.06	27.4 Ω/km
ANM08.001.39.019AB	UL2501	600V	39X19AWG	43/0.14	18.2	578.56	27.4 Ω/km
ANM08.001.40.019AB	UL2501	600V	40X19AWG	43/0.14	18.2	583.36	27.4 Ω/km
ANM08.001.41.019AB	UL2501	600V	41X19AWG	43/0.14	19.5	646.96	27.4 Ω/km
ANM08.001.42.019AB	UL2501	600V	42X19AWG	43/0.14	19.5	651.56	27.4 Ω/km
ANM08.001.43.019AB	UL2501	600V	43X19AWG	43/0.14	19.5	656.26	27.4 Ω/km
ANM08.001.44.019AB	UL2501	600V	44X19AWG	43/0.14	19.5	660.86	27.4 Ω/km
ANM08.001.45.019AB	UL2501	600V	45X19AWG	43/0.14	19.8	679.66	27.4 Ω/km
ANM08.001.46.019AB	UL2501	600V	46X19AWG	43/0.14	19.8	684.26	27.4 Ω/km
ANM08.001.47.019AB	UL2501	600V	47X19AWG	43/0.14	19.8	688.86	27.4 Ω/km
ANM08.001.48.019AB	UL2501	600V	48X19AWG	43/0.14	19.8	693.56	27.4 Ω/km
ANM08.001.49.019AB	UL2501	600V	49X19AWG	43/0.14	20.3	722.26	27.4 Ω/km
ANM08.001.50.019AB	UL2501	600V	50X19AWG	43/0.14	20.3	726.96	27.4 Ω/km
ANM08.001.51.019AB	UL2501	600V	51X19AWG	43/0.14	20.3	731.46	27.4 Ω/km
ANM08.001.52.019AB	UL2501	600V	52X19AWG	43/0.14	20.3	736.26	27.4 Ω/km
ANM08.001.53.019AB	UL2501	600V	53X19AWG	43/0.14	20.9	770.66	27.4 Ω/km
ANM08.001.54.019AB	UL2501	600V	54X19AWG	43/0.14	20.9	775.16	27.4 Ω/km
ANM08.001.55.019AB	UL2501	600V	55X19AWG	43/0.14	20.9	779.96	27.4 Ω/km
ANM08.001.56.019AB	UL2501	600V	56X19AWG	43/0.14	20.9	784.46	27.4 Ω/km
ANM08.001.57.019AB	UL2501	600V	57X19AWG	43/0.14	22.8	888.06	27.4 Ω/km
ANM08.001.58.019AB	UL2501	600V	58X19AWG	43/0.14	22.8	892.56	27.4 Ω/km



ANM08.001.59.019AB	UL2501	600V	59X19AWG	43/0.14	22.8	897.26	27.4 Ω/km
ANM08.001.60.019AB	UL2501	600V	60X19AWG	43/0.14	22.8	901.86	27.4 Ω/km
ANM08.001.61.019AB	UL2501	600V	61X19AWG	43/0.14	22.8	906.46	27.4 Ω/km
ANM08.001.62.019AB	UL2501	600V	62X19AWG	43/0.14	23.4	944.36	27.4 Ω/km
ANM08.001.63.019AB	UL2501	600V	63X19AWG	43/0.14	23.4	949.06	27.4 Ω/km
ANM08.001.64.019AB	UL2501	600V	64X19AWG	43/0.14	23.4	953.66	27.4 Ω/km
ANM08.001.65.019AB	UL2501	600V	65X19AWG	43/0.14	23.4	958.26	27.4 Ω/km
ANM08.001.02.018AB	UL2501	600V	2X18AWG	29/0.19	8.2	93.03	21.8 Ω/km
ANM08.001.03.018AB	UL2501	600V	3X18AWG	29/0.19	8.6	106.93	21.8 Ω/km
ANM08.001.04.018AB	UL2501	600V	4X18AWG	29/0.19	9.1	123.63	21.8 Ω/km
ANM08.001.05.018AB	UL2501	600V	5X18AWG	29/0.19	9.6	140.83	21.8 Ω/km
ANM08.001.06.018AB	UL2501	600V	6X18AWG	29/0.19	10.2	160.83	21.8 Ω/km
ANM08.001.07.018AB	UL2501	600V	7X18AWG	29/0.19	10.2	166.93	21.8 Ω/km
ANM08.001.08.018AB	UL2501	600V	8X18AWG	29/0.19	10.8	188.03	21.8 Ω/km
ANM08.001.09.018AB	UL2501	600V	9X18AWG	29/0.19	11.6	215.43	21.8 Ω/km
ANM08.001.10.018AB	UL2501	600V	10X18AWG	29/0.19	12.2	238.63	21.8 Ω/km
ANM08.001.11.018AB	UL2501	600V	11X18AWG	29/0.19	12.6	256.53	21.8 Ω/km
ANM08.001.12.018AB	UL2501	600V	12X18AWG	29/0.19	12.6	262.33	21.8 Ω/km
ANM08.001.13.018AB	UL2501	600V	13X18AWG	29/0.19	13.1	283.83	21.8 Ω/km
ANM08.001.14.018AB	UL2501	600V	14X18AWG	29/0.19	13.1	289.73	21.8 Ω/km
ANM08.001.15.018AB	UL2501	600V	15X18AWG	29/0.19	13.6	311.73	21.8 Ω/km
ANM08.001.16.018AB	UL2501	600V	16X18AWG	29/0.19	13.6	317.83	21.8 Ω/km
ANM08.001.17.018AB	UL2501	600V	17X18AWG	29/0.19	14.2	343.63	21.8 Ω/km
ANM08.001.18.018AB	UL2501	600V	18X18AWG	29/0.19	14.2	349.63	21.8 Ω/km
ANM08.001.19.018AB	UL2501	600V	19X18AWG	29/0.19	14.2	355.73	21.8 Ω/km
ANM08.001.20.018AB	UL2501	600V	20X18AWG	29/0.19	14.7	379.03	21.8 Ω/km
ANM08.001.21.018AB	UL2501	600V	21X18AWG	29/0.19	14.9	392.13	21.8 Ω/km
ANM08.001.22.018AB	UL2501	600V	22X18AWG	29/0.19	15.7	427.63	21.8 Ω/km
ANM08.001.23.018AB	UL2501	600V	23X18AWG	29/0.19	16.3	456.53	21.8 Ω/km
ANM08.001.24.018AB	UL2501	600V	24X18AWG	29/0.19	16.3	462.43	21.8 Ω/km
ANM08.001.25.018AB	UL2501	600V	25X18AWG	29/0.19	16.7	484.43	21.8 Ω/km
ANM08.001.26.018AB	UL2501	600V	26X18AWG	29/0.19	16.7	490.23	21.8 Ω/km
ANM08.001.27.018AB	UL2501	600V	27X18AWG	29/0.19	16.7	496.23	21.8 Ω/km
ANM08.001.28.018AB	UL2501	600V	28X18AWG	29/0.19	17.2	522.53	21.8 Ω/km
ANM08.001.29.018AB	UL2501	600V	29X18AWG	29/0.19	17.2	528.63	21.8 Ω/km
ANM08.001.30.018AB	UL2501	600V	30X18AWG	29/0.19	17.2	534.63	21.8 Ω/km
ANM08.001.31.018AB	UL2501	600V	31X18AWG	29/0.19	17.7	561.43	21.8 Ω/km
ANM08.001.32.018AB	UL2501	600V	32X18AWG	29/0.19	17.7	567.43	21.8 Ω/km
ANM08.001.33.018AB	UL2501	600V	33X18AWG	29/0.19	17.7	573.43	21.8 Ω/km
ANM08.001.34.018AB	UL2501	600V	34X18AWG	29/0.19	18.3	605.33	21.8 Ω/km
ANM08.001.35.018AB	UL2501	600V	35X18AWG	29/0.19	18.3	611.43	21.8 Ω/km
ANM08.001.36.018AB	UL2501	600V	36X18AWG	29/0.19	18.3	617.33	21.8 Ω/km



ANM08.001.37.018AB	UL2501	600V	37X18AWG	29/0.19	18.3	623.23	21.8Ω/km
ANM08.001.38.018AB	UL2501	600V	38X18AWG	29/0.19	18.9	656.13	21.8Ω/km
ANM08.001.39.018AB	UL2501	600V	39X18AWG	29/0.19	18.9	662.13	21.8Ω/km
ANM08.001.40.018AB	UL2501	600V	40X18AWG	29/0.19	18.9	668.03	21.8Ω/km
ANM08.001.41.018AB	UL2501	600V	41X18AWG	29/0.19	20.3	740.03	21.8Ω/km
ANM08.001.42.018AB	UL2501	600V	42X18AWG	29/0.19	20.3	745.93	21.8Ω/km
ANM08.001.43.018AB	UL2501	600V	43X18AWG	29/0.19	20.3	751.93	21.8Ω/km
ANM08.001.44.018AB	UL2501	600V	44X18AWG	29/0.19	20.3	757.93	21.8Ω/km
ANM08.001.45.018AB	UL2501	600V	45X18AWG	29/0.19	20.7	783.63	21.8Ω/km
ANM08.001.46.018AB	UL2501	600V	46X18AWG	29/0.19	20.7	789.53	21.8Ω/km
ANM08.001.47.018AB	UL2501	600V	47X18AWG	29/0.19	20.7	795.63	21.8Ω/km
ANM08.001.48.018AB	UL2501	600V	48X18AWG	29/0.19	20.7	801.43	21.8Ω/km
ANM08.001.49.018AB	UL2501	600V	49X18AWG	29/0.19	22.6	905.33	21.8Ω/km
ANM08.001.50.018AB	UL2501	600V	50X18AWG	29/0.19	22.6	911.43	21.8Ω/km
ANM08.001.51.018AB	UL2501	600V	51X18AWG	29/0.19	22.6	917.23	21.8Ω/km
ANM08.001.52.018AB	UL2501	600V	52X18AWG	29/0.19	22.6	923.23	21.8Ω/km
ANM08.001.53.018AB	UL2501	600V	53X18AWG	29/0.19	23.1	956.73	21.8Ω/km
ANM08.001.54.018AB	UL2501	600V	54X18AWG	29/0.19	23.1	962.63	21.8Ω/km
ANM08.001.55.018AB	UL2501	600V	55X18AWG	29/0.19	23.1	968.63	21.8Ω/km
ANM08.001.56.018AB	UL2501	600V	56X18AWG	29/0.19	23.1	974.43	21.8Ω/km
ANM08.001.57.018AB	UL2501	600V	57X18AWG	29/0.19	23.7	1014.33	21.8Ω/km
ANM08.001.58.018AB	UL2501	600V	58X18AWG	29/0.19	23.7	1020.33	21.8Ω/km
ANM08.001.59.018AB	UL2501	600V	59X18AWG	29/0.19	23.7	1026.23	21.8Ω/km
ANM08.001.60.018AB	UL2501	600V	60X18AWG	29/0.19	23.7	1032.23	21.8Ω/km
ANM08.001.61.018AB	UL2501	600V	61X18AWG	29/0.19	23.7	1038.23	21.8Ω/km
ANM08.001.62.018AB	UL2501	600V	62X18AWG	29/0.19	24.3	1078.63	21.8Ω/km
ANM08.001.63.018AB	UL2501	600V	63X18AWG	29/0.19	24.3	1084.73	21.8Ω/km
ANM08.001.64.018AB	UL2501	600V	64X18AWG	29/0.19	24.3	1090.73	21.8Ω/km
ANM08.001.65.018AB	UL2501	600V	65X18AWG	29/0.19	24.3	1096.53	21.8Ω/km
ANM08.001.02.017AB	UL2501	600V	2X17AWG	37/0.19	8.6	104.14	17.3Ω/km
ANM08.001.03.017AB	UL2501	600V	3X17AWG	37/0.19	9	119.94	17.3Ω/km
ANM08.001.04.017AB	UL2501	600V	4X17AWG	37/0.19	9.6	140.74	17.3Ω/km
ANM08.001.05.017AB	UL2501	600V	5X17AWG	37/0.19	10.2	162.24	17.3Ω/km
ANM08.001.06.017AB	UL2501	600V	6X17AWG	37/0.19	10.8	184.74	17.3Ω/km
ANM08.001.07.017AB	UL2501	600V	7X17AWG	37/0.19	10.8	192.04	17.3Ω/km
ANM08.001.08.017AB	UL2501	600V	8X17AWG	37/0.19	11.5	218.24	17.3Ω/km
ANM08.001.09.017AB	UL2501	600V	9X17AWG	37/0.19	12.4	251.44	17.3Ω/km
ANM08.001.10.017AB	UL2501	600V	10X17AWG	37/0.19	13	277.24	17.3Ω/km
ANM08.001.11.017AB	UL2501	600V	11X17AWG	37/0.19	13.4	297.24	17.3Ω/km
ANM08.001.12.017AB	UL2501	600V	12X17AWG	37/0.19	13.4	304.64	17.3Ω/km
ANM08.001.13.017AB	UL2501	600V	13X17AWG	37/0.19	14	331.74	17.3Ω/km
ANM08.001.14.017AB	UL2501	600V	14X17AWG	37/0.19	14	339.04	17.3Ω/km





ANM08.001.15.017AB	UL2501	600V	15X17AWG	37/0.19	14.7	370.54	17.3 Ω/km
ANM08.001.16.017AB	UL2501	600V	16X17AWG	37/0.19	14.7	377.94	17.3 Ω/km
ANM08.001.17.017AB	UL2501	600V	17X17AWG	37/0.19	15.3	406.94	17.3 Ω/km
ANM08.001.18.017AB	UL2501	600V	18X17AWG	37/0.19	15.3	414.34	17.3 Ω/km
ANM08.001.19.017AB	UL2501	600V	19X17AWG	37/0.19	15.3	421.84	17.3 Ω/km
ANM08.001.20.017AB	UL2501	600V	20X17AWG	37/0.19	15.7	444.04	17.3 Ω/km
ANM08.001.21.017AB	UL2501	600V	21X17AWG	37/0.19	16	462.84	17.3 Ω/km
ANM08.001.22.017AB	UL2501	600V	22X17AWG	37/0.19	16.9	505.74	17.3 Ω/km
ANM08.001.23.017AB	UL2501	600V	23X17AWG	37/0.19	17.5	537.94	17.3 Ω/km
ANM08.001.24.017AB	UL2501	600V	24X17AWG	37/0.19	17.5	545.34	17.3 Ω/km
ANM08.001.25.017AB	UL2501	600V	25X17AWG	37/0.19	17.9	569.74	17.3 Ω/km
ANM08.001.26.017AB	UL2501	600V	26X17AWG	37/0.19	17.9	577.04	17.3 Ω/km
ANM08.001.27.017AB	UL2501	600V	27X17AWG	37/0.19	17.9	584.54	17.3 Ω/km
ANM08.001.28.017AB	UL2501	600V	28X17AWG	37/0.19	18.5	618.24	17.3 Ω/km
ANM08.001.29.017AB	UL2501	600V	29X17AWG	37/0.19	18.5	625.64	17.3 Ω/km
ANM08.001.30.017AB	UL2501	600V	30X17AWG	37/0.19	18.5	632.94	17.3 Ω/km
ANM08.001.31.017AB	UL2501	600V	31X17AWG	37/0.19	19.1	667.54	17.3 Ω/km
ANM08.001.32.017AB	UL2501	600V	32X17AWG	37/0.19	19.1	674.84	17.3 Ω/km
ANM08.001.33.017AB	UL2501	600V	33X17AWG	37/0.19	19.1	682.14	17.3 Ω/km
ANM08.001.34.017AB	UL2501	600V	34X17AWG	37/0.19	19.7	717.54	17.3 Ω/km
ANM08.001.35.017AB	UL2501	600V	35X17AWG	37/0.19	19.7	724.94	17.3 Ω/km
ANM08.001.36.017AB	UL2501	600V	36X17AWG	37/0.19	19.7	732.34	17.3 Ω/km
ANM08.001.37.017AB	UL2501	600V	37X17AWG	37/0.19	19.7	739.84	17.3 Ω/km
ANM08.001.38.017AB	UL2501	600V	38X17AWG	37/0.19	20.4	780.94	17.3 Ω/km
ANM08.001.39.017AB	UL2501	600V	39X17AWG	37/0.19	20.4	788.34	17.3 Ω/km
ANM08.001.40.017AB	UL2501	600V	40X17AWG	37/0.19	20.4	795.64	17.3 Ω/km
ANM08.001.41.017AB	UL2501	600V	41X17AWG	37/0.19	23.3	954.44	17.3 Ω/km
ANM08.001.42.017AB	UL2501	600V	42X17AWG	37/0.19	23.3	961.74	17.3 Ω/km
ANM08.001.43.017AB	UL2501	600V	43X17AWG	37/0.19	23.3	969.14	17.3 Ω/km
ANM08.001.44.017AB	UL2501	600V	44X17AWG	37/0.19	23.3	976.44	17.3 Ω/km
ANM08.001.45.017AB	UL2501	600V	45X17AWG	37/0.19	23.7	1006.54	17.3 Ω/km
ANM08.001.46.017AB	UL2501	600V	46X17AWG	37/0.19	23.7	1013.94	17.3 Ω/km
ANM08.001.47.017AB	UL2501	600V	47X17AWG	37/0.19	23.7	1021.34	17.3 Ω/km
ANM08.001.48.017AB	UL2501	600V	48X17AWG	37/0.19	23.7	1028.64	17.3 Ω/km
ANM08.001.49.017AB	UL2501	600V	49X17AWG	37/0.19	24.3	1070.64	17.3 Ω/km
ANM08.001.50.017AB	UL2501	600V	50X17AWG	37/0.19	24.3	1077.94	17.3 Ω/km
ANM08.001.51.017AB	UL2501	600V	51X17AWG	37/0.19	24.3	1085.24	17.3 Ω/km
ANM08.001.52.017AB	UL2501	600V	52X17AWG	37/0.19	24.3	1092.64	17.3 Ω/km
ANM08.001.53.017AB	UL2501	600V	53X17AWG	37/0.19	24.9	1135.64	17.3 Ω/km
ANM08.001.54.017AB	UL2501	600V	54X17AWG	37/0.19	24.9	1142.94	17.3 Ω/km
ANM08.001.55.017AB	UL2501	600V	55X17AWG	37/0.19	24.9	1150.44	17.3 Ω/km
ANM08.001.56.017AB	UL2501	600V	56X17AWG	37/0.19	24.9	1157.74	17.3 Ω/km



ANM08.001.57.017AB	UL2501	600V	57X17AWG	37/0.19	25.5	1201.54	17.3 Ω/km
ANM08.001.58.017AB	UL2501	600V	58X17AWG	37/0.19	25.5	1208.94	17.3 Ω/km
ANM08.001.59.017AB	UL2501	600V	59X17AWG	37/0.19	25.5	1216.24	17.3 Ω/km
ANM08.001.60.017AB	UL2501	600V	60X17AWG	37/0.19	25.5	1223.64	17.3 Ω/km
ANM08.001.61.017AB	UL2501	600V	61X17AWG	37/0.19	25.5	1230.94	17.3 Ω/km
ANM08.001.62.017AB	UL2501	600V	62X17AWG	37/0.19	26.2	1281.94	17.3 Ω/km
ANM08.001.63.017AB	UL2501	600V	63X17AWG	37/0.19	26.2	1289.24	17.3 Ω/km
ANM08.001.64.017AB	UL2501	600V	64X17AWG	37/0.19	26.2	1296.74	17.3 Ω/km
ANM08.001.65.017AB	UL2501	600V	65X17AWG	37/0.19	26.2	1304.04	17.3 Ω/km
ANM08.001.02.016AB	UL2501	600V	2X16AWG	27/0.25	9.2	121.51	13.7 Ω/km
ANM08.001.03.016AB	UL2501	600V	3X16AWG	27/0.25	9.6	140.11	13.7 Ω/km
ANM08.001.04.016AB	UL2501	600V	4X16AWG	27/0.25	10.3	166.31	13.7 Ω/km
ANM08.001.05.016AB	UL2501	600V	5X16AWG	27/0.25	11	193.61	13.7 Ω/km
ANM08.001.06.016AB	UL2501	600V	6X16AWG	27/0.25	11.7	222.41	13.7 Ω/km
ANM08.001.07.016AB	UL2501	600V	7X16AWG	27/0.25	11.7	231.91	13.7 Ω/km
ANM08.001.08.016AB	UL2501	600V	8X16AWG	27/0.25	12.5	264.71	13.7 Ω/km
ANM08.001.09.016AB	UL2501	600V	9X16AWG	27/0.25	13.5	305.51	13.7 Ω/km
ANM08.001.10.016AB	UL2501	600V	10X16AWG	27/0.25	14.2	338.21	13.7 Ω/km
ANM08.001.11.016AB	UL2501	600V	11X16AWG	27/0.25	14.7	365.31	13.7 Ω/km
ANM08.001.12.016AB	UL2501	600V	12X16AWG	27/0.25	14.7	374.81	13.7 Ω/km
ANM08.001.13.016AB	UL2501	600V	13X16AWG	27/0.25	15.4	409.61	13.7 Ω/km
ANM08.001.14.016AB	UL2501	600V	14X16AWG	27/0.25	15.4	419.21	13.7 Ω/km
ANM08.001.15.016AB	UL2501	600V	15X16AWG	27/0.25	16.1	455.11	13.7 Ω/km
ANM08.001.16.016AB	UL2501	600V	16X16AWG	27/0.25	16.1	464.81	13.7 Ω/km
ANM08.001.17.016AB	UL2501	600V	17X16AWG	27/0.25	16.8	502.01	13.7 Ω/km
ANM08.001.18.016AB	UL2501	600V	18X16AWG	27/0.25	16.8	511.51	13.7 Ω/km
ANM08.001.19.016AB	UL2501	600V	19X16AWG	27/0.25	16.8	521.21	13.7 Ω/km
ANM08.001.20.016AB	UL2501	600V	20X16AWG	27/0.25	17.2	547.01	13.7 Ω/km
ANM08.001.21.016AB	UL2501	600V	21X16AWG	27/0.25	17.6	573.31	13.7 Ω/km
ANM08.001.22.016AB	UL2501	600V	22X16AWG	27/0.25	18.6	626.41	13.7 Ω/km
ANM08.001.23.016AB	UL2501	600V	23X16AWG	27/0.25	19.3	667.91	13.7 Ω/km
ANM08.001.24.016AB	UL2501	600V	24X16AWG	27/0.25	19.3	677.61	13.7 Ω/km
ANM08.001.25.016AB	UL2501	600V	25X16AWG	27/0.25	19.7	705.81	13.7 Ω/km
ANM08.001.26.016AB	UL2501	600V	26X16AWG	27/0.25	19.7	715.31	13.7 Ω/km
ANM08.001.27.016AB	UL2501	600V	27X16AWG	27/0.25	19.7	724.91	13.7 Ω/km
ANM08.001.28.016AB	UL2501	600V	28X16AWG	27/0.25	20.4	768.21	13.7 Ω/km
ANM08.001.29.016AB	UL2501	600V	29X16AWG	27/0.25	20.4	777.61	13.7 Ω/km
ANM08.001.30.016AB	UL2501	600V	30X16AWG	27/0.25	20.4	787.31	13.7 Ω/km
ANM08.001.31.016AB	UL2501	600V	31X16AWG	27/0.25	22.5	904.11	13.7 Ω/km
ANM08.001.32.016AB	UL2501	600V	32X16AWG	27/0.25	22.5	913.61	13.7 Ω/km
ANM08.001.33.016AB	UL2501	600V	33X16AWG	27/0.25	22.5	923.21	13.7 Ω/km
ANM08.001.34.016AB	UL2501	600V	34X16AWG	27/0.25	23.2	971.21	13.7 Ω/km



ANM08.001.35.016AB	UL2501	600V	35X16AWG	27/0.25	23.2	980.81	13.7 Ω/km
ANM08.001.36.016AB	UL2501	600V	36X16AWG	27/0.25	23.2	990.31	13.7 Ω/km
ANM08.001.37.016AB	UL2501	600V	37X16AWG	27/0.25	23.2	999.81	13.7 Ω/km
ANM08.001.38.016AB	UL2501	600V	38X16AWG	27/0.25	24	1054.81	13.7 Ω/km
ANM08.001.39.016AB	UL2501	600V	39X16AWG	27/0.25	24	1064.31	13.7 Ω/km
ANM08.001.40.016AB	UL2501	600V	40X16AWG	27/0.25	24	1073.91	13.7 Ω/km
ANM08.001.41.016AB	UL2501	600V	41X16AWG	27/0.25	25.7	1185.21	13.7 Ω/km
ANM08.001.42.016AB	UL2501	600V	42X16AWG	27/0.25	25.7	1194.71	13.7 Ω/km
ANM08.001.43.016AB	UL2501	600V	43X16AWG	27/0.25	25.7	1204.31	13.7 Ω/km
ANM08.001.44.016AB	UL2501	600V	44X16AWG	27/0.25	25.7	1213.81	13.7 Ω/km
ANM08.001.45.016AB	UL2501	600V	45X16AWG	27/0.25	26.1	1248.21	13.7 Ω/km
ANM08.001.46.016AB	UL2501	600V	46X16AWG	27/0.25	26.1	1257.81	13.7 Ω/km
ANM08.001.47.016AB	UL2501	600V	47X16AWG	27/0.25	26.1	1267.31	13.7 Ω/km
ANM08.001.48.016AB	UL2501	600V	48X16AWG	27/0.25	26.1	1277.01	13.7 Ω/km
ANM08.001.49.016AB	UL2501	600V	49X16AWG	27/0.25	26.8	1330.91	13.7 Ω/km
ANM08.001.50.016AB	UL2501	600V	50X16AWG	27/0.25	26.8	1340.51	13.7 Ω/km
ANM08.001.51.016AB	UL2501	600V	51X16AWG	27/0.25	26.8	1350.01	13.7 Ω/km
ANM08.001.52.016AB	UL2501	600V	52X16AWG	27/0.25	26.8	1359.61	13.7 Ω/km
ANM08.001.53.016AB	UL2501	600V	53X16AWG	27/0.25	27.5	1414.91	13.7 Ω/km
ANM08.001.54.016AB	UL2501	600V	54X16AWG	27/0.25	27.5	1424.51	13.7 Ω/km
ANM08.001.55.016AB	UL2501	600V	55X16AWG	27/0.25	27.5	1434.01	13.7 Ω/km
ANM08.001.56.016AB	UL2501	600V	56X16AWG	27/0.25	27.5	1443.61	13.7 Ω/km
ANM08.001.57.016AB	UL2501	600V	57X16AWG	27/0.25	28.2	1500.01	13.7 Ω/km
ANM08.001.58.016AB	UL2501	600V	58X16AWG	27/0.25	28.2	1509.51	13.7 Ω/km
ANM08.001.59.016AB	UL2501	600V	59X16AWG	27/0.25	28.2	1519.11	13.7 Ω/km
ANM08.001.60.016AB	UL2501	600V	60X16AWG	27/0.25	28.2	1528.61	13.7 Ω/km
ANM08.001.61.016AB	UL2501	600V	61X16AWG	27/0.25	28.2	1538.11	13.7 Ω/km
ANM08.001.62.016AB	UL2501	600V	62X16AWG	27/0.25	29	1602.91	13.7 Ω/km
ANM08.001.63.016AB	UL2501	600V	63X16AWG	27/0.25	29	1612.41	13.7 Ω/km
ANM08.001.64.016AB	UL2501	600V	64X16AWG	27/0.25	29	1622.01	13.7 Ω/km
ANM08.001.65.016AB	UL2501	600V	65X16AWG	27/0.25	29	1631.51	13.7 Ω/km
ANM08.001.02.015AB	UL2501	600V	2X15AWG	34/0.25	9.6	135.75	10.9 Ω/km
ANM08.001.03.015AB	UL2501	600V	3X15AWG	34/0.25	10.1	159.45	10.9 Ω/km
ANM08.001.04.015AB	UL2501	600V	4X15AWG	34/0.25	10.8	188.95	10.9 Ω/km
ANM08.001.05.015AB	UL2501	600V	5X15AWG	34/0.25	11.5	219.75	10.9 Ω/km
ANM08.001.06.015AB	UL2501	600V	6X15AWG	34/0.25	12.3	254.45	10.9 Ω/km
ANM08.001.07.015AB	UL2501	600V	7X15AWG	34/0.25	12.3	266.45	10.9 Ω/km
ANM08.001.08.015AB	UL2501	600V	8X15AWG	34/0.25	13.2	306.05	10.9 Ω/km
ANM08.001.09.015AB	UL2501	600V	9X15AWG	34/0.25	14.2	350.85	10.9 Ω/km
ANM08.001.10.015AB	UL2501	600V	10X15AWG	34/0.25	15.1	394.65	10.9 Ω/km
ANM08.001.11.015AB	UL2501	600V	11X15AWG	34/0.25	15.6	425.05	10.9 Ω/km
ANM08.001.12.015AB	UL2501	600V	12X15AWG	34/0.25	15.6	436.95	10.9 Ω/km



ANM08.001.13.015AB	UL2501	600V	13X15AWG	34/0.25	16.3	475.75	10.9Ω/km
ANM08.001.14.015AB	UL2501	600V	14X15AWG	34/0.25	16.3	487.75	10.9Ω/km
ANM08.001.15.015AB	UL2501	600V	15X15AWG	34/0.25	17	527.75	10.9Ω/km
ANM08.001.16.015AB	UL2501	600V	16X15AWG	34/0.25	17	539.75	10.9Ω/km
ANM08.001.17.015AB	UL2501	600V	17X15AWG	34/0.25	17.8	585.25	10.9Ω/km
ANM08.001.18.015AB	UL2501	600V	18X15AWG	34/0.25	17.8	597.25	10.9Ω/km
ANM08.001.19.015AB	UL2501	600V	19X15AWG	34/0.25	17.8	609.25	10.9Ω/km
ANM08.001.20.015AB	UL2501	600V	20X15AWG	34/0.25	18.3	642.85	10.9Ω/km
ANM08.001.21.015AB	UL2501	600V	21X15AWG	34/0.25	18.7	672.55	10.9Ω/km
ANM08.001.22.015AB	UL2501	600V	22X15AWG	34/0.25	19.7	730.85	10.9Ω/km
ANM08.001.23.015AB	UL2501	600V	23X15AWG	34/0.25	20.5	781.45	10.9Ω/km
ANM08.001.24.015AB	UL2501	600V	24X15AWG	34/0.25	20.5	793.35	10.9Ω/km
ANM08.001.25.015AB	UL2501	600V	25X15AWG	34/0.25	21	830.45	10.9Ω/km
ANM08.001.26.015AB	UL2501	600V	26X15AWG	34/0.25	21	842.35	10.9Ω/km
ANM08.001.27.015AB	UL2501	600V	27X15AWG	34/0.25	21	854.35	10.9Ω/km
ANM08.001.28.015AB	UL2501	600V	28X15AWG	34/0.25	23.1	976.65	10.9Ω/km
ANM08.001.29.015AB	UL2501	600V	29X15AWG	34/0.25	23.1	988.65	10.9Ω/km
ANM08.001.30.015AB	UL2501	600V	30X15AWG	34/0.25	23.1	1000.55	10.9Ω/km
ANM08.001.31.015AB	UL2501	600V	31X15AWG	34/0.25	23.8	1051.95	10.9Ω/km
ANM08.001.32.015AB	UL2501	600V	32X15AWG	34/0.25	23.8	1063.95	10.9Ω/km
ANM08.001.33.015AB	UL2501	600V	33X15AWG	34/0.25	23.8	1075.85	10.9Ω/km
ANM08.001.34.015AB	UL2501	600V	34X15AWG	34/0.25	24.6	1134.45	10.9Ω/km
ANM08.001.35.015AB	UL2501	600V	35X15AWG	34/0.25	24.6	1146.45	10.9Ω/km
ANM08.001.36.015AB	UL2501	600V	36X15AWG	34/0.25	24.6	1158.45	10.9Ω/km
ANM08.001.37.015AB	UL2501	600V	37X15AWG	34/0.25	24.6	1170.45	10.9Ω/km
ANM08.001.38.015AB	UL2501	600V	38X15AWG	34/0.25	25.5	1236.65	10.9Ω/km
ANM08.001.39.015AB	UL2501	600V	39X15AWG	34/0.25	25.5	1248.55	10.9Ω/km
ANM08.001.40.015AB	UL2501	600V	40X15AWG	34/0.25	25.5	1260.55	10.9Ω/km
ANM08.001.41.015AB	UL2501	600V	41X15AWG	34/0.25	27.3	1386.95	10.9Ω/km
ANM08.001.42.015AB	UL2501	600V	42X15AWG	34/0.25	27.3	1398.85	10.9Ω/km
ANM08.001.43.015AB	UL2501	600V	43X15AWG	34/0.25	27.3	1410.85	10.9Ω/km
ANM08.001.44.015AB	UL2501	600V	44X15AWG	34/0.25	27.3	1422.85	10.9Ω/km
ANM08.001.45.015AB	UL2501	600V	45X15AWG	34/0.25	27.8	1468.05	10.9Ω/km
ANM08.001.46.015AB	UL2501	600V	46X15AWG	34/0.25	27.8	1479.95	10.9Ω/km
ANM08.001.47.015AB	UL2501	600V	47X15AWG	34/0.25	27.8	1491.95	10.9Ω/km
ANM08.001.48.015AB	UL2501	600V	48X15AWG	34/0.25	27.8	1503.85	10.9Ω/km
ANM08.001.49.015AB	UL2501	600V	49X15AWG	34/0.25	28.5	1563.35	10.9Ω/km
ANM08.001.50.015AB	UL2501	600V	50X15AWG	34/0.25	28.5	1575.35	10.9Ω/km
ANM08.001.51.015AB	UL2501	600V	51X15AWG	34/0.25	28.5	1587.25	10.9Ω/km
ANM08.001.52.015AB	UL2501	600V	52X15AWG	34/0.25	28.5	1599.25	10.9Ω/km
ANM08.001.53.015AB	UL2501	600V	53X15AWG	34/0.25	29.2	1659.75	10.9Ω/km
ANM08.001.54.015AB	UL2501	600V	54X15AWG	34/0.25	29.2	1671.75	10.9Ω/km



ANM08.001.55.015AB	UL2501	600V	55X15AWG	34/0.25	29.2	1683.75	10.9 Ω/km
ANM08.001.56.015AB	UL2501	600V	56X15AWG	34/0.25	29.2	1695.75	10.9 Ω/km
ANM08.001.57.015AB	UL2501	600V	57X15AWG	34/0.25	30	1764.75	10.9 Ω/km
ANM08.001.58.015AB	UL2501	600V	58X15AWG	34/0.25	30	1776.75	10.9 Ω/km
ANM08.001.59.015AB	UL2501	600V	59X15AWG	34/0.25	30	1788.65	10.9 Ω/km
ANM08.001.60.015AB	UL2501	600V	60X15AWG	34/0.25	30	1800.65	10.9 Ω/km
ANM08.001.61.015AB	UL2501	600V	61X15AWG	34/0.25	30	1812.55	10.9 Ω/km
ANM08.001.62.015AB	UL2501	600V	62X15AWG	34/0.25	30.9	1890.55	10.9 Ω/km
ANM08.001.63.015AB	UL2501	600V	63X15AWG	34/0.25	30.9	1902.55	10.9 Ω/km
ANM08.001.64.015AB	UL2501	600V	64X15AWG	34/0.25	30.9	1914.55	10.9 Ω/km
ANM08.001.65.015AB	UL2501	600V	65X15AWG	34/0.25	30.9	1926.45	10.9 Ω/km
ANM08.001.02.014AB	UL2501	600V	2X14AWG	43/0.25	10	151.88	8.62 Ω/km
ANM08.001.03.014AB	UL2501	600V	3X14AWG	43/0.25	10.5	179.28	8.62 Ω/km
ANM08.001.04.014AB	UL2501	600V	4X14AWG	43/0.25	11.3	215.38	8.62 Ω/km
ANM08.001.05.014AB	UL2501	600V	5X14AWG	43/0.25	12.1	252.98	8.62 Ω/km
ANM08.001.06.014AB	UL2501	600V	6X14AWG	43/0.25	12.9	292.18	8.62 Ω/km
ANM08.001.07.014AB	UL2501	600V	7X14AWG	43/0.25	12.9	307.28	8.62 Ω/km
ANM08.001.08.014AB	UL2501	600V	8X14AWG	43/0.25	13.8	351.28	8.62 Ω/km
ANM08.001.09.014AB	UL2501	600V	9X14AWG	43/0.25	15.1	411.68	8.62 Ω/km
ANM08.001.10.014AB	UL2501	600V	10X14AWG	43/0.25	15.9	456.68	8.62 Ω/km
ANM08.001.11.014AB	UL2501	600V	11X14AWG	43/0.25	16.4	491.18	8.62 Ω/km
ANM08.001.12.014AB	UL2501	600V	12X14AWG	43/0.25	16.4	506.38	8.62 Ω/km
ANM08.001.13.014AB	UL2501	600V	13X14AWG	43/0.25	17.2	553.88	8.62 Ω/km
ANM08.001.14.014AB	UL2501	600V	14X14AWG	43/0.25	17.2	568.98	8.62 Ω/km
ANM08.001.15.014AB	UL2501	600V	15X14AWG	43/0.25	18	617.98	8.62 Ω/km
ANM08.001.16.014AB	UL2501	600V	16X14AWG	43/0.25	18	633.18	8.62 Ω/km
ANM08.001.17.014AB	UL2501	600V	17X14AWG	43/0.25	18.8	683.68	8.62 Ω/km
ANM08.001.18.014AB	UL2501	600V	18X14AWG	43/0.25	18.8	698.88	8.62 Ω/km
ANM08.001.19.014AB	UL2501	600V	19X14AWG	43/0.25	18.8	713.98	8.62 Ω/km
ANM08.001.20.014AB	UL2501	600V	20X14AWG	43/0.25	19.3	752.08	8.62 Ω/km
ANM08.001.21.014AB	UL2501	600V	21X14AWG	43/0.25	19.7	785.98	8.62 Ω/km
ANM08.001.22.014AB	UL2501	600V	22X14AWG	43/0.25	20.9	859.68	8.62 Ω/km
ANM08.001.23.014AB	UL2501	600V	23X14AWG	43/0.25	23.1	990.28	8.62 Ω/km
ANM08.001.24.014AB	UL2501	600V	24X14AWG	43/0.25	23.1	1005.48	8.62 Ω/km
ANM08.001.25.014AB	UL2501	600V	25X14AWG	43/0.25	23.6	1048.68	8.62 Ω/km
ANM08.001.26.014AB	UL2501	600V	26X14AWG	43/0.25	23.6	1063.78	8.62 Ω/km
ANM08.001.27.014AB	UL2501	600V	27X14AWG	43/0.25	23.6	1078.88	8.62 Ω/km
ANM08.001.28.014AB	UL2501	600V	28X14AWG	43/0.25	24.4	1140.28	8.62 Ω/km
ANM08.001.29.014AB	UL2501	600V	29X14AWG	43/0.25	24.4	1155.38	8.62 Ω/km
ANM08.001.30.014AB	UL2501	600V	30X14AWG	43/0.25	24.4	1170.48	8.62 Ω/km
ANM08.001.31.014AB	UL2501	600V	31X14AWG	43/0.25	25.2	1233.58	8.62 Ω/km
ANM08.001.32.014AB	UL2501	600V	32X14AWG	43/0.25	25.2	1248.68	8.62 Ω/km



ANM08.001.33.014AB	UL2501	600V	33X14AWG	43/0.25	25.2	1263.88	8.62 Ω/km
ANM08.001.34.014AB	UL2501	600V	34X14AWG	43/0.25	26	1328.18	8.62 Ω/km
ANM08.001.35.014AB	UL2501	600V	35X14AWG	43/0.25	26	1343.28	8.62 Ω/km
ANM08.001.36.014AB	UL2501	600V	36X14AWG	43/0.25	26	1358.48	8.62 Ω/km
ANM08.001.37.014AB	UL2501	600V	37X14AWG	43/0.25	26	1373.68	8.62 Ω/km
ANM08.001.38.014AB	UL2501	600V	38X14AWG	43/0.25	26.9	1446.08	8.62 Ω/km
ANM08.001.39.014AB	UL2501	600V	39X14AWG	43/0.25	26.9	1461.18	8.62 Ω/km
ANM08.001.40.014AB	UL2501	600V	40X14AWG	43/0.25	26.9	1476.48	8.62 Ω/km
ANM08.001.41.014AB	UL2501	600V	41X14AWG	43/0.25	28.9	1625.98	8.62 Ω/km
ANM08.001.42.014AB	UL2501	600V	42X14AWG	43/0.25	28.9	1641.08	8.62 Ω/km
ANM08.001.43.014AB	UL2501	600V	43X14AWG	43/0.25	28.9	1656.18	8.62 Ω/km
ANM08.001.44.014AB	UL2501	600V	44X14AWG	43/0.25	28.9	1671.28	8.62 Ω/km
ANM08.001.45.014AB	UL2501	600V	45X14AWG	43/0.25	29.4	1721.68	8.62 Ω/km
ANM08.001.46.014AB	UL2501	600V	46X14AWG	43/0.25	29.4	1736.78	8.62 Ω/km
ANM08.001.47.014AB	UL2501	600V	47X14AWG	43/0.25	29.4	1751.78	8.62 Ω/km
ANM08.001.48.014AB	UL2501	600V	48X14AWG	43/0.25	29.4	1766.98	8.62 Ω/km
ANM08.001.49.014AB	UL2501	600V	49X14AWG	43/0.25	30.2	1839.58	8.62 Ω/km
ANM08.001.50.014AB	UL2501	600V	50X14AWG	43/0.25	30.2	1854.68	8.62 Ω/km
ANM08.001.51.014AB	UL2501	600V	51X14AWG	43/0.25	30.2	1869.88	8.62 Ω/km
ANM08.001.52.014AB	UL2501	600V	52X14AWG	43/0.25	30.2	1884.98	8.62 Ω/km
ANM08.001.02.013AB	UL2501	600V	2X13AWG	54/0.25	10.6	174.63	6.82 Ω/km
ANM08.001.03.013AB	UL2501	600V	3X13AWG	54/0.25	11.1	206.53	6.82 Ω/km
ANM08.001.04.013AB	UL2501	600V	4X13AWG	54/0.25	12	250.23	6.82 Ω/km
ANM08.001.05.013AB	UL2501	600V	5X13AWG	54/0.25	12.9	295.93	6.82 Ω/km
ANM08.001.06.013AB	UL2501	600V	6X13AWG	54/0.25	13.8	343.73	6.82 Ω/km
ANM08.001.07.013AB	UL2501	600V	7X13AWG	54/0.25	13.8	362.53	6.82 Ω/km
ANM08.001.08.013AB	UL2501	600V	8X13AWG	54/0.25	14.9	419.33	6.82 Ω/km
ANM08.001.09.013AB	UL2501	600V	9X13AWG	54/0.25	16.2	486.83	6.82 Ω/km
ANM08.001.10.013AB	UL2501	600V	10X13AWG	54/0.25	17.1	541.73	6.82 Ω/km
ANM08.001.11.013AB	UL2501	600V	11X13AWG	54/0.25	17.6	581.43	6.82 Ω/km
ANM08.001.12.013AB	UL2501	600V	12X13AWG	54/0.25	17.6	600.23	6.82 Ω/km
ANM08.001.13.013AB	UL2501	600V	13X13AWG	54/0.25	18.5	658.13	6.82 Ω/km
ANM08.001.14.013AB	UL2501	600V	14X13AWG	54/0.25	18.5	677.03	6.82 Ω/km
ANM08.001.15.013AB	UL2501	600V	15X13AWG	54/0.25	19.4	736.83	6.82 Ω/km
ANM08.001.16.013AB	UL2501	600V	16X13AWG	54/0.25	19.4	755.63	6.82 Ω/km
ANM08.001.17.013AB	UL2501	600V	17X13AWG	54/0.25	20.3	817.53	6.82 Ω/km
ANM08.001.18.013AB	UL2501	600V	18X13AWG	54/0.25	20.3	836.43	6.82 Ω/km
ANM08.001.19.013AB	UL2501	600V	19X13AWG	54/0.25	20.3	855.23	6.82 Ω/km
ANM08.001.20.013AB	UL2501	600V	20X13AWG	54/0.25	20.8	898.83	6.82 Ω/km
ANM08.001.21.013AB	UL2501	600V	21X13AWG	54/0.25	22.7	1016.03	6.82 Ω/km
ANM08.001.22.013AB	UL2501	600V	22X13AWG	54/0.25	24	1107.83	6.82 Ω/km
ANM08.001.23.013AB	UL2501	600V	23X13AWG	54/0.25	24.9	1179.63	6.82 Ω/km



ANM08.001.24.013AB	UL2501	600V	24X13AWG	54/0.25	24.9	1198.33	6.82 Ω/km
ANM08.001.25.013AB	UL2501	600V	25X13AWG	54/0.25	25.4	1247.43	6.82 Ω/km
ANM08.001.26.013AB	UL2501	600V	26X13AWG	54/0.25	25.4	1266.23	6.82 Ω/km
ANM08.001.27.013AB	UL2501	600V	27X13AWG	54/0.25	25.4	1285.13	6.82 Ω/km
ANM08.001.28.013AB	UL2501	600V	28X13AWG	54/0.25	26.3	1360.03	6.82 Ω/km
ANM08.001.29.013AB	UL2501	600V	29X13AWG	54/0.25	26.3	1378.83	6.82 Ω/km
ANM08.001.30.013AB	UL2501	600V	30X13AWG	54/0.25	26.3	1397.63	6.82 Ω/km
ANM08.001.31.013AB	UL2501	600V	31X13AWG	54/0.25	27.2	1474.43	6.82 Ω/km
ANM08.001.32.013AB	UL2501	600V	32X13AWG	54/0.25	27.2	1493.23	6.82 Ω/km
ANM08.001.33.013AB	UL2501	600V	33X13AWG	54/0.25	27.2	1512.03	6.82 Ω/km
ANM08.001.34.013AB	UL2501	600V	34X13AWG	54/0.25	28.1	1590.83	6.82 Ω/km
ANM08.001.35.013AB	UL2501	600V	35X13AWG	54/0.25	28.1	1609.63	6.82 Ω/km
ANM08.001.36.013AB	UL2501	600V	36X13AWG	54/0.25	28.1	1628.53	6.82 Ω/km
ANM08.001.37.013AB	UL2501	600V	37X13AWG	54/0.25	28.1	1647.33	6.82 Ω/km
ANM08.001.38.013AB	UL2501	600V	38X13AWG	54/0.25	29.1	1735.13	6.82 Ω/km
ANM08.001.39.013AB	UL2501	600V	39X13AWG	54/0.25	29.1	1753.93	6.82 Ω/km
ANM08.001.40.013AB	UL2501	600V	40X13AWG	54/0.25	29.1	1772.73	6.82 Ω/km
ANM08.001.41.013AB	UL2501	600V	41X13AWG	54/0.25	31.3	1951.73	6.82 Ω/km
ANM08.001.42.013AB	UL2501	600V	42X13AWG	54/0.25	31.3	1970.53	6.82 Ω/km
ANM08.001.43.013AB	UL2501	600V	43X13AWG	54/0.25	31.3	1989.33	6.82 Ω/km
ANM08.001.44.013AB	UL2501	600V	44X13AWG	54/0.25	31.3	2008.23	6.82 Ω/km
ANM08.001.45.013AB	UL2501	600V	45X13AWG	54/0.25	31.8	2065.13	6.82 Ω/km
ANM08.001.46.013AB	UL2501	600V	46X13AWG	54/0.25	31.8	2083.93	6.82 Ω/km
ANM08.001.47.013AB	UL2501	600V	47X13AWG	54/0.25	31.8	2102.63	6.82 Ω/km
ANM08.001.48.013AB	UL2501	600V	48X13AWG	54/0.25	31.8	2121.43	6.82 Ω/km
ANM08.001.49.013AB	UL2501	600V	49X13AWG	54/0.25	32.7	2210.23	6.82 Ω/km
ANM08.001.50.013AB	UL2501	600V	50X13AWG	54/0.25	32.7	2229.03	6.82 Ω/km
ANM08.001.51.013AB	UL2501	600V	51X13AWG	54/0.25	32.7	2247.83	6.82 Ω/km
ANM08.001.52.013AB	UL2501	600V	52X13AWG	54/0.25	32.7	2266.63	6.82 Ω/km
ANM08.001.02.012AB	UL2501	600V	2X12AWG	68/0.25	11.4	206.91	5.43 Ω/km
ANM08.001.03.012AB	UL2501	600V	3X12AWG	68/0.25	12	247.81	5.43 Ω/km
ANM08.001.04.012AB	UL2501	600V	4X12AWG	68/0.25	12.9	299.01	5.43 Ω/km
ANM08.001.05.012AB	UL2501	600V	5X12AWG	68/0.25	14	358.61	5.43 Ω/km
ANM08.001.06.012AB	UL2501	600V	6X12AWG	68/0.25	15.1	421.11	5.43 Ω/km
ANM08.001.07.012AB	UL2501	600V	7X12AWG	68/0.25	15.1	445.11	5.43 Ω/km
ANM08.001.08.012AB	UL2501	600V	8X12AWG	68/0.25	16.2	510.81	5.43 Ω/km
ANM08.001.09.012AB	UL2501	600V	9X12AWG	68/0.25	17.7	596.01	5.43 Ω/km
ANM08.001.10.012AB	UL2501	600V	10X12AWG	68/0.25	18.7	663.91	5.43 Ω/km
ANM08.001.11.012AB	UL2501	600V	11X12AWG	68/0.25	19.3	715.51	5.43 Ω/km
ANM08.001.12.012AB	UL2501	600V	12X12AWG	68/0.25	19.3	739.61	5.43 Ω/km
ANM08.001.13.012AB	UL2501	600V	13X12AWG	68/0.25	20.2	806.41	5.43 Ω/km
ANM08.001.14.012AB	UL2501	600V	14X12AWG	68/0.25	20.2	830.41	5.43 Ω/km



ANM08.001.15.012AB	UL2501	600V	15X12AWG	68/0.25	22.7	982.51	5.43 Ω/km
ANM08.001.16.012AB	UL2501	600V	16X12AWG	68/0.25	22.7	1006.61	5.43 Ω/km
ANM08.001.17.012AB	UL2501	600V	17X12AWG	68/0.25	23.7	1086.51	5.43 Ω/km
ANM08.001.18.012AB	UL2501	600V	18X12AWG	68/0.25	23.7	1110.51	5.43 Ω/km
ANM08.001.19.012AB	UL2501	600V	19X12AWG	68/0.25	23.7	1134.81	5.43 Ω/km
ANM08.001.20.012AB	UL2501	600V	20X12AWG	68/0.25	24.3	1193.41	5.43 Ω/km
ANM08.001.21.012AB	UL2501	600V	21X12AWG	68/0.25	24.8	1247.01	5.43 Ω/km
ANM08.001.22.012AB	UL2501	600V	22X12AWG	68/0.25	26.3	1363.41	5.43 Ω/km
ANM08.001.23.012AB	UL2501	600V	23X12AWG	68/0.25	27.3	1452.11	5.43 Ω/km
ANM08.001.24.012AB	UL2501	600V	24X12AWG	68/0.25	27.3	1476.11	5.43 Ω/km
ANM08.001.25.012AB	UL2501	600V	25X12AWG	68/0.25	27.9	1540.11	5.43 Ω/km
ANM08.001.26.012AB	UL2501	600V	26X12AWG	68/0.25	27.9	1564.21	5.43 Ω/km
ANM08.001.27.012AB	UL2501	600V	27X12AWG	68/0.25	27.9	1588.31	5.43 Ω/km
ANM08.001.28.012AB	UL2501	600V	28X12AWG	68/0.25	28.8	1673.81	5.43 Ω/km
ANM08.001.29.012AB	UL2501	600V	29X12AWG	68/0.25	28.8	1697.81	5.43 Ω/km
ANM08.001.30.012AB	UL2501	600V	30X12AWG	68/0.25	28.8	1722.01	5.43 Ω/km
ANM08.001.31.012AB	UL2501	600V	31X12AWG	68/0.25	29.9	1823.91	5.43 Ω/km
ANM08.001.32.012AB	UL2501	600V	32X12AWG	68/0.25	29.9	1848.01	5.43 Ω/km
ANM08.001.33.012AB	UL2501	600V	33X12AWG	68/0.25	29.9	1872.11	5.43 Ω/km
ANM08.001.34.012AB	UL2501	600V	34X12AWG	68/0.25	30.9	1969.51	5.43 Ω/km
ANM08.001.35.012AB	UL2501	600V	35X12AWG	68/0.25	30.9	1993.51	5.43 Ω/km
ANM08.001.36.012AB	UL2501	600V	36X12AWG	68/0.25	30.9	2017.51	5.43 Ω/km
ANM08.001.37.012AB	UL2501	600V	37X12AWG	68/0.25	30.9	2041.71	5.43 Ω/km
ANM08.001.02.011AB	UL2501	600V	2X11AWG	85/0.25	12.2	241.67	4.30 Ω/km
ANM08.001.03.011AB	UL2501	600V	3X11AWG	85/0.25	12.9	292.37	4.30 Ω/km
ANM08.001.04.011AB	UL2501	600V	4X11AWG	85/0.25	13.9	354.27	4.30 Ω/km
ANM08.001.05.011AB	UL2501	600V	5X11AWG	85/0.25	15.1	425.77	4.30 Ω/km
ANM08.001.06.011AB	UL2501	600V	6X11AWG	85/0.25	16.3	500.67	4.30 Ω/km
ANM08.001.07.011AB	UL2501	600V	7X11AWG	85/0.25	16.3	530.37	4.30 Ω/km
ANM08.001.08.011AB	UL2501	600V	8X11AWG	85/0.25	17.5	608.97	4.30 Ω/km
ANM08.001.09.011AB	UL2501	600V	9X11AWG	85/0.25	19.1	709.07	4.30 Ω/km
ANM08.001.10.011AB	UL2501	600V	10X11AWG	85/0.25	20.3	795.57	4.30 Ω/km
ANM08.001.11.011AB	UL2501	600V	11X11AWG	85/0.25	21	860.17	4.30 Ω/km
ANM08.001.12.011AB	UL2501	600V	12X11AWG	85/0.25	21	889.77	4.30 Ω/km
ANM08.001.13.011AB	UL2501	600V	13X11AWG	85/0.25	23.4	1046.57	4.30 Ω/km
ANM08.001.14.011AB	UL2501	600V	14X11AWG	85/0.25	23.4	1076.17	4.30 Ω/km
ANM08.001.15.011AB	UL2501	600V	15X11AWG	85/0.25	24.5	1169.17	4.30 Ω/km
ANM08.001.16.011AB	UL2501	600V	16X11AWG	85/0.25	24.5	1198.97	4.30 Ω/km
ANM08.001.17.011AB	UL2501	600V	17X11AWG	85/0.25	25.7	1301.07	4.30 Ω/km
ANM08.001.18.011AB	UL2501	600V	18X11AWG	85/0.25	25.7	1330.77	4.30 Ω/km
ANM08.001.19.011AB	UL2501	600V	19X11AWG	85/0.25	25.7	1360.47	4.30 Ω/km
ANM08.001.20.011AB	UL2501	600V	20X11AWG	85/0.25	26.4	1433.87	4.30 Ω/km





ANM08.001.21.011AB	UL2501	600V	21X11AWG	85/0.25	26.9	1495.77	4.30 Ω/km
ANM08.001.22.011AB	UL2501	600V	22X11AWG	85/0.25	28.5	1632.17	4.30 Ω/km
ANM08.001.23.011AB	UL2501	600V	23X11AWG	85/0.25	29.7	1745.97	4.30 Ω/km
ANM08.001.24.011AB	UL2501	600V	24X11AWG	85/0.25	29.7	1775.57	4.30 Ω/km
ANM08.001.25.011AB	UL2501	600V	25X11AWG	85/0.25	30.4	1855.97	4.30 Ω/km
ANM08.001.26.011AB	UL2501	600V	26X11AWG	85/0.25	30.4	1885.57	4.30 Ω/km
ANM08.001.27.011AB	UL2501	600V	27X11AWG	85/0.25	30.4	1915.27	4.30 Ω/km
ANM08.001.28.011AB	UL2501	600V	28X11AWG	85/0.25	31.4	2019.47	4.30 Ω/km
ANM08.001.29.011AB	UL2501	600V	29X11AWG	85/0.25	31.4	2049.07	4.30 Ω/km
ANM08.001.30.011AB	UL2501	600V	30X11AWG	85/0.25	31.4	2078.67	4.30 Ω/km
ANM08.001.31.011AB	UL2501	600V	31X11AWG	85/0.25	32.5	2193.07	4.30 Ω/km
ANM08.001.32.011AB	UL2501	600V	32X11AWG	85/0.25	32.5	2222.67	4.30 Ω/km
ANM08.001.33.011AB	UL2501	600V	33X11AWG	85/0.25	32.5	2252.37	4.30 Ω/km
ANM08.001.34.011AB	UL2501	600V	34X11AWG	85/0.25	33.7	2377.77	4.30 Ω/km
ANM08.001.35.011AB	UL2501	600V	35X11AWG	85/0.25	33.7	2407.37	4.30 Ω/km
ANM08.001.36.011AB	UL2501	600V	36X11AWG	85/0.25	33.7	2437.17	4.30 Ω/km
ANM08.001.37.011AB	UL2501	600V	37X11AWG	85/0.25	33.7	2466.67	4.30 Ω/km
ANM08.001.02.010AB	UL2501	600V	2X10AWG	108/0.25	13.4	291.17	3.409 Ω/km
ANM08.001.03.010AB	UL2501	600V	3X10AWG	108/0.25	14.2	353.07	3.409 Ω/km
ANM08.001.04.010AB	UL2501	600V	4X10AWG	108/0.25	15.5	434.97	3.409 Ω/km
ANM08.001.05.010AB	UL2501	600V	5X10AWG	108/0.25	16.8	520.97	3.409 Ω/km
ANM08.001.06.010AB	UL2501	600V	6X10AWG	108/0.25	18.1	610.97	3.409 Ω/km
ANM08.001.07.010AB	UL2501	600V	7X10AWG	108/0.25	18.1	646.37	3.409 Ω/km
ANM08.001.08.010AB	UL2501	600V	8X10AWG	108/0.25	19.5	745.17	3.409 Ω/km
ANM08.001.09.010AB	UL2501	600V	9X10AWG	108/0.25	22.8	947.47	3.409 Ω/km
ANM08.001.10.010AB	UL2501	600V	10X10AWG	108/0.25	24.1	1056.37	3.409 Ω/km
ANM08.001.11.010AB	UL2501	600V	11X10AWG	108/0.25	24.9	1138.77	3.409 Ω/km
ANM08.001.12.010AB	UL2501	600V	12X10AWG	108/0.25	24.9	1174.17	3.409 Ω/km
ANM08.001.13.010AB	UL2501	600V	13X10AWG	108/0.25	26.1	1283.47	3.409 Ω/km
ANM08.001.14.010AB	UL2501	600V	14X10AWG	108/0.25	26.1	1318.77	3.409 Ω/km
ANM08.001.15.010AB	UL2501	600V	15X10AWG	108/0.25	27.4	1437.97	3.409 Ω/km
ANM08.001.16.010AB	UL2501	600V	16X10AWG	108/0.25	27.4	1473.47	3.409 Ω/km
ANM08.001.17.010AB	UL2501	600V	17X10AWG	108/0.25	28.7	1596.57	3.409 Ω/km
ANM08.001.18.010AB	UL2501	600V	18X10AWG	108/0.25	28.7	1631.97	3.409 Ω/km
ANM08.001.19.010AB	UL2501	600V	19X10AWG	108/0.25	28.7	1667.47	3.409 Ω/km
ANM08.001.20.010AB	UL2501	600V	20X10AWG	108/0.25	29.5	1759.07	3.409 Ω/km
ANM08.001.21.010AB	UL2501	600V	21X10AWG	108/0.25	30.1	1837.37	3.409 Ω/km
ANM08.001.22.010AB	UL2501	600V	22X10AWG	108/0.25	32	2015.07	3.409 Ω/km
ANM08.001.23.010AB	UL2501	600V	23X10AWG	108/0.25	33.3	2152.87	3.409 Ω/km
ANM08.001.24.010AB	UL2501	600V	24X10AWG	108/0.25	33.3	2188.17	3.409 Ω/km
ANM08.001.25.010AB	UL2501	600V	25X10AWG	108/0.25	34.1	2288.67	3.409 Ω/km
ANM08.001.26.010AB	UL2501	600V	26X10AWG	108/0.25	34.1	2324.07	3.409 Ω/km



ANM08.001.27.010AB	UL2501	600V	27X10AWG	108/0.25	34.1	2359.37	3.409 Ω/km
ANM08.001.28.010AB	UL2501	600V	28X10AWG	108/0.25	35.3	2495.27	3.409 Ω/km
ANM08.001.29.010AB	UL2501	600V	29X10AWG	108/0.25	35.3	2530.67	3.409 Ω/km
ANM08.001.30.010AB	UL2501	600V	30X10AWG	108/0.25	35.3	2566.07	3.409 Ω/km
ANM08.001.31.010AB	UL2501	600V	31X10AWG	108/0.25	36.9	2740.77	3.409 Ω/km
ANM08.001.32.010AB	UL2501	600V	32X10AWG	108/0.25	36.9	2776.17	3.409 Ω/km
ANM08.001.33.010AB	UL2501	600V	33X10AWG	108/0.25	36.9	2811.57	3.409 Ω/km
ANM08.001.34.010AB	UL2501	600V	34X10AWG	108/0.25	38.2	2964.57	3.409 Ω/km
ANM08.001.35.010AB	UL2501	600V	35X10AWG	108/0.25	38.2	3000.07	3.409 Ω/km
ANM08.001.36.010AB	UL2501	600V	36X10AWG	108/0.25	38.2	3035.47	3.409 Ω/km
ANM08.001.37.010AB	UL2501	600V	37X10AWG	108/0.25	38.2	3070.77	3.409 Ω/km
ANM08.001.02.009AB	UL2501	600V	2X9AWG	136/0.25	14.9	364.14	2.705 Ω/km
ANM08.001.03.009AB	UL2501	600V	3X9AWG	136/0.25	15.8	442.84	2.705 Ω/km
ANM08.001.04.009AB	UL2501	600V	4X9AWG	136/0.25	17.1	540.04	2.705 Ω/km
ANM08.001.05.009AB	UL2501	600V	5X9AWG	136/0.25	18.7	654.54	2.705 Ω/km
ANM08.001.06.009AB	UL2501	600V	6X9AWG	136/0.25	20.2	770.54	2.705 Ω/km
ANM08.001.07.009AB	UL2501	600V	7X9AWG	136/0.25	20.2	816.04	2.705 Ω/km
ANM08.001.02.008AB	UL2501	600V	2X8AWG	171/0.25	15.7	420.37	2.144 Ω/km
ANM08.001.03.008AB	UL2501	600V	3X8AWG	171/0.25	16.6	513.67	2.144 Ω/km
ANM08.001.04.008AB	UL2501	600V	4X8AWG	171/0.25	18.1	634.37	2.144 Ω/km
ANM08.001.05.008AB	UL2501	600V	5X8AWG	171/0.25	19.7	765.47	2.144 Ω/km
ANM08.001.06.008AB	UL2501	600V	6X8AWG	171/0.25	22.8	981.27	2.144 Ω/km
ANM08.001.07.008AB	UL2501	600V	7X8AWG	171/0.25	22.8	1039.37	2.144 Ω/km
ANM08.001.02.007AB	UL2501	600V	2X7AWG	84/0.4	16.5	486.25	1.700 Ω/km
ANM08.001.03.007AB	UL2501	600V	3X7AWG	84/0.4	17.5	601.85	1.700 Ω/km
ANM08.001.04.007AB	UL2501	600V	4X7AWG	84/0.4	19.1	747.05	1.700 Ω/km
ANM08.001.05.007AB	UL2501	600V	5X7AWG	84/0.4	20.8	903.35	1.700 Ω/km
ANM08.001.06.007AB	UL2501	600V	6X7AWG	84/0.4	24	1149.35	1.700 Ω/km
ANM08.001.07.007AB	UL2501	600V	7X7AWG	84/0.4	24	1224.05	1.700 Ω/km
ANM08.001.02.006AB	UL2501	600V	2X6AWG	106/0.4	17.9	582.4	1.348 Ω/km
ANM08.001.03.006AB	UL2501	600V	3X6AWG	106/0.4	19	723.6	1.348 Ω/km
ANM08.001.04.006AB	UL2501	600V	4X6AWG	106/0.4	20.8	902.1	1.348 Ω/km
ANM08.001.05.006AB	UL2501	600V	5X6AWG	106/0.4	24.1	1171.7	1.348 Ω/km
ANM08.001.06.006AB	UL2501	600V	6X6AWG	106/0.4	26.1	1384.8	1.348 Ω/km
ANM08.001.07.006AB	UL2501	600V	7X6AWG	106/0.4	26.1	1477.1	1.348 Ω/km
ANM08.001.02.005AB	UL2501	600V	2X5AWG	134/0.4	19.1	688.87	1.070 Ω/km
ANM08.001.03.005AB	UL2501	600V	3X5AWG	134/0.4	20.3	862.67	1.070 Ω/km
ANM08.001.04.005AB	UL2501	600V	4X5AWG	134/0.4	23.6	1152.97	1.070 Ω/km
ANM08.001.05.005AB	UL2501	600V	5X5AWG	134/0.4	25.7	1394.57	1.070 Ω/km
ANM08.001.06.005AB	UL2501	600V	6X5AWG	134/0.4	27.9	1653.57	1.070 Ω/km
ANM08.001.07.005AB	UL2501	600V	7X5AWG	134/0.4	27.9	1770.47	1.070 Ω/km
ANM08.001.02.004AB	UL2501	600V	2X4AWG	169/0.4	23.1	956.45	0.8481 Ω/km



ANM08.001.03.004AB	UL2501	600V	3X4AWG	169/0.4	24.5	1184.15	0.8481 Ω/km
ANM08.001.04.004AB	UL2501	600V	4X4AWG	169/0.4	26.8	1473.95	0.8481 Ω/km
ANM08.001.05.004AB	UL2501	600V	5X4AWG	169/0.4	29.2	1783.35	0.8481 Ω/km
ANM08.001.06.004AB	UL2501	600V	6X4AWG	169/0.4	31.8	2122.05	0.8481 Ω/km
ANM08.001.07.004AB	UL2501	600V	7X4AWG	169/0.4	31.8	2269.75	0.8481 Ω/km
ANM08.001.02.003AB	UL2501	600V	2X3AWG	213/0.4	24.7	1131.37	0.6727 Ω/km
ANM08.001.03.003AB	UL2501	600V	3X3AWG	213/0.4	26.2	1409.47	0.6727 Ω/km
ANM08.001.04.003AB	UL2501	600V	4X3AWG	213/0.4	28.7	1760.87	0.6727 Ω/km
ANM08.001.05.003AB	UL2501	600V	5X3AWG	213/0.4	31.4	2142.77	0.6727 Ω/km
ANM08.001.06.003AB	UL2501	600V	6X3AWG	213/0.4	34.2	2550.37	0.6727 Ω/km
ANM08.001.07.003AB	UL2501	600V	7X3AWG	213/0.4	34.2	2736.67	0.6727 Ω/km
ANM08.001.02.002AB	UL2501	600V	2X2AWG	268/0.4	26.5	1346.42	0.5335 Ω/km
ANM08.001.03.002AB	UL2501	600V	3X2AWG	268/0.4	28.2	1693.12	0.5335 Ω/km
ANM08.001.04.002AB	UL2501	600V	4X2AWG	268/0.4	30.9	2120.32	0.5335 Ω/km
ANM08.001.05.002AB	UL2501	600V	5X2AWG	268/0.4	33.8	2581.32	0.5335 Ω/km
ANM08.001.06.002AB	UL2501	600V	6X2AWG	268/0.4	37.2	3107.12	0.5335 Ω/km
ANM08.001.07.002AB	UL2501	600V	7X2AWG	268/0.4	37.2	3341.92	0.5335 Ω/km
ANM08.001.02.001AB	UL2501	600V	2X1AWG	338/0.4	29.1	1656.81	0.4230 Ω/km
ANM08.001.03.001AB	UL2501	600V	3X1AWG	338/0.4	31	2092.91	0.4230 Ω/km
ANM08.001.04.001AB	UL2501	600V	4X1AWG	338/0.4	34	2626.61	0.4230 Ω/km
ANM08.001.05.001AB	UL2501	600V	5X1AWG	338/0.4	37.6	3236.01	0.4230 Ω/km
ANM08.001.06.001AB	UL2501	600V	6X1AWG	338/0.4	41.1	3866.71	0.4230 Ω/km
ANM08.001.07.001AB	UL2501	600V	7X1AWG	338/0.4	41.1	4165.31	0.4230 Ω/km
ANM08.001.02.1/0AB	UL2501	600V	2X1/0AWG	426/0.4	31.7	2005.79	0.3354 Ω/km
ANM08.001.03.1/0AB	UL2501	600V	3X1/0AWG	426/0.4	33.8	2543.89	0.3354 Ω/km
ANM08.001.04.1/0AB	UL2501	600V	4X1/0AWG	426/0.4	37.4	3225.19	0.3354 Ω/km
ANM08.001.05.1/0AB	UL2501	600V	5X1/0AWG	426/0.4	41.1	3947.69	0.3354 Ω/km
ANM08.001.06.1/0AB	UL2501	600V	6X1/0AWG	426/0.4	46.8	4920.79	0.3354 Ω/km
ANM08.001.07.1/0AB	UL2501	600V	7X1/0AWG	426/0.4	46.8	5293.09	0.3354 Ω/km
ANM08.001.02.2/0AB	UL2501	600V	2X2/0AWG	537/0.4	34.3	2419.83	0.2660 Ω/km
ANM08.001.03.2/0AB	UL2501	600V	3X2/0AWG	537/0.4	36.9	3111.83	0.2660 Ω/km
ANM08.001.04.2/0AB	UL2501	600V	4X2/0AWG	537/0.4	40.6	3926.53	0.2660 Ω/km
ANM08.001.05.2/0AB	UL2501	600V	5X2/0AWG	537/0.4	46.5	5011.73	0.2660 Ω/km
ANM08.001.06.2/0AB	UL2501	600V	6X2/0AWG	537/0.4	50.7	5972.83	0.2660 Ω/km
ANM08.001.07.2/0AB	UL2501	600V	7X2/0AWG	537/0.4	50.7	6441.63	0.2660 Ω/km
ANM08.001.02.3/0AB	UL2501	600V	2X3/0AWG	677/0.4	37.2	2941.11	0.2110 Ω/km
ANM08.001.03.3/0AB	UL2501	600V	3X3/0AWG	677/0.4	39.7	3768.61	0.2110 Ω/km
ANM08.001.04.3/0AB	UL2501	600V	4X3/0AWG	677/0.4	45.5	4956.91	0.2110 Ω/km
ANM08.001.05.3/0AB	UL2501	600V	5X3/0AWG	677/0.4	50	6070.81	0.2110 Ω/km
ANM08.001.06.3/0AB	UL2501	600V	6X3/0AWG	677/0.4	54.6	7246.91	0.2110 Ω/km
ANM08.001.07.3/0AB	UL2501	600V	7X3/0AWG	677/0.4	54.6	7842.41	0.2110 Ω/km
ANM08.001.02.4/0AB	UL2501	600V	2X4/0AWG	854/0.4	40.4	3574.2	0.1673 Ω/km



ANM08.001.03.4/0AB	UL2501	600V	3X4/0AWG	854/0.4	43.1	4597.5	0.1673 Ω/km
ANM08.001.04.4/0AB	UL2501	600V	4X4/0AWG	854/0.4	49.4	6048.1	0.1673 Ω/km
ANM08.001.05.4/0AB	UL2501	600V	5X4/0AWG	854/0.4	54.3	7412.4	0.1673 Ω/km
ANM08.001.06.4/0AB	UL2501	600V	6X4/0AWG	854/0.4	59.4	8863.3	0.1673 Ω/km
ANM08.001.07.4/0AB	UL2501	600V	7X4/0AWG	854/0.4	59.4	9614.7	0.1673 Ω/km
ANM08.001.02.250kB	UL2501	600V	2X250kcmil	1007/0.4	46.4	4479.3	0.1416 Ω/km
ANM08.001.03.250kB	UL2501	600V	3X250kcmil	1007/0.4	49.4	5707.6	0.1416 Ω/km
ANM08.001.04.250kB	UL2501	600V	4X250kcmil	1007/0.4	54.4	7215.1	0.1416 Ω/km
ANM08.001.05.250kB	UL2501	600V	5X250kcmil	1007/0.4	60	8869.8	0.1416 Ω/km
ANM08.001.02.300kB	UL2501	600V	2X300kcmil	1184/0.4	48.6	5139	0.1180 Ω/km
ANM08.001.03.300kB	UL2501	600V	3X300kcmil	1184/0.4	51.8	6599.6	0.1180 Ω/km
ANM08.001.04.300kB	UL2501	600V	4X300kcmil	1184/0.4	57.1	8368.8	0.1180 Ω/km
ANM08.001.05.300kB	UL2501	600V	5X300kcmil	1184/0.4	62.9	10281.7	0.1180 Ω/km
ANM08.001.02.350kB	UL2501	600V	2X350kcmil	1406/0.4	51.6	5867.4	0.1011 Ω/km
ANM08.001.03.350kB	UL2501	600V	3X350kcmil	1406/0.4	55	7548.2	0.1011 Ω/km
ANM08.001.04.350kB	UL2501	600V	4X350kcmil	1406/0.4	60.7	9587.4	0.1011 Ω/km
ANM08.001.05.350kB	UL2501	600V	5X350kcmil	1406/0.4	67	11801.6	0.1011 Ω/km
ANM08.001.02.400kB	UL2501	600V	2X400kcmil	1628/0.4	54.6	6626.7	0.08851 Ω/km
ANM08.001.03.400kB	UL2501	600V	3X400kcmil	1628/0.4	58.3	8548.7	0.08851 Ω/km
ANM08.001.04.400kB	UL2501	600V	4X400kcmil	1628/0.4	64.3	10854.2	0.08851 Ω/km
ANM08.001.05.400kB	UL2501	600V	5X400kcmil	1628/0.4	73.4	13776.8	0.08851 Ω/km
ANM08.001.02.450kB	UL2501	600V	2X450kcmil	1830/0.4	57	7325.3	0.07867 Ω/km
ANM08.001.03.450kB	UL2501	600V	3X450kcmil	1830/0.4	60.8	9458.7	0.07867 Ω/km
ANM08.001.04.450kB	UL2501	600V	4X450kcmil	1830/0.4	67.2	12040.6	0.07867 Ω/km
ANM08.001.05.450kB	UL2501	600V	5X450kcmil	1830/0.4	76.7	15275.7	0.07867 Ω/km
ANM08.001.02.500kB	UL2501	600V	2X500kcmil	2013/0.4	59	7995.6	0.07080 Ω/km
ANM08.001.03.500kB	UL2501	600V	3X500kcmil	2013/0.4	63	10360.4	0.07080 Ω/km
ANM08.001.04.500kB	UL2501	600V	4X500kcmil	2013/0.4	69.6	13192.6	0.07080 Ω/km
ANM08.001.05.500kB	UL2501	600V	5X500kcmil	2013/0.4	79.4	16722.8	0.07080 Ω/km
ANM08.001.03.01.013AB	UL2501	600V	3X13AWG+1X15AWG	54/0.25	11.6	231.05	6.82 Ω/km
ANM08.001.03.01.012AB	UL2501	600V	3X12AWG+1X14AWG	68/0.25	12.5	276.48	5.43 Ω/km
ANM08.001.03.01.011AB	UL2501	600V	3X11AWG+1X14AWG	85/0.25	13.2	314.88	4.30 Ω/km
ANM08.001.03.01.010AB	UL2501	600V	3X10AWG+1X13AWG	108/0.25	14.6	383.23	3.409 Ω/km
ANM08.001.03.01.009AB	UL2501	600V	3X9AWG+1X12AWG	136/0.25	16.1	475.01	2.705 Ω/km
ANM08.001.03.01.008AB	UL2501	600V	3X8AWG+1X11AWG	171/0.25	17.1	559.27	2.144 Ω/km
ANM08.001.03.01.007AB	UL2501	600V	3X7AWG+1X10AWG	84/0.4	18.2	662.07	1.700 Ω/km
ANM08.001.03.01.006AB	UL2501	600V	3X6AWG+1X9AWG	106/0.4	19.8	799.84	1.348 Ω/km
ANM08.001.03.01.005AB	UL2501	600V	3X5AWG+1X8AWG	134/0.4	22.6	1030.17	1.070 Ω/km
ANM08.001.03.01.004AB	UL2501	600V	3X4AWG+1X7AWG	169/0.4	25.2	1290.25	0.8481 Ω/km
ANM08.001.03.01.003AB	UL2501	600V	3X3AWG+1X6AWG	213/0.4	27.1	1546.1	0.6727 Ω/km
ANM08.001.03.01.002AB	UL2501	600V	3X2AWG+1X5AWG	268/0.4	29.1	1855.47	0.5335 Ω/km
ANM08.001.03.01.001AB	UL2501	600V	3X1AWG+1X4AWG	338/0.4	32.2	2310.75	0.4230 Ω/km



ANM08.001.03.01.1/OAB	UL2501	600V	3X1/OAWG+1X3AWG	426/0.4	35	2802.77	0.3354 Ω/km
ANM08.001.03.01.2/OAB	UL2501	600V	3X2/OAWG+1X2AWG	537/0.4	38.2	3430.52	0.2660 Ω/km
ANM08.001.03.01.3/OAB	UL2501	600V	3X3/OAWG+1X1AWG	677/0.4	41.4	4190.91	0.2110 Ω/km
ANM08.001.03.01.4/OAB	UL2501	600V	3X4/OAWG+1X1/OAWG	854/0.4	46.9	5324.99	0.1673 Ω/km
ANM08.001.03.01.250kB	UL2501	600V	3X250kcmil+1X2/OAWG	1007/0.4	51.5	6372.33	0.1416 Ω/km
ANM08.001.03.01.300kB	UL2501	600V	3X300kcmil+1X3/OAWG	1184/0.4	54.3	7448.01	0.1180 Ω/km
ANM08.001.03.01.350kB	UL2501	600V	3X350kcmil+1X4/OAWG	1406/0.4	58	8638.7	0.1011 Ω/km
ANM08.001.03.01.400kB	UL2501	600V	3X400kcmil+1X250kcmil	1628/0.4	61.9	9876.6	0.08851 Ω/km
ANM08.001.03.01.450kB	UL2501	600V	3X450kcmil+1X300kcmil	1830/0.4	64.8	11062	0.07867 Ω/km
ANM08.001.03.01.500kB	UL2501	600V	3X500kcmil+1X350kcmil	2013/0.4	67.5	12236.8	0.07080 Ω/km
ANM08.001.03.02.013AB	UL2501	600V	3X13AWG+2X15AWG	54/0.25	12.3	263.15	6.82 Ω/km
ANM08.001.03.02.012AB	UL2501	600V	3X12AWG+2X14AWG	68/0.25	13.2	313.38	5.43 Ω/km
ANM08.001.03.02.011AB	UL2501	600V	3X11AWG+2X14AWG	85/0.25	13.8	349.48	4.30 Ω/km
ANM08.001.03.02.010AB	UL2501	600V	3X10AWG+2X13AWG	108/0.25	15.2	423.53	3.409 Ω/km
ANM08.001.03.02.009AB	UL2501	600V	3X9AWG+2X12AWG	136/0.25	16.8	527.01	2.705 Ω/km
ANM08.001.03.02.008AB	UL2501	600V	3X8AWG+2X11AWG	171/0.25	17.9	622.57	2.144 Ω/km
ANM08.001.03.02.007AB	UL2501	600V	3X7AWG+2X10AWG	84/0.4	19.2	742.57	1.700 Ω/km
ANM08.001.03.02.006AB	UL2501	600V	3X6AWG+2X9AWG	106/0.4	21	904.64	1.348 Ω/km
ANM08.001.03.02.005AB	UL2501	600V	3X5AWG+2X8AWG	134/0.4	23.8	1155.27	1.070 Ω/km
ANM08.001.03.02.004AB	UL2501	600V	3X4AWG+2X7AWG	169/0.4	26.4	1439.25	0.8481 Ω/km
ANM08.001.03.02.003AB	UL2501	600V	3X3AWG+2X6AWG	213/0.4	28.4	1725.4	0.6727 Ω/km
ANM08.001.03.02.002AB	UL2501	600V	3X2AWG+2X5AWG	268/0.4	30.5	2072.97	0.5335 Ω/km
ANM08.001.03.02.001AB	UL2501	600V	3X1AWG+2X4AWG	338/0.4	34.1	2610.15	0.4230 Ω/km
ANM08.001.03.02.1/OAB	UL2501	600V	3X1/OAWG+2X3AWG	426/0.4	37.3	3189.47	0.3354 Ω/km
ANM08.001.03.02.2/OAB	UL2501	600V	3X2/OAWG+2X2AWG	537/0.4	40.4	3874.02	0.2660 Ω/km
ANM08.001.03.02.3/OAB	UL2501	600V	3X3/OAWG+2X1AWG	677/0.4	45.7	4937.81	0.2110 Ω/km
ANM08.001.03.02.4/OAB	UL2501	600V	3X4/OAWG+2X1/OAWG	854/0.4	49.7	6023.49	0.1673 Ω/km
ANM08.001.03.02.250kB	UL2501	600V	3X250kcmil+2X2/OAWG	1007/0.4	54.5	7224.83	0.1416 Ω/km
ANM08.001.03.02.300kB	UL2501	600V	3X300kcmil+2X3/OAWG	1184/0.4	57.7	8503.21	0.1180 Ω/km
ANM08.001.03.02.350kB	UL2501	600V	3X350kcmil+2X4/OAWG	1406/0.4	61.9	9954.4	0.1011 Ω/km
ANM08.001.03.02.400kB	UL2501	600V	3X400kcmil+2X250kcmil	1628/0.4	66.6	11486.9	0.08851 Ω/km
ANM08.001.03.02.450kB	UL2501	600V	3X450kcmil+2X300kcmil	1830/0.4	69.7	12930.5	0.07867 Ω/km
ANM08.001.03.02.500kB	UL2501	600V	3X500kcmil+2X350kcmil	2013/0.4	75.3	14816.6	0.07080 Ω/km
ANM08.001.01.01.013AB	UL2501	600V	4X13AWG+1X15AWG	54/0.25	12.6	278.95	6.82 Ω/km
ANM08.001.01.01.012AB	UL2501	600V	4X12AWG+1X14AWG	68/0.25	13.5	331.78	5.43 Ω/km
ANM08.001.01.01.011AB	UL2501	600V	4X11AWG+1X14AWG	85/0.25	14.5	387.78	4.30 Ω/km
ANM08.001.01.01.010AB	UL2501	600V	4X10AWG+1X13AWG	108/0.25	16	470.13	3.409 Ω/km
ANM08.001.01.01.009AB	UL2501	600V	4X9AWG+1X12AWG	136/0.25	17.7	585.91	2.705 Ω/km
ANM08.001.01.01.008AB	UL2501	600V	4X8AWG+1X11AWG	171/0.25	18.8	690.87	2.144 Ω/km
ANM08.001.01.01.007AB	UL2501	600V	4X7AWG+1X10AWG	84/0.4	20	819.57	1.700 Ω/km
ANM08.001.01.01.006AB	UL2501	600V	4X6AWG+1X9AWG	106/0.4	23.3	1072.74	1.348 Ω/km
ANM08.001.01.01.005AB	UL2501	600V	4X5AWG+1X8AWG	134/0.4	24.8	1272.57	1.070 Ω/km



ANM08.001.01.01.001AB	UL2501	600V	4X4AWG+1X7AWG	169/0.4	27.8	1603.65	0.8481 Ω/km
ANM08.001.01.01.003AB	UL2501	600V	4X3AWG+1X6AWG	213/0.4	29.9	1924.6	0.6727 Ω/km
ANM08.001.01.01.002AB	UL2501	600V	4X2AWG+1X5AWG	268/0.4	32.2	2319.27	0.5335 Ω/km
ANM08.001.01.01.001AB	UL2501	600V	4X1AWG+1X4AWG	338/0.4	35.7	2895.95	0.4230 Ω/km
ANM08.001.01.01.1/0AB	UL2501	600V	4X1/0AWG+1X3AWG	426/0.4	39.2	3550.97	0.3354 Ω/km
ANM08.001.01.01.2/0AB	UL2501	600V	4X2/0AWG+1X2AWG	537/0.4	42.5	4318.02	0.2660 Ω/km
ANM08.001.01.01.3/0AB	UL2501	600V	4X3/0AWG+1X1AWG	677/0.4	47.8	5471.61	0.2110 Ω/km
ANM08.001.01.01.4/0AB	UL2501	600V	4X4/0AWG+1X1/0AWG	854/0.4	52	6684.69	0.1673 Ω/km
ANM08.001.01.01.250kB	UL2501	600V	4X250kcmil+1X2/0AWG	1007/0.4	57.2	8001.53	0.1416 Ω/km
ANM08.001.01.01.300kB	UL2501	600V	4X300kcmil+1X3/0AWG	1184/0.4	60.3	9350.81	0.1180 Ω/km
ANM08.001.01.01.350kB	UL2501	600V	4X350kcmil+1X4/0AWG	1406/0.4	64.4	10827.5	0.1011 Ω/km
ANM08.001.01.01.400kB	UL2501	600V	4X400kcmil+1X250kcmil	1628/0.4	68.8	12382.8	0.08851 Ω/km
ANM08.001.01.01.450kB	UL2501	600V	4X450kcmil+1X300kcmil	1830/0.4	74.4	14260.2	0.07867 Ω/km
ANM08.001.01.01.500kB	UL2501	600V	4X500kcmil+1X350kcmil	2013/0.4	77.3	15717.2	0.07080 Ω/km
ANM08.001.03.03.013AB	UL2501	600V	3X13AWG+3X18AWG	54/0.25	11.9	244.73	6.82 Ω/km
ANM08.001.03.03.012AB	UL2501	600V	3X12AWG+3X17AWG	68/0.25	12.8	291.64	5.43 Ω/km
ANM08.001.03.03.011AB	UL2501	600V	3X11AWG+3X16AWG	85/0.25	13.9	350.41	4.30 Ω/km
ANM08.001.03.03.010AB	UL2501	600V	3X10AWG+3X15AWG	108/0.25	15.1	417.05	3.409 Ω/km
ANM08.001.03.03.009AB	UL2501	600V	3X9AWG+3X14AWG	136/0.25	16.4	507.08	2.705 Ω/km
ANM08.001.03.03.008AB	UL2501	600V	3X8AWG+3X13AWG	171/0.25	17.4	597.13	2.144 Ω/km
ANM08.001.03.03.007AB	UL2501	600V	3X7AWG+3X12AWG	84/0.4	18.6	714.61	1.700 Ω/km
ANM08.001.03.03.006AB	UL2501	600V	3X6AWG+3X11AWG	106/0.4	20.3	864.97	1.348 Ω/km
ANM08.001.03.03.005AB	UL2501	600V	3X5AWG+3X10AWG	134/0.4	23.5	1124.97	1.070 Ω/km
ANM08.001.03.03.004AB	UL2501	600V	3X4AWG+3X9AWG	169/0.4	26.4	1423.04	0.8481 Ω/km
ANM08.001.03.03.003AB	UL2501	600V	3X3AWG+3X8AWG	213/0.4	28.2	1696.77	0.6727 Ω/km
ANM08.001.03.03.002AB	UL2501	600V	3X2AWG+3X7AWG	268/0.4	30	2020.15	0.5335 Ω/km
ANM08.001.03.03.001AB	UL2501	600V	3X1AWG+3X6AWG	338/0.4	33	2495	0.4230 Ω/km
ANM08.001.03.03.1/0AB	UL2501	600V	3X1/0AWG+3X5AWG	426/0.4	35.7	3017.37	0.3354 Ω/km
ANM08.001.03.03.2/0AB	UL2501	600V	3X2/0AWG+3X4AWG	537/0.4	40	3795.85	0.2660 Ω/km
ANM08.001.03.03.3/0AB	UL2501	600V	3X3/0AWG+3X3AWG	677/0.4	43.1	4608.47	0.2110 Ω/km
ANM08.001.03.03.4/0AB	UL2501	600V	3X4/0AWG+3X2AWG	854/0.4	48.6	5833.02	0.1673 Ω/km
ANM08.001.03.03.250kB	UL2501	600V	3X250kcmil+3X1AWG	1007/0.4	53.6	7040.41	0.1416 Ω/km
ANM08.001.03.03.300kB	UL2501	600V	3X300kcmil+3X1/0AWG	1184/0.4	57.3	8341.59	0.1180 Ω/km
ANM08.001.03.03.350kB	UL2501	600V	3X350kcmil+3X1/0AWG	1406/0.4	59.3	9134.39	0.1011 Ω/km
ANM08.001.03.03.400kB	UL2501	600V	3X400kcmil+3X2/0AWG	1628/0.4	63.5	10583.93	0.08851 Ω/km
ANM08.001.03.03.450kB	UL2501	600V	3X450kcmil+3X3/0AWG	1830/0.4	67.3	12107.61	0.07867 Ω/km
ANM08.001.03.03.500kB	UL2501	600V	3X500kcmil+3X3/0AWG	2013/0.4	68.7	12885.41	0.07080 Ω/km
物料编号	型号	额定电压	规格	导体结构	电缆近似 外径 mm	近似重量 kg/km	导体电阻 Ω/km
芯线 XLPE 材质							
ANM08.005.02.022AB	UL2501	600V	2X22AWG	22/0.14	9	101.53	55.4 Ω/km
ANM08.005.03.022AB	UL2501	600V	3X22AWG	22/0.14	9.4	112.33	55.4 Ω/km



ANM08.005.04.022AB	UL2501	600V	4X22AWG	22/0.14	10	128.53	55.4 Ω/km
ANM08.005.05.022AB	UL2501	600V	5X22AWG	22/0.14	10.7	148.03	55.4 Ω/km
ANM08.005.06.022AB	UL2501	600V	6X22AWG	22/0.14	11.4	168.73	55.4 Ω/km
ANM08.005.07.022AB	UL2501	600V	7X22AWG	22/0.14	11.4	170.83	55.4 Ω/km
ANM08.005.08.022AB	UL2501	600V	8X22AWG	22/0.14	12.2	195.73	55.4 Ω/km
ANM08.005.09.022AB	UL2501	600V	9X22AWG	22/0.14	13.1	225.23	55.4 Ω/km
ANM08.005.10.022AB	UL2501	600V	10X22AWG	22/0.14	13.8	250.03	55.4 Ω/km
ANM08.005.11.022AB	UL2501	600V	11X22AWG	22/0.14	14.2	265.73	55.4 Ω/km
ANM08.005.12.022AB	UL2501	600V	12X22AWG	22/0.14	14.2	267.73	55.4 Ω/km
ANM08.005.13.022AB	UL2501	600V	13X22AWG	22/0.14	14.9	294.53	55.4 Ω/km
ANM08.005.14.022AB	UL2501	600V	14X22AWG	22/0.14	14.9	296.53	55.4 Ω/km
ANM08.005.15.022AB	UL2501	600V	15X22AWG	22/0.14	15.6	324.43	55.4 Ω/km
ANM08.005.16.022AB	UL2501	600V	16X22AWG	22/0.14	15.6	326.63	55.4 Ω/km
ANM08.005.17.022AB	UL2501	600V	17X22AWG	22/0.14	16.3	355.53	55.4 Ω/km
ANM08.005.18.022AB	UL2501	600V	18X22AWG	22/0.14	16.3	357.73	55.4 Ω/km
ANM08.005.19.022AB	UL2501	600V	19X22AWG	22/0.14	16.3	359.93	55.4 Ω/km
ANM08.005.20.022AB	UL2501	600V	20X22AWG	22/0.14	16.7	377.93	55.4 Ω/km
ANM08.005.21.022AB	UL2501	600V	21X22AWG	22/0.14	17.1	396.33	55.4 Ω/km
ANM08.005.22.022AB	UL2501	600V	22X22AWG	22/0.14	18	436.63	55.4 Ω/km
ANM08.005.23.022AB	UL2501	600V	23X22AWG	22/0.14	18.7	469.73	55.4 Ω/km
ANM08.005.24.022AB	UL2501	600V	24X22AWG	22/0.14	18.7	471.83	55.4 Ω/km
ANM08.005.25.022AB	UL2501	600V	25X22AWG	22/0.14	19.1	492.33	55.4 Ω/km
ANM08.005.26.022AB	UL2501	600V	26X22AWG	22/0.14	19.1	494.33	55.4 Ω/km
ANM08.005.27.022AB	UL2501	600V	27X22AWG	22/0.14	19.1	496.53	55.4 Ω/km
ANM08.005.28.022AB	UL2501	600V	28X22AWG	22/0.14	19.7	526.63	55.4 Ω/km
ANM08.005.29.022AB	UL2501	600V	29X22AWG	22/0.14	19.7	528.83	55.4 Ω/km
ANM08.005.30.022AB	UL2501	600V	30X22AWG	22/0.14	19.7	531.03	55.4 Ω/km
ANM08.005.31.022AB	UL2501	600V	31X22AWG	22/0.14	20.4	566.93	55.4 Ω/km
ANM08.005.32.022AB	UL2501	600V	32X22AWG	22/0.14	20.4	569.13	55.4 Ω/km
ANM08.005.33.022AB	UL2501	600V	33X22AWG	22/0.14	20.4	571.33	55.4 Ω/km
ANM08.005.34.022AB	UL2501	600V	34X22AWG	22/0.14	22.5	680.73	55.4 Ω/km
ANM08.005.35.022AB	UL2501	600V	35X22AWG	22/0.14	22.5	682.83	55.4 Ω/km
ANM08.005.36.022AB	UL2501	600V	36X22AWG	22/0.14	22.5	685.03	55.4 Ω/km
ANM08.005.37.022AB	UL2501	600V	37X22AWG	22/0.14	22.5	687.13	55.4 Ω/km
ANM08.005.38.022AB	UL2501	600V	38X22AWG	22/0.14	23.3	733.53	55.4 Ω/km
ANM08.005.39.022AB	UL2501	600V	39X22AWG	22/0.14	23.3	735.63	55.4 Ω/km
ANM08.005.40.022AB	UL2501	600V	40X22AWG	22/0.14	23.3	737.73	55.4 Ω/km
ANM08.005.41.022AB	UL2501	600V	41X22AWG	22/0.14	24.9	832.73	55.4 Ω/km
ANM08.005.42.022AB	UL2501	600V	42X22AWG	22/0.14	24.9	834.83	55.4 Ω/km
ANM08.005.43.022AB	UL2501	600V	43X22AWG	22/0.14	24.9	837.03	55.4 Ω/km
ANM08.005.44.022AB	UL2501	600V	44X22AWG	22/0.14	24.9	839.13	55.4 Ω/km
ANM08.005.45.022AB	UL2501	600V	45X22AWG	22/0.14	25.3	865.43	55.4 Ω/km



ANM08.005.46.022AB	UL2501	600V	46X22AWG	22/0.14	25.3	867.73	55.4 Ω/km
ANM08.005.47.022AB	UL2501	600V	47X22AWG	22/0.14	25.3	869.83	55.4 Ω/km
ANM08.005.48.022AB	UL2501	600V	48X22AWG	22/0.14	25.3	871.93	55.4 Ω/km
ANM08.005.49.022AB	UL2501	600V	49X22AWG	22/0.14	25.9	911.13	55.4 Ω/km
ANM08.005.50.022AB	UL2501	600V	50X22AWG	22/0.14	25.9	913.33	55.4 Ω/km
ANM08.005.51.022AB	UL2501	600V	51X22AWG	22/0.14	25.9	915.33	55.4 Ω/km
ANM08.005.52.022AB	UL2501	600V	52X22AWG	22/0.14	25.9	917.63	55.4 Ω/km
ANM08.005.53.022AB	UL2501	600V	53X22AWG	22/0.14	26.6	964.03	55.4 Ω/km
ANM08.005.54.022AB	UL2501	600V	54X22AWG	22/0.14	26.6	966.13	55.4 Ω/km
ANM08.005.55.022AB	UL2501	600V	55X22AWG	22/0.14	26.6	968.43	55.4 Ω/km
ANM08.005.56.022AB	UL2501	600V	56X22AWG	22/0.14	26.6	970.43	55.4 Ω/km
ANM08.005.57.022AB	UL2501	600V	57X22AWG	22/0.14	27.3	1018.03	55.4 Ω/km
ANM08.005.58.022AB	UL2501	600V	58X22AWG	22/0.14	27.3	1020.23	55.4 Ω/km
ANM08.005.59.022AB	UL2501	600V	59X22AWG	22/0.14	27.3	1022.33	55.4 Ω/km
ANM08.005.60.022AB	UL2501	600V	60X22AWG	22/0.14	27.3	1024.43	55.4 Ω/km
ANM08.005.61.022AB	UL2501	600V	61X22AWG	22/0.14	27.3	1026.73	55.4 Ω/km
ANM08.005.62.022AB	UL2501	600V	62X22AWG	22/0.14	28.1	1082.23	55.4 Ω/km
ANM08.005.63.022AB	UL2501	600V	63X22AWG	22/0.14	28.1	1084.33	55.4 Ω/km
ANM08.005.64.022AB	UL2501	600V	64X22AWG	22/0.14	28.1	1086.43	55.4 Ω/km
ANM08.005.65.022AB	UL2501	600V	65X22AWG	22/0.14	28.1	1088.63	55.4 Ω/km
ANM08.005.02.021AB	UL2501	600V	2X21AWG	27/0.14	9.2	107.02	43.6 Ω/km
ANM08.005.03.021AB	UL2501	600V	3X21AWG	27/0.14	9.6	118.92	43.6 Ω/km
ANM08.005.04.021AB	UL2501	600V	4X21AWG	27/0.14	10.3	138.32	43.6 Ω/km
ANM08.005.05.021AB	UL2501	600V	5X21AWG	27/0.14	11	159.02	43.6 Ω/km
ANM08.005.06.021AB	UL2501	600V	6X21AWG	27/0.14	11.7	180.92	43.6 Ω/km
ANM08.005.07.021AB	UL2501	600V	7X21AWG	27/0.14	11.7	183.72	43.6 Ω/km
ANM08.005.08.021AB	UL2501	600V	8X21AWG	27/0.14	12.5	209.62	43.6 Ω/km
ANM08.005.09.021AB	UL2501	600V	9X21AWG	27/0.14	13.5	243.62	43.6 Ω/km
ANM08.005.10.021AB	UL2501	600V	10X21AWG	27/0.14	14.2	269.72	43.6 Ω/km
ANM08.005.11.021AB	UL2501	600V	11X21AWG	27/0.14	14.7	289.92	43.6 Ω/km
ANM08.005.12.021AB	UL2501	600V	12X21AWG	27/0.14	14.7	292.72	43.6 Ω/km
ANM08.005.13.021AB	UL2501	600V	13X21AWG	27/0.14	15.4	320.82	43.6 Ω/km
ANM08.005.14.021AB	UL2501	600V	14X21AWG	27/0.14	15.4	323.62	43.6 Ω/km
ANM08.005.15.021AB	UL2501	600V	15X21AWG	27/0.14	16.1	352.82	43.6 Ω/km
ANM08.005.16.021AB	UL2501	600V	16X21AWG	27/0.14	16.1	355.52	43.6 Ω/km
ANM08.005.17.021AB	UL2501	600V	17X21AWG	27/0.14	16.8	386.12	43.6 Ω/km
ANM08.005.18.021AB	UL2501	600V	18X21AWG	27/0.14	16.8	388.82	43.6 Ω/km
ANM08.005.19.021AB	UL2501	600V	19X21AWG	27/0.14	16.8	391.72	43.6 Ω/km
ANM08.005.20.021AB	UL2501	600V	20X21AWG	27/0.14	17.2	410.82	43.6 Ω/km
ANM08.005.21.021AB	UL2501	600V	21X21AWG	27/0.14	17.6	430.42	43.6 Ω/km
ANM08.005.22.021AB	UL2501	600V	22X21AWG	27/0.14	18.6	476.72	43.6 Ω/km
ANM08.005.23.021AB	UL2501	600V	23X21AWG	27/0.14	19.3	511.32	43.6 Ω/km





ANM08.005.24.021AB	UL2501	600V	24X21AWG	27/0.14	19.3	514.22	43.6 Ω/km
ANM08.005.25.021AB	UL2501	600V	25X21AWG	27/0.14	19.7	535.72	43.6 Ω/km
ANM08.005.26.021AB	UL2501	600V	26X21AWG	27/0.14	19.7	538.52	43.6 Ω/km
ANM08.005.27.021AB	UL2501	600V	27X21AWG	27/0.14	19.7	541.32	43.6 Ω/km
ANM08.005.28.021AB	UL2501	600V	28X21AWG	27/0.14	20.4	577.92	43.6 Ω/km
ANM08.005.29.021AB	UL2501	600V	29X21AWG	27/0.14	20.4	580.62	43.6 Ω/km
ANM08.005.30.021AB	UL2501	600V	30X21AWG	27/0.14	20.4	583.42	43.6 Ω/km
ANM08.005.31.021AB	UL2501	600V	31X21AWG	27/0.14	22.5	693.42	43.6 Ω/km
ANM08.005.32.021AB	UL2501	600V	32X21AWG	27/0.14	22.5	696.12	43.6 Ω/km
ANM08.005.33.021AB	UL2501	600V	33X21AWG	27/0.14	22.5	699.02	43.6 Ω/km
ANM08.005.34.021AB	UL2501	600V	34X21AWG	27/0.14	23.2	740.32	43.6 Ω/km
ANM08.005.35.021AB	UL2501	600V	35X21AWG	27/0.14	23.2	743.12	43.6 Ω/km
ANM08.005.36.021AB	UL2501	600V	36X21AWG	27/0.14	23.2	745.82	43.6 Ω/km
ANM08.005.37.021AB	UL2501	600V	37X21AWG	27/0.14	23.2	748.62	43.6 Ω/km
ANM08.005.38.021AB	UL2501	600V	38X21AWG	27/0.14	24	796.72	43.6 Ω/km
ANM08.005.39.021AB	UL2501	600V	39X21AWG	27/0.14	24	799.52	43.6 Ω/km
ANM08.005.40.021AB	UL2501	600V	40X21AWG	27/0.14	24	802.32	43.6 Ω/km
ANM08.005.41.021AB	UL2501	600V	41X21AWG	27/0.14	25.7	906.82	43.6 Ω/km
ANM08.005.42.021AB	UL2501	600V	42X21AWG	27/0.14	25.7	909.72	43.6 Ω/km
ANM08.005.43.021AB	UL2501	600V	43X21AWG	27/0.14	25.7	912.42	43.6 Ω/km
ANM08.005.44.021AB	UL2501	600V	44X21AWG	27/0.14	25.7	915.22	43.6 Ω/km
ANM08.005.45.021AB	UL2501	600V	45X21AWG	27/0.14	26.1	942.92	43.6 Ω/km
ANM08.005.46.021AB	UL2501	600V	46X21AWG	27/0.14	26.1	945.62	43.6 Ω/km
ANM08.005.47.021AB	UL2501	600V	47X21AWG	27/0.14	26.1	948.42	43.6 Ω/km
ANM08.005.48.021AB	UL2501	600V	48X21AWG	27/0.14	26.1	951.22	43.6 Ω/km
ANM08.005.49.021AB	UL2501	600V	49X21AWG	27/0.14	26.8	998.52	43.6 Ω/km
ANM08.005.50.021AB	UL2501	600V	50X21AWG	27/0.14	26.8	1001.32	43.6 Ω/km
ANM08.005.51.021AB	UL2501	600V	51X21AWG	27/0.14	26.8	1004.02	43.6 Ω/km
ANM08.005.52.021AB	UL2501	600V	52X21AWG	27/0.14	26.8	1006.92	43.6 Ω/km
ANM08.005.53.021AB	UL2501	600V	53X21AWG	27/0.14	27.5	1055.42	43.6 Ω/km
ANM08.005.54.021AB	UL2501	600V	54X21AWG	27/0.14	27.5	1058.22	43.6 Ω/km
ANM08.005.55.021AB	UL2501	600V	55X21AWG	27/0.14	27.5	1060.92	43.6 Ω/km
ANM08.005.56.021AB	UL2501	600V	56X21AWG	27/0.14	27.5	1063.82	43.6 Ω/km
ANM08.005.57.021AB	UL2501	600V	57X21AWG	27/0.14	28.2	1113.42	43.6 Ω/km
ANM08.005.58.021AB	UL2501	600V	58X21AWG	27/0.14	28.2	1116.22	43.6 Ω/km
ANM08.005.59.021AB	UL2501	600V	59X21AWG	27/0.14	28.2	1119.02	43.6 Ω/km
ANM08.005.60.021AB	UL2501	600V	60X21AWG	27/0.14	28.2	1121.72	43.6 Ω/km
ANM08.005.61.021AB	UL2501	600V	61X21AWG	27/0.14	28.2	1124.52	43.6 Ω/km
ANM08.005.62.021AB	UL2501	600V	62X21AWG	27/0.14	29	1182.42	43.6 Ω/km
ANM08.005.63.021AB	UL2501	600V	63X21AWG	27/0.14	29	1185.32	43.6 Ω/km
ANM08.005.64.021AB	UL2501	600V	64X21AWG	27/0.14	29	1188.02	43.6 Ω/km
ANM08.005.65.021AB	UL2501	600V	65X21AWG	27/0.14	29	1190.72	43.6 Ω/km



ANM08.005.02.020AB	UL2501	600V	2X20AWG	34/0.14	9.4	113.22	34.6Ω/km
ANM08.005.03.020AB	UL2501	600V	3X20AWG	34/0.14	9.9	128.22	34.6Ω/km
ANM08.005.04.020AB	UL2501	600V	4X20AWG	34/0.14	10.5	146.42	34.6Ω/km
ANM08.005.05.020AB	UL2501	600V	5X20AWG	34/0.14	11.3	171.02	34.6Ω/km
ANM08.005.06.020AB	UL2501	600V	6X20AWG	34/0.14	12	194.12	34.6Ω/km
ANM08.005.07.020AB	UL2501	600V	7X20AWG	34/0.14	12	197.62	34.6Ω/km
ANM08.005.08.020AB	UL2501	600V	8X20AWG	34/0.14	12.8	225.02	34.6Ω/km
ANM08.005.09.020AB	UL2501	600V	9X20AWG	34/0.14	13.9	263.82	34.6Ω/km
ANM08.005.10.020AB	UL2501	600V	10X20AWG	34/0.14	14.7	295.02	34.6Ω/km
ANM08.005.11.020AB	UL2501	600V	11X20AWG	34/0.14	15.2	316.42	34.6Ω/km
ANM08.005.12.020AB	UL2501	600V	12X20AWG	34/0.14	15.2	320.02	34.6Ω/km
ANM08.005.13.020AB	UL2501	600V	13X20AWG	34/0.14	15.8	345.92	34.6Ω/km
ANM08.005.14.020AB	UL2501	600V	14X20AWG	34/0.14	15.8	349.52	34.6Ω/km
ANM08.005.15.020AB	UL2501	600V	15X20AWG	34/0.14	16.6	384.22	34.6Ω/km
ANM08.005.16.020AB	UL2501	600V	16X20AWG	34/0.14	16.6	387.82	34.6Ω/km
ANM08.005.17.020AB	UL2501	600V	17X20AWG	34/0.14	17.3	419.82	34.6Ω/km
ANM08.005.18.020AB	UL2501	600V	18X20AWG	34/0.14	17.3	423.32	34.6Ω/km
ANM08.005.19.020AB	UL2501	600V	19X20AWG	34/0.14	17.3	427.02	34.6Ω/km
ANM08.005.20.020AB	UL2501	600V	20X20AWG	34/0.14	17.8	451.72	34.6Ω/km
ANM08.005.21.020AB	UL2501	600V	21X20AWG	34/0.14	18.1	468.12	34.6Ω/km
ANM08.005.22.020AB	UL2501	600V	22X20AWG	34/0.14	19.2	521.02	34.6Ω/km
ANM08.005.23.020AB	UL2501	600V	23X20AWG	34/0.14	19.9	557.72	34.6Ω/km
ANM08.005.24.020AB	UL2501	600V	24X20AWG	34/0.14	19.9	561.22	34.6Ω/km
ANM08.005.25.020AB	UL2501	600V	25X20AWG	34/0.14	20.4	589.02	34.6Ω/km
ANM08.005.26.020AB	UL2501	600V	26X20AWG	34/0.14	20.4	592.52	34.6Ω/km
ANM08.005.27.020AB	UL2501	600V	27X20AWG	34/0.14	20.4	595.92	34.6Ω/km
ANM08.005.28.020AB	UL2501	600V	28X20AWG	34/0.14	21	629.52	34.6Ω/km
ANM08.005.29.020AB	UL2501	600V	29X20AWG	34/0.14	21	633.02	34.6Ω/km
ANM08.005.30.020AB	UL2501	600V	30X20AWG	34/0.14	21	636.52	34.6Ω/km
ANM08.005.31.020AB	UL2501	600V	31X20AWG	34/0.14	23.2	755.92	34.6Ω/km
ANM08.005.32.020AB	UL2501	600V	32X20AWG	34/0.14	23.2	759.52	34.6Ω/km
ANM08.005.33.020AB	UL2501	600V	33X20AWG	34/0.14	23.2	763.12	34.6Ω/km
ANM08.005.34.020AB	UL2501	600V	34X20AWG	34/0.14	23.9	806.22	34.6Ω/km
ANM08.005.35.020AB	UL2501	600V	35X20AWG	34/0.14	23.9	809.72	34.6Ω/km
ANM08.005.36.020AB	UL2501	600V	36X20AWG	34/0.14	23.9	813.32	34.6Ω/km
ANM08.005.37.020AB	UL2501	600V	37X20AWG	34/0.14	23.9	816.92	34.6Ω/km
ANM08.005.38.020AB	UL2501	600V	38X20AWG	34/0.14	24.7	867.32	34.6Ω/km
ANM08.005.39.020AB	UL2501	600V	39X20AWG	34/0.14	24.7	870.82	34.6Ω/km
ANM08.005.40.020AB	UL2501	600V	40X20AWG	34/0.14	24.7	874.32	34.6Ω/km
ANM08.005.41.020AB	UL2501	600V	41X20AWG	34/0.14	26.5	988.92	34.6Ω/km
ANM08.005.42.020AB	UL2501	600V	42X20AWG	34/0.14	26.5	992.42	34.6Ω/km
ANM08.005.43.020AB	UL2501	600V	43X20AWG	34/0.14	26.5	996.02	34.6Ω/km



ANM08.005.44.020AB	UL2501	600V	44X20AWG	34/0.14	26.5	999.52	34.6 Ω/km
ANM08.005.45.020AB	UL2501	600V	45X20AWG	34/0.14	27	1035.22	34.6 Ω/km
ANM08.005.46.020AB	UL2501	600V	46X20AWG	34/0.14	27	1038.92	34.6 Ω/km
ANM08.005.47.020AB	UL2501	600V	47X20AWG	34/0.14	27	1042.42	34.6 Ω/km
ANM08.005.48.020AB	UL2501	600V	48X20AWG	34/0.14	27	1045.92	34.6 Ω/km
ANM08.005.49.020AB	UL2501	600V	49X20AWG	34/0.14	27.6	1088.92	34.6 Ω/km
ANM08.005.50.020AB	UL2501	600V	50X20AWG	34/0.14	27.6	1092.52	34.6 Ω/km
ANM08.005.51.020AB	UL2501	600V	51X20AWG	34/0.14	27.6	1096.12	34.6 Ω/km
ANM08.005.52.020AB	UL2501	600V	52X20AWG	34/0.14	27.6	1099.62	34.6 Ω/km
ANM08.005.53.020AB	UL2501	600V	53X20AWG	34/0.14	28.4	1157.02	34.6 Ω/km
ANM08.005.54.020AB	UL2501	600V	54X20AWG	34/0.14	28.4	1160.52	34.6 Ω/km
ANM08.005.55.020AB	UL2501	600V	55X20AWG	34/0.14	28.4	1164.12	34.6 Ω/km
ANM08.005.56.020AB	UL2501	600V	56X20AWG	34/0.14	28.4	1167.62	34.6 Ω/km
ANM08.005.57.020AB	UL2501	600V	57X20AWG	34/0.14	29.1	1219.62	34.6 Ω/km
ANM08.005.58.020AB	UL2501	600V	58X20AWG	34/0.14	29.1	1223.12	34.6 Ω/km
ANM08.005.59.020AB	UL2501	600V	59X20AWG	34/0.14	29.1	1226.72	34.6 Ω/km
ANM08.005.60.020AB	UL2501	600V	60X20AWG	34/0.14	29.1	1230.22	34.6 Ω/km
ANM08.005.61.020AB	UL2501	600V	61X20AWG	34/0.14	29.1	1233.82	34.6 Ω/km
ANM08.005.62.020AB	UL2501	600V	62X20AWG	34/0.14	29.9	1294.22	34.6 Ω/km
ANM08.005.63.020AB	UL2501	600V	63X20AWG	34/0.14	29.9	1297.82	34.6 Ω/km
ANM08.005.64.020AB	UL2501	600V	64X20AWG	34/0.14	29.9	1301.42	34.6 Ω/km
ANM08.005.65.020AB	UL2501	600V	65X20AWG	34/0.14	29.9	1304.92	34.6 Ω/km
ANM08.005.02.019AB	UL2501	600V	2X19AWG	43/0.14	9.6	119.96	27.4 Ω/km
ANM08.005.03.019AB	UL2501	600V	3X19AWG	43/0.14	10.1	136.26	27.4 Ω/km
ANM08.005.04.019AB	UL2501	600V	4X19AWG	43/0.14	10.8	158.36	27.4 Ω/km
ANM08.005.05.019AB	UL2501	600V	5X19AWG	43/0.14	11.5	181.66	27.4 Ω/km
ANM08.005.06.019AB	UL2501	600V	6X19AWG	43/0.14	12.3	209.06	27.4 Ω/km
ANM08.005.07.019AB	UL2501	600V	7X19AWG	43/0.14	12.3	213.56	27.4 Ω/km
ANM08.005.08.019AB	UL2501	600V	8X19AWG	43/0.14	13.2	245.76	27.4 Ω/km
ANM08.005.09.019AB	UL2501	600V	9X19AWG	43/0.14	14.2	283.06	27.4 Ω/km
ANM08.005.10.019AB	UL2501	600V	10X19AWG	43/0.14	15.1	319.46	27.4 Ω/km
ANM08.005.11.019AB	UL2501	600V	11X19AWG	43/0.14	15.6	342.36	27.4 Ω/km
ANM08.005.12.019AB	UL2501	600V	12X19AWG	43/0.14	15.6	346.96	27.4 Ω/km
ANM08.005.13.019AB	UL2501	600V	13X19AWG	43/0.14	16.3	378.26	27.4 Ω/km
ANM08.005.14.019AB	UL2501	600V	14X19AWG	43/0.14	16.3	382.86	27.4 Ω/km
ANM08.005.15.019AB	UL2501	600V	15X19AWG	43/0.14	17	415.46	27.4 Ω/km
ANM08.005.16.019AB	UL2501	600V	16X19AWG	43/0.14	17	420.06	27.4 Ω/km
ANM08.005.17.019AB	UL2501	600V	17X19AWG	43/0.14	17.8	458.06	27.4 Ω/km
ANM08.005.18.019AB	UL2501	600V	18X19AWG	43/0.14	17.8	462.66	27.4 Ω/km
ANM08.005.19.019AB	UL2501	600V	19X19AWG	43/0.14	17.8	467.16	27.4 Ω/km
ANM08.005.20.019AB	UL2501	600V	20X19AWG	43/0.14	18.3	493.36	27.4 Ω/km
ANM08.005.21.019AB	UL2501	600V	21X19AWG	43/0.14	18.7	515.66	27.4 Ω/km



ANM08.005.22.019AB	UL2501	600V	22X19AWG	43/0.14	19.7	566.56	27.4 Ω/km
ANM08.005.23.019AB	UL2501	600V	23X19AWG	43/0.14	20.5	609.66	27.4 Ω/km
ANM08.005.24.019AB	UL2501	600V	24X19AWG	43/0.14	20.5	614.26	27.4 Ω/km
ANM08.005.25.019AB	UL2501	600V	25X19AWG	43/0.14	21	643.86	27.4 Ω/km
ANM08.005.26.019AB	UL2501	600V	26X19AWG	43/0.14	21	648.36	27.4 Ω/km
ANM08.005.27.019AB	UL2501	600V	27X19AWG	43/0.14	21	652.86	27.4 Ω/km
ANM08.005.28.019AB	UL2501	600V	28X19AWG	43/0.14	23.1	767.76	27.4 Ω/km
ANM08.005.29.019AB	UL2501	600V	29X19AWG	43/0.14	23.1	772.26	27.4 Ω/km
ANM08.005.30.019AB	UL2501	600V	30X19AWG	43/0.14	23.1	776.86	27.4 Ω/km
ANM08.005.31.019AB	UL2501	600V	31X19AWG	43/0.14	23.8	820.76	27.4 Ω/km
ANM08.005.32.019AB	UL2501	600V	32X19AWG	43/0.14	23.8	825.36	27.4 Ω/km
ANM08.005.33.019AB	UL2501	600V	33X19AWG	43/0.14	23.8	829.86	27.4 Ω/km
ANM08.005.34.019AB	UL2501	600V	34X19AWG	43/0.14	24.6	881.06	27.4 Ω/km
ANM08.005.35.019AB	UL2501	600V	35X19AWG	43/0.14	24.6	885.56	27.4 Ω/km
ANM08.005.36.019AB	UL2501	600V	36X19AWG	43/0.14	24.6	890.16	27.4 Ω/km
ANM08.005.37.019AB	UL2501	600V	37X19AWG	43/0.14	24.6	894.66	27.4 Ω/km
ANM08.005.38.019AB	UL2501	600V	38X19AWG	43/0.14	25.5	953.46	27.4 Ω/km
ANM08.005.39.019AB	UL2501	600V	39X19AWG	43/0.14	25.5	957.96	27.4 Ω/km
ANM08.005.40.019AB	UL2501	600V	40X19AWG	43/0.14	25.5	962.56	27.4 Ω/km
ANM08.005.41.019AB	UL2501	600V	41X19AWG	43/0.14	27.3	1081.46	27.4 Ω/km
ANM08.005.42.019AB	UL2501	600V	42X19AWG	43/0.14	27.3	1086.06	27.4 Ω/km
ANM08.005.43.019AB	UL2501	600V	43X19AWG	43/0.14	27.3	1090.56	27.4 Ω/km
ANM08.005.44.019AB	UL2501	600V	44X19AWG	43/0.14	27.3	1095.16	27.4 Ω/km
ANM08.005.45.019AB	UL2501	600V	45X19AWG	43/0.14	27.8	1132.86	27.4 Ω/km
ANM08.005.46.019AB	UL2501	600V	46X19AWG	43/0.14	27.8	1137.36	27.4 Ω/km
ANM08.005.47.019AB	UL2501	600V	47X19AWG	43/0.14	27.8	1141.86	27.4 Ω/km
ANM08.005.48.019AB	UL2501	600V	48X19AWG	43/0.14	27.8	1146.46	27.4 Ω/km
ANM08.005.49.019AB	UL2501	600V	49X19AWG	43/0.14	28.5	1198.46	27.4 Ω/km
ANM08.005.50.019AB	UL2501	600V	50X19AWG	43/0.14	28.5	1203.06	27.4 Ω/km
ANM08.005.51.019AB	UL2501	600V	51X19AWG	43/0.14	28.5	1207.56	27.4 Ω/km
ANM08.005.52.019AB	UL2501	600V	52X19AWG	43/0.14	28.5	1212.16	27.4 Ω/km
ANM08.005.53.019AB	UL2501	600V	53X19AWG	43/0.14	29.2	1265.26	27.4 Ω/km
ANM08.005.54.019AB	UL2501	600V	54X19AWG	43/0.14	29.2	1269.76	27.4 Ω/km
ANM08.005.55.019AB	UL2501	600V	55X19AWG	43/0.14	29.2	1274.36	27.4 Ω/km
ANM08.005.56.019AB	UL2501	600V	56X19AWG	43/0.14	29.2	1278.86	27.4 Ω/km
ANM08.005.57.019AB	UL2501	600V	57X19AWG	43/0.14	30	1340.56	27.4 Ω/km
ANM08.005.58.019AB	UL2501	600V	58X19AWG	43/0.14	30	1345.06	27.4 Ω/km
ANM08.005.59.019AB	UL2501	600V	59X19AWG	43/0.14	30	1349.66	27.4 Ω/km
ANM08.005.60.019AB	UL2501	600V	60X19AWG	43/0.14	30	1354.16	27.4 Ω/km
ANM08.005.61.019AB	UL2501	600V	61X19AWG	43/0.14	30	1358.66	27.4 Ω/km
ANM08.005.62.019AB	UL2501	600V	62X19AWG	43/0.14	30.9	1429.26	27.4 Ω/km
ANM08.005.63.019AB	UL2501	600V	63X19AWG	43/0.14	30.9	1433.76	27.4 Ω/km



ANM08.005.64.019AB	UL2501	600V	64X19AWG	43/0.14	30.9	1438.26	27.4Ω/km
ANM08.005.65.019AB	UL2501	600V	65X19AWG	43/0.14	30.9	1442.86	27.4Ω/km
ANM08.005.02.018AB	UL2501	600V	2X18AWG	29/0.19	9.8	127.43	21.8Ω/km
ANM08.005.03.018AB	UL2501	600V	3X18AWG	29/0.19	10.3	145.23	21.8Ω/km
ANM08.005.04.018AB	UL2501	600V	4X18AWG	29/0.19	11	169.03	21.8Ω/km
ANM08.005.05.018AB	UL2501	600V	5X18AWG	29/0.19	11.8	196.83	21.8Ω/km
ANM08.005.06.018AB	UL2501	600V	6X18AWG	29/0.19	12.6	226.03	21.8Ω/km
ANM08.005.07.018AB	UL2501	600V	7X18AWG	29/0.19	12.6	231.93	21.8Ω/km
ANM08.005.08.018AB	UL2501	600V	8X18AWG	29/0.19	13.5	266.03	21.8Ω/km
ANM08.005.09.018AB	UL2501	600V	9X18AWG	29/0.19	14.7	312.63	21.8Ω/km
ANM08.005.10.018AB	UL2501	600V	10X18AWG	29/0.19	15.5	347.63	21.8Ω/km
ANM08.005.11.018AB	UL2501	600V	11X18AWG	29/0.19	16	372.33	21.8Ω/km
ANM08.005.12.018AB	UL2501	600V	12X18AWG	29/0.19	16	378.13	21.8Ω/km
ANM08.005.13.018AB	UL2501	600V	13X18AWG	29/0.19	16.7	411.63	21.8Ω/km
ANM08.005.14.018AB	UL2501	600V	14X18AWG	29/0.19	16.7	417.43	21.8Ω/km
ANM08.005.15.018AB	UL2501	600V	15X18AWG	29/0.19	17.5	456.23	21.8Ω/km
ANM08.005.16.018AB	UL2501	600V	16X18AWG	29/0.19	17.5	462.13	21.8Ω/km
ANM08.005.17.018AB	UL2501	600V	17X18AWG	29/0.19	18.3	502.43	21.8Ω/km
ANM08.005.18.018AB	UL2501	600V	18X18AWG	29/0.19	18.3	508.33	21.8Ω/km
ANM08.005.19.018AB	UL2501	600V	19X18AWG	29/0.19	18.3	514.23	21.8Ω/km
ANM08.005.20.018AB	UL2501	600V	20X18AWG	29/0.19	18.8	542.33	21.8Ω/km
ANM08.005.21.018AB	UL2501	600V	21X18AWG	29/0.19	19.2	566.53	21.8Ω/km
ANM08.005.22.018AB	UL2501	600V	22X18AWG	29/0.19	20.3	624.73	21.8Ω/km
ANM08.005.23.018AB	UL2501	600V	23X18AWG	29/0.19	22.5	742.73	21.8Ω/km
ANM08.005.24.018AB	UL2501	600V	24X18AWG	29/0.19	22.5	748.63	21.8Ω/km
ANM08.005.25.018AB	UL2501	600V	25X18AWG	29/0.19	23	781.93	21.8Ω/km
ANM08.005.26.018AB	UL2501	600V	26X18AWG	29/0.19	23	787.73	21.8Ω/km
ANM08.005.27.018AB	UL2501	600V	27X18AWG	29/0.19	23	793.63	21.8Ω/km
ANM08.005.28.018AB	UL2501	600V	28X18AWG	29/0.19	23.7	838.83	21.8Ω/km
ANM08.005.29.018AB	UL2501	600V	29X18AWG	29/0.19	23.7	844.73	21.8Ω/km
ANM08.005.30.018AB	UL2501	600V	30X18AWG	29/0.19	23.7	850.63	21.8Ω/km
ANM08.005.31.018AB	UL2501	600V	31X18AWG	29/0.19	24.5	902.73	21.8Ω/km
ANM08.005.32.018AB	UL2501	600V	32X18AWG	29/0.19	24.5	908.73	21.8Ω/km
ANM08.005.33.018AB	UL2501	600V	33X18AWG	29/0.19	24.5	914.63	21.8Ω/km
ANM08.005.34.018AB	UL2501	600V	34X18AWG	29/0.19	25.3	968.33	21.8Ω/km
ANM08.005.35.018AB	UL2501	600V	35X18AWG	29/0.19	25.3	974.23	21.8Ω/km
ANM08.005.36.018AB	UL2501	600V	36X18AWG	29/0.19	25.3	980.13	21.8Ω/km
ANM08.005.37.018AB	UL2501	600V	37X18AWG	29/0.19	25.3	985.93	21.8Ω/km
ANM08.005.38.018AB	UL2501	600V	38X18AWG	29/0.19	26.2	1047.63	21.8Ω/km
ANM08.005.39.018AB	UL2501	600V	39X18AWG	29/0.19	26.2	1053.53	21.8Ω/km
ANM08.005.40.018AB	UL2501	600V	40X18AWG	29/0.19	26.2	1059.33	21.8Ω/km
ANM08.005.41.018AB	UL2501	600V	41X18AWG	29/0.19	28.1	1189.43	21.8Ω/km



ANM08.005.42.018AB	UL2501	600V	42X18AWG	29/0.19	28.1	1195.23	21.8Ω/km
ANM08.005.43.018AB	UL2501	600V	43X18AWG	29/0.19	28.1	1201.13	21.8Ω/km
ANM08.005.44.018AB	UL2501	600V	44X18AWG	29/0.19	28.1	1207.13	21.8Ω/km
ANM08.005.45.018AB	UL2501	600V	45X18AWG	29/0.19	28.6	1247.03	21.8Ω/km
ANM08.005.46.018AB	UL2501	600V	46X18AWG	29/0.19	28.6	1252.93	21.8Ω/km
ANM08.005.47.018AB	UL2501	600V	47X18AWG	29/0.19	28.6	1258.83	21.8Ω/km
ANM08.005.48.018AB	UL2501	600V	48X18AWG	29/0.19	28.6	1264.63	21.8Ω/km
ANM08.005.49.018AB	UL2501	600V	49X18AWG	29/0.19	29.3	1319.43	21.8Ω/km
ANM08.005.50.018AB	UL2501	600V	50X18AWG	29/0.19	29.3	1325.33	21.8Ω/km
ANM08.005.51.018AB	UL2501	600V	51X18AWG	29/0.19	29.3	1331.03	21.8Ω/km
ANM08.005.52.018AB	UL2501	600V	52X18AWG	29/0.19	29.3	1336.93	21.8Ω/km
ANM08.005.53.018AB	UL2501	600V	53X18AWG	29/0.19	30.1	1400.13	21.8Ω/km
ANM08.005.54.018AB	UL2501	600V	54X18AWG	29/0.19	30.1	1405.93	21.8Ω/km
ANM08.005.55.018AB	UL2501	600V	55X18AWG	29/0.19	30.1	1411.83	21.8Ω/km
ANM08.005.56.018AB	UL2501	600V	56X18AWG	29/0.19	30.1	1417.53	21.8Ω/km
ANM08.005.57.018AB	UL2501	600V	57X18AWG	29/0.19	30.9	1482.33	21.8Ω/km
ANM08.005.58.018AB	UL2501	600V	58X18AWG	29/0.19	30.9	1488.23	21.8Ω/km
ANM08.005.59.018AB	UL2501	600V	59X18AWG	29/0.19	30.9	1494.13	21.8Ω/km
ANM08.005.60.018AB	UL2501	600V	60X18AWG	29/0.19	30.9	1500.03	21.8Ω/km
ANM08.005.61.018AB	UL2501	600V	61X18AWG	29/0.19	30.9	1505.83	21.8Ω/km
ANM08.005.62.018AB	UL2501	600V	62X18AWG	29/0.19	31.8	1579.63	21.8Ω/km
ANM08.005.63.018AB	UL2501	600V	63X18AWG	29/0.19	31.8	1585.53	21.8Ω/km
ANM08.005.64.018AB	UL2501	600V	64X18AWG	29/0.19	31.8	1591.43	21.8Ω/km
ANM08.005.65.018AB	UL2501	600V	65X18AWG	29/0.19	31.8	1597.33	21.8Ω/km
ANM08.005.02.017AB	UL2501	600V	2X17AWG	37/0.19	10.2	139.94	17.3Ω/km
ANM08.005.03.017AB	UL2501	600V	3X17AWG	37/0.19	10.7	159.84	17.3Ω/km
ANM08.005.04.017AB	UL2501	600V	4X17AWG	37/0.19	11.5	188.34	17.3Ω/km
ANM08.005.05.017AB	UL2501	600V	5X17AWG	37/0.19	12.3	218.34	17.3Ω/km
ANM08.005.06.017AB	UL2501	600V	6X17AWG	37/0.19	13.2	253.34	17.3Ω/km
ANM08.005.07.017AB	UL2501	600V	7X17AWG	37/0.19	13.2	260.54	17.3Ω/km
ANM08.005.08.017AB	UL2501	600V	8X17AWG	37/0.19	14.1	297.34	17.3Ω/km
ANM08.005.09.017AB	UL2501	600V	9X17AWG	37/0.19	15.4	350.84	17.3Ω/km
ANM08.005.10.017AB	UL2501	600V	10X17AWG	37/0.19	16.3	392.34	17.3Ω/km
ANM08.005.11.017AB	UL2501	600V	11X17AWG	37/0.19	16.8	419.64	17.3Ω/km
ANM08.005.12.017AB	UL2501	600V	12X17AWG	37/0.19	16.8	426.84	17.3Ω/km
ANM08.005.13.017AB	UL2501	600V	13X17AWG	37/0.19	17.6	467.14	17.3Ω/km
ANM08.005.14.017AB	UL2501	600V	14X17AWG	37/0.19	17.6	474.54	17.3Ω/km
ANM08.005.15.017AB	UL2501	600V	15X17AWG	37/0.19	18.4	516.34	17.3Ω/km
ANM08.005.16.017AB	UL2501	600V	16X17AWG	37/0.19	18.4	523.64	17.3Ω/km
ANM08.005.17.017AB	UL2501	600V	17X17AWG	37/0.19	19.3	571.74	17.3Ω/km
ANM08.005.18.017AB	UL2501	600V	18X17AWG	37/0.19	19.3	579.04	17.3Ω/km
ANM08.005.19.017AB	UL2501	600V	19X17AWG	37/0.19	19.3	586.44	17.3Ω/km



ANM08.005.20.017AB	UL2501	600V	20X17AWG	37/0.19	19.8	617.14	17.3 Ω/km
ANM08.005.21.017AB	UL2501	600V	21X17AWG	37/0.19	20.2	643.64	17.3 Ω/km
ANM08.005.22.017AB	UL2501	600V	22X17AWG	37/0.19	22.8	784.44	17.3 Ω/km
ANM08.005.23.017AB	UL2501	600V	23X17AWG	37/0.19	23.7	841.94	17.3 Ω/km
ANM08.005.24.017AB	UL2501	600V	24X17AWG	37/0.19	23.7	849.24	17.3 Ω/km
ANM08.005.25.017AB	UL2501	600V	25X17AWG	37/0.19	24.2	885.34	17.3 Ω/km
ANM08.005.26.017AB	UL2501	600V	26X17AWG	37/0.19	24.2	892.54	17.3 Ω/km
ANM08.005.27.017AB	UL2501	600V	27X17AWG	37/0.19	24.2	899.94	17.3 Ω/km
ANM08.005.28.017AB	UL2501	600V	28X17AWG	37/0.19	25	954.54	17.3 Ω/km
ANM08.005.29.017AB	UL2501	600V	29X17AWG	37/0.19	25	961.84	17.3 Ω/km
ANM08.005.30.017AB	UL2501	600V	30X17AWG	37/0.19	25	969.04	17.3 Ω/km
ANM08.005.31.017AB	UL2501	600V	31X17AWG	37/0.19	25.8	1025.14	17.3 Ω/km
ANM08.005.32.017AB	UL2501	600V	32X17AWG	37/0.19	25.8	1032.54	17.3 Ω/km
ANM08.005.33.017AB	UL2501	600V	33X17AWG	37/0.19	25.8	1039.74	17.3 Ω/km
ANM08.005.34.017AB	UL2501	600V	34X17AWG	37/0.19	26.7	1103.84	17.3 Ω/km
ANM08.005.35.017AB	UL2501	600V	35X17AWG	37/0.19	26.7	1111.14	17.3 Ω/km
ANM08.005.36.017AB	UL2501	600V	36X17AWG	37/0.19	26.7	1118.44	17.3 Ω/km
ANM08.005.37.017AB	UL2501	600V	37X17AWG	37/0.19	26.7	1125.74	17.3 Ω/km
ANM08.005.38.017AB	UL2501	600V	38X17AWG	37/0.19	27.6	1191.94	17.3 Ω/km
ANM08.005.39.017AB	UL2501	600V	39X17AWG	37/0.19	27.6	1199.14	17.3 Ω/km
ANM08.005.40.017AB	UL2501	600V	40X17AWG	37/0.19	27.6	1206.44	17.3 Ω/km
ANM08.005.41.017AB	UL2501	600V	41X17AWG	37/0.19	29.7	1358.54	17.3 Ω/km
ANM08.005.42.017AB	UL2501	600V	42X17AWG	37/0.19	29.7	1365.84	17.3 Ω/km
ANM08.005.43.017AB	UL2501	600V	43X17AWG	37/0.19	29.7	1373.14	17.3 Ω/km
ANM08.005.44.017AB	UL2501	600V	44X17AWG	37/0.19	29.7	1380.34	17.3 Ω/km
ANM08.005.45.017AB	UL2501	600V	45X17AWG	37/0.19	30.2	1423.84	17.3 Ω/km
ANM08.005.46.017AB	UL2501	600V	46X17AWG	37/0.19	30.2	1431.04	17.3 Ω/km
ANM08.005.47.017AB	UL2501	600V	47X17AWG	37/0.19	30.2	1438.24	17.3 Ω/km
ANM08.005.48.017AB	UL2501	600V	48X17AWG	37/0.19	30.2	1445.54	17.3 Ω/km
ANM08.005.49.017AB	UL2501	600V	49X17AWG	37/0.19	31	1511.74	17.3 Ω/km
ANM08.005.50.017AB	UL2501	600V	50X17AWG	37/0.19	31	1519.04	17.3 Ω/km
ANM08.005.51.017AB	UL2501	600V	51X17AWG	37/0.19	31	1526.34	17.3 Ω/km
ANM08.005.52.017AB	UL2501	600V	52X17AWG	37/0.19	31	1533.54	17.3 Ω/km
ANM08.005.53.017AB	UL2501	600V	53X17AWG	37/0.19	31.8	1601.54	17.3 Ω/km
ANM08.005.54.017AB	UL2501	600V	54X17AWG	37/0.19	31.8	1608.74	17.3 Ω/km
ANM08.005.55.017AB	UL2501	600V	55X17AWG	37/0.19	31.8	1615.94	17.3 Ω/km
ANM08.005.56.017AB	UL2501	600V	56X17AWG	37/0.19	31.8	1623.24	17.3 Ω/km
ANM08.005.57.017AB	UL2501	600V	57X17AWG	37/0.19	32.7	1700.44	17.3 Ω/km
ANM08.005.58.017AB	UL2501	600V	58X17AWG	37/0.19	32.7	1707.74	17.3 Ω/km
ANM08.005.59.017AB	UL2501	600V	59X17AWG	37/0.19	32.7	1714.94	17.3 Ω/km
ANM08.005.60.017AB	UL2501	600V	60X17AWG	37/0.19	32.7	1722.24	17.3 Ω/km
ANM08.005.61.017AB	UL2501	600V	61X17AWG	37/0.19	32.7	1729.54	17.3 Ω/km



ANM08.005.62.017AB	UL2501	600V	62X17AWG	37/0.19	33.6	1808.74	17.3 Ω/km
ANM08.005.63.017AB	UL2501	600V	63X17AWG	37/0.19	33.6	1815.94	17.3 Ω/km
ANM08.005.64.017AB	UL2501	600V	64X17AWG	37/0.19	33.6	1823.24	17.3 Ω/km
ANM08.005.65.017AB	UL2501	600V	65X17AWG	37/0.19	33.6	1830.44	17.3 Ω/km
ANM08.005.02.016AB	UL2501	600V	2X16AWG	27/0.25	10.4	149.51	13.7 Ω/km
ANM08.005.03.016AB	UL2501	600V	3X16AWG	27/0.25	10.9	171.81	13.7 Ω/km
ANM08.005.04.016AB	UL2501	600V	4X16AWG	27/0.25	11.7	203.01	13.7 Ω/km
ANM08.005.05.016AB	UL2501	600V	5X16AWG	27/0.25	12.6	238.61	13.7 Ω/km
ANM08.005.06.016AB	UL2501	600V	6X16AWG	27/0.25	13.5	276.41	13.7 Ω/km
ANM08.005.07.016AB	UL2501	600V	7X16AWG	27/0.25	13.5	285.81	13.7 Ω/km
ANM08.005.08.016AB	UL2501	600V	8X16AWG	27/0.25	14.6	332.41	13.7 Ω/km
ANM08.005.09.016AB	UL2501	600V	9X16AWG	27/0.25	15.8	385.81	13.7 Ω/km
ANM08.005.10.016AB	UL2501	600V	10X16AWG	27/0.25	16.7	430.31	13.7 Ω/km
ANM08.005.11.016AB	UL2501	600V	11X16AWG	27/0.25	17.2	460.21	13.7 Ω/km
ANM08.005.12.016AB	UL2501	600V	12X16AWG	27/0.25	17.2	469.81	13.7 Ω/km
ANM08.005.13.016AB	UL2501	600V	13X16AWG	27/0.25	18	513.11	13.7 Ω/km
ANM08.005.14.016AB	UL2501	600V	14X16AWG	27/0.25	18	522.61	13.7 Ω/km
ANM08.005.15.016AB	UL2501	600V	15X16AWG	27/0.25	18.9	571.91	13.7 Ω/km
ANM08.005.16.016AB	UL2501	600V	16X16AWG	27/0.25	18.9	581.41	13.7 Ω/km
ANM08.005.17.016AB	UL2501	600V	17X16AWG	27/0.25	19.8	632.71	13.7 Ω/km
ANM08.005.18.016AB	UL2501	600V	18X16AWG	27/0.25	19.8	642.31	13.7 Ω/km
ANM08.005.19.016AB	UL2501	600V	19X16AWG	27/0.25	19.8	651.71	13.7 Ω/km
ANM08.005.20.016AB	UL2501	600V	20X16AWG	27/0.25	20.3	685.21	13.7 Ω/km
ANM08.005.21.016AB	UL2501	600V	21X16AWG	27/0.25	20.8	719.51	13.7 Ω/km
ANM08.005.22.016AB	UL2501	600V	22X16AWG	27/0.25	23.4	866.01	13.7 Ω/km
ANM08.005.23.016AB	UL2501	600V	23X16AWG	27/0.25	24.3	927.21	13.7 Ω/km
ANM08.005.24.016AB	UL2501	600V	24X16AWG	27/0.25	24.3	936.71	13.7 Ω/km
ANM08.005.25.016AB	UL2501	600V	25X16AWG	27/0.25	24.8	975.71	13.7 Ω/km
ANM08.005.26.016AB	UL2501	600V	26X16AWG	27/0.25	24.8	985.21	13.7 Ω/km
ANM08.005.27.016AB	UL2501	600V	27X16AWG	27/0.25	24.8	994.51	13.7 Ω/km
ANM08.005.28.016AB	UL2501	600V	28X16AWG	27/0.25	25.6	1052.61	13.7 Ω/km
ANM08.005.29.016AB	UL2501	600V	29X16AWG	27/0.25	25.6	1062.01	13.7 Ω/km
ANM08.005.30.016AB	UL2501	600V	30X16AWG	27/0.25	25.6	1071.61	13.7 Ω/km
ANM08.005.31.016AB	UL2501	600V	31X16AWG	27/0.25	26.5	1137.51	13.7 Ω/km
ANM08.005.32.016AB	UL2501	600V	32X16AWG	27/0.25	26.5	1146.91	13.7 Ω/km
ANM08.005.33.016AB	UL2501	600V	33X16AWG	27/0.25	26.5	1156.41	13.7 Ω/km
ANM08.005.34.016AB	UL2501	600V	34X16AWG	27/0.25	27.4	1224.21	13.7 Ω/km
ANM08.005.35.016AB	UL2501	600V	35X16AWG	27/0.25	27.4	1233.61	13.7 Ω/km
ANM08.005.36.016AB	UL2501	600V	36X16AWG	27/0.25	27.4	1243.21	13.7 Ω/km
ANM08.005.37.016AB	UL2501	600V	37X16AWG	27/0.25	27.4	1252.61	13.7 Ω/km
ANM08.005.38.016AB	UL2501	600V	38X16AWG	27/0.25	28.4	1329.31	13.7 Ω/km
ANM08.005.39.016AB	UL2501	600V	39X16AWG	27/0.25	28.4	1338.71	13.7 Ω/km





ANM08.005.40.016AB	UL2501	600V	40X16AWG	27/0.25	28.4	1348.11	13.7 Ω/km
ANM08.005.41.016AB	UL2501	600V	41X16AWG	27/0.25	30.5	1506.61	13.7 Ω/km
ANM08.005.42.016AB	UL2501	600V	42X16AWG	27/0.25	30.5	1516.11	13.7 Ω/km
ANM08.005.43.016AB	UL2501	600V	43X16AWG	27/0.25	30.5	1525.51	13.7 Ω/km
ANM08.005.44.016AB	UL2501	600V	44X16AWG	27/0.25	30.5	1534.91	13.7 Ω/km
ANM08.005.45.016AB	UL2501	600V	45X16AWG	27/0.25	31	1581.51	13.7 Ω/km
ANM08.005.46.016AB	UL2501	600V	46X16AWG	27/0.25	31	1590.81	13.7 Ω/km
ANM08.005.47.016AB	UL2501	600V	47X16AWG	27/0.25	31	1600.41	13.7 Ω/km
ANM08.005.48.016AB	UL2501	600V	48X16AWG	27/0.25	31	1609.91	13.7 Ω/km
ANM08.005.49.016AB	UL2501	600V	49X16AWG	27/0.25	31.8	1679.91	13.7 Ω/km
ANM08.005.50.016AB	UL2501	600V	50X16AWG	27/0.25	31.8	1689.41	13.7 Ω/km
ANM08.005.51.016AB	UL2501	600V	51X16AWG	27/0.25	31.8	1698.71	13.7 Ω/km
ANM08.005.52.016AB	UL2501	600V	52X16AWG	27/0.25	31.8	1708.21	13.7 Ω/km
ANM08.005.53.016AB	UL2501	600V	53X16AWG	27/0.25	32.7	1787.71	13.7 Ω/km
ANM08.005.54.016AB	UL2501	600V	54X16AWG	27/0.25	32.7	1797.11	13.7 Ω/km
ANM08.005.55.016AB	UL2501	600V	55X16AWG	27/0.25	32.7	1806.61	13.7 Ω/km
ANM08.005.56.016AB	UL2501	600V	56X16AWG	27/0.25	32.7	1816.01	13.7 Ω/km
ANM08.005.57.016AB	UL2501	600V	57X16AWG	27/0.25	33.6	1897.41	13.7 Ω/km
ANM08.005.58.016AB	UL2501	600V	58X16AWG	27/0.25	33.6	1906.71	13.7 Ω/km
ANM08.005.59.016AB	UL2501	600V	59X16AWG	27/0.25	33.6	1916.31	13.7 Ω/km
ANM08.005.60.016AB	UL2501	600V	60X16AWG	27/0.25	33.6	1925.81	13.7 Ω/km
ANM08.005.61.016AB	UL2501	600V	61X16AWG	27/0.25	33.6	1935.21	13.7 Ω/km
ANM08.005.62.016AB	UL2501	600V	62X16AWG	27/0.25	34.6	2026.91	13.7 Ω/km
ANM08.005.63.016AB	UL2501	600V	63X16AWG	27/0.25	34.6	2036.31	13.7 Ω/km
ANM08.005.64.016AB	UL2501	600V	64X16AWG	27/0.25	34.6	2045.71	13.7 Ω/km
ANM08.005.65.016AB	UL2501	600V	65X16AWG	27/0.25	34.6	2055.31	13.7 Ω/km
ANM08.005.02.015AB	UL2501	600V	2X15AWG	34/0.25	10.8	164.85	10.9 Ω/km
ANM08.005.03.015AB	UL2501	600V	3X15AWG	34/0.25	11.4	192.75	10.9 Ω/km
ANM08.005.04.015AB	UL2501	600V	4X15AWG	34/0.25	12.2	227.35	10.9 Ω/km
ANM08.005.05.015AB	UL2501	600V	5X15AWG	34/0.25	13.2	269.75	10.9 Ω/km
ANM08.005.06.015AB	UL2501	600V	6X15AWG	34/0.25	14.1	311.05	10.9 Ω/km
ANM08.005.07.015AB	UL2501	600V	7X15AWG	34/0.25	14.1	322.95	10.9 Ω/km
ANM08.005.08.015AB	UL2501	600V	8X15AWG	34/0.25	15.2	373.65	10.9 Ω/km
ANM08.005.09.015AB	UL2501	600V	9X15AWG	34/0.25	16.6	438.95	10.9 Ω/km
ANM08.005.10.015AB	UL2501	600V	10X15AWG	34/0.25	17.5	487.85	10.9 Ω/km
ANM08.005.11.015AB	UL2501	600V	11X15AWG	34/0.25	18.1	525.45	10.9 Ω/km
ANM08.005.12.015AB	UL2501	600V	12X15AWG	34/0.25	18.1	537.35	10.9 Ω/km
ANM08.005.13.015AB	UL2501	600V	13X15AWG	34/0.25	18.9	584.75	10.9 Ω/km
ANM08.005.14.015AB	UL2501	600V	14X15AWG	34/0.25	18.9	596.75	10.9 Ω/km
ANM08.005.15.015AB	UL2501	600V	15X15AWG	34/0.25	19.9	655.35	10.9 Ω/km
ANM08.005.16.015AB	UL2501	600V	16X15AWG	34/0.25	19.9	667.25	10.9 Ω/km
ANM08.005.17.015AB	UL2501	600V	17X15AWG	34/0.25	20.8	723.15	10.9 Ω/km



ANM08.005.18.015AB	UL2501	600V	18X15AWG	34/0.25	20.8	734.95	10.9Ω/km
ANM08.005.19.015AB	UL2501	600V	19X15AWG	34/0.25	20.8	746.95	10.9Ω/km
ANM08.005.20.015AB	UL2501	600V	20X15AWG	34/0.25	22.8	862.65	10.9Ω/km
ANM08.005.21.015AB	UL2501	600V	21X15AWG	34/0.25	23.2	896.55	10.9Ω/km
ANM08.005.22.015AB	UL2501	600V	22X15AWG	34/0.25	24.6	989.05	10.9Ω/km
ANM08.005.23.015AB	UL2501	600V	23X15AWG	34/0.25	25.5	1055.25	10.9Ω/km
ANM08.005.24.015AB	UL2501	600V	24X15AWG	34/0.25	25.5	1067.05	10.9Ω/km
ANM08.005.25.015AB	UL2501	600V	25X15AWG	34/0.25	26.1	1116.15	10.9Ω/km
ANM08.005.26.015AB	UL2501	600V	26X15AWG	34/0.25	26.1	1128.15	10.9Ω/km
ANM08.005.27.015AB	UL2501	600V	27X15AWG	34/0.25	26.1	1139.95	10.9Ω/km
ANM08.005.28.015AB	UL2501	600V	28X15AWG	34/0.25	26.9	1202.85	10.9Ω/km
ANM08.005.29.015AB	UL2501	600V	29X15AWG	34/0.25	26.9	1214.75	10.9Ω/km
ANM08.005.30.015AB	UL2501	600V	30X15AWG	34/0.25	26.9	1226.55	10.9Ω/km
ANM08.005.31.015AB	UL2501	600V	31X15AWG	34/0.25	27.9	1304.45	10.9Ω/km
ANM08.005.32.015AB	UL2501	600V	32X15AWG	34/0.25	27.9	1316.45	10.9Ω/km
ANM08.005.33.015AB	UL2501	600V	33X15AWG	34/0.25	27.9	1328.15	10.9Ω/km
ANM08.005.34.015AB	UL2501	600V	34X15AWG	34/0.25	28.8	1401.55	10.9Ω/km
ANM08.005.35.015AB	UL2501	600V	35X15AWG	34/0.25	28.8	1413.45	10.9Ω/km
ANM08.005.36.015AB	UL2501	600V	36X15AWG	34/0.25	28.8	1425.35	10.9Ω/km
ANM08.005.37.015AB	UL2501	600V	37X15AWG	34/0.25	28.8	1437.15	10.9Ω/km
ANM08.005.38.015AB	UL2501	600V	38X15AWG	34/0.25	29.8	1519.65	10.9Ω/km
ANM08.005.39.015AB	UL2501	600V	39X15AWG	34/0.25	29.8	1531.55	10.9Ω/km
ANM08.005.40.015AB	UL2501	600V	40X15AWG	34/0.25	29.8	1543.45	10.9Ω/km
ANM08.005.41.015AB	UL2501	600V	41X15AWG	34/0.25	32.1	1726.85	10.9Ω/km
ANM08.005.42.015AB	UL2501	600V	42X15AWG	34/0.25	32.1	1738.65	10.9Ω/km
ANM08.005.43.015AB	UL2501	600V	43X15AWG	34/0.25	32.1	1750.55	10.9Ω/km
ANM08.005.44.015AB	UL2501	600V	44X15AWG	34/0.25	32.1	1762.55	10.9Ω/km
ANM08.005.45.015AB	UL2501	600V	45X15AWG	34/0.25	32.7	1821.15	10.9Ω/km
ANM08.005.46.015AB	UL2501	600V	46X15AWG	34/0.25	32.7	1833.05	10.9Ω/km
ANM08.005.47.015AB	UL2501	600V	47X15AWG	34/0.25	32.7	1844.95	10.9Ω/km
ANM08.005.48.015AB	UL2501	600V	48X15AWG	34/0.25	32.7	1856.85	10.9Ω/km
ANM08.005.49.015AB	UL2501	600V	49X15AWG	34/0.25	33.5	1932.45	10.9Ω/km
ANM08.005.50.015AB	UL2501	600V	50X15AWG	34/0.25	33.5	1944.35	10.9Ω/km
ANM08.005.51.015AB	UL2501	600V	51X15AWG	34/0.25	33.5	1956.15	10.9Ω/km
ANM08.005.52.015AB	UL2501	600V	52X15AWG	34/0.25	33.5	1968.15	10.9Ω/km
ANM08.005.53.015AB	UL2501	600V	53X15AWG	34/0.25	34.5	2061.95	10.9Ω/km
ANM08.005.54.015AB	UL2501	600V	54X15AWG	34/0.25	34.5	2073.75	10.9Ω/km
ANM08.005.55.015AB	UL2501	600V	55X15AWG	34/0.25	34.5	2085.65	10.9Ω/km
ANM08.005.56.015AB	UL2501	600V	56X15AWG	34/0.25	34.5	2097.65	10.9Ω/km
ANM08.005.57.015AB	UL2501	600V	57X15AWG	34/0.25	35.4	2185.15	10.9Ω/km
ANM08.005.58.015AB	UL2501	600V	58X15AWG	34/0.25	35.4	2197.15	10.9Ω/km
ANM08.005.59.015AB	UL2501	600V	59X15AWG	34/0.25	35.4	2208.95	10.9Ω/km



ANM08.005.60.015AB	UL2501	600V	60X15AWG	34/0.25	35.4	2220.85	10.9 Ω/km
ANM08.005.61.015AB	UL2501	600V	61X15AWG	34/0.25	35.4	2232.65	10.9 Ω/km
ANM08.005.62.015AB	UL2501	600V	62X15AWG	34/0.25	36.7	2357.65	10.9 Ω/km
ANM08.005.63.015AB	UL2501	600V	63X15AWG	34/0.25	36.7	2369.55	10.9 Ω/km
ANM08.005.64.015AB	UL2501	600V	64X15AWG	34/0.25	36.7	2381.45	10.9 Ω/km
ANM08.005.65.015AB	UL2501	600V	65X15AWG	34/0.25	36.7	2393.15	10.9 Ω/km
ANM08.005.02.014AB	UL2501	600V	2X14AWG	43/0.25	11.2	182.18	8.62 Ω/km
ANM08.005.03.014AB	UL2501	600V	3X14AWG	43/0.25	11.8	213.78	8.62 Ω/km
ANM08.005.04.014AB	UL2501	600V	4X14AWG	43/0.25	12.7	255.28	8.62 Ω/km
ANM08.005.05.014AB	UL2501	600V	5X14AWG	43/0.25	13.7	302.18	8.62 Ω/km
ANM08.005.06.014AB	UL2501	600V	6X14AWG	43/0.25	14.8	354.78	8.62 Ω/km
ANM08.005.07.014AB	UL2501	600V	7X14AWG	43/0.25	14.8	369.88	8.62 Ω/km
ANM08.005.08.014AB	UL2501	600V	8X14AWG	43/0.25	15.9	425.58	8.62 Ω/km
ANM08.005.09.014AB	UL2501	600V	9X14AWG	43/0.25	17.3	496.58	8.62 Ω/km
ANM08.005.10.014AB	UL2501	600V	10X14AWG	43/0.25	18.3	554.48	8.62 Ω/km
ANM08.005.11.014AB	UL2501	600V	11X14AWG	43/0.25	18.9	596.38	8.62 Ω/km
ANM08.005.12.014AB	UL2501	600V	12X14AWG	43/0.25	18.9	611.38	8.62 Ω/km
ANM08.005.13.014AB	UL2501	600V	13X14AWG	43/0.25	19.8	668.38	8.62 Ω/km
ANM08.005.14.014AB	UL2501	600V	14X14AWG	43/0.25	19.8	683.48	8.62 Ω/km
ANM08.005.15.014AB	UL2501	600V	15X14AWG	43/0.25	20.8	747.38	8.62 Ω/km
ANM08.005.16.014AB	UL2501	600V	16X14AWG	43/0.25	20.8	762.48	8.62 Ω/km
ANM08.005.17.014AB	UL2501	600V	17X14AWG	43/0.25	23.2	903.38	8.62 Ω/km
ANM08.005.18.014AB	UL2501	600V	18X14AWG	43/0.25	23.2	918.48	8.62 Ω/km
ANM08.005.19.014AB	UL2501	600V	19X14AWG	43/0.25	23.2	933.58	8.62 Ω/km
ANM08.005.20.014AB	UL2501	600V	20X14AWG	43/0.25	23.8	982.38	8.62 Ω/km
ANM08.005.21.014AB	UL2501	600V	21X14AWG	43/0.25	24.3	1026.38	8.62 Ω/km
ANM08.005.22.014AB	UL2501	600V	22X14AWG	43/0.25	25.7	1125.78	8.62 Ω/km
ANM08.005.23.014AB	UL2501	600V	23X14AWG	43/0.25	26.7	1203.88	8.62 Ω/km
ANM08.005.24.014AB	UL2501	600V	24X14AWG	43/0.25	26.7	1218.88	8.62 Ω/km
ANM08.005.25.014AB	UL2501	600V	25X14AWG	43/0.25	27.3	1272.98	8.62 Ω/km
ANM08.005.26.014AB	UL2501	600V	26X14AWG	43/0.25	27.3	1287.98	8.62 Ω/km
ANM08.005.27.014AB	UL2501	600V	27X14AWG	43/0.25	27.3	1303.08	8.62 Ω/km
ANM08.005.28.014AB	UL2501	600V	28X14AWG	43/0.25	28.2	1378.28	8.62 Ω/km
ANM08.005.29.014AB	UL2501	600V	29X14AWG	43/0.25	28.2	1393.28	8.62 Ω/km
ANM08.005.30.014AB	UL2501	600V	30X14AWG	43/0.25	28.2	1408.28	8.62 Ω/km
ANM08.005.31.014AB	UL2501	600V	31X14AWG	43/0.25	29.2	1492.68	8.62 Ω/km
ANM08.005.32.014AB	UL2501	600V	32X14AWG	43/0.25	29.2	1507.58	8.62 Ω/km
ANM08.005.33.014AB	UL2501	600V	33X14AWG	43/0.25	29.2	1522.58	8.62 Ω/km
ANM08.005.34.014AB	UL2501	600V	34X14AWG	43/0.25	30.2	1609.28	8.62 Ω/km
ANM08.005.35.014AB	UL2501	600V	35X14AWG	43/0.25	30.2	1624.28	8.62 Ω/km
ANM08.005.36.014AB	UL2501	600V	36X14AWG	43/0.25	30.2	1639.38	8.62 Ω/km
ANM08.005.37.014AB	UL2501	600V	37X14AWG	43/0.25	30.2	1654.38	8.62 Ω/km



ANM08.005.38.014AB	UL2501	600V	38X14AWG	43/0.25	31.3	1750.98	8.62 Ω/km
ANM08.005.39.014AB	UL2501	600V	39X14AWG	43/0.25	31.3	1765.98	8.62 Ω/km
ANM08.005.40.014AB	UL2501	600V	40X14AWG	43/0.25	31.3	1781.08	8.62 Ω/km
ANM08.005.41.014AB	UL2501	600V	41X14AWG	43/0.25	33.7	1984.18	8.62 Ω/km
ANM08.005.42.014AB	UL2501	600V	42X14AWG	43/0.25	33.7	1999.08	8.62 Ω/km
ANM08.005.43.014AB	UL2501	600V	43X14AWG	43/0.25	33.7	2014.18	8.62 Ω/km
ANM08.005.44.014AB	UL2501	600V	44X14AWG	43/0.25	33.7	2029.18	8.62 Ω/km
ANM08.005.45.014AB	UL2501	600V	45X14AWG	43/0.25	34.3	2093.48	8.62 Ω/km
ANM08.005.46.014AB	UL2501	600V	46X14AWG	43/0.25	34.3	2108.58	8.62 Ω/km
ANM08.005.47.014AB	UL2501	600V	47X14AWG	43/0.25	34.3	2123.58	8.62 Ω/km
ANM08.005.48.014AB	UL2501	600V	48X14AWG	43/0.25	34.3	2138.58	8.62 Ω/km
ANM08.005.49.014AB	UL2501	600V	49X14AWG	43/0.25	35.2	2229.08	8.62 Ω/km
ANM08.005.50.014AB	UL2501	600V	50X14AWG	43/0.25	35.2	2244.08	8.62 Ω/km
ANM08.005.51.014AB	UL2501	600V	51X14AWG	43/0.25	35.2	2259.08	8.62 Ω/km
ANM08.005.52.014AB	UL2501	600V	52X14AWG	43/0.25	35.2	2274.18	8.62 Ω/km
ANM08.005.02.013AB	UL2501	600V	2X13AWG	54/0.25	11.8	206.73	6.82 Ω/km
ANM08.005.03.013AB	UL2501	600V	3X13AWG	54/0.25	12.4	242.93	6.82 Ω/km
ANM08.005.04.013AB	UL2501	600V	4X13AWG	54/0.25	13.4	292.63	6.82 Ω/km
ANM08.005.05.013AB	UL2501	600V	5X13AWG	54/0.25	14.6	351.63	6.82 Ω/km
ANM08.005.06.013AB	UL2501	600V	6X13AWG	54/0.25	15.7	410.53	6.82 Ω/km
ANM08.005.07.013AB	UL2501	600V	7X13AWG	54/0.25	15.7	429.23	6.82 Ω/km
ANM08.005.08.013AB	UL2501	600V	8X13AWG	54/0.25	16.9	494.93	6.82 Ω/km
ANM08.005.09.013AB	UL2501	600V	9X13AWG	54/0.25	18.4	577.53	6.82 Ω/km
ANM08.005.10.013AB	UL2501	600V	10X13AWG	54/0.25	19.5	646.53	6.82 Ω/km
ANM08.005.11.013AB	UL2501	600V	11X13AWG	54/0.25	20.1	693.63	6.82 Ω/km
ANM08.005.12.013AB	UL2501	600V	12X13AWG	54/0.25	20.1	712.43	6.82 Ω/km
ANM08.005.13.013AB	UL2501	600V	13X13AWG	54/0.25	22.5	853.13	6.82 Ω/km
ANM08.005.14.013AB	UL2501	600V	14X13AWG	54/0.25	22.5	871.73	6.82 Ω/km
ANM08.005.15.013AB	UL2501	600V	15X13AWG	54/0.25	23.6	951.53	6.82 Ω/km
ANM08.005.16.013AB	UL2501	600V	16X13AWG	54/0.25	23.6	970.23	6.82 Ω/km
ANM08.005.17.013AB	UL2501	600V	17X13AWG	54/0.25	24.7	1052.93	6.82 Ω/km
ANM08.005.18.013AB	UL2501	600V	18X13AWG	54/0.25	24.7	1071.73	6.82 Ω/km
ANM08.005.19.013AB	UL2501	600V	19X13AWG	54/0.25	24.7	1090.43	6.82 Ω/km
ANM08.005.20.013AB	UL2501	600V	20X13AWG	54/0.25	25.3	1145.23	6.82 Ω/km
ANM08.005.21.013AB	UL2501	600V	21X13AWG	54/0.25	25.9	1200.93	6.82 Ω/km
ANM08.005.22.013AB	UL2501	600V	22X13AWG	54/0.25	27.4	1315.93	6.82 Ω/km
ANM08.005.23.013AB	UL2501	600V	23X13AWG	54/0.25	28.5	1408.83	6.82 Ω/km
ANM08.005.24.013AB	UL2501	600V	24X13AWG	54/0.25	28.5	1427.43	6.82 Ω/km
ANM08.005.25.013AB	UL2501	600V	25X13AWG	54/0.25	29.1	1487.73	6.82 Ω/km
ANM08.005.26.013AB	UL2501	600V	26X13AWG	54/0.25	29.1	1506.43	6.82 Ω/km
ANM08.005.27.013AB	UL2501	600V	27X13AWG	54/0.25	29.1	1525.23	6.82 Ω/km
ANM08.005.28.013AB	UL2501	600V	28X13AWG	54/0.25	30.1	1615.23	6.82 Ω/km



ANM08.005.29.013AB	UL2501	600V	29X13AWG	54/0.25	30.1	1634.03	6.82 Ω/km
ANM08.005.30.013AB	UL2501	600V	30X13AWG	54/0.25	30.1	1652.73	6.82 Ω/km
ANM08.005.31.013AB	UL2501	600V	31X13AWG	54/0.25	31.2	1752.63	6.82 Ω/km
ANM08.005.32.013AB	UL2501	600V	32X13AWG	54/0.25	31.2	1771.43	6.82 Ω/km
ANM08.005.33.013AB	UL2501	600V	33X13AWG	54/0.25	31.2	1790.13	6.82 Ω/km
ANM08.005.34.013AB	UL2501	600V	34X13AWG	54/0.25	32.3	1892.93	6.82 Ω/km
ANM08.005.35.013AB	UL2501	600V	35X13AWG	54/0.25	32.3	1911.73	6.82 Ω/km
ANM08.005.36.013AB	UL2501	600V	36X13AWG	54/0.25	32.3	1930.53	6.82 Ω/km
ANM08.005.37.013AB	UL2501	600V	37X13AWG	54/0.25	32.3	1949.13	6.82 Ω/km
ANM08.005.38.013AB	UL2501	600V	38X13AWG	54/0.25	33.5	2063.03	6.82 Ω/km
ANM08.005.39.013AB	UL2501	600V	39X13AWG	54/0.25	33.5	2081.73	6.82 Ω/km
ANM08.005.40.013AB	UL2501	600V	40X13AWG	54/0.25	33.5	2100.53	6.82 Ω/km
ANM08.005.41.013AB	UL2501	600V	41X13AWG	54/0.25	36.4	2363.53	6.82 Ω/km
ANM08.005.42.013AB	UL2501	600V	42X13AWG	54/0.25	36.4	2382.23	6.82 Ω/km
ANM08.005.43.013AB	UL2501	600V	43X13AWG	54/0.25	36.4	2401.03	6.82 Ω/km
ANM08.005.44.013AB	UL2501	600V	44X13AWG	54/0.25	36.4	2419.73	6.82 Ω/km
ANM08.005.45.013AB	UL2501	600V	45X13AWG	54/0.25	37	2491.63	6.82 Ω/km
ANM08.005.46.013AB	UL2501	600V	46X13AWG	54/0.25	37	2510.33	6.82 Ω/km
ANM08.005.47.013AB	UL2501	600V	47X13AWG	54/0.25	37	2528.93	6.82 Ω/km
ANM08.005.48.013AB	UL2501	600V	48X13AWG	54/0.25	37	2547.73	6.82 Ω/km
ANM08.005.49.013AB	UL2501	600V	49X13AWG	54/0.25	38	2656.93	6.82 Ω/km
ANM08.005.50.013AB	UL2501	600V	50X13AWG	54/0.25	38	2675.63	6.82 Ω/km
ANM08.005.51.013AB	UL2501	600V	51X13AWG	54/0.25	38	2694.23	6.82 Ω/km
ANM08.005.52.013AB	UL2501	600V	52X13AWG	54/0.25	38	2713.03	6.82 Ω/km
ANM08.005.02.012AB	UL2501	600V	2X12AWG	68/0.25	12.2	229.51	5.43 Ω/km
ANM08.005.03.012AB	UL2501	600V	3X12AWG	68/0.25	12.9	274.51	5.43 Ω/km
ANM08.005.04.012AB	UL2501	600V	4X12AWG	68/0.25	13.9	330.91	5.43 Ω/km
ANM08.005.05.012AB	UL2501	600V	5X12AWG	68/0.25	15.1	396.71	5.43 Ω/km
ANM08.005.06.012AB	UL2501	600V	6X12AWG	68/0.25	16.3	465.91	5.43 Ω/km
ANM08.005.07.012AB	UL2501	600V	7X12AWG	68/0.25	16.3	489.91	5.43 Ω/km
ANM08.005.08.012AB	UL2501	600V	8X12AWG	68/0.25	17.5	562.91	5.43 Ω/km
ANM08.005.09.012AB	UL2501	600V	9X12AWG	68/0.25	19.1	657.41	5.43 Ω/km
ANM08.005.10.012AB	UL2501	600V	10X12AWG	68/0.25	20.3	738.21	5.43 Ω/km
ANM08.005.11.012AB	UL2501	600V	11X12AWG	68/0.25	21	797.11	5.43 Ω/km
ANM08.005.12.012AB	UL2501	600V	12X12AWG	68/0.25	21	821.21	5.43 Ω/km
ANM08.005.13.012AB	UL2501	600V	13X12AWG	68/0.25	23.4	972.21	5.43 Ω/km
ANM08.005.14.012AB	UL2501	600V	14X12AWG	68/0.25	23.4	996.11	5.43 Ω/km
ANM08.005.15.012AB	UL2501	600V	15X12AWG	68/0.25	24.5	1083.61	5.43 Ω/km
ANM08.005.16.012AB	UL2501	600V	16X12AWG	68/0.25	24.5	1107.71	5.43 Ω/km
ANM08.005.17.012AB	UL2501	600V	17X12AWG	68/0.25	25.7	1204.21	5.43 Ω/km
ANM08.005.18.012AB	UL2501	600V	18X12AWG	68/0.25	25.7	1228.21	5.43 Ω/km
ANM08.005.19.012AB	UL2501	600V	19X12AWG	68/0.25	25.7	1252.31	5.43 Ω/km



ANM08.005.20.012AB	UL2501	600V	20X12AWG	68/0.25	26.4	1320.11	5.43 Ω/km
ANM08.005.21.012AB	UL2501	600V	21X12AWG	68/0.25	26.9	1376.21	5.43 Ω/km
ANM08.005.22.012AB	UL2501	600V	22X12AWG	68/0.25	28.5	1507.01	5.43 Ω/km
ANM08.005.23.012AB	UL2501	600V	23X12AWG	68/0.25	29.7	1615.21	5.43 Ω/km
ANM08.005.24.012AB	UL2501	600V	24X12AWG	68/0.25	29.7	1639.11	5.43 Ω/km
ANM08.005.25.012AB	UL2501	600V	25X12AWG	68/0.25	30.4	1713.91	5.43 Ω/km
ANM08.005.26.012AB	UL2501	600V	26X12AWG	68/0.25	30.4	1737.81	5.43 Ω/km
ANM08.005.27.012AB	UL2501	600V	27X12AWG	68/0.25	30.4	1761.91	5.43 Ω/km
ANM08.005.28.012AB	UL2501	600V	28X12AWG	68/0.25	31.4	1860.31	5.43 Ω/km
ANM08.005.29.012AB	UL2501	600V	29X12AWG	68/0.25	31.4	1884.41	5.43 Ω/km
ANM08.005.30.012AB	UL2501	600V	30X12AWG	68/0.25	31.4	1908.31	5.43 Ω/km
ANM08.005.31.012AB	UL2501	600V	31X12AWG	68/0.25	32.5	2017.01	5.43 Ω/km
ANM08.005.32.012AB	UL2501	600V	32X12AWG	68/0.25	32.5	2041.01	5.43 Ω/km
ANM08.005.33.012AB	UL2501	600V	33X12AWG	68/0.25	32.5	2065.01	5.43 Ω/km
ANM08.005.34.012AB	UL2501	600V	34X12AWG	68/0.25	33.7	2184.91	5.43 Ω/km
ANM08.005.35.012AB	UL2501	600V	35X12AWG	68/0.25	33.7	2208.81	5.43 Ω/km
ANM08.005.36.012AB	UL2501	600V	36X12AWG	68/0.25	33.7	2232.91	5.43 Ω/km
ANM08.005.37.012AB	UL2501	600V	37X12AWG	68/0.25	33.7	2256.81	5.43 Ω/km
ANM08.005.02.011AB	UL2501	600V	2X11AWG	85/0.25	13	265.67	4.30 Ω/km
ANM08.005.03.011AB	UL2501	600V	3X11AWG	85/0.25	13.7	317.77	4.30 Ω/km
ANM08.005.04.011AB	UL2501	600V	4X11AWG	85/0.25	15	392.07	4.30 Ω/km
ANM08.005.05.011AB	UL2501	600V	5X11AWG	85/0.25	16.2	466.77	4.30 Ω/km
ANM08.005.06.011AB	UL2501	600V	6X11AWG	85/0.25	17.5	549.07	4.30 Ω/km
ANM08.005.07.011AB	UL2501	600V	7X11AWG	85/0.25	17.5	578.67	4.30 Ω/km
ANM08.005.08.011AB	UL2501	600V	8X11AWG	85/0.25	18.9	669.57	4.30 Ω/km
ANM08.005.09.011AB	UL2501	600V	9X11AWG	85/0.25	20.6	779.97	4.30 Ω/km
ANM08.005.10.011AB	UL2501	600V	10X11AWG	85/0.25	23.3	951.07	4.30 Ω/km
ANM08.005.11.011AB	UL2501	600V	11X11AWG	85/0.25	24	1020.47	4.30 Ω/km
ANM08.005.12.011AB	UL2501	600V	12X11AWG	85/0.25	24	1050.07	4.30 Ω/km
ANM08.005.13.011AB	UL2501	600V	13X11AWG	85/0.25	25.2	1150.77	4.30 Ω/km
ANM08.005.14.011AB	UL2501	600V	14X11AWG	85/0.25	25.2	1180.37	4.30 Ω/km
ANM08.005.15.011AB	UL2501	600V	15X11AWG	85/0.25	26.4	1284.37	4.30 Ω/km
ANM08.005.16.011AB	UL2501	600V	16X11AWG	85/0.25	26.4	1314.07	4.30 Ω/km
ANM08.005.17.011AB	UL2501	600V	17X11AWG	85/0.25	27.7	1428.27	4.30 Ω/km
ANM08.005.18.011AB	UL2501	600V	18X11AWG	85/0.25	27.7	1457.77	4.30 Ω/km
ANM08.005.19.011AB	UL2501	600V	19X11AWG	85/0.25	27.7	1487.37	4.30 Ω/km
ANM08.005.20.011AB	UL2501	600V	20X11AWG	85/0.25	28.4	1564.27	4.30 Ω/km
ANM08.005.21.011AB	UL2501	600V	21X11AWG	85/0.25	29.1	1642.37	4.30 Ω/km
ANM08.005.22.011AB	UL2501	600V	22X11AWG	85/0.25	30.8	1794.57	4.30 Ω/km
ANM08.005.23.011AB	UL2501	600V	23X11AWG	85/0.25	32.1	1922.77	4.30 Ω/km
ANM08.005.24.011AB	UL2501	600V	24X11AWG	85/0.25	32.1	1952.27	4.30 Ω/km
ANM08.005.25.011AB	UL2501	600V	25X11AWG	85/0.25	32.8	2036.67	4.30 Ω/km



ANM08.005.26.011AB	UL2501	600V	26X11AWG	85/0.25	32.8	2066.27	4.30 Ω/km
ANM08.005.27.011AB	UL2501	600V	27X11AWG	85/0.25	32.8	2095.77	4.30 Ω/km
ANM08.005.28.011AB	UL2501	600V	28X11AWG	85/0.25	34	2221.97	4.30 Ω/km
ANM08.005.29.011AB	UL2501	600V	29X11AWG	85/0.25	34	2251.47	4.30 Ω/km
ANM08.005.30.011AB	UL2501	600V	30X11AWG	85/0.25	34	2281.07	4.30 Ω/km
ANM08.005.31.011AB	UL2501	600V	31X11AWG	85/0.25	35.2	2410.77	4.30 Ω/km
ANM08.005.32.011AB	UL2501	600V	32X11AWG	85/0.25	35.2	2440.37	4.30 Ω/km
ANM08.005.33.011AB	UL2501	600V	33X11AWG	85/0.25	35.2	2469.97	4.30 Ω/km
ANM08.005.34.011AB	UL2501	600V	34X11AWG	85/0.25	36.8	2638.27	4.30 Ω/km
ANM08.005.35.011AB	UL2501	600V	35X11AWG	85/0.25	36.8	2667.87	4.30 Ω/km
ANM08.005.36.011AB	UL2501	600V	36X11AWG	85/0.25	36.8	2697.47	4.30 Ω/km
ANM08.005.37.011AB	UL2501	600V	37X11AWG	85/0.25	36.8	2727.07	4.30 Ω/km
ANM08.005.02.010AB	UL2501	600V	2X10AWG	108/0.25	14.2	317.47	3.409 Ω/km
ANM08.005.03.010AB	UL2501	600V	3X10AWG	108/0.25	15.1	384.57	3.409 Ω/km
ANM08.005.04.010AB	UL2501	600V	4X10AWG	108/0.25	16.4	469.17	3.409 Ω/km
ANM08.005.05.010AB	UL2501	600V	5X10AWG	108/0.25	17.8	562.07	3.409 Ω/km
ANM08.005.06.010AB	UL2501	600V	6X10AWG	108/0.25	19.3	664.47	3.409 Ω/km
ANM08.005.07.010AB	UL2501	600V	7X10AWG	108/0.25	19.3	699.77	3.409 Ω/km
ANM08.005.08.010AB	UL2501	600V	8X10AWG	108/0.25	20.8	807.47	3.409 Ω/km
ANM08.005.09.010AB	UL2501	600V	9X10AWG	108/0.25	24.2	1025.77	3.409 Ω/km
ANM08.005.10.010AB	UL2501	600V	10X10AWG	108/0.25	25.7	1151.27	3.409 Ω/km
ANM08.005.11.010AB	UL2501	600V	11X10AWG	108/0.25	26.5	1236.77	3.409 Ω/km
ANM08.005.12.010AB	UL2501	600V	12X10AWG	108/0.25	26.5	1272.17	3.409 Ω/km
ANM08.005.13.010AB	UL2501	600V	13X10AWG	108/0.25	27.8	1392.47	3.409 Ω/km
ANM08.005.14.010AB	UL2501	600V	14X10AWG	108/0.25	27.8	1427.77	3.409 Ω/km
ANM08.005.15.010AB	UL2501	600V	15X10AWG	108/0.25	29.2	1559.17	3.409 Ω/km
ANM08.005.16.010AB	UL2501	600V	16X10AWG	108/0.25	29.2	1594.57	3.409 Ω/km
ANM08.005.17.010AB	UL2501	600V	17X10AWG	108/0.25	30.7	1738.17	3.409 Ω/km
ANM08.005.18.010AB	UL2501	600V	18X10AWG	108/0.25	30.7	1773.47	3.409 Ω/km
ANM08.005.19.010AB	UL2501	600V	19X10AWG	108/0.25	30.7	1808.77	3.409 Ω/km
ANM08.005.20.010AB	UL2501	600V	20X10AWG	108/0.25	31.5	1903.97	3.409 Ω/km
ANM08.005.21.010AB	UL2501	600V	21X10AWG	108/0.25	32.2	1993.07	3.409 Ω/km
ANM08.005.22.010AB	UL2501	600V	22X10AWG	108/0.25	34.2	2188.47	3.409 Ω/km
ANM08.005.23.010AB	UL2501	600V	23X10AWG	108/0.25	35.7	2350.27	3.409 Ω/km
ANM08.005.24.010AB	UL2501	600V	24X10AWG	108/0.25	35.7	2385.57	3.409 Ω/km
ANM08.005.25.010AB	UL2501	600V	25X10AWG	108/0.25	36.8	2516.97	3.409 Ω/km
ANM08.005.26.010AB	UL2501	600V	26X10AWG	108/0.25	36.8	2552.27	3.409 Ω/km
ANM08.005.27.010AB	UL2501	600V	27X10AWG	108/0.25	36.8	2587.57	3.409 Ω/km
ANM08.005.28.010AB	UL2501	600V	28X10AWG	108/0.25	38.1	2740.47	3.409 Ω/km
ANM08.005.29.010AB	UL2501	600V	29X10AWG	108/0.25	38.1	2775.77	3.409 Ω/km
ANM08.005.30.010AB	UL2501	600V	30X10AWG	108/0.25	38.1	2810.97	3.409 Ω/km
ANM08.005.31.010AB	UL2501	600V	31X10AWG	108/0.25	39.5	2977.37	3.409 Ω/km



ANM08.005.32.010AB	UL2501	600V	32X10AWG	108/0.25	39.5	3012.67	3.409 Ω/km
ANM08.005.33.010AB	UL2501	600V	33X10AWG	108/0.25	39.5	3047.87	3.409 Ω/km
ANM08.005.34.010AB	UL2501	600V	34X10AWG	108/0.25	41	3228.97	3.409 Ω/km
ANM08.005.35.010AB	UL2501	600V	35X10AWG	108/0.25	41	3264.27	3.409 Ω/km
ANM08.005.36.010AB	UL2501	600V	36X10AWG	108/0.25	41	3299.57	3.409 Ω/km
ANM08.005.37.010AB	UL2501	600V	37X10AWG	108/0.25	41	3334.77	3.409 Ω/km
ANM08.005.02.009AB	UL2501	600V	2X9AWG	136/0.25	14.9	364.14	2.705 Ω/km
ANM08.005.03.009AB	UL2501	600V	3X9AWG	136/0.25	15.8	442.84	2.705 Ω/km
ANM08.005.04.009AB	UL2501	600V	4X9AWG	136/0.25	17.1	540.04	2.705 Ω/km
ANM08.005.05.009AB	UL2501	600V	5X9AWG	136/0.25	18.7	654.54	2.705 Ω/km
ANM08.005.06.009AB	UL2501	600V	6X9AWG	136/0.25	20.2	770.54	2.705 Ω/km
ANM08.005.07.009AB	UL2501	600V	7X9AWG	136/0.25	20.2	816.04	2.705 Ω/km
ANM08.005.02.008AB	UL2501	600V	2X8AWG	171/0.25	17.3	483.37	2.144 Ω/km
ANM08.005.03.008AB	UL2501	600V	3X8AWG	171/0.25	18.4	588.57	2.144 Ω/km
ANM08.005.04.008AB	UL2501	600V	4X8AWG	171/0.25	20	720.67	2.144 Ω/km
ANM08.005.05.008AB	UL2501	600V	5X8AWG	171/0.25	23.3	949.47	2.144 Ω/km
ANM08.005.06.008AB	UL2501	600V	6X8AWG	171/0.25	25.2	1118.37	2.144 Ω/km
ANM08.005.07.008AB	UL2501	600V	7X8AWG	171/0.25	25.2	1176.37	2.144 Ω/km
ANM08.005.02.007AB	UL2501	600V	2X7AWG	84/0.4	18.1	552.45	1.700 Ω/km
ANM08.005.03.007AB	UL2501	600V	3X7AWG	84/0.4	19.2	676.15	1.700 Ω/km
ANM08.005.04.007AB	UL2501	600V	4X7AWG	84/0.4	21	837.85	1.700 Ω/km
ANM08.005.05.007AB	UL2501	600V	5X7AWG	84/0.4	24.4	1096.75	1.700 Ω/km
ANM08.005.06.007AB	UL2501	600V	6X7AWG	84/0.4	26.4	1293.35	1.700 Ω/km
ANM08.005.07.007AB	UL2501	600V	7X7AWG	84/0.4	26.4	1367.85	1.700 Ω/km
ANM08.005.02.006AB	UL2501	600V	2X6AWG	106/0.4	19.5	653.9	1.348 Ω/km
ANM08.005.03.006AB	UL2501	600V	3X6AWG	106/0.4	20.7	804	1.348 Ω/km
ANM08.005.04.006AB	UL2501	600V	4X6AWG	106/0.4	24.1	1078.2	1.348 Ω/km
ANM08.005.05.006AB	UL2501	600V	5X6AWG	106/0.4	26.3	1303.7	1.348 Ω/km
ANM08.005.06.006AB	UL2501	600V	6X6AWG	106/0.4	28.5	1541	1.348 Ω/km
ANM08.005.07.006AB	UL2501	600V	7X6AWG	106/0.4	28.5	1632.9	1.348 Ω/km
ANM08.005.02.005AB	UL2501	600V	2X5AWG	134/0.4	20.7	764.77	1.070 Ω/km
ANM08.005.03.005AB	UL2501	600V	3X5AWG	134/0.4	23.4	1023.57	1.070 Ω/km
ANM08.005.04.005AB	UL2501	600V	4X5AWG	134/0.4	25.5	1263.97	1.070 Ω/km
ANM08.005.05.005AB	UL2501	600V	5X5AWG	134/0.4	27.9	1534.97	1.070 Ω/km
ANM08.005.06.005AB	UL2501	600V	6X5AWG	134/0.4	30.3	1819.97	1.070 Ω/km
ANM08.005.07.005AB	UL2501	600V	7X5AWG	134/0.4	30.3	1936.67	1.070 Ω/km
ANM08.005.02.004AB	UL2501	600V	2X4AWG	169/0.4	23.5	978.65	0.8481 Ω/km
ANM08.005.03.004AB	UL2501	600V	3X4AWG	169/0.4	24.9	1207.75	0.8481 Ω/km
ANM08.005.04.004AB	UL2501	600V	4X4AWG	169/0.4	27.2	1499.45	0.8481 Ω/km
ANM08.005.05.004AB	UL2501	600V	5X4AWG	169/0.4	29.8	1825.55	0.8481 Ω/km
ANM08.005.06.004AB	UL2501	600V	6X4AWG	169/0.4	32.4	2168.05	0.8481 Ω/km
ANM08.005.07.004AB	UL2501	600V	7X4AWG	169/0.4	32.4	2315.55	0.8481 Ω/km





ANM08.005.02.003AB	UL2501	600V	2X3AWG	213/0.4	25.1	1155.07	0.6727 Ω/km
ANM08.005.03.003AB	UL2501	600V	3X3AWG	213/0.4	26.6	1434.57	0.6727 Ω/km
ANM08.005.04.003AB	UL2501	600V	4X3AWG	213/0.4	29.2	1795.47	0.6727 Ω/km
ANM08.005.05.003AB	UL2501	600V	5X3AWG	213/0.4	31.9	2180.47	0.6727 Ω/km
ANM08.005.06.003AB	UL2501	600V	6X3AWG	213/0.4	34.8	2599.77	0.6727 Ω/km
ANM08.005.07.003AB	UL2501	600V	7X3AWG	213/0.4	34.8	2785.87	0.6727 Ω/km
ANM08.005.02.002AB	UL2501	600V	2X2AWG	268/0.4	26.9	1371.82	0.5335 Ω/km
ANM08.005.03.002AB	UL2501	600V	3X2AWG	268/0.4	28.6	1720.32	0.5335 Ω/km
ANM08.005.04.002AB	UL2501	600V	4X2AWG	268/0.4	31.3	2149.82	0.5335 Ω/km
ANM08.005.05.002AB	UL2501	600V	5X2AWG	268/0.4	34.4	2629.92	0.5335 Ω/km
ANM08.005.06.002AB	UL2501	600V	6X2AWG	268/0.4	37.8	3160.72	0.5335 Ω/km
ANM08.005.07.002AB	UL2501	600V	7X2AWG	268/0.4	37.8	3395.32	0.5335 Ω/km
ANM08.005.02.001AB	UL2501	600V	2X1AWG	338/0.4	29.5	1684.81	0.4230 Ω/km
ANM08.005.03.001AB	UL2501	600V	3X1AWG	338/0.4	31.4	2122.71	0.4230 Ω/km
ANM08.005.04.001AB	UL2501	600V	4X1AWG	338/0.4	34.5	2667.41	0.4230 Ω/km
ANM08.005.05.001AB	UL2501	600V	5X1AWG	338/0.4	38.2	3290.21	0.4230 Ω/km
ANM08.005.06.001AB	UL2501	600V	6X1AWG	338/0.4	41.7	3925.91	0.4230 Ω/km
ANM08.005.07.001AB	UL2501	600V	7X1AWG	338/0.4	41.7	4224.41	0.4230 Ω/km
ANM08.005.02.1/0AB	UL2501	600V	2X1/0AWG	426/0.4	32.1	2036.29	0.3354 Ω/km
ANM08.005.03.1/0AB	UL2501	600V	3X1/0AWG	426/0.4	34.2	2576.19	0.3354 Ω/km
ANM08.005.04.1/0AB	UL2501	600V	4X1/0AWG	426/0.4	37.9	3269.99	0.3354 Ω/km
ANM08.005.05.1/0AB	UL2501	600V	5X1/0AWG	426/0.4	41.7	4007.09	0.3354 Ω/km
ANM08.005.06.1/0AB	UL2501	600V	6X1/0AWG	426/0.4	47.4	4988.19	0.3354 Ω/km
ANM08.005.07.1/0AB	UL2501	600V	7X1/0AWG	426/0.4	47.4	5360.39	0.3354 Ω/km
ANM08.005.02.2/0AB	UL2501	600V	2X2/0AWG	537/0.4	34.7	2452.73	0.2660 Ω/km
ANM08.005.03.2/0AB	UL2501	600V	3X2/0AWG	537/0.4	37.3	3147.23	0.2660 Ω/km
ANM08.005.04.2/0AB	UL2501	600V	4X2/0AWG	537/0.4	41.1	3975.23	0.2660 Ω/km
ANM08.005.05.2/0AB	UL2501	600V	5X2/0AWG	537/0.4	47	5067.33	0.2660 Ω/km
ANM08.005.06.2/0AB	UL2501	600V	6X2/0AWG	537/0.4	51.3	6045.83	0.2660 Ω/km
ANM08.005.07.2/0AB	UL2501	600V	7X2/0AWG	537/0.4	51.3	6514.53	0.2660 Ω/km
ANM08.005.02.3/0AB	UL2501	600V	2X3/0AWG	677/0.4	37.6	2976.81	0.2110 Ω/km
ANM08.005.03.3/0AB	UL2501	600V	3X3/0AWG	677/0.4	40.1	3806.61	0.2110 Ω/km
ANM08.005.04.3/0AB	UL2501	600V	4X3/0AWG	677/0.4	46	5011.41	0.2110 Ω/km
ANM08.005.05.3/0AB	UL2501	600V	5X3/0AWG	677/0.4	50.5	6130.51	0.2110 Ω/km
ANM08.005.06.3/0AB	UL2501	600V	6X3/0AWG	677/0.4	55.2	7325.31	0.2110 Ω/km
ANM08.005.07.3/0AB	UL2501	600V	7X3/0AWG	677/0.4	55.2	7920.81	0.2110 Ω/km
ANM08.005.02.4/0AB	UL2501	600V	2X4/0AWG	854/0.4	40.8	3613	0.1673 Ω/km
ANM08.005.03.4/0AB	UL2501	600V	3X4/0AWG	854/0.4	45.3	4828	0.1673 Ω/km
ANM08.005.04.4/0AB	UL2501	600V	4X4/0AWG	854/0.4	49.9	6107.3	0.1673 Ω/km
ANM08.005.05.4/0AB	UL2501	600V	5X4/0AWG	854/0.4	54.8	7477.5	0.1673 Ω/km
ANM08.005.06.4/0AB	UL2501	600V	6X4/0AWG	854/0.4	60	8948.8	0.1673 Ω/km
ANM08.005.07.4/0AB	UL2501	600V	7X4/0AWG	854/0.4	60	9700	0.1673 Ω/km



ANM08.005.02.250kB	UL2501	600V	2X250kcmil	1007/0.4	46.8	4523.8	0.1416 Ω/km
ANM08.005.03.250kB	UL2501	600V	3X250kcmil	1007/0.4	49.9	5766.8	0.1416 Ω/km
ANM08.005.04.250kB	UL2501	600V	4X250kcmil	1007/0.4	54.9	7280.4	0.1416 Ω/km
ANM08.005.05.250kB	UL2501	600V	5X250kcmil	1007/0.4	60.5	8941.5	0.1416 Ω/km
ANM08.005.02.300kB	UL2501	600V	2X300kcmil	1184/0.4	49	5185.7	0.1180 Ω/km
ANM08.005.03.300kB	UL2501	600V	3X300kcmil	1184/0.4	52.2	6649.1	0.1180 Ω/km
ANM08.005.04.300kB	UL2501	600V	4X300kcmil	1184/0.4	57.6	8437.1	0.1180 Ω/km
ANM08.005.05.300kB	UL2501	600V	5X300kcmil	1184/0.4	63.5	10372.2	0.1180 Ω/km
ANM08.005.02.350kB	UL2501	600V	2X350kcmil	1406/0.4	52	5916.9	0.1011 Ω/km
ANM08.005.03.350kB	UL2501	600V	3X350kcmil	1406/0.4	55.5	7614.1	0.1011 Ω/km
ANM08.005.04.350kB	UL2501	600V	4X350kcmil	1406/0.4	61.2	9659.9	0.1011 Ω/km
ANM08.005.05.350kB	UL2501	600V	5X350kcmil	1406/0.4	67.5	11881.8	0.1011 Ω/km
ANM08.005.02.400kB	UL2501	600V	2X400kcmil	1628/0.4	55	6679.1	0.08851 Ω/km
ANM08.005.03.400kB	UL2501	600V	3X400kcmil	1628/0.4	58.7	8604.4	0.08851 Ω/km
ANM08.005.04.400kB	UL2501	600V	4X400kcmil	1628/0.4	64.8	10931.2	0.08851 Ω/km
ANM08.005.05.400kB	UL2501	600V	5X400kcmil	1628/0.4	74	13882.3	0.08851 Ω/km
ANM08.005.02.450kB	UL2501	600V	2X450kcmil	1830/0.4	57.4	7380	0.07867 Ω/km
ANM08.005.03.450kB	UL2501	600V	3X450kcmil	1830/0.4	61.3	9531.6	0.07867 Ω/km
ANM08.005.04.450kB	UL2501	600V	4X450kcmil	1830/0.4	67.7	12121	0.07867 Ω/km
ANM08.005.05.450kB	UL2501	600V	5X450kcmil	1830/0.4	77.2	15367.2	0.07867 Ω/km
ANM08.005.02.500kB	UL2501	600V	2X500kcmil	2013/0.4	59.4	8052.2	0.07080 Ω/km
ANM08.005.03.500kB	UL2501	600V	3X500kcmil	2013/0.4	63.4	10420.6	0.07080 Ω/km
ANM08.005.04.500kB	UL2501	600V	4X500kcmil	2013/0.4	70.1	13275.9	0.07080 Ω/km
ANM08.005.05.500kB	UL2501	600V	5X500kcmil	2013/0.4	79.9	16817.5	0.07080 Ω/km
ANM08.005.03.01.013AB	UL2501	600V	3X13AWG+1X15AWG	54/0.25	13.1	275.15	6.82 Ω/km
ANM08.005.03.01.012AB	UL2501	600V	3X12AWG+1X14AWG	68/0.25	13.6	310.78	5.43 Ω/km
ANM08.005.03.01.011AB	UL2501	600V	3X11AWG+1X14AWG	85/0.25	14.4	354.28	4.30 Ω/km
ANM08.005.03.01.010AB	UL2501	600V	3X10AWG+1X13AWG	108/0.25	15.7	422.93	3.409 Ω/km
ANM08.005.03.01.009AB	UL2501	600V	3X9AWG+1X12AWG	136/0.25	16.3	482.81	2.705 Ω/km
ANM08.005.03.01.008AB	UL2501	600V	3X8AWG+1X11AWG	171/0.25	18.8	631.97	2.144 Ω/km
ANM08.005.03.01.007AB	UL2501	600V	3X7AWG+1X10AWG	84/0.4	19.8	734.47	1.700 Ω/km
ANM08.005.03.01.006AB	UL2501	600V	3X6AWG+1X9AWG	106/0.4	22.7	946.34	1.348 Ω/km
ANM08.005.03.01.005AB	UL2501	600V	3X5AWG+1X8AWG	134/0.4	24.5	1136.67	1.070 Ω/km
ANM08.005.03.01.004AB	UL2501	600V	3X4AWG+1X7AWG	169/0.4	26	1338.95	0.8481 Ω/km
ANM08.005.03.01.003AB	UL2501	600V	3X3AWG+1X6AWG	213/0.4	27.9	1598.5	0.6727 Ω/km
ANM08.005.03.01.002AB	UL2501	600V	3X2AWG+1X5AWG	268/0.4	29.9	1911.77	0.5335 Ω/km
ANM08.005.03.01.001AB	UL2501	600V	3X1AWG+1X4AWG	338/0.4	32.7	2349.35	0.4230 Ω/km
ANM08.005.03.01.1/OAB	UL2501	600V	3X1/OAWG+1X3AWG	426/0.4	35.5	2844.77	0.3354 Ω/km
ANM08.005.03.01.2/OAB	UL2501	600V	3X2/OAWG+1X2AWG	537/0.4	38.7	3476.32	0.2660 Ω/km
ANM08.005.03.01.3/OAB	UL2501	600V	3X3/OAWG+1X1AWG	677/0.4	41.9	4240.51	0.2110 Ω/km
ANM08.005.03.01.4/OAB	UL2501	600V	3X4/OAWG+1X1/OAWG	854/0.4	47.4	5381.29	0.1673 Ω/km
ANM08.005.03.01.250kB	UL2501	600V	3X250kcmil+1X2/OAWG	1007/0.4	52	6433.93	0.1416 Ω/km



ANM08.005.03.01.300kB	UL2501	600V	3X300kcmil+1X3/OAWG	1184/0.4	54.7	7500.01	0.1180 Ω/km
ANM08.005.03.01.350kB	UL2501	600V	3X350kcmil+1X4/OAWG	1406/0.4	58.4	8694.1	0.1011 Ω/km
ANM08.005.03.01.400kB	UL2501	600V	3X400kcmil+1X250kcmil	1628/0.4	62.4	9950.5	0.08851 Ω/km
ANM08.005.03.01.450kB	UL2501	600V	3X450kcmil+1X300kcmil	1830/0.4	65.3	11139.6	0.07867 Ω/km
ANM08.005.03.01.500kB	UL2501	600V	3X500kcmil+1X350kcmil	2013/0.4	68	12317.4	0.07080 Ω/km
ANM08.005.03.02.013AB	UL2501	600V	3X13AWG+2X15AWG	54/0.25	13.9	313.05	6.82 Ω/km
ANM08.005.03.02.012AB	UL2501	600V	3X12AWG+2X14AWG	68/0.25	14.6	359.68	5.43 Ω/km
ANM08.005.03.02.011AB	UL2501	600V	3X11AWG+2X14AWG	85/0.25	15.2	397.78	4.30 Ω/km
ANM08.005.03.02.010AB	UL2501	600V	3X10AWG+2X13AWG	108/0.25	16.5	472.53	3.409 Ω/km
ANM08.005.03.02.009AB	UL2501	600V	3X9AWG+2X12AWG	136/0.25	17.2	543.31	2.705 Ω/km
ANM08.005.03.02.008AB	UL2501	600V	3X8AWG+2X11AWG	171/0.25	19.6	698.47	2.144 Ω/km
ANM08.005.03.02.007AB	UL2501	600V	3X7AWG+2X10AWG	84/0.4	20.9	823.67	1.700 Ω/km
ANM08.005.03.02.006AB	UL2501	600V	3X6AWG+2X9AWG	106/0.4	23.7	1047.84	1.348 Ω/km
ANM08.005.03.02.005AB	UL2501	600V	3X5AWG+2X8AWG	134/0.4	26	1285.77	1.070 Ω/km
ANM08.005.03.02.004AB	UL2501	600V	3X4AWG+2X7AWG	169/0.4	27.6	1516.65	0.8481 Ω/km
ANM08.005.03.02.003AB	UL2501	600V	3X3AWG+2X6AWG	213/0.4	29.6	1808.3	0.6727 Ω/km
ANM08.005.03.02.002AB	UL2501	600V	3X2AWG+2X5AWG	268/0.4	31.7	2162.07	0.5335 Ω/km
ANM08.005.03.02.001AB	UL2501	600V	3X1AWG+2X4AWG	338/0.4	34.6	2651.05	0.4230 Ω/km
ANM08.005.03.02.1/OAB	UL2501	600V	3X1/OAWG+2X3AWG	426/0.4	37.9	3243.37	0.3354 Ω/km
ANM08.005.03.02.2/OAB	UL2501	600V	3X2/OAWG+2X2AWG	537/0.4	40.9	3922.32	0.2660 Ω/km
ANM08.005.03.02.3/OAB	UL2501	600V	3X3/OAWG+2X1AWG	677/0.4	46.2	4992.41	0.2110 Ω/km
ANM08.005.03.02.4/OAB	UL2501	600V	3X4/OAWG+2X1/OAWG	854/0.4	50.2	6082.89	0.1673 Ω/km
ANM08.005.03.02.250kB	UL2501	600V	3X250kcmil+2X2/OAWG	1007/0.4	55.1	7303.23	0.1416 Ω/km
ANM08.005.03.02.300kB	UL2501	600V	3X300kcmil+2X3/OAWG	1184/0.4	58.2	8572.21	0.1180 Ω/km
ANM08.005.03.02.350kB	UL2501	600V	3X350kcmil+2X4/OAWG	1406/0.4	62.4	10028.4	0.1011 Ω/km
ANM08.005.03.02.400kB	UL2501	600V	3X400kcmil+2X250kcmil	1628/0.4	67.1	11566.5	0.08851 Ω/km
ANM08.005.03.02.450kB	UL2501	600V	3X450kcmil+2X300kcmil	1830/0.4	70.2	13013.7	0.07867 Ω/km
ANM08.005.03.02.500kB	UL2501	600V	3X500kcmil+2X350kcmil	2013/0.4	75.9	14924.8	0.07080 Ω/km
ANM08.005.01.01.013AB	UL2501	600V	4X13AWG+1X15AWG	54/0.25	14.2	330.05	6.82 Ω/km
ANM08.005.01.01.012AB	UL2501	600V	4X12AWG+1X14AWG	68/0.25	14.8	375.68	5.43 Ω/km
ANM08.005.01.01.011AB	UL2501	600V	4X11AWG+1X14AWG	85/0.25	15.7	430.98	4.30 Ω/km
ANM08.005.01.01.010AB	UL2501	600V	4X10AWG+1X13AWG	108/0.25	17.2	517.63	3.409 Ω/km
ANM08.005.01.01.009AB	UL2501	600V	4X9AWG+1X12AWG	136/0.25	17.9	594.41	2.705 Ω/km
ANM08.005.01.01.008AB	UL2501	600V	4X8AWG+1X11AWG	171/0.25	20.7	780.17	2.144 Ω/km
ANM08.005.01.01.007AB	UL2501	600V	4X7AWG+1X10AWG	84/0.4	23.3	989.27	1.700 Ω/km
ANM08.005.01.01.006AB	UL2501	600V	4X6AWG+1X9AWG	106/0.4	25	1170.34	1.348 Ω/km
ANM08.005.01.01.005AB	UL2501	600V	4X5AWG+1X8AWG	134/0.4	26.9	1401.87	1.070 Ω/km
ANM08.005.01.01.001AB	UL2501	600V	4X4AWG+1X7AWG	169/0.4	28.7	1664.35	0.8481 Ω/km
ANM08.005.01.01.003AB	UL2501	600V	4X3AWG+1X6AWG	213/0.4	30.8	1989.7	0.6727 Ω/km
ANM08.005.01.01.002AB	UL2501	600V	4X2AWG+1X5AWG	268/0.4	33	2381.37	0.5335 Ω/km
ANM08.005.01.01.001AB	UL2501	600V	4X1AWG+1X4AWG	338/0.4	36.5	2964.95	0.4230 Ω/km
ANM08.005.01.01.1/OAB	UL2501	600V	4X1/OAWG+1X3AWG	426/0.4	39.8	3607.47	0.3354 Ω/km



ANM08.005.01.01.2/OAB	UL2501	600V	4X2/OAWG+1X2AWG	537/0.4	43	4368.82	0.2660 Ω/km
ANM08.005.01.01.3/OAB	UL2501	600V	4X3/OAWG+1X1AWG	677/0.4	48.4	5540.41	0.2110 Ω/km
ANM08.005.01.01.4/OAB	UL2501	600V	4X4/OAWG+1X1/OAWG	854/0.4	52.5	6746.89	0.1673 Ω/km
ANM08.005.01.01.250kB	UL2501	600V	4X250kcmil+1X2/OAWG	1007/0.4	57.8	8083.83	0.1416 Ω/km
ANM08.005.01.01.300kB	UL2501	600V	4X300kcmil+1X3/OAWG	1184/0.4	60.8	9422.81	0.1180 Ω/km
ANM08.005.01.01.350kB	UL2501	600V	4X350kcmil+1X4/OAWG	1406/0.4	64.9	10904.4	0.1011 Ω/km
ANM08.005.01.01.400kB	UL2501	600V	4X400kcmil+1X250kcmil	1628/0.4	69.3	12465	0.08851 Ω/km
ANM08.005.01.01.450kB	UL2501	600V	4X450kcmil+1X300kcmil	1830/0.4	74.9	14349	0.07867 Ω/km
ANM08.005.01.01.500kB	UL2501	600V	4X500kcmil+1X350kcmil	2013/0.4	77.9	15828.4	0.07080 Ω/km
ANM08.005.03.03.013AB	UL2501	600V	3X13AWG+3X18AWG	54/0.25	14.1	312.83	6.82 Ω/km
ANM08.005.03.03.012AB	UL2501	600V	3X12AWG+3X17AWG	68/0.25	14.8	357.34	5.43 Ω/km
ANM08.005.03.03.011AB	UL2501	600V	3X11AWG+3X16AWG	85/0.25	15.5	406.41	4.30 Ω/km
ANM08.005.03.03.010AB	UL2501	600V	3X10AWG+3X15AWG	108/0.25	16.7	477.65	3.409 Ω/km
ANM08.005.03.03.009AB	UL2501	600V	3X9AWG+3X14AWG	136/0.25	17.4	547.48	2.705 Ω/km
ANM08.005.03.03.008AB	UL2501	600V	3X8AWG+3X13AWG	171/0.25	19.5	689.33	2.144 Ω/km
ANM08.005.03.03.007AB	UL2501	600V	3X7AWG+3X12AWG	84/0.4	20.4	798.11	1.700 Ω/km
ANM08.005.03.03.006AB	UL2501	600V	3X6AWG+3X11AWG	106/0.4	23.4	1025.67	1.348 Ω/km
ANM08.005.03.03.005AB	UL2501	600V	3X5AWG+3X10AWG	134/0.4	25.2	1223.47	1.070 Ω/km
ANM08.005.03.03.004AB	UL2501	600V	3X4AWG+3X9AWG	169/0.4	26.7	1441.94	0.8481 Ω/km
ANM08.005.03.03.003AB	UL2501	600V	3X3AWG+3X8AWG	213/0.4	29.8	1807.57	0.6727 Ω/km
ANM08.005.03.03.002AB	UL2501	600V	3X2AWG+3X7AWG	268/0.4	31.7	2145.45	0.5335 Ω/km
ANM08.005.03.03.001AB	UL2501	600V	3X1AWG+3X6AWG	338/0.4	34.6	2624.2	0.4230 Ω/km
ANM08.005.03.03.1/OAB	UL2501	600V	3X1/OAWG+3X5AWG	426/0.4	37.7	3192.87	0.3354 Ω/km
ANM08.005.03.03.2/OAB	UL2501	600V	3X2/OAWG+3X4AWG	537/0.4	40.6	3853.35	0.2660 Ω/km
ANM08.005.03.03.3/OAB	UL2501	600V	3X3/OAWG+3X3AWG	677/0.4	45.5	4860.67	0.2110 Ω/km
ANM08.005.03.03.4/OAB	UL2501	600V	3X4/OAWG+3X2AWG	854/0.4	49.2	5903.02	0.1673 Ω/km
ANM08.005.03.03.250kB	UL2501	600V	3X250kcmil+3X1AWG	1007/0.4	54.2	7117.41	0.1416 Ω/km
ANM08.005.03.03.300kB	UL2501	600V	3X300kcmil+3X1/OAWG	1184/0.4	57.9	8423.89	0.1180 Ω/km
ANM08.005.03.03.350kB	UL2501	600V	3X350kcmil+3X1/OAWG	1406/0.4	59.9	9219.69	0.1011 Ω/km
ANM08.005.03.03.400kB	UL2501	600V	3X400kcmil+3X2/OAWG	1628/0.4	64.1	10675.03	0.08851 Ω/km
ANM08.005.03.03.450kB	UL2501	600V	3X450kcmil+3X3/OAWG	1830/0.4	67.9	12204.31	0.07867 Ω/km
ANM08.005.03.03.500kB	UL2501	600V	3X500kcmil+3X3/OAWG	2013/0.4	69.3	12984.21	0.07080 Ω/km