



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻Ω/km
ANO19.011.02.03.000.50B	RE-2Y(St)Y-PiMF	300/300V	2x3x0.5	7/0.31	9.7	104	36.7MΩ/KM
ANO19.011.04.03.000.50B	RE-2Y(St)Y-PiMF	300/300V	4x3x0.5	7/0.31	11.1	156	36.7MΩ/KM
ANO19.011.05.03.000.50B	RE-2Y(St)Y-PiMF	300/300V	5x3x0.5	7/0.31	12.4	183	36.7MΩ/KM
ANO19.011.06.03.000.50B	RE-2Y(St)Y-PiMF	300/300V	6x3x0.5	7/0.31	14	236	36.7MΩ/KM
ANO19.011.08.03.000.50B	RE-2Y(St)Y-PiMF	300/300V	8x3x0.5	7/0.31	14.9	288	36.7MΩ/KM
ANO19.011.10.03.000.50B	RE-2Y(St)Y-PiMF	300/300V	10x3x0.5	7/0.31	17	350	36.7MΩ/KM
ANO19.011.12.02.000.50B	RE-2Y(St)Y-PiMF	300/300V	12x3x0.5	7/0.31	17.6	386	36.7MΩ/KM
ANO19.011.16.03.000.50B	RE-2Y(St)Y-PiMF	300/300V	16x3x0.5	7/0.31	20.1	506	36.7MΩ/KM
ANO19.011.20.03.000.50B	RE-2Y(St)Y-PiMF	300/300V	20x3x0.5	7/0.31	22.3	619	36.7MΩ/KM
ANO19.011.24.03.000.50B	RE-2Y(St)Y-PiMF	300/300V	24x3x0.5	7/0.31	24.4	752	36.7MΩ/KM
ANO19.011.02.03.000.75B	RE-2Y(St)Y-PiMF	300/300V	2x3x0.75	7/0.37	10.6	125	25MΩ/KM
ANO19.011.04.03.000.75B	RE-2Y(St)Y-PiMF	300/300V	4x3x0.75	7/0.37	12.4	187	25MΩ/KM
ANO19.011.05.03.000.75B	RE-2Y(St)Y-PiMF	300/300V	5x3x0.75	7/0.37	13.7	238	25MΩ/KM
ANO19.011.06.03.000.75B	RE-2Y(St)Y-PiMF	300/300V	6x3x0.75	7/0.37	15.4	281	25MΩ/KM
ANO19.011.08.03.000.75B	RE-2Y(St)Y-PiMF	300/300V	8x3x0.75	7/0.37	16.7	364	25MΩ/KM
ANO19.011.10.03.000.75B	RE-2Y(St)Y-PiMF	300/300V	10x3x0.75	7/0.37	19	448	25MΩ/KM
ANO19.011.12.02.000.75B	RE-2Y(St)Y-PiMF	300/300V	12x3x0.75	7/0.37	19.7	497	25MΩ/KM
ANO19.011.16.03.000.75B	RE-2Y(St)Y-PiMF	300/300V	16x3x0.75	7/0.37	22.5	655	25MΩ/KM
ANO19.011.20.03.000.75B	RE-2Y(St)Y-PiMF	300/300V	20x3x0.75	7/0.37	24.9	802	25MΩ/KM
ANO19.011.24.03.000.75B	RE-2Y(St)Y-PiMF	300/300V	24x3x0.75	7/0.37	27.2	970	25MΩ/KM
ANO19.011.02.03.001.00B	RE-2Y(St)Y-PiMF	300/300V	2x3x1	7/0.43	11.5	154	18.5MΩ/KM
ANO19.011.04.03.001.00B	RE-2Y(St)Y-PiMF	300/300V	4x3x1	7/0.43	13.4	228	18.5MΩ/KM
ANO19.011.05.03.001.00B	RE-2Y(St)Y-PiMF	300/300V	5x3x1	7/0.43	14.8	287	18.5MΩ/KM
ANO19.011.06.03.001.00B	RE-2Y(St)Y-PiMF	300/300V	6x3x1	7/0.43	16.9	350	18.5MΩ/KM
ANO19.011.08.03.001.00B	RE-2Y(St)Y-PiMF	300/300V	8x3x1	7/0.43	18.1	445	18.5MΩ/KM
ANO19.011.10.03.001.00B	RE-2Y(St)Y-PiMF	300/300V	10x3x1	7/0.43	20.7	547	18.5MΩ/KM
ANO19.011.12.02.001.00B	RE-2Y(St)Y-PiMF	300/300V	12x3x1	7/0.43	21.4	624	18.5MΩ/KM
ANO19.011.16.03.001.00B	RE-2Y(St)Y-PiMF	300/300V	16x3x1	7/0.43	24.4	822	18.5MΩ/KM
ANO19.011.20.03.001.00B	RE-2Y(St)Y-PiMF	300/300V	20x3x1	7/0.43	27.1	1005	18.5MΩ/KM
ANO19.011.24.03.001.00B	RE-2Y(St)Y-PiMF	300/300V	24x3x1	7/0.43	29.6	1212	18.5MΩ/KM
ANO19.011.02.03.001.30B	RE-2Y(St)Y-PiMF	300/300V	2x3x1,3	7/0.48	12.8	186	14.2MΩ/KM
ANO19.011.04.03.001.30B	RE-2Y(St)Y-PiMF	300/300V	4x3x1,3	7/0.48	14.7	284	14.2MΩ/KM
ANO19.011.05.03.001.30B	RE-2Y(St)Y-PiMF	300/300V	5x3x1,3	7/0.48	16.5	358	14.2MΩ/KM
ANO19.011.06.03.001.30B	RE-2Y(St)Y-PiMF	300/300V	6x3x1,3	7/0.48	18.8	427	14.2MΩ/KM
ANO19.011.08.03.001.30B	RE-2Y(St)Y-PiMF	300/300V	8x3x1,3	7/0.48	20.1	551	14.2MΩ/KM
ANO19.011.10.03.001.30B	RE-2Y(St)Y-PiMF	300/300V	10x3x1,3	7/0.48	23	684	14.2MΩ/KM
ANO19.011.12.02.001.30B	RE-2Y(St)Y-PiMF	300/300V	12x3x1,3	7/0.48	24	769	14.2MΩ/KM
ANO19.011.16.03.001.30B	RE-2Y(St)Y-PiMF	300/300V	16x3x1,3	7/0.48	27.4	1025	14.2MΩ/KM



ANO19.011.20.03.001.30B	RE-2Y(St)Y-PiMF	300/300V	20x3x1,3	7/0.48	30.4	1256	14.2MΩ/KM
ANO19.011.24.03.001.30B	RE-2Y(St)Y-PiMF	300/300V	24x3x1,3	7/0.48	33.1	1516	14.2MΩ/KM
ANO19.011.02.03.001.50B	RE-2Y(St)Y-PiMF	300/300V	2x3x1,5	7/0.52	13.2	199	12.3MΩ/KM
ANO19.011.04.03.001.50B	RE-2Y(St)Y-PiMF	300/300V	4x3x1,5	7/0.52	15.4	322	12.3MΩ/KM
ANO19.011.05.03.001.50B	RE-2Y(St)Y-PiMF	300/300V	5x3x1,5	7/0.52	17.1	397	12.3MΩ/KM
ANO19.011.06.03.001.50B	RE-2Y(St)Y-PiMF	300/300V	6x3x1,5	7/0.52	19.5	484	12.3MΩ/KM
ANO19.011.08.03.001.50B	RE-2Y(St)Y-PiMF	300/300V	8x3x1,5	7/0.52	21.1	616	12.3MΩ/KM
ANO19.011.10.03.001.50B	RE-2Y(St)Y-PiMF	300/300V	10x3x1,5	7/0.52	24.1	768	12.3MΩ/KM
ANO19.011.12.02.001.50B	RE-2Y(St)Y-PiMF	300/300V	12x3x1,5	7/0.52	24.9	870	12.3MΩ/KM
ANO19.011.16.03.001.50B	RE-2Y(St)Y-PiMF	300/300V	16x3x1,5	7/0.52	28.4	1144	12.3MΩ/KM
ANO19.011.20.03.001.50B	RE-2Y(St)Y-PiMF	300/300V	20x3x1,5	7/0.52	31.6	1404	12.3MΩ/KM
ANO19.011.24.03.001.50B	RE-2Y(St)Y-PiMF	300/300V	24x3x1,5	7/0.52	34.4	1698	12.3MΩ/KM
ANO19.011.02.02.000.50B	RE-2Y(St)Y-PiMF	300/300V	2x2x0.5	7/0.31	8.7	84	36.7MΩ/KM
ANO19.011.03.02.000.50B	RE-2Y(St)Y-PiMF	300/300V	3x2x0.5	7/0.31	10.2	120	36.7MΩ/KM
ANO19.011.04.02.000.50B	RE-2Y(St)Y-PiMF	300/300V	4x2x0.5	7/0.31	11.2	145	36.7MΩ/KM
ANO19.011.05.02.000.50B	RE-2Y(St)Y-PiMF	300/300V	5x2x0.5	7/0.31	12.1	171	36.7MΩ/KM
ANO19.011.08.02.000.50B	RE-2Y(St)Y-PiMF	300/300V	8x2x0.5	7/0.31	13.1	212	36.7MΩ/KM
ANO19.011.10.02.000.50B	RE-2Y(St)Y-PiMF	300/300V	10x2x0.5	7/0.31	15.1	266	36.7MΩ/KM
ANO19.011.12.02.000.50B	RE-2Y(St)Y-PiMF	300/300V	12x2x0.5	7/0.31	15.7	287	36.7MΩ/KM
ANO19.011.16.02.000.50B	RE-2Y(St)Y-PiMF	300/300V	16x2x0.5	7/0.31	17.8	387	36.7MΩ/KM
ANO19.011.20.02.000.50B	RE-2Y(St)Y-PiMF	300/300V	20x2x0.5	7/0.31	19.7	463	36.7MΩ/KM
ANO19.011.24.02.000.50B	RE-2Y(St)Y-PiMF	300/300V	24x2x0.5	7/0.31	21.5	554	36.7MΩ/KM
ANO19.011.02.02.000.75B	RE-2Y(St)Y-PiMF	300/300V	2x2x0.75	7/0.37	9.7	101	25MΩ/KM
ANO19.011.03.02.000.75B	RE-2Y(St)Y-PiMF	300/300V	3x2x0.75	7/0.37	11.2	152	25MΩ/KM
ANO19.011.04.02.000.75B	RE-2Y(St)Y-PiMF	300/300V	4x2x0.75	7/0.37	12.5	177	25MΩ/KM
ANO19.011.05.02.000.75B	RE-2Y(St)Y-PiMF	300/300V	5x2x0.75	7/0.37	13.6	224	25MΩ/KM
ANO19.011.08.02.000.75B	RE-2Y(St)Y-PiMF	300/300V	8x2x0.75	7/0.37	14.4	269	25MΩ/KM
ANO19.011.10.02.000.75B	RE-2Y(St)Y-PiMF	300/300V	10x2x0.75	7/0.37	16.6	335	25MΩ/KM
ANO19.011.12.02.000.75B	RE-2Y(St)Y-PiMF	300/300V	12x2x0.75	7/0.37	17.4	376	25MΩ/KM
ANO19.011.16.02.000.75B	RE-2Y(St)Y-PiMF	300/300V	16x2x0.75	7/0.37	19.8	485	25MΩ/KM
ANO19.011.20.02.000.75B	RE-2Y(St)Y-PiMF	300/300V	20x2x0.75	7/0.37	22	589	25MΩ/KM
ANO19.011.24.02.000.75B	RE-2Y(St)Y-PiMF	300/300V	24x2x0.75	7/0.37	24	713	25MΩ/KM
ANO19.011.02.02.001.00B	RE-2Y(St)Y-PiMF	300/300V	2x2x1.0	7/0.43	10.4	117	18.5MΩ/KM
ANO19.011.03.02.001.00B	RE-2Y(St)Y-PiMF	300/300V	3x2x1.0	7/0.43	12.1	174	18.5MΩ/KM
ANO19.011.04.02.001.00B	RE-2Y(St)Y-PiMF	300/300V	4x2x1.0	7/0.43	13.5	220	18.5MΩ/KM
ANO19.011.05.02.001.00B	RE-2Y(St)Y-PiMF	300/300V	5x2x1.0	7/0.43	14.7	257	18.5MΩ/KM
ANO19.011.08.02.001.00B	RE-2Y(St)Y-PiMF	300/300V	8x2x1.0	7/0.43	15.8	324	18.5MΩ/KM
ANO19.011.10.02.001.00B	RE-2Y(St)Y-PiMF	300/300V	10x2x1.0	7/0.43	18	403	18.5MΩ/KM
ANO19.011.12.02.001.00B	RE-2Y(St)Y-PiMF	300/300V	12x2x1.0	7/0.43	19	456	18.5MΩ/KM
ANO19.011.16.02.001.00B	RE-2Y(St)Y-PiMF	300/300V	16x2x1.0	7/0.43	21.5	603	18.5MΩ/KM



AN019.011.20.02.001.00B	RE-2Y(St)Y-PiMF	300/300V	20x2x1.0	7/0.43	23.9	721	18.5M Ω /KM
AN019.011.24.02.001.00B	RE-2Y(St)Y-PiMF	300/300V	24x2x1.0	7/0.43	26.1	866	18.5M Ω /KM
AN019.011.02.02.001.30B	RE-2Y(St)Y-PiMF	300/300V	2x2x1.3	7/0.48	11.4	143	14.2M Ω /KM
AN019.011.03.02.001.30B	RE-2Y(St)Y-PiMF	300/300V	3x2x1.3	7/0.48	13.4	208	14.2M Ω /KM
AN019.011.04.02.001.30B	RE-2Y(St)Y-PiMF	300/300V	4x2x1.3	7/0.48	14.8	271	14.2M Ω /KM
AN019.011.05.02.001.30B	RE-2Y(St)Y-PiMF	300/300V	5x2x1.3	7/0.48	16.3	319	14.2M Ω /KM
AN019.011.08.02.001.30B	RE-2Y(St)Y-PiMF	300/300V	8x2x1.3	7/0.48	17.6	407	14.2M Ω /KM
AN019.011.10.02.001.30B	RE-2Y(St)Y-PiMF	300/300V	10x2x1.3	7/0.48	20	502	14.2M Ω /KM
AN019.011.12.02.001.30B	RE-2Y(St)Y-PiMF	300/300V	12x2x1.3	7/0.48	21.1	554	14.2M Ω /KM
AN019.011.16.02.001.30B	RE-2Y(St)Y-PiMF	300/300V	16x2x1.3	7/0.48	24.1	730	14.2M Ω /KM
AN019.011.20.02.001.30B	RE-2Y(St)Y-PiMF	300/300V	20x2x1.3	7/0.48	26.8	912	14.2M Ω /KM
AN019.011.24.02.001.30B	RE-2Y(St)Y-PiMF	300/300V	24x2x1.3	7/0.48	29.2	1090	14.2M Ω /KM
AN019.011.02.02.001.50B	RE-2Y(St)Y-PiMF	300/300V	2x2x1.5	7/0.52	11.8	158	12.3M Ω /KM
AN019.011.03.02.001.50B	RE-2Y(St)Y-PiMF	300/300V	3x2x1.5	7/0.52	13.9	243	12.3M Ω /KM
AN019.011.04.02.001.50B	RE-2Y(St)Y-PiMF	300/300V	4x2x1.5	7/0.52	15.5	290	12.3M Ω /KM
AN019.011.05.02.001.50B	RE-2Y(St)Y-PiMF	300/300V	5x2x1.5	7/0.52	16.9	358	12.3M Ω /KM
AN019.011.08.02.001.50B	RE-2Y(St)Y-PiMF	300/300V	8x2x1.5	7/0.52	18.2	447	12.3M Ω /KM
AN019.011.10.02.001.50B	RE-2Y(St)Y-PiMF	300/300V	10x2x1.5	7/0.52	21	550	12.3M Ω /KM
AN019.011.12.02.001.50B	RE-2Y(St)Y-PiMF	300/300V	12x2x1.5	7/0.52	21.9	625	12.3M Ω /KM
AN019.011.16.02.001.50B	RE-2Y(St)Y-PiMF	300/300V	16x2x1.5	7/0.52	25.1	831	12.3M Ω /KM
AN019.011.20.02.001.50B	RE-2Y(St)Y-PiMF	300/300V	20x2x1.5	7/0.52	27.8	1007	12.3M Ω /KM
AN019.011.24.02.001.50B	RE-2Y(St)Y-PiMF	300/300V	24x2x1.5	7/0.52	30.4	1223	12.3M Ω /KM